



US007712053B2

(12) **United States Patent**
Bradford et al.

(10) **Patent No.:** **US 7,712,053 B2**
(45) **Date of Patent:** **May 4, 2010**

(54) **EXPLICIT CHARACTER FILTERING OF
AMBIGUOUS TEXT ENTRY**

(75) Inventors: **Ethan Robert Bradford**, Seattle, WA (US); **Keith Charles Hullfish**, Snohomish, WA (US); **David J. Kay**, Seattle, WA (US); **Pim Van Meurs**, Seattle, WA (US); **Michael R. Longe**, Seattle, WA (US)

(73) Assignee: **Tegic Communications, Inc.**, Seattle, WA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 651 days.

(21) Appl. No.: **10/176,933**

(22) Filed: **Jun. 20, 2002**

(65) **Prior Publication Data**

US 2002/0196163 A1 Dec. 26, 2002

Related U.S. Application Data

(63) Continuation-in-part of application No. 09/454,406, filed on Dec. 3, 1999, now Pat. No. 6,646,573.

(60) Provisional application No. 60/110,890, filed on Dec. 4, 1998.

(51) **Int. Cl.**

G06F 3/14 (2006.01)

G06F 3/048 (2006.01)

H04M 1/00 (2006.01)

H03M 11/00 (2006.01)

(52) **U.S. Cl.** **715/864**; 341/22; 379/368; 400/485; 715/200; 715/773

(58) **Field of Classification Search** 715/500, 715/200, 773, 864; 341/22; 379/368; 345/156, 345/168, 169; 400/485

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,967,273 A	6/1976	Knowlton
4,164,025 A	8/1979	Dubnowski et al.
4,191,854 A	3/1980	Coles
4,339,806 A	7/1982	Yoshida
4,360,892 A	11/1982	Endfield
4,396,992 A	8/1983	Hayashi et al.

(Continued)

FOREIGN PATENT DOCUMENTS

EP	0313975	5/1989
----	---------	--------

(Continued)

OTHER PUBLICATIONS

Damasco, Patrick W., et al., "Generating Text From Compressed Input: An Intelligent Interface for People with Sever Motor Impairments", Communications of the ACM, vol. 35 No. 5, May 1992, pp. 68-78.*

James, Christina L., et al., "Text Input for Mobile Devices: Comparing Model Prediction to Actual Performance", SIGCHI '01, Seattle, WA, Mar. 31-Apr. 4, 2001, pp. 365-371 [ACM 1-58113-327-8/01/0003].*

(Continued)


Primary Examiner—Robert Stevens

(74) *Attorney, Agent, or Firm*—Michael A. Glenn; Glenn Patent Group

(57) **ABSTRACT**

The present invention relates to a method and apparatus for explicit filtering in ambiguous text entry. The invention provides embodiments including various explicit text entry methodologies, such as 2-key and long pressing. The invention also provides means for matching words in a database using build around methodology, stem locking methodology, word completion methodology, and n-gram searches.

27 Claims, 7 Drawing Sheets



US 7,712,053 B2

U.S. PATENT DOCUMENTS					
			6,054,941 A	4/2000	Chen
4,427,848 A	1/1984	Tsakanikas	6,073,101 A *	6/2000	Maes 704/275
4,442,506 A	4/1984	Endfield	6,098,086 A	8/2000	Krueger et al.
4,464,070 A	8/1984	Hanft et al.	6,104,317 A *	8/2000	Panagrossi 341/20
4,481,508 A	11/1984	Kamei et al.	6,120,297 A	9/2000	Morse, III et al.
4,544,276 A	10/1985	Horodeck	6,130,628 A *	10/2000	Schneider-Hufschmidt et al. 341/26
4,586,160 A	4/1986	Amano et al.	6,169,538 B1	1/2001	Nowlan et al.
4,649,563 A	3/1987	Riskin	6,172,625 B1 *	1/2001	Jin et al. 341/67
4,661,916 A	4/1987	Baker et al.	6,178,401 B1	1/2001	Franz et al.
4,669,901 A	6/1987	Feng	6,204,848 B1 *	3/2001	Nowlan et al. 715/810
4,674,112 A	6/1987	Kondraske et al.	6,208,966 B1	3/2001	Bulfer
4,677,659 A	6/1987	Dargan	6,219,731 B1	4/2001	Gutowitz
4,744,050 A	5/1988	Hirosawa et al.	6,223,059 B1	4/2001	Hastrup
4,754,474 A	6/1988	Feinson	6,286,064 B1 *	9/2001	King et al. 710/67
RE32,773 E	10/1988	Goldwasser et al.	6,304,844 B1	10/2001	Pan et al.
4,791,556 A	12/1988	Vilkaitis	6,307,548 B1 *	10/2001	Flinchem et al. 715/811
4,807,181 A	2/1989	Duncan, IV et al.	6,307,549 B1 *	10/2001	King et al. 715/810
4,817,129 A	3/1989	Riskin	6,362,752 B1	3/2002	Guo et al.
4,866,759 A	9/1989	Riskin	6,363,347 B1	3/2002	Rozak
4,872,196 A	10/1989	Royer et al.	6,377,965 B1	4/2002	Hachamovitch et al.
4,891,786 A	1/1990	Goldwasser	6,392,640 B1 *	5/2002	Will 345/184
4,969,097 A	11/1990	Levin	6,421,672 B1 *	7/2002	McAllister et al. 707/10
5,018,201 A	5/1991	Sugawara	6,424,743 B1	7/2002	Ebrahimi
5,031,206 A	7/1991	Riskin	6,466,232 B1	10/2002	Newell et al.
5,041,967 A	8/1991	Ephrath et al.	6,502,118 B1	12/2002	Chatterjee
5,067,103 A	11/1991	Lapeyre	6,542,170 B1 *	4/2003	Williams et al. 715/816
5,109,352 A *	4/1992	O'Dell 715/542	6,559,778 B1 *	5/2003	Hillmering 341/23
5,131,045 A	7/1992	Roth	6,567,075 B1 *	5/2003	Baker et al. 345/172
5,133,012 A	7/1992	Nitta	6,574,597 B1 *	6/2003	Mohri et al. 704/251
5,163,084 A	11/1992	Kim et al.	6,584,179 B1	6/2003	Fortier et al.
5,200,988 A	4/1993	Riskin	6,633,846 B1	10/2003	Bennett et al.
5,218,538 A	6/1993	Zhang	6,636,162 B1 *	10/2003	Kushler et al. 341/28
5,229,936 A	7/1993	Decker et al.	6,646,573 B1	11/2003	Kushler et al.
5,255,310 A	10/1993	Kim et al.	6,684,185 B1	1/2004	Junqua et al.
5,258,748 A	11/1993	Jones	6,686,852 B1	2/2004	Guo
5,289,394 A	2/1994	Lapeyre	6,711,290 B2	3/2004	Sparr et al.
5,303,299 A	4/1994	Hunt et al.	6,728,348 B2	4/2004	Deneberg et al.
5,305,205 A	4/1994	Weber et al.	6,734,881 B1 *	5/2004	Will 715/811
5,339,358 A	8/1994	Danish et al.	6,738,952 B1 *	5/2004	Yamamuro 715/530
5,388,061 A	2/1995	Hankes	6,751,605 B2	6/2004	Gunji et al.
5,392,338 A	2/1995	Danish et al.	6,757,544 B2	6/2004	Rangarajan et al.
5,535,421 A	7/1996	Weinreich	6,801,190 B1 *	10/2004	Robinson et al. 345/173
5,559,512 A	9/1996	Jasinski et al.	6,801,659 B1	10/2004	O'Dell
5,642,522 A	6/1997	Zaenen et al.	6,807,529 B2	10/2004	Johnson et al.
5,664,896 A	9/1997	Blumberg	6,864,809 B2	3/2005	O'Dell et al.
5,680,511 A *	10/1997	Baker et al. 704/257	6,885,317 B1	4/2005	Gutowitz
5,748,512 A	5/1998	Vargas	6,912,581 B2	6/2005	Johnson et al.
5,786,776 A *	7/1998	Kisaichi et al. 341/23	6,934,564 B2 *	8/2005	Laukkanen et al. 455/566
5,797,098 A *	8/1998	Schroeder et al. 455/464	6,947,771 B2	9/2005	Guo et al.
5,818,437 A *	10/1998	Grover et al. 715/811	6,955,602 B2	10/2005	Williams
5,825,353 A *	10/1998	Will 345/184	6,956,968 B1	10/2005	O'Dell et al.
5,828,991 A *	10/1998	Skiena et al. 704/9	6,973,332 B2	12/2005	Mirkin et al.
5,847,697 A	12/1998	Sugimoto	6,982,658 B2	1/2006	Guo
5,855,000 A	12/1998	Waibel et al.	6,985,933 B1	1/2006	Singhal et al.
5,896,321 A *	4/1999	Miller et al. 365/189.01	7,006,820 B1	2/2006	Parquet et al.
5,917,890 A	6/1999	Brotman et al.	7,020,849 B1	3/2006	Chen
5,917,941 A	6/1999	Webb et al.	7,027,976 B1	4/2006	Sites
5,926,566 A	7/1999	Wang et al.	7,057,607 B2	6/2006	Mayoraz et al.
5,936,556 A	8/1999	Sakita	7,061,403 B2	6/2006	Fux
5,937,380 A	8/1999	Segan	7,075,520 B2	7/2006	Williams
5,937,422 A *	8/1999	Nelson et al. 715/531	7,095,403 B2	8/2006	Lyustin et al.
5,945,928 A *	8/1999	Kushler et al. 341/28	7,139,430 B2	11/2006	Sparr et al.
5,952,942 A	9/1999	Balakrishnan et al.	7,152,213 B2	12/2006	Pu et al.
5,953,541 A *	9/1999	King et al. 710/67	7,256,769 B2	8/2007	Pun et al.
5,960,385 A *	9/1999	Skiena et al. 704/9	7,257,528 B1	8/2007	Ritchie et al.
5,963,671 A *	10/1999	Comerford et al. 382/230	7,272,564 B2	9/2007	Phillips et al.
5,999,950 A *	12/1999	Krueger et al. 715/535	7,313,277 B2	12/2007	Morwing et al.
6,005,498 A	12/1999	Yang et al.	7,349,576 B2	3/2008	Hotsberg
6,009,444 A	12/1999	Chen	7,386,454 B2	6/2008	Gopinath et al.
6,011,554 A *	1/2000	King et al. 715/811	7,389,235 B2	6/2008	Dvorak
6,041,323 A	3/2000	Kubota	7,395,203 B2	7/2008	Wu et al.
6,044,347 A *	3/2000	Abella et al. 704/272	7,437,001 B2	10/2008	Morwing et al.

7,466,859	B2	12/2008	Chang et al.	JP	W 2001-509290	7/2001
2002/0038207	A1	3/2002	Mori et al.	JP	A 2002-351862	12/2002
2002/0072395	A1	6/2002	Miramontes	WO	WO 82/00442	2/1982
2002/0119788	A1	8/2002	Parupudi et al.	WO	WO 90/07149	6/1990
2002/0135499	A1	9/2002	Guo	WO	WO 96/27947	9/1996
2002/0145587	A1 *	10/2002	Watanabe 345/156	WO	WO 97/04580	2/1997
2002/0152075	A1	10/2002	Kung et al.	WO	WO 97/05541	2/1997
2002/0188448	A1 *	12/2002	Goodman et al. 704/254	WO	WO03/058420	7/2003
2003/0011574	A1 *	1/2003	Goodman 345/172	WO	WO 2004/111812	12/2004
2003/0023420	A1 *	1/2003	Goodman 704/1	WO	WO 2004/111871	12/2004
2003/0023426	A1	1/2003	Pun et al.	WO	WO 2006/026908	3/2006
2003/0054830	A1	3/2003	Williams et al.			
2003/0078038	A1	4/2003	Kurosawa et al.			
2003/0095102	A1	5/2003	Kraft et al.			
2003/0104839	A1	6/2003	Kraft et al.			
2003/0119561	A1	6/2003	Hatch et al.			
2003/0144830	A1	7/2003	Williams			
2003/0179930	A1	9/2003	O'Dell et al.			
2003/0193478	A1	10/2003	Ng			
2004/0049388	A1	3/2004	Roth et al.			
2004/0067762	A1	4/2004	Balle			
2004/0127197	A1	7/2004	Roskind			
2004/0127198	A1	7/2004	Roskind et al.			
2004/0135774	A1	7/2004	La Monica			
2004/0153963	A1	8/2004	Simpson et al.			
2004/0153975	A1	8/2004	Williams et al.			
2004/0155869	A1	8/2004	Robinson et al.			
2004/0163032	A1	8/2004	Guo et al.			
2004/0169635	A1	9/2004	Ghassabian			
2004/0201607	A1	10/2004	Mulvey et al.			
2004/0203656	A1	10/2004	Andrew et al.			
2004/0259598	A1	12/2004	Wagner et al.			
2005/0017954	A1	1/2005	Kay et al.			
2005/0114770	A1	5/2005	Sacher et al.			
2006/0010206	A1	1/2006	Apacible et al.			
2006/0129928	A1	6/2006	Qiu			
2006/0136408	A1	6/2006	Weir et al.			
2006/0155536	A1	7/2006	Williams et al.			
2006/0158436	A1	7/2006	LaPointe et al.			
2006/0173807	A1	8/2006	Weir et al.			
2006/0193519	A1	8/2006	Sternby			
2006/0236239	A1	10/2006	Simpson et al.			
2006/0239560	A1	10/2006	Sternby			
2007/0094718	A1	4/2007	Simpson			
2007/0203879	A1	8/2007	Templeton-Steadman et al.			
2007/0276814	A1	11/2007	Williams			
2007/0285397	A1	12/2007	LaPointe et al.			
2008/0130996	A1	6/2008	Sternby			

FOREIGN PATENT DOCUMENTS

EP	0 319 193	6/1989
EP	0 464 726	1/1992
EP	0 540 147	5/1993
EP	0 651 315	5/1995
EP	0 660 216	6/1995
EP	8006939	1/1996
EP	2298166	8/1996
EP	0 732 646	9/1996
EP	0751469	1/1997
EP	1031913	8/2000
EP	1035712	9/2000
EP	1296216	3/2003
EP	1320023	6/2003
EP	1324573	7/2003
EP	1347361	9/2003
EP	1347362	9/2003
GB	2 298 166	8/1996
GB	2383459	6/2003
JP	A 1990-117218	5/1990
JP	A 1993-265682	10/1993
JP	A 1997-114817	5/1997
JP	A 1997-212503	8/1997

OTHER PUBLICATIONS

MacKenzie, I. Scott, et al., "LetterWise: Prefix-based Disambiguation for Mobile Text Input", UIST '01, Orlando, FL, Nov. 11-14, 2001, pp. 111-120 [ACM 1-58113-438-x/01/11].*

Butts, Lee, et al., "An Evaluation of Mobile Phone Text Input Methods", Australian CS Communications, Tird Australasian Conf. On User Interfaces, vol. 24 Issue 4, Jan. 2002, pp. 55-59 (plus citation page).*

Xu, Jinxi, et al., "Corpus-Based Stemming Using Cooccurrence of Word Variants", ACM Transactions on Information Systems, vol. 16 No. 1, Jan. 1998, pp. 61-81 [ACM 1046-8188/98/0100-0061].*

Press Release from Tegic Communications, "America Online, Inc. Acquires Tegic Communications", Dec. 1, 1999, pp. 1-3 (downloaded from: www.tegic.com/pressreleases/pr_aolacquisition.html).*

News Release from Zi Corporation, "Zi Claims Second Patent Victory Against Tegic Communications, a unit of AOL Time Warner", Mar. 14, 2002, pp. 1-2 (downloaded from: www.zicorp.com/pressreleases/031402.html).*

Summary Judgment Orders, *Zi Corporation, Inc. v. Tegic Communications, Inc.*, Mar. 13, 2002, pp. 1-7 (downloaded from: www.zicorp.com/pressreleases/031402.html).*

Silfverberg, Miika, et al., "Bringing Text Input Beyond the Desktop", CHI 2000, The Hague, Amsterdam, Apr. 1-6, 2000, pp. 9-16 [ACM 1-58113-216-6/00/04].*

"Latest Philips Wireless Handset Ships With T9 Text Input in China", Business Wire, Nov. 9, 1999, pp. 1-2 (downloaded from: www.businesswire.com/webbox/bw.110999/193130342.htm).*

Tygran, Amalyan, "T9 or Text Predicative Input in Mobile Telephones", Business Wire, Jul. 23, 2001, pp. 1-5 (downloaded from: web.archive.org/web/20010723054055/http://www.digit-life.com/articles/mobilet9/).*

James, Christina, et al., "Bringing Text Input Beyond the Desktop", CHI 2000, Seattle, WA, Apr. 1-6, 2000, pp. 49-50.*

Kushler, Cliff, "AAC Using A Reduced Keyboard", downloaded from: www.dinf.ne.jp/doc/english/Us_Eu/conf/csun_98/csun98_140.htm, Web Posted Mar. 3, 1998, pp. 1-4.*

Sugimoto, Masakatsu, "Single-Hand Input Scheme for English and Japanese Text", Fujitsu Sci. Tech. J., vol. 33 No. 2, Dec. 1997, pp. 189-195.*

Oommen, B. John, et al., "String Taxonomy Using Learning Automata", IEEE Transactions on Systems, Man and Cybernetics—Part B: Cybernetics, vol. 27, No. 2, Apr. 1997, pp. 354-365.*

Leshner, Gregory W., et al., "Optimal Character Arrangements for Ambiguous Keyboards", IEEE Transactions on Rehabilitation Engineering, vol. 6, No. 4, Dec. 1998, pp. 415-423.*

Arnott, J.L., et al; *Probabilistic Character Disambiguation for Reduced Keyboards Using Small Text Samples*; Dept. Math & Comp. Sci.; Univ of Dundee, Dundee, Tayside, Scotland; AAC Augmentative and Alternative Communication; vol. 8, Sep. 1992; Copyright 1992 by ISAAC.

Website printout from Lexicus; www.motorola.com/lexicus/html/itap_FAQ.html, Sep. 6, 2002.

Website Printout for Text Entry for Mobile Computing; www.yorku.ca/mack/hci3.html, Sep. 6, 2002.

Ajioka, Y. Anzai, Y. "Prediction of Next Alphabets and Words of Four Sentences by Adaptive Injunctions" IJCNN-91-Seattle: Int'l Joint Conference on Neural Networks (Cat. No. 91CH3049-4) p. 897, vol. 2; IEEE, NY, NY 1991 USA.

- Butts, L., Cockburn, A., "An Evaluation of Mobile Phone Text Input Methods", University of Canterbury, Dept of Computer Science, Christchurch, New Zealand AUIC2002, Melbourne Australia, Conferences in Research and Practice in Information Technology, vol. 7; Copyright 2001, Australian Computer Society.
- Coppola, P. et al, Mobe: a framework for context-aware mobile applications. In: Proc. Of Workshop on Context Awareness for Proactive Systems (CAPS2005), Helsinki University Press, 2005; ISBN:952-10-2518-2.
- Dey, A.K. and Abowd, G. D. (1999). Towards a better understanding of context and context-awareness. GVU Technical Report GIT-GVU-99-2, GVU Center, 1999.
- Foulds, R., et al. "Lexical Prediction Techniques Applied to Reduce Motor Requirements for Augmentative Communication," RESNA 10th Annual Conference, San Jose, California, 1987, pp. 115-117.
- Foulds, R., et al., "Statistical Disambiguation of Multi-Character Keys Applied to Reduce Motor Requirements for Augmentative and Alternative Communication," AAC Augmentative and Alternative Communication (1987), pp. 192-195.
http://www.ling.upenn.edu/courses/Fall_2003/ling001/reading_writing.html. What is writing? Linguistics 001. Lecture 19. Reading and Writing 2003.
http://www.pinyin.info/readings/texts/ideographic_myth.html. The Ideographic Myth. 1984.
- IBM Technical Disclosure Bulletin, "Speed Keyboard for Data Processor," vol. 23, 3 pages, Jul. 1980. IBM Corp., 1993.
- Kamphuis, H., et al., "Kattas; A Small Number of Keys Direct Access System," RESNA 12th Annual Conference, New Orleans, Louisiana, 1989, pp. 278-279.
- King, M.T., "JustType-Efficient Communication with Eight Keys," Proceedings of the RESNA '95 Annual Conference, Vancouver, BC, Canada, 1995, 3 pages.
- Kreifeldt, J.G., et al., "Reduced Keyboard Designs Using Disambiguation," Proceedings of the Human Factors Society 33rd Annual Meeting, 1989, pp. 441-444.
- Levine, S.H., "An Adaptive Approach to Optimal Keyboard Design for Nonvocal Communication," IEEE, 1985, pp. 334-337.
- Levine, S.H., et al., "Adaptive Technique for Customized Interface Design With Application to Nonvocal Communication," RESNA 9th Annual Conference, Minneapolis, Minnesota, 1986, pp. 399-401.
- Levine, S.H., et al., "Computer Disambiguation of Multi-Character Key Text Entry: An Adaptive Design Approach," IEEE, 1986, pp. 298-301.
- Levine, S.H., et al., "Multi-Character Key Text Entry Using Computer Disambiguation," RESNA 10th Annual Conference, San Jose, California, 1987, pp. 177-178.
- Martin, T. Azvine, B., "Learning User Models for an Intelligent Telephone Assistant"; Proceedings Joint 9th IFSA World Congress and 20th NAFIPS Intl. Conf. (Cat. No. 01TH8569) Part vol. 2, p. 669-74 vol. 2; IEEE 2001, Piscataway, NJ, USA.
- Matias, E., et al., "Half-QWERTY: Typing With One Hand Using Your Two-Handed Skills," Conference Companion, CHI '94 (Apr. 24-28, 1994), pp. 51-52.
- Minneman, S.L., "A Simplified Touch-Tone Telecommunication Aid for Deaf and Hearing Impaired Individuals," RESNA 8th Annual Conference, Memphis Tennessee, 195, pp. 209-211.
- Oommen, B.J., et al., "Correction to 'An Adaptive Learning Solution to the Keyboard Optimization Problem'." IEEE Transactions on Systems, Man and Cybernetics, vol. 22, No. 5 (Oct. 1992) pp. 1233-1243.
- Oviatt, S. "Mutual Disambiguation of Recognition Errors in a Multimodal Architecture." Chi 99. May 15-29, 1999.
- Rosa, J. "Next Word Prediction in a Connectional Distributed Representation System"; 2002 IEEE Intl Conference on Systems, man and Cybernetics; Conf. Proceedings (Cat. No. 02CH37349) Part vol. 3, p. 6, Yasmine Hammamet, Tunisia, Oct. 2002.
- Rosa, J., "A Biologically Motivated Connectionist System for Predicting the Next Word In Natural Language Sentences", 2002 IEEE Intl Conference on Systems, man and Cybernetics; Conf. Proceedings (Cat. No. 02CH37349) Part vol. 4, p. 6, Yasmine Hammamet, Tunisia, Oct. 2002.
- Schmidt, A. et al; Advanced Interaction in Context, In Proceedings of First International Symposium of Handheld and Ubiquitous Computing, pp. 89-101, Karlsruhe, Germany, Sep. 1999.
- Siewiorek, D.P., et al, SenSay: A context-aware mobile phone. In proceedings of the 7th International Symposium on Wearable Computers, pp. 248-249, IEEE Press, 2003.
- Smith, Sidney L., et al., "Alphabetic Data Entry Via the Touch-Tone Pad: A Comment," Human Factors, 13(2), Apr. 1971, pp. 189-190.
- Sugimoto, M., et al., "SHK: Single Hand Key Card for Mobile Devices," CHI 1996 (Apr. 13-18, 1996), pp. 7-8.
- Suhm B., et al. "Multimodal Error Correction for Speech User Interfaces" ACM Transactions on Computer-Human Interaction, vol. 8. Mar. 2001.
- Swiffin, A.L., et al., "Adaptive and Predictive Techniques in A Communications Prosthesis," AAC Augmentative and Alternative Communication, (1987), pp. 181-191.
- Swiffin, A.L., et al., "PAL: An Effort Efficient Portable Communication Aid and Keyboard Emulator," RESNA 8th Annual Conference, Memphis, Tennessee, 1985, pp. 197, 199.
- Witten, I.H., Principles of Computer Speech, New York: Academic Press, (1982), pp. 246-253.
- Yang, Y., Pedersen, J., "A Comparative Study on Feature Selection in Text Categorization"; 1997; Proceedings of ICML'1997, pp. 412-420.
- Kronlid, F., Nilsson, V. "TreePredict, Improving Text Entry on PDA's"; 2001; Proceedings of the Conference on Human Factors in Computing Systems (CHI2001), ACM press, pp. 441-442.
- Zernik, U., "Language Acquisition: Coping with Lexical Gaps", Aug. 22-27, 1998; Proceedings of the 12th International Conference on Computational Linguistics, Budapest, Hungary. pp. 796-800.
- Gavalda, M. "Epiphenomenal Grammar Acquisition with GSG"; May 2000; Proceedings of the Workshop on Conversational Systems of the 6th Conf. on Applied Natural Language Processing and the 1st Conf. of the N. American Chapter of the Assoc. for Computational Linguistics (ANLP/NAACL-2000), Seattle, Washinton, 6 pages.
- Cockburn, A., Siresena, "Evaluating Mobile Text Entry with Fastap™ Keyboard"; 2003; People and Computers XVII (vol. 2): British Computer Society Conference on Human Computer Interaction. Bath, England. pp. 77-80.
- Shieber, S., Baker, E., "Abbreviated Text Input", Harvard University, Cambridge, MA, USA shieber@deas.harvard.edu ellie@eecs.harvard.edu; IUI'03, Jan. 12-15, 2003, ACM 1-58113-586-6/03/0001, 4 pages.
- Masui, "POBox: An efficient Text input Method for Handheld and Ubiquitous Computers"; Sony Computer Science Labs inc. 3-14-13 Higashi-Gotanda, Shinagawa Tokyo 141-0022, Japan, 12 pages.
- Making Multi-tap Intelligent; retrieved Feb. 7, 2006 from website: <http://www.zicorp.com/ezitap.htm>, 1 page.
- Tapless pdp Gen3.0; retrieved Feb. 7, 2006 from website: <http://www.tapless.biz/>, 1 page.
- WordLogic for Handheld Computers- <http://web.archive.org/web/20051030092534/www.wordlogic.com/products-predictive-keyboard-handheld-prediction.asp> ; Oct. 30, 2005; retrieved from webarchive.org, 1 page.
- <http://pitecan.com/OpenPOBox/info/index.html>; Jul. 23, 2001, 1 page.
- Welcome to the Nuance Corporate Website; retrieved on Feb. 7, 2006 from website: <http://www.nuance.com/>, 2 pages.

* cited by examiner




FIG. 1




FIG. 8




FIG. 4




FIG. 2

KEY	UNSHIFTED CHARACTERS	SHIFTED CHARACTERS
1	. ' - ? ! '	. ' - ? ! '
	@ : 1	@ : 1
2	a b c ç à â	A B C Ç À Â
	á ä 2	Á Ä 2
3	d e f é è ê	D E F É È Ê
	ë 3	Ë 3
4	g h i î ï í	G H I Î Ï Í
	4	4
5	j k l 5	J K L 5
6	m n o ô ó ö	M N O Ô Ó Ö
	ñ 6	Ñ 6
7	p q r s ß 7	P Q R S 7
8	t u v ù û ú	T U V Ù Û Ú
	ü 8	Ü 8
9	w x y z 9	W X Y Z 9
0	0	0

FIG. 3




FIG. 5






FIG. 6

**FIG. 7**



EXPLICIT CHARACTER FILTERING OF AMBIGUOUS TEXT ENTRY

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a Continuation-in-Part of U.S. patent application Ser. No. 09/454,406, filed on Dec. 3, 1999, now U.S. Pat. No. 6,646,573 (Nov. 11, 2003), which claims benefit of U.S. provisional patent application No. 60/110,890, filed Dec. 4, 1998, both of which are incorporated herein in their entirety by this reference thereto.

BACKGROUND OF THE INVENTION

1. Technical Field

The invention relates to text input technology. More specifically, the invention relates to text entry solutions to wireless communication devices with limited keypads.

2. Description of the Prior Art

For many years, portable computers have been getting smaller and smaller. The principal size-limiting component in the effort to produce a smaller portable computer has been the keyboard. If standard typewriter-size keys are used, the portable computer must be at least as large as the keyboard. Miniature keyboards have been used on portable computers, but the miniature keyboard keys have been found to be too small to be easily or quickly manipulated by a user. Incorporating a full-size keyboard in a portable computer also hinders true portable use of the computer. Most portable computers cannot be operated without placing the computer on a flat work surface to allow the user to type with both hands. A user cannot easily use a portable computer while standing or moving.

In the latest generation of small portable computers, called Personal Digital Assistants (PDAs), companies have attempted to address this problem by incorporating handwriting recognition software in the PDA. A user may directly enter text by writing on a touch-sensitive panel or screen. This handwritten text is then converted by the recognition software into digital data. Unfortunately, in addition to the fact that printing or writing with a pen is in general slower than typing, the accuracy and speed of the handwriting recognition software has to date been less than satisfactory.

Presently, a tremendous growth in the wireless industry has spawned reliable, convenient, and very popular mobile communications devices available to the average consumer, such as cell phones, two-way pagers, PDAs, etc. These handheld wireless communications and computing devices requiring text input are becoming smaller still. Recent advances in two-way paging, cellular telephones, and other portable wireless technologies have led to a demand for small and portable two-way messaging systems, and especially for systems which can both send and receive electronic mail ("e-mail"). Some wireless communications device manufacturers also desire to provide to consumers devices with which the consumer can operate with the same hand that is holding the device.

Disambiguation Background.

Prior development work has considered use of a keyboard that has a reduced number of keys. As suggested by the keypad layout of a touch-tone telephone, many of the reduced keyboards have used a 3-by-4 array of keys. Each key in the array of keys contains multiple characters. There is therefore ambiguity as a user enters a sequence of keys, since each keystroke may indicate one of several letters. Several

approaches have been suggested for resolving the ambiguity of the keystroke sequence, referred to as disambiguation.

One suggested approach for unambiguously specifying characters entered on a reduced keyboard requires the user to enter, on average, two or more keystrokes to specify each letter. The keystrokes may be entered either simultaneously (chording) or in sequence (multiple-stroke specification). Neither chording nor multiple-stroke specification has produced a keyboard having adequate simplicity and efficiency of use. Multiple-stroke specification is inefficient, and chording is complicated to learn and use.

Other suggested approaches for determining the correct character sequence that corresponds to an ambiguous keystroke sequence are summarized in the article "Probabilistic Character Disambiguation for Reduced Keyboards Using Small Text Samples," published in the Journal of the International Society for Augmentative and Alternative Communication by John L. Arnott and Muhammad Y. Javad (hereinafter the "Arnott article"). The Arnott article notes that the majority of disambiguation approaches employ known statistics of character sequences in the relevant language to resolve character ambiguity in a given context.

Another suggested approach based on word-level disambiguation is disclosed in a textbook entitled Principles of Computer Speech, authored by I. H. Witten, and published by Academic Press in 1982 (hereinafter the "Witten approach"). Witten discusses a system for reducing ambiguity from text entered using a telephone touch pad. Witten recognizes that for approximately 92% of the words in a 24,500 word dictionary, no ambiguity will arise when comparing the keystroke sequence with the dictionary. When ambiguities do arise, however, Witten notes that they must be resolved interactively by the system presenting the ambiguity to the user and asking the user to make a selection between the number of ambiguous entries. A user must therefore respond to the system's prediction at the end of each word. Such a response slows the efficiency of the system and increases the number of keystrokes required to enter a given segment of text.

H. A. Gutowitz, *Touch-Typable Devices Based on Ambiguous Codes and Methods to Design Such Devices*, WO 00/35091 (Jun. 15, 2000) discloses that the design of typable devices, and, in particular, touch-type devices embodying ambiguous codes presents numerous ergonomical problems and proposes some solutions for such problems. Gutowitz teaches methods for the selection of ambiguous codes from the classes of strongly-touch-typable ambiguous codes and substantially optimal ambiguous codes for touch-typable devices such as computers, PDA's, and the like, and other information appliances, given design constraints, such as the size, shape and computational capacity of the device, the typical uses of the device, and conventional constraints such as alphabetic ordering or Qwerty ordering.

Eatoni Ergonomics Inc. provides a system called WordWise, (Copyright 2001 Eatoni Ergonomics Inc.), adapted from a regular keyboard, and where a capital letter is typed on a regular keyboard, and an auxiliary key, such as the shift key, is held down while the key with the intended letter is pressed. The key idea behind WordWise is to choose one letter from each of the groups of letters on each of the keys on the telephone keypad. Such chosen letters are typed, by holding down an auxiliary key while pressing the key with the intended letter. WordWise does not use a vocabulary database/dictionary to search for words to resolve ambiguous, unambiguous, or a combination thereof entries.

Zi Corporation teaches a predictive text method, eZiText® (2002 Zi Corporation), but does not teach nor anywhere sug-

gest explicit text filtering in ambiguous mode, nor in combination with 2-key explicit entry, stem-locking, or n-gram searches.

A Need for Improvements to Current Disambiguation Methodologies.

Disambiguating an ambiguous keystroke sequence continues to be a challenging problem. A specific challenge facing disambiguation is providing sufficient feedback to the user about the keystrokes being input. With an ordinary typewriter or word processor, each keystroke represents a unique character which can be displayed to the user as soon as it is entered. But with word-level disambiguation, for example, this is often not possible, because each entry represents multiple characters, and any sequence of entries may match multiple objects, such as, words or word stems, for example. Such ambiguity is especially a problem when, for example, the user makes a spelling or entry error and the user is not certain of such error until the complete sequence is entered and the desired result is not presented. In another example, previous systems utilizing word-level disambiguation fail to provide any feedback until a predetermined selection, such as a specific key selection, is made that is recognizable by the system as a termination selection, e.g. the space key.

Moreover, some alphabets, such as Thai and Arabic, contain more letters than the alphabet for English, which leads to even greater ambiguity on a reduced number of keys. Efficient input of these languages demands a mechanism for reducing that ambiguity when needed.

Therefore, it would be advantageous to provide a disambiguating system which reduces the apparent ambiguity on the display during entry and improves the user's ability to detect and correct spelling and/or entry errors.

It would also be advantageous to provide a disambiguating system which reduces ambiguity and increases efficiency by providing explicit filtering capabilities such that a list of candidate words, word stems, sequence of symbols, and the like, is narrowed, and the user can subsequently be offered a word completion or sequence completion quicker. More specifically, it would be advantageous to allow locking in a current state of interpretation of a part of or all of previously entered characters including, but not limited to an object and/or word stems, and explicitly entered characters, thereby preventing reinterpretation of previous entries.

It would also be advantageous to build around explicitly entered characters as anchors, for the end of or beginning of new objects, words, or word stems.

It would also be advantageous to offer reasonable guesses for extending objects or words by n-gram analysis of preceding explicitly entered characters.

It would also be advantageous to reduce ambiguity and increase efficiency during the process of disambiguating a linguistic object, such as a word or word stem, for example, by preventing reinterpretation of previous entries.

It would also be advantageous to recognize common delimiters entered ambiguously or explicitly as suggesting a point connecting two separate sets of characters to suggest where the interpretation of keystrokes could be restarted.

SUMMARY OF THE INVENTION

The present invention relates to a method and apparatus for explicit filtering in ambiguous text entry. The invention provides embodiments including various explicit text entry methodologies, such as 2-key and long pressing. The invention also provides means for matching words in a database

using build around methodology, stem locking methodology, word completion methodology, and n-gram searches.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a hardware block diagram of the explicit character filtering system according of the invention;

FIG. 2 is a picture of a wireless handheld device showing each letter of the English alphabet associated with a key according to the invention;

FIG. 3 is an example chart of European letters and some special symbols shown on the 0-9 keys and their respective Shift keys according to the invention;

FIG. 4 is a sample screenshot of one 2-key matrix input method according to the invention;

FIG. 5 is a flow chart of 2-key explicit entry for the explicit character filtering in ambiguous text entry system of FIG. 1;

FIG. 6 is a flow chart for explicitly filtering in ambiguous mode according to a preferred embodiment of the invention;

FIG. 7 is a flow chart of a method for generating words not stored in the database according to the invention;

FIG. 8 shows an example of explicit entry by long-pressing on a key according to the invention; and

FIG. 9 is a flow chart depicting a build around example according to the invention.

DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to a method and apparatus for explicit filtering in ambiguous text entry. The invention provides embodiments including various explicit text entry methodologies, such as 2-key and long pressing. The invention also provides means for matching words in a database using build around methodology, stem locking methodology, word completion methodology, and n-gram searches.

More specifically, the present invention relates to a method and apparatus for explicit filtering in an ambiguous text entry mode, for extending and interpreting objects, words, word stems, and the like, and for stem-locking. One specific embodiment of explicit filtering for reducing ambiguity uses a variety of explicit entry means, including a 2-key explicit entry feature, wherein a key depression in combination with a matrix display are used. An extending and interpreting methodology is provided wherein complex phrases are allowed to be typed in. Predetermined sets of characters are "built around" as anchors for the end or beginning of new words or word stems. Reasonable guesses are offered for extending words by "n-gram" analysis of preceding explicit letters. Specifically, three specific embodiments using stem-locking are provided, wherein the first embodiment uses a combination of the n letters of a desired object, such as a word, and a next key. The second embodiment locks in the stem portion of the object and resolves the unlocked portion of the object. The third embodiment uses n-gram searches.

A block diagram of a preferred embodiment of the reduced keyboard disambiguating system hardware is provided in FIG. 1. The keyboard 54 and the display 53 are coupled to a processor 100 through appropriate interfacing circuitry. Optionally, a speaker 102 is also coupled to the processor. The processor 100 receives input from the keyboard, and manages all output to the display and speaker. Processor 100 is coupled to a memory 104. The memory includes a combination of temporary storage media, such as random access memory (RAM), and permanent storage media, such as read-only memory (ROM), floppy disks, hard disks, or CD-ROMs. Memory 104 contains all software routines to govern system operation. Preferably, the memory contains an operating sys-

tem **106**, disambiguating software **108**, and associated explicit character filtering in ambiguous text entry software and/or extending and interpreting software **110** that is discussed in additional detail below. The memory also includes a vocabulary database **30**. Optionally, the memory may contain one or more application programs **112**, **114**. Examples of application programs include word processors, software dictionaries, and foreign language translators. Speech synthesis software may also be provided as an application program, allowing the reduced keyboard disambiguating system to function as a communication aid. Therefore, the output, in this case, might be vocally output from the speaker.

It should be appreciated and understood by one of ordinary skill in the art that the discussion applies to symbols and sequences of symbols, which, when combined make an object or part of an object. A typical example of a symbol is a character in any language, such as a letter, digit, punctuation mark, or any other symbol from a language. A typical example of an object or part of an object is a word or part of a word. However, the discussion herein equally applies to Japanese kana and Korean jamos. Also, it should be noted that the objects don't have to be linguistic, as the claimed disambiguating system herein can be used to look up icons, phone numbers, or inventory records, as long as a type of symbolic string representation is present. Therefore, it should be appreciated that use of the terms such as letter, word, word stem, and the like are not limited to only those applications, and are used to facilitate ease of reading and understanding the discussion herein.

Explicit Entry

One preferred embodiment of generating an explicit character for the purpose of filtering word choices according to the invention provides a 2-key explicit entry feature. In many languages, such as English, all the letters associated with a key are printed on the key, such as depicted in FIG. 2, where FIG. 2 is a picture of an example wireless handheld device showing each letter of the English alphabet associated with a key according to the invention.

However, other languages, such as French, include many more letters than can visually fit on a key, such as the cell phone key. FIG. 3 is an example chart of European letters and some special symbols shown on the 0-9 keys and their respective Shift keys. For example, if a user presses the 5 key, then a matrix display with the alphanumeric characters j, k, l, and 5 appear. FIG. 4 is a sample screenshot of one 2-key matrix input method according to the invention. After the first key has been pressed, the matrix of choices is displayed on the device panel. It should be appreciated that other labels printed on keys are possible, such as, for example, each key including a subset of predetermined sets of associated letters, such as displaying the first and last character of predetermined sets of associated letters.

FIG. 5 is a flow chart of 2-key explicit entry for the explicit character filtering in ambiguous text entry system of FIG. 1. According to a preferred embodiment of the invention, for a user to explicitly select one of many letters assigned to a key, as in the case of the French language, the user selects, such as by depression, the associated key (**5000**). The selection, e.g. depression, of the desired key causes the system to presents a second set of letters, such as in matrix form, that corresponds to the selected key (**5100**). Each block in the matrix includes a letter from the set of letters associated with the just selected/depressed key. FIG. 4 shows an example of what is displayed as a result of depressing the 1 key. All that is required at this point is for the user to select the key number of the matrix block that includes the desired character (**5200**). This explicit

selection process only requires at maximum 2 key selections/depressions for the selection of a letter.

It should be readily apparent to one of ordinary skill in the art that the 2-key explicit entry method for the purpose of filtering can be extended to any other language. It should also be apparent to one of ordinary skill in the art that alternate configurations are possible, such as, for example, a scrolling list.

According to an alternate configuration, the user selects a key by way of a long-press to display and cycle through the character sequence on that key. As shown in FIG. 8, some or all of the characters may scroll past in a preview window as long as the key is being pressed. When the key is released, the last highlighted character is accepted.

In yet another configuration, after the character sequence is presented by way of the long-press on the key, the character appears or is highlighted each additional time the key is pressed. The presentation of each explicit character may end when a sufficient time elapses between one key press and the next or when a different key is pressed.

In yet another configuration, after the character sequence is presented by way of the long-press on the key, the character appears or is highlighted each additional time a navigation key is pressed, where a navigation key is, for example, an arrow key or a scrolling wheel.

Following is a list of other explicit entry means for filtering. It should be appreciated that the list is meant by example only, and is not exhaustive:

- long pressing on a key to enter a number/digit explicitly;
- changing to a numbers mode and pressing a key to enter a number/digit explicitly (and then returning to ambiguous entry mode for filtering);
- changing to a multi-tap mode and pressing a key repeatedly to enter a character explicitly (and then returning to ambiguous entry mode for filtering);
- interpreting ambiguous mode key presses as an explicit character, either by grouping each pair of key presses as a 2-key explicit entry, or by grouping repeated presses of the same key as a multi-tap entry;
- using multi-switch keys, such as a 5-way rocker, which permits ambiguous entry on a simple press and an explicit character entry on a different kind of press; and
- by "chording," which means by pressing more than one key simultaneously, with a primary key indicating an ambiguous set of characters and a secondary key indicating which character in the set to select (e.g., on a video game controller).

Another means of explicit entry for filtering is when any character assigned to a key is offered to the user through a secondary means, e.g., displayed on the label of a programmable key, or "softkey", which if chosen would be entered explicitly. The softkey mechanism allows correction of the last keystroke entered, e.g., if the user is extending a word with additional characters or wishes to correct the displayed interpretation before the entire word is entered. The additional character offered would be based on an analysis of the most likely character associated with the preceding keystroke, or based on the words in the current word candidate list. Assuming the most likely character was already displayed in the ambiguous word choice, then the second most likely character would be offered. For instance, if the user wants to type "ram" and enters the key sequence **726**, the word "ran" appears. The most likely letter for that position in the word candidate list associated with **726** is "m", then "m" could be offered on the softkey. When the user presses the softkey, the "m" replaces the "n" in the word "ran".

Explicit Character Filtering in Ambiguous Mode

Explicit character filtering in ambiguous mode is when a character is explicitly entered during entry of a sequence of ambiguous entries. One embodiment of explicit entry already discussed is the 2-key explicit entry method using a matrix as described above. According to another preferred embodiment of the invention, explicit entry of a character is accomplished by a long depression of the associated key. When one or more characters in a sequence of characters is explicitly entered, only stored words with that explicitly selected character(s) in the corresponding position(s) are retrieved.

One way of retrieving the desired word according to one embodiment of the invention is when an explicit character is entered in ambiguous entry mode, then the disambiguating filtering system continues to match database words against the ambiguous and explicit letters as long as possible, rather than accepting the default word upon the first explicit letter. If there is no match, the last ambiguous word selected is accepted and a new letter is appended to it.

As an example, suppose a user wants to enter the word "home" in English T9. The user long presses the 6 key in the 3rd position to explicitly select "m," resulting in only "home," and, in addition, word stems "imme" and "gome" after 4 keystrokes.

Another example is using a mixed alphanumeric word like "cu2night", which could be stored in a database. If the user long presses on the 2 key, then explicitly enters a "2," words such as "cub" are thus filtered out from the word candidate list.

Explicit filtering is another way to quickly offer word completions. If "cu2night" was in a database, and "cu" was entered ambiguously followed by "2" explicitly, all ambiguous interpretations of the keystroke sequence "282" will be filtered out, leaving "cu2night" as a more likely choice to be offered through word completion.

FIG. 6 is a flow chart for explicitly filtering in ambiguous mode according to a preferred embodiment of the invention. A character is desired and its associated key is entered either ambiguously or explicitly (6000). The desired word is then interpreted based on the sequence of ambiguously selected keys (i.e. their associated characters) and the explicitly selected characters. The database is searched for words with the characters associated with ambiguously selected entries, e.g. keys, and with the explicitly entered characters, in their respective corresponding positions (6100). The searched words are then presented or displayed in a predetermined prioritized order (6200), such as a most frequently used order. If the desired word is among the set of presented searched words (6300), then the desired word is chosen (6400) and the process ends. Otherwise, the process is not over and steps are repeated from selecting a desired key (6000).

Build Around

In another aspect of the disambiguating filtering system, words from the database can be "built around" explicitly or ambiguously entered characters, or, additionally characters from a predetermined set of characters. According to one interpretation, the matching words, if any, include the explicit character for a particular sequence. However, additional interpretations of the sequence may include: one or more words that match the ambiguous keys that precede and/or end with the explicit character; one or more matching words that begin with the explicit character if any; and one or more words that match the ambiguous keys that follow the explicit character. For example, if the key sequence for "gifts4less" is entered, with the digit "4" entered explicitly, the words "gifts" matches the ambiguous key sequence preceding the explicit

character and "less" matches the key sequence following it, even if "gifts4less", "gifts4", and "4less" are not found in the database. Similarly, "mobile.com" may be typed as one word automatically constructed from the database entries "mobile" and ".com", or from the entries "mobile" and "." and "com" if there is a key for ambiguous punctuation; in either of those cases the period may not need be explicitly entered.

One embodiment of the build around concept can be described with reference to FIG. 9, a flow chart depicting a build around example. The build around method starts (9000) with a key sequence being entered, e.g., [k1 k2 k3 kd k5 k6 k7 k8]. The k#'s refer to ambiguously entered keys and kd refers to a delimiting key that can be either an explicitly entered character an ambiguously entered punctuation character. The method then determines if the database found a match (9100). If yes, a word is displayed (9200). If the user desires to proceed to the next choice in the list of words found by the database, the user presses a next key to request further look-ups by the database (9300). Specifically, the database is multiply searched for matches to key sequences. A key sequence is divided into two sets on either side of a delimiter. An example of various groupings of two sets of sequences divided by a delimiter follows:

[k1 k2 k3 kd] [k5 k6 k7 k8];
[k1 k2 k3] [kd k5 k6 k7 k8]; and
[k1 k2 k3] kd [k5 k6 k7 k8].

If a match is found among any of the groups (9400), then the desired word is chosen and displayed (9500). If the user desires to build around this sequence, the user can press a next key to obtain the next set of results from multiple searches to the database (9600).

If the database did not find an initial match (9100), then the database is multiply searched for matches to key sequences (9700), wherein a key sequence is divided into two sets on either side of a delimiter, description of which and examples of which are presented above.

It should be appreciated that means to search for and display/present the set of possible desired words can vary and still remain within the scope and spirit of the invention.

Stem-Locking

In the preferred embodiment of the invention, stem-locking is locking one or more subsequences or substrings of characters within a sequence. For example, the first n-numbers of sequence of characters of a word can be locked in. The way stem-locking works is that only words with those locked in characters are searched. For instance, suppose a user selects the 4 and then the 6 key of a wireless cell phone using T9 technology. The word "go" is presented in the display. If "go" is locked in, then upon subsequent key selections, only words with "go" in the first two positions are selected.

The locking of letters can be performed in a number of different ways. For example, two such ways are by a "full next locking" mechanism and an "unbounded" methodology by moving a cursor over characters to select. As an example of implementing "full next locking," a "next" key is used. That is, according to one embodiment of the invention, selecting a "next" key locks in a previously presented series of characters, thereby eliminating the possibility of the system re-interpreting the object by re-interpreting the locked in series of characters. The selected series of characters are now marked as explicitly entered. An example of moving the cursor over characters (unbounded) according to one embodiment of the invention, the cursor is moved to the beginning of a series and by the user selecting a right-arrow key (or a left-arrow key, for example, in the Hebrew language), all the characters that the cursor moved over are locked in.

Another aspect of full next locking is locking a previously presented series of characters when likely word boundaries are identified. Such boundaries can be identified based on certain sequences of interactions, such as, for example, when the user “nexts” and then selects a symbol or punctuation character; or, when the user “nexts” and then enters an explicit number.

It should be appreciated that other methods to “lock” include, but are by no means limited to:

pressing a key assigned to the “lock” function, such as an OK or Select key; and

pressing an appropriate arrow key to “lock” in a word completion being offered.

Stem locking approaches, such as those discussed above, can be related to “build around” as described herein above. That is, once a sequence has been locked in, it can be “built around.”

Japanese Kana Example

Another example of the disambiguating filtering methodology is in the Japanese language. Sub-phrases in kana (phonetic) character form can be converted to kanji (Yomikata), and those converted sub-phrases may in turn filter interpretations of the remaining ambiguous kana preceding or following the converted sub-phrases, excluding interpretations that can't be used to construct valid phrases.

In another embodiment of the invention, a hierarchy of locks mechanism is used. For example, a right arrow key can lock in all characters to the left of the cursor. Therefore, in this implementation, a right-arrow key locks in a first-choice stem, while a “next” key locks in a not-first-choice stem.

Another implementation is using a “select” key instead of a right-arrow key in combination with a “next” key. For example, the “select” key can be used at the end of each ambiguous key sequence for either selecting and accepting the default choice (the select key is pressed once) or for selecting an alternative choice (the select key is pressed more than once until the desired choice appears or is highlighted). In this case, the “select” key is used to stem lock either the first or alternate choices, rather than using the right-arrow key for the first choice and the “next” key for other choices (or vice-versa, as the choice of keys is arbitrary, yet predetermined).

Word Extension and Completion

Another aspect of the invention is the system automatically starting a new word at a lock position. For example, the user enters “car” and locks it, and then enters the keys for “pet”. “Carpet” is shown because it is a complete word in the database. The word “caset” is also shown because it is “car”+ “set”, which is another example of the “build around” concept, where an ambiguous sequence may follow an explicit character entry, causing one interpretation to be the beginning of a new ambiguous word.

Alternatively, when one or more previously-accepted characters precedes (is adjacent to, without spaces) the current and active ambiguous key sequence. The system uses the preceding characters to match words and phrases (e.g., in the user database) that begin with those characters and that match an ambiguous key sequence following those characters. Optionally, one or more word completions is offered. An example follows. A user enters and locks in (accepts) the characters, “con.” Then, the user types ambiguous keys for “stan” and is offered “constantinople” as a word completion. In this example, the user could have used a left-/right-arrow key to accept “con” to be used to filter and to suggest word completions that begin with the accepted chars and are im-

mediately adjacent to an ambiguous key sequence. Hebrew and other languages go the other direction, hence right-side-only is not assumed.

FIG. 7 is a flow chart of a method for generating words not stored in the database according to the invention. That is, in an equally preferred alternate embodiment, if a series of entries is locked in (7000) and subsequent ambiguous characters entered (7100) and a corresponding stored word is not found in the database (7200), then searches are performed for likely combinations based on the previous n locked in characters (7300). In one preferred embodiment of the invention, an n-gram is used to find stored words. This is contrary to using the entire set of locked in letters. For example, suppose a user has entered and explicitly selected the word “flight”, but the user, however, wants to enter the word “flightplan” which is not in the database. In this embodiment of the invention, the user then explicitly locks in the letter “p” and “l” after “flight”. The system then searches for words using the last explicitly entered bigram (p and l). Thus, words that are not stored in the database are generated.

Although the invention is described herein with reference to the preferred embodiment, one skilled in the art will readily appreciate that other applications may be substituted for those set forth herein without departing from the spirit and scope of the present invention.

Accordingly, the invention should only be limited by the claims included below.

The invention claimed is:

1. An apparatus for explicit character filtering of ambiguous key input sequences, said apparatus comprising:
 - a display;
 - a processor, wherein said processor manages output of words to said display;
 - a keyboard comprising a plurality of keys coupled to the processor through appropriate interfacing circuitry, wherein at least some of said keys are associated with at least two letters, wherein single, one-tap key inputs of said keys associated with at least two letters comprise an ambiguous key input, and wherein non-single/non-one-tap key inputs of said keys associated with at least two letters comprises an explicit key input that specifies precisely one intended letter,
 - wherein said processor receives at least one sequence of key inputs from said keyboard, and wherein said at least one sequence of key inputs includes both at least one ambiguous key input resulting from a single one-tap key input and at least one explicitly entered intended letter input in a particular position within the sequence of key inputs;
 - a means for recognizing non-single/non-one-tap key input from a single, one-tap key input selected from among a group of precise letter entry means consisting of:
 - 2-key explicit entry;
 - long pressing a key to display and cycle through a character sequence;
 - long pressing on a key to enter a number/digit explicitly;
 - changing to a numbers mode and pressing a key to enter a number/digit explicitly;
 - changing to a multi-tap mode and pressing a key repeatedly to enter a character explicitly;
 - interpreting ambiguous mode key presses as an explicit character by grouping each pair of key presses as a 2-key explicit entry;
 - interpreting ambiguous mode key presses as an explicit character by grouping repeated presses of the same key as a multi-tap entry;

11

using multi-switch keys, thereby permitting ambiguous entry on a simple press and an explicit character entry on a different kind of press;

chording by pressing at least two keys simultaneously, with a primary key indicating an ambiguous set of characters and a secondary key indicating which character in the set to select; and

using a softkey as a secondary means for offering any character assigned to a key based on analysis of most likely character associated with a preceding keystroke based on words in a current word candidate list; and a memory coupled to said processor, wherein said memory comprises:

- a word database, wherein words are associated with sequences of key inputs;
- a means for disambiguating the at least one sequence of key inputs at a word level, wherein a set of candidate words associated with said at least one sequence of key inputs is identified; and
- a means for filtering the set of candidate words, wherein words from the set of candidate words which do not contain said intended letter in said particular position within the sequence of key inputs are filtered out of the set of candidate words, thereby forming a filtered set of candidate words, wherein only the filtered set of candidate words are output to said display.

2. The apparatus of claim **1**, further comprising speech synthesis software and a speaker as a communication aid.

3. The apparatus of claim **1**, further comprising a means for entering a precise letter by 2-key explicit entry comprising use of at least one of:

- a matrix display;
- a label including a subset of predetermined sets of associated letters characters; and
- a scrolling list.

4. The apparatus of claim **1**, further comprising:

means for entering a precise letter by long pressing a key to display and cycle through a letter sequence, and at least one of:

- means for, after said letter sequence is displayed, highlighting a next letter in said letter sequence each additional time said key is pressed, ending after a sufficient time elapses between one key press and the next or when a different key is pressed; and
- means for, after said letter sequence is displayed, highlighting a next letter in said letter sequence each time a navigation key is pressed.

5. The apparatus of claim **1**, said means for explicit character filtering of the identified objects further comprises:

- means for matching said objects in said database against explicitly entered characters; and
- means for, responsive to the addition of an input not allowing the input sequence to match at least one database object, automatically accepting an object matching a first subset of the input sequence for output.

6. The apparatus of claim **1**, further comprising:

means for selecting a desired word from said filtered set of candidate words.

7. The apparatus of claim **6**, wherein said candidate words are presented in a predetermined order.

8. The apparatus of claim **1**, said means for explicit character filtering of the identified objects further comprises a means for building a word around at least one precise letter.

9. The apparatus of claim **8**, wherein said means for building a word around at least one precise letter further comprises at least one means from a group consisting of:

12

means for interpreting by matching words which include explicitly entered characters for a particular sequence;

means for interpreting by matching words which include at least one word that matches ambiguous keys that precede said at least one precise letter;

means for interpreting by matching words which include at least one word that matches ambiguous keys that end with said at least one precise letter;

means for interpreting by matching words which include at least one word that begins with said at least one precise letter; and

means for interpreting by matching words which include at least one word that follows said at least one precise letter.

10. The apparatus of claim **8**, wherein said means for building a word around is actuated by pressing a next key to obtain a next set of results from multiple searches in said word database.

11. The apparatus of claim **1**, said means for explicit character filtering of the identified words further comprises a means for stem locking for eliminating re-interpreting at least one series of letter by marking said at least one series of letter as explicitly entered.

12. The apparatus of claim **11**, said means for stem locking further comprising at least one from a group consisting of:

- a full next locking mechanism, wherein a next key locks one of said at least one series of letters;
- unbounded locking by moving cursor over one of said at least one series of letters by using an arrow key;
- means for using previously explicitly entered letter preceding said at least one sequence of key inputs by matching words in said database, wherein said words begin with said explicitly entered letters and match said ambiguously entered key sequence;
- word completion capability;
- means for allowing pressing a key to be assigned to a locking in function;
- means for allowing pressing an appropriate arrow key to lock in a word completion being offered;
- a hierarchy of locking mechanism; and
- means for generating words not stored in said word database.

13. The apparatus of claim **12**, said full next locking mechanism further comprising means for identifying and using word boundaries.

14. The apparatus of claim **12**, said means for generating words not stored in said word database further comprising:

- means for receiving a first set of letters comprising a series of locked in entries;
- means for receiving a subsequent ambiguous entry associated with a second set of letters;
- means for searching said database for said desired word using said entered first set of locked in letters and said subsequent ambiguous entry;
- means for allowing selecting said desired word, responsive to said desired word being found in said database; and
- means for performing at least one subsequent search by locking in and searching on a subset of said second set of letters, responsive to said desired word not being found in said database.

15. A method for explicit character filtering of ambiguous key input sequences, said method comprising the steps of:

- providing a display;
- providing a processor, wherein said processor manages output of words to a display;
- providing a keyboard comprising a plurality of keys coupled to the processor through appropriate interfacing circuitry, wherein at least some of the keys are associated

13

with at least two characters, such that key inputs from said keys associated with at least two letters, wherein single, one-tap key inputs of said keys associated with at least two letters comprise an ambiguous key input, and wherein non-single/non-one-tap key inputs of said keys associated with at least two characters comprises an explicit key input that specifies precisely one intended letter,

wherein said processor receives at least one sequence of key inputs from said keyboard, and wherein said at least one sequence of key inputs includes both at least one ambiguous key input resulting from a single one-tap key input and at least one explicitly entered intended letter input in a particular position within the sequence of key inputs;

recognizing a non-single/non-one-tap key input from a single, one-tap key input by techniques selected from among a group of precise letter entry techniques consisting of:

2-key explicit entry;

long pressing a key to display and cycle through a character sequence;

long pressing on a key to enter a number/digit explicitly; changing to a numbers mode and pressing a key to enter a number/digit explicitly;

changing to a multi-tap mode and pressing a key repeatedly to enter a character explicitly;

interpreting ambiguous mode key presses as an explicit character by grouping each pair of key presses as a 2-key explicit entry;

interpreting ambiguous mode key presses as an explicit character by grouping repeated presses of the same key as a multi-tap entry;

using multi-switch keys, thereby permitting ambiguous entry on a simple press and an explicit character entry on a different kind of press;

chording by pressing at least two keys simultaneously, with a primary key indicating an ambiguous set of characters and a secondary key indicating which character in the set to select; and

using a softkey as a secondary means for offering any character assigned to a key based on analysis of most likely character associated with a preceding keystroke based on words in a current word candidate list;

providing a memory coupled to said processor, wherein said memory comprises:

a word database

a means for disambiguating key input sequences;

a means for identifying words in said word database that are associated with the sequence of key inputs, forming identified words; and

a means for filtering words from the identified words based on the input of at least one precise letter in said particular position within the sequence of key inputs, forming filtered words; and

causing an output to said display of said filtered words.

16. The method of claim **15**, further comprising providing speech synthesis software and a speaker as a communication aid.

17. The method of claim **15**, further comprising entering a precise letter by 2-key explicit entry, wherein said 2-key explicit entry further comprises use at least one of:

a matrix display;

a label including a subset of predetermined sets of associated letter; and

a scrolling list.

14

18. The method of claim **15**, further comprising entering a precise letter by long pressing a key to display and cycle through a letter sequence, wherein said cycling through a letter further comprises, after said letter sequence is displayed, at least one of:

highlighting a next letter in said letter sequence each additional time said key is pressed, ending after a sufficient time elapses between one key press and the next or when a different key is pressed; and

highlighting a next letter in said letter sequence each time a navigation key is pressed.

19. The method of claim **15**, said means for filtering words from the identified words based on the at least one precise letter further performing the step of:

matching said words in said word database against said precise letter; and

automatically accepting for output a word matching a first subset of the input sequence, responsive to if the addition of an input preventing the matching of at least one word in said database.

20. The method of claim **15**, wherein said filtered words are displayed in a predetermined order.

21. The method of claim **15**, said means for filtering words from the identified words based on the at least one precise letter further performing the step of building around at least one precise letter.

22. The method of claim **21**, wherein said building around further comprises at least one step from a group of steps consisting of:

interpreting by matching words which include said at least one precise letter at a particular position in said sequence of key inputs;

interpreting by matching words which include at least one word that matches ambiguous keys that precede said at least one precise letter;

interpreting by matching words which include at least one word that matches ambiguous keys that end with said at least one precise letter;

interpreting by matching words which include at least one word that begins with said at least one precise letter; and

interpreting by matching words which include at least one word that follows said at least one precise letter.

23. The method of claim **21**, wherein said building around is actuated by pressing a next key to obtain a next set of results from multiple searches in said word database.

24. The method of claim **15**, said means for filtering words from the identified words based on the at least one precise letter further performing the step of stem locking for eliminating re-interpreting at least one series of letters by marking said series of letters as explicitly entered.

25. The method of claim **24**, said stem locking further comprising performing at least one step from a group of steps consisting of:

providing a full next locking mechanism, wherein a next key locks one of said at least one series of letters;

providing unbounded locking by moving cursor over one of said at least one of said series of letters by using an arrow key;

using previously explicitly entered letters preceding a current sequence of key inputs by matching words in said word database, wherein said words begin with said at least one precise letter and match said sequence of key inputs;

providing word completion capability;

allowing pressing a key to be assigned to a locking in function;

15

allowing pressing an appropriate arrow key to lock in a word completion being offered;
providing a hierarchy of locking mechanism; and
generating words not stored in said word database.

26. The method of claim 25, said full next locking mechanism further performing the step of identifying and using word boundaries. 5

27. The method of claim 25, said step of generating words not stored in said word database further comprising the steps of: 10

receiving a first set of letter comprising a series of locked in entries;

16

receiving a subsequent sequence of key inputs entry associated with a second set of letter;

searching said word database for said desired word using said entered first set of locked in characters and a subsequent key entry;

allowing selecting said desired word, responsive to said desired word being found in said word database; and

performing at least one subsequent search by locking in and searching on a subset of said second set of letter, responsive to said desired word not being found in said word database.

* * * * *