

US007722462B2

(12) United States Patent

Mayeroff

(10) Patent No.: US 7,722,462 B2 (45) Date of Patent: May 25, 2010

(54) ELECTRONIC GAME APPARATUS AND METHOD PROVIDING A SECONDARY GAME TRIGGERED APART FROM A PRIMARY GAME

- (75) Inventor: **Jason M. Mayeroff**, Bangkok (TH)
- (73) Assignee: IGT, Reno, NV (US)
- (*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 296 days.

- (21) Appl. No.: 11/558,676
- (22) Filed: Nov. 10, 2006

(65) Prior Publication Data

US 2007/0087811 A1 Apr. 19, 2007

Related U.S. Application Data

- (63) Continuation of application No. 10/753,906, filed on Jan. 7, 2004, now Pat. No. 7,144,321.
- (51) Int. Cl.

F64A 13/00 (2006.01)

(56) References Cited

U.S. PATENT DOCUMENTS

5,280,909	\mathbf{A}	1/1994	Tracy
5,342,049	\mathbf{A}	8/1994	Wichinsky et al.
5,560,603	\mathbf{A}	10/1996	Seelig et al.
5,655,961	\mathbf{A}	8/1997	Acres et al.
5,702,304	A	12/1997	Acres et al.
5,741,183	\mathbf{A}	4/1998	Acres et al.
5,752,882	\mathbf{A}	5/1998	Acres et al.
5,788,573	\mathbf{A}	8/1998	Baerlocher et al.
5,816,918	\mathbf{A}	10/1998	Kelly et al.
5,820,459	A	10/1998	Acres et al.
5,823,874	\mathbf{A}	10/1998	Adams

5,836,817 A	11/1998	Acres et al.
5,848,932 A	12/1998	Adams
5,876,284 A	3/1999	Acres et al.
5,882,261 A	3/1999	Adams
5,911,418 A	6/1999	Adams
5,947,820 A	9/1999	Morro et al.
6,001,016 A	12/1999	Walker et al.
6,024,640 A	2/2000	Walker et al.

(Continued)

FOREIGN PATENT DOCUMENTS

GB 2 201 821 A 9/1988

(Continued)

OTHER PUBLICATIONS

Reaching for the Stars Article, written by John Acres, published in Casino Enterprise Management in May 2007.


(Continued)

Primary Examiner—John M Hotaling, II
Assistant Examiner—Jeffrey Wong
(74) Attorney, Agent, or Firm—K&L Gates LLP

(57) ABSTRACT


A gaming device and method where there is a primary game and a bonus game. The player makes a wager and plays the primary game to obtain an outcome. Before, during or after the primary game a bonus game is played, apart from the primary game, which can trigger an separate, unrelated award. A bonus award display displays any award from the bonus game.

32 Claims, 4 Drawing Sheets



US 7,722,462 B2 Page 2

U.S. PATENT	DOCUMENTS	2001/0003709	A1	6/2001	Adams	
5 0 5 0 5 5 0 · · · · · · · · · · · · ·	TTT 44 . 4	2001/0018361	A1	8/2001	Acres	
, ,	Walker et al.	2002/0052234	A1	5/2002	Adams	
6,089,978 A 7/2000		2002/0142826	A1	10/2002	Adams	
	Slomiany et al.	2002/0142830	A1	10/2002	Adams	
<i>'</i>	Morro et al.	2002/0198038	A1	12/2002	Adams	
, , ,	Acres et al.	2003/0013520	A1	1/2003	Adams	
/ /	Baerlocher et al.	2003/0060272	A1	3/2003	Glavich et al.	
6,224,482 B1 5/2001		2003/0087689	A1	5/2003	Adams	
6,309,300 B1 10/2001		2003/0114216	A1	6/2003	Adams	
6,322,309 B1 11/2001		2003/0195027	A1*	10/2003	Baerlocher et al 463/16	
	Adams	2004/0002372	A1	1/2004	Rodgers et al.	
6,358,146 B1 3/2002	Adams	2004/0038728	A1	2/2004	Adams	
, , ,	Acres et al.	2004/0038734	A1	2/2004	Adams	
6,371,852 B1 4/2002	Acres	2004/0048645	A1	3/2004	Webb et al.	
6,375,567 B1 4/2002	Acres	2004/0051240	A1	3/2004	Adams	
6,375,569 B1 4/2002	Acres	2004/0053660	A1	3/2004	Webb et al.	
6,386,974 B1 5/2002	Adams	2004/0053665	A1	3/2004	Baerlocher	
, , ,	Acres	2004/0077403	A1*	4/2004	Maya et al 463/20	
6,569,015 B1 * 5/2003	Baerlocher et al 463/16	2004/0248640	A1		Kaminkow et al.	
6,605,000 B2 8/2003		2005/0026671	A1	2/2005	Baerlocher	
6,645,068 B1 11/2003	Kelly et al.	2005/0026673	A1	2/2005	Paulsen et al.	
6,663,448 B1 12/2003	Davies et al.	2005/0026678	A1	2/2005	Kaminkow	
6,663,485 B2 12/2003	Niermann	2005/0059486	A1	3/2005	Kaminkow	
6,663,488 B1 12/2003	Adams	2005/0075159	A1	4/2005	Kaminkow et al.	
6,663,489 B2 12/2003	Baerlocher	2005/0159211	A1	7/2005	Enghman	
6,722,976 B2 4/2004	Adams	2005/0181860	A1	8/2005	Nguyen et al.	
6,769,986 B2 8/2004	Vancura	2005/0282619	A1*	12/2005	Vancura 463/20	
6,793,577 B1* 9/2004	Wilkins et al 463/16					
6,827,646 B2 12/2004	Adams	FO.	REIG	N PATE	NT DOCUMENTS	
6,851,674 B2 2/2005	Pierce et al.	WO WO	00.22	1206	6/2000	
D503,951 S 4/2005	Karstens	WO WO	00 32	2280	6/2000	
6,890,255 B2 5/2005	Jarvis et al.	OTHER PUBLICATIONS				
6,905,407 B2 * 6/2005	Nordman 463/20	OTTER FUBLICATIONS				
RE38,812 E 10/2005	Acres et al.	Bally Slot Machin	nes Ele	ectro-Mec	hanicals 1964-1980 Book [In Part],	
6,964,609 B2 11/2005	Haag et al.	Revised 3 rd Editi				
7,004,835 B2 2/2006	Baerlocher			-	•	
7,066,814 B2 6/2006	Glavich et al.	* cited by exan	niner			






FIG. 3A




FIG. 3B





FIG. 4



74b

FIG. 5 76 Processor Clip 2
Clip 3 <u>38</u> Video Display <u>44</u> Clip N

ELECTRONIC GAME APPARATUS AND METHOD PROVIDING A SECONDARY GAME TRIGGERED APART FROM A PRIMARY GAME

PRIORITY CLAIM

The present application is a continuation of, claims priority to and the benefit of U.S. patent application Ser. No. 10/753, 906, filed Jan. 7, 2004, the entire contents of which are incorporated herein.

This application relates to the following co-pending commonly owned patent applications: "ELECTRONIC GAME APPARATUS AND METHOD PROVIDING A SECONDARY GAME TRIGGERED APART FROM A PRIMARY 15 GAME," Ser. No. 11/830,068; and "ELECTRONIC GAME APPARATUS AND METHOD PROVIDING A SECONDARY GAME TRIGGERED APART FROM A PRIMARY GAME," Ser. No. 11/830,076.

FIELD OF INVENTION

The present invention relates to electronic gaming devices and methods and more particularly to devices and more particularly to gaming devices and methods having a primary 25 game and a secondary game.

BACKGROUND

Gaming devices with additional awards, typically characterized as bonus or secondary awards, are well known in the gaming industry. One form may be as simple as a progressive award for certain outcomes from a primary game. A "progressive" system is one where a portion of wagers from one or many gaming machines are used to fund a jackpot which is paid out when the player has made the required wager, usually the maximum wager, and obtains the required game outcome. Progressives have been applied to slot machines, video Poker machines and other games, including table games.

Another form of gaming device is one where there is a bonus or secondary game (hereinafter referred to as "bonus" games) or feature which is triggered by one or several outcomes during play of a primary game and which is used to select or display a pre-selected secondary award. One such device is described in U.S. Pat. No. 5,848,932 issued December 1998 to Adams and titled "Method of Playing Game and Gaming Games With An Additional Payout Indicator". In this game, when the player obtains a predetermined, "triggering" outcome in the primary or base game, a bonus game or game opportunity is launched. For example, a bonus wheel or bonus wheel display may be provided which, when prompted, spins to display a secondary award to the player.

Other triggered bonus games include those where the player is provided with bonus selections which, when picked by the player, reveal the award(s) for the bonus feature for the 55 game.

In designing bonus games, gaming designers must calculate the frequency at which the bonus game trigger(s) will be obtained in the base game and, based upon the play of the bonus game, the contribution to the overall payback of the 60 game. That is, if a gaming designer wants a game to have a 92% payback (i.e. theoretically retain 8% of all wagers) the payback contribution from the base game and bonus game must be configured to account for the contribution from the bonus game feature. Another factor which must be considered 65 in the game design calculus is whether or not large awards will be offered in the bonus game feature. It is believed that

2

providing large awards in the bonus game feature is attractive to players. However, if the bonus game feature contribution to the game overall payback is too high, the payback from the base game must be reduced. Reducing the pay back for the base game can be frustrating to the player who does not obtain a bonus game trigger since the player will tend to lose his/her bankroll in short order. If the payback from the base game is to be maintained high (so the player maintains interest in the game), then the frequency at which the secondary game feature is triggered must be reduced. As stated above, if the frequency of obtaining the trigger is low, the player is likely to terminate their gaming session early since he/she has not obtained a triggering outcome. Thus, the game designer is left with decisions and trade-offs in designing the game. Games where the secondary or bonus feature has high awards, requires either reducing the frequency of the trigger for the secondary game or lowering the payback for the base game. If the bonus game is infrequently triggered and the base game has a low payback, a player will lose enthusiasm for the game or run out of money before the bonus game is triggered. In such a circumstance it is likely that the player will not play the game again. Making the secondary game awards small but frequently triggered can lead to a boring game where the bonus game trigger becomes a routine event.

A further drawback is the marrying of the bonus game to a trigger in the base game mandates the trade-offs and compromises set forth above which, in turn, limits the degree of creativity which the gaming designer can utilize in designing a game.

There is a need for a game which can provide a bonus game which is not driven by or triggered from a base game.

There is a need for a game wherein the bonus game can be configured to provide any desired contribution to the game without consideration to the frequency of the player obtaining a base game trigger.

SUMMARY

Another form of gaming device is one where there is a 40 device and method which overcomes the drawbacks noted above.

There is set forth according to the present invention a device and method which overcomes the drawbacks noted above.

Toward this end there is set forth a method an device which includes a computer processor and a primary game display. The primary game display may be embodied as a window to view electromechanical reels of a slot machine or a video display displaying the features of the base game such as the virtual reels of a video slot machine. Apparatus is provided for a player to make a wager to play the apparatus and to prompt play. The processor is configured to, in response to prompting of play, randomly select and display indicia at the primary game display to define a primary game winning or losing outcome and if the primary game outcome is a winning outcome to issue a primary game award to the player. For example, the processor may be configured to randomly select and outcome and control the display (or electromechanical reels) to display the reels spinning and stopping to align symbols on one or more pay lines for the game. If the indicia aligned on any pay line is a winning combination, an award is issued for the combination.

The processor is further configured to, when prompted, randomly select, independent of the primary game outcome, between a bonus game trigger or no trigger condition. That is, whether or not the secondary or bonus game is triggered is not determined by the selection of base game symbols. The selection of the bonus game trigger may be confined to the processor and such that the player does not know if the bonus game trigger is selected until the bonus feature is launched. Alter-

natively, there may be a separate display or feature which is controlled by the processor to display to the player a feature representing the selection process such as a separate slot machine display or other display. It should be emphasized that the selection of the bonus game trigger condition is 5 completely independent of the outcome of the base game, however the random selection process is started by play of the primary or base game.

Once the bonus game has been triggered, a secondary game display is provided for displaying the award(s) provided at the 1 primary game display or a separate display. As but an example, once the secondary game is triggered, a wheel or other display may be provided to display the available, secondary game awards and the selection thereof. The award from the secondary game is awarded to the player.

The device and method of the present invention permits the game designer to design the base or primary game without regard to inclusion of the frequency at which a secondary game trigger is obtained in the primary game. For example, if the designer wants a game having an overall pay back per- 20 centage of 92% to the player, the designer need only design the base game pay back percentage, e.g. 85%, and the secondary game (frequency of trigger and awards) at 7% to get the overall pay back percentage to the desired levels. For example, if the designer wants to have frequent secondary 25 (bonus) game events, he/she can select a frequency of the trigger at one in ten and adjust the secondary awards appropriately. If the designer wants to provide large secondary game awards, he/she can configure the game to issue the large secondary award infrequently by providing, for example, 30 more frequent small bonus awards or "no bonus award" outcomes or can reduce the frequency at which the bonus game. The foregoing provides the game designer with more options in designing games which will attract and keep players.

trigger from the primary game, the gaming designer is free to adopt new and clever themes and schemes for displaying the triggering of the bonus game and the presentation of the award.

Additional features and advantages are described herein, 40 and will be apparent from, the following Detailed Description and the figures.

BRIEF DESCRIPTION OF THE FIGURES

These and other features of the present invention will become better understood with reference to the description, claims and drawings wherein:

FIG. 1 is illustrates features of the device and method;

FIG. 2 is a logic diagram illustrating the operation of an 50 embodiment of the present invention;

FIGS. 3A and B show one embodiment of the secondary, bonus game display;

FIG. 4 shows another embodiment of a secondary bonus display; and

FIG. 5 shows another embodiment of the bonus game feature.

DETAILED DESCRIPTION

Turning to the drawings, FIG. 1 shows a device 10 and method according to the present invention. The device 10 includes a primary game apparatus configured for the play of the primary or base game. For this purpose the primary game apparatus 12 includes a housing 14 which supports a primary 65 game display 16 of a type as is known in the art. The primary game display 16 may consist of, as shown, three windows

18*a-c* each providing a view of electromechanical reels (not shown). As is known in the art, each reel includes indicia, i.e. reel symbols. The reels spin to ultimately position indicia in the windows 18a-c along one or more predefined pay lines to define the outcome for the primary game.

For a player to input a wager, the apparatus 12 includes a coin/token acceptor 20 as is known in the art. Other means may be provided for the player to input a wager such as a cash or script validator, debit or credit card reader or the like, as is known in the art. For purposes of the following description it shall be assumed that the primary game apparatus 12 is a three coin game accepting up to a maximum of three coins for each spin.

Disposed below the primary game display 16 is a panel 22 mounting control buttons **24**, the function of which are well known in the art. One button **26** is configured for prompting play of the primary game apparatus 12 and device 10. Alternatively a handle 28 which may be pulled by the player to prompt play.

Below the panel 22 is the backlit belly glass 30 which may include graphics to identify the game and attract players.

At the bottom of the primary gaming apparatus 12 is a coin tray 32 to receive coins dispensed by the primary game apparatus 12 to the player. In lieu of or in addition to dispensing coins, the primary game apparatus may be configured to include a script ticket writer to write a voucher ticket in the amount of the cash to be dispensed to the player. Ticket reader's and writers are well known in the art.

Located above the primary game display 16 is the top box 34 that may include a progressive jackpot display 36. A candle 38 at the top of the primary game apparatus 12 provides a signal light for service for the device 10 or the occurrence of a jackpot or the player.

According to the present invention, the device 10 includes A further feature is that by "untying" the bonus game 35 a computer processor 38 configured to operate and control the various functions of the device 10. The processor 38 is housed within the housing 14 and communicates with first and second data structures 40, 42 as hereinafter described. The processor 38 also communicates with a bonus game display 44 which may be embodied as a electromechanical wheel, slot machine reels, video display or other displays for the bonus game feature. Where the bonus game display 44 is a separate wheel as suggested in FIG. 1, it may be mounted on or in the primary game apparatus 12 top box 34 and may be an elec-45 tromechanical wheel or a graphic video display of the wheel. Further, the bonus game display 44 and primary game display 16 may share the same display. That is, where the primary game display 16 is a video display, the processor 38, when the bonus game is triggered as hereinafter described, is controlled to segue to display to the player the bonus game display.

Turning to FIG. 2, the play of the device 10 according to the present invention will now be described. To play the device 10 and method of the present invention, the player inputs their wager at **50**. The wager may be placed, depending upon the 55 configuration of the primary game apparatus, by inserting coins or tokens into the coin acceptor 20, by inserting cash into a cash validator, by wagering accumulated gaming credits, by using a credit or debit instrument or by inserting script into a script reader, all of which are known in the art. Where the device 10 is a novelty device, such as a hand held toy or computer game incorporating the features of the present invention, the player may wager fictitious credits for fun. The player may wager a minimum wager of one unit (one coin) to the maximum accepted by the primary game apparatus 12, e.g. 3 units. After the wager has been made, the player at 52 prompts play of the primary game apparatus 12 by, for example, depressing a spin button 26 or pulling the handle 28.

In response to prompting play at 52, the processor 38 at 54 randomly selects and controls the primary game display 16 to display the outcome for the primary game. As shown in FIG. 1, the processor 38 may select the outcome by using known means such as slot machine reel virtual mapping as disclosed 5 in Telnaes, U.S. Pat. No. 4,448,419, the disclosure of which is incorporated by reference. According to this reference, the processor 38 selects a reel stop position for each reel from a virtual map stored, for example, in the first data structure 40. The map, in essence, maps data corresponding to a reel symbol (or blank) to a reel stop position for the reel. Where a reel is an electromechanical reel having twenty-two stop physical stop positions, data corresponding to twenty-three or more virtual symbols may be mapped to stop positions to give the 15 reel, virtually, more stops. The processor 38, using a suitable random number generator, selects numbers, e.g. data addresses, finds the corresponding stop position and then controls the reel spinning stepper motors (not shown) for each reel to rotate the reels and stop them at the mapped reel stop 20 to define the outcome. By configuring the distribution of the reel sets indicia, winning outcome combinations and award for each winning outcome, the game designer can set the pay back for the primary game apparatus at the desired level. As an example, the designer will configure the map and winning 25 combinations such that each winning combination has a statistically ascertainable chance of occurring. A jackpot award may be statistically expected every 5 million spins whereas an award of 3 units (even money return on the wager) may be expected every five spins. By summing the products of the statistical frequency for each winning outcome and the award therefore, the overall pay back for the machine can be determined. That is, the overall pay back may be expressed as:

Base Game Pay Back= Σ (frequency)×(award)

The foregoing features of the base or primary game are well known.

Regarding the overall payback percentage, many gamingjurisdictions have certain minimum standards for payback percentage for gaming devices to make the games fair for the players.

Continuing with FIG. 2, after selection of the outcome, the processor 38 displays at the primary game display 16 the selected outcome. Where the primary game is an electromechanical, three reel slot machine (often referred to as a "stepper game"), the processor 38 controls the reels to rotate and stop to display the outcome at the primary game display 16 where symbols or blanks (referred to collectively herein as indicia) are displayed on one or more designated pay lines, again as is known in the art. At 56 the processor 38 judges whether the outcome is a winning outcome or a losing outcome. If the outcome is a winning outcome, the processor 38 at 58 wards the corresponding award to the player by dispensing coins/tokens into the tray 32 or awarding gaming credits which are accumulated in a credit meter.

According to the present invention, the prompting of play of the primary game at **52** also prompts the processor **38** to randomly select between a trigger or a no trigger condition at **60**. For this feature, the processor **38** second data structure **42** may be provided with a map (as discussed above) which includes data corresponding to a bonus game trigger (and the award won) or no trigger condition. That is, the second data 65 structure may be provide with a map having the following configuration:

6

			_			
Address		Result				
5	1	No bonus trigger				
	↓ 100					
	100	10 Units (Bonus triggered)				
	102	100 Units (Bonus triggered)				
	103	No Bonus trigger				
0	↓					
	150					
	•	•				
	•	•				

The map may include thousands of addresses depending upon the factors of the frequency at which the game designer wants the bonus game to be triggered, the awards offered by the bonus game and the desired contribution of the bonus game to the overall pay back for the device 10. For example, if the designer wants to offer large bonus awards and have the bonus triggered frequently but wants the bonus game to contribute only a small percentage to the overall pay back for the device 10 (so that the player receives greater or more frequent pays from the primary game), the designer needs to have the bonus game award small or no amounts more frequently and issue the large bonus game award in rare circumstances, e.g. one every several thousand bonus game triggers.

The contribution from the bonus game may be similarly expressed as:

Bonus contribution= Σ (frequency of each award)× (award)

Thus the overall pay back for the device 10 including the bonus contribution can be expressed as:

Overall Pay back=Base Game Pay Back+Bonus Contribution

As can be appreciated, the game designer has the variables of configuring the base game to have a desired pay back and can then design the bonus game to provide the desired contribution by varying the frequency of the bonus game trigger (without regard to requiring the bonus to be triggered by a combination of base game symbols in the base game), the frequency of award winning bonus game outcomes and the award for each.

Continuing with FIG. 2, at 62 the processor 38 displays the selected bonus game selection at the primary game display 16 or at a bonus game display 44. The bonus game display 44 may be a wheel, as shown in FIG. 2 or any other suitable bonus game display as hereinafter described.

If the bonus game trigger corresponds to a bonus game award, at **64** the processor **38** issues the award to the player by known means such as dispensing coins, issuing game credits or the like.

As shown in FIG. 1 the bonus game display 44 is embodied as a wheel 66 divided into sectors 68, each including an award (or no award) display. To display the bonus award, the wheel 66 is controlled by the processor 38 to rotate and position the sector 68 at an indicator (not shown) to display the bonus award won.

Turning to FIGS. 3A and B, the features of the bonus game display 44 are shown. FIG. 3A illustrates the bonus game display 44 as a wheel 66 which is divided into sectors 68, only one of which is shown. Each sector 68 may include a bonus award as by a backlit panel or printing. In one embodiment the wheel 66 is controlled by the processor 38 to rotate to position the selected bonus award amount sector 68 at an indicator

such as a pointer, light or other indicator. When a trigger condition is selected, the processor 38 controls the wheel 66 to rotate and stop to show the award won to the player.

In regards to the selection of the award amount, as described above when the trigger condition is selected the 5 selected condition data may include the award amount. In an alternative embodiment, the selection of the award amount may be selected independently of the trigger condition. In this embodiment, once the trigger condition is selected the processor 38 executes another routine to randomly select the award and therefrom control the bonus game display 44, e.g. the wheel **66**, to display the selected award.

With reference to FIG. 3B, the wheel 68 may be configured to include in each sector 68 a sub-display 70 configured to display any one of a plurality of awards. As shown, the sector 68 includes a sub-display 70 to display awards of ten, twenty, forty or sixty units. This feature provides in one embodiment, where the wheel 66 is rotated, the ability to rotate the wheel 66 to a sector 68 having a group of awards and control the sub-display 70 to display the award.

In another embodiment, the wheel **66** may be stationary. The processor 38 controls the bonus game display 44 to display different awards in different sub-displays for the sectors 68 in a sequence and eventually display the bonus award won by the player.

With reference to FIG. 4 another form of the bonus game display 44 is illustrated as a separate slot machine display 72. This display 72 may display three reels 74a-c. When a bonus is triggered, the processor 38 controls the display 72 to display the reels 74a-c rotating to ultimately display an outcome. The operation and control of the slot machine display 72 may be as described above in connection with the primary game. The mapping of the slot machine display 72 may be such that each trigger event results in some bonus award to the player. Alternatively the mapping may be such that certain outcomes will result in no bonus award. In one embodiment, the slot machine display 72 may be controlled to produce a bonus award winning or losing outcome for each spin or game of the primary game. The mapping for the bonus game display 44 slot machine display 72 is configured to provide the desired contribution to the overall device 10 pay back.

Other types of bonus game displays 44 may be used. With reference to FIG. 5, the processor 38 may be provided with a library 76 of bonus award video clips or animated presentations (Clips 1-N) to be displayed at a video bonus game display 44. When the bonus is triggered, the processor 38 refers to the library to select and display an entertaining video or animation clip and calls up the same to display the clip and award the bonus. For example, live footage of sporting events 50 such as football plays, boxing events or the like may be displayed in conjunction with the issuance of the bonus.

As can be appreciated, the method and device 10 of the present invention "unties" the bonus game from the primary game. What is meant is that the bonus game can be triggered 55 regardless of the outcome of the primary game. This provides several advantages. One advantage is that the game designer can design the primary and bonus game separately and then sum their contributions to obtain the desired overall payback for the device. Thus, where the primary game has been 60 approved by gaming authorities, it is believed that approval of the overall device (with the bonus game) will be streamlined.

Another advantage is that bonus games can be added to any gaming device such as slot machines, Keno machines, video Poker machines or the like. For example, where an electronic 65 Keno game has an 80% pay back, the overall pay back can be increased by adding a configured bonus game. In adding the

bonus game feature of the present invention, the primary game need not be re-configured to include in the primary game, bonus game triggers.

As yet another feature, the bonus games can be created to have creative themes and presentations.

From a player's perspective, the present invention provides a bonus to the player regardless of the outcome from the primary game. In prior art games requiring a primary game trigger, the player watching the primary game outcome knows early in the presentation of the game outcome whether a bonus will be triggered. For example, some prior art game require three or more trigger symbols to appear in certain positions in the primary game display. With this requirement, the player knows during the spinning and stopping of the reels if a bonus will be triggered many times before the all of the reels have stopped. The failure to obtain a qualifying, triggering, outcome over many plays of the primary game can be frustrating to the player who may sense the game is too much in favor of the casino. Further a degree of frustration will be built up if the player gets two symbols but not the third. The player in that circumstance may feel that they are being teased and stop play of the game.

While I have shown and described certain embodiments of the present invention it should be understood that the inven-25 tion is subject to many modifications. For example, the bonus game may be controlled by a separate processor which controls selection of the trigger, award and presentation. A further variation is to provide a bonus game progressive jackpot which is funded from one or more linked devices 10. As yet another variation, the bonus game may be funded by the primary game wager or the bonus game may require a separate wager. For example, the player may wager three units to play the primary game and an additional one unit to participate in the bonus game.

It should be understood that various changes and modifications to the presently preferred embodiments described herein will be apparent to those skilled in the art. Such changes and modifications can be made without departing from the spirit and scope of the present subject matter and 40 without diminishing its intended advantages. It is therefore intended that such changes and modifications be covered by the appended claims.

The invention is claimed as follows:

- 1. A gaming device operable under control of at least one 45 processor, said gaming device comprising:
 - a housing;
 - a primary game display device supported by the housing, said primary game display device configured to display a primary game operable upon a wager by a player, said primary game including a plurality of primary game outcomes, said primary game outcomes including a plurality of primary game losing outcomes and a plurality of primary game winning outcomes, each primary game winning outcome associated with one of a plurality of primary game awards and having one of a plurality of first probabilities of being selected in a play of the primary game, wherein said primary game awards and said first probabilities form a primary game payback percentage;

at least one input device supported by the housing;

a mechanical secondary game display device supported by the housing, wherein said secondary game display device displays a plurality of secondary game awards prior to a selection of a secondary game trigger condition, said secondary game display device is physically distinct from said primary game display device, each secondary game award has one of a plurality of second

9

probabilities of being selected and said secondary game awards and said second probabilities form a secondary game payback percentage which is independent of said primary game payback percentage; and

- said at least one processor is programmed to operate with 5 the primary game display device, the at least one input device and the mechanical secondary game display device to:
 - (a) for each play of the primary game, randomly generate one of the primary game winning outcomes or one of the primary game losing outcomes;
 - (b) if the generated primary game outcome is one of the primary game winning outcomes, provide the player the primary game award associated with the generated primary game winning outcome;
 - (c) independent of the generated primary game outcome and independent of the primary game payback percentage, determine whether the secondary game trigger condition occurs; and
 - (d) if the secondary game trigger condition occurs, cause a random generation of one of the secondary game awards and cause the generated secondary game award to be provided to the player.
- 2. The gaming device of claim 1, wherein said determina- 25 tion of whether the secondary game trigger condition occurs is based, at least in part, on a random determination.
- 3. The gaming device of claim 2, which includes a separate display, operable to display the random determination of whether the secondary game trigger condition occurs.
- 4. The gaming device of claim 1, wherein the at least one processor includes a first processor supported by the housing and a second processor located remote from the housing.
- 5. The gaming device of claim 4, wherein the first processor controls the secondary game display device to rotate about an axis to generate one of the secondary game awards.
- 6. The gaming device of claim 4, wherein the second processor controls the secondary game display device to rotate about an axis to generate one of the secondary game awards.
- 7. The gaming device of claim 1, wherein said mechanical secondary game display device includes a rotatable wheel.
- **8**. The gaming device of claim **1**, wherein said rotatable wheel includes a plurality of segments that each display one of said secondary awards.
- 9. The gaming device of claim 1, wherein the primary game payback percentage and the secondary game payback percentage form an overall payback percentage for said gaming device.
- 10. The gaming device of claim 1, wherein the secondary game display device includes an indicator such that at least one of said indicator and said mechanical secondary game display device are rotatable about an axis.
- 11. The gaming device of claim 10, wherein an alignment of said indicator and said display of said secondary game awards determines which of the secondary game awards is generated.
- 12. The gaming device of claim 1, wherein if the wager is at least a designated wager amount, the at least one processor determines whether the secondary game trigger condition occurs, wherein said determination is independent of the size of the wager.
- 13. The gaming device of claim 12, wherein at least one of the secondary game awards is generated if the secondary 65 game trigger condition occurs and the wager is at least the designated wager amount.

10

- 14. The gaming device of claim 1, wherein said displayed secondary game awards of said secondary game display device are rotatable about an axis relative to said secondary game display device.
- 15. A gaming device operable under control of at least one processor, said gaming device comprising:
 - a housing;
 - a plurality of reels supported by the housing, said reels configured to display a plurality of reel game outcomes, said reel game outcomes including a plurality of reel game losing outcomes and a plurality of reel game winning outcomes, each reel game winning outcome associated with one of a plurality of reel game awards and having one of a plurality of first probabilities of being selected in a play of a reel game;
 - a mechanical wheel supported by the housing, said wheel displaying a plurality of wheel game awards, said mechanical wheel physically distinct from said plurality of reels, wherein each wheel game award has one of a plurality of second probabilities of being selected;
 - at least one input device supported by the housing;
 - said at least one processor programmed to operate with said plurality of reels, said wheel, and said at least one input device to:
 - (a) for play of the reel game, randomly generate one of the reel game winning outcomes or one of the reel game losing outcomes, and if the generated reel game outcome is one of the reel game winning outcomes, display and provide a player the reel game award associated with said generated reel game winning outcome; and
 - (b) for play of the wheel game, randomly generate one of the wheel game awards and cause the generated wheel game award to be provided to the player, wherein each of said plays of the wheel game occurs if a wheel game trigger condition randomly occurs independent of any of said displayable reel game outcomes.
- 16. The gaming device of claim 15, wherein said reel game awards and said first probabilities form a reel game payback percentage and said wheel game awards and said second probabilities form an independent wheel game payback percentage.
- 17. The gaming device of claim 16, wherein said wheel game trigger condition randomly occurs independent of the reel game payback percentage.
 - 18. A gaming device operable under control of at least one processor, said gaming device comprising:
 - a housing;
 - a plurality of reels supported by the housing, said reels configured to display a plurality of reel game outcomes, said reel game outcomes including a plurality of reel game losing outcomes and a plurality of reel game winning outcomes, each reel game winning outcome associated with one of a plurality of reel game awards and having one of a plurality of first probabilities of being selected in a play of a reel game;
 - a mechanical wheel supported by the housing, said wheel displaying a plurality of wheel game awards, said mechanical wheel physically distinct from said plurality of reels, wherein each wheel game award has one of a plurality of second probabilities of being selected;
 - at least one input device supported by the housing;
 - said at least one processor programmed to operate with said plurality of reels, said wheel, and said at least one input device upon a wager by a player to:

- (a) randomly determine whether to generate one of said wheel game awards, wherein said random determination is independent of any displayable reel game outcomes; and
- (b) if the determination is to generate one of said wheel 5 game awards:
 - (i) cause a random generation of one of the wheel game awards, and
 - (ii) cause the generated wheel game award to be provided to the player.
- 19. The gaming device of claim 18, wherein said reel game awards and said first probabilities form a reel game payback percentage and said wheel game awards and said second probabilities form an independent wheel game payback percentage.
- 20. The gaming device of claim 19, wherein random determination of whether to generate one of said wheel game awards is independent of the reel game payback percentage.
- 21. A gaming device operable under control of at least one processor, said gaming device comprising:
 - a housing;
 - a primary game display device supported by the housing, said primary game display device configured to display a primary game operable upon a wager by a player, said primary game including a plurality of primary game 25 outcomes, said primary game outcomes including a plurality of primary game losing outcomes and a plurality of primary game winning outcomes, each primary game winning outcome associated with one of a plurality of primary game awards and having one of a plurality of first probabilities of being selected in a play of the primary game, wherein said primary game awards and said first probabilities form a primary game payback percentage;
 - at least one input device supported by the housing;
 - a mechanical secondary game display device supported by the housing, wherein said secondary game display device displays a plurality of secondary game awards prior to a selection of a secondary game trigger condition, said secondary game display device is physically 40 distinct from said primary game display device, each secondary game award has one of a plurality of second probabilities of being selected and said secondary game awards and said second probabilities form a secondary game payback percentage which is independent of said 45 primary game payback percentage;
 - a secondary game trigger condition display device supported by the housing and configured to display information associated with a selection process of the secondary game trigger condition; and
 - said at least one processor programmed to operate with the primary game display device, the at least one input device and the mechanical secondary game display device to:
 - (a) for each play of the primary game, randomly gener- 55 ate one of the primary game winning outcomes or one of the primary game losing outcomes;

12

- (b) if the generated primary game outcome is one of the primary game winning outcomes, provide the player the primary game award associated with the generated primary game winning outcome;
- (c) independent of the generated primary game outcome and independent of the primary game payback percentage, perform the selection process to determine whether the secondary game trigger condition occurs; and
- (d) if the secondary game trigger condition occurs, cause a random generation of one of the secondary game awards and cause the generated secondary game award to be provided to the player.
- 22. The gaming device of claim 21, wherein the at least one processor includes a first processor supported by the housing and a second processor located remote from the housing.
- 23. The gaming device of claim 22, wherein the first processor controls the secondary game display device to rotate about an axis to generate one of the secondary game awards.
- 24. The gaming device of claim 22, wherein the second processor controls the secondary game display device to rotate about an axis to generate one of the secondary game awards.
- 25. The gaming device of claim 21, wherein said mechanical secondary game display device includes a rotatable wheel.
- 26. The gaming device of claim 21, wherein said rotatable wheel includes a plurality of segments that each display one of said secondary awards.
- 27. The gaming device of claim 21, wherein the primary game payback percentage and the secondary game payback percentage form an overall payback percentage for the gaming device.
- 28. The gaming device of claim 21, wherein the mechanical secondary game display device includes an indicator such that at least one of said indicator and said mechanical secondary game display device are rotatable about an axis.
- 29. The gaming device of claim 28, wherein an alignment of said indicator and one of the displayed secondary game awards determines which of the secondary game awards is generated.
- 30. The gaming device of claim 21, wherein if the wager is at least a designated wager amount, the at least one processor performs the selection process to determine whether the secondary game trigger condition occurs, wherein said determination is independent of the size of the wager.
- 31. The gaming device of claim 30, wherein at least one of the secondary game awards is generated if the secondary game trigger condition occurs and the wager is at least the designated wager amount.
- 32. The gaming device of claim 21, wherein said displayed secondary game awards of said secondary game display device are rotatable about an axis relative to said secondary game display device.

* * * * *