

US007845150B2

(12) United States Patent Gibbons

146,646 A

147,885 A

149,610 A

1/1874 Brooks


2/1874 Wiswell

4/1874 Schmit

(10) Patent No.: US 7,845,150 B2 (45) Date of Patent: Dec. 7, 2010

9 Claims, 8 Drawing Sheets

(5.4)	HODGET			1.5	20.011	0/1.07.4	TS 1
(54)	HUKSE E	IALIEK WII	TH CHIN STRAP		3,911 A	8/1874	
(75)	Inventor:	Clay Gibbon	s, Worland, WY (US)		66,127 A	10/1874	
	m cmc.	Olay Globol	Worlding, WT (OD)		66,683 A	8/1875	
(73)	Assignee:	CowboyLogic, LLC, Worland, WY (US)			58,841 A		McKibben
/ ala S		~	4. 4		75,769 A		Shinnick
(*)	Notice:	Subject to any disclaimer, the term of this patent is extended or adjusted under 35			79,898 A		Cronin
			31,627 A		Bowdow		
			33,918 A	10/1876			
(21)	Appl. No.:	12/165,621		35,985 A	1/1877		
	11				88,421 A	3/1877	
(22)	Filed:	Jun. 30, 2008	3		95,777 A 90,720 A	10/1877	Stone Henkell
((5)		n · n ı	1. 4. TS 4		0,720 A 03,324 A	5/1878	
(65)		Prior Publication Data)4,084 A	5/1878	
	US 2009/0320418 A1 Dec. 31, 2009				06,586 A		Leland
(51)					70,360 A		Whitman
(51)	Int. Cl.	(20	06 01)		20,498 A	10/1879	
(52)	B68B 1/02	`	06.01) 		27,026 A		Madden
\ /					37,031 A		Mauk et al.
(36)	Field of Classification Search				16,922 A	9/1881	
	See application file for complete search history.				17,912 A	10/1881	
(5.0)					51,074 A	12/1881	
(56)		References Cited			51,506 A	12/1881	
	U.S. PATENT DOCUMENTS		OCUMENTS				
	11,586 A	8/1854 M	Ierriam et al.				
	28,121 A					(Con	tinued)
	35,932 A 43,781 A						
	51,582 A			•		—Rob Sw	
	62,662 A			(74) Atto	rney, Age	nt, or Firm	—Antoinette M. Tease
	73,711 A		arrison et al.	(57)		ARST	ΓRACT
	81,552 A 87,246 A		teinbruecke ross				
	100,031 A						
	109,937 A 12/1870 Porter A horse halter comprising 113,468 A 4/1871 Thornton strap, jaw strap, throat strap		A horse halter comprising a nose band, chin strap, hitching				
			roat strap, t	p, two cheek straps, and poll strap,			
	118,877 A		sborn et al.			•	hed to the hitching strap, and
	121,704 A 123,653 A		-			-	is pulled downward, the nose
	130,604 A		hornton et al.			ap exert a c	clamping action on the horse's
	146,646 A			nose and	mouth.		





US 7,845,150 B2 Page 2


	U.S.	PATENT	DOCUMENTS	464,283	A	12/1891	Hush
255.206		2/1002	D 1 1	,			Edwards et al
255,395			Rorebeck	ŕ			Chambers, Jr.
258,325 258,543		5/1882	Barnard	· · · · · · · · · · · · · · · · · · ·		10/1892	
259,200			Ostberg	,		11/1892	
364,178			Marker	,		11/1892	
265,252		10/1882		•		5/1893 7/1893	Hobart et al.
266,831			Johnston	506,475		10/1893	
266,248	3 A	11/1882	Latta	512,290			Green et al.
277,354	1 A	5/1883	Sears	514,523			
277,380			Thornton	520,381	A	5/1894	~
280,237		6/1883		521,457	A	6/1894	Burnett
281,952			Armstrong	522,408	A	7/1894	Doble
283,539		8/1883	-	526,593		9/1894	
284,540 286,602			Cooper Garfield	528,760		11/1894	•
288,595			Rorebeck	551,375		12/1895	
290,826			White et al.	592,292		7/1896 10/1897	•
291,365			Lighthouse	· ·		2/1900	
293,999			Barnard	659,110		10/1900	
295,273	3 A	3/1884	Nesbit	660,494		10/1900	
295,812	2 A	3/1884	Rorebeck	,		5/1901	
297,963	3 A	5/1884	Barnard	675,910			Thomas
302,222	2 A	7/1884	Melling	694,531			
304,411	l A	9/1884	Corbett	698,560		4/1902	•
309,611	l A	12/1884	Du Bois	699,947		5/1902	
318,409) A	5/1885	Andes	723,999	A	3/1903	Fosgate
321,957	7 A	7/1885	Enoch	734,903	A	7/1903	•
324,237	7 A		•	736,275	A	8/1903	Little
331,670		12/1885		741,873	A	10/1903	Barcus
332,271			Michaelis	770,663	A	9/1904	Severns
335,726			Turnbull	778,511	A	12/1904	Spohn
339,996			Michaelis	793,460	A	6/1905	Morrison
340,324				796,025			Wilhelm
341,200		5/1886		813,062			McGehee
352,371		11/1886		815,164		3/1906	
357,643			Thummel et al.	817,135			Smouse
360,035 362,494			Michaelis Covert	839,980		-	Bramer
363,033			Wheeler	843,689			McClintock
363,311			Arnold	856,415			McClintock
366,972			Michaelis	871,925		11/1907	
367,831		8/1887		887,862 891,253			Spangenberg Hegland
367,943			Wittemore	896,164			Schreiter
370,163			Schaefer	897,329		9/1908	
370,346			Lynch et al.	897,565		9/1908	
371,137	7 A	10/1887	Grant	904,321		11/1908	
371,754	1 A	10/1887	Gethmann et al.	911,232			
379,056	5 A	3/1888	Dowlin	915,243			
379,369) A	3/1888	Covert	917,059		4/1909	
381,123	3 A	4/1888	Frost	923,369	A		McClintock
381,693	3 A	4/1888	Gross	925,371	A	6/1909	McClintock
382,692			Covert	925,372	A	6/1909	McClintock
383,836		5/1888		964,947	A	7/1910	Varney
384,407			Walton	985,642	A	2/1911	Tallman
401,017		4/1889		1,070,786	A	8/1913	Dyer
401,922			Barnard	1,088,877	A	3/1914	Curtis
409,867			Philpott	1,093,486			
416,227		12/1889	•	1,115,788			Dance et al.
,		12/1889		·		12/1914	•
417,864 417,870		12/1889 12/1889				1/1915	•
422,626			Pruyne	1,130,711		3/1915	
423,974			Wheeler	1,136,693		4/1915	
428,898			Duncan	1,138,115			Johnson
431,828			Walbridge	1,184,643			Hartman
432,414			Knight	1,216,966 1,227,440			Hoffman
434,182			Gethmann et al.	1,232,308			Higgins
441,732			Wilson et al.	1,252,308			Trenham
,		1/1891		, ,		1/1917	
460,840		10/1891	1 1 7	1,278,021		9/1918	
•		11/1891				12/1918	
.02,7 10		11, 10, 1		1,200,000		12, 1710	


US 7,845,150 B2 Page 3


1,325,061	\mathbf{A}	12/1919	Veal	4,324,0	89 A	4/1982	Hart et al.
1,351,620	\mathbf{A}	8/1920	Canter	4,337,6	10 A	7/1982	Taylor
1,352,557	A	9/1920	Stansbie	4,369,6	15 A	1/1983	Bloodworth
1,374,087	\mathbf{A}	4/1921	McClintock	4,376,3	66 A	3/1983	Miller
1,525,676	A	2/1925	Warnes	4,459,7	95 A	7/1984	Le Tixerant
1,532,853	\mathbf{A}	4/1925	Lawson	4,472,9	25 A	9/1984	Woodruff
1,536,507	A	5/1925	Lawson	4,480,4	27 A	11/1984	Conrad
1,556,362	\mathbf{A}	10/1925	Slbert	4,495,7	52 A	1/1985	Simpson
1,570,225	\mathbf{A}	1/1926	Beckwith	4,495,7	53 A	1/1985	Simpson
1,580,553	A	4/1926	Brenny	4,502,2	65 A	3/1985	Horrigan
1,633,268	A	6/1927	Nelson et al.	4,524,5	69 A	6/1985	Hanna
1,734,891	A	11/1929	Beckwith	4,565,0	55 A	1/1986	Simpson
1,743,889	A	1/1930	Hannam	4,589,2	48 A	5/1986	Ruddock
1,746,403	A	2/1930	Mulcahy	4,774,8	01 A	10/1988	Johansen et al
1,747,012	A	2/1930	Johnson	4,852,3	36 A	8/1989	Gammill
1,751,226	A	3/1930	Beckwith	5,079,9	04 A	1/1992	Berube
1,793,488	A	2/1931	Johnson	5,086,6	11 A	2/1992	Purdy
1,796,698	A	3/1931	Winslow	5,615,5	39 A	4/1997	Graham
1,804,655	A	5/1931	Swanjord	5,660,0	31 A	8/1997	Clark
1,939,107	A	12/1933	Crandall	6,062,0	05 A	5/2000	Roberts
2,114,178	A	4/1938	Crandall	6,199,3	52 B	1 3/2001	Beaston
2,304,338	A	12/1942	Crandall	6,199,3	53 B	1 3/2001	Chladek et al.
2,525,684	A	10/1950	Kinskie	6,691,4	97 B	1 2/2004	Rodgers
2,526,140	A	10/1950	Keyston	6,775,9	64 B	2 8/2004	Rodgers
2,622,381	A	12/1952	Mundell	6,817,1	65 B	1 11/2004	Bateman
2,804,741	A	9/1957	Cheesebro	7,124,5	62 B	2 10/2006	Blocker
2,932,930	\mathbf{A}	4/1960	Ray	7,246,4			Hurwitz
3,098,336	\mathbf{A}	7/1963	Bearss	7,263,8			Hurwitz
3,263,399	A	8/1966	Faragher	7,340,8			Bechtold
3,273,311	A	9/1966	Henry	2003/01016			Oyster et al.
3,312,039	A	4/1967	Reed	2004/00650			Rodgers
3,407,568	A	10/1968	Henry	2004/00030			Rodgers
3,418,787	A	12/1968	Smith	2004/01004			•
3,564,669	A	2/1971	Henry				Kemp et al.
3,579,963	A	5/1971	Henry	2005/02172			Blocker
3,605,384	A	9/1971	Pacini	2006/00269			Hurwitz
3,731,456	A	5/1973	Hill	2006/00269			Hurwitz
3,949,538	A	4/1976	Woodruff	2006/01566			Barnes
4,094,131	A	6/1978	McElvey	2006/01853	31 A	1 8/2006	Pretty
4,106,266	\mathbf{A}	8/1978	Hibbert	2006/02886	70 A	1 12/2006	Blocker
4,135,348	\mathbf{A}	1/1979	Matthews	2007/00513	24 A	1 3/2007	Grayson
4,173,109	\mathbf{A}	11/1979	Hibbert	2007/00893	80 A	1 4/2007	Rechtold
4,180,963	\mathbf{A}	1/1980	Anderson	2008/00347	16 A	1 2/2008	Foster




















HORSE HALTER WITH CHIN STRAP

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates generally to the field of animal halters, and more specifically, to a horse halter with a nose band, chin strap and sliding jaw strap that together create a clamping pressure on the forward portion of the horse's nose and jaw, as well as on the horse's poll, when the lead rope 10 is pulled.

2. Description of the Related Art

Existing horse halters generally come in two forms—a rope halter and a strap halter. The strap halter is constructed of shown in FIG. 1. The rope halter is constructed of rope and hand-tied to form the halter shown in FIG. 3. When used to control a horse, both of these halters exert pressure on the horse's poll, which is the area behind the ears, but they do not exert pressure anywhere else. Neither of these halters incor- 20 porates a chin strap, and neither one exerts any pressure at all on the horse's nose or jaw, which is a much more sensitive area than the horse's poll.

Horses can exert a great deal of counter-pressure in the poll area, which is why they often tear or rip through the halters 25 depicted in FIGS. 1-4. FIGS. 2 and 4 show the prior art strap and rope halters, respectively, when the horse handler pulls on the lead rope. As illustrated in these figures, the only pressure that these halters exert is in the poll area of the horse. No pressure is exerted downward on the nose or upward on the 30 jaw. Because horses are so much more sensitive in the nose area than they are in the poll area, a halter that exerted pressure on the horse's nose while simultaneously maintaining the jaw in a stationary position so as to create a clamping action between nose and jaw would be much more effective in 35 controlling the horse than a halter that exerted pressure solely in the poll area or even one that exerted pressure downward on the nose without simultaneously exerting pressure upward on the jaw.

There are a number of patents that have been issued for 40 various types of horse halters, including, by way of example, U.S. Pat. No. 28,121 (Whitehead, 1860); U.S. Pat. No. 100, 031 (Harris, 1870); U.S. Pat. No. 200,720 (Henkell, 1878); U.S. Pat. No. 237,031 (Mauk et al., 1881); U.S. Pat. No. 251,074 (Stowell, 1881); U.S. Pat. No. 255,395 (Rorebeck, 45) 1882); U.S. Pat. No. 286,602 (Garfield, 1883); U.S. Pat. No. 288,595 (Rorebeck, 1883); U.S. Pat. No. 321,957 (Enoch, 1885); U.S. Pat. No. 428,898 (Duncan, 1890); U.S. Pat. No. 432,414 (Knight, 1890); U.S. Pat. No. 462,743 (Sisson, 1891); U.S. Pat. No. 660,494 (Evans, 1900); U.S. Pat. No. 50 904,321 (Farrar, 1908); U.S. Pat. No. 923,369 (McClintock, 1909); U.S. Pat. No. 925,372 (McClintock, 1909); U.S. Pat. No. 1,325,061 (Veal, 1919); and U.S. Pat. No. 4,472,925 (Woodruff, 1984).

Of particular note are U.S. Pat. No. 100,031 (Harris, 1870), 55 which covers a strap halter in which the nose strap passes through a first ring underneath the horse's jaw and is fixedly attached to a second ring also located underneath the horse's jaw and through which the tie-strap (or hitching strap) passes, and U.S. Pat. No. 4,472,925 (Woodruff, 1984), which covers 60 a rope halter in which the reins pass through rings on either side of the horse's jaw and then through a ring underneath the horse's jaw. Both of these halters provide some degree of pressure on the top of the horse's nose, but neither one exerts a clamping pressure on the forward portion of the horse's 65 nose and jaw. The halter described in the '031 patent does not exert any clamping pressure on the horse's nose and jaw

because the strap underneath the horse's jaw is not fixedly attached to the nose band (in other words, it is free to move downward when pressure is exerted on the nose band) and because there is no chin strap. The halter described in the '925 patent achieves a clamping action of sorts, but the clamping action is not on the forward portion of the horse's nose and jaw; instead, it is further back toward the horse's throat. The further forward the clamping action, the more uncomfortable it is for the horse, which makes the halter of the present invention more effective than that of the '925 patent.

It is an object of the present invention to provide a horse halter that more effectively controls the horse than prior art halters by effectuating a clamping action on the forward portion of the horse's nose and jaw when the lead rope is strap and hardware and sewn together to form the halter 15 pulled. It is a further object of the present invention to provide a horse halter that is relatively easy and inexpensive to manufacture.

BRIEF SUMMARY OF THE INVENTION

The present invention is a horse halter comprising a nose band; a chin strap; a hitching strap; a jaw strap; a throat strap; two cheek straps; a poll strap; two first rings; a second ring; two third rings; and a fourth ring; wherein the nose band lies across the top of a horse's nose and joins together at a point under the horse's chin to form the hitching strap; wherein the fourth ring is at the end of the hitching strap; wherein a lead rope is attached to the fourth ring; wherein the fourth ring prevents the second ring from sliding downward on the hitching strap past the fourth ring; wherein the second ring wraps around the hitching strap so that the hitching strap slides within the second ring; wherein the second ring is attached to a first end of the jaw strap; wherein a second end of the jaw strap is attached to the throat strap; wherein a first end of the throat strap is attached to a third ring on one side of the horse's head, and a second end of the throat strap is attached to a third ring on the other side of the horse's head; wherein the throat strap extends downward from one third ring, around the horse's throat, and upward to the other third ring; wherein each third ring is attached to the throat strap, the poll strap, and one of the cheek straps; wherein each cheek strap extends from the third ring to the first ring; wherein the poll strap extends upward from one third ring, around the horse's poll, and downward to the other third ring; wherein the chin strap extends around the horse's chin and is attached on either end to the first ring; wherein each first ring is attached to the chin strap, one end of one of the cheek straps, and the nose band; and wherein the second ring slides upward on the hitching strap when the lead rope is pulled downward but no further than the point at which the nose band comes together to form the hitching strap underneath the horse's chin.

In a preferred embodiment, the nose band comprises two slots that allow the first rings to move vertically inside the slots. Preferably, the second end of the jaw strap is slidably attached to the throat strap.

In a preferred embodiment, the first ring preferably extends through a slot in the nose band, and the nose band is preferably stitched at a point that is roughly parallel to the third ring, thereby allowing the first rings to slide upward in the slots of the nose band when the lead rope is pulled downward but preventing them from sliding downward. Preferably, the poll strap comprises a buckle so that the length of the poll strap can be adjusted to fit the horse.

In a preferred embodiment, the chin strap is comprised of a woven strap material that provides some give when the horse opens its mouth but that is not so elastic as to provide no resistance at all. Preferably, when the lead rope is pulled

downward, downward pressure is exerted on the nose band, and the chin strap maintains the horse's jaw in a stationary position, thereby providing a clamping action on the horse's nose and mouth.

In a preferred embodiment, when the lead rope is pulled 5 downward, the first rings compress inward, exerting a lateral pressure on the horse's nose.

In an alternate embodiment, the present invention is a horse halter comprising a nose band; a chin strap; a hitching strap; a jaw strap; a throat strap; two cheek straps; and a poll strap; 10 wherein the entire halter is comprised of three pieces of rope and contains no hardware; wherein the first two pieces of rope form the nose band and hitching strap; wherein the third piece of rope forms the poll strap, throat strap, jaw strap and cheek straps; wherein a portion of the nose band lies across the top 15 of the horse's nose, and portions of the nose band come together under the horse's chin at a fourth knot to form the hitching strap; wherein the fourth knot prevents a second sliding loop from sliding downward beyond the fourth knot; wherein the second sliding loop wraps around the portions of 20 the nose band that are underneath the horse's chin; wherein the second sliding loop is located at a first end of the jaw strap; wherein a second end of the jaw strap culminates in a fifth knot directly underneath the horse's throat; wherein the second sliding loop is formed by the third knot; wherein the third 25 knot is located directly underneath a first knot in each cheek strap; wherein at the fifth knot, the piece of rope that comprises the jaw strap divides into two strands, with one strand forming the throat strap on one side of the horse's throat and the other strand forming the throat strap on the other side of 30 the horse's throat; wherein the throat straps join the cheek straps at a sixth knot; wherein the throat strap, cheek strap and poll strap come together at the sixth knot on either side of the horse's head; wherein the poll strap extends upward from the sixth knot on one side of the horse's head, around the poll area 35 of the horse, and downward to the sixth knot on the other side of the horse's head; wherein at the sixth knot the piece of rope that comprises the poll strap divides into two strands, with one strand forming the throat strap and the other strand forming the cheek strap; wherein one end of the cheek strap culmi- 40 the present invention shown on a horse. nates in the first knot, and the other end of the cheek strap culminates in the sixth knot; wherein a first sliding loop extends around the nose band above a second knot and adjacent to the first knot; wherein the second knot prevents the first sliding loop from sliding downward on the nose band; 45 wherein the first sliding loop maintains the cheek straps in a position that is roughly parallel to the horse's jaw by sliding upward on the nose band above the second knot when a lead rope attached to the hitching strap is pulled downward; wherein the piece of rope that forms the poll strap, throat 50 strap, jaw strap and cheek straps comprises two ends, and wherein the poll strap comprise a seventh knot that ties together the two ends of the piece of rope that forms the poll strap, throat strap, jaw strap and cheek straps; and wherein the seventh knot is untied to fit the halter on a horse.

In a preferred embodiment, the hitching strap is a loop to which a lead rope is attached. Preferably, the second knot is located at a position roughly parallel to the sixth knot.

In a preferred embodiment, the two strands of rope that comprise the nose band are glued together at a point directly 60 on top of the horse's nose. Preferably, the nose band comprises a decorative leather band that conceals the point at which the two strands of rope that comprise the nose band are glued together.

In a preferred embodiment, a lead rope is attached to the 65 hitching strap, and when the lead rope is pulled downward, pressure is exerted on the poll strap and nose band. Preferably,

when downward pressure is exerted on the nose band, the chin strap maintains the horse's jaw in a stationary position, thereby providing a clamping action on the horse's nose and mouth.

In a preferred embodiment, a lead rope is attached to the hitching strap, and when the lead rope is pulled downward, the second sliding loop slides upward on the portion of the nose band that is underneath the horse's chin to maintain the cheek straps in a position that is roughly parallel to the horse's jaw when the horse's mouth is closed. Preferably, when the lead rope is pulled downward, the second knots compress inward, exerting a lateral pressure on the horse's nose.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a perspective view of a prior art strap halter shown on a horse.

FIG. 2 is a perspective view of a prior art strap halter shown on a horse with the lead rope being pulled downward.

FIG. 3 is a perspective view of a prior art rope halter shown on a horse.

FIG. 4 is a perspective view of a prior art rope halter shown on a horse with lead rope being pulled downward.

FIG. 5 is a first perspective view of the strap halter embodiment of the present invention shown on a horse.

FIG. 6 is a first side view of the strap halter embodiment of the present invention shown on a horse.

FIG. 7 is a second side view of the strap halter embodiment of the present invention shown on a horse.

FIG. 8 is a second perspective view of the strap halter embodiment of the present invention shown on a horse.

FIG. 9 is a perspective view of the strap halter embodiment of the present invention shown without the horse.

FIG. 10 is a perspective view of the strap halter embodiment of the present invention shown without the horse with the lead rope being pulled downward.

FIG. 11 is a first perspective view of the rope halter embodiment of the present invention shown on a horse.

FIG. 12 is a first side view of the rope halter embodiment of

FIG. 13 is a second side view of the rope halter embodiment of the present invention shown on a horse.

FIG. 14 is a second perspective view of the rope halter embodiment of the present invention shown on a horse.

FIG. 15 is a perspective view of the rope halter embodiment of the present invention shown without the horse.

FIG. 16 is a perspective view of the rope halter embodiment of the present invention shown without the horse with the lead rope being pulled downward.

REFERENCE NUMBERS

- 1 Nose band
- 2 Chin strap
- 3 Hitching strap
- 4 Jaw strap
- **5** Throat strap
- **6** Cheek strap
- 7 Poll strap
- **8** First ring
- **9** Second ring
- 10 Third ring
- 11 Fourth ring
- **12** Slot in nose band
- 13 Buckle
- **14** Lead rope
- 15 First knot

- 16 First sliding loop
- 17 Second knot
- 18 Third knot
- 19 Second sliding loop
- 20 Fourth knot
- 21 Fifth knot
- 22 Sixth knot
- 23 Seventh knot
- 24 Leather band

DETAILED DESCRIPTION OF INVENTION

The present invention is best described with reference to FIGS. **5-16**. FIGS. **5-10** depict the strap halter embodiment of the present invention, and FIGS. **11-16** depict the rope halter 15 embodiment.

FIG. 5 is a first perspective view of the strap halter embodiment of the present invention shown on a horse. The strap halter embodiment comprises a nose band 1, a chin strap 2 (not shown), a hitching strap 3, a jaw strap 4 (not shown), a 20 throat strap 5, two cheek straps 6, a poll strap 7, two first rings 8, a second ring 9, two third rings 10, and a fourth ring 11. The nose band lies across the top of the horse's nose and joins together under the horse's chin to form the hitching strap 3. At the end of the hitching strap is the fourth ring 11, to which the lead rope 14 (not shown) is attached. The fourth ring 11 prevents the second ring 9 from sliding downward on the hitching strap 3 past the fourth ring 11. The nose band 1 preferably comprises two slots 12 (more clearly visible in FIGS. 9 and 10), which allow the first rings 8 to move vertically inside the slots.

The second ring 9 wraps around the hitching strap 3 (so that the hitching strap 3 slides within the second ring 9) and is attached to one end of the jaw strap 4. The other end of the jaw strap 4 is attached (preferably slidably attached, as shown in 35 FIG. 9, by means of a loop in the jaw strap 4) to the throat strap 5. One end of the throat strap 5 is attached to a third ring 10 on one side of the horse's head, and the other end of the throat strap 5 is attached to a third ring 10 on the other side of the horse's head. The throat strap **5** extends downward from one 40 third ring 10, around the horse's throat, and upward to the other third ring 10. Each third ring 10 is attached to the throat strap 5, the poll strap 7, and one of the cheek straps 6. Each cheek strap 6 extends from the third ring 10 to the first ring 8. The poll strap 7 extends upward from one third ring 10, 45 around the horse's poll, and downward to the other third ring **10**.

The chin strap 2 extends around the horse's chin (see FIG. 6) and is attached on either end to the first ring 8. Each first ring 8 is attached to the chin strap 2, one end of one of the cheek straps 6, and the nose band 1. The first ring 8 preferably extends through a slot 12 in the nose band 1, and the nose band 1 is preferably stitched at a point that is roughly parallel to the third ring 10, thereby allowing the first rings 8 to slide upward in the slots 12 of the nose band 1 when the lead rope is pulled downward (see FIG. 10) but preventing them from sliding downward. In this manner, the cheek straps 6 maintain the position that is shown in FIGS. 6 and 7 at all times.

The second ring 9 slides upward on the hitching strap 3 (but no further upward than the point at which the nose band 1 60 comes together to form the hitching strap 3 underneath the horse's chin) when the lead rope is pulled downward. The poll strap 7 preferably comprises a buckle 13 so that the length of the poll strap 7 can be adjusted to fit the horse.

FIGS. 6 and 7 are first and second side views, respectively, 65 of the strap halter embodiment of the present invention shown on a horse. The halter preferably comes in different sizes so

6

that the only adjustment that needs to be made when the halter is fitted to the horse is to adjust the length of the poll strap 7 using the buckle 13. As illustrated in these figures, the cheek straps 6 preferably maintain a position on the horse's head that is roughly parallel to the horse's jaw when the horse's mouth is closed.

FIG. **8** is a second perspective view of the strap halter embodiment of the present invention shown on a horse. This view shows more clearly the area of the halter that is underneath the horse's chin and underneath the horse's throat. This figure clearly shows that the first ring **8** cannot slip downward in the slot **12** in the nose band **1** beyond the stitching that is located roughly parallel to the third ring **10**. The chin strap **2** closely cradles the horse's chin and is preferably comprised of a woven strap material that provides some give when the horse opens its mouth but that is not so elastic as to provide no resistance at all. All other parts of the strap halter, with the exception of the rings, are preferably made of a nylon strap.

FIG. 9 is a perspective view of the strap halter embodiment of the present invention shown without the lead rope (with the halter in a relaxed state). FIG. 10 is a perspective view of the strap halter embodiment shown with the lead rope being pulled downward (with the halter in a tensioned state). Both of these figures are shown without the horse for clarity.

These two figures together illustrate the mechanism of the strap halter embodiment of the present invention. When the lead rope is pulled downward, pressure is exerted not only on the poll strap 7 but also on the nose band 1. As stated above, the second ring 9 may slide upward on the hitching strap 3 when the lead rope is pulled downward. When downward pressure is exerted on the nose band 1, the chin strap 2 maintains the horse's jaw in a stationary position, thereby providing a clamping action on the horse's nose. This clamping action is not provided by prior art halter designs and is a more effective way to control the horse than simply exerting pressure on the poll area. When the lead rope is pulled downward, the first rings 8 also compress inward (toward each other), exerting an additional lateral pressure on the horse's nose.

FIG. 11 is a first perspective view of the rope halter embodiment of the present invention shown on a horse. FIGS. 12-14 are, respectively, a first side view, a second side view, and a second perspective view of the rope halter embodiment shown on a horse.

The rope halter embodiment, like the strap halter embodiment, comprises a nose band 1, a chin strap 2, a hitching strap 3, a jaw strap 4, a throat strap 5, two cheek straps 6, and a poll strap 7. The entire rope halter is preferably comprised of three pieces of rope and, therefore, contains no hardware (no rings or buckle). The first two pieces of rope form the nose band 1 and hitching strap 3, and the third piece of rope forms the poll strap 7, throat strap 5, jaw strap 4 and cheek straps 6. In lieu of hardware, the rope halter utilizes a series of strategically located knots to accomplish the same effect as the strap halter.

As shown in FIG. 11, the nose band 1 lies across the top of the horse's nose and comes together under the horse's chin at the fourth knot 20 to form the hitching strap 3. The hitching strap 3 is preferably a loop to which the lead rope can be attached. The fourth knot 20 serves a function similar to the fourth ring 11 of the strap halter embodiment in that it prevents the second sliding loop 19 from sliding downward beyond the fourth knot 20. The second sliding loop 19 wraps around the portion of the nose band 1 that is underneath the horse's chin and serves a function similar to the second ring 9 of the strap halter embodiment. The second sliding loop 19 is located at one end of the jaw strap 4. The other end of the jaw strap 4 culminates in a fifth knot 21 directly underneath the

7

horse's throat. The second sliding loop 19 is formed by the third knot 18, located directly underneath the first knot 15 in the cheek strap 6.

At the fifth knot 21, the piece of rope that comprises the jaw strap 4 divides into two strands, with one strand forming the throat strap 5 on one side of the horse's throat and the other strand forming the throat strap 5 on the other side of the horse's throat. The throat straps 5 join the cheek straps at the sixth knot 22. The sixth knot 22 serves a function similar to the third ring 10 of the strap halter embodiment in that it is the point at which the throat strap, cheek strap and poll strap come together. In the rope halter embodiment, the poll strap 7 extends upward from the sixth knot 22 on one side of the horse's head, around the poll area of the horse, and downward 15 to the sixth knot 22 on the other side of the horse's head. At the sixth knot, the piece of rope that comprises the poll strap 7 divides into two strands, with one strand forming the throat strap 5 and the other strand forming the cheek strap 6. The opposite end of the cheek strap 6 culminates in the first knot 20 15, which serves the same purpose as the first ring 8 of the strap halter embodiment. Just beyond the first knot 15 is a first sliding loop 16, which extends around the nose band above the second knot 17.

The second knot 17 serves a function similar to the stitching in the nose band of the strap halter embodiment in that it prevents the first sliding loop 16 from sliding downward on the nose band 1. The second knot is preferably located at a position roughly parallel to the sixth knot. The first sliding loop 16 serves a function similar to the first ring 8 of the strap halter embodiment in that it maintains the cheek straps 6 in a position that is roughly parallel to the horse's jaw when the lead rope is pulled downward by sliding upward on the nose band above the second knot 17.

The poll strap 7 comprises a seventh knot 23, which ties together the two ends of the piece of rope that forms the poll strap 7, throat strap 5, jaw strap 4 and cheek straps 6, and serves a function similar to the buckle 13 of the strap halter embodiment in that this knot is untied to fit the halter on the horse and can be adjusted to fit the poll area of the horse.

The two strands of rope that comprise the nose band 1 are preferably glued together (end-to-end) at a point directly on top of the horse's nose. The nose band optionally comprises a decorative leather band 24 that conceals this point.

FIG. 15 is a perspective view of the rope halter embodiment of the present invention shown without the lead rope (with the halter in a relaxed state). FIG. 10 is a perspective view of the strap halter embodiment shown with the lead rope being pulled downward (with the halter in a tensioned state). 50 Both of these figures are shown without the horse for clarity.

These two figures together illustrate the mechanism of the rope halter embodiment of the present invention, which is similar in function to the mechanism of the strap halter embodiment. When the lead rope is pulled downward, pres- 55 sure is exerted not only on the poll strap 7 but also on the nose band 1. The second sliding loop 19 may slide upward on the portion of the nose band 1 that is underneath the horse's chin when the lead rope is pulled downward in order to maintain the cheek straps in the position shown in FIGS. 12 and 13, that 60 is, roughly parallel to the horse's jaw when the horse's mouth is closed. When downward pressure is exerted on the nose band 1, the chin strap 2 maintains the horse's jaw in a stationary position, thereby providing a clamping action on the horse's nose. This clamping action is not provided by prior art 65 halter designs and is a more effective way to control the horse than simply exerting pressure on the poll area. When the lead

8

rope is pulled downward, the second knots 17 also compress inward (toward each other), exerting an additional lateral pressure on the horse's nose.

Although the preferred embodiments of the present invention have been shown and described, it will be apparent to those skilled in the art that many changes and modifications may be made without departing from the invention in its broader aspects. The appended claims are therefore intended to cover all such changes and modifications as fall within the true spirit and scope of the invention.

I claim:

- 1. A horse halter comprising:
- (a) a nose band;
- (b) a chin strap;
- (c) a hitching strap;
- (d) a jaw strap;
- (e) a throat strap;
- (f) two cheek straps;
- (g) a poll strap;
- (h) first, second, third, fourth, fifth, sixth and seventh knots; and
- (i) first and second sliding loops;
- wherein the entire halter is comprised of three pieces of rope and contains no hardware;
- wherein the first two pieces of rope form the nose band and hitching strap;
- wherein the third piece of rope forms the poll strap, throat strap, jaw strap and cheek straps;
- wherein a portion of the nose band lies across the top of the horse's nose, and portions of the nose band come together under the horse's chin at the fourth knot to form the hitching strap;
- wherein the fourth knot prevents the second sliding loop from sliding downward beyond the fourth knot;
- wherein the second sliding loop wraps around the portions of the nose band that are underneath the horse's chin;
- wherein the second sliding loop is located at a first end of the jaw strap;
- wherein a second end of the jaw strap culminates in the fifth knot directly underneath the horse's throat;
- wherein the second sliding loop is formed by the third knot; wherein the third knot is located directly underneath the first knot in each cheek strap;
- wherein at the fifth knot, the piece of rope that comprises the jaw strap divides into two strands, with one strand forming the throat strap on one side of the horse's throat and the other strand forming the throat strap on the other side of the horse's throat;
- wherein the throat straps join the cheek straps at the sixth knot;
- wherein the throat strap, cheek strap and poll strap come together at the sixth knot on either side of the horse's head;
- wherein the poll strap extends upward from the sixth knot on one side of the horse's head, around the poll area of the horse, and downward to the sixth knot on the other side of the horse's head;
- wherein at the sixth knot, the piece of rope that comprises the poll strap divides into two strands, with one strand forming the cheek strap;
- wherein one end of the cheek strap culminates in the first knot, and the other end of the cheek strap culminates in the sixth knot;

9

- wherein the first sliding loop extends around the nose band above the second knot and adjacent to the first knot;
- wherein the second knot prevents the first sliding loop from sliding downward on the nose band;
- wherein the first sliding loop maintains the cheek straps in a position that is roughly parallel to the horse's jaw by sliding upward on the nose band above the second knot when a lead rope attached to the hitching strap is pulled downward;
- wherein the piece of rope that forms the poll strap, throat strap, jaw strap and cheek straps comprises two ends, and wherein the poll strap comprise the seventh knot that ties together the two ends of the piece of rope that forms the poll strap, throat strap, jaw strap and cheek straps; and
- wherein the seventh knot can be untied to fit the halter on a horse.
- 2. The horse halter of claim 1, wherein the hitching strap is a loop to which a lead rope is attached.
- 3. The horse halter of claim 1, wherein the second knot is located at a position roughly parallel to the sixth knot.
- 4. The horse halter of claim 1, wherein the two strands of rope that comprise the nose band are glued together at a point directly on top of the horse's nose.

10

- 5. The horse halter of claim 4, wherein the nose band comprises a decorative leather band that conceals the point at which the two strands of rope that comprise the nose band are glued together.
- 6. The horse halter of claim 1, wherein a lead rope is attached to the hitching strap, and wherein when the lead rope is pulled downward, pressure is exerted on the poll strap and nose band.
- 7. The horse halter of claim 6, wherein when downward pressure is exerted on the nose band, the chin strap maintains the horse's jaw in a stationary position, thereby providing a clamping action on the horse's nose and mouth.
- 8. The horse halter of claim 1, wherein a lead rope is attached to the hitching strap, and wherein when the lead rope is pulled downward, the second sliding loop slides upward on the portion of the nose band that is underneath the horse's chin to maintain the cheek straps in a position that is roughly parallel to the horse's jaw when the horse's mouth is closed.
 - 9. The horse halter of claim 1, wherein a lead rope is attached to the hitching strap, and wherein when the lead rope is pulled downward, the second knot compress inward, exerting a lateral pressure on the horse's nose.

* * * * :