

## US007856443B2

# (12) United States Patent

# Commons et al.

### **AUTOMATIC IDENTIFICATION OF DVD** (54)TITLE USING INTERNET TECHNOLOGIES AND FUZZY MATCHING TECHNIQUES

Inventors: **Christopher Commons**, Indianapolis,

IN (US); Piero Madar, Indianapolis, IN

(US)

Assignee: Gracenote, Inc., Emeryville, CA (US)

Subject to any disclaimer, the term of this Notice:

> patent is extended or adjusted under 35 U.S.C. 154(b) by 1264 days.

This patent is subject to a terminal disclaimer.

Appl. No.: 10/917,686

Aug. 13, 2004 (22)Filed:

#### (65)**Prior Publication Data**

US 2005/0019008 A1 Jan. 27, 2005

## Related U.S. Application Data

- Continuation of application No. 10/002,627, filed on Dec. 5, 2001, now Pat. No. 6,983,289.
- Int. Cl. (51)G06F 7/00 (2006.01)G06F 17/30 (2006.01)
- (58)707/759, 765, 913, 999.002 See application file for complete search history.

#### **References Cited** (56)

## U.S. PATENT DOCUMENTS

9/1989 Kahle et al. 4,870,568 A 5/1991 Boles et al. 5,019,899 A

### US 7,856,443 B2 (10) Patent No.: (45) **Date of Patent:** \*Dec. 21, 2010

7/1992 Choi 5,132,949 A

4/1993 Cochran et al. 5,206,949 A

8/1994 Halstead-Nussloch et al. 5,337,347 A

## (Continued)

## FOREIGN PATENT DOCUMENTS

EP 0367585 A2 5/1990

## (Continued)

## OTHER PUBLICATIONS

Salam, S., et al., "Design and implementation of an experimental video database system for supporting video retrieval from different perspectives", Proceedings of SPIE, vol. 3022—Storage and Retrieval for Image and Video Databases V, XP000742393 ISBN: 0-8194-2433-1,(324-339),Feb. 13, 1997.


## (Continued)

Primary Examiner—John R. Cottingham Assistant Examiner—Mariela D Reyes (74) Attorney, Agent, or Firm—Schwegman Lundberg & Woessner, P.A.

#### ABSTRACT (57)

An iterative search technique is used to quickly and accurately locate information in a database, such as one storing information about digital versatile discs (DVDs). First, a presumably unique search key is generated for an unidentified DVD and compared with corresponding keys in a database. If no match is found progressively less specific information is used to generate a series of search keys that are similarly compared with corresponding keys in the database. If at least one possibly matching record is found, it is determined whether the best matching record can be considered a match, otherwise, less specific information is used to search for a match until predefined least specific information is used.

# 11 Claims, 6 Drawing Sheets



U.S. PATENT DOCUMENTS	2003/0195863 A1 10/2003 Marsh
	2004/0034441 A1 2/2004 Eaton et al.
5,388,259 A 2/1995 Fleischman et al.	2006/0026162 A1 2/2006 Salmonsen et al.
5,446,891 A 8/1995 Kaplan et al. 5,475,835 A 12/1995 Hickey	2006/0167903 A1 7/2006 Smith et al.
5,483,598 A * 1/1996 Kaufman et al 380/43	2007/0106405 A1 5/2007 Cook et al. 2010/0005104 A1 1/2010 DiMaria et al.
5,488,725 A 1/1996 Turtle et al.	2010/0005104 A1 1/2010 Diwiana et al.
5,616,876 A 4/1997 Cluts	FOREIGN PATENT DOCUMENTS
5,642,337 A 6/1997 Oskay et al.	ED 0006501 40 0/1000
5,659,732 A 8/1997 Kirsch	EP 0936531 A2 8/1999 EP 1197020 B1 11/2007
5,679,911 A 10/1997 Moriyama et al. 5,689,484 A 11/1997 Hirasawa	EP 1197020 B1 11/2007 WO WO-9120082 12/1991
5,721,827 A 2/1998 Logan et al.	WO WO-9705616 A1 2/1997
5,727,129 A 3/1998 Barrett et al.	WO WO-9721291 6/1997
5,740,549 A 4/1998 Reilly et al.	WO WO-9802820 1/1998
5,751,672 A 5/1998 Yankowski	WO WO-01/20609 3/2001
5,781,897 A 7/1998 Chen et al.	WO WO-0211123 A3 2/2002 WO WO-0246968 A2 6/2002
5,862,223 A 1/1999 Walker et al. 5,884,298 A 3/1999 Smith, II et al.	WO-0240908 A2 0/2002 WO WO-03012695 A2 2/2003
5,903,816 A 5/1999 Broadwin et al.	WO WO-2007103583 A2 9/2007
5,918,223 A 6/1999 Blum et al.	WO WO-2007103583 A3 9/2007
5,929,857 A * 7/1999 Dinallo et al	
5,959,945 A 9/1999 Kleiman	OTHER PUBLICATIONS
5,987,454 A 11/1999 Hobbs	"U.S. Appl. No. 10/548,702, Non-Final Office Action mailed Apr. 29,
6,005,565 A 12/1999 Legall et al. 6,012,112 A 1/2000 Brase et al.	2008", 25 Pgs.
6,031,795 A * 2/2000 Wehmeyer	"U.S. Appl. No. 10/913,248, Non-Final Office Action mailed Feb. 21,
6,034,925 A 3/2000 Wehmeyer	2008", 17 pgs.
6,035,329 A 3/2000 Mages et al.	"U.S. Appl. No. 10/913,248, Response filed Nov. 27, 2007 to Final
6,061,306 A 5/2000 Buchheim	Office Action mailed Sep. 18, 2007", 14 pgs. "International Application Serial No. PCT/US07/06131, Interna-
6,104,334 A 8/2000 Allport	tional Search Report mailed Mar. 10, 2008", 4 pgs.
6,112,240 A 8/2000 Pogue et al. 6,128,255 A 10/2000 Yankowski	"International Application Serial No. PCT/US07/06131, Written
6,131,129 A 10/2000 Talikowski 6,131,129 A 10/2000 Ludtke et al.	Opinion mailed Mar. 10, 2008", 6 pgs.
6,131,130 A 10/2000 Van Ryzin	Glickman, D., et al., "Contextual Phrase Information Content Ana-
6,138,175 A 10/2000 deCarmo	lyzer", www.ip.com, (Jul. 1, 1982), 1-2.
6,154,773 A 11/2000 Roberts et al.	Cedia, "Electronic Lifestyles Awards for Manufactures Excellence" Entry for Best Video Product, Power Play, pp. 1-4, Sep. 1999.
6,161,132 A 12/2000 Roberts et al.	PowerPlay, The Ultimate DVD Source.
6,201,176 B1 3/2001 Yourlo 6,230,192 B1 5/2001 Roberts et al.	Philips Ambilight TV News Release, http://www.techdigest.tv/2006/
6,247,022 B1 6/2001 Yankowski	01/ces_2006_philip_3.html, CES, (2006),2 pgs.
6,260,059 B1 7/2001 Ueno et al.	USMARC Format for Bibliographic Data, Including Guidelines for
6,272,078 B2 8/2001 Yankowski	Content Designation, Prepared by Network Development & MARC
6,304,523 B1 10/2001 Jones et al.	Standards Office, Cataloging Distribution Service, Library of Congress, (1994), 547 pgs.
6,356,914 B1 * 3/2002 deCarmo et al 707/104.1	USMARC Format for Bibliographic Data, Update #2, Prepared by
6,377,518 B1 * 4/2002 Auwens et al 369/30.04 6,388,957 B2 5/2002 Yankowski	Network Development & MARC Standards Office, Cataloging Dis-
6,388,958 B1 5/2002 Yankowski	tribution Service, Library of Congress,(Mar. 1996),484 pgs.
6,434,597 B1 8/2002 Hachiya et al.	Information Retrieval (Z39.50): Application Service Definition and
6,505,160 B1 1/2003 Levy et al.	Protocol Specification, ANSI/NISO Z39.50 1995,(Jul. 1995),163
6,535,869 B1 * 3/2003 Housel, III	pgs.
6,654,735 B1 11/2003 Eichstaedt et al.	Bookwhere for Windows v.1.1—README, Sea Change Corporation, (1995), 2 pgs.
6,829,368 B2 12/2004 Meyer et al. 6,941,275 B1 9/2005 Swierczek	GeoPac Management Guide, Release 1.25, Geac Computer Corpo-
6,941,325 B1 9/2005 Benitez et al.	ration Limited,(Dec. 1994),50 pgs.
6,983,289 B2 1/2006 Commons et al.	BookWhere for Windows, Help Topics for BookWhere,(1996),16
7,302,574 B2 11/2007 Conwell et al.	pgs.
7,349,552 B2 3/2008 Levy et al.	BookWhere for Windows v. 2.1—README, Sea Change Corpora-
7,415,129 B2 8/2008 Rhoads	tion,(1996),7 pgs.
7,461,136 B2 12/2008 Rhoads 7,587,602 B2 9/2009 Rhoads	BookWhere for Windows User Guide, Software Version 2.0—Manual Version 2.0.4, Sea Change Corporation, (Sep. 11, 1996), 1-36.
7,590,259 B2 9/2009 Levy et al.	Proposal No. 95-8—Define Field 856 (Electronic Location and
2001/0052028 A1 12/2001 Roberts et al.	Access) in the USMARC Classification Format, http://www.loc.gov/
2002/0033844 A1 3/2002 Levy et al.	marc/marbi/1995/95-08.html, Source: Library of Congress,(May 5,
2002/0164004 A1 11/2002 Tamura et al.	1995),1-2.
2002/0178410 A1 11/2002 Haitsma et al. 2003/0023852 A1 1/2003 Wold	Proposal No. 95-1—Changes to Field 856 (Electronic Location and
2003/0023832 A1 1/2003 Wold 2003/0031260 A1 2/2003 Tabatabai et al.	Access) in the USMARC Bibliographic Format, http://www.loc.gov/marc/marbi/1995/95-01.html, Source: Library of Congress; Federal
2003/003321 A1 2/2003 Schrempp et al.	Geographic Data Committee, (Dec. 2, 1994), 13 sheets.
2003/0037010 A1 2/2003 Schmelzer	"U.S. Appl. No. 10/002,627 Non Final Office Action mailed May 6,
2003/0046283 A1 3/2003 Roberts	2004".
2003/0086341 A1 5/2003 Wells et al.	"U.S. Appl. No. 10/002,627 Response filed Aug. 3, 2004 to Non Final
2003/0135488 A1 7/2003 Amir et al.	Office Action", 9 pgs.

"U.S. Appl. No. 10/548,702 Response filed Aug. 29, 2007 to Non-Final Office Action mailed Jun. 21, 2007", 64 pgs.

"U.S. Appl. No. 10/548,702 Non-Final Office Action mailed Jun. 21, 2007", 18 pgs.

"U.S. Appl. No. 10/548,702, Final Office Action Mailed Oct. 5, 2007", FOAR,26 Pages.

"U.S. Appl. No. 10/913,248, Final Office Action mailed Sep. 18, 2007", FOAR,15 pgs.

"CD Red Book Standard", *IEC* 60908 Ed. 2.0, Sony/Philips,(1999),1-209 pgs.

"Office Action in European Application No. 01984953-8", (May 6, 2007),5 pgs.

"Sirius Satellite Radio", http://www.sirius.com, (Accessed Apr. 18, 2006),1 pg.

"Specification of the radio data system (RDS)", *IEC* standard 62106:2000; http://webstore.iec.ch/preview/info\_iec62106{ed1. 0}en.pdf, (2000),6 pgs.

"The Ultimate DVD Source", Powerplay, (Sep. 1999),2 pgs.

"XM Radio", http://www.xm-radio.com/, (Accessed Apr. 18, 2006),1 pg.

Allamanche, E, et al., "Content-Based Identification of Audio Material Using MPEG-7 Low Level Description", *Proceedings of the International Symposium of Music Information Retrieval*, (2001),8 pgs.

Beadle, H.P., et al., "Location aware mobile computing", *Proceedings of the IEEE/IEE International Conference on Telecommunications*, (1997),1319-1324.

Berners-Lee, T., et al., *Hypertext Transfer Protocol*—HTTP 1.0, Network Working Group,(May 1996),61 pgs.

Cano, P, et al., "A review of algorithms for audio fingerprinting", *Proceedings of 2002 IEEE Workshop on Multimedia Signal Processing*, Virgin Islands, USA, (2002),5 pgs.

Cano, Pedro, et al., "Robust Sound Modeling for Song Detection in Broadcast Audio", *Audio Engineering Society*, 112th Convention, Munich, Germany, (May 2002),1-7.

Chua, T. S., et al., "Content-based retrieval of segmented images", *Proceedings of the Second ACM International Conference on Multi-media*, (1994),211-218.

De Roure, David, et al., "A Multiagent system for Content Based Navigation of Music", *Proc. ACM Multimedia*, 99 (Part 2), (1999),63-66.

Hirata, K., et al., "Media-based navigation for hypermedia systems", *Proceedings of the Fifth ACM Conference on Hypertext*, (1993),159-173.

Lewis, Paul H., et al., "Media-based Navigation with Generic Links", *Proceedings of the the Seventh ACM Conference on Hypertext*, (1996),215-223.

Martin, Keith D., et al., "Music Content Analysis through Models of Audition", (1998),8 pgs.

McNab, Rodger J., et al., "Towards the digital music library: tune retrieval from acoustic input", *Proceedings of the First ACM International Conference on Digital Libraries*, (1996),11-18.

Nilsson, M., "ID3 tag version 2.3.0", http://www.id3.org/id3v2.3.0. txt, (Feb. 3, 1999).

Pfitzinger, H R., "The collection of spoken language resources in car environments", *ICLRE*, vol. 2, (1998),1097-1100.

Plenge, G., "DAB—A new radio broadcasting system—State of development and ways for its introduction", *Rundfunktechnische Mitteilungen*, 35(2), (1991),45-66.

Roscheisen, M., et al., "Beyond browsing: shared comments, SOAPs, trails, and on-line communities", *Computer Networks and ISDN Systems*, 27(6), (Apr. 1995),739-749.

Rowan, Clem W., et al., "When car radios were illegal: A history of early American and European car radios", *Society of Automotive Engineers Technical Paper Series*, (1985),1-20.

Samson, et al., "Search times using hash tables for records with non-unique keys,", *The Computer Journal*, (Dec. 1976),210-214.

Seltzer, Richard, "The AltaVista Search Revolution", Osborne McGraw-Hill, (1997),7, 8; 215-37.

Thimbleby, H., et al., "Ethics and Consumer Electronics", *Proceedings of the 4th ETHICOMP International Conference on the Social and Ethical Impacts of Information and Communication Technologies*, (1999),9 pgs.

Tibbetts, Margery, Sep. 1995 ZIG Meeting Minutes, ftp://Icweb.loc.gov/pub/z3950/minutes/9509.txt,(Sep. 25, 1995),22 pgs.

Tompa, F. W., et al., "Hypertext by link-resolving components", *Proceedings of the Fifth ACM Conference on Hypertext*, (1993),118-130.

Troll, Denise, Z39.50 *Implementors Group Meeting Minutes*, ftp://lcweb.loc.gov/pub/z3950/minutes/9504.txt,(Apr. 25, 1995),29 pgs.

Wold, E., "Content-based classification, search, and retrieval of audio", *IEEE MultiMedia*, 3(3), (Fall 1996),27-36.

Zhang, Hongjiang, et al., "Video Parsing, Retrieval and Browsing: An Integrated and Content-Based Solution", *ACM Multimedia* 95—Electronic Proceedings, San Francisco, California,(Nov. 5-9, 1995),19 pgs.

"U.S. Appl. No. 10/548,702, Response filed Jul. 8, 2008 to Non Final Office Action mailed Apr. 29, 2008", 14 pgs.

"U.S. Appl. No. 10/548,702, Final Office Action mailed Sep. 16, 2008", 23 pgs.

"U.S. Appl. No. 10/002,627, 312 Amendment filed Feb. 18, 2005", 8 pgs.

"U.S. Appl. No. 10/002,627, Notice of Allowance mailed Dec. 23, 2004", 3 pgs.

"U.S. Appl. No. 10/002,627, Preliminary Amendment filed Feb. 15, 2002", 2 pgs.

"U.S. Appl. No. 10/913,248, Non Final Office Action mailed Jan. 24, 2007", 20 pgs.

"U.S. Appl. No. 10/913,248, Response filed Jun. 25, 2007 to Non Final Office Action mailed Jan. 24, 2007", 11 pgs.

"U.S. Appl. No. 11/716,269, Non-Final Office Action mailed Apr. 14, 2009", 30 pgs.


"U.S. Appl. No. 11/716,269, Final Office Action mailed Jan. 4, 2010", 21.


"U.S. Appl. No. 11/716,269, Response filed Sep. 14, 2009 to Non Final Office Action mailed Apr. 14, 2009", 19 pgs.


"European Application Serial No. 04716679.8, Office Action mailed Jul. 14, 2009", 4 pgs.


Wells, Maxwell J, et al., "Music Search Methods Based on Human Perception", U.S. Appl. No. 09/556,086, filed Apr. 21, 2000, 50 pgs.


\* cited by examiner














# AUTOMATIC IDENTIFICATION OF DVD TITLE USING INTERNET TECHNOLOGIES AND FUZZY MATCHING TECHNIQUES

# CROSS REFERENCE TO RELATED APPLICATIONS

This is a continuation application of U.S. patent application Ser. No. 10/002,627, filed on Dec. 5, 2001 now U.S. Pat. No. 6,983,289. U.S. patent application Ser. No. 10/002,627 is 10 herein incorporated by reference in its entirety.

## BACKGROUND OF THE INVENTION

### 1. Field of the Invention

The present invention is directed to searching for items in a database and, more particularly, to searching for information about a digital versatile disc based on the contents of the discs.

## 2. Description of the Related Art

One common task in data mining and pattern recognition is to extract specific records from a large database given a finite set of qualifiers. The technique used to accomplish this task are selected from among many available techniques based upon characteristics of the data being searched and the data 25 that provides the search key(s). Some types of data have been searched for decades, e.g., census data, tax return data, data obtained from intelligence gathering, etc. However, as new sets of data are generated, the techniques used must be selected or modified for that particular set of data.

Digital video or versatile discs (DVDs) were first produced in late 1996 and by the end of 1997 there were fewer than 700 different DVDs available. By the end of 2000, there were over 10,000 different DVD available for Region 1 (U.S., Canada and U.S. Territories) and 15,000 in all regions. As of Dec. 4, 35 2001, there were over 15,000 in Region 1 alone. As a result of this recent, fast growth in records that could be stored in a DVD database, the unique characteristics of searching for DVD data are only now being identified. On the other hand there is a significant need for the information that could be stored in a DVD database, at least by owners of DVD changers, because the vast majority of existing DVDs do not store a title in text format.

Following is a list of some of the information which can be stored as text on a DVD, including the title of the DVD. The 45 abbreviations for this information are used in the description of the invention.

DVD Video Specifications for Read-Only Disc Part 3, Version 1.12 July 2000

VMGI—Video Manager Information.

VMGI\_MAT—Video Manager Information Management Table

TT\_SRPT\_SA—Start Address of Title Search Pointer Table

VTS\_Ns—Number of Video Title Sets

TT\_SRPT—Title Search Pointer Table

TT\_SRPT\_Ns—Number of Title Search Pointers

TT\_SRP—Title Search Pointer

PTT\_Ns—Part\_of\_Titles

VTSN—Video Title Set number

VTS\_TTN—Video Title Set Title number

VTSI—Video Title Set Information

VTS\_PTT\_SRPT\_SA—Start Address of Video Title Set Part\_of\_Titles Search Pointer

VTS\_PGCIT\_SA—Start Address of Program Chain Information Table

2

VTS\_PTT\_SRPT—Video Title Set Part\_of\_Titles Search Pointer

TTU\_SA—Start Address of Title Unit

TTU\_SRP—Title Unit Search Pointer

PTT\_SRP—Part\_of\_Titles Search Pointer

PGCN—Program Chain Number

PGN—Program Number

VTS\_PGCIT—Video Title Set Program Chain Information Table

VTS\_PGCI\_SRP—Video Title Set Program Chain Information Search Pointer

VTS\_PGCI\_SA—Start Address of Video Title Set Program Chain Information

VTS\_PGCI—Video Title Set Program Chain Information PGCI—Program Chain Information

PGCI\_GI—Program Chain Information General Information

PGC\_CNT—Program Chain Contents

C\_PBIT\_SA—Start Address of Cell Playback Information Table

PGC\_PGMAP\_SA—Start Address of PGC\_PGMAP

C\_PBIT—Cell Playback Information Table

C\_PBI—Cell Playback Information

C\_PBTM—Cell Playback Time

Now that DVD changers holding 100 discs or more are becoming available, the same problem experienced with CD changers holding hundreds of discs is being experienced. It is difficult for a user to identify a desired disc without supplemental information stored in a searchable database. A simple 30 list of titles is a bare minimum and it is desirable to have additional information, including information that cannot be obtained from the discs themselves, such as a description, synopsis, rating, genre, performers, directors and other production staff, cover art, etc. Systems displaying such information stored in databases, such as TUNEBASE from Escient are known for CDs and can be adapted for DVDs. However, it is desirable to avoid manual operations required to select information in a database containing 10,000 to 15,000 or more records, particularly when there are often several similar records, such as when a DVD title is released several times in a special edition, directors cut, etc.

## SUMMARY OF THE INVENTION

It is an aspect of the present invention to provide a method and system for automatically identifying DVDs using a database of available DVDs.

Another aspect of the present invention is to provide a method of locating information in a database using an iterative process starting with a unique identifier and using increasingly less specific search keys, until a predefined least specific information is used.

A further aspect of the present invention is to use hash coding of data on which such searches are based.

Yet another aspect of the present invention is to provide a method for extracting the unique data from the DVD consisting of the number of titles, chapters per title and frames per chapter.

The above aspects can be attained by a method of finding at least one record in a database corresponding to a digital versatile disc, including receiving unique information about an unidentified digital versatile disc, including at least one of a title of the unidentified digital versatile disc, a volume name of the unidentified digital versatile disc, time stamp information for creation of a master of the unidentified digital versatile disc, a number of titles on the unidentified digital versatile disc, a number of chapters per title on the unidentified digital

versatile disc, and a number of frames per chapter on the unidentified digital versatile disc; and identifying possibly matching records in a database of information about digital versatile discs using the unique information from the unidentified digital versatile disc.

The above aspects can also be attained by a method of searching for a match in a database, including obtaining a unique search key based on hash coding of uniquely identifying information from data to be matched with a record in the database; using the unique search key to search for a matching record in the database; obtaining a non-unique search key based on hash coding of non-uniquely identifying information from the data to be matched, if no match is found using the unique search key; using the non-unique search key to search for at least one possibly matching record in the database; and repeating the obtaining and using of non-unique search keys based on hash coding of progressively less specific information from the data to be matched, each time no possibly matching records are found, until predefined least specific information is used.

These together with other aspects and advantages which will be subsequently apparent, reside in the details of construction and operation as more fully hereinafter described and claimed, reference being had to the accompanying drawings forming a part hereof, wherein like numerals refer to like 25 parts throughout.

## BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of a system according to the 30 present invention

FIGS. 2A-2C are a flowchart of a method for obtaining data from a DVD.

FIGS. 3A and 3B are a flowchart of a method according to the present invention.

# DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention may be implemented in many dif- 40 ferent ways depending on the location of the database(s) to be searched relative to the source of the search key(s) used to locate information in the database. In the embodiment described below, the search keys are obtained from a DVD containing at least one video and the information defined by 45 the DVD Specifications for Read-Only Disc: Part 3 Video Specifications Version 1.12 which are listed above. Both a local database stored in a device in close proximity to the disc and a remote database accessed via a communication network may be searched. However, aspects of the invention may be 50 useful in many other situations, including a database that is stored only locally or remotely, or distributed over a network. Furthermore, the source of the search keys is not limited to DVDs with video content, but other sources of search keys, even manual input, could be used.

A block diagram of an exemplary system to which the present invention can be applied is illustrated in FIG. 1. A local device 10 may include an internal disc drive 12 or an external device controller 14 for connection to external disc drives (not shown). In either case (or both cases if both are 60 included) information from a DVD disc is provided to CPU 16 to generate search keys. In most systems in which the present invention would be implemented, local device 10 will also include volatile memory 18, such as random access memory (RAM) and nonvolatile memory 20, such as a hard 65 drive. In the exemplary embodiment, local device 10 also includes video input/output 22 and audio input/output 24

4

which at least provide for output of the video and audio contents of the DVDs. Local device 10 is likely to also include components for user input and output which are represented by dashed lines in FIG. 1, because they are not closely related to the essential features of the present invention which is automatic identification of DVDs. Remote sensor 26 and keyboard 28 receive input from a user, either wirelessly via remote sensor 26 or through keyboard 28 whether directly connected or not. Display 30 may be mounted on the exterior of an enclosure containing the other components illustrated in local device 10. Alternatively or in addition, information may be displayed to the user on an external device coupled to video input/output 22 or by speech synthesis or recorded audio using audio input/output 24.

Nonvolatile memory 20 may be used to store only discs that have been identified or may also store a database of popular discs. However, even if the entire database for a region were stored in nonvolatile memory 20 which might require so much memory that it would be unlikely, some way of updating the database would be required as new discs are released. Although a data DVD could be used to distribute updates, in the preferred embodiment, local device 10 includes communication device 32 to access remote database 34 via network 36 to automatically obtain the most recent updated information without shipping costs or requiring manual operations by users. As a result, nonvolatile memory 20 is only required to be large enough to store a single user's collection of DVDs which is likely to be at most in the hundreds, rather than tens of thousands.

Regardless of whether the database being searched is stored locally or remotely, the method illustrated in FIGS. 2A-2C may be used to obtain information from a DVD to generate search keys. CPU 16 causes disc drive 12 or external device controller 14 to access 42 the Universal Disk Format (UDF) area on a DVD to obtain the number of titles, chapters and frames which are used to generate a unique search key, as described below. If no match is found for the unique search key, the video manager information management table (VMGI\_MAT) in the video manager information (VMGI) file on the DVD and can be used to find 44 the number of video title sets (VTS\_Ns) and the title search pointer table (TT\_SRPT) can be found 46 therein. CPU 16 also finds 48 the number of title search pointers (TT\_SRP\_Ns) in the title search pointer table information (TT\_SRPTI).

After the above information is obtained, for each title search pointer (TT\_SRP) CPU 16 finds 50 the Part\_of\_Titles (PTT\_Ns), video title set number (VTSN) and video title set title number (VTS\_TTN). The VTSN is used to open 52 corresponding video title set information (VTSI) which contains a video title set information management table (VTSI\_MAT). Using the VTSI\_MAT, CPU 16 finds 54 the video title set Part\_of\_Titles search pointer (VTS\_PTT\_SRPT). Next, the VTS\_TTN is used 56 to find the corresponding title unit search pointer (TTU\_SRP) in the VTS\_PTT\_SRPT. The TTU\_SRP includes a start address of title unit (TTU\_SA) that is used 58 to find the Part\_of\_Titles search pointer (PTT\_SRP).

With this information, the PTT\_SRP is used to find 60 a program chain number (PGCN) and a program number (PGN). Next, the video title set program chain information table (VTS\_PGCIT) is obtained 62 from the VTSI\_MAT. The PGN obtained using the PTT\_SRP is used 64 to find the video title set program chain information search pointer (VTS\_PGCI\_SRP). The VTS\_PGCI\_SRP is used to find 66 the start address of video title set program chain information (VTS\_PGCI\_SA) for video title set program chain information (VTS\_PGCI). From the VTS\_PGCI program chain information (PGCI\_GI) is obtained from which the program chain program map start address

(PGC\_PGMAP\_SA) can be found **68** for the program chain program map (PGC\_PGMAP). The PGN is used **70** to find the entry cell number (EN\_CN) in the PGC\_PGMAP. Next, the start address of cell playback information table (C\_PBIT\_SA) is found **72** in the PGC\_GI from the VTS\_PGCI. In the first entry of the C\_PBIT, cell playback information (C\_PBI) is found **74**. The cell playback time (C\_PBTM) is obtained **76** from the (C\_PBI). This is used to initialize a cumulative number to which is added **78** the C\_PBTM in each cell C\_PBI from one to the EN\_CN to get the cell start playback time in frames for the EN\_CN.

The next PTT\_SRP is found **80** and used to obtain the corresponding PGCN and PGN. If it is determined **82** that the PGCN in the next PTT\_SRP is the same as the previous PTT\_SRP, the following steps are performed. Otherwise, the total cell playback time is obtained as described in the next paragraph. First, the cell start playback time in frames is obtained **84** for the PGN. If it is determined **86** that the next PTT\_SRP is a new PGCN or if this is the last PTT\_SRP in this title unit (TTU), the number of cells is found **88** from the program chain contents (PGC\_CNT) from the PGC\_GI in the 20 VTS\_PGCI.

The total cell playback time in frames is obtained **90** for all the cells in this PGC by adding all the C\_PBTMs for each cell. The total cell playback time is added **92** to the total cell playback time in frames minus the cell start playback time for the last cell in this VTS\_PGCI to calculate the frame offset for this PTT\_SRP. If it is determined **94** that all Part\_of\_Titles frame offsets have not been calculated, processing returns to step **60**. If they have all been calculated, processing returns **96** to step **50** for the next TT\_SRP.

With the information obtained using the procedure in FIGS. 2A-2C, search keys can be generated on a variety of information to obtain additional data related to the DVD that is not stored on the DVD. For example, the title of the unidentified digital versatile disc (DVD), the volume name of the unidentified DVD, time stamp information for creation of a master of the unidentified DVD, the number of titles on the unidentified DVD, the number of chapters per title on the unidentified DVD and the number of frames per chapter on the unidentified DVD may be used in different steps of an iterative process to find a matching record in a large database 40 of DVDs. The volume name of the unidentified DVD and the time stamp information for creation of a master of the unidentified DVD can be found in the Universal Disk Format (UDF) sectors of the unidentified DVD. On the other hand, the number of titles, chapters per title and frames per chapter 45 are obtained from the video manager information (VMGI) and title set information (VTSI).

In the preferred embodiment an iterative process is used to find a matching database in the record as quickly and accurately as possible using the method illustrated in FIGS. 3A and 3B. In remote database 34, a set of identifying keys are stored 102 that are constructed in the manner described below for each of the search keys. A first search key which should be unique is generated 104 based on the total number of titles, chapters per title and number of frames per chapter. The first search key is used to search 106 for a matching record in the database. In the preferred embodiment, the unique search key is a hash code of at least a portion of this presumably uniquely identifying information. A message digest algorithm, such as MD5 is preferably used to produce the hash code.

If it is determined 108 that there is at least one possible match, the procedure illustrated in FIG. 3B is performed. First it is determined 110 whether there is a best match. Although the first identifying key should be unique, there is a possibility of duplicate or almost duplicate records in the database. Therefore, if more than one match is found, the number of titles and number of chapters per title of a corresponding DVD in each of the possibly matching records are compared

6

with the number of titles and number of chapters per title of the unidentified DVD to find a best matching record. If none of the records match within predetermined criteria, the search continues using another key. If a best match is found and a database is maintained of the DVDs in possession of the user, at least some of the information from the general database is stored 112 (or flagged) in a database, e.g., in non-volatile memory 20, containing information about the user's DVDs. If any differences exist 114 between the number of titles and the number of chapters per title, but the differences are within the predetermined criteria, i.e., it is determined that the best matching record corresponds to the unidentified DVD, at least one of the number of titles and the number of chapters per title of the unidentified DVD is stored in the best matching record, to update 116 the information in remote database 34.

If it is determined 108 that no match is found, the search is repeated with progressively less specific information. Prior to the second search, it will be determined 118 that the least specific information has not been used. Therefore, a second (non-unique) search key is generated 120 based on nonuniquely identifying information to search 122 the database for at least one possibly matching record. In the preferred embodiment, the second search key is generated by concatenating a predetermined number of characters of the volume name and hash coded time stamp information that may be generated using the MD5 algorithm. Corresponding second identifying keys stored in the database records are compared **122** to identify possibly matching records. If at least one possible match is found **124**, the procedure illustrated in FIG. 3B is performed to determine whether the best matching record is acceptable. If it is determined that the best matching record corresponds to the unidentified DVD, the local and remote databases are updated in a manner similar to that described above with respect to a match found using the first search key.

If no match is found using the second search key, a third search key is generated 120 using from the number of chapters and frames per chapter of the first title with the largest number of chapters on the unidentified DVD. Preferably, the hash code for the third search key is generated using the MD5 algorithm. Corresponding third identifying keys stored in the database records are compared 122 to identify possibly matching records. If at least one possibly matching record is found, the best matching record is selected and it is determined whether the best matching record corresponds to the unidentified DVD. If a match is found, the local and remote databases are updated as described above.

If no match is found using the third search key, a fourth search key is generated 120 using a hash code that is less unique than the hash code used in the third search key, but also uses the number of chapters and frames per chapter of the first title with the largest number of chapters on the unidentified DVD. Preferably, the hash code used in the fourth search key will permit the number of frames per chapter to vary by as many as 100 frames. Any known technique for generating fuzzy search keys may be used. Corresponding fourth identifying keys stored in the database records are compared 122 to identify possibly matching records. If at least one possibly matching record is found, the best matching record is selected and it is determined whether the best matching record corresponds to the unidentified DVD. If a match is found, the local and remote databases are updated as described above.

If the fourth search key does not produce a match, a fifth search key is generated 120 based on the title of the unidentified DVD stored in the VTSI for comparison 122 with the titles stored in the database. Fuzzy matching techniques may be used to match the titles. If at least one possibly matching record is found 124, the best matching record is determined using the procedure illustrated in FIG. 3B. In the preferred embodiment, the title comparison is the least specific test.

7

Therefore, if there is no matching title, or all of the possibly matching records do not meet the criteria to be considered a match, the user is informed 126. The remote database provider may also receive information about a DVD that is not stored in the database.

The many features and advantages of the invention are apparent from the detailed specification and, thus, it is intended by the appended claims to cover all such features and advantages of the invention that fall within the true spirit and scope of the invention. Further, since numerous modifications and changes will readily occur to those skilled in the art, it is not desired to limit the invention to the exact construction and operation illustrated and described, and accordingly all suitable modifications and equivalents may be resorted to, falling within the scope of the invention.

What is claimed is:

1. A method of finding at least one record in a database corresponding to a digital versatile disc, comprising:

receiving unique information about the digital versatile disc, the unique information including at least one non- 20 blank information field selected from a plurality of non-blank information fields, the plurality of non-blank information fields comprising a title of the digital versatile disc, a volume name of the digital versatile disc, time stamp information for creation of a master of the 25 digital versatile disc, a number of titles on the digital versatile disc, a number of chapters per title on the digital versatile disc, and a number of frames per chapter on the digital versatile disc; and

identifying one or more possibly matching records in a 30 database of information about digital versatile discs using the unique information about the digital versatile disc, the identifying comprising:

generating a first search key based on the unique information,

generating a second search key based on at least one field from the plurality of non-blank information fields, the second search key being less specific with respect to the digital versatile disc than the first search key,

comparing the first search key with records in the database, 40 determining that the comparing does not produce a match, and

- in response to the determining, comparing the second search key with records in the database to identify one or more possibly matching records.
- 2. A method as recited in claim 1, further comprising reading at least one of the volume name of the digital versatile disc and the time stamp information for creation of a master of the digital versatile disc from Universal Disk Format sectors of the digital versatile disc.
- 3. A method as recited in claim 1, further comprising reading at least one of the number of titles, the number of chapters per title, and the number of frames per chapter from Video Manager Information and Video Title Set Information data on the digital versatile disc.
- 4. A method as recited in claim 1, wherein the first search key is based on at least two fields from the plurality of non-blank information fields.
- 5. A method as recited in claim 1, wherein the second search key is based on at least two fields from the plurality of 60 non-blank information fields.
- 6. A method as recited in claim 1, wherein the second search key comprises as least a portion of the first search key.
- 7. A method as recited in claim 1, wherein the determining that the comparing does not produce a match comprises determining that the comparing does not produce an exact match.

8

8. A system for finding at least one record in a database corresponding to a digital versatile disc, comprising:

an input unit to obtain disc information comprising at least one non-blank information field value from the digital versatile disc, the at least one non-blank information field value being selected from a plurality of non-blank information fields, the plurality of non-blank information fields comprising a title of the digital versatile disc, a volume name of the digital versatile disc, time stamp information for creation of a master of the digital versatile disc, a number of chapters per title on the digital versatile disc, and a number of frames per chapter on the digital versatile disc;

a storage unit to store a database of information about digital versatile discs; and

a processor, coupled to said input unit and said storage unit, to identify one or more possibly matching records in the database of information about digital versatile discs using the at least one non-blank information field value, the processor to identify one or more matching records by:

generating a first search key based on the disc information, generating a second search key based on at least one field from the plurality of non-blank information fields, search key being less specific with respect to the digital versatile disc than the first search key,

comparing the first search key with records in the database, determining that the comparing does not produce a exact match, and

- in response to the determining, comparing the second search key with records in the database to identify one or more possibly matching records.
- 9. A system as recited in claim 8, wherein said processor, said storage unit and said input unit are connected locally.
- 10. A system as recited in claim 8, further comprising a connection to a computer network to provide communication between said processor and said storage unit disposed at remote locations.
- 11. A system for finding at least one record in a database corresponding to a digital versatile disc, the system comprising one or more processors configured to implement:

means for receiving unique information about the digital versatile disc, the unique information including at least one non-blank information field selected from a plurality of non-blank information fields, the plurality of non-blank information fields comprising a title of the digital versatile disc, a volume name of the digital versatile disc, time stamp information for creation of a master of the digital versatile disc, a number of titles on the digital versatile disc, and a number of frames per chapter on the digital versatile disc;

means for generating a first search key based on the unique information;

means for generating a second search key based on at least one field from the plurality of non-blank information fields, the second search key being less specific with respect to the digital versatile disc than the first search key;

means for comparing the first search key with records in the database;

means for determining that the comparing does not produce a match; and

means for in response to the determining, comparing the second search key with records in the database to identify one or more possibly matching records.

\* \* \* \* \*

# UNITED STATES PATENT AND TRADEMARK OFFICE

# CERTIFICATE OF CORRECTION

PATENT NO. : 7,856,443 B2

APPLICATION NO. : 10/917686

DATED : December 21, 2010

INVENTOR(S) : Christopher Commons et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On page 3, under "Other Publications", in column 1, line 46, delete "the the" and insert -- the --, therefor.

In column 1, line 48, after "Disc" insert -- , --.

In column 3, line 31, after "invention" insert -- . --.

In column 7, line 63, in Claim 6, delete "as" and insert -- at --, therefor.

In column 8, line 25, in Claim 8, delete "search" and insert -- the second search --, therefor.

Signed and Sealed this Eighth Day of March, 2011

David J. Kappos

Director of the United States Patent and Trademark Office