



US007955332B2

(12) **United States Patent**
Arts et al.

(10) **Patent No.:** **US 7,955,332 B2**
(45) **Date of Patent:** **Jun. 7, 2011**

(54) **MECHANISM FOR DIVIDING TISSUE IN A
HEMOSTAT-STYLE INSTRUMENT**

(75) Inventors: **Gene H. Arts**, Berthoud, CO (US); **Gary
M. Couture**, Longmont, CO (US);
Kristin D. Johnson, Louisville, CO
(US); **Michael C. Moses**, Boulder, CO
(US)

(73) Assignee: **Covidien AG**, Neuhausen am Rheinfall
(CH)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 598 days.

(21) Appl. No.: **11/232,174**

(22) Filed: **Sep. 21, 2005**

(65) **Prior Publication Data**
US 2006/0079891 A1 Apr. 13, 2006

Related U.S. Application Data

(60) Provisional application No. 60/616,968, filed on Oct.
8, 2004.

(51) **Int. Cl.**
A61B 18/14 (2006.01)
A61B 17/28 (2006.01)

(52) **U.S. Cl.** **606/51**; 606/52; 606/174

(58) **Field of Classification Search** 606/174,
606/51–52; 30/175
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

371,664 A 10/1887 Brannan et al.
702,472 A 6/1902 Pignolet
728,883 A 5/1903 Downes
1,586,645 A 6/1926 Bierman

1,813,902 A 7/1931 Bovie
1,822,330 A 9/1931 Ainslie
1,852,542 A 4/1932 Sovatkin
2,002,594 A 5/1935 Wappler et al.
2,011,169 A 8/1935 Wappler
2,031,682 A 2/1936 Wappler et al.
2,054,149 A 9/1936 Wappler
2,176,479 A 10/1939 Willis
2,305,156 A 4/1941 Grubel
2,279,753 A 4/1942 Knopp

(Continued)

FOREIGN PATENT DOCUMENTS

CA 2104423 2/1994
(Continued)

OTHER PUBLICATIONS

Int'l Search Report EP 04 752343.6 dated Jul. 20, 2007.


(Continued)

Primary Examiner — Michael Peffley
Assistant Examiner — Samantha Good

(57) **ABSTRACT**

Open electrosurgical forceps for sealing tissue are provided which include first and second shaft portions pivotably associated with one another. Each shaft portion has a jaw member disposed at a distal end thereof. Each of the jaw members includes an electrically conductive sealing surface adapted to communicate electrosurgical energy through tissue held therebetween and a slot formed through the sealing surface thereof. The forceps includes a cutting mechanism operatively associated with the first and second jaw members. The cutting mechanism includes a cutting element disposed within the slot of the at least one jaw member, the cutting element being movable from a first position wherein the cutting element is retracted within the at least one jaw member and a second position in which the cutting element at least partially projects from a sealing surface of the at least one jaw member.

13 Claims, 14 Drawing Sheets



US 7,955,332 B2

Page 2

U.S. PATENT DOCUMENTS							
2,327,353	A	8/1943	Karle	5,007,908	A	4/1991	Rydell
2,632,661	A	8/1948	Cristofv	5,026,370	A	6/1991	Lottick
2,668,538	A	2/1954	Baker	5,026,371	A	6/1991	Rydell et al.
2,796,065	A	6/1957	Kapp	5,035,695	A	7/1991	Weber, Jr. et al.
3,073,311	A	1/1963	Tibbs et al.	5,037,433	A	8/1991	Wilk et al.
3,459,187	A	3/1967	Pallotta	5,042,707	A	8/1991	Taheri
3,372,288	A	3/1968	Wigington	5,047,046	A	9/1991	Bodoia
3,643,663	A	2/1972	Sutter	5,078,716	A	1/1992	Doll
3,648,001	A	3/1972	Anderson et al.	5,084,057	A	1/1992	Green et al.
3,651,811	A	3/1972	Hildebrandt et al.	5,085,659	A	2/1992	Rydell
3,678,229	A	7/1972	Osika	5,099,840	A	3/1992	Goble et al.
3,720,896	A	3/1973	Beierlein	5,100,430	A	3/1992	Avellanet et al.
3,763,726	A	10/1973	Hildebrand	5,108,392	A	4/1992	Spingler
3,779,918	A	12/1973	Ikeda et al.	5,112,343	A	5/1992	Thornton
3,801,766	A	4/1974	Morrison, Jr.	5,116,332	A	5/1992	Lottick
3,862,630	A	1/1975	Balamuth	5,147,357	A	9/1992	Rose et al.
3,863,339	A	2/1975	Reaney et al.	5,151,102	A	9/1992	Xamiyama et al.
3,866,610	A	2/1975	Kletschka	5,151,978	A	9/1992	Bronikowski et al.
3,911,766	A	10/1975	Fridolph et al.	5,176,695	A	1/1993	Dulebohn
3,920,021	A	11/1975	Hiltebrandt	5,190,541	A	3/1993	Abele et al.
3,921,641	A	11/1975	Hulka	5,196,009	A	3/1993	Kirwan, Jr.
3,938,527	A	2/1976	Rioux et al.	5,197,964	A	3/1993	Parins
3,952,749	A	4/1976	Fridolph et al.	5,209,747	A	5/1993	Knoepfler
3,970,088	A	7/1976	Morrison	5,211,655	A	5/1993	Hasson
3,987,795	A	10/1976	Morrison	5,215,101	A	6/1993	Jacobs et al.
4,005,714	A	2/1977	Hiltebrandt	5,217,457	A	6/1993	Delahuerga et al.
4,016,881	A	4/1977	Rioux et al.	5,217,458	A	6/1993	Parins
4,041,952	A	8/1977	Morrison, Jr. et al.	5,217,460	A	6/1993	Knoepfler
4,043,342	A	8/1977	Morrison, Jr.	5,219,354	A	6/1993	Choudhury et al.
4,074,718	A	2/1978	Morrison, Jr.	5,244,462	A	9/1993	Delahuerga et al.
4,076,028	A	2/1978	Simmons	5,250,047	A	10/1993	Rydell
4,080,820	A	3/1978	Allen	5,250,063	A	10/1993	Abidin et al.
4,088,134	A	5/1978	Mazzariello	5,258,001	A	11/1993	Corman
4,112,950	A	9/1978	Pike	5,258,006	A	11/1993	Rydell et al.
4,127,222	A	11/1978	Adams	5,261,918	A	11/1993	Phillips et al.
4,128,099	A	12/1978	Bauer	5,275,615	A	1/1994	Rose
4,165,746	A	8/1979	Burgin	5,277,201	A	1/1994	Stern
4,187,420	A	2/1980	Piber	5,282,799	A	2/1994	Rydell
4,233,734	A	11/1980	Bies	5,282,800	A	2/1994	Foshee et al.
4,236,470	A	12/1980	Stenson	5,282,826	A	2/1994	Quadri
4,300,564	A	11/1981	Furihata	5,290,286	A	3/1994	Parins
4,311,145	A	1/1982	Esty et al.	5,300,082	A	4/1994	Sharpe et al.
D263,020	S	2/1982	Rau, III	5,304,203	A	4/1994	El-Mallawany et al.
4,370,980	A	2/1983	Lottick	5,308,353	A	5/1994	Beurrier
4,375,218	A	3/1983	DiGeronimo	5,308,357	A	5/1994	Lichtman
4,416,276	A	11/1983	Newton et al.	5,313,027	A	5/1994	Inoue et al.
4,418,692	A	12/1983	Guay	5,314,445	A	5/1994	Degwitz et al.
4,443,935	A	4/1984	Zamba et al.	5,318,589	A	6/1994	Lichtman
4,452,246	A	6/1984	Bader et al.	5,324,289	A	6/1994	Eggers
4,470,786	A	9/1984	Sano et al.	D348,930	S	7/1994	Olson
4,492,231	A	1/1985	Auth	5,326,806	A	7/1994	Yokoshima et al.
4,493,320	A	1/1985	Treat	5,330,471	A	7/1994	Eggers
4,503,855	A	3/1985	Maslanka	5,330,502	A	7/1994	Hassler et al.
4,506,669	A	3/1985	Blake, III	5,334,183	A	8/1994	Wuchinich
4,509,518	A	4/1985	McGarry et al.	5,334,215	A	8/1994	Chen
4,552,143	A	11/1985	Lottick	5,336,220	A	8/1994	Ryan et al.
4,574,804	A	3/1986	Kurwa	5,336,221	A	8/1994	Anderson
4,597,379	A	7/1986	Kihn et al.	5,342,359	A	8/1994	Rydell
4,600,007	A	7/1986	Lahodny et al.	5,342,381	A	8/1994	Tidemand
4,624,254	A	11/1986	McGarry et al.	5,342,393	A	8/1994	Stack
4,655,215	A	4/1987	Pike	5,344,424	A	9/1994	Roberts et al.
4,655,216	A *	4/1987	Tischer 606/51	5,350,391	A	9/1994	Iacovelli
4,657,016	A	4/1987	Garito et al.	5,352,222	A	10/1994	Rydell
4,662,372	A	5/1987	Sharkany et al.	5,354,271	A	10/1994	Voda
4,671,274	A	6/1987	Sorochenko	5,356,408	A	10/1994	Rydell
4,685,459	A	8/1987	Xoch et al.	5,366,477	A	11/1994	LeMarie, III et al.
4,733,662	A	3/1988	DeSatnick et al.	5,368,600	A	11/1994	Failla et al.
D295,893	S	5/1988	Sharkany et al.	5,374,277	A	12/1994	Hassler
D295,894	S	5/1988	Sharkany et al.	5,376,089	A	12/1994	Smith
4,754,892	A	7/1988	Retief	5,383,875	A	1/1995	Bays et al.
4,763,669	A	8/1988	Jaeger	5,383,897	A	1/1995	Wholey
4,827,929	A	5/1989	Hodge	5,389,098	A	2/1995	Tsuruta et al.
4,829,313	A	5/1989	Taggart	5,389,103	A	2/1995	Melzer et al.
4,846,171	A	7/1989	Kauphusman et al.	5,389,104	A	2/1995	Hahnen et al.
4,887,612	A	12/1989	Esser et al.	5,391,166	A	2/1995	Eggers
4,938,761	A	7/1990	Ensslin	5,391,183	A	2/1995	Janzen et al.
4,947,009	A	8/1990	Osika et al.	5,396,900	A	3/1995	Slater et al.
4,985,030	A	1/1991	Melzer et al.	5,403,312	A	4/1995	Yates et al.
				5,403,342	A	4/1995	Tovey et al.

5,405,344 A	4/1995	Williamson et al.	5,603,711 A	2/1997	Parins et al.
5,409,763 A	4/1995	Serizawa et al.	5,603,723 A	2/1997	Aranyi et al.
5,411,519 A	5/1995	Tovey et al.	5,611,798 A	3/1997	Eggers
5,411,520 A	5/1995	Nash et al.	5,611,808 A	3/1997	Hossain et al.
5,413,571 A	5/1995	Katsaros et al.	5,611,813 A	3/1997	Lichtman
5,415,656 A	5/1995	Tihon et al.	5,620,415 A	4/1997	Lucey et al.
5,415,657 A	5/1995	Taymor-Luria	5,620,453 A	4/1997	Nallakrishnan
5,422,567 A	6/1995	Matsunaga	5,620,459 A	4/1997	Lichtman
5,423,810 A	6/1995	Goble et al.	5,624,452 A	4/1997	Yates
5,425,690 A	6/1995	Chang	5,626,578 A	5/1997	Tihon
5,425,739 A	6/1995	Jessen	5,626,609 A	5/1997	Zvenyatsky et al.
5,429,616 A	7/1995	Schaffer	5,630,833 A	5/1997	Katsaros et al.
5,431,672 A	7/1995	Cote et al.	5,637,110 A	6/1997	Pennybacker et al.
5,431,674 A	7/1995	Basile et al.	5,638,003 A	6/1997	Hall
5,437,292 A	8/1995	Kipshidze et al.	5,643,294 A	7/1997	Tovey et al.
5,438,302 A	8/1995	Goble	5,647,869 A	7/1997	Goble et al.
5,439,478 A	8/1995	Palmer	5,647,871 A	7/1997	Levine et al.
5,441,517 A	8/1995	Kensey et al.	5,649,959 A	7/1997	Hannam et al.
5,443,463 A	8/1995	Stern et al.	5,655,650 A	8/1997	Naitou
5,443,464 A	8/1995	Russell et al.	5,658,281 A	8/1997	Heard
5,443,480 A	8/1995	Jacobs et al.	D384,413 S	9/1997	Zlock et al.
5,445,638 A	8/1995	Rydell et al.	5,662,667 A	9/1997	Knodel
5,445,658 A	8/1995	Durrfeld et al.	5,665,100 A	9/1997	Yoon
5,449,480 A	9/1995	Kuriya et al.	5,667,526 A	9/1997	Levin
5,451,224 A	9/1995	Goble et al.	5,674,220 A	10/1997	Fox et al.
5,454,823 A	10/1995	Richardson et al.	5,674,229 A	10/1997	Tovey et al.
5,454,827 A	10/1995	Aust et al.	5,681,282 A	10/1997	Eggers et al.
5,456,684 A	10/1995	Schmidt et al.	5,688,270 A	11/1997	Yates et al.
5,458,598 A	10/1995	Feinberg et al.	5,690,652 A	11/1997	Wurster et al.
5,460,629 A	10/1995	Shlain et al.	5,690,653 A	11/1997	Richardson et al.
5,461,765 A	10/1995	Linden et al.	5,693,051 A	12/1997	Schulze et al.
5,462,546 A	10/1995	Rydell	5,693,920 A	12/1997	Maeda
5,472,442 A	12/1995	Klicek	5,695,522 A	12/1997	LeMaire, III et al.
5,472,443 A	12/1995	Cordis et al.	5,700,261 A	12/1997	Brinkerhoff
5,478,351 A	12/1995	Meade et al.	5,700,270 A	12/1997	Peyser et al.
5,480,406 A	1/1996	Nolan et al.	5,702,390 A	12/1997	Austin et al.
5,480,409 A	1/1996	Riza	5,707,369 A	1/1998	Vaitekunas et al.
5,484,436 A	1/1996	Eggers et al.	5,709,680 A	1/1998	Yates et al.
5,496,312 A	3/1996	Klicek	5,716,366 A	2/1998	Yates
5,496,317 A	3/1996	Goble et al.	5,720,744 A	2/1998	Eggleston et al.
5,496,347 A	3/1996	Hashiguchi et al.	5,722,421 A	3/1998	Francese et al.
5,499,997 A	3/1996	Sharpe et al.	5,725,536 A	3/1998	Oberlin et al.
5,509,922 A	4/1996	Aranyi et al.	5,727,428 A	3/1998	LeMaire, III et al.
5,514,134 A	5/1996	Rydell et al.	5,735,848 A	4/1998	Yates et al.
5,527,313 A	6/1996	Scott et al.	5,743,906 A	4/1998	Parins et al.
5,528,833 A	6/1996	Sakuma	5,752,973 A	5/1998	Kieturakis
5,529,067 A	6/1996	Larsen et al.	5,755,717 A	5/1998	Yates et al.
5,531,744 A	7/1996	Nardella et al.	5,759,188 A	6/1998	Yoon
5,536,251 A	7/1996	Evard et al.	5,766,130 A	6/1998	Selmonosky
5,540,684 A	7/1996	Hassler, Jr.	5,766,166 A	6/1998	Hooven
5,540,685 A	7/1996	Parins et al.	5,766,170 A	6/1998	Eggers
5,540,706 A	7/1996	Aust et al.	5,766,196 A	6/1998	Griffiths
5,540,715 A	7/1996	Katsaros et al.	5,769,849 A	6/1998	Eggers
5,542,945 A	8/1996	Fritzsche	5,772,655 A	6/1998	Bauer et al.
5,558,671 A	9/1996	Yates	5,772,670 A	6/1998	Brosa
5,558,672 A	9/1996	Edwards et al.	5,776,128 A	7/1998	Eggers
5,562,619 A	10/1996	Mirarchi et al.	5,776,130 A	7/1998	Buysse et al.
5,562,699 A	10/1996	Heimberger et al.	5,779,646 A	7/1998	Koblish et al.
5,562,720 A	10/1996	Stern et al.	5,779,701 A	7/1998	McBrayer et al.
5,564,615 A	10/1996	Bishop et al.	H1745 H	8/1998	Paraschac
5,569,241 A	10/1996	Edwardds	5,792,137 A	8/1998	Carr et al.
5,569,243 A	10/1996	Kortenbach et al.	5,792,165 A	8/1998	Klieman et al.
5,571,100 A	11/1996	Goble et al.	5,792,177 A	8/1998	Kaseda
5,573,424 A	11/1996	Poppe	5,797,537 A	8/1998	Oberlin et al.
5,573,534 A	11/1996	Stone	5,797,927 A	8/1998	Yoon
5,573,535 A	11/1996	Viklund	5,797,938 A	8/1998	Paraschac et al.
5,575,799 A	11/1996	Bolanos et al.	5,797,941 A	8/1998	Schulze et al.
5,575,805 A	11/1996	Li	5,797,958 A	8/1998	Yoon
5,578,052 A	11/1996	Koros et al.	5,800,449 A	9/1998	Wales
5,579,781 A	12/1996	Cooke	5,807,393 A	9/1998	Williamson, IV et al.
5,582,611 A	12/1996	Tsuruta et al.	5,810,764 A	9/1998	Eggers et al.
5,582,617 A	12/1996	Klieman et al.	5,810,805 A	9/1998	Sutcu et al.
5,585,896 A	12/1996	Yamazaki et al.	5,810,808 A	9/1998	Eggers
5,590,570 A	1/1997	LeMaire, III et al.	5,810,811 A	9/1998	Yates et al.
5,591,181 A	1/1997	Stone et al.	5,810,877 A	9/1998	Roth et al.
5,597,107 A	1/1997	Knodel et al.	5,814,043 A	9/1998	Shapeton
5,601,224 A	2/1997	Bishop et al.	5,814,054 A	9/1998	Kortenbach et al.
5,601,601 A	2/1997	Tal et al.	5,817,083 A	10/1998	Shemesh et al.
5,601,641 A	2/1997	Stephens	5,817,119 A	10/1998	Klieman et al.

US 7,955,332 B2

Page 4

5,820,630 A	10/1998	Lind	6,086,601 A	7/2000	Yoon
5,824,978 A	10/1998	Karasik et al.	6,090,107 A	7/2000	Borgmeier et al.
5,827,271 A	10/1998	Buyse et al.	6,096,037 A	8/2000	Mulier et al.
5,827,279 A	10/1998	Hughett et al.	6,099,550 A	8/2000	Yoon
5,827,281 A	10/1998	Levin	6,102,909 A	8/2000	Chen et al.
5,827,323 A	10/1998	Klieman et al.	6,106,542 A	8/2000	Toybin et al.
5,827,548 A	10/1998	Lavallee et al.	6,110,171 A	8/2000	Rydell
5,833,690 A	11/1998	Yates et al.	6,113,596 A	9/2000	Hooven et al.
5,843,080 A	12/1998	Fleenor et al.	6,113,598 A	9/2000	Baker
5,849,022 A	12/1998	Sakashita et al.	6,117,158 A	9/2000	Measamer et al.
5,853,412 A	12/1998	Mayenberger	6,122,549 A	9/2000	Sharkey et al.
5,859,527 A	1/1999	Cook	6,123,701 A	9/2000	Nezhat
5,860,976 A	1/1999	Billings et al.	6,126,658 A	10/2000	Baker
5,876,401 A	3/1999	Schulze et al.	6,126,665 A	10/2000	Yoon
5,876,412 A	3/1999	Piraka	6,139,563 A	10/2000	Cosgrove, III et al.
5,882,567 A	3/1999	Cavallaro et al.	6,143,005 A	11/2000	Yoon et al.
5,891,141 A	4/1999	Rydell	6,152,923 A	11/2000	Ryan
5,891,142 A	4/1999	Eggers et al.	6,162,220 A	12/2000	Nezhat
5,893,863 A	4/1999	Yoon	6,171,316 B1	1/2001	Kovac et al.
5,893,875 A	4/1999	O'Connor et al.	6,174,309 B1 *	1/2001	Wrublewski et al. 606/45
5,893,877 A	4/1999	Gampp, Jr. et al.	6,178,628 B1	1/2001	Clemens et al.
5,897,563 A	4/1999	Yoon et al.	6,179,834 B1	1/2001	Buyse et al.
5,902,301 A	5/1999	Olig	6,179,837 B1	1/2001	Hooven
5,906,630 A	5/1999	Anderhub et al.	6,183,467 B1	2/2001	Shapeton et al.
5,908,420 A	6/1999	Parins et al.	6,187,003 B1	2/2001	Buyse et al.
5,908,432 A	6/1999	Pan	6,190,386 B1	2/2001	Rydell
5,911,719 A	6/1999	Eggers	6,190,400 B1	2/2001	Vandemoer et al.
5,913,874 A	6/1999	Berns et al.	6,193,718 B1	2/2001	Kortenbach et al.
5,921,916 A	7/1999	Aeikens et al.	6,206,876 B1	3/2001	Levine et al.
5,921,984 A	7/1999	Sutcu et al.	6,206,877 B1	3/2001	Kese et al.
5,925,043 A	7/1999	Kumar et al.	6,206,893 B1	3/2001	Klein et al.
5,928,136 A	7/1999	Barry	6,214,028 B1	4/2001	Yoon et al.
5,935,126 A	8/1999	Riza	6,217,602 B1	4/2001	Redmon
5,941,869 A	8/1999	Patterson et al.	6,217,615 B1	4/2001	Sioshansi et al.
5,944,718 A	8/1999	Austin et al.	6,221,039 B1	4/2001	Durgin et al.
5,951,546 A	9/1999	Lorentzen	6,223,100 B1	4/2001	Green
5,951,549 A	9/1999	Richardson et al.	6,224,593 B1	5/2001	Ryan et al.
5,954,720 A	9/1999	Wilson et al.	6,224,614 B1	5/2001	Yoon
5,954,731 A	9/1999	Yoon	6,228,080 B1	5/2001	Gines
5,954,733 A	9/1999	Yoon	6,228,083 B1	5/2001	Lands et al.
5,957,923 A	9/1999	Hahnen et al.	6,248,124 B1	6/2001	Pedros et al.
5,957,937 A	9/1999	Yoon	6,248,944 B1	6/2001	Ito
5,960,544 A	10/1999	Beyers	6,261,307 B1	7/2001	Yoon et al.
5,961,514 A	10/1999	Long et al.	6,267,761 B1	7/2001	Ryan
5,964,758 A	10/1999	Dresden	6,270,497 B1	8/2001	Sekino et al.
5,976,132 A	11/1999	Morris	6,270,508 B1	8/2001	Klieman et al.
5,984,932 A	11/1999	Yoon	6,273,887 B1	8/2001	Yamauchi et al.
5,984,938 A	11/1999	Yoon	6,277,117 B1	8/2001	Tetzlaff et al.
5,984,939 A	11/1999	Yoon	6,280,458 B1	8/2001	Boche et al.
5,989,277 A	11/1999	LeMaire, III et al.	6,283,961 B1	9/2001	Underwood et al.
5,993,466 A	11/1999	Yoon	D449,886 S	10/2001	Tetzlaff et al.
5,993,467 A	11/1999	Yoon	6,298,550 B1	10/2001	Kirwan
5,997,565 A	12/1999	Inoue	6,302,424 B1	10/2001	Gisinger et al.
6,004,332 A	12/1999	Yoon et al.	6,319,262 B1	11/2001	Bates et al.
6,004,335 A	12/1999	Vaitekunas et al.	6,319,451 B1	11/2001	Brune
6,010,516 A	1/2000	Hulka et al.	6,322,561 B1	11/2001	Eggers et al.
6,017,358 A	1/2000	Yoon et al.	6,322,580 B1	11/2001	Kanner
6,021,693 A	2/2000	Feng-Sing	6,325,795 B1	12/2001	Lindemann et al.
6,024,741 A	2/2000	Williamson et al.	6,334,860 B1	1/2002	Dorn
6,024,743 A	2/2000	Edwards	6,334,861 B1	1/2002	Chandler et al.
6,024,744 A	2/2000	Kese et al.	6,350,264 B1	2/2002	Hooven
6,027,522 A	2/2000	Palmer	6,352,536 B1	3/2002	Buyse et al.
6,030,384 A	2/2000	Nezhat	6,358,249 B1	3/2002	Chen et al.
6,033,399 A	3/2000	Gines	6,358,259 B1	3/2002	Swain et al.
6,039,733 A	3/2000	Buyse et al.	6,358,268 B1	3/2002	Hunt et al.
6,041,679 A	3/2000	Slater et al.	6,364,879 B1	4/2002	Chen et al.
6,050,996 A	4/2000	Schmaltz et al.	D457,958 S	5/2002	Dycus et al.
6,053,914 A	4/2000	Eggers et al.	D457,959 S	5/2002	Tetzlaff et al.
6,053,933 A	4/2000	Balazs et al.	6,387,094 B1	5/2002	Eitenmuller
D424,694 S	5/2000	Tetzlaff et al.	6,391,035 B1	5/2002	Appleby et al.
D425,201 S	5/2000	Tetzlaff et al.	6,398,779 B1	6/2002	Buyse et al.
6,059,782 A	5/2000	Novak et al.	6,402,747 B1	6/2002	Lindemann et al.
6,066,139 A	5/2000	Ryan et al.	6,409,728 B1	6/2002	Ehr et al.
6,074,386 A	6/2000	Goble et al.	6,419,675 B1	7/2002	Gallo, Sr.
6,077,287 A	6/2000	Taylor et al.	6,425,896 B1	7/2002	Baltschun et al.
6,080,180 A	6/2000	Yoon et al.	6,432,112 B2	8/2002	Brock et al.
RE36,795 E	7/2000	Rydell	6,440,144 B1	8/2002	Bacher
6,083,223 A	7/2000	Baker	6,443,952 B1	9/2002	Mulier et al.
6,086,586 A	7/2000	Hooven	6,443,970 B1	9/2002	Schulze et al.

US 7,955,332 B2

Page 5

6,451,018	B1	9/2002	Lands et al.	6,796,981	B2	9/2004	Wham et al.
6,458,125	B1	10/2002	Cosmescu	D496,997	S	10/2004	Dycus et al.
6,458,128	B1	10/2002	Schulze	6,800,825	B1	10/2004	Sasaki et al.
6,458,130	B1	10/2002	Frazier et al.	6,802,843	B2	10/2004	Truckai et al.
6,461,352	B2	10/2002	Morgan et al.	6,808,525	B2	10/2004	Latterell et al.
6,461,368	B2	10/2002	Fogarty et al.	D499,181	S	11/2004	Dycus et al.
6,464,701	B1	10/2002	Hooven et al.	6,818,000	B2	11/2004	Muller et al.
6,464,702	B2	10/2002	Schulze et al.	6,821,285	B2	11/2004	Laufer et al.
6,464,704	B2	10/2002	Schmaltz et al.	6,835,200	B2	12/2004	Laufer et al.
6,485,489	B2	11/2002	Teirstein et al.	6,857,357	B2	2/2005	Fujii
6,494,888	B1	12/2002	Laufer et al.	6,860,880	B2	3/2005	Treat et al.
6,500,176	B1	12/2002	Truckai et al.	6,887,240	B1	5/2005	Lands et al.
6,506,196	B1	1/2003	Laufer	6,889,116	B2	5/2005	Jinno
6,508,815	B1	1/2003	Strul et al.	6,914,201	B2	7/2005	Van Vooren et al.
6,511,480	B1	1/2003	Tetzlaff et al.	6,926,716	B2	8/2005	Baker et al.
6,514,215	B1	2/2003	Ouchi	6,929,644	B2	8/2005	Truckai et al.
6,514,252	B2	2/2003	Nezhat et al.	6,932,810	B2	8/2005	Ryan
6,517,539	B1	2/2003	Smith et al.	6,932,816	B2	8/2005	Phan
6,527,771	B1	3/2003	Weadock et al.	6,934,134	B2	8/2005	Mori et al.
6,533,784	B2	3/2003	Truckai et al.	6,936,061	B2	8/2005	Sasaki
6,545,239	B2	4/2003	Pedersen et al.	D509,297	S	9/2005	Wells
6,558,385	B1	5/2003	McClurken et al.	6,942,662	B2	9/2005	Goble et al.
6,562,037	B2	5/2003	Paton et al.	6,943,311	B2	9/2005	Miyako
6,569,105	B1	5/2003	Kortenbach et al.	6,953,430	B2	10/2005	Kidooka
6,582,450	B2	6/2003	Ouchi	6,953,461	B2	10/2005	McClurken et al.
6,585,735	B1	7/2003	Lands et al.	6,958,070	B2	10/2005	Witt et al.
6,602,252	B2	8/2003	Mollenauer	6,960,210	B2	11/2005	Lands et al.
6,605,790	B2	8/2003	Yoshida	6,964,662	B2	11/2005	Kidooka
6,616,658	B2	9/2003	Ineson	6,966,907	B2	11/2005	Goble
6,616,661	B2	9/2003	Wellman et al.	6,972,017	B2	12/2005	Smith et al.
6,620,161	B2 *	9/2003	Schulze et al. 606/51	6,977,495	B2	12/2005	Donofrio
6,620,184	B2	9/2003	De Laforcade et al.	6,979,786	B2	12/2005	Aukland et al.
6,626,901	B1	9/2003	Treat et al.	6,981,628	B2	1/2006	Wales
6,638,287	B2	10/2003	Danitz et al.	6,987,244	B2	1/2006	Bauer
6,641,595	B1	11/2003	Moran et al.	6,994,707	B2	2/2006	Ellman et al.
6,652,514	B2	11/2003	Ellman et al.	6,994,709	B2	2/2006	Iida
6,652,521	B2	11/2003	Schulze	6,997,931	B2	2/2006	Sauer et al.
6,656,175	B2	12/2003	Francischelli et al.	7,001,381	B2	2/2006	Harano et al.
6,656,177	B2	12/2003	Truckai et al.	7,011,657	B2	3/2006	Truckai et al.
6,660,072	B2	12/2003	Chatterjee	7,033,354	B2	4/2006	Keppel
6,663,639	B1	12/2003	Laufer et al.	7,033,356	B2	4/2006	Latterell et al.
6,663,641	B1	12/2003	Kovac et al.	7,041,102	B2 *	5/2006	Truckai et al. 606/51
6,666,854	B1	12/2003	Lange	7,044,948	B2	5/2006	Keppel
6,669,696	B2	12/2003	Bacher et al.	7,052,489	B2	5/2006	Griego et al.
6,673,092	B1	1/2004	Bacher	7,052,496	B2	5/2006	Yamauchi
6,676,660	B2	1/2004	Wampler et al.	7,063,715	B2	6/2006	Onuki et al.
6,676,676	B2	1/2004	Danitz et al.	D525,361	S	7/2006	Hushka
6,679,882	B1	1/2004	Kornerup	7,070,597	B2	7/2006	Truckai et al.
6,682,527	B2	1/2004	Strul	7,083,618	B2	8/2006	Couture et al.
6,682,528	B2	1/2004	Frazier et al.	7,083,619	B2	8/2006	Truckai et al.
6,685,724	B1	2/2004	Haluck	7,083,620	B2	8/2006	Jahns et al.
6,689,131	B2	2/2004	McClurken	7,087,051	B2	8/2006	Bourne et al.
6,692,445	B2	2/2004	Roberts et al.	7,087,054	B2	8/2006	Truckai et al.
6,693,246	B1	2/2004	Rudolph et al.	7,090,673	B2	8/2006	Dycus et al.
6,695,840	B2	2/2004	Schulze	7,090,689	B2	8/2006	Nagase et al.
6,702,810	B2	3/2004	McClurken et al.	7,101,371	B2	9/2006	Dycus et al.
6,723,092	B2	4/2004	Brown et al.	7,101,372	B2	9/2006	Dycus et al.
6,726,068	B2	4/2004	Miller	7,101,373	B2	9/2006	Dycus et al.
6,726,686	B2	4/2004	Buyse et al.	7,103,947	B2	9/2006	Sartor et al.
6,726,694	B2	4/2004	Blatter et al.	7,107,124	B2	9/2006	Green
6,733,498	B2	5/2004	Paton et al.	7,112,199	B2	9/2006	Cosmescu
6,736,813	B2	5/2004	Yamauchi et al.	D531,311	S	10/2006	Guerra et al.
6,743,229	B2	6/2004	Buyse et al.	7,115,123	B2	10/2006	Knowlton et al.
6,743,230	B2	6/2004	Lutze et al.	7,118,570	B2	10/2006	Tetzlaff et al.
6,743,239	B1	6/2004	Kuehn et al.	7,118,587	B2	10/2006	Dycus et al.
6,743,240	B2	6/2004	Smith et al.	7,131,860	B2	11/2006	Sartor et al.
6,755,843	B2	6/2004	Chung et al.	7,131,970	B2	11/2006	Moses et al.
6,756,553	B1	6/2004	Yamaguchi et al.	7,131,971	B2	11/2006	Dycus et al.
6,757,977	B2	7/2004	Dambal et al.	7,135,020	B2	11/2006	Lawes et al.
D493,888	S	8/2004	Reschke	D533,942	S	12/2006	Kerr et al.
6,770,072	B1	8/2004	Truckai et al.	7,145,757	B2	12/2006	Shea et al.
6,773,409	B2	8/2004	Truckai et al.	7,147,638	B2	12/2006	Chapman et al.
6,773,432	B1	8/2004	Clayman et al.	7,150,097	B2	12/2006	Sremcich et al.
6,773,434	B2	8/2004	Ciarrocca	7,150,749	B2	12/2006	Dycus et al.
6,773,441	B1	8/2004	Laufer et al.	7,153,314	B2	12/2006	Laufer et al.
6,775,575	B2	8/2004	Bommannan et al.	D535,027	S	1/2007	James et al.
6,776,780	B2	8/2004	Mulier et al.	7,156,842	B2	1/2007	Sartor et al.
6,786,905	B2	9/2004	Swanson et al.	7,156,846	B2	1/2007	Dycus et al.
6,790,217	B2	9/2004	Schulze et al.	7,160,298	B2	1/2007	Lawes et al.

US 7,955,332 B2

Page 6

7,160,299	B2	1/2007	Baily	2003/0199869	A1	10/2003	Johnson et al.	
7,169,146	B2	1/2007	Truckai et al.	2003/0216732	A1	11/2003	Truckai et al.	
7,179,255	B2	2/2007	Lettice et al.	2003/0220637	A1	11/2003	Truckai et al.	
7,179,258	B2	2/2007	Buyse et al.	2003/0229344	A1	12/2003	Dycus et al.	
7,195,631	B2	3/2007	Dumbauld	2003/0236325	A1	12/2003	Bonora	
D541,418	S	4/2007	Schechter et al.	2003/0236518	A1	12/2003	Marchitto et al.	
7,207,990	B2	4/2007	Lands et al.	2004/0030330	A1	2/2004	Brassell et al.	
D541,938	S	5/2007	Kerr et al.	2004/0030332	A1	2/2004	Knowlton et al.	
7,223,264	B2	5/2007	Daniel et al.	2004/0049185	A1	3/2004	Latterell et al.	
7,223,265	B2	5/2007	Keppel	2004/0064151	A1	4/2004	Mollenauer	
7,232,440	B2	6/2007	Dumbauld et al.	2004/0073238	A1	4/2004	Makower	
7,241,288	B2	7/2007	Braun	2004/0073256	A1	4/2004	Marchitto et al.	
7,241,296	B2	7/2007	Buyse et al.	2004/0078035	A1	4/2004	Kanehira et al.	
7,244,257	B2	7/2007	Podjahsky et al.	2004/0082952	A1	4/2004	Dycus et al.	
7,246,734	B2	7/2007	Shelto, IV	2004/0087943	A1	5/2004	Dycus et al.	
7,248,944	B2	7/2007	Green	2004/0115296	A1	6/2004	Duffin	
7,252,667	B2	8/2007	Moses et al.	2004/0116924	A1	6/2004	Dycus et al.	
7,255,697	B2	8/2007	Dycus et al.	2004/0116979	A1	6/2004	Truckai et al.	
7,267,677	B2	9/2007	Johnson et al.	2004/0122423	A1	6/2004	Dycus et al.	
7,270,660	B2	9/2007	Ryan	2004/0143263	A1	7/2004	Schechter et al.	
7,270,664	B2	9/2007	Johnson et al.	2004/0147925	A1	7/2004	Buyse et al.	
7,276,068	B2	10/2007	Johnson et al.	2004/0148035	A1	7/2004	Barrett et al.	
7,300,435	B2	11/2007	Wham et al.	2004/0162557	A1	8/2004	Tetzlaff et al.	
7,303,557	B2	12/2007	Wham et al.	2004/0176762	A1	9/2004	Lawes et al.	
7,311,709	B2	12/2007	Truckai et al.	2004/0193153	A1	9/2004	Sarter et al.	
7,314,471	B2	1/2008	Holman	2004/0199181	A1 *	10/2004	Knodel et al.	606/139
7,318,823	B2	1/2008	Sharps et al.	2004/0210282	A1	10/2004	Flock et al.	
7,329,256	B2	2/2008	Johnson et al.	2004/0224590	A1	11/2004	Rawa et al.	
7,329,257	B2	2/2008	Kanehira et al.	2004/0225288	A1	11/2004	Buyse et al.	
D564,662	S	3/2008	Moses et al.	2004/0230189	A1	11/2004	Keppel	
7,338,526	B2	3/2008	Steinberg	2004/0236326	A1	11/2004	Schulze et al.	
7,342,754	B2	3/2008	Fitzgerald et al.	2004/0243125	A1	12/2004	Dycus et al.	
7,344,268	B2	3/2008	Jigamian	2004/0249371	A1	12/2004	Dycus et al.	
D567,943	S	4/2008	Moses et al.	2004/0249374	A1	12/2004	Tetzlaff et al.	
7,367,976	B2	5/2008	Lawes et al.	2004/0250419	A1	12/2004	Sremcich et al.	
7,377,920	B2	5/2008	Buyse et al.	2004/0254573	A1	12/2004	Dycus et al.	
7,384,420	B2	6/2008	Dycus et al.	2004/0260281	A1	12/2004	Baxter, III et al.	
7,384,421	B2	6/2008	Hushka	2005/0004564	A1	1/2005	Wham et al.	
7,396,336	B2	7/2008	Orszulak et al.	2005/0004568	A1	1/2005	Lawes et al.	
D575,395	S	8/2008	Hushka	2005/0004569	A1	1/2005	Witt et al.	
D575,401	S	8/2008	Hixson et al.	2005/0004570	A1	1/2005	Chapman et al.	
7,435,249	B2	10/2008	Buyse et al.	2005/0021025	A1	1/2005	Buyse et al.	
7,442,193	B2	10/2008	Shields et al.	2005/0021026	A1	1/2005	Baily	
7,442,194	B2	10/2008	Dumbauld et al.	2005/0021027	A1	1/2005	Shields et al.	
7,445,621	B2	11/2008	Dumbauld et al.	2005/0033278	A1	2/2005	McClurken et al.	
7,458,972	B2	12/2008	Keppel	2005/0059934	A1	3/2005	Wenchell et al.	
7,473,253	B2	1/2009	Dycus et al.	2005/0096645	A1	5/2005	Wellman et al.	
7,481,810	B2	1/2009	Dumbauld et al.	2005/0101951	A1	5/2005	Wham et al.	
7,487,780	B2	2/2009	Hooven	2005/0101952	A1	5/2005	Lands et al.	
7,491,201	B2	2/2009	Shields et al.	2005/0107784	A1	5/2005	Moses et al.	
7,491,202	B2	2/2009	Odom et al.	2005/0107785	A1	5/2005	Dycus et al.	
7,500,975	B2	3/2009	Cunningham et al.	2005/0113818	A1	5/2005	Sartor et al.	
7,510,556	B2	3/2009	Nguyen et al.	2005/0113819	A1	5/2005	Wham et al.	
7,513,898	B2	4/2009	Johnson et al.	2005/0113826	A1	5/2005	Johnson et al.	
7,540,872	B2	6/2009	Schechter et al.	2005/0113827	A1	5/2005	Dumbauld et al.	
7,549,995	B2	6/2009	Schultz	2005/0113828	A1	5/2005	Shields et al.	
7,553,312	B2	6/2009	Tetzlaff et al.	2005/0119655	A1	6/2005	Moses et al.	
2002/0013583	A1	1/2002	Camran et al.	2005/0149017	A1	7/2005	Dycus	
2002/0049442	A1	4/2002	Roberts et al.	2005/0149151	A1	7/2005	Orszulak et al.	
2002/0099372	A1	7/2002	Schulze et al.	2005/0154387	A1	7/2005	Moses et al.	
2002/0107517	A1	8/2002	Witt et al.	2005/0187547	A1	8/2005	Sugi	
2002/0111624	A1	8/2002	Witt et al.	2005/0197659	A1	9/2005	Bahney	
2002/0188294	A1	12/2002	Couture et al.	2005/0203504	A1	9/2005	Wham et al.	
2003/0014052	A1	1/2003	Buyse et al.	2005/0240179	A1	10/2005	Buyse et al.	
2003/0014053	A1	1/2003	Nguyen et al.	2006/0052778	A1	3/2006	Chapman et al.	
2003/0018331	A1 *	1/2003	Dycus et al.	2006/0052779	A1	3/2006	Hammill	
2003/0018332	A1	1/2003	Schmaltz et al.	2006/0064085	A1	3/2006	Schechter et al.	
2003/0032956	A1	2/2003	Lands et al.	2006/0064086	A1	3/2006	Odom	
2003/0069570	A1	4/2003	Witzel et al.	2006/0074417	A1	4/2006	Cunningham et al.	
2003/0069571	A1	4/2003	Treat et al.	2006/0079888	A1	4/2006	Mulier et al.	
2003/0078578	A1	4/2003	Truckai et al.	2006/0079890	A1	4/2006	Guerra	
2003/0109875	A1	6/2003	Tetzlaff et al.	2006/0079891	A1	4/2006	Arts et al.	
2003/0114851	A1	6/2003	Truckai et al.	2006/0079933	A1	4/2006	Hushka et al.	
2003/0139741	A1	7/2003	Goble et al.	2006/0084973	A1	4/2006	Hushka	
2003/0139742	A1	7/2003	Wampler et al.	2006/0089670	A1	4/2006	Hushka	
2003/0158548	A1	8/2003	Phan et al.	2006/0116675	A1	6/2006	McClurken et al.	
2003/0158549	A1	8/2003	Swanson	2006/0129146	A1	6/2006	Dycus et al.	
2003/0171747	A1	9/2003	Kanehira et al.	2006/0161150	A1	7/2006	Keppel	
2003/0181910	A1	9/2003	Dycus et al.	2006/0167450	A1	7/2006	Johnson et al.	

2006/0167452	A1	7/2006	Moses et al.	2009/0088739	A1	4/2009	Hushka et al.
2006/0173452	A1	8/2006	Buyse et al.	2009/0088740	A1	4/2009	Guerra et al.
2006/0189980	A1	8/2006	Johnson et al.	2009/0088741	A1	4/2009	Hushka et al.
2006/0189981	A1	8/2006	Dycus et al.	2009/0088744	A1	4/2009	Townsend
2006/0190035	A1	8/2006	Hushka et al.	2009/0088745	A1	4/2009	Hushka et al.
2006/0217709	A1	9/2006	Couture et al.	2009/0088746	A1	4/2009	Hushka et al.
2006/0224158	A1	10/2006	Odom et al.	2009/0088747	A1	4/2009	Hushka et al.
2006/0229666	A1	10/2006	Suzuki et al.	2009/0088748	A1	4/2009	Guerra et al.
2006/0253126	A1	11/2006	Bjerken et al.	2009/0088749	A1	4/2009	Hushka et al.
2006/0259036	A1	11/2006	Tetzlaff et al.	2009/0088750	A1	4/2009	Hushka et al.
2006/0264922	A1	11/2006	Sartor et al.	2009/0112206	A1	4/2009	Dumbauld et al.
2006/0264931	A1	11/2006	Chapman et al.	2009/0131934	A1	5/2009	Odom et al.
2006/0271038	A1	11/2006	Johnson et al.	2009/0149853	A1	6/2009	Shields et al.
2006/0283093	A1	12/2006	Petrovic et al.	2009/0149854	A1	6/2009	Cunningham et al.
2006/0287641	A1	12/2006	Perlin	2009/0171350	A1	7/2009	Dycus et al.
2007/0016182	A1	1/2007	Lipson et al.	2009/0171353	A1	7/2009	Johnson et al.
2007/0016187	A1	1/2007	Weinberg et al.	2009/0182327	A1	7/2009	Unger
2007/0043352	A1	2/2007	Garrison et al.	2009/0187188	A1	7/2009	Guerra et al.
2007/0043353	A1	2/2007	Dycus et al.				
2007/0055231	A1	3/2007	Dycus et al.				
2007/0060919	A1	3/2007	Isaacson et al.				
2007/0062017	A1	3/2007	Dycus et al.				
2007/0074807	A1	4/2007	Guerra				
2007/0078456	A1	4/2007	Dumbauld et al.				
2007/0078458	A1	4/2007	Dumbauld et al.				
2007/0078459	A1	4/2007	Johnson et al.				
2007/0088356	A1	4/2007	Moses et al.				
2007/0106295	A1	5/2007	Garrison et al.				
2007/0106297	A1	5/2007	Dumbauld et al.				
2007/0118111	A1	5/2007	Weinberg				
2007/0118115	A1	5/2007	Artale et al.				
2007/0142833	A1	6/2007	Dycus et al.				
2007/0142834	A1	6/2007	Dumbauld				
2007/0156139	A1	7/2007	Schechter et al.				
2007/0156140	A1	7/2007	Baily				
2007/0173811	A1	7/2007	Couture et al.				
2007/0173814	A1	7/2007	Hixson et al.				
2007/0179499	A1	8/2007	Garrison				
2007/0198011	A1	8/2007	Sugita				
2007/0203485	A1	8/2007	Keppel				
2007/0213706	A1	9/2007	Dumbauld et al.				
2007/0213707	A1	9/2007	Dumbauld et al.				
2007/0213708	A1	9/2007	Dumbauld et al.				
2007/0213712	A1	9/2007	Buyse et al.				
2007/0255279	A1	11/2007	Buyse et al.				
2007/0260235	A1	11/2007	Podhajsky				
2007/0260238	A1	11/2007	Guerra				
2007/0260241	A1	11/2007	Dalla Betta et al.				
2007/0260242	A1	11/2007	Dycus et al.				
2007/0265616	A1	11/2007	Couture et al.				
2008/0004616	A1	1/2008	Patrick				
2008/0009860	A1	1/2008	Odom				
2008/0015575	A1	1/2008	Odom et al.				
2008/0021450	A1	1/2008	Couture				
2008/0033428	A1	2/2008	Artale et al.				
2008/0039835	A1	2/2008	Johnson et al.				
2008/0039836	A1	2/2008	Odom et al.				
2008/0045947	A1	2/2008	Johnson et al.				
2008/0058802	A1	3/2008	Couture et al.				
2008/0082100	A1	4/2008	Orton et al.				
2008/0091189	A1	4/2008	Carlton				
2008/0114356	A1	5/2008	Johnson et al.				
2008/0167651	A1	7/2008	Tetzlaff et al.				
2008/0195093	A1	8/2008	Couture et al.				
2008/0215051	A1	9/2008	Buyse et al.				
2008/0243120	A1	10/2008	Lawes et al.				
2008/0249527	A1	10/2008	Couture				
2008/0312653	A1	12/2008	Arts et al.				
2008/0319442	A1	12/2008	Unger et al.				
2009/0012520	A1	1/2009	Hixson et al.				
2009/0018535	A1	1/2009	Schechter et al.				
2009/0024126	A1	1/2009	Artale et al.				
2009/0043304	A1	2/2009	Tetzlaff et al.				
2009/0048596	A1	2/2009	Shields et al.				
2009/0062794	A1	3/2009	Buyse et al.				
2009/0082766	A1	3/2009	Unger et al.				
2009/0082767	A1	3/2009	Unger et al.				
2009/0082769	A1	3/2009	Unger et al.				
2009/0088738	A1	4/2009	Guerra et al.				

FOREIGN PATENT DOCUMENTS

DE	2415263	10/1975
DE	2514501	10/1976
DE	2627679	1/1977
DE	3612646	4/1987
DE	8712328	3/1988
DE	4303882	8/1994
DE	4403252	8/1995
DE	19515914	7/1996
DE	29616210	1/1997
DE	19608716	4/1997
DE	19751108	5/1999
DE	19738457	1/2009
EP	0364216 A1	4/1990
EP	0467501	1/1992
EP	518230 A1	12/1992
EP	541 930 B1	5/1993
EP	0572131	12/1993
EP	584787 A1	3/1994
EP	0589453 A2	3/1994
EP	0589555	3/1994
EP	0623316 A1	11/1994
EP	0624348 A2	11/1994
EP	0650701 A1	5/1995
EP	0694290 A3	3/1996
EP	0717966 A1	6/1996
EP	0754437 A3	3/1997
EP	0517243	9/1997
EP	853922 A1	7/1998
EP	0875209 A1	11/1998
EP	0878169 A1	11/1998
EP	0887046 A3	1/1999
EP	0923907 A1	6/1999
EP	0986990 A1	3/2000
EP	1034747 A1	9/2000
EP	1034748 A1	9/2000
EP	1025807 A3	10/2000
EP	1034746 A3	10/2000
EP	1050278 A1	11/2000
EP	1053719 A1	11/2000
EP	1053720 A1	11/2000
EP	1055399 A1	11/2000
EP	1055400 A1	11/2000
EP	1080694 A1	3/2001
EP	1082944 A1	3/2001
EP	1159926 A2	12/2001
EP	1177771	2/2002
EP	1301135 A	4/2003
EP	1330991 A1	7/2003
EP	1486177 A2	6/2004
EP	1472984 A1	11/2004
EP	0774232	1/2005
EP	1527747 A2	5/2005
EP	1530952 A1	5/2005
EP	1532932 A1	5/2005
EP	1535581 A2	6/2005
EP	1609430 A1	12/2005
EP	1632192 A1	3/2006
EP	1642543	4/2006
EP	1645238 A1	4/2006

EP	1645240	A2	4/2006
EP	1649821		4/2006
EP	1707143	A1	10/2006
EP	1769765		4/2007
EP	1769766		4/2007
EP	1929970		6/2008
EP	1683496		12/2008
GB	623316		5/1949
GB	1490585		11/1977
GB	2214430	A	6/1989
GB	2213416		8/1989
JP	501068		9/1984
JP	502328		3/1992
JP	5-5106		1/1993
JP	5-40112		2/1993
JP	06343644	A2	12/1994
JP	07265328	A2	10/1995
JP	08056955	A2	3/1996
JP	08252263	A2	10/1996
JP	09010223	A2	1/1997
JP	11244298	A2	9/1999
JP	2000342599	A2	12/2000
JP	2000350732	A2	12/2000
JP	2001008944	A2	1/2001
JP	2001029356	A2	2/2001
JP	2001128990	A2	5/2001
SU	401367		11/1974
WO	WO89/00757		1/1989
WO	WO 92/04873		4/1992
WO	WO 92/06642		4/1992
WO	WO 93/21845		11/1993
WO	WO 94/08524	A	4/1994
WO	WO94/20025		9/1994
WO	WO 95/02369		1/1995
WO	WO 95/07662		3/1995
WO	WO95/15124		6/1995
WO	WO96/05776		2/1996
WO	WO 96/22056		7/1996
WO	WO 96/13218		9/1996
WO	WO 97/00646		1/1997
WO	WO 97/00647		1/1997
WO	WO 97/10764		3/1997
WO	WO 97/24073		7/1997
WO	WO 97/24993		7/1997
WO	WO 98/27880		7/1998
WO	WO 99/03407		1/1999
WO	WO 99/03408		1/1999
WO	WO 99/03409		1/1999
WO	WO 99/12488		3/1999
WO	WO 99/23933		5/1999
WO	WO 99/40857		8/1999
WO	WO 99/40861		8/1999
WO	WO 99/51158		10/1999
WO	WO 99/66850	A	12/1999
WO	WO 00/24330		5/2000
WO	WO 00/24331		5/2000
WO	WO 00/36986		6/2000
WO	WO 00/41638		7/2000
WO	WO00/47124		8/2000
WO	WO 00/53112		9/2000
WO	WO 01/17448	A	3/2001
WO	WO 01/54604		8/2001
WO	WO 02/07627		1/2002
WO	WO 02/067798	A1	9/2002
WO	WO 02/080783		10/2002
WO	WO 02/080784		10/2002
WO	WO 02/080785		10/2002
WO	WO 02/080786		10/2002
WO	WO 02/080793		10/2002
WO	WO 02/080794		10/2002
WO	WO 02/080795		10/2002
WO	WO 02/080796		10/2002
WO	WO 02/080797		10/2002
WO	WO 02/080798		10/2002
WO	WO 02/080799		10/2002
WO	WO 02/081170		10/2002
WO	WO 03/061500		7/2003
WO	WO 03/090630	A3	11/2003
WO	WO 03/101311		12/2003

WO	WO 2004/032776	A1	4/2004
WO	WO 2004/032777		4/2004
WO	WO 2004/052221		6/2004
WO	WO 2004/073488	A2	9/2004
WO	WO 2004/073490		9/2004
WO	WO2004/073753		9/2004
WO	WO 2004/082495		9/2004
WO	WO 2004/098383		11/2004
WO	WO 2004/103156		12/2004
WO	2005/004734	A1	1/2005
WO	WO2005/004735		1/2005
WO	WO 2005/110264		11/2005
WO	WO 2008/045348		4/2008
WO	WO 2008/045350		4/2008

OTHER PUBLICATIONS

Int'l Search Report EP 06 024122.1 dated Mar. 19, 2007.

Int'l Search Report EP 07 001480.8 dated Apr. 12, 2007.

Int'l Search Report EP 07 001488.1 dated May 29, 2007.

Int'l Search Report—Extended EP 07 009029.5 dated Jul. 12, 2007.

Int'l Search Report EP 07 009321.6 dated Aug. 17, 2007.

Int'l Search Report EP 05016399 dated Jan. 5, 2006.

Int'l Search Report EP 06005185.1 dated Apr. 18, 2006.

Int'l Search Report EP 06008779.8 dated Jun. 13, 2006.

Int'l Search Report EP 1683496 dated Jun. 13, 2006.

Int'l Search Report EP 06006716 dated Aug. 4, 2006.

Int'l Search Report EP 06014461.5 dated Oct. 20, 2006.

Int'l Search Report EP 06020584.6 dated Jan. 12, 2007.

Int'l Search Report EP 06020583.8 dated Jan. 30, 2007.

Int'l Search Report EP 06020756.0 dated Feb. 5, 2007.

Int'l Search Report EP 06024123.9 dated Feb. 26, 2007.

Sigel et al. "The Mechanism of Blood Vessel Closure by High Frequency Electrocoagulation" Surgery Gynecology & Obstetrics, Oct. 1965, pp. 823-831.

Bergdahl et al. "Studies on Coagulation and the Development of an Automatic Computerized Bipolar Coagulator" J.Neurosurg, vol. 75, Jul. 1991, pp. 148-151.

Kennedy et al. "High-burst-strength, feedback-controlled bipolar vessel sealing" Surgical Endoscopy (1998) 12: 876-878.

Peterson et al. "Comparison of Healing Process Following Ligation with Sutures and Bipolar Vessel Sealing" Surgical Technology International (2001).

Linehan et al. "A Phase I Study of the LigaSure Vessel Sealing System in Hepatic Surgery" Section of HPB Surger, Washington University School of Medicine, St. Louis MO, Presented at AHPBA, Feb. 2001.

Johnson et al. "Evaluation of the LigaSure Vessel Sealing System in Hemorrhoidectomy" American College of Surgeons (ACS) Clinica Congress Poster (2000).

Sayfan et al. "Sutureless Closed Hemorrhoidectomy: A New Technique" Annals of Surgery vol. 234 No. 1 Jul. 2001 pp. 21-24.

Heniford et al. "Initial Results with an Electrothermal Bipolar Vessel Sealer" Surgical Endoscopy (2000) 15:799-801.

Heniford et al. "Initial Research and Clinical Results with an Electrothermal Bipolar Vessel Sealer" Oct. 1999.

McLellan et al. "Vessel Sealing for Hemostasis During Pelvic Surgery" Int'l Federation of Gynecology and Obstetrics FIGO World Congress 2000, Washington, D.C.

Levy et al. "Use of a New Energy-based Vessel Ligation Device During Vaginal Hysterectomy" Int'l Federation of Gynecology and Obstetrics (FIGO) World Congress 1999.

Crawford et al. "Use of the LigaSure Vessel Sealing System in Urologic Cancer Surger" Grand Rounds in Urology 1999 vol. 1 Issue 4 pp. 10-17.

Rothenberg et al. "Use of the LigaSure Vessel Sealing System in Minimally Invasive Surgery in Children" Int'l Pediatric Endosurgery Group (IPEG) 2000.

Palazzo et al. "Randomized clinical trial of Ligasure versus open haemorrhoidectomy" British Journal of Surgery 2002, 89, 154-157.

"Innovations in Electrosurgery" Sales/Product Literature; Dec. 31, 2000.

LigaSure Vessel Sealing System, the Seal of Confidence in General, Gynecologic, Urologic, and Laparoscopic Surgery Sales/Product Literature; Jan. 2004.

Carbonell et al., "Comparison of the Gyrus PlasmaKinetic Sealer and the Valleylab LigaSure Device in the Hemostasis of Small, Medium, and Large-Sized Arteries" Carolinas Laparoscopic and Advanced Surgery Program, Carolinas Medical Center, Charlotte, NC 2003.

"Reducing Needlestick Injuries in the Operating Room" Sales/Product Literature 2001.

Chung et al., "Clinical Experience of Sutureless Closed Hemorrhoidectomy with LigaSure" Diseases of the Colon & Rectum vol. 46, No. 1 Jan. 2003.

Strasberg et al., "Use of a Bipolar Vessel-Sealing Device for Parenchymal Transection During Liver Surgery" Journal of Gastrointestinal Surgery. vol. 6, No. 4, Jul./Aug. 2002, pp. 569-574.

Paul G. Horgan, "A Novel Technique for Parenchymal Division During Hepatectomy" The American Journal of Surgery, vol. 181, No. 3, Apr. 2001 pp. 236-237.

W. Scott Helton, "LigaSure Vessel Sealing System: Revolutionary Hemostasis Product for General Surgery" Sales/Product Literature 1999.

Michael Choti, "Abdominoperineal Resection with the LigaSure Vessel Sealing System and LigaSure Atlas 20 cm Open Instrument" Innovations That Work, Jun. 2003.

Craig Johnson, "Use of the LigaSure Vessel Sealing System in Bloodless Hemorrhoidectomy" Innovations That Work, Mar. 2000.

Muller et al., "Extended Left Hemicolectomy Using the LigaSure Vessel Sealing System" Innovations That Work, Sep. 1999.

Herman et al., "Laparoscopic Intestinal Resection With the LigaSure Vessel Sealing System: A Case Report" Innovations That Work, Feb. 2002.

Carus et al., "Initial Experience With The LigaSure Vessel Sealing System in Abdominal Surgery" Innovations That Work, Jun. 2002.

Levy et al. "Randomized Trial of Suture Versus Electrosurgical Bipolar Vessel Sealing in Vaginal Hysterectomy" Obstetrics & Gynecology, vol. 102, No. 1, Jul. 2003.

Levy et al., "Update on Hysterectomy—New Technologies and Techniques" OBG Management, Feb. 2003.

Barbara Levy, "Use of a New Vessel Ligation Device During Vaginal Hysterectomy" FIGO 2000, Washington, D.C.

McLellan et al. "Vessel Sealing For Hemostasis During Gynecologic Surgery" Sales/Product Literature 1999.

Sengupta et al., "Use of a Computer-Controlled Bipolar Diathermy System in Radical Prostatectomies and Other Open Urological Surgery" ANZ Journal of Surgery (2001) 71.9 pp. 538-540.

Olsson et al. "Radical Cystectomy in Females" Current Surgical Techniques in Urology, vol. 14, Issue 3, 2001.

E. David Crawford "Use of a Novel Vessel Sealing Technology in Management of the Dorsal Venous Complex" Sales/Product Literature 2000.

Jarrett et al., "Use of the LigaSure Vessel Sealing System for Perihilar Vessels in Laparoscopic Nephrectomy" Sales/Product Literature 2000.

E. David Crawford "Evaluation of a New Vessel Sealing Device in Urologic Cancer Surgery" Sales/Products Literature 2000.

Joseph Ortenberg "LigaSure System Used in Laparoscopic 1st and 2nd Stage Orchiopexy" Innovations That Work, Nov. 2002.

Koyle et al., "Laparoscopic Palomo Varicocele Ligation in Children and Adolescents" Pediatric Endosurgery & Innovative Techniques, vol. 6, No. 1, 2002.

Dulemba et al. "Use of a Bipolar Electrothermal Vessel Sealer in Laparoscopically Assisted Vaginal Hysterectomy" Sales/Product Literature; Jan. 2004.

Johnson et al. "Evaluation of a Bipolar electrothermal Vessel Sealing Device in Hemorrhoidectomy" Sales/Product Literature; Jan. 2004.

Int'l Search Report PCT/US98/18640 dated Dec. 17, 1998.

Int'l Search Report PCT/US98/23950 dated Dec. 29, 1998.

Int'l Search Report PCT/US99/24869 dated Feb. 3, 2000.

Int'l Search Report PCT/US01/11218 dated Aug. 3, 2001.

International Search Report PCT/US01/11224 dated Nov. 13, 2001.

Int'l Search Report PCT/US01/11340 dated Aug. 7, 2001.

Int'l Search Report PCT/US01/11420 dated Oct. 8, 2001.

Int'l Search Report PCT/US02/01890 dated Jul. 17, 2002.

Int'l Search Report PCT/US02/11100 dated Jul. 9, 2002.

Int'l Search Report PCT/US04/03436 dated Oct. 5, 2004.

Int'l Search Report PCT/US04/13273 dated Nov. 22, 2004.

Int'l Search Report PCT/US04/15311 dated Nov. 18, 2004.

Int'l Search Report EP 98944778 dated Oct. 31, 2000.

Int'l Search Report EP 98958575.7 dated Sep. 20, 2002.

Int'l Search Report EP 04027314 dated Mar. 10, 2005.

Int'l Search Report EP 04027479 dated Mar. 8, 2005.

Int'l Search Report EP 04027705 dated Feb. 3, 2005.

Int'l Search Report EP 04013772 dated Apr. 1, 2005.

Int'l Search Report EP 05013463.4 dated Sep. 28, 2005.

Int'l Search Report EP 05013895 dated Oct. 14, 2005.

Int'l Search Report EP 05017281 dated Nov. 16, 2005.

Int'l Search Report EP 05019130.3 dated Oct. 18, 2005.

Int'l Search Report EP 05020665.5 dated Feb. 16, 2006.

Int'l Search Report EP 05020666.3 dated Feb. 17, 2006.

Int'l Search Report EP 05021779.3 dated Jan. 18, 2006.

Int'l Search Report EP 05021197.8 dated Jan. 31, 2006.

Int'l Search Report EP 05021937.7 dated Jan. 13, 2006.

Int'l Search Report—extended- EP 05021937.7 dated Mar. 6, 2006.

Int'l Search Report EP 05023017.6 dated Feb. 16, 2006.

Int'l Search Report EP 05021780.1 dated Feb. 9, 2006.

Int'l Search Report EP 06002279.5 dated Mar. 22, 2006.

Vallfors, et al., Automatically Controlled Bipolar Electrocoagulation—'COA-COMP', Neurosurg. Rev. (1984), pp. 187-190.

Int'l Search Report EP 06 020574.7 dated Sep. 21, 2007.

Int'l Search Report EP 07 010672.9 dated Oct. 1, 2007.

Int'l Search Report EP 07 013779.9 dated Oct. 18, 2007.

Int'l Search Report EP 07 009026.1 dated Sep. 12, 2007.

Int'l Search Report EP 07 015601.3 dated Dec. 6, 2007.

Int'l Search Report EP 07 015191.5 dated Dec. 19, 2007.

Int'l Search Report EP 07 020283.3 dated Jan. 16, 2008.

Sampayan et al., "Multilayer Ultra-High Gradient Insulator Technology" Discharges and Electrical Insulation in Vacuum, 1998. Netherlands Aug. 17-21, 1998; vol. 2, pp. 740-743.

Crouch et al. "A Velocity-Dependent Model for Needle Insertion in Soft Tissue" MICCAI 2005; LNCS 3750 pp. 624-632, Dated: 2005.

Int'l Search Report EP 98957771 dated Aug. 9, 2001.

Int'l Search Report EP 05002671.5 dated Dec. 22, 2008.

Int'l Search Report EP 05002674.9 dated Jan. 16, 2009.

Int'l Search Report EP 05019429.9 dated May 6, 2008.

Int'l Search Report EP 06008515.6 dated Jan. 8, 2009.

Int'l Search Report EP 07 014016 dated Jan. 28, 2008.

Int'l Search Report EP 07 021646.0 dated Jul. 9, 2008.

Int'l Search Report EP 07 021647.8 dated May 2, 2008.

Int'l Search Report EP 08 02692.5 dated Dec. 12, 2008.

Int'l Search Report EP 08 004655.0 dated Jun. 24, 2008.

Int'l Search Report EP 08 006732.5 dated Jul. 29, 2008.

Int'l Search Report EP 08 006917.2 dated Jul. 3, 2008.

Int'l Search Report EP 08 016539.2 dated Jan. 8, 2009.

Int'l Search Report EP 09 152267.2 Dated Jun. 15, 2009.

Int'l Search Report EP 09 152898.4 Dated Jun. 10, 2009.

Int'l Search Report PCT/US98/24281 dated Feb. 22, 1999.

Int'l Search Report PCT/US03/28534 dated Dec. 19, 2003.

Int'l Search Report PCT/US07/021438 dated Apr. 1, 2008.

Int'l Search Report PCT/US07/021440 dated Apr. 8, 2008.

Int'l Search Report PCT/US08/61498 dated Sep. 22, 2008.

Int'l Search Report PCT/US09/032690 dated Jun. 16, 2009.

* cited by examiner




FIG. 1A




FIG. 1B




FIG. 1C




FIG. 1D




FIG. 2A




FIG. 2B




FIG. 2C




FIG. 2D




FIG. 3A




FIG. 3B




FIG. 3C




FIG. 3D




FIG. 4A




FIG. 4B

MECHANISM FOR DIVIDING TISSUE IN A HEMOSTAT-STYLE INSTRUMENT

CROSS REFERENCE TO RELATED APPLICATION

This application claims the benefit of priority to U.S. Provisional Application Ser. No. 60/616,968 filed on Oct. 8, 2004 entitled "MECHANISM FOR DIVIDING TISSUE IN A HEMOSTAT-STYLE INSTRUMENT" the entire contents of which being incorporated by reference herein.

BACKGROUND

The present disclosure relates to forceps used for open surgical procedures. More particularly, the present disclosure relates to an open forceps which applies a combination of mechanical clamping pressure and electrosurgical energy to seal tissue and a cutting device which is selectively activatable to sever tissue.

TECHNICAL FIELD

A forceps is a plier-like instrument which relies on mechanical action between its jaws to grasp, clamp and constrict vessels or tissue therebetween. So-called "open forceps" are commonly used in open surgical procedures whereas "endoscopic forceps" or "laparoscopic forceps" are, as the name implies, used for less invasive endoscopic surgical procedures. Electrosurgical forceps (open or endoscopic) utilize both mechanical clamping action and electrical energy to effect hemostasis by heating tissue and blood vessels to coagulate and/or cauterize tissue.

Certain surgical procedures require more than simply cauterizing tissue and rely on the unique combination of clamping pressure, precisely controlling the application of electrosurgical energy and the gap distance (i.e., distance between opposing jaw members or opposing conducting surfaces when closed about tissue) to "seal" tissue, vessels and certain vascular bundles.

Vessel sealing or tissue sealing is a recently-developed technology which utilizes a unique combination of radiofrequency energy, pressure and gap control to effectively seal or fuse tissue between two opposing jaw members or sealing plates. Vessel or tissue sealing is more than "cauterization" which is defined as the use of heat to destroy tissue (also called "diathermy" or "electrodiathermy") and vessel sealing is more than "coagulation" which is defined as a process of desiccating tissue wherein the tissue cells are ruptured and dried. "Vessel sealing" is defined as the process of liquefying the collagen, elastin and ground substances in the tissue so that it reforms into a fused mass with significantly-reduced demarcation between the opposing tissue structures.

In order to effectively "seal" tissue or vessels, two predominant mechanical parameters must be accurately controlled: 1) the pressure applied to the vessel or tissue; and 2) the gap distance between the conductive tissue contacting surfaces (electrodes). As can be appreciated, both of these parameters are affected by the thickness of the tissue being sealed. Accurate application of pressure is important for several reasons: to reduce the tissue impedance to a low enough value that allows enough electrosurgical energy through the tissue; to overcome the forces of expansion during tissue heating; and to contribute to the end tissue thickness which is an indication of a good seal. It has been determined that a good seal for certain tissues is optimum between 0.001 inches and 0.006 inches.

With respect to smaller vessels or tissue, the pressure applied becomes less relevant and the gap distance between the electrically conductive surfaces becomes more significant for effective sealing. In other words, the chances of the two electrically conductive surfaces touching during activation increases as the tissue thickness and the vessels become smaller.

Commonly owned, U.S. Pat. No. 6,511,480, PCT Patent Application Nos. PCT/US01/11420 and PCT/US01/11218, U.S. patent application Ser. Nos. 10/116,824, 10/284,562 and 10/299,650 all describe various open surgical forceps which seal tissue and vessels. All of these references are hereby incorporated by reference herein. In addition, several journal articles have disclosed methods for sealing small blood vessels using electrosurgery. An article entitled Studies on Coagulation and the Development of an Automatic Computerized Bipolar Coagulator, J. Neurosurg., Volume 75, July 1991, describes a bipolar coagulator which is used to seal small blood vessels. The article states that it is not possible to safely coagulate arteries with a diameter larger than 2 to 2.5 mm. A second article is entitled Automatically Controlled Bipolar Electrocoagulation—"COA-COMP", Neurosurg. Rev. (1984), pp. 187-190, describes a method for terminating electrosurgical power to the vessel so that charring of the vessel walls can be avoided.

Typically and particularly with respect to open electrosurgical procedures, once a vessel is sealed, the surgeon has to remove the sealing instrument from the operative site, substitute a new instrument and accurately sever the vessel along the newly formed tissue seal. As can be appreciated, this additional step may be both time consuming (particularly when sealing a significant number of vessels) and may contribute to imprecise separation of the tissue along the sealing line due to the misalignment or misplacement of the severing instrument along the center of the tissue sealing line.

Many endoscopic vessel sealing instruments have been designed which incorporate a knife or blade member which effectively severs the tissue after forming a tissue seal. For example, commonly-owned U.S. application Ser. Nos. 10/116,944; 10/179,863; and 10/460,926 all describe endoscopic instruments which effectively seals and cuts tissue along the tissue seal. Other instruments include blade members or shearing members which simply cut tissue in a mechanical and/or electromechanical manner and are relatively ineffective for vessel sealing purposes.

There exists a need to develop an open electrosurgical forceps which is simple, reliable and inexpensive to manufacture and which effectively seals tissue and vessels and which allows a surgeon to utilize the same instrument to effectively sever the tissue along the newly formed tissue seal.

SUMMARY

Forceps for use in open surgical procedures are provided. According to one aspect of the present disclosure, an open electrosurgical forceps for sealing tissue is provided. The forceps includes first and second shaft portions pivotably associated with one another. Each shaft portion has a jaw member disposed at a distal end thereof. The jaw members are movable from a first position in spaced relation relative to one another to at least one subsequent position wherein the jaw members cooperate to grasp tissue therebetween. Each of the jaw members includes an electrically conductive sealing surface for communicating electrosurgical energy through tissue held therebetween. At least one of the jaw members includes a slot formed through the sealing surface thereof.

3

The forceps further includes a cutting mechanism operatively associated with the first and second jaw members. The cutting mechanism includes a cutting element disposed within the slot of the at least one jaw member. The cutting element is movable from a first position wherein the cutting element is retracted within the slot of the at least one jaw member and a second position in which the cutting element at least partially projects from the sealing surface of the at least one jaw member. The cutting mechanism further includes an actuator operatively associated with the cutting element which upon movement thereof selectively advances the cutting element from the first position to the second positions.

In one embodiment, the actuator is integrally associated with the cutting element. The cutting mechanism is pivotable about a pivot which connects the first and second jaw members. The actuator is spaced a distance from the first shaft portion. The actuator selectively activates the cutting element when moved relative to the first shaft portion.

In another embodiment, the cutting mechanism may include a drive rod extending through a channel formed in at least one of the first and second shaft portions. The drive rod includes a distal end operatively connected to the cutting element. The cutting mechanism may further include a tab operatively connected to the drive rod for manipulating the drive rod to urge the cutting element between the first and second positions.

The cutting element is supported in the slot of the jaw member such that proximal displacement of the drive rod urges the cutting element from within the slot of the jaw member to cut tissue. Desirably, the cutting element includes at least one angled slot defined therethrough which receives a pivot pin fixed to one of the jaw members.

In one embodiment, each angled slot formed in the cutting element includes a first portion in close proximity to the sealing surface and a second portion extending distally and away from the sealing surface. Proximal movement of the drive rod urges the cutting element from the first position to the second position by a camming action between the pin and the slot formed in the cutting element.

The open electrosurgical forceps may further include a biasing element for urging the drive rod to a distal-most position. The cutting element is pivotably disposed within the slot of the jaw member. The cutting element projects out through the jaw member and defines a camming surface.

In one embodiment, the second shaft portion reciprocally supports the actuator. The actuator is movable from a first position spaced from the cutting element to a second position in contact with the cutting element. In use, displacement of the actuator from the first position to the second position, the actuator engages the camming surface of the cutting element and urges the cutting element from the first position to the second position.

The open electrosurgical forceps may further include a biasing element for urging the cutting element to the first position. It is envisioned that movement of the actuator pivots the cutting element between the first and second positions.

According to another aspect of the present disclosure, the open electrosurgical forceps may include a pair of shaft portions pivotably coupled to one another at a pivot point. Each shaft portion includes a jaw member at a distal end thereof for grasping tissue therebetween. Each jaw member includes a sealing surface for conducting electrosurgical energy through tissue grasped therebetween and one of the sealing surfaces has a slot formed therein. The forceps further includes a cutting mechanism operatively coupled to the shaft portions and has a cutting element operatively secured proximate the distal end of the forceps. The cutting mechanism is selectively

4

movable from a first position in which the cutting element is retracted within the slot and a second position in which the cutting element at least partially projects from the slot to cut tissue disposed between the jaw members.

In one embodiment, the cutting mechanism includes a drive rod extending through a channel formed in at least one of the first and second shaft portions. The drive rod includes a distal end operatively connected to the cutting element. The cutting mechanism further includes a tab operatively connected to the drive rod for manipulating the drive rod to urge the cutting element between the first and second positions.

The cutting element is operatively engaged in the slot of the one jaw member such that axial displacement of the drive rod results in transverse displacement of the cutting element from the slot to cut tissue disposed between jaw members.

DESCRIPTION OF THE DRAWINGS

Various embodiments of the present disclosure are described with reference to the following drawing figures. It should be understood, however, that the drawings are designed for the purpose of illustration only and not as a definition of the limits of the invention.

FIG. 1A is a perspective view of a forceps according to one embodiment of the present disclosure;

FIG. 1B is a side, elevational view of the forceps of FIG. 1A shown in an open position;

FIG. 1C is a side, elevational view of the forceps of FIGS. 1A and 1B shown in a closed position and the cutting assembly shown in an unactuated position;

FIG. 1D is a side, elevational view of the forceps of FIGS. 1A-1C shown in a closed position and the cutting assembly shown in an actuated position;

FIG. 2A is a cross-sectional, side elevational view of an alternate embodiment of a forceps according to the present disclosure;

FIG. 2B is an enlarged view of the indicated area of detail of FIG. 2A, illustrating a cutting element of the forceps in a first position;

FIG. 2C is an enlarged view of the indicated area of detail of FIG. 2A, illustrating the cutting element of the forceps in a second position;

FIG. 2D is an enlarged view of the indicated area of detail of FIG. 2A, illustrating a cutting element of the forceps according to an alternate embodiment of the disclosure;

FIG. 3A is an enlarged, schematic side elevational view of a distal end of a forceps constructed according to another embodiment of the present disclosure, illustrating a cutting assembly in a first position;

FIG. 3B is an enlarged, schematic side elevational view of the distal end of the forceps of FIG. 3A, illustrating the cutting assembly in a second position;

FIG. 3C is an enlarged, schematic view of an alternate biasing arrangement for the cutting assembly shown in a first position;

FIG. 3D is an enlarged, schematic view of an alternate biasing arrangement of FIG. 3C in a second position;

FIG. 4A is an enlarged schematic side elevational view of a distal end of a forceps constructed according to yet another embodiment of the present disclosure, illustrating a cutting assembly in a first position; and

FIG. 4B is an enlarged schematic side elevational view of the distal end of the forceps of FIG. 4A, illustrating the cutting assembly in a second position.

DETAILED DESCRIPTION

Referring now to FIGS. 1A-1D, a forceps or hemostat for use in open surgical procedures is generally designated as

100. Forceps **100** includes a first elongated shaft portion **110** and a second elongated shaft portion **120** each having a proximal end **112** and **122**, respectively. In the drawings and in the descriptions which follow, the term “proximal”, as is traditional, will refer to the end of forceps **100** which is closer to the user, while the term “distal” will refer to the end which is further from the user.

Forceps **100** includes an end effector assembly **130** which attaches to distal ends **114**, **124** of shaft portions **110**, **120**, respectively. As explained in more detail below, end effector assembly **130** includes a pair of opposing jaw members **132**, **134** which are pivotably connected about a pivot pin **135** and which are movable relative to one another to grasp tissue therebetween.

Each shaft portion **110** and **120** includes a handle **116**, **126**, respectively, disposed at proximal ends **112**, **122**, thereof. Each handle **116**, **126** defines a finger hole **116a**, **126a**, respectively, therethrough for receiving a finger of the user. As can be appreciated, finger holes **116a**, **126a**, facilitate movement of shaft portions **110** and **120** relative to one another which, in turn, pivot the jaw members **132** and **134**, about pivot pin **135**, from an open position wherein the jaw members **132** and **134** are disposed in spaced relation relative to one another to a clamping or closed position wherein jaw members **132** and **134** cooperate to grasp tissue therebetween.

Shaft portions **110**, **120** are designed to transmit a particular desired force to the opposing sealing surfaces **132a**, **134a** of jaw members **132**, **134**, respectively, when clamped. In particular, since shaft portions **110**, **120** effectively act together in a spring-like manner (i.e., bending that behaves like a spring), the length, width, height and deflection of shaft portions **110**, **120** will directly effect the overall transmitted force imposed on opposing jaw members **132**, **134**. Jaw members **132**, **134** are more rigid than shaft portions **110**, **120** and the strain energy stored in the shaft portions **110**, **120** provides a constant closure force between jaw members **132**, **134**.

Each shaft portion **110**, **120** also includes a ratchet portion **118**, **128**. Each ratchet, e.g., **118**, extends from a proximal end of its respective shaft portion **110** towards the other ratchet **128** in a generally vertically aligned manner. The inner facing surfaces of each ratchet **118**, **128** includes a plurality of flanges **118a**, **128a**, respectively, which project from the inner facing surface of each ratchet **118**, **128** such that the ratchets **118**, **128** can interlock in at least one position. In the embodiment shown in FIG. 1A, ratchets **118**, **128** interlock at several different positions. Each ratchet position holds a specific, i.e., constant, strain energy in shaft portions **110**, **120** which, in turn, transmits a specific force to jaw members **132**, **134**.

One of the shaft portions, e.g., shaft portion **120**, includes a proximal shaft connector **150** which is designed to connect forceps **100** to a source of electrosurgical energy, e.g., an electrosurgical generator (not shown). Connector **150** electromechanically engages a conducting cable **152** such that the user may selectively apply electrosurgical energy as needed.

As briefly discussed above, jaw members **132**, **134** are selectively movable about pivot pin **135** from the open position to the closed position for grasping tissue therebetween. Jaw members **132** and **134** are generally symmetrical and include similar component features which cooperate to permit facile rotation about pivot pin **135** to effect the grasping and sealing of tissue. As a result and unless otherwise noted, jaw member **132** and the operative features associated therewith are initially described herein in detail and the similar component features with respect to jaw member **134** will be briefly summarized thereafter. Moreover, many of the features of jaw members **132** and **134** are described in detail in commonly-owned U.S. patent application Ser. Nos. 10/284,

562, 10/116,824, 09/425,696, 09/178,027 and PCT Application Ser. No. PCT/US01/11420 the contents of which are all hereby incorporated by reference in their entirety herein.

Jaw member **132** includes an electrically conductive sealing surface **132a** which conducts electrosurgical energy of a first potential to the tissue upon activation of forceps **100**. Exemplary embodiments of conductive sealing surface **132a** are discussed in commonly-owned, co-pending PCT Application Serial No. PCT/US01/11412 and commonly owned, co-pending PCT Application Serial No. PCT/US01/11411, the contents of both of these applications being incorporated by reference herein in their entirety.

Similar to jaw member **132**, jaw member **134** includes an electrically conductive sealing surface **134a** for conducting electrosurgical energy of a second potential to the tissue upon activation of forceps **100**.

It is envisioned that one of the jaw members, e.g., **132**, includes at least one stop member (not shown) disposed on the inner facing surface of the electrically conductive sealing surface **132a** (and/or **134a**). Alternatively or in addition, the stop member(s) may be positioned adjacent to the electrically conductive sealing surfaces **132a**, **134a** or proximate the pivot pin **135**. The stop member(s) is/are designed to define a gap between opposing jaw members **132** and **134** during sealing. The separation distance during sealing or the gap distance is within the range of about 0.001 inches (~0.03 millimeters) to about 0.006 inches (~0.016 millimeters).

A detailed discussion of these and other envisioned stop members as well as various manufacturing and assembling processes for attaching, disposing, depositing and/or affixing the stop members to the electrically conductive sealing surfaces **132a**, **134a** are described in commonly-assigned, co-pending PCT Application Serial No. PCT/US01/11222 and U.S. application Ser. No. 10/471,818 which are both hereby incorporated by reference in their entirety herein.

As mentioned above, two mechanical factors play an important role in determining the resulting thickness of the sealed tissue and effectiveness of the seal, i.e., the pressure applied between opposing jaw members **132** and **134** and the size of the gap between opposing jaw members **132** and **134** (or opposing sealing surface **132a** and **134a** during activation). It is known that the thickness of the resulting tissue seal cannot be adequately controlled by force alone. In other words, too much force and jaw members **132** and **134** may touch and possibly short resulting in little energy traveling through the tissue thus resulting in an inadequate seal. Too little force and the seal would be too thick. Applying the correct force is also important for other reasons: to oppose the walls of the vessel; to reduce the tissue impedance to a low enough value that allows enough current through the tissue; and to overcome the forces of expansion during tissue heating in addition to contributing towards creating the required end tissue thickness which is an indication of a good seal.

Sealing surfaces **132a** and **134a** are relatively flat to avoid current concentrations at sharp edges and to avoid arcing between high points. In addition, and due to the reaction force of the tissue when engaged, jaw members **132** and **134** are manufactured to resist bending, i.e., tapered along their length to provide a constant pressure for a constant tissue thickness at parallel and the thicker proximal portion of jaw members **132** and **134** will resist bending due to the reaction force of the tissue.

As best shown in FIGS. 1A-1D, forceps **100** further includes a cutting mechanism **140** operatively associated therewith. Cutting mechanism **140** includes an arm portion **142** pivotably connected to one of the first and second shaft portions **110**, **120**, a cutting element **144** (e.g., blade, knife,

scalpel, etc.) disposed at a distal end **146a** thereof, and a finger gripping element **148** disposed at a proximal end **146b** thereof.

Cutting mechanism **140** is pivotably coupled to shaft portion **110** about pivot pin **135**. Cutting mechanism **140** is pivotably coupled to shaft portion **110** in such a manner that cutting element **144** is biased (via a spring or the like) in a retracted position within a slot **134b** defined in sealing surface **134a** of jaw member **134**. Cutting mechanism **140** is selectively movable about pivot pin **135** to deploy cutting element **144** from within slot **134b** to cut tissue. Cutting element **144** may also be movably retractable depending upon a particular purpose.

In particular, cutting mechanism **140** is pivotable from a first position in which cutting element **144** is retained at least substantially within slot **134b** of jaw member **134** to a second position in which cutting element **144** is deployed from jaw member **134**. When cutting element **144** is disposed in jaw member **134**, arm portion **142** of cutting assembly **142** is spaced a distance from shaft portion **110**.

With reference to FIGS. 1B-1D, a method of using forceps **100** will now be described in detail. As seen in FIG. 1B, with shaft portions **110**, **120** in the open position, such that jaw members **132**, **134** are spaced from one another, and with cutting assembly **140** in the first position (i.e., within slot **134b**), jaw members **132**, **134** are maneuvered around the target tissue "T". As seen in FIG. 1C, following manipulation and positioning of jaw members **132**, **134** about target tissue "T", forceps **100** is moved from the open position to the closed position. In particular, proximal ends **112**, **122** of shaft portions **110** and **120** are moved toward one another, in the direction of arrows "A", to thereby proximate jaw members **132**, **134** toward one another.

In so doing, target tissue "T" is clamped or grasped between jaw members **132**, **134**. Desirably, the user then activates a hand switch or a foot switch (not shown) to provide electrosurgical energy to each jaw member **132**, **134** to communicate energy through target tissue "T" held therebetween to effect a tissue seal. Once target tissue "T" is sealed, as seen in FIG. 1D, cutting mechanism **140** is actuated, e.g., arm portion **142** is moved toward shaft portion **110** in the direction of arrow "B", to sever target tissue "T" along the tissue seal. In particular, upon movement of arm portion **142** cutting element **144** pivots about pivot pin **135** and deploys from jaw member **134** toward jaw member **132** to thereby slice, cut and/or otherwise divide target tissue "T" along the previously formed tissue seal.

Turning now to FIGS. 2A-2C, a forceps in accordance with another embodiment of the present disclosure is shown generally as **200**. Forceps **200** is similar to forceps **100** and will only be described in detail to the extent necessary to identify differences in construction and operation.

Forceps **200** includes a cutting mechanism **240** operatively associated therewith. Cutting mechanism **240** includes a drive rod **242** for advancing cutting mechanism **240** through shaft portion **210**, which will be explained in greater detail below. Drive rod **242** includes a distal end **242a** configured to mechanically support a cutting element **244**. Cutting element **244** is disposed in slot **234b** formed in seal surface **234a** of jaw member **234** (see FIG. 2B). Cutting mechanism **240** further includes a finger tab **246** operatively associated with drive rod **242** such that movement of finger tab **246** moves drive rod **242** in the corresponding direction.

Shaft portion **210** includes at least one guide channel **222** formed therein for controlling and/or guiding drive rod **242**

through movement therethrough. Drive rod **242** is made from a flexible wire or plastic sheath which does not buckle upon movement thereof.

A spring **248** may be employed within guide channel **222** to bias cutting mechanism **240** back to the unactuated position upon proximal movement of tab **246** such that upon release of finger tab **246**, the force of spring **248** automatically returns cutting mechanism **240** to its distal-most position within guide channel **222** which, in turn, retracts cutting element **244** within slot **234**. While a spring **248** is shown for maintaining cutting mechanism **240** in a distal-most position, it is envisioned and within the scope of the present disclosure that a spring, e.g., a coil spring, (not shown) can be operatively associated therewith for maintaining cutting mechanism **240** in a proximal-most position and wherein finger tab **246** is positioned so as to drive cutting mechanism **240** in a distal direction.

As best seen in FIGS. 2B and 2C, cutting element **244** is provided with at least one elongated slot, preferably a pair of elongated slots **244a**, **244b**, formed therein. Slots **244a**, **244b** are oriented at an angle with respect to the longitudinal axis of forceps **200**. The portion of slots **244a**, **244b** which is closest to seal surface **234a** of jaw member **234** is located proximal of the portion of slots **244a**, **244b** which is furthest from seal surface **234a** of jaw member **234**.

A pin **250** is provided within each slot **244a**, **244b**. Each pin **250** is fixedly positioned relative to jaw member **234**. When cutting element **244** is in a distal-most position, pins **250** are located in the portion of slots **244a**, **244b** closest to seal surface **234a**.

As seen in FIGS. 2B and 2C, in operation and following application of electrosurgical energy to jaw members **232**, **234**, to thereby seal the target tissue held therebetween, the user activates finger tab **246** to thereby urge drive rod **242** in a proximal direction, as indicated by arrow "A". In so doing, cutting element **244** is urged in an angular direction relative to the longitudinal axis, as indicated by arrows "B". In particular, cutting element **244** is drawn both proximally and toward jaw member **232** (i.e., deployed from slot **234b** formed in sealing surface **234a** of jaw member **234**, to thereby slice the target tissue which is clamped between jaw members **232**, **234**. In other words, cutting element **244** is drawn in direction "B" by the camming action created between slots **244a**, **244b** and pins **250**. While cam slots **244a**, **244b** may be diagonal, as seen in FIG. 2D, cutting element **244** may be provided with cam slots **244a'** and **244b'** having a diagonal portion and a longitudinally extending portion integrally connected to the diagonal portion to thereby by create a slicing or cutting motion for cutting element **244**.

Following the cutting of the target tissue, finger tab **246** may be released to thereby allow the force of spring **248** to automatically return cutting mechanism **240** to its distal-most position within guide channel **222** for subsequent sealing and cutting, which, as mentioned above, retract cutting element **244** to within slot **234b**.

Turning now to FIGS. 3A-3D, a forceps **300**, having a distal end in accordance with another embodiment of the present disclosure, is shown. Forceps **300** is similar to forceps **100** and **200** and will only be described in detail to the extent necessary to identify differences in construction and operation.

Forceps **300** includes a cutting mechanism **340** operatively associated therewith. Cutting mechanism **340** includes a cutting element **344** disposed in slot **334b** formed in sealing surface **334a** of jaw member **334**. Cutting element **344**

includes a camming surface **346** at a rear portion thereof, i.e., which extends outwardly from a side opposite sealing surface **334a** of jaw member **334**.

Cutting element **344** is pivotably supported in slot **334b** by a pivot pin **350**. A biasing member **348**, e.g., a torsion spring or the like, may be employed within jaw member **334** to bias cutting element **344** in a retracted, i.e., undeployed, condition. Upon at least partial deployment of cutting element **344**, biasing member **348** is biased such that upon release of cutting element **344**, the force of the biasing member **348** automatically returns cutting element **344** into jaw member **334**. Cutting mechanism **340** further includes an advancing sheath **342** operatively associated with forceps **300** for deploying cutting element **344**. Any type of known actuation may be employed to advance sheath **342**.

As seen in FIGS. 3A and 3B, following application of electrosurgical energy to jaw members **132**, **134** to seal tissue held therebetween, the user advances sheath **342** a distal direction, as indicated by arrow "A", to engage camming surface **346** of cutting element **344** and urge cutting element **344** out of slot **334b** in the direction of arrow "B" to sever tissue. Following the cutting of the tissue, sheath **342** is withdrawn in a proximal direction until camming surface **346** of cutting element **344** is disengaged. The force of biasing member **348** automatically returns cutting mechanism **340** into slot **334b** of jaw member **334**.

Turning now to FIGS. 3C and 3D, a detailed discussion of biasing member **348** is provided. As seen in FIG. 3C, cutting element **344** includes a rear flange or arm **360** which defines a notch **362** formed between a proximal end of cutting element **344** and arm **360**. Notch **362** is located proximal of pin **350**. Notch **362** extends through cutting edge **347** of cutting element **344**. Cutting element **344** is fabricated from spring type steel or any other material exhibiting resilient characteristics.

In operation, as seen in FIGS. 3C and 3D, as cutting element **344** is urged out of slot **334b** of jaw member **334**, in the direction of arrow "B" (FIG. 3B), notch **362** closes against the bias created by arm **360**. Following the cutting of the target tissue, sheath **342** is withdrawn in a proximal direction until camming surface **346** of cutting element **344** is disengaged. The biasing force created by arm **360** automatically returns cutting mechanism **340** into slot **334b** of jaw member **334**.

Turning now to FIGS. 4A and 4B an alternative embodiment includes a cutting element **444** is pivotably connected to a drive rod **452** by a pin **454**. In this manner, as drive rod **452** is driven in a distal direction, as indicated by arrow "A", cutting element **444** is pivoted about pin **450** and urged out of slot **334b** of jaw member **334**. Following the cutting step, drive rod **452** is withdrawn in a proximal direction to urge cutting element **444** back into jaw member **334**.

It is envisioned and within the scope of the present disclosure that a biasing member, e.g., a spring, (not shown) may be provided for returning cutting element **444** into jaw member **334** following deployment by drive rod **452**.

It is further envisioned and within the scope of the present disclosure to provide a cutting element **444** configured such that cutting element **444** is pivotable about pivot pin **435**.

It is envisioned that any of the cutting elements disclosed herein may be fabricated from plastic and/or metal (e.g., stainless steel, titanium, etc.). Desirably, the cutting elements are fabricated from non-conductive materials to thereby reduce the potential for stray currents and/or shorting.

From the foregoing and with reference to the various figure drawings, those skilled in the art will appreciate that certain modifications can also be made to the present disclosure without departing from the scope of the same. For example,

none of the aforescribed forceps require that the tissue be necessarily cut after sealing or that the tissue be sealed prior to cutting. As can be appreciated, this gives the user additional flexibility when using the instrument.

For example, it is also contemplated that forceps **100**, **200** and/or **300** (and/or the electrosurgical generator used in connection therewith) may include a sensor or feedback mechanism (not shown) which automatically selects the appropriate amount of electrosurgical energy to effectively seal the particularly-sized tissue grasped between the jaw members. The sensor or feedback mechanism may also measure the impedance across the tissue during sealing and provide an indicator (visual and/or audible) that an effective seal has been created between jaw members **132** and **134**. Commonly-owned U.S. patent application Ser. No. 10/073,761, filed on Feb. 11, 2002, entitled "Vessel Sealing System"; U.S. patent application Ser. No. 10/626,390, filed on Jul. 24, 2003, entitled "Vessel Sealing System"; U.S. patent application Ser. No. 10/427,832, filed on May 1, 2003, entitled "Method and System for Controlling Output of RF Medical Generator"; U.S. patent application Ser. No. 10/761,524, filed on Jan. 21, 2004, entitled "Vessel Sealing System"; U.S. Provisional Application No. 60/539,804, filed on Jan. 27, 2004, entitled "Method of Tissue Fusion of Soft Tissue by Controlling ES Output Along Optimal Impedance Curve"; U.S. Provisional Application No. 60/466,954; filed on May 1, 2003, entitled "Method and System for Programming and Controlling an Electrosurgical Generator System"; and U.S. Pat. No. 6,398,779, disclose several different types of sensory feedback mechanisms and algorithms which may be utilized for this purpose. The contents of these applications are hereby incorporated by reference herein.

Experimental results suggest that the magnitude of pressure exerted on the tissue by the sealing surfaces of jaw members **132** and **134** are important in assuring a proper surgical outcome. Tissue pressures within a working range of about 3 kg/cm² to about 16 kg/cm² and, desirably, within a working range of 7 kg/cm² to 13 kg/cm² have been shown to be effective for sealing arteries and vascular bundles. Tissue pressures within the range of about 4 kg/cm² to about 6.5 kg/cm² have proven to be particularly effective in sealing arteries and particular tissue bundles.

While several embodiments of the disclosure have been shown in the drawings, it is not intended that the disclosure be limited thereto, as it is intended that the disclosure be as broad in scope as the art will allow and that the specification be read likewise. Therefore, the above description should not be construed as limiting, but merely as exemplifications of preferred embodiments. Those skilled in the art will envision other modifications within the scope and spirit of the claims appended hereto.

What is claimed is:

1. An open electrosurgical forceps for sealing tissue, comprising:

first and second shaft portions pivotably associated with one another, each shaft portion having a jaw member disposed at a distal end thereof, the jaw members being movable from a first position in spaced relation relative to one another to at least one subsequent position wherein the jaw members cooperate to grasp tissue therebetween, each of the jaw members including an electrically conductive sealing surface being configured to communicate electrosurgical energy through tissue held therebetween, at least one of the jaw members including a slot formed through the sealing surface thereof;

11

a cutting mechanism operatively associated with the first and second jaw members, the cutting mechanism including:

a cutting element disposed within the slot of the at least one jaw member, the cutting element being movable about a pivot from a first position wherein the cutting element is retracted within the at least one jaw member and a second position in which a cutting edge of the cutting element at least partially projects from a sealing surface of the at least one jaw member, the cutting element including a biasing member at a proximal end thereof, the biasing member operably disposed within the jaw member and configured for biasing the cutting element toward the first position and pivoting the cutting element, the biasing member including a notched portion configured to facilitate pivoting the cutting element between the first and second positions, the notched portion disposed proximal relative to the pivot and extending to the cutting edge of the cutting element; and an actuator operatively associated with the cutting element which upon movement thereof selectively advances the cutting element from the first position to the second position.

2. The open electrosurgical forceps according to claim 1, wherein the cutting element is pivotably disposed within the slot of the jaw member.

3. The open electrosurgical forceps according to claim 1, wherein the cutting element extends out through the jaw member and defines a camming surface.

4. The open electrosurgical forceps according to claim 3, wherein the second shaft portion reciprocally supports the actuator, the actuator being movable from a first position spaced from the cutting element to a second position in contact with the cutting element.

5. The open electrosurgical forceps according to claim 4, wherein upon displacement of the actuator from the first position to the second position, the actuator engages the camming surface of the cutting element and urges the cutting element from the first position to the second position.

6. The open electrosurgical forceps according to claim 1, wherein the biasing member located at the proximal end of the cutting element is a torsion spring.

7. The open electrosurgical forceps according to claim 4, wherein movement of the actuator pivots the cutting element between the first and second positions.

8. An open electrosurgical forceps for sealing tissue, comprising:

12

a pair of shaft portions pivotably coupled to one another at a first pivot, each shaft portion including a jaw member at a distal end thereof for grasping tissue therebetween, each jaw member including a sealing surface adapted to conduct electrosurgical energy through tissue grasped therebetween and one of the sealing surfaces includes a slot defined therein;

a cutting mechanism operatively coupled to at least one of the pair of shaft portions, the cutting mechanism comprising:

a cutting element pivotably coupled to at least one of the jaw members and configured to pivot within the slot, the cutting mechanism being selectively moveable about a second pivot from a first position in which the cutting element is retracted within the slot and a second position in which a cutting edge of the cutting element at least partially projects from the slot to cut tissue disposed between the jaw members;

a biasing member operably disposed on the cutting element and within the jaw member, the biasing member configured for biasing the cutting element toward the first position and pivoting the cutting element about the second pivot, the biasing member including a notched portion configured to facilitate pivoting the cutting element between the first and second positions about the second pivot, the notched portion disposed proximal relative to the second pivot and extending to the cutting edge of the cutting element; and

an actuator operatively associated with the cutting element that, upon movement thereof, selectively pivots the cutting element from the first position to the second position,

wherein the cutting element pivots with respect to the actuator.

9. The open electrosurgical forceps according to claim 8, wherein the actuator is integrally associated with the cutting element.

10. The open electrosurgical forceps according to claim 8, wherein the actuator is pivotably coupled to the cutting element.

11. The open electrosurgical forceps according to claim 8, wherein the actuator is spaced a distance from a first shaft portion.

12. The open electrosurgical forceps according to claim 8, wherein the actuator selectively activates the cutting element when moved relative to a first shaft portion.

13. The open electrosurgical forceps according to claim 8, wherein the actuator is a drive rod.

* * * * *