



US008007500B2

(12) **United States Patent**
Lin et al.

(10) **Patent No.:** **US 8,007,500 B2**
(45) **Date of Patent:** ***Aug. 30, 2011**

(54) **EXTRACTABLE FILLER FOR INSERTING
MEDICINE INTO ANIMAL TISSUE**

(75) Inventors: **Kwan Ku Lin**, Pasadena, CA (US);
Philip S. Yuan, Fayetteville, NY (US)

(73) Assignee: **Crosstrees Medical, Inc.**, Boulder, CO
(US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

This patent is subject to a terminal dis-
claimer.

(21) Appl. No.: **11/674,085**

(22) Filed: **Feb. 12, 2007**

(65) **Prior Publication Data**

US 2007/0129669 A1 Jun. 7, 2007

Related U.S. Application Data

(63) Continuation of application No. 10/651,988, filed on
Sep. 2, 2003, now Pat. No. 7,175,627.

(30) **Foreign Application Priority Data**

May 21, 2003 (TW) 92113774 A

(51) **Int. Cl.**

A61F 2/46 (2006.01)

A61M 31/00 (2006.01)

(52) **U.S. Cl.** 606/86 R; 604/500; 604/60

(58) **Field of Classification Search** 604/57-64,
604/93.01, 500, 502; 606/92-94, 86; 623/17.12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,669,230 A	2/1954	Smoot	
4,188,949 A	2/1980	Antoshkiw	
4,488,549 A	12/1984	Lee et al.	
4,625,722 A	12/1986	Murray	
4,969,888 A	11/1990	Scholten et al.	
5,017,175 A *	5/1991	Klusmire	452/38
5,054,492 A	10/1991	Scribner et al.	
5,108,404 A	4/1992	Scholten et al.	

(Continued)

FOREIGN PATENT DOCUMENTS

EP 1 495 729 A1 1/2005

(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion for International
Application PCT/US06/61207, mailed Oct. 5, 2007.

(Continued)


Primary Examiner — Theodore J Stigell

Assistant Examiner — Catherine N Witczak

(57) **ABSTRACT**

An extractable device is used to insert a medicinal filling into an animal tissue. The device comprises a filling member and a pasty medicine. The filling member is made of a flexible and permeable wall and is provided with a holding portion and an injection port via which the pasty medicine is injected into the holding portion after the filling member is inserted into the animal tissue. The holding portion is provided with an opening which is releasably lashed by one end of one or more threads so as to make the opening leakproof. Upon completion of solidification of the pasty medicine in the holding portion of the filling member, other end of the thread is pulled to unlash the opening of the holding portion, thereby enabling the filling member to be extracted from the animal tissue so as to leave only the medicine in the animal tissue.

17 Claims, 16 Drawing Sheets



U.S. PATENT DOCUMENTS

5,549,679	A *	8/1996	Kuslich	623/17.12
5,632,275	A	5/1997	Browne et al.	
5,744,958	A	4/1998	Werne	
5,782,764	A	7/1998	Werne	
5,827,289	A	10/1998	Reiley et al.	
5,972,015	A	10/1999	Scribner et al.	
5,976,186	A	11/1999	Bao et al.	
6,048,346	A	4/2000	Reiley et al.	
6,053,904	A	4/2000	Scribner et al.	
6,066,154	A	5/2000	Reiley et al.	
6,146,422	A	11/2000	Lawson	
6,235,043	B1	5/2001	Reiley et al.	
6,241,734	B1	6/2001	Scribner et al.	
6,245,107	B1	6/2001	Ferree	
6,248,110	B1	6/2001	Reiley et al.	
6,402,784	B1	6/2002	Wardlaw	
6,440,138	B1	8/2002	Reiley et al.	
6,443,988	B2	9/2002	Felt et al.	
6,468,279	B1	10/2002	Reo	
6,488,710	B2	12/2002	Besselink	
6,508,839	B1	1/2003	Lambrecht et al.	
6,533,817	B1	3/2003	Norton et al.	
6,558,390	B2	5/2003	Cragg	
6,575,919	B1	6/2003	Reiley et al.	
6,602,291	B1	8/2003	Ray et al.	
6,607,544	B1	8/2003	Boucher et al.	
6,632,235	B2	10/2003	Weikel et al.	
6,641,587	B2	11/2003	Scribner et al.	
6,645,213	B2	11/2003	Sand et al.	
6,706,069	B2	3/2004	Berger	
6,712,819	B2	3/2004	Zucherman et al.	
6,716,216	B1	4/2004	Boucher et al.	
6,719,773	B1	4/2004	Boucher et al.	
6,726,691	B2	4/2004	Osorio et al.	
6,740,093	B2	5/2004	Hochschuler et al.	
6,923,813	B2	8/2005	Phillips et al.	
6,960,215	B2	11/2005	Olson, Jr. et al.	
6,979,341	B2	12/2005	Scribner et al.	
7,044,954	B2	5/2006	Reiley et al.	
7,081,122	B1	7/2006	Reiley et al.	
7,153,306	B2	12/2006	Ralph et al.	
7,166,121	B2	1/2007	Reiley et al.	
7,175,627	B2 *	2/2007	Lin et al.	606/86
7,175,628	B2 *	2/2007	Lin et al.	606/86
7,175,629	B2 *	2/2007	Lin et al.	606/86
7,226,481	B2	6/2007	Kuslich	
7,241,303	B2	7/2007	Reiss et al.	
7,261,720	B2	8/2007	Stevens et al.	
7,465,318	B2	12/2008	Sennett et al.	
7,749,230	B2 *	7/2010	Yuan et al.	606/86 R
2002/0026195	A1	2/2002	Layne et al.	
2003/0036762	A1	2/2003	Kerr et al.	
2003/0050644	A1	3/2003	Boucher et al.	
2004/0006347	A1	1/2004	Sproul	
2004/0024410	A1	2/2004	Olson, Jr. et al.	
2004/0059417	A1 *	3/2004	Smith et al.	623/17.11
2004/0102774	A1	5/2004	Trieu	
2004/0106999	A1	6/2004	Mathews	

2004/0122455	A1	6/2004	Lin
2004/0210297	A1	10/2004	Lin et al.
2005/0065609	A1	3/2005	Wardlaw
2005/0090852	A1	4/2005	Layne et al.
2005/0228397	A1	10/2005	Malandain et al.
2005/0267483	A1	12/2005	Middleton
2006/0079905	A1	4/2006	Beyar et al.
2006/0155296	A1	7/2006	Richter
2006/0229625	A1	10/2006	Truckai et al.
2007/0129670	A1	6/2007	Lin et al.
2007/0142765	A1	6/2007	Lin et al.
2007/0156242	A1	7/2007	Lin et al.
2008/0097511	A1	4/2008	Yuan et al.
2009/0254132	A1	10/2009	Scribner et al.
2011/0004312	A1	1/2011	Yuan et al.

FOREIGN PATENT DOCUMENTS

EP	1 495 730	A1	1/2005
EP	1 588 674		10/2005
EP	1 588 732		10/2005
EP	1 882 459		1/2008
WO	WO 02/26170	A2	4/2002
WO	WO 03/057088	A1	7/2003
WO	WO 2009/036466		3/2009

OTHER PUBLICATIONS

European Office Action for EP 05794205.4, mailed Oct. 2, 2009.
 Chinese Office Action for 200680043269.1, mailed Sep. 25, 2009.
 International Search Report for PCT/US2005/031356, mailed Apr. 7, 2006.
 Office Action for U.S. Appl. No. 11/674,088, mailed Jun. 8, 2007.
 Office Action for U.S. Appl. No. 11/674,088, mailed Nov. 28, 2007.
 Office Action for U.S. Appl. No. 11/674,088, mailed Apr. 22, 2008.
 Office Action for U.S. Appl. No. 11/674,088, mailed Oct. 24, 2008.
 Office Action for U.S. Appl. No. 11/674,088, mailed Jul. 9, 2009.
 Office Action for U.S. Appl. No. 11/574,562, mailed May 1, 2009.
 Office Action for U.S. Appl. No. 10/652,470, mailed Mar. 13, 2006, 8 pages.
 Chinese Office Action for 200580037847.6, mailed Jan. 22, 2010, 8 pages.
 Chinese Office Action for 200680043269.1, mailed May 7, 2010, 12 pages.
 Office Action for U.S. Appl. No. 11/674,088, mailed Jan. 22, 2010, 5 pages.
 Final Office Action for U.S. Appl. No. 11/674,088, mailed Jun. 24, 2010, 6 pages.
 International Search Report for PCT/US2006/026727, mailed Jan. 29, 2007.
 Chinese Office Action for 200680029705.X, mailed Jul. 10, 2009.
 Chinese Office Action for 200680029705.X, mailed Dec. 15, 2010.
 Office Action for U.S. Appl. No. 11/562,803, mailed Jan. 7, 2009.
 Office Action for U.S. Appl. No. 11/674,088, mailed Nov. 12, 2010.
 Office Action for U.S. Appl. No. 12/829,500, mailed Nov. 10, 2010.
 U.S. Appl. No. 12/972,001, filed Dec. 17, 2010.

* cited by examiner




FIG. 1




FIG. 2a




FIG. 2b




FIG. 2c




FIG. 3a









FIG. 3b








FIG. 6a




FIG. 6b




FIG. 6c




FIG. 7a




FIG. 7b




FIG. 8a




FIG. 8b




FIG. 8c




FIG. 8d




FIG. 9a




FIG. 9b

EXTRACTABLE FILLER FOR INSERTING MEDICINE INTO ANIMAL TISSUE

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. application Ser. No. 10/651,988, filed on Sep. 2, 2003, now U.S. Pat. No. 7,175,627. This application claims the benefit of Taiwan Patent Application No. 92113774, filed on May 21, 2003.

FIELD OF THE INVENTION

The present invention relates generally to an instrument which is used in the restorative operation of animal tissue disorder. More specifically this surgical instrument can be used to insert a medical material into an animal tissue such that the instrument can be separated from the medical material and drawn out of the animal tissue so as to avert the possibility of tissue rejection.

BACKGROUND OF THE INVENTION

The surgical treatment of animal tissue disorder can be generally attained by one of three methods, which include the hypodermic injection of medicine, the balloon-insertion of medicine, and the filler-insertion of 15 medicine. For example, the U.S. Patent Nos. 5,972,015; 6,066,154; and 6,248,110B1 disclose respectively a method for treating bone tissue disorders, such as osteoporosis and vertebral compression fractures. The method involves the use of a balloon (made by the Kyphon Corp., U.S.A.) by which the tissue is expanded to facilitate the inserting of the 20 medicine. This balloon method is defective in design in that the medicine is apt to spread aimlessly in the tissue without boundary. Without containment, the medicine is not as effective and there is the possibility of injury to the surrounding tissues.

In order to prevent the drawbacks of the balloon method described above, the filler-insertion method is used to implant the medicine in animal tissue in such a way that the medicine is contained in the filler, and that both the medicine and the filler are implanted in the animal tissue. This filler-insertion method is often carried out in danger of the tissue rejection of the filler.

SUMMARY OF THE INVENTION

An extractable device for inserting a medicinal filling into an animal tissue, said device comprising:

a filling member comprising a flexible and permeable wall and provided with a holding portion, an injection port at one end of the holding portion, and an opening at another end of the holding portion;

one or more thread, each having one end for fastening releasably said opening of said holding portion in such a manner that said opening is leakproof; and

a pasty medicine to be injected into said holding portion via said injection port of said filling member in the wake of a process for inserting said filling member into the animal tissue whereby said pasty medicine solidifies in said holding portion of said filling member;

said opening of said holding portion being unfastened at the time when other end of said threads is pulled by an external force, thereby enabling said filling member to be extracted from the animal tissue so as to leave only said medicine in the animal tissue.

Preferably, wherein said flexible and permeable wall is of a one-layered or multi-layered construction.

Preferably, said holding portion of said filling member is integrally formed by said flexible and permeable wall into a body in the form of sac, bag, or ball.

Preferably, said pasty medicine is a mixture of a liquid and a medicinal powdered substance or medicinal granular substance.

Preferably, the device of the present invention further comprises an injection tool for injecting said pasty medicine into said holding portion via said injection port.

Preferably, said injection tool comprises a guide tube and a syringe, wherein one end of said guide tube is connected to said injection port of said filling member and another end of said guide tube is connected to said syringe in which said pasty medicine is held, so that said pasty medicine is able to be injected into said holding portion of said filling member by said syringe via said injection port and said guide tube.

Preferably, said flexible and permeable wall is a double-layer tubular wall having one end of an inner layer thereof being provided with said injection port of said holding portion, and having another end thereof being a folded double-layer end with said opening of said holding portion, wherein said medicine is released from said filling member by pulling a free end of an outer layer of the double-layer tubular wall to retreat the folded double-layer end, after said opening of said holding portion being unfastened.

Preferably, said one or more thread is between said inner layer and said outer layer of said double-layer tubular wall.

According to another aspect of the present invention an extractable device for inserting a medicinal filling into an animal tissue, said device comprises:

a filling member comprising a flexible and permeable wall which is formed of a plurality of threads by weaving, said filling member provided with a holding portion and an injection port at one end of the holding portion, said threads having a pull end extending out of said filling member; and

a pasty medicine to be injected into said holding portion via said injection port of said filling member in the wake of a process for inserting said filling member into the animal tissue whereby said pasty medicine solidifies in said holding portion of said filling member;

said flexible and permeable wall of said filling member being disintegrated at the time when the pull end of said threads is pulled by an external force, thereby enabling said filling member to be extracted from the animal tissue so as to leave only said medicine in the animal tissue.

The present invention also discloses a method for implanting a solidified medicine into an animal tissue comprising:

inserting a filling member in a hole of an animal tissue, said filling member comprising a flexible and permeable wall and provided with a holding portion, an injection port at one end of the holding portion, and an opening at another end of the holding portion, wherein one or more thread is provided and each having one end fastening releasably said opening of said holding portion in such a manner that said opening is leakproof;

injecting a pasty medicine into said holding portion via said injection port of said filling member, whereby said pasty medicine solidifies in said holding portion of said filling member; and

unfastening said opening of said holding portion by pulling other end of said threads, thereby enabling said filling member to be extracted from the animal tissue so as to leave only said solidified medicine in the animal tissue.

Preferably, the method further comprises fastening detachably an injection tool with said filling member, so that said

pasty medicine is injected into said holding portion via said injection tool. More preferably, said injection tool comprises a guide tube and a syringe, wherein one end of said guide tube is connected to said injection port of said filling member and another end of said guide tube is connected to said syringe in which said pasty medicine is held, wherein said pasty medicine is injected into said holding portion of said filling member by said syringe via said injection port and said guide tube.

The flexible wall of the filling member of the present invention is made of a biocompatible or biosynthetic material, such as rubber, elastic plastic, titanium, goat intestine, and the like. The flexible wall is provided with a plurality of pores and is therefore permeable. The flexible wall can be formed into an object in the form of sac, bag, ball, cylinder or rectangular column integrally or by joining separate pieces.

The filling member of the present invention may contain a ray imaging material, such as a metal wire, by which the precise position of the filling member can be easily located by a ray imaging system, such as an X-ray machine.

The flexible wall of the filling member of the present invention may be of a one-layered or multi-layered construction, depending on the particle size and the viscosity of the medicine. If the particle size of the medicine is relatively large, the flexible wall is preferably of a two-layered construction. If the viscosity of the medicine is relatively high, the flexible wall is also preferably of a two-layered construction. On the other hand, the flexible wall is preferably of a three-layered or four-layered construction under the circumstances that the particle size of the medicine is relatively small and that the viscosity of the medicine is relatively lower.

The features and the advantages of the present invention will be more readily understood upon a thoughtful deliberation of the following detailed description of the preferred embodiments of the present invention with reference to the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows a sectional schematic view of the present invention.

FIGS. 2a-2c are schematic views illustrating the lashing of the opening of the holding portion of the filling member of the present invention.

FIG. 3a shows a longitudinal sectional view of a one-layered wall of the filling member of the present invention.

FIG. 3b shows a longitudinal sectional view of a multi-layered wall of the filling member of the present invention.

FIGS. 4a and 4b are sectional schematic view of the present invention at work.

FIGS. 5a-5c are schematic views illustrating the unlash of the opening of the holding portion of the filling member of the present invention upon completion of the injection of the medicine into the holding portion of the filling member.

FIG. 6a shows a schematic view of the connection tube of the implantation-injection apparatus of the present invention.

FIGS. 6b and 6c are sectional schematic views illustrating the process in which the filling member of the present invention is extracted from the animal tissue.

FIGS. 7a and 7b are schematic views illustrating that the opening of the holding portion of the filling member of the present invention is releasably lashed by a thread.

FIGS. 8a-8d are schematic views illustrating a process in which the opening of the holding portion of the filling member of the present invention is releasably lashed by two threads in conjunction with sewing.

FIG. 9a shows a schematic view of the flexible wall of the present invention being made of two threads which are releasably interlaced.

FIG. 9b is a schematic view to show that the two threads of the flexible wall, as shown in FIG. 9a, are unfastened.

FIG. 10a is a schematic view illustrating a process in which a double-layer wall of the holding portion of the filling member of the present invention is formed.

FIG. 10b illustrating a process in which the double-layer wall of the holding portion of the filling member of the present invention is retreated from the solidified medicine.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

As shown in FIG. 1, an extractable filler 10 embodied in the present invention comprises a filling member 20, a pasty medicine 30, a connection tube 40, and two threads 50 and 51. The filling member 20 is formed of a flexible wall 21 and is provided with a holding portion 22 and an injection port 23. The flexible wall 21 may be made of rubber with perforated holes or woven fabric with meshed pores. The pasty medicine 30 is injected into the holding portion 22 via the connection tube 40 and the injection port 23. The dotted line 3-3 shows a direction in which a section of the filling member 20 is taken.

As shown in FIG. 2a, the holding portion 22 of the filling member 20 is provided with an opening 24 opposite to the injection port 23 of the filling member 20. The opening 24 is lashed by two threads 50 and 51. The first thread 50 has a first end 501 and a second end 502, while the second thread 51 has a first end 511 and a second end 512. The two threads 50 and 51 are in fact fastened releasably to the flexible wall 21 near the opening 24. The way by which they are fastened together is not shown in the drawing.

The opening 24 of the holding portion 22 of the filling member 20 is securely tied up to prevent the medicine 30 from leaking out of the holding portion 22 by means of the two threads 50 and 51 which are releasably entangled in such a manner that the first end 511 of the second thread 51 is wound around the first thread 50. Upon completion of the winding process, the flexible wall 21 surrounding the opening 24 is located in a position between the two threads 50 and 51, as indicated by a dotted line 4-4 in FIG. 2b. Thereafter, both ends 501 and 502 of the first thread 50, and the first end 511 of the second thread 51 are respectively pulled rightward and leftwards at the same time, as illustrated in FIG. 2c. As a result, the opening 24 of the filling member 20 is leakproof.

The flexible wall 21 of the filling member 20 is of a one-layered construction, as shown in FIG. 3a, or of a multi-layered construction, as shown in FIG. 3b. The flexible wall 21 is provided with a plurality of pores 211 permeable to fluids. If the flexible wall 21 is of a multi-layered construction, the flexible walls 21 are laminated in such a way that the pores 211 are not corresponding in location to slow down the passage of the fluids.

As shown in FIGS. 4a and 4b, the filling member 20 is first inserted into a blind hole 71 of an animal tissue 70. The pasty medicine 30 is then injected into the holding portion 22 of the filling member 20 by a syringe 60 in conjunction with the connection tube 40. The filling member 20 is thus inflated by the medicine 30, as shown in FIG. 4b. The connection tube 40 has one end 41 which is connected with the filling member 20, and another end 42 which is connected to one end 611 of a barrel 61 of the syringe 60. A plunger 62 is slidably inserted into another end 612 of the barrel 61 in which the pasty medicine 30 is contained.

The pasty medicine 30 is a mixture of a liquid and one or more kinds of animal tissue drugs in the form of powder, granule, or colloid. The pasty medicine 30 is capable of solidification.

Upon completion of the solidification of the pasty medicine 30 in the blind hole 71 of the animal tissue 70, the filling member 20 must be extracted from the blind hole 71 of the animal tissue 70, so as to leave only the medicine 30 in the blind hole 71 of the animal tissue 70 to prevent the rejection of the filling member 20 by the animal tissue 70. The extraction of the filling member 20 from the blind hole 71 of the animal tissue 70 involves a first step in which the second end 512 of the second thread 51 is pulled upward as indicated by an arrow in FIG. 5a. As a result, the two threads 50 and 51 become loosened, as shown in FIG. 5b. Thereafter, the first end 501 of the first thread 50 and the second end 512 of the second thread 51 are respectively pulled in a direction away from the opening 24 of the filling member 20, as illustrated in FIG. 5c. The opening 24 is thus unfastened completely.

As shown in FIG. 6a, the connection tube 40 is provided in one end 41 with a pointed projection 411 inside the tube. As the connection tube 40 is slightly twisted, the solidified medicine 30 is severed by the pointed projection 411 of the connection tube 40. The filling member 20 can be drawn out of the blind hole 71 of the animal tissue 70 by the connection tube 40, as illustrated in FIG. 6b and FIG. 6c. As a result, only the medicine 30 is left in the blind hole 71 of the animal tissue.

The opening 24 of the filling member 20 may be fastened by only one thread 50, as illustrated in FIGS. 7a and 7b. The thread 50 has a first end 501 and a second end 502. With the thread 50, a knot is formed to lash the opening 24 of the filling member 20 in such a manner that the flexible wall 21 of the opening 24 is surrounded by a loop as indicated by a line 5-5 in FIG. 7a. With the second end 502 of the thread 50 remaining in the stationary state, the first end 501 is pulled to fasten the opening 24. The opening 24 is unfastened by pulling the second end 502 of the thread 20, thereby resulting in separation of the filling member 20 from the thread 50.

The thread 50 can be also used to form a different knot, as shown in FIG. 7b. The flexible wall 21 of the opening 24 of the filling member 20 is surrounded by a loop as indicated by a line 6-6 in FIG. 7b. As the first end 501 of the thread 50 is pulled in a direction away from the filling member 20, the opening 24 of the filling member 20 is lashed to become leakproof. The opening 24 of the filling member 20 is unlash to enable the filling member 20 to separate from the thread 50 by pulling the second end 502 of the thread 50.

The opening 24 of the filling member 20 can be releasably fastened by sewing in conjunction with two threads 50 and 51, as illustrated in FIGS. 8a-8d. With the first thread 50, a plurality of loops are formed. These loops are joined with the flexible wall 21 of the opening 24 by sewing. The second thread 51 is put through the loops of the first thread 50. As the second thread 51 is pulled out of the loops of the first thread 50, the first thread 50 becomes separated from the flexible wall 21 of the opening 24 of the filling member 20, as illustrated in FIGS. 8b-8d. As a result, the opening 24 is unfastened. Such a fastening as described above is similar to that which is commonly used to fasten the opening of a cement or flour bag.

As shown in FIGS. 9a and 9b, the flexible wall 21 of the filling member 20 is in fact a flexible fabric which is made of two threads 50 and 51 by weaving or knitting. The filling member 20 has a saclike form. The filling member 20 can be broken up in its entirety by pulling an exposed end of the thread 50, as shown in FIG. 9b. It must be noted here that the flexible fabric is provided with a plurality of meshes.

A further embodiment of the present invention is shown in FIG. 10a, and FIG. 10b, which is similar to the embodiment shown in FIGS. 1 to 2c, except that a filling member 80 is formed of a double-layer wall 81 and the first thread 51 and second thread 52 are located between an inner layer 812 and an outer layer 811 of the double-layer wall 81. As shown in FIG. 10a, a flexible and permeable tubular wall is tied at an intermediate point thereof by the threads 50 and 51 at the beginning. The lower portion 811 of the tubular wall (will become an outer layer) is then rolled up, so that it is inside out and covering up the threads 50 and 51 and the upper portion 812 of the tubular wall (will become an inner layer). The rolled-up end of said double-layer wall 81 is provided with an opening 82 of the holding portion 22, which is lashed by the two threads 50 and 51. The opening 82 is unfastened by pulling the threads 50 and 51 the same way as shown in FIGS. 4a to 4c. As shown in FIG. 10b, the rolled-up double-layer end is retreated from the solidified medicine 30 by pulling a free end of the outer layer 811 of the double-layer wall 81, while one end of the inner layer 812 is connected to the connection tube 40 as an injection port of said holding portion 22 of the said filling member 80, whereby said solidified medicine 30 is released from said filling member 80. A working tube 43 is used to accommodate the connection tube 40, the threads 50 and 51 and the free end of the outer layer 811 of the double-layer wall 81 of the filling member 80.

The embodiments of the present invention described above are to be regarded in all respects as being illustrative and nonrestrictive. Accordingly, the present invention may be embodied in other specific forms without deviating from the spirit thereof. The present invention is therefore to be limited only the scopes of the following claims.

The invention claimed is:

1. An extractable device, comprising:

a flexible, permeable container having a proximal injection port configured to receive a solidifiable medicinal filling, and a previously created releasably closable distal opening configured to selectively allow delivery of the filling into a human tissue through an incision in the human tissue; and

at least one releasable thread configured to releasably close the distal opening to contain the filling within the container prior to solidification, and configured to allow the distal opening to reopen without permanently severing the container to enable the delivery of the filling into the human tissue through the incision after at least partial solidification,

the container having a first configuration and a second configuration, when the container is in the second configuration, the distal opening of the container is open and the container is disposed at least partially within the human tissue during a surgical procedure, the proximal injection port having a substantially constant size when the container is in the first configuration and the second configuration.

2. The device of claim 1, in which the thread is releasable upon application of at least one of an external pulling force or an external pushing force.

3. The device of claim 1, in which the container is sufficiently flexible for removal from the human tissue after solidification of the filling within the container.

4. The device of claim 1, in which the container is shaped like a bag.

5. The device of claim 1, in which the container is shaped like a ball.

6. The device of claim 1, in which the container comprises a tubular wall.

7

7. The device of claim 1, in which the container comprises a holding portion integrally formed by a wall of the container.

8. The device of claim 1, in which the container comprises a single-layered wall.

9. The device of claim 1, in which the container comprises a multi-layered wall. 5

10. The device of claim 1, in which the container comprises an inner layer and an outer layer.

11. The device of claim 1, in which the container is formed of a plurality of threads. 10

12. The device of claim 1, in which the container is formed of a plurality of threads by weaving.

13. The device of claim 1, further comprising: an injection tool for injecting the solidifiable medicinal filling into the device through the proximal injection port. 15

14. The device of claim 13, in which the injection tool comprises a guide tube connected to the proximal injection port.

15. The device of claim 1, in which the at least one releasable thread has a length such that the at least one releasable thread extends from a location within the human tissue to a location outside of the human tissue when the container is in the second configuration. 20

8

16. An extractable device, comprising:

a flexible, permeable container having a proximal inlet configured to receive a solidifiable medicinal filling and a previously created releasably closable distal outlet configured to allow subsequent delivery of solidified filling into a human tissue through an incision in the human tissue without permanently severing the container; and

at least one releasable thread configured to reduce leakage of the filling from the container,

the container having a first configuration and a second configuration, when the container is in the second configuration, the distal outlet of the container is open and the container is disposed at least partially within the human tissue during a surgical procedure, the proximal inlet having a substantially constant size when the container is in the first configuration and the second configuration.

17. The device of claim 16, in which the at least one releasable thread has a length such that the at least one releasable thread extends from a location within the human tissue to a location outside of the human tissue when the container is in the second configuration.

* * * * *