

US008060886B2

(12) **United States Patent**
Hansen

(10) **Patent No.:** **US 8,060,886 B2**
(45) **Date of Patent:** **Nov. 15, 2011**

(54) **XML SCRIPTING OF SOAP COMMANDS**

(75) Inventor: **James R. Hansen**, Franklin, MA (US)

(73) Assignee: **Axeda Corporation**, Foxboro, MA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 933 days.

(21) Appl. No.: **11/673,943**

(22) Filed: **Feb. 12, 2007**

(65) **Prior Publication Data**

US 2007/0150903 A1 Jun. 28, 2007

Related U.S. Application Data

(62) Division of application No. 10/123,960, filed on Apr. 17, 2002, now Pat. No. 7,178,149.

(51) **Int. Cl.**
G06F 3/00 (2006.01)

(52) **U.S. Cl.** **719/310**; 715/762

(58) **Field of Classification Search** 719/310;
715/726

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,086,434 A	4/1978	Bocchi
4,412,292 A	10/1983	Sedam et al.
4,497,037 A	1/1985	Kato et al.
4,583,834 A	4/1986	Seko et al.
4,853,946 A	8/1989	Elliott et al.
4,962,368 A	10/1990	Dobrzanski et al.
4,964,065 A	10/1990	Hicks et al.
4,965,946 A	10/1990	Hegedus et al.
4,996,703 A	2/1991	Gray
5,038,319 A	8/1991	Carter et al.

5,057,866 A	10/1991	Hill, Jr. et al.
5,061,837 A	10/1991	Gilbert et al.
5,077,582 A	12/1991	Kravette et al.
5,084,875 A	1/1992	Weinberger et al.
5,129,080 A	7/1992	Smith
5,138,377 A	8/1992	Smith et al.
5,163,151 A	11/1992	Bronikowski et al.
5,184,179 A	2/1993	Tarr et al.
5,204,699 A	4/1993	Birnbaum et al.
5,212,645 A	5/1993	Wildes et al.
5,214,772 A	5/1993	Weinberger et al.
5,216,461 A	6/1993	Maekawa et al.
5,220,380 A	6/1993	Hirata et al.
5,224,157 A	6/1993	Yamada et al.
5,243,382 A	9/1993	Takano et al.
5,257,069 A	10/1993	Hirata et al.
5,261,061 A	11/1993	Ju

(Continued)

FOREIGN PATENT DOCUMENTS

EP 0874306 10/1998

(Continued)

OTHER PUBLICATIONS

IBM, XML translation for block structured languages, Apr. 16, 2001.*

(Continued)


Primary Examiner — Lechi Truong

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.

(57) **ABSTRACT**

A computer-implemented method processes a simple object access protocol (SOAP) command. The method includes interpreting an XML script to perform a function contained in the XML script, the XML script containing the SOAP command, parsing the SOAP command from the XML script, and passing the SOAP command to a SOAP interpreter for execution.

18 Claims, 2 Drawing Sheets



U.S. PATENT DOCUMENTS							
5,270,775	A	12/1993	Suzuki	5,675,744	A	10/1997	Tsuji
5,282,127	A	1/1994	Mii	5,677,775	A	10/1997	Yamaguchi et al.
5,291,244	A	3/1994	Kajiwara et al.	5,694,528	A	12/1997	Hube
5,293,196	A	3/1994	Kaneko et al.	5,696,903	A	12/1997	Mahany
5,297,034	A	3/1994	Weinstein	5,699,494	A	12/1997	Colbert et al.
5,297,256	A	3/1994	Wolstenholme et al.	5,708,908	A	1/1998	Hirata et al.
5,300,980	A	4/1994	Maekawa et al.	5,708,909	A	1/1998	Yamashita et al.
5,303,005	A	4/1994	Takano et al.	5,715,393	A	2/1998	Naugle
5,305,055	A	4/1994	Ebner et al.	5,715,496	A	2/1998	Sawada et al.
5,305,199	A	4/1994	LoBiondo et al.	5,715,823	A	2/1998	Wood et al.
5,307,263	A	4/1994	Brown	5,720,015	A	2/1998	Martin et al.
5,325,156	A	6/1994	Ulinski	5,727,135	A	3/1998	Webb et al.
5,333,286	A	7/1994	Weinberger et al.	5,727,248	A	3/1998	Ogura
5,335,048	A	8/1994	Takano et al.	5,732,212	A	3/1998	Perholz et al.
5,339,168	A	8/1994	Evanitsky et al.	5,736,965	A	4/1998	Mosebrook et al.
5,342,037	A	8/1994	Martin	5,740,801	A	4/1998	Branson
5,347,346	A	9/1994	Shimizu et al.	5,745,268	A	4/1998	Eastvold et al.
5,359,391	A	10/1994	Kuroyanagi et al.	5,748,892	A	5/1998	Richardson
5,361,265	A	11/1994	Weinberger et al.	5,748,907	A	5/1998	Crane
5,365,310	A	11/1994	Jenkins et al.	5,752,125	A	5/1998	Yamashita et al.
5,367,667	A	11/1994	Wahlquist et al.	5,752,128	A	5/1998	Yamashita
5,369,469	A	11/1994	Leo et al.	5,752,917	A	5/1998	Fuchs
5,369,471	A	11/1994	Yamada	5,761,529	A	6/1998	Raji et al.
5,369,472	A	11/1994	Raj et al.	5,764,918	A	6/1998	Poulter
5,373,349	A	12/1994	Ito	5,768,516	A	6/1998	Sugishima
5,384,622	A	1/1995	Hirata et al.	5,772,585	A	6/1998	Lavin et al.
5,386,271	A	1/1995	Maekawa et al.	5,774,052	A	6/1998	Hamm et al.
5,392,095	A	2/1995	Siegel	5,786,994	A	7/1998	Friz et al.
5,398,257	A	3/1995	Groenteman	5,787,149	A	7/1998	Yousefi et al.
5,404,199	A	4/1995	Hirata et al.	5,787,278	A	7/1998	Barton et al.
5,412,779	A	5/1995	Motoyama	5,790,793	A	8/1998	Higley
5,414,494	A	5/1995	Aikens et al.	5,790,977	A	8/1998	Ezekiel
5,420,667	A	5/1995	Kaneko et al.	5,798,738	A	8/1998	Yamada
5,424,808	A	6/1995	Maekawa et al.	5,801,964	A	9/1998	McCarthy
5,424,844	A	6/1995	Koyanagi et al.	5,809,237	A	9/1998	Watts et al.
5,428,551	A	6/1995	Trainor et al.	5,812,397	A	9/1998	Pech et al.
5,430,709	A	7/1995	Galloway	5,812,874	A	9/1998	Yamashita et al.
5,434,650	A	7/1995	Nakahara et al.	5,818,603	A	10/1998	Motoyama
5,442,541	A	8/1995	Hube et al.	5,819,015	A	10/1998	Martin et al.
5,444,517	A	8/1995	Nagashima	5,819,110	A	10/1998	Motoyama
5,444,851	A	8/1995	Woest	5,822,221	A	10/1998	Groenteman
5,446,522	A	8/1995	Tahara et al.	5,826,027	A	10/1998	Pedersen et al.
5,452,057	A	9/1995	Imaizumi et al.	5,828,943	A	10/1998	Brown
5,459,552	A	10/1995	Ohira	5,835,816	A	11/1998	Sawada et al.
5,463,775	A	10/1995	DeWitt et al.	5,835,911	A	11/1998	Nakagawa et al.
5,469,353	A	11/1995	Pinsky et al.	5,844,550	A	12/1998	Trainor et al.
5,485,142	A	1/1996	Stute et al.	5,845,061	A	12/1998	Miyamoto et al.
5,488,454	A	1/1996	Fukada et al.	5,845,230	A	12/1998	Lamberson
5,491,535	A	2/1996	Hirata et al.	5,857,207	A	1/1999	Lo et al.
5,493,364	A	2/1996	Kuroyanagi et al.	5,857,967	A	1/1999	Frid et al.
5,517,491	A	5/1996	Nanni et al.	5,862,348	A	1/1999	Pedersen
5,528,691	A	6/1996	Rosauer et al.	5,862,404	A	1/1999	Onaga
5,530,899	A	6/1996	MacDonald	5,865,745	A	2/1999	Schmitt et al.
5,543,892	A	8/1996	Hirata et al.	5,872,635	A	2/1999	Akiyama
5,548,376	A	8/1996	Kikuno	5,872,928	A	2/1999	Lewis et al.
5,550,957	A	8/1996	Davidson, Jr. et al.	5,873,009	A	2/1999	Yamashita et al.
5,555,191	A	9/1996	Hripcsak	5,873,659	A	2/1999	Edwards et al.
5,561,501	A	10/1996	Honma	5,878,746	A	3/1999	Lemelson et al.
5,572,672	A	11/1996	Dewitt et al.	5,880,677	A	3/1999	Lestician
5,579,087	A	11/1996	Salgado	5,884,072	A	3/1999	Rasmussen
5,586,254	A	12/1996	Kondo et al.	5,887,216	A	3/1999	Motoyama
5,594,529	A	1/1997	Yamashita et al.	5,890,029	A	3/1999	Hirata et al.
5,600,301	A	2/1997	Robinson, III	5,894,416	A	4/1999	Kuroyanagi et al.
5,600,403	A	2/1997	Inoo	5,897,235	A	4/1999	Honma
5,603,060	A	2/1997	Weinberger et al.	5,901,286	A	5/1999	Danknick et al.
5,603,323	A	2/1997	Pflugrath et al.	5,905,906	A	5/1999	Goffinet et al.
5,619,024	A	4/1997	Kolls	5,909,493	A	6/1999	Motoyama et al.
5,619,716	A	4/1997	Nonaka et al.	5,911,095	A	6/1999	Atsumi et al.
5,631,724	A	5/1997	Sawada et al.	5,913,060	A	6/1999	Discavage
5,636,008	A	6/1997	LoBiondo et al.	5,917,405	A	6/1999	Joao
5,636,333	A	6/1997	Davidson, Jr. et al.	5,923,842	A	7/1999	Pedersen et al.
5,638,427	A	6/1997	Flemming et al.	5,933,675	A	8/1999	Sawada et al.
5,640,495	A	6/1997	Colbert et al.	5,935,060	A	8/1999	Iliff
5,642,202	A	6/1997	Williams et al.	5,941,949	A	8/1999	Pedersen
5,642,208	A	6/1997	Takahashi et al.	5,956,487	A	9/1999	Venkatraman et al.
5,655,084	A	8/1997	Pinsky et al.	5,956,698	A	9/1999	Lacheze et al.
5,659,794	A	8/1997	Caldarale et al.	5,961,586	A	10/1999	Pedersen
5,673,190	A	9/1997	Kahleck et al.	5,968,116	A	10/1999	Day et al.
				5,970,149	A	10/1999	Johnson

US 8,060,886 B2

Page 3

5,974,234 A	10/1999	Levine et al.	6,317,783 B1	11/2001	Freishtat et al.
5,975,737 A	11/1999	Crater et al.	6,317,848 B1	11/2001	Sorens et al.
5,991,810 A	11/1999	Shapiro et al.	6,325,540 B1	12/2001	Lounsberry et al.
6,003,061 A	12/1999	Jones et al.	6,327,594 B1	12/2001	Van Huben et al.
6,003,070 A	12/1999	Frantz	6,338,086 B1	1/2002	Curtis et al.
6,003,078 A	12/1999	Kodimer et al.	6,343,320 B1	1/2002	Fairchild et al.
6,006,045 A	12/1999	Miyawaki	6,356,933 B2	3/2002	Mitchell et al.
6,009,274 A	12/1999	Fletcher et al.	6,356,949 B1	3/2002	Katsandres et al.
6,009,284 A	12/1999	Weinberger et al.	6,366,741 B1	4/2002	Fukushima
6,012,088 A	1/2000	Li et al.	6,368,284 B1	4/2002	Bardy
6,014,631 A	1/2000	Teagarden et al.	6,370,552 B1	4/2002	Bloomfield
6,014,691 A	1/2000	Brewer et al.	6,370,570 B1	4/2002	Muir et al.
6,014,694 A	1/2000	Aharoni et al.	6,370,582 B1	4/2002	Lim et al.
6,016,535 A	1/2000	Krantz et al.	6,377,162 B1	4/2002	Delestienne et al.
6,021,284 A	2/2000	Serizawa et al.	6,377,971 B1	4/2002	Madden et al.
6,022,315 A	2/2000	Iliff	6,381,557 B1	4/2002	Babula et al.
6,023,223 A	2/2000	Baxter, Jr.	6,397,212 B1	5/2002	Biffar
6,023,507 A	2/2000	Wookey	6,405,310 B1	6/2002	Simpson
6,023,721 A	2/2000	Cummings	6,406,426 B1	6/2002	Reuss et al.
6,023,749 A	2/2000	Richardson	6,412,026 B1	6/2002	Graf
6,025,925 A	2/2000	Davidson, Jr. et al.	6,415,023 B2	7/2002	Iggulden
6,031,964 A	2/2000	Anderson	6,415,392 B1	7/2002	Suzuki et al.
6,041,041 A	3/2000	Ramanathan et al.	6,421,671 B1	7/2002	Bryan et al.
6,042,111 A	3/2000	Rivers et al.	6,426,798 B1	7/2002	Yeung
6,057,857 A	5/2000	Bloomfield	6,430,612 B1	8/2002	Iizuka
6,060,994 A	5/2000	Chen	6,430,711 B1	8/2002	Sekizawa
6,061,603 A	5/2000	Papadopolous et al.	6,434,572 B2	8/2002	Derzay et al.
6,064,915 A	5/2000	Kaneko et al.	6,437,692 B1	8/2002	Petite et al.
6,065,118 A	5/2000	Bull et al.	6,437,803 B1	8/2002	Panasyuk et al.
6,081,623 A	6/2000	Bloomfield et al.	6,438,598 B1	8/2002	Pedersen
6,088,718 A	7/2000	Altschuler et al.	6,446,192 B1	9/2002	Narasimhan et al.
6,091,915 A	7/2000	Takagishi	6,449,633 B1	9/2002	Van et al.
6,098,116 A	8/2000	Nixon et al.	6,449,663 B1	9/2002	Carney et al.
6,101,407 A	8/2000	Groezinger	6,453,127 B2	9/2002	Wood et al.
6,108,492 A	8/2000	Miyachi	6,453,129 B1	9/2002	Simpson et al.
6,112,035 A	8/2000	Kuroyanagi et al.	6,457,038 B1	9/2002	Defosse
6,112,256 A	8/2000	Goffinet et al.	6,462,831 B1	10/2002	Akiyama
6,115,489 A	9/2000	Gupta et al.	6,466,971 B1	10/2002	Humpleman et al.
6,118,899 A	9/2000	Bloomfield et al.	6,471,521 B1	10/2002	Dornbush et al.
6,119,934 A	9/2000	Kolls	6,477,117 B1	11/2002	Narayanaswami et al.
6,122,463 A	9/2000	Nagatani	6,479,792 B1	11/2002	Beiermann et al.
6,125,363 A	9/2000	Buzzeo et al.	6,487,513 B1	11/2002	Eastvold et al.
6,130,999 A	10/2000	Serizawa et al.	6,493,517 B1	12/2002	Hanson
6,139,177 A	10/2000	Venkatraman et al.	6,493,871 B1	12/2002	McGuire et al.
6,141,737 A	10/2000	Krantz et al.	6,494,831 B1	12/2002	Koritzinsky
6,152,365 A	11/2000	Kolls	6,510,350 B1	1/2003	Steen et al.
6,157,944 A	12/2000	Pedersen	6,523,013 B2	2/2003	Shah et al.
6,161,145 A	12/2000	Bainbridge	6,523,063 B1	2/2003	Miller et al.
6,167,432 A	12/2000	Jiang	6,523,130 B1	2/2003	Hickman et al.
6,167,448 A	12/2000	Hemphill et al.	6,529,848 B2	3/2003	Sone
6,172,683 B1	1/2001	Bloomfield	6,538,667 B1	3/2003	Duursma et al.
6,175,866 B1	1/2001	Holloway et al.	6,549,612 B2	4/2003	Gifford et al.
6,181,331 B1	1/2001	Trainor et al.	6,553,336 B1	4/2003	Johnson et al.
6,189,113 B1	2/2001	Rabb et al.	6,553,490 B1	4/2003	Kottapurath et al.
6,196,735 B1	3/2001	Inamine	6,559,965 B1	5/2003	Simpson et al.
6,205,466 B1	3/2001	Karp et al.	6,560,611 B1	5/2003	Nine et al.
6,209,048 B1	3/2001	Wolff	6,560,641 B1	5/2003	Powderly et al.
6,221,011 B1	4/2001	Bardy	6,560,656 B1	5/2003	O'Sullivan et al.
6,226,650 B1	5/2001	Mahajan et al.	6,564,227 B2	5/2003	Sakakibara et al.
6,230,199 B1	5/2001	Revashetti et al.	6,567,813 B1	5/2003	Zhu et al.
6,246,485 B1	6/2001	Brown et al.	6,574,729 B1	6/2003	Fink et al.
6,256,378 B1	7/2001	Iggulden et al.	6,581,092 B1	6/2003	Motoyama et al.
6,256,668 B1	7/2001	Slivka et al.	6,581,094 B1	6/2003	Gao
6,260,148 B1	7/2001	Aggarwal et al.	6,587,812 B1	7/2003	Takayama
6,260,248 B1	7/2001	Cramer et al.	6,591,272 B1	7/2003	Williams
6,282,454 B1	8/2001	Papadopolous et al.	6,598,011 B1	7/2003	Howards Koritzinsky et al.
6,282,711 B1	8/2001	Halpern et al.	6,601,087 B1	7/2003	Zhu et al.
6,286,038 B1	9/2001	Reichmeyer et al.	6,601,159 B1	7/2003	Smith et al.
6,286,059 B1	9/2001	Sugiura	6,604,212 B2	8/2003	Sekizawa et al.
6,289,461 B1	9/2001	Dixon	6,609,108 B1	8/2003	Pulliam et al.
6,292,828 B1	9/2001	Williams	6,611,863 B1	8/2003	Banginwar
6,295,527 B1	9/2001	McCormack et al.	6,631,407 B1	10/2003	Mukaiyama et al.
6,298,457 B1	10/2001	Rachlin et al.	6,636,899 B1	10/2003	Rabb et al.
6,304,895 B1	10/2001	Schneider et al.	6,643,650 B1	11/2003	Slaughter et al.
6,307,570 B1	10/2001	Stergiades	6,643,690 B2	11/2003	Duursma et al.
6,308,099 B1	10/2001	Fox et al.	6,646,655 B1	11/2003	Brandt et al.
6,311,024 B1	10/2001	Serizawa et al.	6,651,110 B1	11/2003	Caspers et al.
6,312,378 B1	11/2001	Bardy	6,651,190 B1	11/2003	Worley et al.
6,317,570 B1	11/2001	Uchida et al.	6,654,032 B1	11/2003	Zhu et al.

US 8,060,886 B2

6,654,720 B1	11/2003	Graham et al.	7,057,724 B1	6/2006	Mead et al.
6,654,726 B1	11/2003	Hanzek	7,065,576 B2	6/2006	Kamel et al.
6,665,425 B1	12/2003	Sampath et al.	7,069,298 B2	6/2006	Zhu et al.
6,670,810 B2	12/2003	Duncan et al.	7,072,946 B2 *	7/2006	Shafer 709/217
6,671,695 B2	12/2003	McFadden	7,079,010 B2	7/2006	Champlin
6,681,344 B1	1/2004	Andrew	7,080,267 B2	7/2006	Gary et al.
6,681,349 B2	1/2004	Sekizawa	7,082,426 B2	7/2006	Musgrove et al.
6,684,259 B1	1/2004	Discavage et al.	7,082,460 B2	7/2006	Hansen et al.
6,686,838 B1	2/2004	Rezvani et al.	7,085,814 B1	8/2006	Gandhi et al.
6,687,848 B1	2/2004	Najmi	7,085,824 B2	8/2006	Forth et al.
6,687,873 B1	2/2004	Ballantyne et al.	7,089,567 B2 *	8/2006	Girardot et al. 719/330
6,691,106 B1	2/2004	Sathyanarayan	7,091,846 B2	8/2006	Wu
6,691,154 B1	2/2004	Zhu et al.	7,092,370 B2	8/2006	Jiang et al.
6,691,157 B2	2/2004	Muir et al.	7,099,110 B2	8/2006	Detzler
6,704,807 B1	3/2004	Mathur et al.	7,100,200 B2	8/2006	Pope et al.
6,710,893 B1	3/2004	Hou et al.	7,103,357 B2	9/2006	Kirani et al.
6,711,593 B1	3/2004	Gordon et al.	7,103,799 B2	9/2006	Dixon
6,711,618 B1	3/2004	Danner et al.	7,113,988 B2	9/2006	Chirashya et al.
6,717,513 B1	4/2004	Sandelman et al.	7,116,681 B1	10/2006	Hovell et al.
6,738,798 B1	5/2004	Ploetz et al.	7,117,239 B1	10/2006	Hansen
6,754,664 B1	6/2004	Bush	7,117,243 B2	10/2006	Pearl
6,757,714 B1	6/2004	Hansen	7,127,525 B2	10/2006	Coleman et al.
6,757,899 B2 *	6/2004	Zhdankin et al. 719/315	7,130,883 B2	10/2006	Zhu et al.
6,763,274 B1	7/2004	Gilbert	7,142,839 B2	11/2006	Pelaez et al.
6,763,501 B1	7/2004	Zhu et al.	7,149,792 B1	12/2006	Hansen
6,766,333 B1	7/2004	Wu et al.	7,158,483 B1	1/2007	Takabatake et al.
6,775,238 B1	8/2004	Suzuki	7,162,315 B2	1/2007	Gilbert
6,779,004 B1	8/2004	Zintel	7,162,628 B2	1/2007	Gentil et al.
6,782,542 B1	8/2004	Mein et al.	7,178,149 B2	2/2007	Hansen
6,785,015 B1	8/2004	Smith et al.	7,185,014 B1	2/2007	Hansen
6,785,713 B1	8/2004	Freeman et al.	7,194,743 B2	3/2007	Hayton et al.
6,785,726 B1	8/2004	Freeman et al.	7,203,755 B2	4/2007	Zhu et al.
6,789,112 B1	9/2004	Freeman et al.	7,213,051 B2	5/2007	Zhu et al.
6,789,119 B1	9/2004	Zhu et al.	7,216,172 B2	5/2007	Yang et al.
6,792,337 B2	9/2004	Blackett et al.	7,234,943 B1	6/2007	Aleali
6,799,209 B1	9/2004	Hayton	7,254,601 B2	8/2007	Baller et al.
6,799,270 B1	9/2004	Bull et al.	7,266,526 B1	9/2007	Drummond et al.
RE38,609 E	10/2004	Chen et al.	7,290,061 B2	10/2007	Lentini et al.
6,804,712 B1	10/2004	Kracht	7,293,176 B2	11/2007	Otway et al.
6,807,580 B2	10/2004	Freeman et al.	7,330,872 B2	2/2008	Pearl et al.
6,810,488 B2	10/2004	Teng	7,334,119 B2	2/2008	Gentil et al.
6,816,616 B2	11/2004	Teng	7,340,772 B2	3/2008	Panasyuk et al.
6,823,397 B2	11/2004	Rawson, III	7,346,842 B1	3/2008	Hayton et al.
6,826,606 B2	11/2004	Freeman et al.	7,353,253 B1	4/2008	Zhao
6,831,555 B1	12/2004	Miller et al.	7,359,953 B2	4/2008	Muir et al.
6,832,239 B1	12/2004	Kraft et al.	7,376,695 B2	5/2008	Duursma et al.
6,832,373 B2	12/2004	O'Neill	7,421,484 B2	9/2008	Das
6,834,298 B1	12/2004	Singer et al.	7,444,071 B2	10/2008	Chen
6,842,903 B1	1/2005	Weschler	7,453,379 B2	11/2008	Plamondon
6,857,013 B2	2/2005	Ramberg et al.	7,460,038 B2	12/2008	Samuels et al.
6,886,046 B2	4/2005	Stutz et al.	7,490,166 B2	2/2009	Yang et al.
6,891,830 B2	5/2005	Curtis	7,496,097 B2	2/2009	Rao et al.
6,901,448 B2	5/2005	Zhu et al.	7,502,726 B2	3/2009	Panasyuk et al.
6,904,593 B1	6/2005	Fong et al.	7,502,784 B2	3/2009	Collins
6,920,480 B2	7/2005	Mitchell et al.	7,529,767 B2	5/2009	DeAnna et al.
6,922,724 B1	7/2005	Freeman et al.	7,532,134 B2	5/2009	Samuels et al.
6,925,335 B2	8/2005	May et al.	7,542,471 B2	6/2009	Samuels et al.
6,925,645 B2	8/2005	Zhu et al.	7,555,529 B2	6/2009	Bloomfield et al.
6,928,469 B1	8/2005	Duursma et al.	7,562,121 B2	7/2009	Berisford
6,940,405 B2	9/2005	Script et al.	7,562,146 B2	7/2009	Panasyuk et al.
6,950,991 B2	9/2005	Bloomfield et al.	7,562,226 B2	7/2009	Aiken et al.
6,952,714 B2	10/2005	Pearl	7,565,526 B1	7/2009	Shaw et al.
6,963,899 B1	11/2005	Fernandez et al.	7,581,005 B2	8/2009	Montemayor et al.
6,972,676 B1	12/2005	Kimmel et al.	7,584,294 B2	9/2009	Plamondon
6,983,020 B2	1/2006	Christiansen	7,587,755 B2	9/2009	Kramer
6,985,779 B2	1/2006	Hsiung et al.	7,593,514 B1	9/2009	Zhuang et al.
6,986,040 B1	1/2006	Kramer et al.	7,594,018 B2	9/2009	Pedersen
6,990,395 B2	1/2006	Ransom et al.	7,596,593 B2	9/2009	Mitchell et al.
7,003,574 B1	2/2006	Bahl	7,606,902 B2	10/2009	Rao et al.
7,016,966 B1	3/2006	Saulpaugh et al.	7,609,721 B2	10/2009	Rao et al.
7,020,706 B2	3/2006	Cates et al.	7,613,131 B2	11/2009	Decasper et al.
7,020,773 B1	3/2006	Otway et al.	7,617,531 B1	11/2009	Chauhan et al.
7,028,025 B2	4/2006	Collins	7,619,545 B2	11/2009	Samuels et al.
7,028,081 B2	4/2006	Kawashima	7,656,799 B2	2/2010	Samuels et al.
7,031,342 B2	4/2006	Teng	7,657,657 B2	2/2010	Rao et al.
7,032,005 B2	4/2006	Mathon et al.	7,661,129 B2	2/2010	Panasyuk et al.
7,043,677 B1	5/2006	Li	7,661,131 B1	2/2010	Shaw et al.
7,046,134 B2	5/2006	Hansen	7,664,857 B2	2/2010	Ovsiannikov et al.
7,051,084 B1	5/2006	Hayton et al.	7,676,813 B2	3/2010	Bisset et al.

US 8,060,886 B2

2001/0007117	A1	7/2001	Cooper et al.	2005/0193386	A1	9/2005	McCaleb et al.
2001/0025377	A1	9/2001	Hinderks	2005/0196023	A1	9/2005	Chen et al.
2001/0027439	A1	10/2001	Holtzman et al.	2005/0198189	A1	9/2005	Robinson et al.
2001/0049690	A1	12/2001	McConnell et al.	2005/0198245	A1	9/2005	Burgess et al.
2001/0049717	A1	12/2001	Freeman et al.	2005/0198292	A1	9/2005	Duursma et al.
2001/0052999	A1	12/2001	Hiraoka et al.	2005/0198379	A1	9/2005	Panasyuk et al.
2001/0056547	A1	12/2001	Dixon	2005/0198380	A1	9/2005	Panasyuk et al.
2002/0006790	A1	1/2002	Blumenstock et al.	2005/0198393	A1	9/2005	Stutz et al.
2002/0019844	A1	2/2002	Kurowski et al.	2005/0232168	A1	10/2005	Schauser et al.
2002/0026514	A1	2/2002	Ellis et al.	2005/0235014	A1	10/2005	Schauser et al.
2002/0032470	A1	3/2002	Linberg	2005/0246445	A1	11/2005	Panasyuk et al.
2002/0032720	A1	3/2002	Nelson et al.	2005/0246702	A1	11/2005	Yeh et al.
2002/0035533	A1	3/2002	Mache et al.	2005/0251551	A1	11/2005	Mitchell et al.
2002/0038320	A1	3/2002	Brook	2005/0256614	A1	11/2005	Habermas
2002/0052932	A1	5/2002	Curtis et al.	2005/0256923	A1	11/2005	Adachi
2002/0054169	A1	5/2002	Richardson	2005/0262076	A1	11/2005	Voskuil
2002/0059489	A1	5/2002	Davis et al.	2005/0267974	A1	12/2005	Panasyuk et al.
2002/0064138	A1	5/2002	Saito et al.	2005/0273513	A1	12/2005	Panasyuk et al.
2002/0078135	A1	6/2002	Venkatsubra	2006/0002315	A1	1/2006	Theurer et al.
2002/0078259	A1*	6/2002	Wendorf et al. 709/328	2006/0015740	A1	1/2006	Kramer
2002/0080391	A1	6/2002	Sugiura et al.	2006/0029062	A1	2/2006	Rao et al.
2002/0095600	A1	7/2002	Deen	2006/0029063	A1	2/2006	Rao et al.
2002/0116550	A1	8/2002	Hansen	2006/0029064	A1	2/2006	Rao et al.
2002/0133753	A1	9/2002	Mayberry et al.	2006/0031237	A1	2/2006	DeAnna et al.
2002/0135801	A1	9/2002	Tessman	2006/0031476	A1	2/2006	Mathes et al.
2002/0138567	A1	9/2002	Ogawa	2006/0031779	A1	2/2006	Theurer et al.
2002/0144016	A1	10/2002	Spicer et al.	2006/0037022	A1	2/2006	Byrd et al.
2002/0157090	A1	10/2002	Anton, Jr.	2006/0037071	A1	2/2006	Rao et al.
2002/0174085	A1	11/2002	Nelson et al.	2006/0037072	A1	2/2006	Rao et al.
2002/0178241	A1	11/2002	Eriksson	2006/0039354	A1	2/2006	Rao et al.
2002/0191612	A1	12/2002	Curtis	2006/0039355	A1	2/2006	Rao et al.
2003/0014733	A1	1/2003	Ringseth et al.	2006/0039356	A1	2/2006	Rao et al.
2003/0023957	A1*	1/2003	Bau et al. 717/140	2006/0039404	A1	2/2006	Rao et al.
2003/0025931	A1	2/2003	Dorfman et al.	2006/0047956	A1	3/2006	Calvin
2003/0037148	A1	2/2003	Pedersen	2006/0059239	A1	3/2006	Brasher et al.
2003/0056140	A1	3/2003	Taylor et al.	2006/0066448	A1	3/2006	Berisford et al.
2003/0061403	A1	3/2003	Miyata et al.	2006/0069662	A1	3/2006	Braddy et al.
2003/0063119	A1	4/2003	Bloomfield et al.	2006/0069668	A1	3/2006	Braddy et al.
2003/0063309	A1	4/2003	Parry	2006/0069750	A1	3/2006	Momtchilov et al.
2003/0070006	A1*	4/2003	Nadler et al. 709/330	2006/0069753	A1	3/2006	Hu et al.
2003/0072027	A1	4/2003	Haines et al.	2006/0070029	A1	3/2006	Laborczfalvi et al.
2003/0118353	A1	6/2003	Baller	2006/0070090	A1	3/2006	Gulkis
2003/0154284	A1	8/2003	Bernardin et al.	2006/0070131	A1	3/2006	Braddy et al.
2003/0158897	A1	8/2003	Ben-Natan et al.	2006/0074837	A1	4/2006	Braddy et al.
2003/0158919	A1	8/2003	Fomenko	2006/0075080	A1	4/2006	Burr et al.
2003/0163569	A1	8/2003	Panasyuk et al.	2006/0075114	A1	4/2006	Panasyuk et al.
2003/0177172	A1	9/2003	Duursma et al.	2006/0075123	A1	4/2006	Burr et al.
2003/0182375	A1	9/2003	Zhu	2006/0075381	A1	4/2006	Laborczfalvi et al.
2003/0200285	A1	10/2003	Hansen et al.	2006/0075463	A1	4/2006	Braddy et al.
2003/0200329	A1	10/2003	Delaney	2006/0077941	A1	4/2006	Alagappan et al.
2003/0229529	A1	12/2003	Mui et al.	2006/0087408	A1	4/2006	Korzeniowski
2003/0229785	A1	12/2003	Daseke et al.	2006/0087409	A1	4/2006	Korzeniowski
2004/0027373	A1	2/2004	Calder et al.	2006/0090171	A1	4/2006	Laborczfalvi et al.
2004/0027376	A1	2/2004	Calder et al.	2006/0095334	A1	5/2006	Simmons
2004/0098515	A1	5/2004	Rezvani et al.	2006/0095370	A1	5/2006	Seth et al.
2004/0128370	A1	7/2004	Kortright	2006/0100972	A1	5/2006	Chianese et al.
2004/0139309	A1	7/2004	Gentil et al.	2006/0135192	A1	6/2006	Surendra et al.
2004/0152450	A1	8/2004	Brasher et al.	2006/0150249	A1	7/2006	Gassen et al.
2004/0158630	A1	8/2004	Chang et al.	2006/0159080	A1	7/2006	Mazzaferri et al.
2004/0158631	A1	8/2004	Chang et al.	2006/0159432	A1	7/2006	Mazzaferri et al.
2004/0177124	A1	9/2004	Hansen	2006/0161555	A1	7/2006	Mazzaferri et al.
2004/0186693	A1	9/2004	Xiang et al.	2006/0161671	A1	7/2006	Ryman et al.
2004/0215605	A1	10/2004	Mester	2006/0161783	A1	7/2006	Aiken et al.
2004/0221026	A1	11/2004	Dorland	2006/0161959	A1	7/2006	Ryman et al.
2004/0252628	A1	12/2004	Detzler	2006/0161974	A1	7/2006	Innes et al.
2004/0260801	A1	12/2004	Li	2006/0179143	A1	8/2006	Walker et al.
2005/0005152	A1	1/2005	Singh et al.	2006/0184614	A1	8/2006	Baratto et al.
2005/0015501	A1	1/2005	Kaplan et al.	2006/0190719	A1	8/2006	Rao et al.
2005/0021772	A1	1/2005	Shedrinski	2006/0200307	A1	9/2006	Riess
2005/0033588	A1	2/2005	Ruiz et al.	2006/0200494	A1	9/2006	Sparks
2005/0055397	A1	3/2005	Zhu et al.	2006/0203007	A1	9/2006	Bullard et al.
2005/0080897	A1	4/2005	Braun et al.	2006/0206820	A1	9/2006	Bullard et al.
2005/0086172	A1	4/2005	Stefik	2006/0224742	A1	10/2006	Shabazi et al.
2005/0102388	A1	5/2005	Tabbara et al.	2006/0236325	A1	10/2006	Rao et al.
2005/0141507	A1	6/2005	Curtis	2006/0236385	A1	10/2006	Innes et al.
2005/0144612	A1	6/2005	Wang et al.	2006/0242415	A1	10/2006	Gaylor
2005/0154787	A1	7/2005	Cochran et al.	2006/0247502	A1	11/2006	Chen
2005/0190769	A1	9/2005	Smith	2006/0248144	A1	11/2006	Zhu
2005/0193099	A1	9/2005	Reus et al.	2006/0271875	A1	11/2006	Green et al.

2006/0271877	A1	11/2006	Theurer et al.	2009/0013064	A1	1/2009	Taylor et al.
2006/0282521	A1	12/2006	Anderson et al.	2009/0019226	A1	1/2009	Edwards et al.
2007/0005736	A1	1/2007	Hansen et al.	2009/0055745	A1	2/2009	Christansen
2007/0011295	A1	1/2007	Hansen	2009/0064134	A1	3/2009	Cox
2007/0011356	A1	1/2007	Schauser et al.	2009/0099836	A1	4/2009	Jacobsen et al.
2007/0022159	A1	1/2007	Zhu	2009/0100349	A1	4/2009	Hancock et al.
2007/0056009	A1	3/2007	Spilo et al.	2009/0106347	A1	4/2009	Harwood et al.
2007/0078976	A1	4/2007	Taylor et al.	2009/0117890	A1	5/2009	Jacobsen et al.
2007/0088826	A1	4/2007	Raphel et al.	2009/0119408	A1	5/2009	Teze et al.
2007/0094076	A1	4/2007	Perkowski et al.	2009/0187654	A1	7/2009	Raja et al.
2007/0094672	A1	4/2007	Hayton et al.	2009/0234972	A1	9/2009	Raghu et al.
2007/0100892	A1	5/2007	Kephart et al.	2009/0259728	A1	10/2009	Berisford et al.
2007/0106810	A1	5/2007	Ryman				
2007/0106811	A1	5/2007	Ryman				
2007/0113069	A1	5/2007	Gentil et al.				
2007/0130167	A1	6/2007	Day et al.				
2007/0130337	A1	6/2007	Arinson				
2007/0143837	A1	6/2007	Azeez et al.				
2007/0156810	A1	7/2007	Kumar				
2007/0156923	A1	7/2007	Kumar				
2007/0157101	A1	7/2007	Indiran et al.				
2007/0171921	A1	7/2007	Wookey et al.				
2007/0174410	A1	7/2007	Croft et al.				
2007/0174429	A1	7/2007	Mazzaferrri et al.				
2007/0174454	A1	7/2007	Mitchell et al.				
2007/0179955	A1	8/2007	Croft et al.				
2007/0180447	A1	8/2007	Mazzaferrri et al.				
2007/0180448	A1	8/2007	Low et al.				
2007/0180449	A1	8/2007	Croft et al.				
2007/0180450	A1	8/2007	Croft et al.				
2007/0180493	A1	8/2007	Croft et al.				
2007/0186212	A1	8/2007	Mazzaferrri et al.				
2007/0192329	A1	8/2007	Croft et al.				
2007/0198656	A1	8/2007	Mazzaferrri et al.				
2007/0198661	A1	8/2007	Hansen				
2007/0203952	A1	8/2007	Baron et al.				
2007/0239886	A1	10/2007	Montemayor et al.				
2007/0271599	A1	11/2007	Rosenstein				
2007/0282623	A1	12/2007	Dattorro				
2007/0288629	A2	12/2007	Taylor et al.				
2007/0294237	A1	12/2007	John et al.				
2008/0005321	A1	1/2008	Ma et al.				
2008/0031235	A1	2/2008	Harris et al.				
2008/0034057	A1	2/2008	Kumar et al.				
2008/0034072	A1	2/2008	He et al.				
2008/0034110	A1	2/2008	Suganthi et al.				
2008/0034111	A1	2/2008	Kamath et al.				
2008/0034119	A1	2/2008	Verzunov et al.				
2008/0034410	A1	2/2008	Udupa et al.				
2008/0034413	A1	2/2008	He et al.				
2008/0034418	A1	2/2008	Venkatraman et al.				
2008/0034419	A1	2/2008	Mullick et al.				
2008/0043617	A1	2/2008	Schekochikhin et al.				
2008/0043622	A1	2/2008	Kamath et al.				
2008/0043749	A1	2/2008	Suganthi et al.				
2008/0043760	A1	2/2008	Venkatraman et al.				
2008/0043761	A1	2/2008	Kumar et al.				
2008/0046371	A1	2/2008	He et al.				
2008/0046616	A1	2/2008	Verzunov et al.				
2008/0046714	A1	2/2008	Suganthi et al.				
2008/0046717	A1	2/2008	Kanekar et al.				
2008/0046727	A1	2/2008	Kanekar et al.				
2008/0046994	A1	2/2008	Venkatraman et al.				
2008/0049616	A1	2/2008	Kamath et al.				
2008/0065757	A1	3/2008	Motoyama et al.				
2008/0068289	A1	3/2008	Piasecki				
2008/0068290	A1	3/2008	Muklashy et al.				
2008/0069005	A1	3/2008	von Eicken et al.				
2008/0069104	A1	3/2008	von Eicken et al.				
2008/0071905	A1	3/2008	Sullivan et al.				
2008/0082657	A1	4/2008	Hart et al.				
2008/0109912	A1	5/2008	Rivera				
2008/0126978	A1	5/2008	Bai et al.				
2008/0154957	A1	6/2008	Taylor et al.				
2008/0201405	A1	8/2008	Duursma et al.				
2008/0208605	A1	8/2008	Sinha et al.				
2008/0219122	A1	9/2008	Detzler et al.				
2008/0231414	A1	9/2008	Canosa				
2008/0250110	A1	10/2008	Zhao				

FOREIGN PATENT DOCUMENTS

EP	1191744	A2	3/2002
EP	1 362 282		11/2003
EP	1 695 485		8/2006
FR	2797728		2/2001
GB	2305820		4/1997
JP	60-263162		12/1985
JP	06-062130		3/1994
JP	06062130		3/1994
JP	07325513		12/1995
JP	09163008		6/1997
JP	09-305407		11/1997
JP	09-325925		12/1997
JP	10190922		7/1998
JP	10224372		8/1998
JP	11-203079		7/1999
JP	11-296453		10/1999
JP	10-295788		4/2000
JP	2000-112863		4/2000
JP	200122952		4/2000
JP	2000-278773		10/2000
JP	2000-309145		11/2000
JP	2001-337817		12/2001
JP	2003-223603		8/2003
WO	WO98/20439		5/1998
WO	WO98/33302		7/1998
WO	WO98/38910		9/1998
WO	WO98/41943		9/1998
WO	WO99/21336		4/1999
WO	WO99/57649		11/1999
WO	WO99/57837		11/1999
WO	WO 99/57837		11/1999
WO	WO99/57838		11/1999
WO	WO99/64958		12/1999
WO	WO00/23894		4/2000
WO	WO 02/10919		2/2002
WO	WO 02/21239		3/2002
WO	WO 02/21299		3/2002
WO	WO02/21414		3/2002
WO	WO 02/21415		3/2002
WO	WO 02/21777		3/2002
WO	WO02/25501		3/2002
WO	WO03/021464		3/2003
WO	WO03/054439		7/2003
WO	WO2004/059447		7/2004
WO	WO2006/009402		1/2006
WO	WO97/30879		1/2007
WO	WO2008/083177		7/2008

OTHER PUBLICATIONS

CORBA and XML Integration in Enterprise Systems—Ennis (2000); iona.com/info/techcenter/ecoop2000apr17.pdf.
 Implementing Incremental Code Migration with XML, Emmerich, W. et al, IEEE, Jun. 4-11, 2000.
 XML-based Data System for Earth Science Applications, Suresh, R et al.; IEEE 2000 Internation, vol. 3, pp. 242-28, Jul. 2000.
upnp.org/download/UPnPDA10_20000613.htm (52 pgs).
 webmethods B2B Whitepaper; cs.wisc.edu/~vganti/papers/b2b_wpB2Bintegration.html.
 virtual reality transfer protocol (vrtp); stl.nps.navy.mil/~brutzman/vrtp.
 The Simple Times, vol. 7, No. 1, Mar. 1999; simple-times.org/pub/simple-times/issues/7-1.html.
 Edward F. Steinfeld "Internet-appliance technology automates test equipment" EDN Magazine, pp. 157-169, Oct. 2000, edbmag.com.

- Tom Williams "Java Goes to Work Controlling Networked Embedded Systems" *Computer Design*, Pennwell Publ. Littleton, MA, 35:9:36-37, Aug. 1996.
- linuxjournal.com/article.php?sid=4195.
- "RomWebClient Embedded HTTP client 1-61 Toolkit" Allegrosoft, 'Online! Jul. 9, 2000, pp. 1-2, XPO02201938 Retrieved from the Internet: <URL: Archive.Org/web/2000070920_4234/www.allegrosoft.com/romwebclient.html> retrieved on Jun. 12, 2002 the whole document.
- Allegro Software product release 1-61 overview Greenhills Software Inc., 'Online! Jun. 10, 2002, pp. 1-1, XPO02201939 Retrieved from the Internet: URL: Ghs.Com/partners/allegro/>' retrieved on Jun. 10, 2002! The whole document.
- Database WIP, Section EI, Week 200156, Abstract, Document No. XP002253876 (Korea Electronics & Telecom Res Inst.) Derwent Publications, Ltd., London, GB, Mar. 5, 2001.
- Box, et al., Simple Object Access Protocol (SOAP) 1.1, Document No. XP002250270, May 8, 2000.
- Edward Steinfeld, "Making the Change", Document No. XP002201937, Apr. 2000, Circuit Cellar Online.
- International Search Report—PCT/US03/11701 (dtd Oct. 13, 2004).
- Lerner, R., "At the Forge: Introducing SOAP", *Linux Journal*, Mar. 2001 (#XP002292162).
- SOAP Archives Online, "Multiple Method Calls in SOAP Packet"; URL: discuss.develop.com/archives/wa.exe?A2=ind9912&L=soap&T=O&F=&S=&P=25113>.
- Mason, K. "XML Translation for block structured languages", IBM Corporation: Research Disclosure, Kenneth Mason Publications, 44176 (2001).
- Incremona, A., "Remote Service Diagnostics for Imaging Equipment: Today and Tomorrow," *Advanced Imaging*, 12(9):90(2) (1997).
- Lassman, M. et al., "Modern Nuclear Medical Diagnostics with Efficient Gamma Cameras," *Electromedica*, 66(2):43-51 (1998).
- Reuven M. Lerner, At the Forge Introducing SOAP, 2001.
- Didier Martin, Professional XML, Jan. 2000.
- Math Markup Language (Chapter 4); w3.org/TR/REC-MathML/chap4_4.html.
- Memphis Educational Computer Connectivity Alliance (MECCA) mecca.org/~Itague/nsfnocostextension.html.
- EBITS: Electronic Business & Information Technology for Society Research Consortium cs.dartmouth.edu/~makedon/cs188/proposal.html.
- Adelberg, D., "Building Robust Wrappers for Text Sources", [online] Retrieved from the Internet<URL://student.bu.ac.bd/~mumit/Research/NLP-bib/papers/Adelberg99.pdf> [retrieved on Nov. 24, 2008] (1999).
- Bock, G., "Mainstreaming XML-based Enterprise Applications: Using Oracle XML DB to Manage Financial Information within a Global Banking System", Oracle Corporation, (C) 2003.
- Chandler, T. et al., "The Technology Development of Automatic Metering and Monitoring Systems", Int'l Power Engineering Conf. 2005, IEEE, 4 pgs.
- Cheung, D. et al., "Distributed and Scalable XML Document Processing Architecture for E-Commerce Systems", Adv. Issues of E-Commerce and Web-Based Information Systems, WECWIS 2000, 2nd Int'l Workshop, (Jun. 2000), pp. 152-157.
- EBITS: Electronic Business & Information Technology for Society Research Consortium, Proposal for Development of an Educational and Research Infrastructure for Safe Electronic Commerce, [online] Retrieved from the Internet: <URL: cs.dartmouth.edu/~makedon/cs188/proposal.html>, [retrieved Feb. 15, 2005].
- Franklin, M. et al., "Data in Your Face: PUSH Technology in Perspective", Proc. ACM SIGMOD Int'l Conf. on Mgmt of Data, (Jun. 1998), #XP000886180, pp. 516-519.
- Jiang, et al., "Record-Boundary Discovery in Web Documents", [online] Retrieved from the Internet: <URL: osm7.cs.byu.edu/deg/papers/SJ.Thesis.ps>, [retrieved on Nov. 24, 2008] (1998).
- Kafeza, E. et al., "Alerts in Mobile Healthcare Applications: Requirements and Pilot Study", IEEE, vol. 8, No. 2, pp. 173-181 (Jun. 2004).
- Universal Plug & Play Device Architecture, (C) Microsoft Corporation (Jun. 8, 2000), [online] Retrieved from the Internet: <URL: upnp.org/specs/arch/upnpda10_20000613.htm>, [retrieved on Nov. 24, 2008].
- Koppen, E., et al., "Active Hypertext for Distributed Web Applications", *Enabling Technologies: Infrastructure for Collaborative Enterprises*, (WET ICE '99), Proc. IEEE 8th Int'l Workshop (1999), pp. 297-302.
- Lewandowska, J., et al., "System for Grouping Technologically Similar Devices", v. 48 n 12; (Dec. 1975), pp. 636-638 (English Abstract).
- Martin, D., "Professional XML", WROX Press Ltd., pub., Ch. 11, 'Server to Server', pp. 559-562, 819-820 (2000).
- Mason, K., "XML Translation for block structured languages", IBM Corporation: Research Disclosure, Kenneth Mason Publications, 44176 (2001).
- Mills et al., "A knowledge-based method for inferring semantic concepts from visual models of system behavior," *ACM* (Jul. 2000), pp. 306-337.
- Schmidt, The Evolution of Workflow Standards, IEEE (1999).
- SOAP Archives Online, "Multiple Method Calls in SOAP Packet"; [online] Retrieved from the Internet<URL: discuss.develop.com/archives/wa.exe?A2=ind9912&L=soap&T=O&F=&S=&P=25113>, [retrieved on Dec. 8, 2000].
- Van der Werff, M., et al., "A Mobile-Based Home Automatic System", IEEE Mobility Conference (2005).
- Wu et al., "A knowledge sharing and collaboration system model based on Internet", *Systems, Man, and Cybernetics*, 1999. IEEE SMC'99 Conference Proceedings, vol. 2, pp. 148-152 (1999).
- Examination Report in EP Application No. 01955993.9, dated Jan. 29, 2004.
- Examination Report in EP Application No. 01955993.9, dated Aug. 5, 2004.
- Examination Report in EP Application No. 01955993.9, dated Dec. 16, 2004.
- Examination Report in EP Application No. 01973431.8, dated Mar. 8, 2005.
- Communication in EP Application No. 01973431.8, dated Mar. 30, 2005.
- Examination Report in EP Application No. 01973431.8, dated Jan. 15, 2008.
- Office Action in EP Application No. 01996048.3, dated Jun. 22, 2004.
- Office Action in EP Application No. 01996048.3, dated Mar. 11, 2005.
- Examination Report in EP Application No. 03719774.6, dated Sep. 12, 2005.
- Examination Report in EP Application No. 03719774.6, dated Apr. 12, 2006.
- Examination Report in EP Application No. 01973431.8, dated Feb. 6, 2009.
- International Search Report in Application No. PCT/US01/23651, dated Jun. 3, 2002.
- International Search Report in Application No. PCT/US01/29787, dated Jun. 28, 2002.
- International Preliminary Examination Report in Application No. PCT/US01/29787, dated Aug. 21, 2002.
- International Preliminary Examination Report in Application No. PCT/US01/23651, dated Oct. 10, 2002.
- International Search Report in Application No. PCT/US01/45198, dated Apr. 29, 2003.
- International Search Report in Application No. PCT/US03/11707, dated Sep. 24, 2003.
- International Search Report and Written Opinion in Application No. PCT/US03/11701, dated Oct. 13, 2004.
- Written Opinion in Application No. PCT/US01/45198, dated May 31, 2007.
- International Preliminary Examination Report in Application No. PCT/US01/45198, dated Apr. 2, 2008.
- International Preliminary Report on Patentability in Application No. PCT/US2007/088858, dated Jul. 9, 2009.
- Application and Response History in U.S. Appl. No. 09/627,201 on Apr. 22, 2009.
- Application and Response History in U.S. Appl. No. 10/805,012 on Apr. 22, 2009.
- Action and Response History in U.S. Appl. No. 09/667,737 on Apr. 22, 2009.

- Application and Response History in U.S. Appl. No. 11/677,279, on Jul. 7, 2009.
- Application and Response History in U.S. Appl. No. 09/716,717, on Apr. 22, 2009.
- Action and Response History in U.S. Appl. No. 09/708,384 on Apr. 22, 2009.
- Action and Response History in U.S. Appl. No. 11/503,638 on May 28, 2009.
- Action and Response History in U.S. Appl. No. 10/123,960, on Apr. 22, 2009.
- Action and Response History in U.S. Appl. No. 10/124,181, on Apr. 22, 2009.
- Action and Response History in U.S. Appl. No. 10/784,138, on Aug. 26, 2009.
- Action and Response History in U.S. Appl. No. 10/028,126, through Feb. 19, 2009.
- Action and Response History in U.S. Appl. No. 11/537,399, through May 28, 2009.
- Action and Response History in Application No. 11/538,402, through Jul. 7, 2009.
- Summons to attend oral proceedings in corresponding European Application No. 01955993.9 dated Oct. 31, 2005.
- Result of Consultation of Nov. 24, 2005 and Nov. 25, 2005 from corresponding European Application No. 01955993.
- Submission in German dated Nov. 25, 2005 from corresponding European Application No. 01955993.9.
- Annex to EPO Form 2004 with claims for grant in European Application No. 01955993.9.
- Oral Proceeding Minutes with European Application No. 01955993.9.
- Communication dated Apr. 26, 2005 in European Application No. 01955993.9.
- Action and Response History in U.S. Appl. No. 11/774,474, through Sep. 22, 2009.
- "Siemens Medical, BJC Health System Extend deal to multivendor service," *Medical Imaging News*, vol. 6, No. 26, Jun. 27, 1997.
- Mar. 8, 2005 Office Action from application 01 973 431.8.
- Math Markup Language (Chapter 4): w3.org/TR/REC-MathML/chap4_4.html.
- Memphis Educational Computer Connectivity Alliance (MECCA) mecca.org/~ltague/nsfnocostextension.html.
- Xerox 190 Copier, Electronic Data Interface Operator Guide, ver. 1.0, 1989.
- Lindley, David, "Xerox unveils copier that phones for help," *Rochester Democrat and Chronicle*, Mar. 28, 1990.
- Rytting, Todd, "Dispensing the Goods, Embedded Style," *Circuit Cellar Online*, Oct. 1999.
- Ennis, Darach, "Cobra and XML Integration in Enterprise Systems," Trinity College Dublin, IONA Technologies Inc.
- Emmerich et al., "Implementing Incremental Code Migration with XML," University College London, 2000.
- Suresh et al., "XML-Based Data Systems for Earth Science Applications," Raytheon Information Technology and Scientific Services, Lanham, MD, 2000.
- Oct. 6, 1998, "Frequently Asked Questions about the Extensible Markup Language—The XML FAQ" Version 1.41 (oasis-open.org/cover/xmlFAQ141-19981006.html).
- Jun. 20, 1997, Layman, et al., "XML-Data," Position Paper from Microsoft Corp. (oasis-open.org/cover/xml-data9706223.html).
- Pfeiffer, R., "Tutorial 2: Writing XML Documents," 1999.
- Luh, James C., "With several specs complete, XML enters widespread development," *Internet World*, Jan. 4, 1999.
- Kimball, Ralph, "XML Will Make it Easier," *Intelligent Enterprise* (intelligententerprise.com/010507/webhouse1_1.jhtml).
- Kovar, Joseph, "Xerox Unveils Expanded Channel Lineup; Also Plans to Introduce E-Mail, Queue Management Software," *PC Expo*, Jun. 18, 1999.
- EmWare Press Release: "Motorola, Mitsubishi and National Semiconductor Join emWare's Embed The Internet Alliance," Chicago, IL, Mar. 2, 1999.
- EmWare Press Release: "emWare's emLink (TM) Used to Internet-enable Welch Allyn's Vital Signs Monitor," Chicago, IL Mar. 2, 1999.
- EmWare Press Release: "emWare, IBM Demonstrate Next Phase in Establishing Worldwide Access to Embedded Devices," Chicago, IL Mar. 2, 1999.
- EmWare Press Release: "Invensys Selects emWare EMIT Device-Networking Software to Add Remote Monitoring and Control Capabilities to its Controller Products," Salt Lake City, Utah Jun. 14, 1999.
- EmWare Press Release: "emWare Delivers EMIT 3.0 SDK Pro-A Complete Device Networking Kit for Developing End-to-end, Embedded Device Networking Solutions," Salt Lake City, Utah May 24, 1999.
- EmWare Press Release: "emWare Announces Support for Sun Microsystems Jini Technology," Salt Lake City, Utah Feb. 17, 1999.
- Trewitt, G., "Digital Network Systems Laboratory, NSL Technical Note TN-14, Using Tcl to Process HTML Forms".
- Jennyc, Kenn S., "Linking Enterprise Business Systems to the Factory Floor," *The Hewlett-Packard Journal*, Article 9, May 1998.
- Walsh, Norman, "XSL The Extensible Style Language: Styling XML Documents," *New Architect Daily*, Jan. 1999.
- Pfeiffer, R., "XML Tutorials for Programmers: Tutorial 2: Writing XML Documents," (<http://imb.com/xml>).
- Winer, Dave, "XML-RPC Specification," (<http://XML-RPC.com>), Jun. 15, 1999.
- Layman, A, et al., "XML-Data," Microsoft Position Paper, Jun. 20, 1997 (<http://www.oasis-open.org/cover/xml-data9706223.html>).
- Sep. 1995, *Medical Imaging*, East Providence, RI.
- Eastvold, Roger, "Tiss and Tell," *Medical Imaging*, Sep. 1995.
- Nov. 1996, *24x7*, HealthTech Publishing Company, Inc.
- Wigget, Jeremy, "Intraview: Roger Eastvold of Orasis Inc.," *24x7*, Nov. 1996.
- Dec. 27, 1995, *SCAN Diagnostic Imaging*, vol. 8, No. 24.
- Winter 1992, *Field of View*, vol. 2, No. 3, Toshiba America Medical System, Inc.
- Reagan, Kelly, "Technology for the Soul," *OC Metro*, Sep. 1, 1995.
- "Remote Diagnostics: Strategic weapon in the war for multi-vendor service contracts," *Tech Assessment*, vol. 3, No. 12, Dec. 1995.
- Eastvold, Roger, "Services: The Next Generation," *The Professional Journal*, vol. 20, No. 4.
- Apr. 22, 2005 Literature Search by Keyword: CyberTAC.
- Steinfeld, E., "Making the Change from Standalone to Internet Appliance," *Circuit Cellar Online*, Apr. 2000, pp. 1-7.
- Allegro, RomWebClient Embedded HTTP client Toolkit: Allegrosoft, *Circuit Cellar Online*, Sep. 7, 2000, pp. 1-2, XP-002201983, URL:web.archive.org/web/20000709204234/allegrosoft.com/romwebclient.html.
- "Allegro Software product release overview," Greenhills Software Inc., Jun. 10, 2002, p. 1, URL:ghs.com/partners/allegro/.
- European Office Action mailed Jun. 6, 2005 for Application No. 01955993.9-2211/1305712.
- Questra Preliminary Invalidity Contentions dated Apr. 29, 2005.
- Box et al., Simple Object Access Protocol (SOAP) 1.1 Document No. XP002250270, May 8, 2000.
- XP-002253876, c:\epodata\sea\eplogf\internal.log.
- Issue 77: The Next Bang: the Explosive Combination of Embedded Linuz, XML, and Instant Mess, linuxjournal.com/article.php?sid=4195, pp. 1-15.
- CyberTAC & RadScape Presentation, May 1997.
- CyberTAC from Virtual Impact Systems, Inc. Presentation.
- CyberTAC Remote Support System Presentation.
- Questra Applications Data Sheet.
- CyberTAC Design Presentation.
- Orasis Medical Services, Inc., Business Plan Copy No. 001, Nov. 1995.
- McBride, R.A., "Security Considerations for Active Messages," *ACM SIGICE Bulletin*, vol. 22 (2), Oct. 1996.
- Hanckmann, J., "Telescript: the emerging standard for intelligent messaging," *Philips Telecommunications Review*, vol. 52(1).
- Lassman, M. et al., "Modern Nuclear Medical Diagnostics with Efficient Gamma Cameras," *Electromedica* 66(2):43-51 (1998).
- Incremona, A. "Remote Service Diagnostics for Imaging Equipment: Today and Tomorrow," *Advanced Imaging*, 12(9):90(2) (1997).
- "The Simple Times, The Quarterly Newsletter of SNMP Technology, Comment, and Events," vol. 7, No. 1, Mar. 1999; simple-times.org/pub/simple-times/issues/7-1.html.

- Tom Williams, "Java Goes to Work Controlling Networked Embedded Systems," *Computer Designes*, Pennwell Publ. Littleton, MA 35:9:36-37, Aug. 1996.
- Edward F. Steinfeld, "Internet-appliance technology automates test equipment," *EDN Magazine*, pp. 157-169, Oct. 2000, www.edbmag.com.
- Database WIP, Section EI, Week 200156, Abstract, Document No. XP002253876 (Korea Electronics & Telecom Res Inst.) Derwent Publications, Ltd., London, GB, Mar. 5, 2001.
- WebMethods B2B Whitepaper; cs.wisc.edu/~vganti/papers/b2b_wpB2BIntegration.html.
- Virtual Reality Transfer Protocol (VRTP); stl.nps.navy.mil/~brutzman/vrtp.
- Lerner, R., "Introducing SOAP," *Linux Journal*, pp. 62-70, Mar. 2001.
- Office Action from European Patent Office, in Application No. 01 995 993.9-2211; dated Jan. 29, 2004.
- Office Action dated Nov. 17, 2003, in U.S. Appl. No. 09/627,201.
- International Search Report PCT/US01/45198.
- International Search Report PCT/US01/23651 mailed Jun. 3, 2002.
- Office Action dated Jul. 6, 2005, in U.S. Appl. No. 09/667,737.
- International Search Report dated Jun. 28, 2002 in PCT/US01/29787 filed Sep. 24, 2001.
- International Search Report, PCT/US03/11707, Apr. 16, 2003.
- Office Action for U.S. Appl. No. 09/667,737 mailed Feb. 23, 2004.
- Steinfeld "From Standalone to Internet Appliance" circuit cellar online, "online! Jul. 9, 2000, pp. XPOO2201938 Retrieved from the Internet: [URL:http://web.archive.org/web/20000709204234/alegrosoft.com/romwebclient.html](http://web.archive.org/web/20000709204234/alegrosoft.com/romwebclient.html)>retrieved on Jun. 12, 2002 the whole document.
- International Search Report in PCT/US01/29787.
- Wikipedia, "GoToMyPC", [online] Retrieved from the Internet<[URL://en.wikipedia.org/wiki/Gotomypc](http://en.wikipedia.org/wiki/Gotomypc)> [retrieved on Jan. 21, 2010] (2010).
- Citrix Online, Citrix Systems, Inc. White Paper, "GoToMyPC Security", [online] Retrieved from the Internet<URL:citrix.it/REPOSITORY/docRepository/id_979_1124821417888736.pdf> [retrieved on Mar. 16, 2010] (2004).
- Citrix Online, Citrix Systems, Inc. White Paper, "GoToMyPC Corporate Technology", [online] Retrieved from the Internet:<gotomypc.com/downloads/pdf/m/GoToMyPC_Corporate_Technology_White_Paper.pdf> [retrieved on Mar. 16, 2010] (2004).
- ExpertCity, Inc., White Paper, "GoToMyPC: Making Life Simpler for Teleworkers and Travelers", [online] Retrieved from the Internet:<si.umich.edu/Classes/540/Placement/GoOvrview.pdf> [retrieved on Mar. 16, 2010] (2001).
- Action and Response History in U.S. Appl. No. 10/784,138, on Sep. 23, 2010.
- Action and Response History in U.S. Appl. No. 11/537,399, through Aug. 11, 2010.
- Action and Response History in U.S. Appl. No. 11/677,279, on Sep. 28, 2010.
- Action and Response History in U.S. Appl. No. 10/124,181, on Sep. 28, 2010.
- Action and Response History in U.S. Appl. No. 11/538,402, through Sep. 28, 2010.
- Response to Examination Report in EP Application No. 01973431.8, dated Oct. 4, 2010.
- Letter from Foreign Associate regarding response filed in EP Application No. 01973431.8, dated Oct. 8, 2010.
- English translation of Notification of Reasons for Refusal in Japanese Application No. 2002-529431, dated Nov. 8, 2010.
- Notice of Reasons for Rejection in Japanese Application No. 2002-529431, dated Nov. 8, 2010.
- Action and Response History in U.S. Appl. No. 11/616,136, through Nov. 16, 2010.
- Action and Response History in U.S. Appl. No. 11/677,279, on Nov. 16, 2010.
- Action and Response History in U.S. Appl. No. 11/774,474, through Apr. 26, 2010.
- Machine Translation of Japanese Patent Publication No. 09-305407 (Pub Date Nov. 1997).
- Machine Translation of Japanese Patent Publication No. 11-296453, (Pub Date Oct. 1999).
- Machine Translation of Japanese Patent Publication No. 11-203079, (Pub Date Jul. 1999).
- Machine Translation of Japanese Patent Publication No. 2000-309145, (Pub Date Nov. 2000).
- Machine Translation of Japanese Patent Publication No. 2001-337817, (Pub Date Dec. 2001).
- Summons to attend Oral Proceedings in counterpart EP Application No. 01973431.8, dated Feb. 2, 2011.
- Action and Response History in U.S. Appl. No. 11/503,638 as retrieved on May 17, 2011.
- Action and Response History in U.S. Appl. No. 11/538,402 as retrieved on May 17, 2011.
- Action and Response History in U.S. Appl. No. 11/774,474 as retrieved on May 17, 2011.
- Second Auxiliary Response in EP Application No. 01973431.8, dated Apr. 26, 2011.
- International Search Report in Application No. PCT/US2002/040058, dated Nov. 3, 2003.
- International Preliminary Examination Report in Application No. PCT/US2002/040058, dated Jun. 10, 2004.
- International Search Report & Written Opinion in Application No. PCT/US2007/088858, dated May 21, 2008.
- Defense Information Systems Agency, Field Services Office, White Paper Report "pcAnywhere 10.5" (Sep. 2003).
- Search Report in EP Application No. 02792391.1, dated Nov. 19, 2009.
- Examination Report in EP Application No. 01973431.8, dated Mar. 23, 2010.
- Examination Report in EP Application No. 02792391.1, dated Mar. 10, 2010.

* cited by examiner




FIG. 1




FIG. 2




FIG. 4




FIG. 3

XML SCRIPTING OF SOAP COMMANDS**CROSS-REFERENCE TO RELATED APPLICATION**

This patent application is a divisional (and claims the benefit of priority under 35 U.S.C. §120) of U.S. patent application Ser. No. 10/123,960, filed on Apr. 17, 2002, now U.S. Pat. No. 7,178,149. The disclosure of U.S. patent application Ser. No. 10/123,960 is considered part of (and is incorporated by reference into) the disclosure of this application as if set forth herein in full.

TECHICAL FIELD

This invention relates generally to scripting simple object access protocol (SOAP) commands using extensible markup language (XML) and to providing the resulting XML script to a device for execution.

BACKGROUND

An apparatus may contain an embedded controller or agent software to monitor and control its operation. Any type of apparatus may have an embedded controller or agent including, but not limited to, home appliances, office equipment, medical devices, and industrial tools. Other examples include robots, blood analyzers, multifunction copiers, and air conditioners.

Embedded devices are often connected to an internal network, such as a local area network (LAN), with an interface to the Internet. Other devices on the internet network may communicate with an embedded device over the internet network. However, the embedded device is not generally addressable from the Internet. To address this problem, the embedded device may initiate communications with an addressable external device. That is, the embedded device may access the external device (e.g., a server) periodically to obtain necessary data.

SOAP is a standard for encoding function calls, such as remote procedure calls (RPCs), in XML. SOAP defines rules, i.e., a syntax, for encoding the function calls in XML. The body of a SOAP command is defined, at its start, by <SOAP-ENV:BODY> and, at its end, by </SOAP-ENV:BODY>. Code in between these two commands includes the function to be performed by the SOAP command. A SOAP command may include other data as well, such as header information.

SUMMARY

Heretofore, SOAP commands were only available as individual, discrete commands. This is impractical for device-initiated communication, particularly if the device is unaware of any timing issues relating to execution of the SOAP commands. The invention therefore scripts one or more SOAP commands in XML and provides the XML script to a device, such as an embedded controller, for execution. The XML script is executed by the embedded controller, much like a computer program, to control execution of the SOAP commands. For example, timing and sequence of execution of the SOAP commands may be specified in the XML script.

The invention also defines variables in the XML script, which may be passed to and from the SOAP commands. This facilitates the combination of SOAP commands in XML script and provides an advantage over the use of traditional SOAP commands, which are limited to passing "hard-coded" numerical values (i.e., non-variables).

In general, in one aspect, the invention is directed to a computer-implemented system for processing a simple object access protocol (SOAP) command. The system includes interpreting an XML script to perform a function contained in the XML script, the XML script containing the SOAP command, parsing the SOAP command from the XML script, and passing the SOAP command to a SOAP interpreter for execution. This aspect of the invention may include one or more of the following features.

Plural SOAP commands may be contained in the XML script. The plural SOAP commands may be passed to the SOAP interpreter. The plural SOAP commands may be executed in a sequence specified by the XML script. At least one of an argument and a return value may be received from the SOAP command following execution of the SOAP command. The argument may be stored as a variable in the XML script.

The XML script may declare a variable. A value of the variable may be passed as an argument to the SOAP command prior to executing the SOAP command. The function may be a conditional statement. The conditional statement may be an If-Then statement or an If-Then-Else statement. The function may be a control statement that affects a sequence of execution of the XML script and/or the SOAP command. The control statement may be a loop. The function may be an exception handler that affects a sequence of execution of the XML script and/or the SOAP command when an error condition exists. The function may be a statement that controls relative or absolute time to execute the SOAP command. Parsing may be performed by an XML interpreter and executing may be performed by the SOAP interpreter. The XML interpreter may pass the SOAP command to the SOAP interpreter and the SOAP interpreter may pass an output of the SOAP command to the XML interpreter.

In general, in another aspect, the invention is directed to a computer-implemented system for generating extensible markup language (XML) script that contains a simple object access protocol (SOAP) command. The system includes receiving code that defines a function and the SOAP command and translating the code to XML script that performs the function and contains the SOAP command. This aspect of the invention may include one or more of the following features.

The XML script may be provided to a device. The device may include a controller that executes the XML script. The code may contain plural SOAP commands and functions. The XML script may contain the plural SOAP commands and functions. The XML script may declare a variable. A value of the variable value may be passed as an argument to the SOAP command in the XML script.

The function may be a conditional statement. The conditional statement may be an If-Then statement or an If-Then-Else statement. The function may be a control statement that affects a sequence of execution of the XML script and/or the SOAP command. The control statement may be a loop. The function may be an exception handler that that affects a sequence of execution of the XML script and/or the SOAP command when an error condition exists. The function may be a statement that controls a relative or absolute time to execute the SOAP command.

Other features and advantages of the invention will become apparent from the following description, including the claims and drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of a network containing a server and a device having an embedded controller;

FIG. 2 is a flowchart showing a process for translating human-readable code into XML script;

FIG. 3 is a flowchart showing a process by which the embedded controller retrieves XML script for the device from the server; and

FIG. 4 is a flowchart showing a process by which the embedded controller executes the XML script.

DESCRIPTION

FIG. 1 shows a network 10. Network 10 includes a device 11 containing an embedded controller 17. Device 11 is any type of apparatus or system having functions that are monitored and controlled by embedded controller 17.

Device 11 is connected to an internal network 12, such as a LAN. A router or modem 14 couples internal network 12 to an external network 15, such as the Internet/World Wide Web (Web). External network 15 runs TCP/IP (Transmission Control Protocol/Internet Protocol) or some other suitable protocol. Network connections are via Ethernet, telephone line, wireless, or other transmission media.

External network 15 contains a server 19, which is a computer or any other processing device. Server 19 communicates with embedded controller 17 over external network 15 and internal network 12. Embedded controller 17 has a local IP (Internet Protocol) address that can be resolved within internal network 12. However, this local IP address may not be recognizable by devices or external network 15, such as server 19. As such, server 19 may not be able to directly address device 11.

Embedded Controller

Embedded controller 17 runs software 20, which includes Web client application 21 and operating software 22. Web client application 21 includes a TCP/IP protocol stack that allows embedded controller 17 to communicate over external network 15. Device operating software 22 provides an interface between Web client application 21 and a database 24 in memory 25. Through device operating software 22, embedded controller 17 retrieves data stored in database 24 and stores data in database 24.

Software 20 also includes an XML interpreter 23 and a SOAP interpreter 26. XML interpreter 23 is a module that receives XML script, parses the script, and performs the functions identified by the script. As background, XML is a self-describing computer language, meaning that fields in XML code identify variables and their values in the XML code. For example, a "data" field is delineated by "<data>" to indicate the start of the field and "</data>" to indicate the end of the field. XML is used because it can be generated, parsed and understood relatively easily.

Among the functions in the XML script may be an instruction to identify a SOAP command and to pass the SOAP command to SOAP interpreter 26 for processing. An example of another function includes a statement that controls relative or absolute time to execute the SOAP command. SOAP interpreter 26 receives SOAP commands from XML interpreter 23 and executes those commands. Examples of SOAP commands that can be executed by the embedded controller or agent include setting the value of a variable, uploading or downloading a file, restarting the software, or any action specific to the apparatus.

Database 24 stores data, such as operational parameters, XML script, and identification information for the instance of device 11. What is meant by "instance" is the specific identity of device 11 as distinguished from other identical devices. The identification information stored in database 24 identifies the instance of device 11. This identification information may

include data identifying the type of the device, a common (or "friendly") name for the device, the manufacturer of the device, the model name of the device, the model number of the device, the serial number of the device, or a universal unique identifier (UUID) for the device.

The device type is the name of the device. The common name of the device is how the device is known in the vernacular, e.g., "television". The manufacturer identifies the manufacturer of the device, e.g., Sony®. The model name identifies the particular model of the device, e.g., Wega®. The model number identifies the model number of the device, e.g., XBR400®. The serial number identifies the serial number of a particular instance of the device, e.g., 53266D. The UUID is a universal identifier for the instance of the device, e.g., 4A89EA70-73B4-11d4-80DF-0050DAB7BAC5. Of the data shown above, generally only the Ser No. and the UUID are unique to the instance of device 11.

The identification data stored in database 24 is used by embedded controller 17 to retrieve XML script specific to the instance of device 11 (or for a particular type of device 11) from server 19. A device-initiated process for retrieving the XML script is described below.

Server

Server 19 is a computer that runs an HTTP (Hypertext Transfer Protocol) Web server computer program. Server 19 includes a controller 27, such as a microprocessor, for executing software to perform the functions described below. To avoid confusion in terminology, the following reads as though those functions are performed by server 19, even though software in controller 27 of server 19 performs the functions.

Server 19 executes Web server software 29 to communicate over external network 15. Web server software 29 also hosts a Web page associated with device 11. The Web page (not shown) is displayed on computer 33 of a user, such as the owner of device 11, who may select some actions to be sent to the device. For example, a remote operator may want to update three operational variables, which requires three SOAP commands. These three SOAP commands are wrapped in an XML script that executes the commands as a single operation. The XML script, along with any input updated operational parameters (if desired) are transmitted to Web server software 29 over external network 15. Web server software 29 stores the XML script in database 30 of memory 31. An example of a process for updating operational parameters is described in U.S. patent application Ser. No. 09/667, 737, filed Sep. 22, 2000, the contents of which are incorporated into this application by reference as if set forth herein in full.

Web server software 29 stores and retrieves XML script from database 30 using application logic 32. Application logic 32 is software for accessing database 30 using Java servlets and a JDBC (Java Data Base Connectivity) database driver. The XML script can be stored in database 30 individually or as part of a configuration file for an instance of device 11.

Computer

Computer 33 is personal computer (PC) or other machine that includes a processor 36, a memory 37, and a storage medium 38 (see view 55). Storage medium 38 stores computer programs 39, which are executed by processor 36 out of memory 37. Computer programs 39 include a Web client application 43 containing a TCP/IP protocol stack for communicating over the Internet, a Web browser 44 such as Microsoft® Internet Explorer® for accessing Web pages, an operating system (OS) 45 such as Microsoft® Windows98®, and executable instructions 45 for implementing process 50, which is shown in FIG. 2.

5

Process 50 generates XML script containing one or more SOAP commands from user-generated code provided to computer 33. The code may be input by the user via a graphical user interface (GUI) (not shown), for example, or it may be retrieved from a storage medium or over network 15.

The code has a syntax that can be understood and interpreted by instructions 46. For example, the code may be a commonly-understood computer language, such as BASIC or “C”, or a form of pseudo-code specific to the invention. The code defines functions, such as conditional statements (e.g., If-Then or If-Then-Else statements), control statements (e.g., do While or do Until loops), or exception handlers, meaning fail-safe mechanisms that are triggered in the code in the event that an instruction in the code fails. The functions affect the sequence of execution of the resulting XML code and/or SOAP commands.

An example of user-generated C/C++ code is set forth below:

```
int local = 8;
int total = 0;
while ( total < 10 )
{
    total = SomeFunction(total);
    AnotherFunction(local);
}
```

This code initializes integer variables “local” and “total” to values of “8” and “0” respectively. The code includes a “While” loop, meaning that the loop between the brackets “{ }” is continually executed while the value of total is less than “10”, whereafter processing within the loop is discontinued. Within the loop, the value of “total” is set equal to the result of a SOAP command called “SomeFunction” processing the previous value of “total” and another SOAP command called “AnotherFunction” processing “local”.

Process 50 receives (201) code, such as that shown above, that defines one or more functions (e.g., a “While” loop) and one or more SOAP commands (e.g., “SomeFunction” and “AnotherFunction”). Process 50 translates (202) the code to XML script that, when interpreted, performs the functions and contains the SOAP commands. To perform the translation, process 50 may compile the code, interpret the functions in the compiled code, and generate appropriate XML script from the compiled code. An appropriate compiler may be included within instructions 46 for this purpose. The format of the SOAP commands may be static and known to the compiler, or the format may be determined dynamically from a WSDL (Web Services Description Language) document. WSDL is a standard for describing SOAP commands. WSDL is itself an XML document that can be interpreted automatically. WSDL defines the set of functions available and the format of each of the SOAP commands.

WSDL usually describes the functionality for a particular device or Web service. By reading WSDL, a program can display functions to a user, then create SOAP command(s) for the function(s) selected by the user. By way of example, there may be one thousand devices, all with individual settings, and it is desired to set all of the devices to 6% lower power usage. Using traditional SOAP commands, the server must be able to address each device, obtain each device’s current setting, calculate 94% of its value, then write that new value back to each device, all through issuing individual SOAP commands. Using a SOAP script, the same script can be sent to all of the devices because the variable is evaluated locally at each

6

device. As the population of monitored devices grows, this kind of distributed processing becomes more useful.

Continuing with the example set forth above, process 50 translates (202) the code into the following XML script:

```
<Root>
  <Variables>
    <local type=“integer”>8</local>
    <total type=“integer”>0</total>
  </Variables>
  <Script>
    <While conditions=“total < 10”>
      <SOAP-ENV:Body>
        <SomeFunction>
          <Count>total</Count>
        </SomeFunction>
      </SOAP-ENV:Body>
      <Return variable=“total”/>
      <SOAP-ENV:Body>
        <AnotherFunction>
          <Input>local</Input>
        </AnotherFunction>
      </SOAP-ENV:Body>
    </While>
  </Script>
</Root>
```

The XML script contains the same functions and SOAP commands as the original C/C++ code input by the user. For example, the “While” loop is expressed as

```
<While condition=“total<10”> and </While>
```

and the SOAP commands are expressed as

```
<SOAP-ENV:Body>
  <SomeFunction>
    <Count>total</Count>
  </SomeFunction>
</SOAP-ENV:Body>
```

and

```
<SOAP-ENV:Body>
  <AnotherFunction>
    <Input>local</Input>
  </AnotherFunction>
</SOAP-ENV:Body>
```

The expression “<Return variable=“total”/>” returns the value of the variable “total” to the XML script. Thus, the output of the SOAP command may be passed back to the XML script as an argument in the SOAP command and used as a variable in the XML script. Also, the XML script may be written so that a variable, such as “total”, is passed as an argument to a SOAP command.

An example of XML script containing a conditional “IF” statement is set forth in Appendix A attached hereto. An example of XML script containing an exception handler is set forth in Appendix B attached hereto.

After the code has been translated (202) to XML script, process 50 provides (203) the XML script to server 19 over network 15. Process 50 may send the XML script to server 19 through a Web interface, along with identification information that specifies the instance of device 11 for which the XML script is intended. Web server software 29 on server 19 receives the XML script over network 15 and application logic 32 stores the XML script in database 30, along with its associated identification information.

Device-Initiated Retrieval Of The XML Script

Embedded controller 17 executes software 20 to retrieve the XML script intended for device 11 from remote server 19.

In response, server **19** executes software **34** to send the XML script to embedded controller **17**. FIG. **3** shows these processes in detail. The left half of FIG. **3**, titled “Embedded Controller” shows process **40** performed by embedded controller **17**, and the right half of FIG. **3**, titled, “Server”, shows process **41** performed by server **19**.

Process **40** generates and sends (**301**) a command to server **19**. The command, or a modified version thereof, is sent by embedded controller **17** to server **19** periodically. It is through this command that embedded controller **17** polls server **19** to determine if there is any new/updated XML script for device **11** on server **19**.

The command includes XML data identifying device **11**. The data identifies the specific instance of device **11** and may include a device type field and one or both of a device serial number field and a device UUID. The command may also include a common name field, a manufacturer name field, a model name field, and a model number field, which specify the information set forth above for the device.

The command may be either an HTTP Get command or an HTTP post command. The data included in those commands is similar, with the difference being that the HTTP GET command retrieves a document, such as a file containing the XML script, and the HTTP POST command retrieves information, such as the XML script itself.

Process **41** (in server **19**) receives (**302**) the HTTP command from embedded controller **17**. Process **41** identifies the command as either a POST or GET command based on a header, such as “POST/CONTROL HTTP/1.1” (for a POST command), in the command. Process **41** uses an XML parser to parse (**303**) the various identifying fields, such as device type, serial number, and UUID, from the command.

Process **41** identifies (**304**) the instance of device **11** based on the information parsed from the command. That is, process **41** uses the device type, serial number, and UUID field information to identify the instance of device **11**.

If the Command is a Post Command

The identification information from the command, in particular the device serial number and/or UUID, is used to search through database **30** for XML script specific to device **11**. Once the appropriate XML script has been identified (**304**), process **41** retrieves (**305**) that XML script from database **30** using application logic **32**. Process **41** determines if the XML script has been updated since it was last retrieved. This may be done by examining a revision number or date included in a header associated with the XML script. If the XML script has been updated, process **41** adds the updated XML script to the reply portion of POST command and sends (**306**) the POST command, with the updated XML script, back to embedded controller **17**.

If the Command is a Get Command

As was the case above with the POST command, the identification information from the command is used to search through database **30** for XML script for the specific instance of device **11**. In particular, the device serial number and/or UUID are used to retrieve (**305**) a configuration file that is specific to device **11**. The configuration file contains the XML script for device **11**. Process **41** sends (**306**) the configuration file to embedded controller **17**.

Process **40** receives (**307**) the XML script containing one or more SOAP commands from server **19** in response to the HTTP command. Process **40** (in particular Web client application **21** in device **11**) provides the XML script to XML interpreter **23**, where the XML script is executed.

Referring to FIG. **4**, a process **52** is shown for executing the XML script in embedded controller **17**. Process **52** is implemented by executable instructions in XML interpreter **23** and SOAP interpreter **26**.

XML interpreter **23** interprets (**401**) the XML script to perform the functions contained therein. For example, if there are any conditional statements, control statements, or exception handlers defined by the XML script, XML interpreter performs those functions on the appropriate commands and variables contained in the XML script.

During processing, XML interpreter **23** parses (**402**) the XML script to identify any SOAP commands contained in the XML script. Identified SOAP commands are passed to SOAP interpreter **26**, which executes (**403**) the SOAP commands. Results of the SOAP commands may be passed back to the XML interpreter **23** for further processing. Likewise, variables may be passed from the XML script to the SOAP commands.

Using XML script in this manner, embedded controller **17** is able to execute multiple SOAP commands in response to a single device-initiated query. Thus, device **11** can perform reconfiguration operations or the like using multiple soap commands without maintaining communication with an external device, such as server **19**, during the reconfiguration process. The XML script can specify (future) times at which the SOAP commands are to be executed, thus providing the device with further control over its own operation. SOAP interpreter **26** implements the SOAP standard to interpret and execute function calls. As more devices and software systems have support for SOAP, device **11** will be able to execute a script that controls multiple devices by calling their SOAP services.

Architecture

Processes **40**, **41**, **50** and **52** are not limited to use with the hardware/software configuration of FIG. **1**; they may find applicability in any computing or processing environment. Processes **40**, **41**, **50** and **52** may be implemented in hardware (e.g., an ASIC {Application-Specific Integrated Circuit} and/or an FPGA {Field Programmable Gate Array}), software, or a combination of hardware and software.

Processes **40**, **41**, **50** and **52** may be implemented using one or more computer programs executing on programmable computers that each includes a processor, a storage medium readable by the processor (including volatile and non-volatile memory and/or storage elements), at least one input device, and one or more output devices.

Each such program may be implemented in a high level procedural or object-oriented programming language to communicate with a computer system. Also, the programs can be implemented in assembly or machine language. The language may be a compiled or an interpreted language.

Each computer program may be stored on a storage medium or device (e.g., CD-ROM, hard disk, or magnetic diskette) that is readable by a general or special purpose programmable computer for configuring and operating the computer when the storage medium or device is read by the computer to perform processes **40**, **41**, **50** and **52**.

Processes **40**, **41**, **50** and **52** may also be implemented as an article of manufacture, such as one or more machine-readable storage media (e.g., compact or floppy disk), each configured with a computer program, where, upon execution, instructions in the computer program cause a machine (e.g., a computer) to operate in accordance with one or more of processes **40**, **41**, **50** and **52**.

The invention is not limited to use with the protocols and standards described above. For example, Web server may use Java Servlets, ASP (Active Server Pages), ISAPI (Internet

Server Application Programming Interface), or .NET interfaces to communicate with application logic 32. The HTTP commands sent by embedded controller 17 and/or server 19 are not limited to HTTP GET and POST commands. Any commands and/or requests for requesting and receiving data may be used.

The invention is not limited to the protocols and architecture described with respect to FIG. 1. Similarly, the invention is not limited to device-initiated transfers of the XML script. For example, computer 33 may transmit the XML script directly to embedded controller 17 (rather than by way of server 19) via e-mail, file transfer protocol (FTP), message queues, or any other type of data transfer mechanism. These other transfer protocols may also be used with device-initiated transfers. Server 19 may generate the XML script and transmit it directly to controller 17. The XML script may be used on any machine, and is not limited to use with embedded controllers. RPCs other than SOAP calls may be scripted using XML and the resulting XML script may be processed in the manner described herein. SOAP commands other than those described herein may be used. The processes described herein may be implemented using circuitry such as programmable logic, logic gates, a processor, and/or a memory.

Other embodiments not specifically described herein are also within the scope of the following claims.

What is claimed is:

1. A computer-implemented method for generating extensible markup language (XML) script that comprises first and second simple object access protocol (SOAP) commands, comprising:

receiving code that defines a function and the first and second SOAP commands; and

translating the code to XML script that performs the function and that contains the first and second SOAP commands, the XML script declaring a variable that is used in the first SOAP command, the first SOAP command passing a value of the variable out of the first SOAP command to the function, and the function using the value of the variable to affect execution of the second SOAP command;

wherein the function comprises a conditional statement comprising an If-Then statement or an If-Then-Else statement; and

wherein the function comprises a control statement comprising a loop.

2. The method of claim 1, further comprising providing the XML script to a device.

3. The method of claim 2, wherein the device comprises a controller that executes the XML script.

4. The method of claim 1, wherein the code contains plural functions, and the XML script contains the plural functions.

5. The method of claim 1, wherein the function comprises an exception handler that that affects execution when an error condition exists.

6. The method of claim 1, wherein the function comprises a statement that controls a relative or absolute time to execute the second SOAP command.

7. An article comprising one or more machine-readable storage media that store executable instructions to generate extensible markup language (XML) script that comprises first and second simple object access protocol (SOAP) commands, the instructions for causing one or more processing devices to:

receive code that defines a function and the first and second SOAP commands; and

translate the code to XML script for performing the function and that contains the first and second SOAP commands, the XML script for declaring a variable that is used in the first SOAP command, the first SOAP command for passing a value of the variable out of the first SOAP command to the function, and the function for using the value of the variable to affect execution of the second SOAP command;

wherein the function comprises a conditional statement comprising an If-Then statement or an If-Then-Else statement; and

wherein the function comprises a control statement comprising a loop.

8. The article of claim 7, further comprising instructions that cause the one or more processing devices to provide the XML script to a device.

9. The article of claim 8, wherein the device comprises a controller that executes the XML script.

10. The article of claim 7, wherein the code contains plural functions, and the XML script contains the plural functions.

11. The article of claim 7, wherein the function comprises an exception handler that that affects execution when an error condition exists.

12. The article of claim 7, wherein the function comprises a statement that controls a relative or absolute time to execute the second SOAP command.

13. An apparatus for generating extensible markup language (XML) script that comprises first and second object access protocol (SOAP) commands, the apparatus comprising:

memory to store instructions that are executable; and one or more processing devices to perform functions comprising:

receiving code that defines a function and the first and second SOAP commands; and

translating the code to XML script for performing the function and that contains the first and second SOAP commands, the XML script for declaring a variable that is used in the first SOAP command, the first SOAP command for passing a value of the variable out of the first SOAP command to the function, and the function for using the value of the variable to affect execution of the second SOAP command;

wherein the function comprises a conditional statement comprising an If-Then statement or an If-Then-Else statement; and

wherein the function comprises a control statement comprising a loop.

14. The apparatus of claim 13, wherein the functions comprise providing the XML script to a device.

15. The apparatus of claim 14, wherein the device comprises a controller that executes the XML script.

16. The apparatus of claim 13, wherein the code contains plural functions, and the XML script contains the plural functions.

17. The apparatus of claim 13, wherein the function comprises an exception handler that that affects execution when an error condition exists.

18. The apparatus of claim 13, wherein the function comprises a statement that controls a relative or absolute time to execute the second SOAP command.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 8,060,886 B2
APPLICATION NO. : 11/673943
DATED : November 15, 2011
INVENTOR(S) : Hansen

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9, Line 54, Claim 5:
after “handler” delete “that”.

Column 10, Line 23 (Approx.), Claim 11:
after “handler” delete “that”.

Column 10, Line 58 (Approx.), Claim 17:
after “handler” delete “that”.

Signed and Sealed this
Third Day of April, 2012



David J. Kappos
Director of the United States Patent and Trademark Office

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 8,060,886 B2
APPLICATION NO. : 11/673943
DATED : November 15, 2011
INVENTOR(S) : James R. Hansen

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

After Column 6, Line 44, please insert new pages in order to list the following text:

Appendix A

--

The following C/C++ code shows a loop with a condition, and a conditional if statement:


```
int local = 8;  
int total = 0;  
while ( total < 10 )  
{  
    total = SomeFunction (total) ;  
    if ( total == 2 )  
        AnotherFunction (local) ;  
    else  
        SomethingElse ();  
}
```

The XML script uses a <While> element with an attribute called condition to control the loop. The XML interpreter evaluates the condition and executes the sub elements of <While>. When a <SOAP-ENV:Body> element is detected, that element and its children are extracted and passed to the SOAP interpreter. After the SOAP command has run, the results are passed back to the XML script interpreter. If the SOAP command was successful, a return code may be provided, although not all SOAP functions have a return code. This return code is assigned to a script variable if a <Return> element is present.

In this example, there is also an <If> element. The XML interpreter evaluates the condition and executes the sub elements if the condition is true. If the condition is not true and an <Else> element follows, then the sub elements of <Else> are executed.

The XML script for the above C/C++ code is as follows:

Signed and Sealed this
Second Day of October, 2018



Andrei Iancu
Director of the United States Patent and Trademark Office

```
<Root>
  <Variables>
    <local type = "integer">8</local>
    <total type = "integer">0</total>
  </Variables>
  <Script>
    <While condition = "total < 10">
      <SOAP-ENV:Body>
        <SomeFunction>
          <Count>total</Count>
        </SomeFunction>
      </SOAP-ENV:Body>
      <Return variable = "total"/>
      <If condition = "total == 2">
        <SOAP-ENV:Body>
          <AnotherFunction>
            <Input>local</Input>
          </AnotherFunction>
        </SOAP-ENV:Body>
      </If>
      <Else>
        <SOAP-ENV:Body>
          <SomethingElse>
          </SomethingElse>
        </SOAP-ENV:Body>
      </Else>
    </While>
  </Script>
</Root>
```

Appendix B

This following C/C++ code shows an exception handler:

```
int local = 8;
int total = 0;
try
{
  while ( total < 10 )
  {
    total = SomeFunction (total);
    AnotherFunction (local);
  }
}
catch
{
  Cleanup (total);
}
```

Exception handlers allow the XML script to handle failures. When a SOAP command executes properly, the XML script execution continues. When a SOAP command fails within a <Try> element, the XML interpreter breaks out of the <Try> element. If a <Catch> element exists, the XML interpreter begins executing there. XML scripts thus can process failures separately from regular return codes.

The XML script for the C/C++ code is as follows:

```
<Root>
  <Variables>
    <local type = "integer">8</local>
    <total type = "integer">0</total>
  </Variables>
  <Script>
    <Try>
      <While condition= "total < 10">
        <SOAP-ENV:Body>
          <SomeFunction>
            <Count>total</Count>
          </SomeFunction>
        </SOAP-ENV:Body>
        <Return variable = "total"/>
        <SOAP-ENV:Body>
          <AnotherFunction>
            <Input>local</Input>
          </AnotherFunction>
        </SOAP-ENV:Body>
      </While>
    </Try>
    <Catch>
      <SOAP-ENV:Body>
        <Cleanup>
          <Input>total</Input>
        </Cleanup>
      </SOAP-ENV:Body>
    </Catch>
  </Script>
</Root> --
```