

US008429231B2

(12) **United States Patent**  
**Wu et al.**

(10) **Patent No.:** **US 8,429,231 B2**  
(45) **Date of Patent:** **\*Apr. 23, 2013**

(54) **VOICE INSTANT MESSAGING**

(75) Inventors: **Shuwu Wu**, Foothill Ranch, CA (US);  
**James Crawford**, Belmont, MA (US)  
(73) Assignee: **Facebook, Inc.**, Menlo Park, CA (US)  
(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 29 days.  
This patent is subject to a terminal disclaimer.

(21) Appl. No.: **13/228,373**

(22) Filed: **Sep. 8, 2011**

(65) **Prior Publication Data**

US 2011/0320553 A1 Dec. 29, 2011

**Related U.S. Application Data**

(63) Continuation of application No. 09/810,159, filed on Mar. 19, 2001, now Pat. No. 8,041, 768.

(60) Provisional application No. 60/189,974, filed on Mar. 17, 2000, provisional application No. 60/239,917, filed on Oct. 13, 2000.

(51) **Int. Cl.**  
**G06F 15/16** (2006.01)

(52) **U.S. Cl.**  
USPC ..... **709/205**; 709/226; 715/744; 715/751;  
715/758

(58) **Field of Classification Search** ..... 709/203–207,  
709/227–238, 245–246; 715/744, 751, 578,  
715/759

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,837,798 A	6/1989	Cohen et al.
5,086,394 A	2/1992	Shapira
5,276,905 A	1/1994	Hurst et al.
5,327,486 A	7/1994	Wolff et al.
5,533,110 A	7/1996	Pinard et al.
5,548,637 A	8/1996	Heller et al.
5,557,659 A	9/1996	Hyde-Thomson
5,583,920 A	12/1996	Wheeler, Jr.
5,608,786 A	3/1997	Gordon
5,610,910 A	3/1997	Focsaneanu et al.
5,694,616 A	12/1997	Johnson et al.
5,721,906 A	2/1998	Siefert
5,742,905 A	4/1998	Pepe et al.
5,764,916 A	6/1998	Busey et al.
5,774,670 A	6/1998	Montulli

(Continued)

FOREIGN PATENT DOCUMENTS

EP	0862304	9/1998
EP	1176840	1/2002

(Continued)

OTHER PUBLICATIONS

Tapas et al. "NetEffect: A network architecture for large-scale multi-user virtual worlds" ACM VRST '97. 1997. pp. 157-163.\*

(Continued)


Primary Examiner — David Lazaro

(74) Attorney, Agent, or Firm — Keller Jolley & Preece

(57) **ABSTRACT**

Systems and techniques for transferring electronic data include enabling instant messaging communication between a sender and at least one recipient through an instant messaging host. In addition, voice communication is enabled between the sender and the recipient through the instant messaging host.

**18 Claims, 8 Drawing Sheets**



U.S. PATENT DOCUMENTS							
5,793,365	A	8/1998	Tang et al.	6,430,604	B1	8/2002	Ogle et al.
5,802,470	A	9/1998	Gaulke et al.	6,446,112	B1	9/2002	Bunney et al.
5,848,134	A	12/1998	Sekiguchi et al.	6,449,344	B1	9/2002	Goldfinger et al.
5,850,594	A	12/1998	Cannon et al.	6,449,634	B1	9/2002	Capiel
5,859,979	A	1/1999	Tung et al.	6,480,885	B1	11/2002	Olivier
5,867,162	A	2/1999	O'Leary et al.	6,484,196	B1	11/2002	Maurille
5,870,744	A	2/1999	Sprague	6,501,834	B1	12/2002	Milewski et al.
5,872,521	A	2/1999	Lopatukin et al.	6,507,866	B1	1/2003	Barchi
5,878,219	A	3/1999	Vance, Jr. et al.	6,525,747	B1	2/2003	Bezos
5,893,091	A	4/1999	Hunt et al.	6,529,475	B1	3/2003	Wan et al.
5,893,099	A	4/1999	Schreiber et al.	6,535,586	B1	3/2003	Cloutier et al.
5,919,247	A	7/1999	Van Hoff et al.	6,539,421	B1	3/2003	Appelman et al.
5,920,692	A	7/1999	Nguyen et al.	6,549,937	B1	4/2003	Auerbach et al.
5,940,488	A	8/1999	DeGrazia et al.	6,557,027	B1	4/2003	Cragun
5,946,617	A	8/1999	Portaro et al.	6,559,863	B1	5/2003	Megiddo
5,948,058	A	9/1999	Kudoh et al.	6,564,248	B1	5/2003	Budge et al.
5,951,643	A	9/1999	Shelton et al.	6,564,261	B1	5/2003	Gudjonsson et al.
5,951,646	A	9/1999	Brandon	6,571,234	B1	5/2003	Knight et al.
5,951,652	A	9/1999	Ingrassin, Jr. et al.	6,574,599	B1	6/2003	Lim et al.
5,954,798	A	9/1999	Shelton et al.	6,580,790	B1	6/2003	Henry et al.
5,956,716	A	9/1999	Kenner et al.	6,606,647	B2	8/2003	Shah et al.
5,960,173	A	9/1999	Tang et al.	6,615,241	B1	9/2003	Miller et al.
5,987,113	A	11/1999	James	6,636,733	B1	10/2003	Helferich
5,987,407	A	11/1999	Wu et al.	6,640,230	B1	10/2003	Alexander et al.
5,991,791	A	11/1999	Siefert	6,654,683	B2	11/2003	Jin et al.
5,995,023	A	11/1999	Kreft	6,677,968	B1	1/2004	Appelman
6,002,402	A	12/1999	Schacher	6,677,976	B2	1/2004	Parker et al.
6,006,179	A	12/1999	Wu et al.	6,678,719	B1	1/2004	Stimmel
6,009,413	A	12/1999	Webber et al.	6,691,162	B1	2/2004	Wick
6,012,051	A	1/2000	Sammon, Jr. et al.	6,697,807	B2	2/2004	McGeachie
6,014,135	A	1/2000	Fernandes	6,701,348	B2	3/2004	Sommerer
6,014,638	A	1/2000	Burge et al.	6,714,791	B2	3/2004	Friedman
6,026,403	A	2/2000	Siefert	6,714,793	B1	3/2004	Carey et al.
6,026,429	A	2/2000	Jones et al.	6,731,308	B1 *	5/2004	Tang et al. .... 715/751
6,049,533	A	4/2000	Norman et al.	6,732,155	B2	5/2004	Meek
6,065,047	A	5/2000	Carpenter et al.	6,738,822	B2	5/2004	Fukasawa et al.
6,070,171	A	5/2000	Snyder et al.	6,747,970	B1	6/2004	Lamb et al.
6,073,138	A	6/2000	De l'Etraz et al.	6,748,421	B1	6/2004	Ozkan et al.
6,081,830	A	6/2000	Schindler	6,750,881	B1	6/2004	Appelman
6,085,223	A	7/2000	Carino, Jr. et al.	6,757,365	B1	6/2004	Bogard
6,088,435	A	7/2000	Barber et al.	6,757,732	B1	6/2004	Soilee et al.
6,134,432	A	10/2000	Holmes et al.	6,772,188	B1	8/2004	Cloutier
6,144,991	A	11/2000	England	6,781,608	B1	8/2004	Crawford
6,151,584	A	11/2000	Papierniak et al.	6,785,554	B1	8/2004	Amerga
6,161,130	A	12/2000	Horvitz et al.	6,785,681	B2	8/2004	Keskar et al.
6,166,730	A	12/2000	Goode et al.	6,785,781	B2	8/2004	Leenstra et al.
6,175,831	B1	1/2001	Weinreich et al.	6,788,769	B1	9/2004	Waites
6,192,395	B1	2/2001	Lerner et al.	6,795,863	B1	9/2004	Doty
6,195,354	B1	2/2001	Skalecki et al.	6,799,039	B2	9/2004	Wu et al.
6,199,103	B1	3/2001	Sakaguchi et al.	6,800,031	B2	10/2004	Di Cesare
6,212,548	B1	4/2001	DeSimone et al.	6,807,574	B1	10/2004	Partovi et al.
6,212,550	B1	4/2001	Segur	6,839,737	B1	1/2005	Friskel
6,223,213	B1	4/2001	Cleron et al.	6,857,006	B1	2/2005	Nishizawa
6,233,577	B1	5/2001	Ramasubramani et al.	6,879,665	B1	4/2005	Cook et al.
6,249,740	B1	6/2001	Ito et al.	6,901,559	B1	5/2005	Blum et al.
6,260,148	B1	7/2001	Aggarwal et al.	6,904,026	B1	6/2005	Tarnanen et al.
6,269,369	B1	7/2001	Robertson	6,907,243	B1	6/2005	Patel
6,301,609	B1	10/2001	Aravamudan et al.	6,912,563	B1	6/2005	Parker et al.
6,311,211	B1	10/2001	Shaw	6,912,564	B1	6/2005	Appelman et al.
6,314,450	B1	11/2001	Hachiya et al.	6,917,965	B2	7/2005	Gupta et al.
6,317,776	B1	11/2001	Broussard et al.	6,920,478	B2	7/2005	Mendiola et al.
6,324,541	B1	11/2001	De l'Etraz et al.	6,941,345	B1	9/2005	Kapil et al.
6,330,590	B1	12/2001	Cotton	6,968,179	B1	11/2005	De Vries
6,347,332	B1	2/2002	Malet et al.	6,993,564	B2	1/2006	Whitten, II
6,351,698	B1	2/2002	Kubota et al.	6,996,520	B2	2/2006	Levin
6,363,392	B1	3/2002	Halstead et al.	7,035,865	B2	4/2006	Doss et al.
6,374,246	B1	4/2002	Matsuo	7,039,676	B1	5/2006	Day et al.
6,374,290	B1	4/2002	Scharber et al.	7,043,530	B2 *	5/2006	Isaacs et al. .... 709/206
6,389,127	B1	5/2002	Vardi et al.	7,058,036	B1	6/2006	Yu et al.
6,389,372	B1	5/2002	Glance et al.	7,058,690	B2	6/2006	Maehiro
6,393,464	B1	5/2002	Dieterman	7,065,186	B1	6/2006	Myers et al.
6,400,381	B1	6/2002	Barrett et al.	7,082,047	B2	7/2006	Chow
6,405,035	B1	6/2002	Singh	7,082,407	B1	7/2006	Bezos et al.
6,415,318	B1	7/2002	Aggarwal et al.	7,120,687	B1	10/2006	Tessman et al.
6,421,439	B1	7/2002	Liffick	7,124,123	B1	10/2006	Roskind et al.
6,421,709	B1	7/2002	McCormick et al.	7,127,232	B2	10/2006	O'Neil et al.
6,425,012	B1	7/2002	Trovato et al.	7,171,473	B1	1/2007	Eftis et al.
6,430,344	B1	8/2002	Dixon et al.	7,177,880	B2	2/2007	Ruvolo
				7,185,059	B2	2/2007	Daniell et al.



7,190,956	B2	3/2007	Dorenbosch et al.	2004/0210844	A1	10/2004	Pettinati et al.
7,200,634	B2	4/2007	Mendiola et al.	2004/0215648	A1	10/2004	Marshall
7,202,814	B2	4/2007	Caspi et al.	2004/0215721	A1	10/2004	Szeto et al.
7,222,156	B2	5/2007	Gupta et al.	2004/0260762	A1	12/2004	Fish
7,233,992	B1	6/2007	Muldoon et al.	2005/0015432	A1	1/2005	Cohen
7,275,215	B2	9/2007	Wemdorfer et al.	2005/0021750	A1	1/2005	Abrams
7,313,760	B2	12/2007	Grossman et al.	2005/0027382	A1	2/2005	Kirmse et al.
7,436,780	B2	10/2008	Stephens et al.	2005/0038856	A1	2/2005	Krishnasamy et al.
7,437,413	B2	10/2008	Okuyama et al.	2005/0043989	A1	2/2005	Shifrin
7,512,407	B2	3/2009	Wu et al.	2005/0044152	A1	2/2005	Hardy et al.
7,956,739	B2	6/2011	Hong et al.	2005/0050143	A1	3/2005	Gusler et al.
7,958,212	B1	6/2011	Wong et al.	2005/0060377	A1	3/2005	Lo et al.
7,996,527	B2	8/2011	Isaacs et al.	2005/0076241	A1	4/2005	Appelman
8,015,504	B1	9/2011	Lynch et al.	2005/0080863	A1	4/2005	Danielf
8,019,834	B2	9/2011	Horvitz et al.	2005/0086211	A1	4/2005	Mayer
2001/0005861	A1	6/2001	Mousseau et al.	2005/0102202	A1	5/2005	Linden et al.
2001/0013050	A1	8/2001	Shah	2005/0114229	A1	5/2005	Ackley et al.
2001/0032246	A1	10/2001	Fardella et al.	2005/0153681	A1	7/2005	Hanson
2001/0052019	A1	12/2001	Walters et al.	2005/0197846	A1	9/2005	Pezaris
2002/0015061	A1	2/2002	Maguire	2005/0198173	A1	9/2005	Evans
2002/0021307	A1	2/2002	Glenn et al.	2006/0075044	A1	4/2006	Fox et al.
2002/0023132	A1	2/2002	Tornabene et al.	2006/0167991	A1	7/2006	Heikes et al.
2002/0023134	A1	2/2002	Roskowski et al.	2006/0168054	A1	7/2006	Burkhart et al.
2002/0028595	A1	3/2002	Higashi et al.	2006/0173824	A1	8/2006	Bensky et al.
2002/0042816	A1	4/2002	Bae	2006/0173963	A1	8/2006	Roseway et al.
2002/0049717	A1	4/2002	Routtenberg et al.	2006/0182248	A1	8/2006	Smith et al.
2002/0056123	A1	5/2002	Liwerant et al.	2006/0212561	A1	9/2006	Feng
2002/0065856	A1	5/2002	Kisiel	2006/0277187	A1	12/2006	Roese et al.
2002/0065894	A1	5/2002	Dalal et al.	2007/0156664	A1	7/2007	Norton et al.
2002/0077080	A1	6/2002	Greene	2008/0082620	A1*	4/2008	Barsness ..... 709/207
2002/0083136	A1	6/2002	Whitten, II	2009/0089316	A1	4/2009	Kogan et al.
2002/0091667	A1	7/2002	Jaipuria et al.	2010/0306674	A1*	12/2010	Salesky et al. .... 715/753
2002/0101446	A1*	8/2002	Tang et al. .... 345/751				
2002/0103801	A1	8/2002	Lysons				
2002/0112181	A1	8/2002	Smith				
2002/0116463	A1	8/2002	Hart				
2002/0116641	A1	8/2002	Mastrianni				
2002/0133292	A1	9/2002	Miyaki				
2002/0133369	A1	9/2002	Johnson				
2002/0147777	A1	10/2002	Hackbarth et al.				
2002/0174010	A1	11/2002	Rice, III				
2002/0175953	A1	11/2002	Lin				
2002/0181703	A1	12/2002	Logan et al.				
2002/0184089	A1	12/2002	Tsou et al.				
2002/0193942	A1	12/2002	Odakura et al.				
2002/0199095	A1	12/2002	Bandini et al.				
2003/0004855	A1	1/2003	Dutta et al.				
2003/0004872	A1	1/2003	Gardi et al.				
2003/0009385	A1	1/2003	Tucciarone et al.				
2003/0009523	A1	1/2003	Lindskog et al.				
2003/0018726	A1	1/2003	Low et al.				
2003/0023875	A1	1/2003	Hursey et al.				
2003/0028524	A1	2/2003	Keskar et al.				
2003/0028595	A1	2/2003	Vogt et al.				
2003/0037112	A1	2/2003	Fitzpatrick et al.				
2003/0043201	A1	3/2003	Abdelhadi et al.				
2003/0046198	A1	3/2003	Knapp et al.				
2003/0050916	A1	3/2003	Ortega et al.				
2003/0084103	A1	5/2003	Weiner et al.				
2003/0093580	A1	5/2003	Thomas et al.				
2003/0105822	A1	6/2003	Gusler et al.				
2003/0131061	A1	7/2003	Newton et al.				
2003/0140103	A1	7/2003	Szeto et al.				
2003/0167324	A1	9/2003	Farnham et al.				
2003/0182394	A1	9/2003	Ryngler et al.				
2003/0187813	A1	10/2003	Goldman et al.				
2003/0212804	A1	11/2003	Hashemi				
2003/0225847	A1	12/2003	Heikes et al.				
2003/0236835	A1	12/2003	Levi et al.				
2004/0015548	A1	1/2004	Lee				
2004/0054729	A1	3/2004	Fukuizumi et al.				
2004/0056901	A1	3/2004	March et al.				
2004/0117443	A1	6/2004	Barsness				
2004/0122681	A1	6/2004	Ruvolo				
2004/0122810	A1	6/2004	Mayer				
2004/0122855	A1	6/2004	Ruvolo				
2004/0128356	A1	7/2004	Bernstein et al.				
2004/0179039	A1	9/2004	Blattner et al.				
2004/0186738	A1	9/2004	Reisman				

FOREIGN PATENT DOCUMENTS

GB	2319137	5/1998
GB	2357932	7/2001
GB	2368747	5/2002
JP	08/314826	11/1996
JP	2000-049901	2/2000
JP	2000-259514	9/2000
JP	2000-284999	10/2000
JP	2001-084320	3/2001
WO	WO 97/10558	3/1997
WO	WO 97/14234	4/1997
WO	WO 97/46955	12/1997
WO	WO 98/16045	4/1998
WO	WO 98/47270	10/1998
WO	WO 99/08434	2/1999
WO	WO 99/34628	7/1999
WO	WO 99/48011	9/1999
WO	WO 00/16201	3/2000
WO	WO 00/24154	4/2000
WO	WO 00/60809	10/2000
WO	WO 00/79396	12/2000
WO	WO 01/06748	1/2001
WO	WO 01/22258	3/2001
WO	WO 01/24036	4/2001
WO	WO 01/43357	5/2001
WO	WO 01/67787	9/2001
WO	WO 01/72020	9/2001
WO	WO 01/80079	10/2001
WO	WO 02/03216	1/2002
WO	WO 02/09437	1/2002
WO	WO 02/35781	5/2002
WO	WO 02/62039	8/2002
WO	WO 02/73886	9/2002
WO	WO 02/073886	9/2002
WO	WO 2004/28178	4/2004
WO	WO 2005/86723	9/2005
WO	WO 2005/086723	9/2005

OTHER PUBLICATIONS

“A Countermeasure to Duplicate-detecting Anti-spam Techniques,” Robert J. Hall, AT&T Labs Technical Report 99.9.1, 1999, Abst. and pp. 1-26.  
 “A Reputation System for Peer-to-Peer Networks,” Gupta et al., Jun. 1-3, 2003, NOSSDAV’03, Monterey, California, pp. 144-152.  
 “About File Transfers”, AOL Instant Messenger, version 4.3, Help



- Documentation, available on Jul. 21, 2001, 5 pages.
- “About Internet directory services,” Outlook 2000 SR-1 (9.0.0.4527) Help File, on or before Aug. 10, 2001, p. 1.
- “Active Directory Features,” [online], Jun. 15, 1999 [retrieved on May 13, 2003]. Retrieved from the Internet <http://www.microsoft.com/windows2000/server/evaluation/features/adlist.asp>, pp. 1-4.
- “Active Directory Service Overview,” [online], Nov. 30, 2001 [retrieved on May 13, 2003]. Retrieved from the Internet [http://www.microsoft.com/windows2000/server/evaluation/business/\\_ad-datasheet.asp](http://www.microsoft.com/windows2000/server/evaluation/business/_ad-datasheet.asp), pp. 1-5.
- “Active Directory,” [online], retrieved on May 13, 2003]. Retrieved from the Internet <http://www.microsoft.com/windows2000/technologies/directory/AD/default.asp>, pp. 1-13.
- “AOL Instant Messenger All New Version 2.0”, 2 pages, Jun. 24, 1999.
- “AOL Instant Messenger”, reprinted from <http://web.archive.org/web/20010721193059/http://aim.com/> (Way Back Machine—available on Jul. 21, 2001) on Aug. 26, 2005, 7 pages.
- “Benefits of Active Directory in a Windows 2000 Environment,” [online], Sep. 20, 2001 [retrieved on May 13, 2003]. Retrieved from the Internet <http://www.microsoft.com/windows2000/-server/evaluation/business/adwin2k.asp> pp. 1-9.
- “BestCalls.com Announces the BestCalls Technology Index,” Business Wire, Jun. 30, 1999, Business Wire, p. 2.
- “Better Bayesian Filtering,” Paul Graham, Jan. 2003, pp. 1-11, <http://www.paulgraham.co/better.html>.
- “Business at Cyberspeed; Brainstorm Becomes Quick Internet Hit,” Walker, Jan. 24, 1999, The Washington Post, p. A.01 (4 total pages).
- “Degrees of Separation Email Spam Protection,” Halfbakery: Degrees of Separation Email Spam Protection, reprinted from [http://halfbakery.com/idea/Degrees\\_20of\\_20Separation\\_20Email\\_20Protecti...](http://halfbakery.com/idea/Degrees_20of_20Separation_20Email_20Protecti...) printed on Mar. 1, 2004 (3 pages).
- “Digital Artifacts for Remembering and Storytelling: Post History and Social Network Fragments,” Viegas et al., retrieved from World Wide Web: [http://we.media.mit.edu/~fviegas/papers/posthistory\\_snf.pdf](http://we.media.mit.edu/~fviegas/papers/posthistory_snf.pdf), 10 total pages (Jan. 2004).
- “Directory Integration Can Lower Total Cost of Ownership and Increase Application Functionality,” [online], Jul. 27, 1998 [retrieved on May 13, 2003]. Retrieved from the Internet <http://www.microsoft.com/presspass/press/1998/Jul98/ActivDPR.asp> pp. 1 of 4.
- “Enterprise Identity Management with Windows 2000 and Active Directory,” [online], 1999 [retrieved on May 13, 2003]. Retrieved from the Internet <<http://www.microsoft.com/technet/prodtechnol/ad/windows2000/evaluate/w2keims.asp?fra...>>, pages 1-16.
- “Finding Others Online: Reputation Systems for Social Online Spaces,” Jensen et al., Apr. 20-25, 2002, CHI, Minneapolis, Minnesota, vol. 4, Issue 1, pp. 447-454.
- “Frequently Asked Questions About AOL Instant Messenger”, 6 pages, Jun. 24, 1999.
- “GLWebMail 2.0 is released!” <http://www.gordano.com>: available on Apr. 18, 2001, reprinted from <http://web.archive.org/web/20010418153714/http://www.gordano.com>, 2 pages.
- “Hottie or Nottie? Web Site Voters Let You Know Whether You Sizzle or Fizzle,” Marino, Jul. 11, 2001, Florida Times Union, p. 2 pages.
- “Icq.anywhere, Email Features—Email Center—ICQ.com,” retrieved Apr. 29, 2004 from the World Wide Web: <http://www.icq.com/email/popular-features.html>, pp. 1-5.
- “Idea for Online Networking Brings Two Entrepreneurs Together,” Patents: Idea for Online Networking Brings Two Entrepreneurs Together, reprinted from <http://www.nytimes.com/2003/12/01/technology/01patt.html?adxnlnx=0&adxnlnx=107029...>, printed on Nov. 5, 2004 (3 pages).
- “Instant Messaging for Gamers,” PC Gamer, May 2004, vol. 11, No. 5, (2 pages).
- “Integrating Applications with Windows 2000 and Active Directory,” [online], Oct. 2000 [retrieved on May 8, 2003]. Retrieved from the Internet <<http://www.microsoft.com/technet/-prodtechnol/ad/windows2000/evaluate/adappstr.asp?fra...>>, pages 1-12.
- “Integrating Microsoft Metadirectory Services and Active Directory,” [online], Aug. 31, 2000 [retrieved on May 13, 2003]. Retrieved from the Internet <http://www.microsoft.com/windows2000/-server/evaluation/business/adwin2k.asp>, p. 1.
- “Internet Call Centers: New Era in Customer Service”, Joseph McKendrick, Aug. 18, 2005, 4 pages.
- “Gordano Messaging Server”; <http://www.gordano.com>; Copyright 1994-2003 Gordano, 1 page.
- “Learning Spam: Simple Techniques for Freely-Available Software,” Bart Massey et al, Computer Science Dept., Portland, OR USA, 2003, pp. 1-14.
- “Learning to Filter Spam E-Mail: A Comparison of a Naïve Bayesian and a Memory-Based Approach,” Ion Adroutsopoulos et al., University of Athens, Sep. 2000, pp. 1-12.
- “Look up contact information from an item,” Outlook 2000 SR-1 (9.0.0.4527) Help File, on or before Aug. 10, 2001, p. 1.
- “Lotus Instant Messaging Everyplace FAQ,” retrieved Apr. 29, 2004 from the World Wide Web: <http://www.lotus.com/products/product4.nsf/wdocs/249c6f083166cd3e85256d7300714407>, pp. 1-3.
- “New Features in AOL Instant Messenger for Windows v. 2.01 Beta”, 2 pages, Apr. 28, 1999.
- “Part I: Active Directory Operations,” Active Directory Operations Guide, Microsoft Corporation, Microsoft Windows 2000, Version 1.5, pp. 1-187.
- “Part II: Tasks and Procedures Appendices,” Active Directory Operations Guide, Microsoft Corporation, Microsoft Windows 2000, Version 1.5, pp. 1-131.
- “PieSpy—Inferring and Visualizing Social Network on IRC,” PieSpy Social Network Bot, reprinted from <http://lister.linux-srv.anix.net/piespy> printed on Mar. 11, 2004 (18 pages).
- “plaxo,” Plaxo, reprinted from <http://web.archive.org/web/20041105072256/http://www.pfaxy.com/> printed on Nov. 5, 2004 (available on Feb. 14, 2004) (2 pages).
- “Plaxo-Update Your Address Book,” Plaxo Contact Networks, reprinted from <http://web.archive.org/web/20030218233638/http://www.plaxo.com/> printed on Nov. 5, 2004 (available on Feb. 18, 2003) (1 page).
- “Quick Tips for Getting Started”, 5 pages, Jun. 24, 1999.
- “Reflections on Friendster, Trust and Intimacy,” Danah Boyd. *Ubicomp 2003*, Workshop Application for the Intimate Ubiquitous Computing Workshop. Seattle, WA, Oct. 12-15, 2003, 4 pages.
- “Reputation Systems,” Resnick et al., Dec. 2000, Communications of the ACM, vol. 43, No. 12, pp. 45-48.
- “RIM Road: Software: Internet & Network: Webmessenger RIM J2ME/Instant Messaging,\*” retrieved Apr. 29, 2004 from the World Wide Web: <http://www.rimrod.com/software/rim1/Webmessenger-RIM-J2ME-Instant-Messaging-20...>, pp. 1-4.
- “Set up LDAP directory services,” Outlook 2000 SR-1 (9.0.0.4527) Help File, on or before Aug. 10, 2001, p. 1.
- “Six Degrees—New Programs Help Companies ‘Mine Workers’ Relationships for Key Business Prospects,” William M. Bulkeley et al., Marketplace, The Wall Street Journal, Aug. 4, 2003. (3 pages).
- “Social Nets Find Friends in VCs.” Joanna Glasner. <http://www.wired.com/news>, Nov. 17, 2003, 4 pages.
- “Social Network Fragments: An Interactive Tool for Exploring Digital Social Connections.” Danah Boyd, Jeff Potter. Sketch at *SIG-GRAPH 2003*. San Diego, California: ACM, Jul. 27-31, 2003, 1 page.
- “Social Networking for Business: Release 0.5,” Esther Dyson, Esther Dyson’s Monthly Report, vol. 21, No. 10, Nov. 25, 2003, www.edventure.com. (36 pages).
- “Social Networks: Deodorant for the Soul?,” Esther Dyson, Esther Dyson’s Monthly Report, vol. 21, No. 11, Dec. 12, 2003, www.edventure.com (36 pages).
- “Social Sites Clicking With Investors,” Washingtonpost.com: Social Sites Clicking With Investors, reprinted from <http://www.washingtonpost.com/ac2/wp-dyn/A32066-2003Nov12?language=printer> printed on Nov. 5, 2004, 2 pages.
- “Socialware: Multiagent Systems for Supporting Network Communities,” Hattori et al., Mar. 1999, Association for Computing Machinery, Communications of the ACM, vol. 42, Issue 3, 6 pages.
- “Spoke Builds on Social Networking Patent Portfolio,” Spoke Builds on Social Networking Patent Portfolio, reprinted from <http://www.internetnews.com/ent-news/print.php/3073621> printed on Nov. 5, 2004 (3 pages).
- “Support Vector Machines for Spam Categorization,” Harris Drucker et al., IEEE Transactions on Neural Networks, vol. 10, No. 5, Sep. 1999, pp. 1048-1054.



“Support Vector Machines,” Marti Hearst, IEEE Intelligent Systems, Jul./Aug. 1998, pp. 18-28.

“SVM-based Filtering of E-mail Spam with Content-specific Misclassification Costs,” Aleksander Kolcz et al., *TextDM'2001 (IEEE ICDM-2001 Workshop on Text Mining)*, San Jose, CA, 2001, pp. 1-14.

“SWF Seeks Attractive Head Shot; To Stand Out, Online Daters Pay for Professional Photos; Cropping out the Ex-Wife,” Leiber, Nov. 19, 2003, *The Wall Street Journal*, 1 page.

“Technical Solutions for Controlling Spam,” Shane Hird, *Proceedings of AUUG2002*, Melbourne, Sep. 4-6, 2002, 17 pages.

“Technology Journal—Are You Satisfied? EBay’s Battle Against Fraud Rests Primarily on a Simple Concept: Customer Feedback,” Wingfield, Sep. 23, 2002, *Asian Wall Street Journal*, p. T.8, (4 total pages).

Telstra targets Net spammers,\* J. Dudley, *news.com.au*, Dec. 2, 2003, 2 pages.

“Text Categorization with Support Vector Machines: Learning with Many Relevant Features,” Thorsten Joachims, University of Dortmund, Computer Science Dept., LS-8 Report 23, 1998, 8 pages.

“The first Social Software . . . a true Social Adventure,” Huminity-Social Networking, Chat Software, Create Personal Free Blogs and My Group . . . , reprinted from <http://www.huminity.com/> printed on Nov. 5, 2004 (2 pages).

“The LP Wireless Messenger”, Messenger Documentation, <http://www.lpwireless.com/messengerhelp.htm>, available on Dec. 9, 2002, reprinted from <http://web.archive.org/web/20021209025321/http://lpwireless.com/messengerhelp.htm>, pp. 1-7.

Trillion Discussion Forums—HOWTO: import ICQ 2003a Contact List,\* retrieved Apr. 29, 2004 from the World Wide Web: <http://trillian.cc/forums/showthread.php?s+&threadid=36475>, pp. 1-2.

“Using Active Directory Service”, from Chapter 5, *Microsoft Windows 2000 Administrator’s Pocket Consultant*, by William R. Stank (1999). Retrieved from <http://www.microsoft.com/technet/prodtechnol/ad/windows2000/evaluate/05w2kadb.asp?fr> . . . , pp. 1-6.

“Welcome to Huminity World of Connections,” Huminity-Home, reprinted from <http://web.archive.org/web/20030228131435/www.huminity.com/default.php?international> . . . printed on Nov. 5, 2004 (available on Feb. 2, 2003) (1 page).

“What is AOL Instant Messenger”, 3 pages, Jun. 24, 1999.

What’s new about exchanging information over the Internet, Outlook 2000 SR-1 (9.0.0.4527) Help File, on or before Aug. 10, 2001, p. 1.

“Will You Buy a Car From This Man?,” Leander Kahney, Oct. 6, 2003, pp. 1-3.

“Windows 2000 Directory Services”, [online] <http://www.microsoft.com/windows2000/technologies/directory/default.asp>, as of Nov. 25, 2001 according to Internet Archive Wayback Machine, available at <http://web.archive.org/web/20011625224156/http://www.microsoft.com/windows2000/technologies/directory/default.asp>, 1 pages.

“Windows 2000 Directory Services,” [online], [retrieved on May 13, 2003]. Retrieved from the Internet <http://www.microsoft.com/windows2000/technologies/directory/default.asp>, pp. 1-2.

Working with Active Directory Domains\*, from Chapter 5, *Microsoft Windows 2000 Administrator’s Pocket Consultant*, by William R. Stank (1999). Retrieved from <http://www.microsoft.com/technet/prodtechnol/ad/windows2000/evaluate/05w2kadb.asp?fr> . . . , pp. 1-10.

America Online Inc., “AOL Instant Messenger”, Aug. 29, 2000, Internet: [www.aol.com/aim/](http://www.aol.com/aim/), 2 pages.

America Online Inc., “New AIM 4.7”, Sep. 27, 2001, Internet: <http://aim.aol.com>, 5 pages.

Anand Ranganalhan et al., “ConChat: A Context-Aware Chat Program”, 2002, *Pervasive Computing*, pp. 51-57.

Announce: Implementation of E-mail Spam Proposal, Maurice I. Marvin, *news.admin.net-abuse.misc*, Aug. 3, 1996, 2 pages.

Archive.org archived the Morpheus 1.9.1 download page on cnet Download.com [online] Aug. 3, 2002 [accessed Feb. 14, 2007], Retrieved from Internet, URL:<http://web.archive.org/web/20020803071751/download.com.com/3000-2166-10057840.html>>, 2 pages.

Archive.org archived the MusicCity Morpheus download page on cnet Download.com [online] Oct. 8, 2001 [accessed Feb. 14, 2007], Retrieved from Internet, URL:<http://web.archive.org/web/20011008191757/download.cnet.com/downloads/0-18964201005590701.html>>, 2 pages.

Australian Office Action of Apr. 7, 2006, App. No. 2002340039 (2 pages).

BuddyGopher~About, available on Jul. 13, 2004, reprinted from <http://web.archive.org/web/20040713002836/www.buddygopher.com/about.html> on Sep. 28, 2005 (4 pgs).

BuddyGopher—We Love Away Messages!, “BuddyGopher simultaneously checks the away messages of your favorite AIM® buddies.”, available on Sep. 24, 2004, reprinted from <http://web.archive.org/web/20040924104001/http://www.buddygopher.com/> on Sep. 28, 2005 (2 pgs).

Chinese Office Action of Jul. 7, 2006, App. No. 02821420X (5 pages).

CNET Networks Inc., “PopUp Killer”, Sep. 13, 2001, Internet: [download.cnet.com/downloads/0-10059-100-6932612.html](http://download.cnet.com/downloads/0-10059-100-6932612.html), 1 page.

International Search Report and Written Opinion dated Feb. 15, 2006 for International Application No. PCT/US05/07204, 10 pages.

International Search Report for International Application No. PCT/US03/15715, mailed Aug. 14, 2003, 6 pages.

International Search Report mailed Aug. 30, 2005 for International Application No. EP03731244., 4 pages.

Notice of Allowance for U.S. Appl. No. 10/184,002 dated Jul. 24, 2008, 9 pages.

Office Action issued in U.S. Appl. No. 10/981,460, dated Aug. 20, 2008, 17 pages.

Office Action issued in U.S. Appl. No. 10/134,437, dated Mar. 10, 2009, 31 pages.

Office Action issued in U.S. Appl. No. 10/334,056, dated Jul. 6, 2005, 23 pages.

Office Action issued in U.S. Appl. No. 10/334,056, dated May 10, 2007, 7 pages.

Office Action issued in U.S. Appl. No. 10/334,056, dated May 12, 2008, 20 pages.

Office Action issued in U.S. Appl. No. 10/334,056, dated May 21, 2007, 7 pages.

Office Action issued in U.S. Appl. No. 10/334,056, dated Nov. 29, 2004, 20 pages.

Office Action issued in U.S. Appl. No. 10/334,056, dated Nov. 5, 2007, 15 pages.

Office Action issued in U.S. Appl. No. 10/334,056, dated Oct. 31, 2005, 7 pages.

Office Action issued in U.S. Appl. No. 11/015,424, dated Mar. 19, 2008, 32 pages.

Office Action issued in U.S. Appl. No. 11/015,424, dated Nov. 3, 2008, 46 pages.

Office Action issued in U.S. Appl. No. 11/017,204 dated Jun. 23, 2008, 25 pages.

Office Action issued in U.S. Appl. No. 11/017,204, dated Dec. 12, 2007, 11 pages.

Office Action issued in U.S. Appl. No. 11/238,110 dated Jul. 9, 2008, 10 pages.

Office Action issued in U.S. Appl. No. 11/238,110 dated Oct. 9, 2008, 11 pages.

Office Action issued in U.S. Appl. No. 11/238,110, dated Nov. 29, 2007, 9 pages.

Office Action issued in U.S. Appl. No. 11/238,129 dated May 28, 2008, 69 pages.

Office Action issued in U.S. Appl. No. 11/238,129 dated Nov. 14, 2007, 33 pages.

Office Action issued in U.S. Appl. No. 11/238,130 dated Apr. 14, 2009, 35 pages.

Office Action issued in U.S. Appl. No. 11/238,130 dated Nov. 13, 2008, 44 pages.

Office Action issued in U.S. Appl. No. 10/184,002, dated Jan. 8, 2008, 16 pages.

Office Action issued in U.S. Appl. No. 10/134,437 dated Sep. 18, 2008, 30 pages.

Supplementary European Search Report issued in European Application No. EP05728303, dated Jan. 9, 2009, (2 pages).



- Courter et al., "Mastering Microsoft Outlook 2000 Premium Edition", Sybex Inc., Alameda, California, 2000, pp. 167-169, ISBN 0-7821-2676-6.
- CrushParty.com: Help, retrieved Jun. 12, 2002 from the World Wide Web: <http://www.crushparty.com/help.jsp>, 3 pages.
- Decision on Appeal in U.S. Appl. No. 10/146,814, dated Apr. 22, 2010, 12 pages.
- Dodgeball.com:: mobile social software, "help: text messaging", available on Oct. 13, 2004, reprinted from [http://web.archive.org/web/20041013034241\\_/www.dodgeball.com/social/help\\_text.php](http://web.archive.org/web/20041013034241_/www.dodgeball.com/social/help_text.php) on Sep. 28, 2005 (3 pgs).
- Dodgeball.com:: mobile social software, "help: the basics", available on Oct. 9, 2004, reprinted from [http://web.archive.org/web/20041009200739/www.dodgeball.com/social/help\\_basics.php](http://web.archive.org/web/20041009200739/www.dodgeball.com/social/help_basics.php) on Sep. 28, 2005 (2 pgs).
- Dodgeball.com:: mobile social software, "help: use it", available on Oct. 9, 2004, reprinted from [http://web.archive.org/web/20041009201853/www.dodgeball.com/social/help\\_useit.php](http://web.archive.org/web/20041009201853/www.dodgeball.com/social/help_useit.php) on Sep. 28, 2005 (2 pgs).
- Dodgeball.com:: mobile social software, "Hook up with friends. Discover what's around you", available on Nov. 30, 2003, reprinted from <http://web.archive.org/web/20041130034344/www.dodgeball.com/social/index.php> on Sep. 28, 2005 (2 pgs).
- Dutta-Roy Amitava, "Virtual Meetings with Desktop Conferencing", IEEE Spectrum, vol. 35, No. 7, Jul. 1, 1998, pp. 47-56 and p. 66.
- Ed Bott and Ron Person, Using Windows 95 with Internet Explorer 4.0, Feb. 17, 1998, Que, Special Edition. 5 pages.
- Eschenburg, Wo laufen sie denn?, Oct. 26, 1998, pp. 92-95.
- European Patent Office, Communication of Aug. 30, 2005, App. No. 03731244.4-2416 (PCT/US0315715) (4 pages).
- European Patent Office, Communication of Aug. 31, 2009, App. No. 02778374.5-1238 (8 pages).
- European Patent Office, Communication of Sep. 5, 2006, App. No. 02778374.5-1238 (4 pages).
- European Search Report mailed Aug. 30, 2005 for European Application No. 03731244 (4 pages).
- Examiner's Answer in U.S. Appl. No. 10/146,814 dated May 17, 2002, 19 pages.
- Home-tribe.net. <http://washingtondc.tribe.net/message/24434d1b-817b-4580-aa42-3bffa15f26a?page=1> (4 total pages, reprinted on Dec. 13, 2004).
- <http://www.friendster.com> (17 pages, reprinted on Dec. 13, 2004).
- IBM "Configuring Sametime servers in your Domino environment" May 1, 2000 (14 pages).
- International Search Report and Written Opinion for PCT Application No. PCT/US2005/042992, Mar. 6, 2007 (14 pages).
- International Search Report dated Oct. 16, 2006, for PCT/US05/08476, 9 pages.
- International Search Report, Application No. PCT/US05/45663, dated Apr. 11, 2008, 10 pages.
- International Search Report, Application No. PCT/US2006/018286, dated Oct. 19, 2006, 12 pages.
- J.C. Cannon, "Design Guide for Directory-Enabled Applications," [online], Apr. 2001. Retrieved from the Internet <http://msdn.microsoft.com/library/en-us/dnactdir/html/deal.asp?frame=true>, pp. 1-18.
- Japanese Office Action of May 12, 2008 in Japanese Application No. 2003-533140 (5 pages).
- Kohda et al., IMPP: A New Instant Messaging Standard and Its Impact on Internet Business, Dec. 2000, Fujitsu Sci. Tech. J., 36, 2, pp. 147-153.
- Lotus Sametime 1.5 1999 (4 pages).
- Mariano, Gwendolyn. ZDNetNews. "Morpheus 1.9 to be unleashed", [online] Jun. 10, 2002 [accessed Feb. 14, 2007]. Retrieved from Internet URL:[http://news.zdnet.com/2100-3513\\_22-934615.html](http://news.zdnet.com/2100-3513_22-934615.html), 6 pages.
- Mary Beth Marklein, "Student have 'away' with words", Mar. 28, 2004, USA Today, [http://www.usatoday.com/tech/news/2004-03-28-aways-messages-usat\\_x.htm](http://www.usatoday.com/tech/news/2004-03-28-aways-messages-usat_x.htm), 4 pages.
- Microsoft Corporation, "Active Directory Services Interface in the Microsoft Exchange 5.5 Environment," [online], Nov. 1997 [retrieved on May 13, 2003]. Retrieved from the Internet [http://msdn.microsoft.com/library/enus/dnactdir/html/msdn\\_adiexch.asp?frame=true](http://msdn.microsoft.com/library/enus/dnactdir/html/msdn_adiexch.asp?frame=true), pp. 1-12.
- Microsoft Corporation, "Comparing Microsoft Active Directory to Novell's NDS," [online], Sep. 1998 retrieved on May 13, 2003]. Retrieved from the Internet [http://msdn.microsoft.com/library/enus/dnactdir/html/msdn\\_activedirvsnds.asp?frame=true](http://msdn.microsoft.com/library/enus/dnactdir/html/msdn_activedirvsnds.asp?frame=true), pp. 1-17.
- Microsoft Corporation, "Introduction to Active Directory Application Mode," Microsoft Windows Server 2003, Aug. 2002, pp. 1-13.
- Microsoft Corporation, "Using ADSI, LDAP, and Network Management Functions With Active Directory," [online], Feb. 2002 [retrieved on May 13, 2003]. Retrieved from the Internet <http://msdn.microsoft.com/library/enus/dnactdir/html/BuildingADApps.asp?frame=true>, pp. 1-9.
- Neo Mai, Ken Neo. "Buying and selling on the internet; [Computimes, 2\* Edition]." New Straits Times. Kuala Lumpur: Jun. 28, 2001, 3 pages.
- Non-final Office Action from U.S. Appl. No. 09/810,159 mailed Jan. 29, 2010, 14 pages.
- Notice of Allowability in U.S. Appl. No. 10/134,437, 3 pages.
- Notice of Allowance and Fee(s) Due in U.S. Appl. No. 10/134,437 dated Oct. 2, 2009, 3 pages.
- Office Action in U.S. Appl. No. 09/911,799 dated Jul. 3, 2007, 18 pages.
- Office Action dated Sep. 18, 2008, in U.S. Appl. No. 10/134,437, 30 pages.
- Office Action for U.S. Appl. No. 10/633,636 mailed Oct. 11, 2006, 9 pages.
- Office Action issued on Jan. 8, 2008 in U.S. Appl. No. 10/184,002, 11 pages.
- Office Action issued on Jan. 12, 2009 in U.S. Appl. No. 10/146,814, 19 pages.
- Office Action issued on Feb. 11, 2008 in U.S. Appl. No. 10/134,437, 32 pages.
- Office Action issued on Feb. 26, 2007 in U.S. Appl. No. 10/747,624, 15 pages.
- Office Action issued on Mar. 10, 2009 in U.S. Appl. No. 10/134,437, 31 pages.
- Office Action issued on Mar. 13, 2007 in U.S. Appl. No. 10/747,623, 17 pages.
- Office Action issued on Mar. 18, 2010 in U.S. Appl. No. 09/911,799, 7 pages.
- Office Action issued on Mar. 22, 2010 in U.S. Appl. No. 10/146,814, 13 pages.
- Office Action issued on Mar. 28, 2006 in U.S. Appl. No. 09/843,788, 20 pages.
- Office Action issued on Mar. 30, 2004 in U.S. Appl. No. 09/843,788, 14 pages.
- Office Action issued on Apr. 2, 2009 in U.S. Appl. No. 11/237,718, 18 pages.
- Office Action issued on Apr. 7, 2008 in U.S. Appl. No. 11/150,180, 7 pages.
- Office Action issued on Apr. 15, 2008 in U.S. Appl. No. 10/146,814, 17 pages.
- Office Action issued on Apr. 19, 2007 in U.S. Appl. No. 09/843,788, 14 pages.
- Office Action issued on Apr. 20, 2006 in U.S. Appl. No. 10/184,002, 15 pages.
- Office Action issued on Apr. 29, 2005 in U.S. Appl. No. 09/911,799, 16 pages.
- Office Action issued on Apr. 29, 2008 in U.S. Appl. No. 10/747,679, 22 pages.
- Office Action issued on May 5, 2010 in U.S. Appl. No. 09/843,788, 17 pages.
- Office Action issued on May 18, 2006 in U.S. Appl. No. 10/134,437, 26 pages.
- Office Action issued on May 22, 2006 in U.S. Appl. No. 10/146,814, 11 pages.
- Office Action issued on Jun. 12, 2006 in U.S. Appl. No. 09/843,788, 3 pages.
- Office Action issued on Jun. 23, 2008 in U.S. Appl. No. 10/747,623, 18 pages.



- Office Action issued on Jul. 2, 2007 in U.S. Appl. No. 10/146,814, 15 pages.
- Office Action issued on Jul. 16, 2007 in U.S. Appl. No. 10/747,624, 7 pages.
- Office Action issued on Jul. 27, 2005 in U.S. Appl. No. 09/843,788, 19 pages.
- Office Action issued on Aug. 4, 2010 in U.S. Appl. No. 12/336,880, 12 pages.
- Office Action issued on Aug. 11, 2006 in U.S. Appl. No. 09/911,799, 13 pages.
- Office Action issued on Aug. 19, 2009 in U.S. Appl. No. 11/150,180, 11 pages.
- Office Action issued on Aug. 21, 2006 in U.S. Appl. No. 10/134,437, 3 pages.
- Office Action issued on Aug. 21, 2007 in U.S. Appl. No. 10/747,623, 6 pages.
- Office Action issued on Aug. 25, 2005 in U.S. Appl. No. 10/184,002, 13 pages.
- Office Action issued on Sep. 6, 2007 in U.S. Appl. No. 10/134,437, 2 pages.
- Office Action issued on Sep. 15, 2008 in U.S. Appl. No. 09/843,788, 12 pages.
- Office Action issued on Sep. 18, 2008 in U.S. Appl. No. 10/134,437, 30 pages.
- Office Action issued on Sep. 20, 2005 in U.S. Appl. No. 10/146,814, 11 pages.
- Office Action issued on Oct. 2, 2007 in U.S. Appl. No. 10/747,679, 27 pages.
- Office Action issued on Oct. 2, 2007 in U.S. Appl. No. 11/150,180, 5 pages.
- Office Action issued on Oct. 31, 2007 in U.S. Appl. No. 09/843,788, 3 pages.
- Office Action issued on Nov. 1, 2005 in U.S. Appl. No. 10/134,437, 21 pages.
- Office Action issued on Nov. 1, 2007 in U.S. Appl. No. 10/747,624, 17 pages.
- Office Action issued on Nov. 14, 2007 in U.S. Appl. No. 10/747,623, 20 pages.
- Office Action issued on Nov. 17, 2005 in U.S. Appl. No. 09/911,799, 12 pages.
- Office Action issued on Nov. 17, 2009 in U.S. Appl. No. 10/134,437, 2 pages.
- Office Action issued on Dec. 2, 2004 in U.S. Appl. No. 09/843,788, 21 pages.
- Office Action issued on Dec. 11, 2006 in U.S. Appl. No. 10/146,814, 14 pages.
- Office Action of Canadian Application No. 2,462,037, dated Feb. 12, 2009, 8 pages.
- Office Action in U.S. Appl. No. 10/134,437, dated Mar. 10, 2009, 31 pages.
- Office Action in U.S. Appl. No. 10/184,002, dated Jan. 8, 2008, 11 pages.
- Office Action in U.S. Appl. No. 10/184,002, dated Jan. 9, 2007, 9 pages.
- Office Action in U.S. Appl. No. 11/015,424, dated Mar. 19, 2008, 32 pages.
- Office Action in U.S. Appl. No. 11/015,424, dated May 1, 2009, 46 pages.
- Office Action in U.S. Appl. No. 11/237,718, dated Apr. 2, 2009, 19 pages.
- Office Action in U.S. Appl. No. 11/238,130, dated Apr. 14, 2009, 35 pages.
- Office Action in U.S. Appl. No. 11/238,130, dated Jul. 3, 2008, 19 pages.
- Office Action in U.S. Appl. No. 11/238,130, dated Nov. 13, 2008, 44 pages.
- Office Action in U.S. Appl. No. 09/843,788, dated Apr. 19, 2007, 14 pages.
- Office Action in U.S. Appl. No. 10/134,437, dated Feb. 11, 2008, 32 pages.
- Office Action in U.S. Appl. No. 10/146,814, dated Apr. 15, 2008, 17 pages.
- Office Action in U.S. Appl. No. 10/146,814, dated Dec. 11, 2006, 14 pages.
- Office Action in U.S. Appl. No. 10/146,814, dated Jul. 2, 2007, 15 pages.
- Office Action in U.S. Appl. No. 10/184,002 dated Jan. 9, 2007, 9 pages.
- Office Action in U.S. Appl. No. 10/747,623, dated Mar. 13, 2007, 19 pages.
- Office Action in U.S. Appl. No. 10/747,623, dated Nov. 14, 2007, 18 pages.
- Office Action in U.S. Appl. No. 10/747,624, dated Feb. 26, 2007, 15 pages.
- Office Action in U.S. Appl. No. 11/150,180, dated Oct. 2, 2007, 6 pages.
- PCT International Search Report of Apr. 11, 2003, App. No. PCT/US00/35160 (3 pages).
- PCT International Search Report of Jan. 9, 2003, App. No. PCT/US02/30730 (5 pages).
- Pruitt, Scarlet. IDG News Service. "Morpheus Updates Peer-to-Peer Client" [online] Jun. 10, 2002, Retrieved from Internet URL:<http://www.pcworld.com/article/id.101736/article.html>, 1 page.
- R. Movva & W. Lai, "MSN Messenger Service 1.0 Protocol", Aug. 1999. Internet Draft. <http://tools.ietf.org/id/draft-movva-msn-messenger-protocol-oo.txt>, 28 pages.
- Reichard, K., "AOL, ICQ to Interoperate—But in a Limited Fashion," Oct. 30, 2002, InstantMessagingPlanet, available at [www.instantmessagingplanet.com/public/article.php/1490771](http://www.instantmessagingplanet.com/public/article.php/1490771), 4 pages.
- Ryze home page, [www.ryze.com](http://www.ryze.com), Dec. 21, 2003, available at <http://web.archive.org/web/20031221010006/http://ryze.com>, 13 pages.
- Takashi Yoshino et al., "Namba: Location-Aware Collaboration System for Shopping and Meeting", Aug. 2002, IEEE Transactions on Consumer Electronics, pp. 470-477.
- The LP Wireless Messenger, Messenger Documentation, [online]. LP Wireless, Inc., 2001. Retrieved from the Internet <<http://www.lpwireless.com/messengerhelp.htm>> pp. 1-7.
- Tribal Voice, PowWow Guided Tour—Step 6, PowWow personal communication. <http://web.archive.org/web/2000817094516/www.tribal.com/powwow/tour/step6.cfm> (Oct. 22, 1999), 2 pages.
- Final Office Action in U.S. Appl. No. 10/134,437 dated May 18, 2006, 26 pages.
- Final Office Action in U.S. Appl. No. 11/238,130 dated Nov. 24, 2009, 26 pages.
- Final Office Action in U.S. Appl. No. 10/015,424 dated Nov. 3, 2008, 46 pages.
- Final Office Action in U.S. Appl. No. 10/015,424 dated Oct. 19, 2009, 59 pages.
- Final Office Action in U.S. Appl. No. 11/237,718 dated Oct. 30, 2009, 21 pages.
- Office Action in U.S. Appl. No. 10/184,002 dated Apr. 20, 2006, 15 pages.
- Office Action in U.S. Appl. No. 10/184,002 dated Aug. 25, 2005, 13 pages.
- Office Action in U.S. Appl. No. 10/134,437 dated Nov. 1, 2005, 21 pages.
- VisiblePath webpages, [www.visiblepath.org](http://www.visiblepath.org), Dec. 3, 2003, available at <http://web.archive.org/web/20031203132211/http://www.visiblepath.com>, 5 pages.
- WebmasterWorld.com Inc., "HTML and Browsers", Mar. 5, 2001, Internet: [www.webmasterworld.com/forum21/367.htm](http://www.webmasterworld.com/forum21/367.htm), 2 pages.
- William R. Stanek, Microsoft Windows 2000 Administrator's Pocket Consultant [online]. Microsoft Corporation, 1999, Working with Active Directory Domains, pp. 1-10.
- William R. Stanek, Microsoft Windows 2000 Administrator's Pocket Consultant [online]. Microsoft Corporation, 1999, Using Active Directory Service pp. 1-6.
- ZeroDegrees home page, [www.zerodegrees.com](http://www.zerodegrees.com), Jan. 24, 2004, available at <http://web.archive.org/web/20040204153037/www.zerodegrees.com/home.htm>, printed Mar. 16, 2005, 2 pages.
- Archive.org archived the Morpheus 1.9.1 download page on cnet Download.com [online] Oct. 8, 2001 [from file of U.S. Appl. No. 09/911,799] (2 pages).



- Archive.org archived the MusicCity Morpheus download page on clnet Download.com [online] Oct. 8, 2001 [from file of U.S. Appl. No. 09/911,799] (2 pages).
- Mariano, Gwendloyn, ZDNet News, "Morpheus 1.9 to be unleashed" [online] Jun. 10, 2002 [from file of U.S. Appl. No. 09/911,799] (6 pages).
- Pruitt, Scarlet, IDG News Service, "Morpheus Updates Peer-to-Peer Client" [online] Jun. 20, 2002 [from file of U.S. Appl. No. 09/911,799] (3 pages).
- Yubing Wang, Mark Claypool, Zheng Zoo, Video: An empirical study of relavideo performance across the internet, Proceedings of the 1<sup>st</sup> ACM SIGCOMM Workshop on Internet Measurement, ACM Press, IMW 2001, Nov. 2001 (15 pages).
- Office Action mailed Approximately Feb. 19, 2006, for Japanese Patent App. No. 2002-515026 (6 pages).
- Archive.org archived "AOL Instant Messenger," [online] Jul. 21, 2001 [from file of U.S. Appl. No. 09/911,799] (7 pages).
- Archive.org archived "About File Transfers," AOL Instant Messenger, version 4.3, Help Documentation [online] Jul. 21, 2001 [from file of U.S. Appl. No. 09/911,799] (5 pages).
- Office Action mailed Nov. 14, 2007, from U.S. Appl. No. 10/747,623 (18 pages).
- Final Office Action mailed Aug. 21, 2007, from U.S. Appl. No. 10/747,623 (17 pages).
- Office Action mailed Mar. 13, 2007, from U.S. Appl. No. 10/747,623 (18 pages).
- Final Office Action mailed Jun. 23, 2008, from U.S. Appl. No. 10/747,623 (19 pages).
- Office Action mailed Feb. 26, 2007, from U.S. Appl. No. 10/747,624 (15 pages).
- Final Office Action mailed Nov. 1, 2007, from U.S. Appl. No. 10/747,624 (17 pages).
- Office Action of Dec. 1, 2008, from U.S. Appl. No. 09/911,799 (8 pages).
- Office Action mailed Jul. 3, 2007, from U.S. Appl. No. 09/911,799 (18 pages).
- Final Office Action mailed Mar. 18, 2009, from U.S. Appl. No. 09/911,799 (28 pages).
- Office Action mailed Mar. 18, 2010, from U.S. Appl. No. 09/911,799 (6 pages).
- Final Office Action mailed Aug. 11, 2006, from U.S. Appl. No. 09/911,799 (12 pages).
- Office Action mailed Nov. 17, 2005, from U.S. Appl. No. 09/911,799 (11 pages).
- Final Office Action mailed Apr. 29, 2005, from U.S. Appl. No. 09/911,799 (15 pages).
- Office Action mailed Oct. 5, 2004, from U.S. Appl. No. 09/911,799 (12 pages).
- Office Action mailed Oct. 2, 2007, from U.S. Appl. No. 10/747,679 (33 pages).
- Final Office Action mailed Apr. 29, 2008, from U.S. Appl. No. 10/747,697 (23 pages).
- Wingfield, N., "Technology Journal: Changing Chat—Instant Messaging is Taking Off, and for Some Users It's Nuzzling Out the Phone," Asian Wall Street Journal, New York, N. Y., Sep. 25, 2000 (5 pages).
- "Windows Meeting—Features," [Online] Jun. 17, 1999, XP002245623 retrieved from the Internet: URL <http://www.microsoft.com/windows/NetMeeting/features/default.ASP>> (8 pages).
- European Office Action in Application No. 01954931.0-2414, mailed Jul. 14, 2008 (3 pages).
- WBWE (1998). PowWow 3.5 Brings the Power of Internet Community to the People, Business Wire.
- PowWow (Mar. 1, 2000). Introduction, retrieved Apr. 3, 2006 from Web site: [http://web.archive.org/web/20000301125635/ww2.tribal.com/help/online\\_docs/h205voic.html](http://web.archive.org/web/20000301125635/ww2.tribal.com/help/online_docs/h205voic.html).
- Canadian Office Action from Application No. 2,403,520, dated Feb. 21, 2005.
- Satter, Michael, excerpts from Internet TV with CU-SeeMe, First Edition, including inside Title Page and Copyright Page; "Overview" & "Contents," through pp. xii; Chapter 1, "Introduction to Internet Video Conferencing and CU-SeeMe," pp. 1-12; Chapter 4, "Hardware," pp. 47-64; Chapter 5, "Software," pp. 65-92; Chapter 6, "CU-SeeMe User's Guide," pp. 93-121; Chapter 9, "Other Videoconferencing Technologies," pp. 201-226; Chapter 10, "What the Future Holds," pp. 227-233 and Appendix A, "Troubleshooting Q&A," pp. 235-249; published by Sams.net Publishing, 201 W. 103<sup>rd</sup> Street, Indianapolis, IN 46290, International Standard Book No. 1-57521-006-1, Library of Congress Catalog Card No. 95-70178, copyright 1995.
- Anonymous, "The Internet—the Advent of New Forms of Communication," Internet Document, pp. 1-4, retrieved from URL <http://journal.fujitsu.com/248e/e48now.html> [retrieved Dec. 29, 2003].
- Anonymous, "Push to Talk Services," Internet Document, p. 1, retrieved from URL [http://www.nextel.com/services/directconnect/ppt\\_overview.shtml](http://www.nextel.com/services/directconnect/ppt_overview.shtml) [retrieved on Dec. 29, 2003].
- Isaacs, Ellen: "Example UI Spec: Sound Instant Messages," Internet Document, pp. 1-2, retrieved from URL <http://www.udesigns.com/spec/d-sims.html> [retrieved on Jun. 26, 2003].
- Matsumoto, Tatsuro et al., Chococ Communicator—A New Communication System Based on Awareness and Text Communications—FUJITSU Sci. Tech. J., 36, pp. 154-161 (Dec. 2000).
- Muller, Nathan, "Dial 1-800-Internet," Feb. 1996, pp. 83-84, 86, 88.
- Wayner, Peter, "Hey Baby, Call Me at My IP Address," Apr. 1996, pp. 142-144.
- "AOL Technology: Turning Complicated Things Into Engaging Services," 1996 Annual Report, 22 pages.
- Mike Snider, "America Goes Online for New Year's Bash," USA Today, p. 3D, Jan. 2, 2000.
- "Yahoo! Messenger Makes the World a Little Smaller, More Informed," pp. 1-2, Jun. 21, 1999.
- Klaus Hartenstein et al, "xhtalk 2.9," Nov. 1992 (6 pages).
- Alan Cohen, "Instant Messaging," Apr. 13, 1999, PC Magazine, PC Labs (2 pages).
- "AOL Instant Messenger Windows Beta Features," Jun. 24, 1999 (2 page); AOL Instant Messenger All New Version 2.0 (2 pages), Jun. 24, 1999, What is AOL Instant Messenger (3 pages), Jun. 24, 1999; Quick Tips.
- Final Office Action, U.S. Appl. No. 11/023,652, issued Dec. 8, 2011 (13 pages).
- Office Action, U.S. Appl. No. 12/615,136, issued Oct. 25, 2011 (19 pages).
- Final Office Action, U.S. Appl. No. 13/023,256, issued Nov. 28, 2011 (11 pages).

\* cited by examiner



100




FIG. 1






FIG. 2






FIG. 3






FIG. 4






FIG. 5






FIG. 6



700




FIG. 7

800




FIG. 8






FIG. 9




FIG. 10

## 1

## VOICE INSTANT MESSAGING

This application is a continuation of U.S. application Ser. No. 09/810,159, filed Mar. 19, 2001 now U.S. Pat. No. 8,041, 768, which claims the benefit of U.S. Provisional Application No. 60/189,974, filed Mar. 17, 2000, and U.S. Provisional Application No. 60/239,917, filed Oct. 13, 2000. The foregoing applications are expressly incorporated herein by reference in their entirety.

## TECHNICAL FIELD

The present invention relates generally to transferring data between subscribers of a communications system and more particularly to transferring audio data between subscribers of an instant messaging host.

## BACKGROUND

Online service providers are constantly offering new services and upgrading existing services to enhance their subscribers' online experience. Subscribers have on-demand access to news, weather, financial, sports, and entertainment services as well as the ability to transmit electronic messages and to participate in online discussion groups. For example, subscribers of online service providers such as America Online or CompuServe may view and retrieve information on a wide variety of topics from servers located throughout the world. A server may be maintained by the service provider or by a third party provider who makes information and services available through the worldwide network of computers that make up the online service.

America Online has provided subscribers with the ability to send and receive instant messages. Instant messages are private online conversations between two or more people who have subscribed to the instant messaging service and have installed the necessary software. Because such online conversations take place in essentially real time, instant messaging can provide immediate access to desired information. Instant messaging is becoming a preferred means of communicating among online subscribers.

## SUMMARY

In one general aspect, electronic data is transferred between users of a communications system by enabling instant messaging communication between a sender and at least one recipient through an instant messaging host. In addition, voice communication is enabled between the sender and the recipient through the instant messaging host.

Implementations may include one or more of the following features. For example, implementations may include receiving and authenticating a text instant message from the sender at the instant messaging host; determining capabilities of the recipient; reporting the capabilities of the recipient; receiving a request to establish voice communication from the sender and/or the recipient; and/or authenticating the request. Authenticating may include identifying a screen name and/or an EP address of the sender and/or the recipient. Determining capabilities of the recipient may include identifying hardware or software associated with the recipient. A user interface may be displayed according to the capabilities of the recipient.

Voice communication may be enabled by establishing a generic signaling interface channel, a control channel, and an audio channel between the sender and the recipient. A mode UDP test may be attempted on the audio channel. The control

## 2

channel may include a TCP/IP socket. The audio channel may include a UDP or TCP channel.

These and other general aspects may be implemented by an apparatus and/or by a computer program stored on a computer readable medium. The computer readable medium may comprise a disc, a client device, a host device, and/or a propagated signal.

Other features and advantages will be apparent from the following description, including the drawings, and from the claims.

## DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of a communications system.

FIGS. 2-5 are expansions of the block diagram of FIG. 1.

FIG. 6 is a flow chart of a communications method that may be implemented by the systems of FIGS. 1-5.

FIGS. 7-10 are illustrations of different graphical user interfaces that may be provided by the systems of FIGS. 1-5.

## DETAILED DESCRIPTION

For illustrative purposes, FIGS. 1-5 describe a communications system for implementing techniques for transferring electronic data. For brevity, several elements in the figures described below are represented as monolithic entities. However, as would be understood by one skilled in the art, these elements each may include numerous interconnected computers and components designed to perform a set of specified operations and/or dedicated to a particular geographical region.

Referring to FIG. 1, a communications system 100 is capable of delivering and exchanging data between a client system 105 and a host system 110 through a communications link 115. The client system 105 typically includes one or more client devices 120 and/or client controllers 125. For example, the client system 105 may include one or more general-purpose computers (e.g., personal computers), one or more special-purpose computers (e.g., devices specifically programmed to communicate with each other and/or the host system 110), or a combination of one or more general-purpose computers and one or more special-purpose computers. The client system 105 may be arranged to operate within or in concert with one or more other systems, such as for example, one or more LANs ("Local Area Networks") and/or one or more WANs ("Wide Area Networks").

The client device 120 is generally capable of executing instructions under the command of a client controller 125. The client device 120 is connected to the client controller 125 by a wired or wireless data pathway 130 capable of delivering data.

The client device 120 and client controller 125 each typically includes one or more hardware components and/or software components. An example of a client device 120 is a general-purpose computer (e.g., a personal computer) capable of responding to and executing instructions in a defined manner. Other examples include a special-purpose computer, a workstation, a server, a device, a component, other equipment or some combination thereof capable of responding to and executing instructions. An example of client controller 125 is a software application loaded on the client device 120 for commanding and directing communications enabled by the client device 120. Other examples include a program, a piece of code, an instruction, a device, a computer, a computer system, or a combination thereof, for independently or collectively instructing the client device 120 to interact and operate as described herein. The client con-



troller **125** may be embodied permanently or temporarily in any type of machine, component, equipment, storage medium, or propagated signal capable of providing instructions to the client device **120**.

The communications link **115** typically includes a delivery network **160** making a direct or indirect communication between the client system **105** and the host system **110**, irrespective of physical separation. Examples of a delivery network **160** include the Internet, the World Wide Web, WANs, LANs, analog or digital wired and wireless telephone networks (e.g. PSTN, ISDN, or xDSL), radio, television, cable, satellite, and/or any other delivery mechanism for carrying data. The communications link **115** may include communication pathways **150**, **155** that enable communications through the one or more delivery networks **160** described above. Each of the communication pathways **150**, **155** may include, for example, a wired, wireless, cable or satellite communication pathway.

The host system **110** includes a host device **135** capable of executing instructions under the command and direction of a host controller **140**. The host device **135** is connected to the host controller **140** by a wired or wireless, data pathway **145** capable of carrying and delivering data.

The host system **110** typically includes one or more host devices **135** and/or host controllers **140**. For example, the host system **110** may include one or more general-purpose computers (e.g., personal computers), one or more special-purpose computers (e.g., devices specifically programmed to communicate with each other and/or the client system **105**), or a combination of one or more general-purpose computers and one or more special-purpose computers. The host system **110** may be arranged to operate within or in concert with one or more other systems, such as, for example, one or more LANs ("Local Area Networks") and/or one or more WANs ("Wide Area Networks").

The host device **135** and host controller **140** each typically includes one or more hardware components and/or software components. An example of a host device **135** is a general-purpose computer (e.g., a personal computer) capable of responding to and executing instructions in a defined manner. Other examples include a special-purpose computer, a workstation, a server, a device, a component, other equipment or some combination thereof capable of responding to and executing instructions. An example of host controller **140** is a software application loaded on the host device **135** for commanding and directing communications enabled by the host device **135**. Other examples include a program, a piece of code, an instruction, a device, a computer, a computer system, or a combination thereof, for independently or collectively instructing the host device **135** to interact and operate as described herein. The host controller **140** may be embodied permanently or temporarily in any type of machine, component, equipment, storage medium, or propagated signal capable of providing instructions to the host device **135**.

FIG. 2 illustrates a communication system **200** including a client system **205** communicating with a host system **210** through a communications link **215**. Client system **205** typically includes one or more client devices **220** and one or more client controllers **225** for controlling the client devices **220**. Host system **210** typically includes one or more host devices **235** and one or more host controllers **240** for controlling the host devices **235**. The communications link **215** may include communication pathways **250**, **255** enabling communications through the one or more delivery networks **260**.

Examples of each element within the communication system of FIG. 2 are broadly described above with respect to FIG. 1. In particular, the host system **210** and communica-

tions link **215** typically have attributes comparable to those described with respect to host system **110** and communications link **115** of FIG. 1. Likewise, the client system **205** of FIG. 2 typically has attributes comparable to and illustrates one possible embodiment of the client system **105** of FIG. 1.

The client device **220** typically includes a general purpose computer **270** having an internal or external storage **272** for storing data and programs such as an operating system (e.g., DOS, Windows™, Windows95™, Windows98™, Windows2000™, Windows NT™, OS/2, or Linux) and one or more application programs. Examples of application programs include authoring applications **276** (e.g., word processing, database programs, spreadsheet programs, or graphics programs) capable of generating documents or other electronic content; client applications **278** (e.g., AOL client, CompuServe client, AIM client, AOL TV client, or ISP client) capable of communicating with other computer users, accessing various computer resources, and viewing, creating, or otherwise manipulating electronic content; and browser applications **280** (e.g., Netscape's Navigator or Microsoft's Internet Explorer) capable of rendering standard Internet content.

The general-purpose computer **270** also includes a central, processing unit **282** (CPU) for executing instructions in response to commands from the client controller **225**. In one implementation, the client controller **225** includes one or more of the application programs installed on the internal or external storage **272** of the general-purpose computer **270**. In another implementation, the client controller **225** includes application programs externally stored in and performed by one or more device(s) external to the general-purpose computer **270**.

The general-purpose computer typically will include a communication device **284** for sending and receiving data. One example of the communication device **284** is a modem. Other examples include a transceiver, a set-top box, a communication card, a satellite dish, an antenna, or another network adapter capable of transmitting and receiving data over the communications link **215** through a wired or wireless data pathway **250**. The general-purpose computer **270** also may include a TV ("television") tuner **286** for receiving television programming in the form of broadcast, satellite, and/or cable TV signals. As a result, the client device **220** can selectively and/or simultaneously display network content received by communications device **284** and television programming content received by the TV tuner **286**.

The general-purpose computer **270** typically will include an input/output interface **288** for wired or wireless connection to various peripheral devices **290**. Examples of peripheral devices **290** include, but are not limited to, a mouse **291**, a mobile phone **292**, a personal digital assistant **293** (PDA), a keyboard **294**, a display monitor **295** with or without a touch screen input, a TV remote control **296** for receiving information from and rendering information to subscribers, and a video input device **298**.

Although FIG. 2 illustrates devices such as a mobile telephone **292**, a PDA **293**, and a TV remote control **296** as being peripheral with respect to the general-purpose computer **270**, in another implementation, such devices may themselves include the functionality of the general-purpose computer **270** and operate as the client device **220**. For example, the mobile phone **292** or the PDA **293** may include computing and networking capabilities and function as a client device **220** by accessing the delivery network **260** and communicating with the host system **210**. Furthermore, the client system **205** may include one, some or all of the components and devices described above.



## 5

Referring to FIG. 3, a communications system 300 is capable of delivering and exchanging information between a client system 305 and a host system 310 through a communication link 315. Client system 305 typically includes one or more client devices 320 and one or more client controllers 325 for controlling the client devices 320. Host system 310 typically includes one or more host devices 335 and one or more host controllers 340 for controlling the host devices 335. The communications link 315 may include communication pathways 350, 355 enabling communications through the one or more delivery networks 360.

Examples of each element within the communication system of FIG. 3 are broadly described above with respect to FIGS. 1 and 2. In particular, the client system 305 and the communications link 315 typically have attributes comparable to those described with respect to client systems 105 and 205 and communications links 115 and 215 of FIGS. 1 and 2. Likewise, the host system 310 of FIG. 3 may have attributes comparable to and illustrates one possible embodiment of the host systems 110 and 210 shown in FIGS. 1 and 2, respectively.

The host system 310 includes a host device 335 and a host controller 340. The host controller 340 is generally capable of transmitting instructions to any or all of the elements of the host device 335. For example, in one implementation, the host controller 340 includes one or more software applications loaded on the host device 335. However, in other implementations, as described above, the host controller 340 may include any of several other programs, machines, and devices operating independently or collectively to control the host device 335.

The host device 335 includes a login server 370 for enabling access by subscribers and routing communications between the client system 305 and other elements of the host device 335. The host device 335 also includes various host complexes such as the depicted OSP (“Online Service Provider”) host complex 380 and IM (“Instant Messaging”) host complex 390. To enable access to these host complexes by subscribers, the client system 305 includes communication software, for example, an OSP client application and an IM client application. The OSP and IM communication software applications are designed to facilitate the subscriber’s interactions with the respective services and, in particular, may provide access to all the services available within the respective host complexes.

Typically, the OSP host complex 380 supports different services, such as email, discussion groups, chat, news services, and Internet access. The OSP host complex 380 is generally designed with an architecture that enables the machines within the OSP host complex 380 to communicate with each other and employs certain protocols (i.e., standards, formats, conventions, rules, and structures) to transfer data. The OSP host complex 380 ordinarily employs one or more OSP protocols and custom dialing engines to enable access by selected client applications. The OSP host complex 380 may define one or more specific protocols for each service based on a common, underlying proprietary protocol.

The IM host complex 390 is generally independent of the OSP host complex 380, and supports instant messaging services irrespective of a subscriber’s network or Internet access. Thus, the IM host complex 390 allows subscribers to send and receive instant messages, whether or not they have access to any particular ISP. The IM host complex 390 may support associated services, such as administrative matters, advertising, directory services, chat, and interest groups related to the instant messaging. The IM host complex 390 has an architecture that enables all of the machines within the IM host

## 6

complex to communicate with each other. To transfer data, the IM host complex 390 employs one or more standard or exclusive IM protocols.

The host device 335 may include one or more gateways that connect and therefore link complexes, such as the OSP host complex gateway 385 and the IM host complex gateway 395. The OSP host complex gateway 385 and the IM host complex gateway 395 may directly or indirectly link the OSP host complex 380 with the IM host complex 390 through a wired or wireless pathway. Ordinarily, when used to facilitate a link between complexes, the OSP host complex gateway 385 and the IM host complex gateway 395 are privy to information regarding the protocol type anticipated by a destination complex, which enables any necessary protocol conversion to be performed incident to the transfer of data from one complex to another. For instance, the OSP host complex 380 and IM host complex 390 generally use different protocols such that transferring data between the complexes requires protocol conversion by or at the request of the OSP host complex gateway 385 and/or the IM host complex gateway 395.

Referring to FIG. 4, a communications system 400 is capable of delivering and exchanging information between a client system 405 and a host system 410 through a communication link 415. Client system 405 typically includes one or more client devices 420 and one or more client controllers 425 for controlling the client devices 420. Host system 410 typically includes one or more host devices 435 and one or more host controllers 440 for controlling the host devices 435. The communications link 415 may include communication pathways 450, 455 enabling communications through the one or more delivery networks 460. As shown, the client system 405 may access the Internet 465 through the host system 410.

Examples of each element within the communication system of FIG. 4 are broadly described above with respect to FIGS. 1-3. In particular, the client system 405 and the communications link 415 typically have attributes comparable to those described with respect to client systems 105, 205, and 305 and communications links 115, 215, and 315 of FIGS. 1-3. Likewise, the host system 410 of FIG. 4 may have attributes comparable to and illustrates one possible embodiment of the host systems 110, 210, and 310 shown in FIGS. 1-3, respectively. However, FIG. 4 describes an aspect of the host system 410, focusing primarily on one particular implementation of OSP host complex 480. For purposes of communicating with an OSP host complex 480, the delivery network 460 is generally a telephone network.

The client system 405 includes a client device 420 and a client controller 425. The client controller 425 is generally capable of establishing a connection to the host system 410, including the OSP host complex 480, the IM host complex 490 and/or the Internet 465. In one implementation, the client controller 425 includes an OSP application for communicating with servers in the OSP host complex 480 using exclusive OSP protocols. The client controller 425 also may include applications, such as an IM client application, and/or an Internet browser application, for communicating with the IM host complex 490 and the Internet 465.

The host system 410 includes a host device 435 and a host controller 440. The host controller 440 is generally capable of transmitting instructions to any or all of the elements of the host device 435. For example, in one implementation, the host controller 440 includes one or more software applications loaded on one or more elements of the host device 435. However, in other implementations, as described above, the host controller 440 may include any of several other pro-



grams, machines, and devices operating independently or collectively to control the host device **435**.

The host system **410** includes a login server **470** capable of enabling communications with and authorizing access by client systems **405** to various elements of the host system **410**, including an OSP host complex **480** and an IM host complex **490**. The login server **470** may implement one or more authorization procedures to enable simultaneous access to the OSP host complex **480** and the IM host complex **490**. The OSP host complex **480** and the IM host complex **490** are connected through one or more OSP host complex gateways **485** and one or more IM host complex gateways **495**. Each OSP host complex gateway **485** and IM host complex gateway **495** may perform any protocol conversions necessary to enable communication between the OSP host complex **480**, the DA host complex **490**, and the Internet **465**.

The OSP host complex **480** supports a set of services from one or more servers located internal to and external from the OSP host complex **480**. Servers external to the OSP host complex **480** generally may be viewed as existing on the Internet **465**. Servers internal to the OSP complex **480** may be arranged in one or more configurations. For example, servers may be arranged in centralized or localized clusters in order to distribute servers and subscribers within the OSP host complex **480**.

In the implementation of FIG. 4, the OSP host complex **480** includes a routing processor **4802**. In general, the routing processor **4802** will examine an address field of a data request, use a mapping table to determine the appropriate destination for the data request, and direct the data request to the appropriate destination. In a packet-based implementation, the client system **405** may generate information requests, convert the requests into data packets, sequence the data packets, perform error checking and other packet-switching techniques, and transmit the data packets to the routing processor **4802**. Upon receiving data packets from the client system **405**, the routing processor **4802** may directly or indirectly route the data packets to a specified destination within or outside of the OSP host complex **480**. For example, in the event that a data request from the client system **405** can be satisfied locally, the routing processor **4802** may direct the data request to a local server **4804**. In the event that the data request cannot be satisfied locally, the routing processor **4802** may direct the data request externally to the Internet **465** or the IM host complex **490** through the gateway **485**.

The OSP host complex **480** also includes a proxy server **4806** for directing data requests and/or otherwise facilitating communication between the client system **405** and the Internet **465** through. The proxy server **4806** may include an IP ("Internet Protocol") tunnel for converting data from OSP protocol into standard Internet protocol and transmitting the data to the Internet **465**. The IP tunnel also converts data received from the Internet in the standard Internet protocol back into the OSP protocol and sends the converted data to the routing processor **4802** for delivery back to the client system **405**.

The proxy server **4806** also may allow the client system **405** to use standard Internet protocols and formatting to access the OSP host complex **480** and the Internet **465**. For example, the subscriber can use an OSP TV client application having an embedded browser application installed on the client system **405** to generate a request in standard Internet protocol, such as HTTP ("HyperText Transport Protocol"). In a packet-based implementation, data packets may be encapsulated inside a standard Internet tunneling protocol, such as, for example, UDP ("User Datagram Protocol") and routed to the proxy server **4806**. The proxy server **4806** may include a

L2TP ("Layer Two Tunneling Protocol") tunnel capable of establishing a point-to-point protocol (PPP) session with the client system **405**.

The proxy server **4806** also may act as a buffer between the client system **405** and the Internet **465**, and may implement content filtering and time saving techniques. For example, the proxy server **4806** can check parental controls settings of the client system **405** and request and transmit content from the Internet **465** according to the parental control settings. In addition, the proxy server **4806** may include one or more caches for storing frequently accessed information. If requested data is determined to be stored in the caches, the proxy server **4806** may send the information to the client system **405** from the caches and avoid the need to access the Internet **465**.

Referring to FIG. 5, a communications system **500** is capable of delivering and exchanging information between a client system **505** and a host system **510** through a communication link **515**. Client system **505** typically includes one or more client devices **520** and one or more client controllers **525** for controlling the client devices **520**. Host system **510** typically includes one or more host devices **535** and one or more host controllers **540** for controlling the host devices **535**. The communications link **515** may include communication pathways **550**, **555** enabling communications through the one or more delivery networks **560**. As shown, the client system **505** may access the Internet **565** through the host system **510**.

Examples of each element within the communication system of FIG. 5 are broadly described above with respect to FIGS. 1-4. In particular, the client system **505** and the communications link **515** typically have attributes comparable to those described with respect to client systems **105**, **205**, **305**, and **405** and communications links **115**, **215**, **315**, and **415** of FIGS. 1-4. Likewise, the host system **510** of FIG. 5 may have attributes comparable to and illustrates one possible embodiment of the host systems **110**, **210**, **310**, and **410** shown in FIGS. 1-4, respectively. However, FIG. 5 describes an aspect of the host system **510**, focusing primarily on one particular implementation of IM host complex **590**. For purposes of communicating with the IM host complex **590**, the delivery network **560** is generally a telephone network.

The client system **505** includes a client device **520** and a client controller **525**. The client controller **525** is generally capable of establishing a connection to the host system **510**, including the OSP host complex **580**, the IM host complex **590** and/or the Internet **565**. In one implementation, the client controller **525** includes an IM application for communicating with servers in the IM host complex **590** utilizing exclusive IM protocols. The client controller **525** also may include applications, such as an OSP client application, and/or an Internet browser application for communicating with the OSP host complex **580** and the Internet **565**, respectively.

The host system **510** includes a host device **535** and a host controller **540**. The host controller **540** is generally capable of transmitting instructions to any or all of the elements of the host device **535**. For example, in one implementation, the host controller **540** includes one or more software applications loaded on one or more elements of the host device **535**. However, in other implementations, as described above, the host controller **540** may include any of several other programs, machines, and devices operating independently or collectively to control the host device **535**.

The host system **510** includes a login server **570** capable of enabling communications with and authorizing access by client systems **505** to various elements of the host system **510**, including an OSP host complex **580** and an IM host complex



590. The login server 570 may implement one or more authorization procedures to enable simultaneous access to the OSP host complex 580 and the IM host complex 590. The OSP host complex 580 and the IM host complex 590 are connected through one or more OSP host complex gateways 585 and one or more IM host complex gateways 595. Each OSP host complex gateway 585 and IM host complex gateway 595 may perform any protocol conversions necessary to enable communication between the OSP host complex 580, the IM host complex 590, and the Internet 565.

To access the IM host complex 590 to begin an instant messaging session, the client system 505 establishes a connection to the login server 570. The login server 570 typically determines whether the particular subscriber is authorized to access the IM host complex 590 by verifying a subscriber identification and password. If the subscriber is authorized to access the IM host complex 590, the login server 570 employs a hashing technique on the subscriber's screen name to identify a particular IM server 5902 for use during the subscriber's session. The login server 570 provides the client system 505 with the IP address of the particular IM server 5902, gives the client system 505 an encrypted key (i.e., a cookie), and breaks the connection. The client system 505 then uses the IP address to establish a connection to the particular IM server 5902 through the communications link 515, and obtains access to that IM server 5902 using the encrypted key. Typically, the client system 505 will be equipped with a Winsock API ("Application Programming Interface") that enables the client system 505 to establish an open TCP connection to the IM server 5902.

Once a connection to the IM server 5902 has been established, the client system 505 may directly or indirectly transmit data to and access content from the IM server 5902 and one or more associated domain servers 5904. The IM server 5902 supports the fundamental instant messaging services and the domain servers 5904 may support associated services, such as, for example, administrative matters, directory services, chat and interest groups. In general, the purpose of the domain servers 5904 is to lighten the load placed on the IM server 5902 by assuming responsibility for some of the services within the IM host complex 590. By accessing the IM server 5902 and/or the domain server 5904, a subscriber can use the IM client application to view whether particular subscribers ("buddies") are online, exchange instant messages with particular subscribers, participate in group chat rooms, trade files such as pictures, invitations or documents, find other subscribers with similar interests, get customized news and stock quotes, and search the Web.

In the implementation of FIG. 5, the IM server 5902 is directly or indirectly connected to a routing gateway 5906. The routing gateway 5906 facilitates the connection between the IM server 5902 and one or more alert multiplexors 5908, for example, by serving as a link minimization tool or hub to connect several IM servers to several alert multiplexors. In general, an alert multiplexor 5908 maintains a record of alerts and subscribers registered to receive the alerts.

Once the client system 505 is connected to the alert multiplexor 5908, a subscriber can register for and/or receive one or more types of alerts. The connection pathway between the client system 505 and the alert multiplexor 5908 is determined by employing another hashing technique at the IM server 5902 to identify the particular alert multiplexor 5908 to be used for the subscriber's session. Once the particular multiplexor 5908 has been identified, the IM server 5902 provides the client system 505 with the IP address of the particular alert multiplexor 5908 and gives the client system 505 an encrypted key (i.e., a cookie). The client system 505 then uses

the IP address to connect to the particular alert multiplexor 5908 through the communication link 515 and obtains access to the alert multiplexor 5908 using the encrypted key.

The alert multiplexor 5908 is connected to an alert gate 5910 that, like the IM host complex gateway 595, is capable of performing the necessary protocol conversions to form a bridge to the OSP host complex 580. The alert gate 5910 is the interface between the IM host complex 590 and the physical servers, such as servers in the OSP host complex 580, where state changes are occurring. In general, the information regarding state changes will be gathered and used by the IM host complex 590. However, the alert multiplexor 5908 also may communicate with the OSP host complex 580 through the IM gateway 595, for example, to provide the servers and subscribers of the OSP host complex 580 with certain information gathered from the alert gate 5910.

The alert gate 5910 can detect an alert feed corresponding to a particular type of alert. The alert gate 5910 may include a piece of code (alert receive code) capable of interacting with another piece of code (alert broadcast code) on the physical server where a state change occurs. In general, the alert receive code installed on the alert gate 5910 instructs the alert broadcast code installed on the physical server to send an alert feed to the alert gate 5910 upon the occurrence of a particular state change. Upon detecting an alert feed, the alert gate 5910 contacts the alert multiplexor 5908, which in turn, informs the client system 505 of the detected alert feed.

In the implementation of FIG. 5, the IM host complex 590 also includes a subscriber profile server 5912 connected to a database 5914 for storing large amounts of subscriber profile data. The subscriber profile server 5912 may be used to enter, retrieve, edit, manipulate, or otherwise process subscriber profile data. In one implementation, a subscriber's profile data includes, for example, the subscriber's buddy list, alert preferences, designated stocks, identified interests, and geographic location. The subscriber may enter, edit and/or delete profile data using an installed IM client application on the client system 505 to interact with the subscriber profile server 5912.

Because the subscriber's data is stored in the IM host complex 590, the subscriber does not have to reenter or update such information in the event that the subscriber accesses the IM host complex 590 using new or a different client system 505. Accordingly, when a subscriber accesses the IM host complex 590, the IM server 5902 can instruct the subscriber profile server 5912 to retrieve the subscriber's profile data from the database 5914 and to provide, for example, the subscriber's buddy list to the IM server 5902 and the subscriber's alert preferences to the alert multiplexor 5908. The subscriber profile server 5912 also may communicate with other servers in the OSP host complex 590 to share subscriber profile data with other services. Alternatively, user profile data may be saved locally on the client device 505.

Referring to FIG. 6, a sender 602a, a recipient 602b, and a host 604 interact according to a procedure 600 to transfer audio data. The procedure 600 may be implemented by any suitable type of hardware, software, device, computer, computer system, equipment, component, program, application, code, storage medium, or propagated signal.

Examples of each element of FIG. 6 are broadly described above with respect to FIGS. 1-5. In particular, the sender 602a and the recipient 602b typically have attributes comparable to those described with respect to client devices 120, 220, 320, 420, and 520 and/or client controllers 125, 225, 325, 425, and 525. The host 604 typically has attributes comparable to those described with respect to host device 135, 235, 335, 435, and 535 and/or host controllers 140, 240, 340, 440, and 540. The



## 11

sender **602a**, the recipient **602b**, and/or the host **604** may be directly or indirectly interconnected through a known or described delivery network.

The sender **602a** and the recipient **602b** are each associated with a subscriber. To allow file transfers, each subscriber sets certain preferences for permitting files to be transferred to and from other subscribers. For example, the sender and recipient may identify screen names of subscribers who have permission to send files to them or retrieve files from them. Typically, each subscriber will be presented with a graphical user interface that permits selection among various transfer preferences. A subscriber's transfer preferences may be maintained locally at the client or remotely at the host **604**.

In general, the sender **602a** and the recipient **602b** communicate over an open connection, such as an open TCP connection established through the host **604**. Typically, the sender **602a** and the recipient **602b** each include a Winsock API for establishing an open TCP connection to the host **604** and a client application for accessing the host **604**. The sender **602a** and the recipient **602b** connect to the host **604** to establish the connection.

The sender **602a** and the recipient **602b** use the connection to communicate with the host **604** and with each other. The connection remains open during the time that the sender **602a** and the recipient **602b** are accessing the host **604**. To access the host **604**, the sender **602a** and the recipient **602b** each send a separate request to the host **604**. The request identifies the associated subscriber to the host **604** and to other subscribers using a unique screen name. The host **604** verifies a subscriber's information (e.g., screen name and password) against data stored in a subscriber database. If the subscriber's information is verified, the host **604** authorizes access. If the subscriber's information is not verified, the host **604** denies access and sends an error message.

Upon accessing the host **604**, a "buddy list" is displayed to the subscriber. In general, a subscriber's buddy list is a user interface that lists the online status and capabilities of certain screen names, i.e., "buddies", identified the subscriber. In particular, the host **604** informs the sender whether identified buddies are online, i.e., currently accessing the host **604**. The host **604** also informs any subscriber who has identified the sender as a buddy that the sender is currently online. The buddy list also facilitates instant messaging communication between subscribers. A subscriber can activate an instant messaging message user interface pre-addressed to a buddy simply by clicking the screen name of a buddy on the buddy list. If a recipient is not a "buddy," the first subscriber must activate a blank instant messaging user interface and then address the instant message to the screen name of the intended recipient. When necessary, a subscriber can look up the screen name of an intended recipient using the intended recipient's e-mail address.

In addition to exchanging instant messages with online buddies, the sender may participate in group chat rooms, locate other subscribers with similar interests, get customized news and stock quotes, search the Web, and transfer files to and from other subscribers. In one implementation, a sender **602a**, a recipient **602b**, and a host **604** interact according to a procedure **600** to transfer audio data.

The transfer of audio data extends the functionality of instant messaging by allowing the sender **602a** and the recipient **602b** to communicate peer to peer via audio, i.e., microphone and speaker. In one implementation, the sender initiates the process **600** by designating one or more recipients to receive an instant message (e.g., a text message). If the intended recipients are "buddies" of the sender **602a**, the sender **602a** may confirm the online status and capabilities of

## 12

each recipient prior to sending the video message by viewing the "buddy list." After a subscriber composes an instant message and clicks a SEND button, the instant message is sent from the sender **602a** to the host (step **605**).

After receiving the instant message from the sender **602a**, the host **604** authenticates the instant message (step **610**). In addition to the textual body, the instant message may include header information identifying the message type, the screen name and/or IP address of the sender and recipient, and a randomly generated security number. The instant message may be authenticated by, for example, using a reverse look-up table to match the screen names and/or IP addresses with those of valid subscribers. In the event that either the sender **602a** or the recipient **602b** is not associated with a valid subscriber, the host **604** reports an error message.

Once the instant message is verified, the host **604** determines the capabilities of the recipient (step **615**). For example, the host **604** may monitor and update the online status, client version, and device type of all connected subscribers in real time. The capability to receive audio data may depend on hardware (e.g., device type), software (e.g., client version), and/or transfer preferences (e.g., blocked screen names). To be talk enabled, both the talk software and audio equipment must be available. The host **604** then reports the capabilities of the recipient to the sender (step **620**).

Upon receiving the report from the host **604**, the sender **602a** displays a UI according to the capabilities of the sender and/or the recipient **602b** (step **625**). If the sender **602a** is not talk enabled, then a standard instant messaging user interface is displayed. If the sender **602a** is talk enabled, but the recipient **602b** is not talk enabled, a START TALK UI having a grayed START TALK button is displayed. If both the sender **602a** and the recipient **602b** are talk enabled, a START TALK UI having a functioning START TALK button is displayed.

The process **600** continues with the host **604** sending the instant message to the recipient **602b** (step **630**). The recipient **602b** accepts the initial text message from the host **604** (step **635**) and displays a UI according to the capabilities of the sender **602a** and/or the recipient **602b** (step **640**). If the recipient **602b** is not talk enabled, then a standard instant messaging UI is displayed. If the recipient **602b** is talk enabled, but the sender **602a** is not talk enabled, an instant messaging UI having a grayed START TALK button is displayed. If both the recipient **602b** and the sender **602a** are talk enabled, an instant messaging UI with a functioning START TALK button is displayed.

If both sides are talk enabled, both the sender **602a** and the recipient **602b** have a START TALK UI displayed. When the START TALK UI is displayed, a subscriber can initiate a talk session. In one implementation, the sender **602a** initiates a talk session by sending a talk request to the host **604** (step **645**). The talk request may contain information including, but not limited to, the message type, the screen name and/or IP address of the sender and recipient, and a randomly generated security number. When a the sender **602a** clicks the START TALK UI, the START TALK UI transitions to an END TALK UI.

Upon receiving the talk request, the host **604** authenticates the talk request from the sender **602a** (step **650**). The host **604** may authenticate the talk request by, for example, using a reverse look-up table to match the screen names and/or IP addresses with those of valid subscribers. In the event that either the sender **602a** or the recipient **602b** is not associated with a valid subscriber, the host **604** reports an error message.

After verifying the talk request, the host **604** sends the talk request to the recipient **602b** (step **655**). Upon receiving the talk request, the START TALK UI displayed by the recipient



620*b* transitions to a CONNECT UI (step 660). The CONNECT UI informs the recipient 602*b* that the sender 602*a* wants to engage in a talk session. At this point, the recipient 602*b* may ignore the talk request, accept the talk request, or terminate the instant message session.

If the recipient 602*b* accepts the talk request by clicking the CONNECT UI (step 665), the CONNECT UI transitions to the END TALK UI and the host 604 establishes a talk session (step 670). When a talk session is active, users can talk to each other. At this point, END TALK UI is displayed by both the sender 602*a* and the recipient 602*b*. The talk session (steps 675*a-b*) remains active until one of the users clicks END TALK UI. After one of the users clicks the END TALK UI, both the sender 602*a* and the recipient 602*b* will display the START TALK UI, allowing either side to initiate yet another talk session.

If the sender 602*a* disengages from the talk session before the recipient connects, the CONNECT UI at the recipient 602*b* transitions back to the START TALK UI. If both users click the START TALK UI simultaneously, the host will ignore one of the START TALK clicks such that one user will display the END TALK UI and the other will display the CONNECT UI. If the sender clicks the START TALK UI prior to the recipient 602*b* accepting the initial text message, the recipient 602*b* does not display the START TALK UI, but instead immediately displays the CONNECT UI.

In one implementation, a talk tool establishes an active talk session using three communication channels: a Generic Signaling Interface (GSI) channel, a control channel, and an audio channel. The talk tool uses the GSI channel to establish the initial connection. During this connection, the local IP addresses are exchanged. After the initial connection phase is done, the GSI channel is no longer used. By using the GSI channel, the exchange of local IP addresses is only done when both users permit such an exchange, i.e., by clicking on the CONNECT UI. These actions protect users from having their local IP addresses automatically obtained without their consent.

The control channel is a TCP/IP socket, for which the IP address and port number of the remote side are obtained through the GSI channel. The control channel is used to send/receive control attributes of the talk session while the session is active. For example, because some firewalls will not allow an external connection to a socket on the inside of the firewall, the talk tool attempts a connection from both sides of the session. This action allows a connection to be made if there is a maximum of one firewall within the connection. If there is a firewall on both sides, the chances are that no connection can be made and the talk session will fail. To work across two firewalls, the user must obtain the port range used by talk such that one of the firewalls can be modified to permit the range to pass through the firewall.

The audio channel is a TCP/IP socket used to transport audio packets. This channel can either be UDP or TCP. In general, UDP is used since it minimizes latency. However, because some firewalls will not pass through UDP packets, the audio channel may have to use TCP. The talk tool indicates the mode (i.e., TCP, UDP), or employs an auto mode in which the talk tool attempts a UDP test and resorts to TCP upon failure of UDP.

Talk sessions may work in either full half duplex. Full duplex is when both users can talk at the same time. Half duplex is where only one user can talk at a time. A client device is determined to be incapable of handling full duplex, for example, if the CPU is too slow to compress/decompress audio simultaneously and/or the microphone and speakers cannot be opened simultaneously. If a client device is marked

as half duplex, then any talk session used by that client device becomes a half duplex session, regardless of whether another device can handle duplex mode. In one implementation, a TALK/LISTEN button on the END TALK UI supports half duplex operation. This button has two states: LISTEN or TALK. If the talk session is full duplex, this button is not shown. If the button reads TALK at both the sender 602*a* and the recipient 602*b* (Initial Half Duplex), the first user to click TALK is allowed to talk and the other user is forced to listen. The user who is listening has a grayed out TALK button (Half Duplex Listen) and the user who is talking has a LISTEN button (Talking Half Duplex). When the LISTEN button is clicked, the user who is talking allows the user who is listening to talk.

The talk tool that enables the audio transfer (talk) functionality may be any type of client controller (e.g., software, application, program) loaded on to a client device. The talk tool supports use by different OSP and IM clients. The talk tool is responsible for responding to user interfaces and translating user commands into the appropriate actions with the client device. For example, the talk tool opens, reads, writes, and closes the physical components on the client devices needed for audio. The talk tool also controls audio and control channels with callbacks being executed to indicate status change. When the talk tool is loaded, the talk tool determines if the client device is capable of handling full duplex.

The talk tool also may allow the user to control the volume for the speaker and microphone. In one implementation, the user speaks into a microphone and the audio data are recorded into memory. While in the record mode, the average level of the speaker's voice is indicated on a level meter displayed on a user interface of the talk tool. A slider control is used to adjust the input level to an optimal value. After the speaker stops speaking, the speaker's stored speech is played back through the computer's audio output device. The speaker level slider control may be used to adjust the output level to an acceptable volume. If the user starts to speak again, the talk tool reverts to the record mode and the cycle repeats. Once the user is satisfied with the settings, the user can save the settings for use in subsequent talk sessions.

The talk tool may support additional functionality including, but not limited to, multi-conferencing, hold, and muting. Multi-conferencing allows more than two users to engage in a talk session. Hold allows the suspension of an active talk session in order to connect to another talk session. Muting turns off the microphone to prevent user feedback/echo during full duplex mode.

The talk tool also may include security features to protect the integrity of transferred data. For example, the talk tool may compress data using a proprietary algorithm or may send the data in a proprietary protocol. To further improve security, the talk tool may select the port numbers at random from a large range.

In general, an instant messaging talk session is similar to a telephonic session in that it has the same three states: not connected (hung up), connecting (ringing), and connected (talking). As described above, these states and the ability to switch among them are supported by corresponding UIs, namely a START TALK UI (not connected), a CONNECT UI (ringing), and an END TALK UI (connected).

FIG. 7 illustrates one example of a START TALK UI. As shown in FIG. 7, a START UI 700 includes an instant message box 705 having a START TALK button 710 for requesting a talk session.



## 15

FIG. 8 illustrates one example of a CONNECT UI. As shown in FIG. 8, a UI 800 includes an instant message box 805 having a CONNECT button 810 for accepting a request to initiate a talk session.

FIG. 9 illustrates one example of an END TALK UI. As shown in FIG. 9, a UI 900 includes an instant message box 905 having an END TALK button 910 for terminating a talk session.

FIG. 10 illustrate one example of a half duplex user interface. As shown in FIG. 10, a UI 1000 includes an instant message box 1005 having a TALK button 1010. The bottom 1010 is greyed out or otherwise disabled when the other party is talking.

Other embodiments are within the scope of the following claims.

What is claimed is:

1. A method comprising:

enabling presentation of a first communication graphical user interface to a sender, the first communication graphical user interface comprising one or more communication options including a voice communication option;

enabling presentation of a second communication graphical user interface to a recipient;

determining voice communication capabilities of the recipient;

receiving, at a server, an indication that the sender has selected the voice communication option; and

establishing, based on the determined voice communication capabilities of the recipient and based on the indication that the sender has selected the voice communication option, a voice communication between the sender and the recipient using more than one channel including at least a generic signaling interface channel.

2. The method of claim 1, further comprising providing a list of users associated with the sender, wherein the list comprises indications of the voice communication capabilities of the users associated with the sender.

3. The method of claim 1, wherein determining voice communication capabilities of the recipient comprises determining whether the recipient has enabled a hardware device for voice communication.

4. The method of claim 1, wherein determining voice communication capabilities of the recipient comprises determining whether the recipient has enabled software for voice communication.

5. The method of claim 1, further comprising enabling voice communication between the sender, the recipient, and a third identity.

6. The method of claim 1, further comprising reporting the voice communication capabilities of the recipient to the sender.

7. The method of claim 1, wherein the communication graphical user interface comprises a display of a second voice communication option.

8. The method of claim 7, wherein the second voice communication option indicates that the sender has voice communication capabilities.

## 16

9. The method of claim 1, wherein the more than one channel further comprises a different communications channel than a control channel associated with instant message communications between the sender and the recipient.

10. A computer-based system comprising:

at least one processor; and

a storage device storing a plurality of instructions, the plurality of instructions being executable by the at least one processor for:

enabling presentation of a first communication graphical user interface to a sender, the first communication graphical user interface comprising one or more communication options including a voice communication;

enabling presentation of a second communication graphical user interface to a recipient;

determining voice communication capabilities of the recipient;

receiving an indication that the sender has selected the voice communication option; and

establishing, based on the determined voice communication capabilities of the recipient and based on the indication that the sender has selected the voice communication option, a voice communication between the sender and the recipient using more than one channel including at least a generic signaling interface channel.

11. The system of claim 10, wherein the storage device further comprises instructions executable by the at least one processor for providing a list of users associated with the sender, wherein the list comprises indications of the voice communication capabilities of the users associated with the sender.

12. The system of claim 10, wherein determining voice communication capabilities of the recipient comprises determining whether the recipient has enabled a hardware device for voice communication.

13. The system of claim 10, wherein determining voice communication capabilities of the recipient comprises determining whether the recipient has enabled software for voice communication.

14. The system of claim 10, wherein the storage device further comprises instructions executable by the at least one processor for enabling voice communication between the sender, the recipient, and a third identity.

15. The system of claim 10, wherein the storage device further comprises instructions executable by the at least one processor for reporting the voice communication capabilities of the recipient to the sender.

16. The system of claim 10, wherein the second communication graphical user interface comprises a display of a second voice communication icon.

17. The system of claim 16, wherein the second voice communication icon indicates that the sender has voice communication capabilities.

18. The system of claim 10, wherein the more than one channel further comprises a different communications channel than a control channel associated with an instant message communications between the sender and the recipient.

\* \* \* \* \*





US008429231C1

(12) **EX PARTE REEXAMINATION CERTIFICATE** (11806th)  
**United States Patent**  
**Wu et al.**

(10) **Number:** **US 8,429,231 C1**  
(45) **Certificate Issued:** **\*Feb. 22, 2021**

(54) **VOICE INSTANT MESSAGING**

*H04M 3/56* (2006.01)

(75) Inventors: **Shuwu Wu**, Foothill Ranch, CA (US);  
**James Crawford**, Belmont, MA (US)

*H04M 7/00* (2006.01)

*H04M 3/30* (2006.01)

(73) Assignee: **Facebook, Inc.**

(52) **U.S. Cl.**

CPC ..... *H04L 51/04* (2013.01); *H04L 29/06027* (2013.01); *H04L 51/046* (2013.01); *H04L 51/36* (2013.01); *H04L 65/80* (2013.01); *H04M 3/2236* (2013.01); *H04M 3/533* (2013.01); *H04M 3/567* (2013.01); *H04M 7/0009* (2013.01); *H04M 3/305* (2013.01); *H04M 2203/2066* (2013.01); *H04M 2203/4536* (2013.01)

**Reexamination Request:**

No. 90/014,501, Apr. 29, 2020

**Reexamination Certificate for:**

Patent No.: **8,429,231**  
Issued: **Apr. 23, 2013**  
Appl. No.: **13/228,373**  
Filed: **Sep. 8, 2011**

(58) **Field of Classification Search**

None  
See application file for complete search history.

(\*) Notice: This patent is subject to a terminal disclaimer.

(56) **References Cited**

To view the complete listing of prior art documents cited during the proceeding for Reexamination Control Number 90/014,501, please refer to the USPTO's public Patent Application Information Retrieval (PAIR) system under the Display References tab.

*Primary Examiner* — David E England

**Related U.S. Application Data**

(63) Continuation of application No. 09/810,159, filed on Mar. 19, 2001, now Pat. No. 8,041,768.


(60) Provisional application No. 60/239,917, filed on Oct. 13, 2000, provisional application No. 60/189,974, filed on Mar. 17, 2000.

(51) **Int. Cl.**

*G06F 15/16* (2006.01)  
*H04L 12/58* (2006.01)  
*H04L 29/06* (2006.01)  
*H04M 3/22* (2006.01)  
*H04M 3/533* (2006.01)

(57) **ABSTRACT**

Systems and techniques for transferring electronic data include enabling instant messaging communication between a sender and at least one recipient through an instant messaging host. In addition, voice communication is enabled between the sender and the recipient through the instant messaging host.





**1**  
**EX PARTE**  
**REEXAMINATION CERTIFICATE**

NO AMENDMENTS HAVE BEEN MADE TO 5  
THE PATENT

AS A RESULT OF REEXAMINATION, IT HAS BEEN  
DETERMINED THAT:

The patentability of claims **1** and **3-9** is confirmed. 10  
Claims **2** and **10-18** were not reexamined.

\* \* \* \* \*