



US008516063B2

(12) **United States Patent**
Fletcher

(10) **Patent No.:** **US 8,516,063 B2**
(45) **Date of Patent:** **Aug. 20, 2013**

(54) **MOBILE DEVICE STREAMING MEDIA APPLICATION**

(76) Inventor: **Mary Anne Fletcher**, Jackson, GA (US)
(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **13/027,191**

(22) Filed: **Feb. 14, 2011**

(65) **Prior Publication Data**
US 2011/0202615 A1 Aug. 18, 2011

Related U.S. Application Data
(60) Provisional application No. 61/304,331, filed on Feb. 12, 2010.

(51) **Int. Cl.**
G06F 15/16 (2006.01)

(52) **U.S. Cl.**
USPC **709/206; 705/14; 705/52**

(58) **Field of Classification Search**
USPC **709/206; 705/14.1, 52**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2004/0015562	A1 *	1/2004	Harper et al.	709/217
2007/0294177	A1 *	12/2007	Volk et al.	705/52
2008/0072139	A1 *	3/2008	Salinas et al.	715/238
2009/0171780	A1 *	7/2009	Aldrey et al.	705/14
2009/0198538	A1 *	8/2009	Gupta et al.	705/7
2009/0204479	A1 *	8/2009	Wolinsky et al.	705/10
2010/0042700	A1 *	2/2010	Harper et al.	709/217
2011/0138297	A1 *	6/2011	Harper et al.	715/743
2011/0208822	A1 *	8/2011	Rathod	709/206


* cited by examiner

Primary Examiner — Tauqir Hussain
(74) *Attorney, Agent, or Firm* — Vance Intellectual Property, PC

(57) **ABSTRACT**

A system and process for coordinating streaming content or messages is provided. A network-connected server maintains a database containing media content-related data, such as the text of a message, accompanying media, time of airing, payment and related comments. A user can view these feeds or streams of these consciousness messages by downloading a mobile application or browsing to a website. The application can also be used to create, schedule and pay for a media content message.

14 Claims, 14 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10





Figure 11



166

Figure 12





Figure 13



166

Figure 14

1

MOBILE DEVICE STREAMING MEDIA APPLICATION

RELATED APPLICATIONS

This application claims priority to U.S. Provisional Application Ser. No. 61/304,331 filed Feb. 12, 2010 entitled Mobile Device Prayer Application, the contents of which are incorporated in their entirety herein.

BACKGROUND OF THE INVENTION

Streaming media is multimedia that is constantly received by and presented to an end-user while being delivered by a streaming provider. The name refers to the delivery method of the medium rather than to the medium itself. The distinction is usually applied to media that are distributed over telecommunications networks, as most other delivery systems are either inherently streaming (e.g., radio, television) or inherently non-streaming (e.g., books, video cassettes, audio CDs). The verb 'to stream' is also derived from this term, meaning to deliver media in this manner. Internet television is a commonly streamed medium.

Live streaming, more specifically, means taking the media and broadcasting it live over the Internet. The process involves a camera for the media, an encoder to digitize the content, a media publisher where the streams are made available to potential end-users and a content delivery network to distribute and deliver the content. The media can then be viewed by end-users live.

Consciousness is variously defined as subjective experience, awareness, the ability to experience "feeling," wakefulness, the understanding of the concept "self," or the executive control system of the mind. It is an umbrella term that may refer to a variety of mental phenomena. Although humans realize what everyday experiences are, consciousness itself resists being defined, philosophers note.

Consciousness is the subject of much research in philosophy of mind, psychology, neuroscience, cognitive science and artificial intelligence. Issues of practical concern include how the presence of consciousness can be assessed in severely ill or comatose people; whether non-human consciousness exists and if so how it can be measured; at what point in fetal development consciousness begins; and whether computers can achieve a conscious state.

Prayer is a form of religious practice that seeks to activate a volitional rapport to a god or spirit through deliberate practice. Prayer may be either individual or communal and take place in public or in private.

It may involve the use of words or song. When language is used, prayer may take the form of a hymn, incantation, formal creedal statement, or a spontaneous utterance in the praying person. There are different forms of prayer such as petitionary prayers, prayers of supplication, thanksgiving, and worship/praise.

Prayer may be directed towards a deity, spirit, deceased person, or lofty idea, for the purpose of worshipping, requesting guidance, requesting assistance, confessing sins or to express one's thoughts and emotions. Thus, people pray for many reasons such as personal benefit or for the sake of others.

Most major religions involve prayer in one way or another. Some ritualize the act of prayer, requiring a strict sequence of actions or placing a restriction on who is permitted to pray, while others teach that prayer may be practiced spontaneously by anyone at any time.

2

SUMMARY OF THE INVENTION

In one embodiment according to the present invention, a system and process for coordinating a programmed media stream is provided. Preferably, this content relates to consciousness messages such as prayers, requests for charity, thoughts or similar messages. However, this content can also relate to breaking news, music videos, comedy or similar content. A network-connected server maintains a database containing media content-related data, such as the text of a message, accompanying media, time of airing, payment and related comments. A user can view these feeds or streams of these streams by downloading a mobile application or browsing to a website. The application or website can also be used to create, schedule and pay for media content airtime for a message or program.

BRIEF DESCRIPTION OF THE DRAWINGS

These and other aspects, features and advantages of which embodiments of the invention are capable of will be apparent and elucidated from the following description of embodiments of the present invention, reference being made to the accompanying drawings, in which

FIG. 1 illustrates a media content coordination system according to an embodiment of the present invention;

FIG. 2 illustrates a current media content interface according to an embodiment of the present invention;

FIG. 3 illustrates an about us interface according to an embodiment of the present invention;

FIG. 4 illustrates an airtime purchase interface according to an embodiment of the present invention;

FIG. 5 illustrates an airtime date selection interface according to an embodiment of the present invention;

FIG. 6 illustrates an advanced airtime date selection interface according to an embodiment of the present invention;

FIG. 7 illustrates a media content preview interface according to an embodiment of the present invention;

FIG. 8 illustrates a payment interface according to an embodiment of the present invention;

FIG. 9 illustrates a confirmation interface according to an embodiment of the present invention;

FIG. 10 illustrates a process of coordinating media content times according to an embodiment of the present invention;

FIG. 11 illustrates a media content airstream interface according to an embodiment of the present invention;

FIG. 12 illustrates a media content sponsorship interface according to an embodiment of the present invention;

FIG. 13 illustrates a process of viewing and interacting with a current message according to an embodiment of the present invention; and,

FIG. 14 illustrates an interface for in app purchases of items according to an embodiment of the present invention.

DESCRIPTION OF EMBODIMENTS

Specific embodiments of the invention will now be described with reference to the accompanying drawings. This invention may, however, be embodied in many different forms and should not be construed as limited to the embodiments set forth herein; rather, these embodiments are provided so that this disclosure will be thorough and complete, and will fully convey the scope of the invention to those skilled in the art. The terminology used in the detailed description of the embodiments illustrated in the accompanying drawings is not intended to be limiting of the invention. In the drawings, like numbers refer to like elements.

Unless otherwise defined, all terms (including technical and scientific terms) used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. It will be further understood that terms, such as those defined in commonly used dictionaries, should be interpreted as having a meaning that is consistent with their meaning in the context of the relevant art and will not be interpreted in an idealized or overly formal sense unless expressly so defined herein.

The terms message, media message or program are used interchangeably in this specification and generally refer to text, audio, video or still images sent across the internet. In one aspect of the present invention, the system can be used for any media content type, such as news, comedy, drama, environmental messages, offers to purchase related items, and similar messages. In another aspect of the present invention, the system is used for consciousness messages, such as prayers, collective thoughts, appeals to charity and inspirational messages.

FIG. 1 illustrates an example media coordination system **100** according to the present invention which allows network connected devices, such as mobile devices **106** (cell phones, portable music players, tables, laptops, etc.), to coordinate times for specific media messages/programs to be streamed to other application users (e.g., a feed of message posts or a stream of real-time media data). Generally, a computer server **102** (e.g., a processor, RAM, a hard drive, an operating system, web serving software and database software) is connected to a wide area network **104** such as the internet or wireless cell phone data network. Mobile devices **106** are also connected to the network **104**, allowing for communication to and from the server **102**.

As seen in item **220** of the flow chart of FIG. **13**, a user either executes the mobile media application on their mobile device or uses a browser to browse to an internet page supplied by the server **102**. The application downloads the current media message/program (i.e., a thought or prayer video scheduled for airing at that time) from the server. Alternately, the server **102** may automatically push the current media message or link to the current media message via phone notifications, email or text messages.

In one example, delivery of the current media message to the mobile device **106** is performed as a feed that is downloaded as requested by the user. In another example, delivery of the current media message is achieved with a live streaming media file (e.g., streaming audio/video) that provides images, text and/or audio to the user's mobile device. In this respect, the media message stream is similar to a live television station having scheduled media messages as its programming.

In item **222**, the mobile application displays the media message data supplied by the server **102**. This data may include the text of a media message, an attached or linked-to media file, donation information and media message expiration information (i.e., when the current media message expires causing the mobile application to download a new current media message). Alternately, the media message data may be a live media stream, previously rendered by the server **102**, which displays the images, text, audio, video or other items in a common media format (e.g., h.264 mp4 video format). In one preferred embodiment, the media message is a prayer, collective consciousness message, request for charity, environmental or similar message.

In item **224**, the user views the media message data in an interface of the mobile application and interacts with the interface. For example, the user may add a comment about the media message, a donation, a greeting card or share a link to

the media message via a social network, email, text message or similar communication. The user may also make purchases within the application (e.g., in app purchases, credit cards, Pay Pal, etc.) to buy gift certificates for message air time, greeting cards, or similar in application items.

In item **226**, the user can design, upload and pay for a custom media message that is stored and aired from the server **102**. The server will similarly air the custom media message at the specified time as the current media message, thereby distributing that media message out to other users of the mobile application and website.

FIG. **10** illustrates a flow chart of an example process for coordinating media messages. As seen in item **190**, the mobile application is executed on the mobile device **106** that can download available times that a media message can be scheduled. A user can request availability of a specific time or the mobile application can download a variety of free times.

In item **192**, the user selects a time that they would like to have their media message available, the text of their media message, any images or videos that they would like to accompany the media message, and payment information. This data is uploaded to server **102** and stored in a database in item **194**.

As seen in item **196**, the sever **102** provides media message data according to the scheduled time. This data can be rendered and streamed as a live streaming format, made available for download to each mobile device **106** running the application or can be sent out via a push notification, email or text message. Optionally, the push notification, email or text message can include a link that opens the mobile media message application to that specific media message or to a webpage displaying that media message.

The current media message can also be displayed on any participating websites. For example, an otherwise nonaffiliated website could include code that displays the current media message. In another example, the media message can be posted to a social media site, such as Facebook or Twitter, which allows users to subscribe. In this respect, people visiting websites otherwise unrelated to the server **102** can also view the current media message.

FIGS. **2-9** illustrate various example aspects and interfaces of the mobile media message application according to the present invention. FIG. **2** illustrates the current media message interface **110** that displays the media message currently scheduled by the server **102**. The current media message interface **110** preferably includes a media message text display **114** that displays the text of the media message specified by person who created the current media message.

Optionally, the current media message interface includes an advertisement banner **112** for displaying advertisements from a downloaded source, such as from Google AdSense or Apple in app advertising. Optionally, the mobile media message application can allow a user the option to include this banner **112** during the media message creation process to financially subsidize the price of posting the media message.

The interface **110** also includes a comments button **111** that displays a comment interface for leaving messages related to the current media message. A past media messages button **113** is also include for displaying a list of past media messages or bookmarked media messages.

Preferably, multiple feeds or streams are available to the mobile application. For example, some streams can be specific breaking news, religion, music, or pets. Selecting the switch stream button **115** allows the user to switch between these streams.

The donate button **117** allows the user to donate money to originator of the media message, thereby allowing users or entities to raise money in addition to soliciting media mes-

5

sages. The buy gift button **119** allows the user to buy items for the author of the current message or another user. Gifts can include virtual greeting cards, gift certificates, message air time, and similar items. The buy air time button **120** displays an interface for creating and purchasing a media message that will be displayed on the application and the learn more button **118** displays an about us interface **122** seen in FIG. 3.

The about us interface **122** preferably includes information about the developer and information **124** about how to pray. A share button **128** allows the user to share specific media message tips with others (e.g., by emailing text of the media message information **124**). The go back button **126** returns the user to the previous screen.

If the user selects the buy airtime button **120** in interface **110**, the buy airtime interface **130** is displayed, as seen in FIG. 4. Title input **132** allows a user to enter a text title for their media message, while text of the media message can be entered in message input **134**. Optionally, the user can attach or add a link to an image, audio and/or video in the media input **136**. This media is uploaded to the server **102** and rendered in to the stream for broadcast at the scheduled time. The next button **138** displays the airtime selection interface **140** as seen in FIG. 5.

The airtime selection interface **140** preferably provides a plurality of selectable time ranges **142** (e.g., check boxes) and their accompanying cost. A minute input **144** allows the user to specify the amount of time the user would like their media message to be displayed as the current media message. Selecting the advanced button **148** displays the advanced airtime interface **150** seen in FIG. 6.

The advanced airtime interface **150** allows the user more control over exactly when the media message will be shown as the current media message. For example, a date interface **152** allows the user to specify a specific day to air the media message, the time interface **154** provides more detailed time ranges, and the time interface allows input of the amount of time the media message will air as the current media message. Selecting the basic button **159** returns the user to the airtime selection interface **140** while selecting the find time button **158** attempts to find an unreserved free time for the media message.

Once the server **102** has found a free time according to the criteria selected by the user, the preview interface **160** is displayed, as seen in FIG. 7. The proposed message date **162** is located at the top of the interface **160**, followed by the preview of the media message **164**. The user can select the go back button **166** to return to a previous interface to correct information or can select the checkout button **168** to display the payment interface **170**, seen in FIG. 8.

The payment interface **170** allows the user to select their desired method of payment. This interface can be used for buying air time on a stream or for any other activity that may require payment (e.g., purchasing gift certificates or greeting cards).

For example, the user can select the in app payment button **172** to cause payment through an “in app” payment system, such as Apple’s in app payment system. The user may also enter their credit card information in the credit card input **174** or can select the Paypal button **176** to bring up Paypal login credentials for payment via Paypal. Preferably, the interface **170** includes a plurality of charity inputs **178** (e.g., check-boxes) for specifying donations to specific charities. The user can return to previous interfaces via the go back button **177** or can submit the payment information via the purchase button **179**.

Once the payment information has been submitted and confirmed by the server **102**, the confirmation interface **180** is

6

displayed, as seen in FIG. 9. A confirmation message **182** is displayed at the top of the interface **180** to confirm the exact time the media message will be available. Additionally, a plurality of media message sharing buttons **184** are displayed to allow the user to easily share details (e.g., date, time, hypertext link) to the media message on various calendar, email, text message or social media websites.

FIG. 11 illustrates an alternate media message interface **200** according to the present invention. The interface **200** allows a user or organization to post a media message, media (music, video, image, etc.) and/or request for donations, seen in the media message display **204**. This airstream media message can be purchased through an interface similar to those previously described in this specification. Optionally, an advertiser may sponsor such a stream and post their ad banner in the banner display **202**.

The interface **200** also displays live or regularly updated comments and media messages from users in the live stream display **206**. If a user wishes to comment, add a greeting card (or similar link) or add a message, the add message button **208** can be selected, prompting the user for a text comments and an optional donation amount. Alternately, the user can select the donate button **210** to donate money without adding a comment (e.g., utilizing the payment interface **170**). These comments and donation amounts are transmitted to the server **102**, processed, and then displayed in the live stream display **206** for all users to view.

FIG. 12 illustrates a sponsor interface **210** that allows an advertiser or user to sponsor a specific current media message or airstream media message. A media message selection input **212** downloads and displays from the server **102** a list of media messages and sponsor prices that are available for sponsorship. A specific media message can be selected and the sponsor’s ad banner can be uploaded to the server **102** by clicking the add banner button **214**. Once the user is satisfied by their selection, the check out button **168** can be used to pay.

FIG. 13 illustrates an item purchase interface **230** that allows the user to make in app purchases of items via the item selection interface **232**. This allows the user to select a desired item (real or virtual) for purchase, then select the check out button **168**, which leads to the previously described payment interface **170**.

In one specific example, the present invention can be particularly used to facilitate prayer or collective consciousness. For example, users can purchase air time to display a prayer or collective thought. In another example, a request for donations (e.g., from a person or charity) can be uploaded to the stream to allow users to donate money within the mobile application.

In another specific example, the present invention can be used to purchase airtime and upload ongoing news or informational video. In this respect, a stream may be directed to eye witness news or similar breaking news.

In another specific example, a stream can be directed to music videos. Hence, a user can purchase airtime and upload their own music videos that will stream at a specific time and date.

In another example, a stream can be directed to short films. Users can produce their own films, purchase airtime, and then upload the films to air on the channel at a specific time.

In another example according to the present invention, the server can provide a user or company with their own media stream to control. In this respect, the other users can post messages on this third party controlled stream, allowing the stream creator to designate airtime price, which uploads are approved and additional items for purchase.

Although the invention has been described in terms of particular embodiments and applications, one of ordinary skill in the art, in light of this teaching, can generate additional embodiments and modifications without departing from the spirit of or exceeding the scope of the claimed invention. Accordingly, it is to be understood that the drawings and descriptions herein are proffered by way of example to facilitate comprehension of the invention and should not be construed to limit the scope thereof.

What is claimed is:

1. A method for coordinating media messages, comprising: providing, to a first plurality of users, a media message selection interface configured for a mobile device for inputting media message data; said media message data, comprising:
 - a media message, which comprises: text, audio, video, an image, or combination thereof, wherein said media message is a consciousness message;
 - a media message air date;
 - a media message air time;
 - a payment method; and,
 - a category;
 said media message selection interface, further comprises: a content preview interface, wherein the content can be previewed prior to uploading; uploading a plurality of said media message data from said first plurality of users to a remote server; storing said media message data in a database readable by said server; providing, to a second plurality of users, a media message display interface configured for said mobile device: for streaming of the said media message; and, for selecting said category; wherein said streaming of said media message allows the second plurality of users to be simultaneously aware of the same message, therein promoting collective thought and awareness.
2. The method for coordinating media messages of claim 1, wherein said consciousness message is selected from:

prayers, collective thoughts, appeals to charity, environmental messages, and inspirational messages.

3. The method for coordinating media messages of claim 1, wherein said air date of said media message data is streamed with said media message portion of said data.

4. The method for coordinating media messages of claim 1, wherein said air time of said media message data is streamed with said media message portion of said data.

5. The method for coordinating media messages of claim 1, wherein said air date and air time of said media message data is streamed with said media message portion of said data.

6. The method for coordinating media messages of claim 1, wherein said media message data, further comprises: donation request information.

7. The method for coordinating media messages of claim 1, wherein said category is selected from: prayers, religion, collective thoughts, appeals to charity, and inspirational messages.

8. The method for coordinating media messages of claim 1, wherein said media message display interface configured for said mobile device is configured to display on said mobile device simultaneously as said media message selection interface configured for a mobile device.

9. The method for coordinating media messages of claim 1, wherein said media message is a text message.

10. The method for coordinating media messages of claim 1, wherein said media message is an audio message.

11. The method for coordinating media messages of claim 1, wherein said media message is a video.

12. The method for coordinating media messages of claim 1, wherein said media message is an image.

13. The method for coordinating media messages of claim 1, wherein said media message display interface configured for a mobile device further, comprises: an advertisement interface.

14. The method for coordinating media messages of claim 1, wherein said media message display interface configured for a mobile device further, comprises: a donation interface.

* * * * *