

US008564150B2

(12) **United States Patent**  
**Shpinev**

(10) **Patent No.:** **US 8,564,150 B2**  
(45) **Date of Patent:** **Oct. 22, 2013**

(54) **WAVE POWER PLANT**

FOREIGN PATENT DOCUMENTS

(76) Inventor: **Igor Nikolaevich Shpinev**, Tallinn (EE)

DE	60218900	T2	12/2007
DE	202006010897	U1	12/2007
EP	1342916	A1	9/2003
SU	1291489	A1	2/1987

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 158 days.

\* cited by examiner

(21) Appl. No.: **13/241,244**

*Primary Examiner* — Tulsidas C Patel

(22) Filed: **Sep. 23, 2011**

*Assistant Examiner* — Sean Gugger

(65) **Prior Publication Data**

(74) *Attorney, Agent, or Firm* — Patent Jurist; Georgiy L. Khayet

US 2012/0013127 A1 Jan. 19, 2012

**Related U.S. Application Data**

(57) **ABSTRACT**

(63) Continuation-in-part of application No. PCT/RU2009/000166, filed on Apr. 8, 2009.

A wave power plant is disclosed. The wave power plant is designed for converting the energy of the disturbed water surface into the energy of the output shaft. The wave power plant can include a displacement body floating on the water surface, the displacement body having an internal installation of a technological working machine that is driven by the tension force of a cable connecting the body to a diving, floating anchor. The force of the cable tension rises each time the displacement body moves upward. An anchor suspended beneath the displacement body allows for utilizing the wave power plant on floating facilities (e.g., safe rafts and boats, floating data centers, boats, and floating platforms) found within the offshore areas of the oceans in the large open sea areas with great depth.

(51) **Int. Cl.**  
**F03B 13/20** (2006.01)

(52) **U.S. Cl.**  
USPC ..... **290/53**; 60/504


(58) **Field of Classification Search**  
USPC ..... 290/42, 53  
See application file for complete search history.


(56) **References Cited**

U.S. PATENT DOCUMENTS

4,421,461	A *	12/1983	Hicks et al.	417/53
5,424,582	A *	6/1995	Trepl et al.	290/53
2008/0206077	A1	8/2008	Royset	

**5 Claims, 1 Drawing Sheet**







**1****WAVE POWER PLANT**

## RELATED APPLICATIONS

This Patent Application is a Continuation-In-Part applica-  
tion of International Application PCT/RU2009/000166 filed  
on Apr. 8, 2009, now pending.

## FIELD

The invention is related to hydro energetics and, more  
specifically, to harvesting the kinetic and potential energy of  
the surface waves of the oceans.

## BACKGROUND

Some current solutions related to extracting wave power  
utilize the tension force of a cable or chain created when a  
floating water displacement body is lifted by a wave while  
being tied by a cable to another body fixed on the bottom.  
Additionally, in some other current solutions, a floating water  
displacement body can be anchored by a cable to a rotating  
reel mounted on the bottom of the water reservoir while the  
floating water displacement body is riding waves. As the  
cable unwinds from the reel, it can cause a technological  
working machine connected to the reel via a gearbox to rotate,  
thereby generating power. The technological working  
machine may include an electric power generator, a desalini-  
zation plant of reverse osmosis, and a pump.

However, the current solutions do not allow harvesting of  
the wave energy offshore in large open sea areas with greater  
depths, where wave energy is maximal.

## SUMMARY

This summary is provided to introduce a selection of con-  
cepts in a simplified form that are further described below in  
the detailed description. This summary is not intended to  
identify key features or essential features of the claimed sub-  
ject matter, nor is it intended to be used as an aid in deter-  
mining the scope of the claimed subject matter.

A wave power plant is disclosed. In some example embodi-  
ments, the wave power plant may include a displacement  
body with a technological working machine installed on it,  
with the technological working machine being connected via  
a transfer box and the overrunning clutch to a reel having a  
rewinding mechanism, with a cable wound on the reel, and  
the cable being connected to an anchor, wherein in order for  
the wave power plant to produce more power and to be used  
on crafts located in open sea, the anchor is able to float, dive  
and be lowered to a depth greater than a wave length. In order  
to increase efficiency of the technological working machine,  
the cable can be equipped with a limiter. The technological  
working machine can include an electric power generator, a  
desalination plant of reverse osmosis, and a pump.

## BRIEF DESCRIPTION OF DRAWINGS

Example embodiments are illustrated by way of example  
and not limitation in the figures of the accompanying draw-  
ings, in which like references indicate similar elements and in  
which:

FIG. 1 shows a wave power plant, in accordance with an  
example embodiment.

## DETAILED DESCRIPTION

The following detailed description includes references to  
the accompanying drawing, which form a part of the detailed

**2**

description. The drawing shows an illustration in accordance  
with example embodiments. These example embodiments,  
which are also referred to herein as “examples,” are described  
in enough detail to enable those skilled in the art to practice  
the present subject matter. The embodiments can be com-  
bined, and other embodiments can be formed by introducing  
structural, logical or electrical changes without departing  
from the scope of what is claimed. The following detailed  
description is, therefore, not to be taken in a limiting sense,  
and the scope is defined by the appended claims and their  
equivalents.

In this document, the terms “a” or “an” are used, as is  
common in patent documents, to include one or more than  
one. In this document, the term “or” is used to refer to a  
nonexclusive “or,” such that “A or B” includes “A but not B,”  
“B but not A,” and “A and B,” unless otherwise indicated.  
Furthermore, all publications, patents, and patent documents  
referred to in this document are incorporated by reference  
herein in their entirety, as though individually incorporated  
by reference. In the event of inconsistent usages between this  
document and those documents so incorporated by reference,  
the usage in the incorporated reference(s) should be consid-  
ered supplementary to that of this document; for irreconcil-  
able inconsistencies, the usage in this document controls.

The technology described herein may provide the ability to  
harvest wave energy offshore, using deep-sea floating facili-  
ties found in open sea areas, such as, for example, rescue rafts  
and boats, floating data centers, yachts, floating drilling plat-  
forms, and so forth.

FIG. 1 shows an example wave power plant containing a  
displacement body **2** floating freely on a water surface **1**. A  
reel **3** is installed on the displacement body **2** and is equipped  
with a rewinding mechanism **4** that returns the reel **3** to its  
original position. A cable **5** is wound around the reel **3** and is  
coupled to the displacement body **2**. The free end of the cable  
**5** is connected to an anchor **6** which can float and dive. The  
wave power plant can be equipped with a limiter **7** which can  
prevent the shortening of the free end of the cable to a length  
smaller than the length of the wave. The reel **3** is connected to  
a transfer box (e.g., gearbox, variator, and distributing mecha-  
nism) **9** via an overrunning clutch **8**. The transfer box **9** can be  
loaded onto a technological working machine **10**. The anchor  
**6** can be free-floating and carried out, for example, as water  
domes **11** with straps **12** by which the water domes **11** are  
attached to the cable **5**. One or more weights **13** can be  
attached to the bottom of the water domes **11**, providing for  
submersion of the water domes **11** when the cable **5** is  
released.

The wave power plant can function as follows:

In the absence of waves, the displacement body **2** is freely  
floating on the water surface **1**, and the cable **5** is unwound to  
a length greater than that determined by the setting of the  
limiter **7** and stretched by the weights **13** beneath the displace-  
ment body **2**. Fixed on the reel **3**, the end of the cable **5** is  
wound on the reel **3**, and a slack in the cable **5** is fully removed  
by rewinding mechanism **4**.

During a disturbance of the water surface **1**, the displace-  
ment body **2** rises over the water surface **1** of the wave coming  
from an arbitrary direction and starts to pull up the floating  
anchor **6**, which causes the water domes **11** to unfold. This  
results in a resistance force which stretches the cable **5** and  
forces it to unwind from the reel **3** as it overcomes the force of  
rewinding mechanism **4**. The reel **3** transmits the rotational  
motion via the overrunning clutch **8** to the transfer box **9**,  
which spins the rotor of the technological working machine  
**10**. The technological working machine **10** starts generating  
electric energy, which can be processed or accumulated in a



3

battery **14** installed within the displacement body **2** of the wave power plant or/and conveyed to another floating craft or object that is fixed relative to the shore or seabed.

When the wave recedes and the displacement body **2** goes down, the tension of the cable **5** weakens, the overrunning clutch **8** stops to transmit the rotational motion to transfer box **9**, and the technological working machine **10** continues to run for some time due to the inertia of the technological working machine **10** and the components of the transfer box **9**. The rewinding mechanism **4** removes any slack in the cable **5** up to the moment when the limiter **7** engages, and the weights **13** start to sink, folding the domes **11** of the anchor **6** and pulling the cable **5** in a position "beneath the displacement body **2**".

Thus, the floating diving anchor **6** on the free end of the cable **5**, which synchronously repeats the vertical motion of the displacement body **2** of the wave power plant, carries out a threefold function:

creates the necessary tension of cable **5** when the displacement body **2** is moving from the trough of the wave to its crest;

provides a constant tension of the cable **5** and thus, the constant readiness of the cable **5** to accept the tensile load when the displacement body **2** is moving from the crest of the wave to its trough; and

provides a stabilization of the displacement body **2** in space, thereby allowing the displacement body **2** to press against the water's surface in a critical time of action of an incoming wave and excluding the possibility of overturning the displacement body **2** and optimizing the work of mechanisms of the device.

The limiter **7**, which does not allow the free end of the cable **5** to be pulled inside the displacement body **2** beyond the length of wave, ensures the fulfillment of the condition in which the anchor of the device will be located outside the oscillation area of water particles in the wave, thus causing the force of tension of the cable **5** between the displacement body **2** and anchor **6** to be maximal.

In order to match the large tension force of the cable **5** to the optimum angular momentum of the axle of the technological working machine **10** and to provide efficiency for the extraction of energy, the technological working machine **10** can have a flywheel and be connected to the transfer box **9** in an N-fold amount through a distribution box.

Two optimal ways to use the device are suggested:

1) Self-contained vessels (e.g., rafts, boats, yachts, floating data centers, and oil platforms) can be equipped with the device, which is structurally made in a form of a buoy. When necessary, the buoy can be lowered overboard and drift attached to the ship as the ship restocks the supplies. Additionally, a small vessel can serve as the displacement body **2** of the device.

2) In the industrial (commercial) use, specialized industrial vessels (e.g., electric propulsion ships), which are based on board of a large ship or a floating base, can be equipped with such devices. As the floating base processes information about the meteorological conditions, it can deliver the industrial vessels to the areas with the wave conditions optimal for their performance. There, the industrial vessels will be put on water and using garlands of the devices, buoys will convert the mechanical energy of the wave disturbance into a product (e.g.,

4

electric energy), which will be accumulated in the on-board storage systems of the industrial vessels.

The use of devices at great depths in the open sea will allow for utilizing the energy of waves of any length (up to 400 meters and more) and height (up to 25 meters and more).

As the storage on board of the industrial vessels is filled, the vessels will moor to the floating base to transfer the product and then are sent off again to harvest the product.

After the storage in the floating base is filled:

the floating base can interrupt work in the work area and transfer the product to the nearest specialized terminal, or

a transport vessel can be moored to the floating base in order to handle and ship the product to a port.

This approach will not require use of expensive and sensitive marine cables and, in addition, the industrial vessels will provide their own power.

What I claim is:

1. A wave power plant comprising:

a vessel freely floating on a water surface;

a technological working machine installed on the vessel, the technological working machine being connected via a transfer box and an overrunning clutch to a reel having a rewinding mechanism that returns the reel to an original position;

a cable wound on the reel;

an anchor being carried out as water domes with straps by which the anchor connects to a free end of the cable, the anchor being able to float, dive, and be lowered to a depth greater than a wave length;

one or more weights attached to the bottom of the water domes, the one or more weights providing for submersion of the water domes when the cable is released;

a limiter installed on the cable to prevent shortening of the free end of the cable to a length smaller than a length of a wave; and

wherein upon a disturbance of the water surface, the vessel rises over the water surface of the wave coming from an arbitrary direction and starts pulling up the anchor which causes the water domes to unfold, thereby resulting in a resistance force which stretches the cable and forces the cable to unwind from the reel as the cable overcomes a force of the rewinding mechanism with the reel transmitting the rotational motion via the overrunning clutch to the transfer box, which spins a rotor of the technological working machine and starts generating electric energy, which can be processed or accumulated in a battery installed within the vessel of the wave power plant.

2. The wave power plant of claim 1, wherein in order to increase an efficiency of the technological working machine, the cable is equipped with a limiter.

3. The wave power plant of claim 1, wherein the technological working machine is an electric power generator.

4. The wave power plant of claim 1, wherein the technological working machine is a desalinization plant of reverse osmosis.

5. The wave power plant of claim 1, wherein the technological working machine is a pump.

\* \* \* \* \*