



US008734486B2

(12) **United States Patent**
Leung et al.

(10) **Patent No.:** **US 8,734,486 B2**
(45) **Date of Patent:** ***May 27, 2014**

(54) **MULTIPLE SUTURE THREAD CONFIGURATION WITH AN INTERMEDIATE CONNECTOR**

(56) **References Cited**

(75) Inventors: **Jeffrey C. Leung**, Raleigh, NC (US);
Gregory Ruff, Chapel Hill, NC (US);
Andrew Kaplan, Hillsborough, NC (US)

(73) Assignee: **Ethicon, Inc.**, Somerville, NJ (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 316 days.

This patent is subject to a terminal disclaimer.

U.S. PATENT DOCUMENTS

709,392 A	9/1902	Brown
733,723 A	7/1903	Lukens
816,026 A	3/1906	Meier
879,758 A	2/1908	Foster
1,142,510 A	6/1915	Engle
1,248,825 A	12/1917	Dederer
1,321,011 A	11/1919	Cottes
1,558,037 A	10/1925	Morton
1,728,316 A	9/1929	Von Wachenfeldt
1,886,721 A	11/1932	O'Brien
2,094,578 A	10/1937	Blumenthal et al.
2,201,610 A	5/1940	Dawson, Jr.

(Continued)

FOREIGN PATENT DOCUMENTS

BE	1014364	9/2003
CA	2309844	12/1996

(Continued)

(21) Appl. No.: **12/849,983**

(22) Filed: **Aug. 4, 2010**

(65) **Prior Publication Data**

US 2010/0318122 A1 Dec. 16, 2010

Related U.S. Application Data

(60) Continuation of application No. 12/119,749, filed on May 13, 2008, now Pat. No. 8,083,770, which is a division of application No. 10/914,755, filed on Aug. 9, 2004, now Pat. No. 7,371,253, which is a division of application No. 10/216,516, filed on Aug. 9, 2002, now Pat. No. 6,773,450.

(51) **Int. Cl.**
A61B 17/04 (2006.01)

(52) **U.S. Cl.**
USPC **606/232**

(58) **Field of Classification Search**
USPC 606/228, 232, 200, 329, 331, 139, 144, 606/148

See application file for complete search history.

OTHER PUBLICATIONS

Boenisch, U.W. et al 'Pull-Out strength and stiffness of meniscal repair using absorbable arrows or Ti-Cron vertical and horizontal loop sutures' American Journal of Sports Medicine, Sep.-Oct. (1999) vol. 27, Issue 5, pp. 626-631.


(Continued)

Primary Examiner — Julian W Woo

(57) **ABSTRACT**

A suture system has a plurality of barbed sutures each with a plurality of barbs and a body connector that connects said plurality of barbed sutures. The sutures can move relative to the body connector. The body connector can retain tissue.

12 Claims, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2,232,142 A	2/1941	Schumann	4,027,608 A	6/1977	Arbuckle
2,254,620 A	9/1941	Miller	4,043,344 A	8/1977	Landi
2,347,956 A	5/1944	Lansing	4,052,988 A	10/1977	Doddi et al.
2,355,907 A	8/1944	Cox	D246,911 S	1/1978	Bess, Jr. et al.
2,421,193 A	5/1947	Gardner	4,069,825 A	1/1978	Akiyama
2,452,734 A	11/1948	Costelow	4,073,298 A	2/1978	Le Roy
2,472,009 A	5/1949	Gardner	4,137,921 A	2/1979	Okuzumi et al.
2,480,271 A	8/1949	Sumner	4,182,340 A	1/1980	Spencer
2,572,936 A	10/1951	Kulp et al.	4,186,239 A	1/1980	Mize et al.
2,684,070 A	7/1954	Kelsey	4,198,734 A	4/1980	Brumlik
2,736,964 A	3/1956	Lieberman	4,204,541 A	5/1980	Kapitanov
2,779,083 A	1/1957	Enton	4,204,542 A	5/1980	Bokros et al.
2,814,296 A	11/1957	Everett	4,259,959 A	4/1981	Walker
2,817,339 A	12/1957	Sullivan	4,278,374 A	7/1981	Wolosianski
2,866,256 A	12/1958	Matlin	4,300,424 A	11/1981	Flinn
2,910,067 A	10/1959	White	4,311,002 A	1/1982	Hoffmann et al.
2,928,395 A	3/1960	Forbes et al.	4,313,448 A	2/1982	Stokes
2,988,028 A	6/1961	Alcamo	4,316,469 A	2/1982	Kapitanov
3,003,155 A	10/1961	Mielzynski et al.	4,317,451 A	3/1982	Cerwin et al.
3,066,452 A	12/1962	Bott et al.	4,372,293 A	2/1983	Vijil-Rosales
3,066,673 A	12/1962	Bott et al.	4,428,376 A	1/1984	Mericle
3,068,869 A	12/1962	Shelden et al.	4,430,998 A	2/1984	Harvey
3,068,870 A	12/1962	Levin	4,434,796 A	3/1984	Karapetian
3,123,077 A	3/1964	Alcamo	4,449,298 A	5/1984	Putz
3,166,072 A	1/1965	Sullivan, Jr.	4,454,875 A	6/1984	Pratt et al.
3,187,752 A	6/1965	Glick	4,467,805 A	8/1984	Fukuda
3,206,018 A	9/1965	Lewis et al.	4,490,326 A	12/1984	Beroff et al.
3,209,652 A	10/1965	Burgsmueller	4,492,075 A	1/1985	Faure
3,209,754 A	10/1965	Brown	4,493,323 A	1/1985	Albright et al.
3,212,187 A	10/1965	Benedict	4,505,274 A	3/1985	Speelman
3,214,810 A	11/1965	Mathison	4,510,934 A	4/1985	Batra
3,221,746 A	12/1965	Noble	4,531,522 A	7/1985	Bedi et al.
3,234,636 A	2/1966	Brown	4,532,926 A	8/1985	O'Holla
3,273,562 A	9/1966	Brown	4,535,772 A	8/1985	Sheehan
3,352,191 A	11/1967	Crawford	4,548,202 A	10/1985	Duncan
3,378,010 A	4/1968	Codling	4,553,544 A	11/1985	Nomoto et al.
3,385,299 A	5/1968	LeRoy	4,610,250 A	9/1986	Green
3,394,704 A	7/1968	Dery	4,610,251 A	9/1986	Kumar
3,494,006 A	2/1970	Brumlik	4,635,637 A	1/1987	Schreiber
3,522,637 A	8/1970	Brumlik	4,637,380 A	1/1987	Orejola
3,525,340 A	8/1970	Gilbert	4,653,486 A	3/1987	Coker
3,527,223 A	9/1970	Shein	4,669,473 A	6/1987	Richards et al.
3,545,608 A	12/1970	Berger et al.	4,676,245 A	6/1987	Fukuda
3,557,795 A	1/1971	Hirsch	4,689,882 A	9/1987	Lorenz
3,570,497 A	3/1971	Lemole	4,702,250 A *	10/1987	Ovil et al. 606/148
3,586,002 A	6/1971	Wood	4,712,553 A	12/1987	MacGregor
3,608,095 A	9/1971	Barry	4,719,917 A	1/1988	Barrows
3,608,539 A	9/1971	Miller	4,741,330 A	5/1988	Hayhurst
3,618,447 A	11/1971	Goins	4,750,910 A	6/1988	Takayanagi et al.
3,646,615 A	3/1972	Ness	4,776,337 A	10/1988	Palmaz
3,683,926 A	8/1972	Suzuki	4,832,025 A	5/1989	Coates
3,700,433 A	10/1972	Duhl	4,841,960 A	6/1989	Garner
3,716,058 A	2/1973	Tanner, Jr.	4,865,026 A	9/1989	Barrett
3,720,055 A	3/1973	de Mestral et al.	4,873,976 A	10/1989	Schreiber
3,748,701 A	7/1973	De Mestral	4,887,601 A	12/1989	Richards
3,762,418 A	10/1973	Wasson	4,895,148 A	1/1990	Bays et al.
3,825,010 A	7/1974	McDonald	4,898,156 A	2/1990	Gattorna et al.
3,833,972 A	9/1974	Brumlik	4,899,743 A	2/1990	Nicholson et al.
3,845,641 A	11/1974	Waller	4,900,605 A	2/1990	Thorgersen et al.
3,847,156 A	11/1974	Trumble	4,905,367 A	3/1990	Pinchuk et al.
3,889,322 A	6/1975	Brumlik	4,930,945 A	6/1990	Arai et al.
3,918,455 A	11/1975	Coplan	4,932,962 A	6/1990	Yoon et al.
3,922,455 A	11/1975	Brumlik	4,946,468 A	8/1990	Li
3,941,164 A	3/1976	Musgrave	4,948,444 A	8/1990	Schutz et al.
3,951,261 A	4/1976	Mandel et al.	4,950,258 A	8/1990	Kawai et al.
3,963,031 A	6/1976	Hunter	4,950,285 A	8/1990	Wilk
3,977,937 A	8/1976	Candor	4,968,315 A	11/1990	Gattorna
3,980,177 A	9/1976	McGregor	4,976,715 A	12/1990	Bays et al.
3,981,051 A	9/1976	Brumlik	4,979,956 A	12/1990	Silvestrini et al.
3,981,307 A	9/1976	Borysko	4,981,149 A	1/1991	Yoon
3,985,138 A	10/1976	Jarvik	4,994,073 A	2/1991	Green
3,985,227 A	10/1976	Thyen et al.	4,994,084 A	2/1991	Brennan
3,990,144 A	11/1976	Schwartz	4,997,439 A	3/1991	Chen
4,006,747 A	2/1977	Kronenthal	5,002,550 A	3/1991	Li
4,008,303 A	2/1977	Glick et al.	5,002,562 A	3/1991	Oberlander
			5,007,921 A	4/1991	Brown
			5,007,922 A	4/1991	Chen et al.
			5,026,390 A	6/1991	Brown
			5,037,422 A	8/1991	Hayhurst et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

5,037,433 A	8/1991	Wilk et al.	5,462,561 A	10/1995	Voda
5,041,129 A	8/1991	Hayhurst et al.	5,464,422 A	11/1995	Silverman
5,046,513 A	9/1991	Gatturna et al.	5,464,426 A	11/1995	Bonutti
5,047,047 A	9/1991	Yoon	5,464,427 A	11/1995	Curtis et al.
5,053,047 A	10/1991	Yoon	5,472,452 A	12/1995	Trott
5,084,063 A	1/1992	Korthoff	5,478,353 A	12/1995	Yoon
5,089,010 A	2/1992	Korthoff	5,480,403 A	1/1996	Lee et al.
5,101,968 A	4/1992	Henderson et al.	5,480,411 A	1/1996	Liu et al.
5,102,418 A	4/1992	Granger et al.	5,484,451 A	1/1996	Akopov et al.
5,102,421 A	4/1992	Anspach, Jr.	5,486,197 A	1/1996	Le et al.
5,103,073 A	4/1992	Danilov et al.	5,494,154 A	2/1996	Ainsworth et al.
5,112,344 A	5/1992	Petros	5,500,000 A	3/1996	Feagin et al.
5,123,911 A	6/1992	Granger et al.	5,500,991 A	3/1996	Demarest et al.
5,123,913 A	6/1992	Wilk et al.	5,520,084 A	5/1996	Chesterfield et al.
5,123,919 A	6/1992	Sauter et al.	5,520,691 A	5/1996	Branch
5,127,413 A	7/1992	Ebert	5,522,845 A	6/1996	Wenstrom, Jr.
5,133,738 A	7/1992	Korthoff et al.	5,527,342 A	6/1996	Pietrzak et al.
5,141,520 A	8/1992	Goble et al.	5,531,760 A	7/1996	Alwafaie
5,147,382 A	9/1992	Gertzman et al.	5,531,761 A	7/1996	Yoon
5,156,615 A	10/1992	Korthoff et al.	5,531,790 A	7/1996	Frechet et al.
5,156,788 A	10/1992	Chesterfield et al.	5,533,982 A	7/1996	Rizk et al.
5,176,692 A	1/1993	Wilk et al.	5,536,582 A	7/1996	Prasad et al.
5,179,964 A	1/1993	Cook	5,540,705 A	7/1996	Meade et al.
5,192,274 A	3/1993	Bierman	5,540,718 A	7/1996	Bartlett
5,192,302 A	3/1993	Kensley et al.	5,545,148 A	8/1996	Wurster
5,192,303 A	3/1993	Gatturna et al.	5,546,957 A	8/1996	Heske
5,197,597 A	3/1993	Leary et al.	5,549,631 A	8/1996	Bonutti
5,201,326 A	4/1993	Kubicki et al.	5,554,171 A	9/1996	Gatturna et al.
5,207,679 A	5/1993	Li	5,566,822 A	10/1996	Scanlon
5,207,694 A	5/1993	Broome	5,569,272 A	10/1996	Reed et al.
5,217,486 A	6/1993	Rice et al.	5,571,139 A *	11/1996	Jenkins, Jr. 606/232
5,217,494 A	6/1993	Coggins et al.	5,571,175 A	11/1996	Vanney et al.
5,222,508 A	6/1993	Contarini	5,571,216 A	11/1996	Anderson
5,222,976 A	6/1993	Yoon	5,573,543 A	11/1996	Akopov et al.
5,224,946 A	7/1993	Hayhurst et al.	5,584,859 A *	12/1996	Brotz 606/228
5,234,006 A	8/1993	Eaton et al.	5,593,424 A	1/1997	Northrup III, et al.
5,242,457 A	9/1993	Akopov et al.	5,601,557 A	2/1997	Hayhurst
5,246,441 A	9/1993	Ross et al.	5,626,590 A	5/1997	Wilk
5,249,673 A	10/1993	Sinn	5,626,611 A	5/1997	Liu et al.
5,258,013 A	11/1993	Granger et al.	5,632,753 A	5/1997	Loeser
5,259,846 A	11/1993	Granger et al.	5,643,288 A	7/1997	Thompson
5,263,973 A	11/1993	Cook	5,643,295 A	7/1997	Yoon
5,269,783 A	12/1993	Sander	5,643,319 A	7/1997	Green et al.
5,282,832 A	2/1994	Toso et al.	5,645,568 A	7/1997	Chervitz et al.
5,292,326 A	3/1994	Green et al.	5,647,874 A	7/1997	Hayhurst
5,306,288 A	4/1994	Granger et al.	5,649,939 A	7/1997	Reddick
5,306,290 A	4/1994	Martins et al.	5,653,716 A	8/1997	Malo et al.
5,312,422 A	5/1994	Trott	5,662,714 A	9/1997	Charvin et al.
5,320,629 A	6/1994	Noda et al.	5,669,935 A	9/1997	Rosenman et al.
5,330,488 A	7/1994	Goldrath	5,676,675 A	10/1997	Grice
5,330,503 A	7/1994	Yoon	D386,583 S	11/1997	Ferragamo et al.
5,336,239 A	8/1994	Gimpelson	5,683,417 A	11/1997	Cooper
5,341,922 A	8/1994	Cerwin et al.	D387,161 S	12/1997	Ferragamo et al.
5,342,376 A	8/1994	Ruff	5,693,072 A	12/1997	McIntosh
5,342,395 A	8/1994	Jarrett et al.	5,695,879 A	12/1997	Goldmann et al.
5,350,385 A	9/1994	Christy	5,697,976 A	12/1997	Chesterfield et al.
5,352,515 A	10/1994	Jarrett et al.	5,702,397 A *	12/1997	Goble et al. 606/232
5,354,271 A	10/1994	Voda	5,702,462 A	12/1997	Oberlander
5,354,298 A	10/1994	Lee et al.	5,709,692 A	1/1998	Mollenauer et al.
5,358,511 A	10/1994	Gatturna et al.	5,716,358 A	2/1998	Ochoa et al.
5,363,556 A	11/1994	Banholzer et al.	5,716,376 A	2/1998	Roby et al.
5,372,146 A	12/1994	Branch	5,722,991 A	3/1998	Colligan
5,374,268 A	12/1994	Sander	5,723,008 A	3/1998	Gordon
5,374,278 A	12/1994	Chesterfield et al.	5,725,557 A	3/1998	Gatturna et al.
5,380,334 A	1/1995	Torrie et al.	5,728,114 A	3/1998	Evans et al.
5,391,173 A	2/1995	Wilk	5,731,855 A	3/1998	Koyama et al.
5,403,346 A	4/1995	Loeser	5,741,277 A	4/1998	Gordon et al.
5,411,523 A	5/1995	Goble	5,744,151 A	4/1998	Capelli
5,414,988 A	5/1995	DiPalma et al.	5,763,411 A	6/1998	Edwardson et al.
5,417,691 A	5/1995	Hayhurst	5,765,560 A	6/1998	Verkerke et al.
5,425,746 A	6/1995	Proto et al.	5,766,246 A	6/1998	Mulhauser et al.
5,425,747 A	6/1995	Brotz	5,779,719 A	7/1998	Klein et al.
5,437,680 A	8/1995	Yoon et al.	5,782,864 A	7/1998	Lizardi
5,450,860 A	9/1995	O'Connor	5,807,403 A	9/1998	Beyar et al.
5,451,461 A	9/1995	Broyer	5,807,406 A	9/1998	Brauker et al.
			5,810,853 A	9/1998	Yoon
			5,814,051 A	9/1998	Wenstrom, Jr.
			5,843,087 A	12/1998	Jensen et al.
			5,843,178 A	12/1998	Vanney et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

5,855,619	A	1/1999	Caplan et al.	6,463,719	B2	10/2002	Dey et al.
5,863,360	A	1/1999	Wood et al.	6,471,715	B1	10/2002	Weiss
5,887,594	A	3/1999	LoCicero, III	6,478,809	B1	11/2002	Brotz
5,891,166	A	4/1999	Schervinsky	6,485,503	B2	11/2002	Jacobs et al.
5,893,856	A	4/1999	Jacob et al.	6,491,701	B2	12/2002	Tierney et al.
5,895,395	A	4/1999	Yeung	6,491,714	B1	12/2002	Bennett
5,895,413	A	4/1999	Nordstrom	6,494,898	B1	12/2002	Roby et al.
5,897,572	A	4/1999	Schulsinger et al.	6,495,127	B1	12/2002	Wallace et al.
5,899,911	A	5/1999	Carter	RE37,963	E	1/2003	Thal
5,916,224	A	6/1999	Esplin	6,506,190	B1	1/2003	Walshe
5,919,234	A	7/1999	Lemperle et al.	6,506,197	B1	1/2003	Rollero et al.
5,921,982	A	7/1999	Lesh et al.	6,511,488	B1	1/2003	Marshall et al.
5,925,078	A	7/1999	Anderson	6,514,265	B2	2/2003	Ho et al.
5,931,855	A	* 8/1999	Buncke 606/228	6,527,795	B1	3/2003	Lizardi
5,935,138	A	8/1999	McJames, II et al.	6,548,002	B2	4/2003	Gresser et al.
5,938,668	A	8/1999	Scirica et al.	6,548,569	B1	4/2003	Williams et al.
5,941,899	A	8/1999	Granger et al.	6,551,343	B1	4/2003	Tormala et al.
5,950,633	A	9/1999	Lynch et al.	6,554,802	B1	4/2003	Pearson et al.
5,954,747	A	9/1999	Clark	6,565,597	B1	5/2003	Fearnot et al.
5,964,765	A	10/1999	Fenton, Jr. et al.	6,592,609	B1	7/2003	Bonutti
5,964,783	A	10/1999	Grafton et al.	6,596,296	B1	7/2003	Nelson et al.
5,968,097	A	10/1999	Frechet et al.	6,599,310	B2	7/2003	Leung et al.
5,972,024	A	10/1999	Northrup, III et al.	6,607,541	B1	8/2003	Gardiner et al.
5,984,933	A	11/1999	Yoon	6,610,078	B1	8/2003	Bru-Magniez et al.
5,993,459	A	11/1999	Larsen et al.	6,613,059	B2	9/2003	Schaller et al.
6,001,111	A	12/1999	Sepetka et al.	6,613,254	B1	9/2003	Shiffer
6,012,216	A	1/2000	Esteves et al.	6,616,982	B2	9/2003	Merrill et al.
6,015,410	A	1/2000	Tormala et al.	6,623,492	B1	9/2003	Berube et al.
6,024,757	A	2/2000	Haase et al.	6,626,930	B1	9/2003	Allen et al.
6,027,523	A	2/2000	Schmieding	6,632,245	B2	* 10/2003	Kim 606/232
6,039,741	A	3/2000	Meislin	6,641,592	B1	11/2003	Sauer et al.
5,320,629	B1	5/2000	Noda et al.	6,641,593	B1	11/2003	Schaller et al.
6,056,778	A	5/2000	Grafton et al.	6,645,226	B1	11/2003	Jacobs et al.
6,063,105	A	5/2000	Totakura	6,645,227	B2	11/2003	Fallin et al.
6,071,292	A	6/2000	Makower et al.	6,648,921	B2	11/2003	Anderson et al.
6,074,419	A	6/2000	Healy et al.	6,656,182	B1	12/2003	Hayhurst
6,076,255	A	6/2000	Shikakubo et al.	6,689,153	B1	2/2004	Skiba
6,083,244	A	7/2000	Lubbers et al.	6,689,166	B2	2/2004	Laurencin et al.
6,102,947	A	8/2000	Gordon	6,692,761	B2	2/2004	Mahmood et al.
6,106,544	A	8/2000	Brazeau	6,702,844	B1	3/2004	Lazarus
6,106,545	A	8/2000	Egan	6,712,830	B2	3/2004	Esplin
6,110,484	A	8/2000	Sierra	6,712,859	B2	3/2004	Rousseau et al.
6,129,741	A	10/2000	Wurster et al.	6,716,234	B2	4/2004	Grafton et al.
D433,753	S	11/2000	Weiss	6,720,402	B2	4/2004	Langer et al.
6,146,406	A	11/2000	Shluzas et al.	6,726,705	B2	4/2004	Peterson et al.
6,146,407	A	11/2000	Krebs	6,746,443	B1	6/2004	Morley et al.
6,149,660	A	11/2000	Laufer et al.	6,746,458	B1	6/2004	Cloud
6,159,234	A	12/2000	Bonutti et al.	6,749,616	B1	6/2004	Nath
6,160,084	A	12/2000	Langer et al.	6,773,450	B2	8/2004	Leung et al.
6,163,948	A	12/2000	Esteves et al.	6,783,554	B2	8/2004	Amara et al.
6,165,203	A	12/2000	Krebs	6,814,748	B1	11/2004	Baker et al.
6,168,633	B1	1/2001	Shoher et al.	6,818,010	B2	11/2004	Eichhorn et al.
6,174,324	B1	1/2001	Egan et al.	6,838,493	B2	1/2005	Williams et al.
6,183,499	B1	2/2001	Fischer et al.	6,848,152	B2	2/2005	Genova et al.
6,187,095	B1	2/2001	Labrecque et al.	6,852,825	B2	2/2005	Lendlein et al.
6,203,565	B1	3/2001	Bonutti et al.	6,858,222	B2	2/2005	Nelson et al.
6,206,908	B1	3/2001	Roby	6,860,891	B2	3/2005	Schulze
6,214,030	B1	4/2001	Matsutani et al.	6,860,901	B1	3/2005	Baker et al.
6,231,911	B1	5/2001	Steinback et al.	6,867,248	B1	3/2005	Martin et al.
6,235,869	B1	5/2001	Roby et al.	6,877,934	B2	4/2005	Gainer
6,241,747	B1	6/2001	Ruff	6,881,766	B2	4/2005	Hain
6,251,143	B1	6/2001	Schwartz et al.	6,893,452	B2	5/2005	Jacobs
6,264,675	B1	7/2001	Brotz	6,905,484	B2	6/2005	Buckman et al.
6,267,772	B1	7/2001	Mulhauser et al.	6,911,035	B1	6/2005	Blomme
6,270,517	B1	* 8/2001	Brotz 606/228	6,911,037	B2	6/2005	Gainor et al.
6,315,788	B1	11/2001	Roby	6,913,607	B2	7/2005	Ainsworth et al.
6,319,231	B1	11/2001	Andrulitis	6,921,811	B2	7/2005	Zamora et al.
6,322,581	B1	11/2001	Fukuda et al.	6,923,819	B2	8/2005	Meade et al.
6,334,865	B1	1/2002	Redmond et al.	6,945,021	B2	9/2005	Michel
6,383,201	B1	5/2002	Dong	6,945,980	B2	9/2005	Nguyen et al.
6,387,363	B1	5/2002	Gruskin	6,960,221	B2	11/2005	Ho et al.
6,388,043	B1	5/2002	Langer et al.	6,960,233	B1	11/2005	Berg et al.
6,395,029	B1	5/2002	Levy	6,974,450	B2	12/2005	Weber et al.
D462,766	S	9/2002	Jacobs et al.	6,981,983	B1	1/2006	Rosenblatt et al.
6,443,962	B1	9/2002	Gaber	6,984,241	B2	1/2006	Lubbers et al.
				6,986,780	B2	1/2006	Rudnick et al.
				6,991,643	B2	1/2006	Saadat
				6,996,880	B2	2/2006	Kurtz, Jr. et al.
				7,021,316	B2	4/2006	Leiboff

(56)

References Cited

U.S. PATENT DOCUMENTS

7,033,379	B2	4/2006	Peterson	2003/0204193	A1	10/2003	Gabriel et al.
7,033,603	B2	4/2006	Nelson et al.	2003/0204195	A1	10/2003	Keane et al.
7,037,984	B2	5/2006	Lendlein et al.	2003/0225424	A1	12/2003	Benderev
7,048,748	B1	5/2006	Ustuner	2003/0229361	A1	12/2003	Jackson
7,056,331	B2	6/2006	Kaplan et al.	2003/0236551	A1	12/2003	Peterson
7,056,333	B2	6/2006	Walshe	2004/0006353	A1	1/2004	Bosley, Jr. et al.
7,057,135	B2	6/2006	Li	2004/0010275	A1	1/2004	Jacobs et al.
7,063,716	B2	6/2006	Cunningham	2004/0010276	A1	1/2004	Jacobs et al.
7,070,610	B2	7/2006	Im et al.	2004/0015187	A1	1/2004	Lendlein et al.
7,081,135	B2	7/2006	Smith et al.	2004/0024169	A1	2/2004	Shalaby et al.
7,083,637	B1	8/2006	Tannhauser	2004/0024420	A1	2/2004	Lubbers et al.
7,083,648	B2	8/2006	Yu et al.	2004/0030354	A1	2/2004	Leung et al.
7,107,090	B2	9/2006	Salisbury, Jr. et al.	2004/0039415	A1	2/2004	Zamierowski
7,112,214	B2	9/2006	Peterson et al.	2004/0049224	A1	3/2004	Buehlmann et al.
7,125,403	B2	10/2006	Julian et al.	2004/0059370	A1	3/2004	Greene, Jr. et al.
7,125,413	B2	10/2006	Grigoryants et al.	2004/0059377	A1	3/2004	Peterson et al.
7,138,441	B1	11/2006	Zhang	2004/0060409	A1	4/2004	Leung et al.
7,141,302	B2	11/2006	Mueller et al.	2004/0060410	A1	4/2004	Leung et al.
7,144,401	B2	12/2006	Yamamoto et al.	2004/0068293	A1	4/2004	Scalzo et al.
7,144,412	B2	12/2006	Wolf et al.	2004/0068294	A1	4/2004	Scalzo et al.
7,150,757	B2	12/2006	Fallin et al.	2004/0088003	A1	5/2004	Leung et al.
7,156,858	B2	1/2007	Schuldt-Hempe et al.	2004/0093023	A1	5/2004	Allen et al.
7,156,862	B2	1/2007	Jacobs et al.	2004/0098051	A1	5/2004	Fallin et al.
7,160,312	B2	1/2007	Saadat	2004/0106949	A1	6/2004	Cohn et al.
7,166,570	B2	1/2007	Hunter et al.	2004/0116620	A1	6/2004	Shalaby et al.
7,172,595	B1	2/2007	Goble	2004/0138683	A1	7/2004	Shelton et al.
7,172,615	B2	2/2007	Morriss et al.	2004/0153153	A1	8/2004	Elson et al.
7,186,262	B2	3/2007	Saadat	2004/0167572	A1	8/2004	Roth et al.
7,195,634	B2	3/2007	Schmieding et al.	2004/0167575	A1	8/2004	Roby
7,211,088	B2	5/2007	Grafton et al.	2004/0186487	A1	9/2004	Klein et al.
7,214,230	B2	5/2007	Brock et al.	2004/0193191	A1	9/2004	Starksen et al.
7,217,744	B2	5/2007	Lendlein et al.	2004/0193217	A1	9/2004	Lubbers et al.
7,225,512	B2	6/2007	Genova et al.	2004/0193257	A1	9/2004	Wu et al.
7,226,468	B2	6/2007	Ruff	2004/0230223	A1	11/2004	Bonutti et al.
7,232,447	B2	6/2007	Gellman et al.	2004/0260340	A1	12/2004	Jacobs et al.
7,244,270	B2	7/2007	Lesh et al.	2004/0265282	A1	12/2004	Wright et al.
7,279,612	B1	10/2007	Heaton et al.	2004/0267309	A1	12/2004	Garvin
7,297,142	B2	11/2007	Brock	2005/0004601	A1	1/2005	Kong et al.
7,371,253	B2	5/2008	Leung et al.	2005/0004602	A1	1/2005	Hart et al.
7,514,095	B2	4/2009	Nelson et al.	2005/0033324	A1	2/2005	Phan
7,624,487	B2	12/2009	Trull et al.	2005/0034431	A1	2/2005	Dey et al.
7,806,908	B2	10/2010	Ruff	2005/0038472	A1	2/2005	Furst
7,845,356	B2	12/2010	Paraschac et al.	2005/0049636	A1	3/2005	Leiboff
7,857,829	B2	12/2010	Kaplan et al.	2005/0055051	A1	3/2005	Grafton
7,879,072	B2	2/2011	Bonutti et al.	2005/0059984	A1	3/2005	Chanduszko et al.
8,118,834	B1	2/2012	Goraltchouk et al.	2005/0065533	A1	3/2005	Magen et al.
8,216,273	B1	7/2012	Goraltchouk et al.	2005/0080455	A1	4/2005	Schmieding et al.
2001/0011187	A1	8/2001	Pavcnik et al.	2005/0085857	A1	4/2005	Peterson et al.
2001/0018592	A1	8/2001	Schaller et al.	2005/0119694	A1	6/2005	Jacobs et al.
2001/0018599	A1	8/2001	D'Aversa et al.	2005/0149064	A1	7/2005	Peterson et al.
2001/0039450	A1	11/2001	Pavcnik et al.	2005/0149118	A1	7/2005	Koyfman et al.
2001/0051807	A1	12/2001	Grafton	2005/0154255	A1	7/2005	Jacobs
2002/0007218	A1	1/2002	Cauthen	2005/0171561	A1	8/2005	Songer et al.
2002/0022861	A1	2/2002	Jacobs et al.	2005/0177190	A1	8/2005	Zamierowski
2002/0029011	A1	3/2002	Dyer	2005/0181009	A1	8/2005	Hunter et al.
2002/0029066	A1	3/2002	Foerster	2005/0182444	A1	8/2005	Peterson et al.
2002/0077448	A1	6/2002	Antal et al.	2005/0182445	A1	8/2005	Zamierowski
2002/0095164	A1	7/2002	Andreas et al.	2005/0186247	A1	8/2005	Hunter et al.
2002/0099394	A1	7/2002	Houser et al.	2005/0197699	A1	9/2005	Jacobs et al.
2002/0111641	A1	8/2002	Peterson et al.	2005/0199249	A1	9/2005	Karram
2002/0111688	A1	8/2002	Cauthen	2005/0203576	A1	9/2005	Sulamanidze et al.
2002/0138009	A1	9/2002	Brockway et al.	2005/0209542	A1	9/2005	Jacobs et al.
2002/0151932	A1	10/2002	Bryant et al.	2005/0209612	A1	9/2005	Nakao
2002/0151980	A1	10/2002	Cauthen	2005/0234510	A1	10/2005	Zamierowski
2002/0161168	A1	10/2002	Shalaby et al.	2005/0240220	A1	10/2005	Zamierowski
2002/0173822	A1	11/2002	Justin et al.	2005/0267531	A1	12/2005	Ruff et al.
2002/0179718	A1	12/2002	Murokh et al.	2005/0267532	A1	12/2005	Wu
2003/0040795	A1	2/2003	Elson et al.	2005/0277984	A1	12/2005	Long
2003/0069602	A1	4/2003	Jacobs et al.	2005/0283246	A1	12/2005	Cauthen, III et al.
2003/0088270	A1	5/2003	Lubbers et al.	2006/0020272	A1	1/2006	Gildenberg
2003/0149447	A1	8/2003	Morency	2006/0030884	A1	2/2006	Yeung et al.
2003/0158604	A1	8/2003	Cauthen, III et al.	2006/0036266	A1	2/2006	Sulamanidze et al.
2003/0167072	A1	9/2003	Oberlander	2006/0058470	A1	3/2006	Rizk
2003/0199923	A1	10/2003	Khairkahan et al.	2006/0058574	A1	3/2006	Priewe et al.
2003/0203003	A1	10/2003	Nelson et al.	2006/0058799	A1	3/2006	Elson et al.
				2006/0058844	A1	3/2006	White et al.
				2006/0063476	A1	3/2006	Dore
				2006/0064115	A1	3/2006	Allen et al.
				2006/0064116	A1	3/2006	Allen et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0064127 A1 3/2006 Fallin et al.
 2006/0079469 A1 4/2006 Anderson et al.
 2006/0079935 A1 4/2006 Kolster
 2006/0085016 A1 4/2006 Eremia
 2006/0089525 A1 4/2006 Mamo et al.
 2006/0111734 A1 5/2006 Kaplan et al.
 2006/0111742 A1 5/2006 Kaplan et al.
 2006/0116503 A1 6/2006 Lendlein et al.
 2006/0135994 A1 6/2006 Ruff
 2006/0135995 A1 6/2006 Ruff
 2006/0140999 A1 6/2006 Lendlein et al.
 2006/0193769 A1 8/2006 Nelson et al.
 2006/0194721 A1 8/2006 Allen
 2006/0200062 A1 9/2006 Saadat
 2006/0235445 A1 10/2006 Birk et al.
 2006/0235447 A1 10/2006 Walshe
 2006/0253126 A1 11/2006 Bjerken et al.
 2006/0257629 A1 11/2006 Lendlein et al.
 2006/0258938 A1 11/2006 Hoffman et al.
 2006/0272979 A1 12/2006 Lubbers et al.
 2006/0276808 A1 12/2006 Arnal et al.
 2006/0293710 A1 12/2006 Foerster et al.
 2007/0005109 A1 1/2007 Popadiuk et al.
 2007/0005110 A1 1/2007 Collier et al.
 2007/0021779 A1 1/2007 Garvin et al.
 2007/0065663 A1 3/2007 Trull et al.
 2007/0088135 A1 4/2007 Lendlein et al.
 2007/0134292 A1 6/2007 Suokas et al.
 2007/0167958 A1 7/2007 Sulamanidze et al.
 2007/0187861 A1 8/2007 Genova et al.
 2007/0208355 A1 9/2007 Ruff
 2007/0208377 A1 9/2007 Kaplan et al.
 2007/0225642 A1 9/2007 Houser et al.
 2007/0239207 A1 10/2007 Beramendi
 2007/0282247 A1 12/2007 Desai et al.
 2008/0009902 A1 1/2008 Hunter et al.
 2008/0066764 A1 3/2008 Paraschac et al.
 2008/0066765 A1 3/2008 Paraschac et al.
 2008/0066766 A1 3/2008 Paraschac et al.
 2008/0066767 A1 3/2008 Paraschac et al.
 2008/0234731 A1 9/2008 Leung et al.
 2008/0255611 A1 10/2008 Hunter
 2008/0262542 A1 10/2008 Sulamanidze et al.
 2009/0012560 A1 1/2009 Hunter et al.
 2009/0018577 A1 1/2009 Leung et al.
 2009/0107965 A1 4/2009 D'Agostino
 2009/0112259 A1 4/2009 D'Agostino
 2009/0143819 A1 6/2009 D'Agostino
 2009/0226500 A1 9/2009 Avelar et al.
 2009/0299408 A1 12/2009 Schuldt-Hempe et al.
 2010/0057123 A1 3/2010 D'Agostino et al.
 2010/0087855 A1 4/2010 Leung et al.
 2010/0294103 A1 11/2010 Genova et al.
 2010/0294104 A1 11/2010 Genova et al.
 2010/0294105 A1 11/2010 Genova et al.
 2010/0294106 A1 11/2010 Genova et al.
 2010/0294107 A1 11/2010 Genova et al.
 2010/0298637 A1 11/2010 Ruff
 2010/0298639 A1 11/2010 Leung et al.
 2010/0298867 A1 11/2010 Ruff
 2010/0298868 A1 11/2010 Ruff
 2010/0298871 A1 11/2010 Ruff et al.
 2010/0298878 A1 11/2010 Leung et al.
 2010/0298879 A1 11/2010 Leung et al.
 2010/0298880 A1 11/2010 Leung et al.
 2010/0313723 A1 12/2010 Genova et al.
 2010/0313729 A1 12/2010 Genova et al.
 2010/0313730 A1 12/2010 Genova et al.
 2010/0318122 A1 12/2010 Leung et al.
 2010/0318123 A1 12/2010 Leung et al.
 2010/0318124 A1 12/2010 Leung et al.
 2011/0009902 A1 1/2011 Leung et al.
 2011/0046669 A1 2/2011 Goraltchouk et al.

2011/0106152 A1 5/2011 Kozlowski
 2011/0130774 A1 6/2011 Criscuolo et al.
 2011/0166597 A1 7/2011 Herrmann et al.

FOREIGN PATENT DOCUMENTS

CA 2457384 3/2003
 CN 2640420 9/2004
 DE 01810800 6/1970
 DE 03227984 2/1984
 DE 04302895 8/1994
 DE 19618891 4/1997
 DE 19833703 2/2000
 DE 10245025 4/2004
 DE 102005004317 6/2006
 EP 0121362 9/1987
 EP 0329787 8/1989
 EP 0513713 5/1992
 EP 0428253 7/1994
 EP 0632999 1/1995
 EP 0513736 2/1995
 EP 0464479 3/1995
 EP 0464480 3/1995
 EP 0576337 A1 3/1997
 EP 0576337 B1 3/1997
 EP 0574707 8/1997
 EP 0612504 11/1997
 EP 0558993 4/1998
 EP 0913123 5/1999
 EP 0916310 5/1999
 EP 0664198 6/1999
 EP 0960600 12/1999
 EP 0705567 3/2002
 EP 0673624 8/2002
 EP 0839499 9/2003
 EP 0755656 12/2003
 EP 1075843 2/2005
 EP 1525851 4/2005
 EP 1532942 5/2005
 EP 0826337 12/2005
 EP 0991359 11/2007
 EP 1656890 12/2008
 EP 2036502 3/2009
 EP 1726317 7/2012
 EP 2338421 11/2012
 FR 2619129 2/1989
 FR 2693108 1/1994
 FR 9208059 3/1997
 GB 0267007 3/1927
 GB 1091282 11/1967
 GB 1428560 7/1973
 GB 1506362 4/1978
 GB 1508627 4/1978
 JP 51-130091 11/1976
 JP 001113091 11/1976
 JP 1506362 4/1978
 JP 54-116419 9/1979
 JP 63-500702 3/1988
 JP 63-288146 11/1988
 JP 001113091 5/1989
 JP 3-165751 7/1991
 JP 4-096758 3/1992
 JP 4-226642 8/1992
 JP 4-266749 9/1992
 JP 9-103477 4/1997
 JP 10-511009 10/1997
 JP 10-503389 3/1998
 JP 410085225 4/1998
 JP 63-288146 11/1998
 JP 11-313826 11/1999
 JP 011332828 12/1999
 JP 2002-059235 2/2002
 JP 2002-511308 4/2002
 JP 2003-275217 9/2003
 JP 2004-530524 10/2004
 JP 2005-500119 1/2005
 JP 2006-517112 7/2006
 JP 2009-118967 6/2009
 KR 10-2005-0072908 A 7/2005

(56)

References Cited

FOREIGN PATENT DOCUMENTS

KR	6013299	2/2006
KR	2006-59142	6/2006
NZ	501224	3/2002
NZ	531262	12/2005
RU	1823791	6/1993
RU	2139690	10/1999
RU	2175855	11/2001
RU	2241389	12/2004
RU	2268752	1/2006
SU	1745214	7/1992
SU	1752358	8/1992
WO	96/06565	3/1966
WO	86/00020	1/1986
WO	87/01270	3/1987
WO	88/09157	12/1988
WO	89/05618	6/1989
WO	90/09149	8/1990
WO	90/14795	12/1990
WO	92/22336	12/1992
WO	95/16399	6/1995
WO	95/29637	11/1995
WO	98/52473	11/1998
WO	98/55031	12/1998
WO	99/21488	5/1999
WO	99/33401	7/1999
WO	99/52478	10/1999
WO	99/59477	11/1999
WO	99/62431	12/1999
WO	00/51658	9/2000
WO	00/51685	9/2000
WO	WO 00/51658	9/2000
WO	01/06952	2/2001
WO	01/56626	8/2001
WO	03/001979	1/2003
WO	03/003925	1/2003
WO	03/045255	6/2003
WO	03/077772	9/2003
WO	03/092758	11/2003
WO	03/103733	12/2003
WO	03/103972	12/2003
WO	03/105703	12/2003
WO	2004/014236	2/2004
WO	2004/030517	4/2004
WO	2004/030520	4/2004
WO	2004/030704	4/2004
WO	2004/030705	4/2004
WO	2004/062459	7/2004
WO	2004/100801	11/2004
WO	2004/112853	12/2004
WO	WO 2004/112853	12/2004
WO	2005/016176	2/2005
WO	2005/074913	8/2005
WO	2005/112787	12/2005
WO	2007/089864	8/2007
WO	2008/128113	10/2008
WO	2008/150773	12/2008
WO	2009/042841	4/2009
WO	2009/097556	8/2009
WO	2009/151876	12/2009
WO	2011/139916	11/2011
WO	2011/140283	11/2011

OTHER PUBLICATIONS

Buckley, P.R. 'Actuation of Shape Memory Polymer using Magnetic Fields for Applications in Medical Devices' Master of Science in Mechanical Engineering in Massachusetts Institute of Technology Jun. 2003, 144 pages.

Buncke, Jr., H.J. et al 'The Suture Repair of One-Millimeter Vessels, microvascular surgery' (1966) Report of First Conference; Oct. 6-7 pp. 24-35.

Bunnell, S. 'Gig pull-out suture for tendons' J Bone Joint Surg. Am (1954) vol. 36A, No. 4 pp. 850-851.

CCPR Centro De Cirurgia Plastica e Reabilitacao 'Up Lifting (Aptos Threads) <http://ccpr.com.br/upl-1.htm>, Aug. 19, 2002 pp. 1-2.

Datillo, Jr., P.P. 'Knodess Bi-directional Barbed Absorbable Surgical Suture' Dissertation submitted to the Graduate Faculty of North Carolina State University Textile Management and Technology Nov. 2002, 75 pages.

Datillo, Jr. P.P. et al 'Medical Textiles: Application of an Absorbable Barbed Bi-Directional Surgical Suture' (2002) The Journal of Textile and Apparel Technology and Management vol. 2, Issue 2, pp. 1-5.

Datillo, Jr., P. et al 'Tissue holding performance of knodess absorbable sutures' Society for Biomaterials 29th Annual Meeting Transactions (2003) p. 101.

Declaration of Dr. Gregory L. Ruff, dated Aug. 19, 2005, 8 pages, with Exhibits A-E.

Encyclopedia of Polymer Science and Engineering, edited by H.F. Mark, et al. Wiley-Interscience, New York, 1989.

Gross, R.A. et al 'Biodegradable Polymers for the Environment' Science 297(5582) 803 (2002).

Han, H. et al 'Mating and Piercing Micromechanical Suture for Surface Bonding Applications' (1991) Proceedings of the 1991 Micro Electro Mechanical Systems (MEMS'91), An Investigation of Micro Structures, Sensors, Actuators, Machines and Robots pp. 253-258.

Ingle, N. P. et al 'Mechanical Performance and Finite Element Analysis of Bi-directional Barbed Sutures' Master of Science in Textile Technology & Management at North Carolina State University Aug. 2003, 126 pages.

Jennings et al 'A New Technique in primary tendon repair' Surg. Gynecol. Obstet. (1952) vol. 95, No. 5 pp. 597-600.

Kuniholm J.F. et al 'Automated Knot Tying for Fixation in Minimally Invasive, Robot Assisted Cardiac Surgery' Master of Science in Mechanical & Aerospace Engineering at North Carolina State University May 2003, 71 pages.

Lendelin, A. et al 'Biodegradable, Elastic Shape-Memory Polymers for Potential Biomedical Applications' (2002) Science vol. 296 pp. 1673-1676.

Lendelin, A. et al 'Shape-Memory Polymers' Agnew Chem. Int. Ed. (2002) vol. 41 pp. 2034-2057.

Leung, J. et al 'Barbed, Bi-directional Medical Sutures: Biomechanical Properties and Wound Closure Efficacy Study' 2002 Society for Biomaterials 28th Annual Meeting Transactions 1 page.

Leung, J. et al 'Barbed, Bi-directional Surgical Sutures' International Conference & Exhibition on Healthcare & Medical Textiles, Jul. 8-9, 2003 pp. 1-8.

Leung, J. et al 'Barbed, Bi-directional Surgical Sutures: In Vivo Strength and Histopathology Evaluations' 2003 Society for Biomaterials 29th Annual Meeting Transactions pp. 100.

Leung, J. et al., "Barbed Suture Technology: Recent Advances", Medical Textiles 2004, Advances in Biomedical Textiles and Healthcare Products, Conference Proceedings, IFAI Expo 2004, Oct. 26-27, 2004, Pittsburgh, PA., pp. 62-80.

Leung, J. et al 'Performance Enhancement of a Knotless Suture via Barb Geometry Modifications' 7th World Biomaterials Congress 2004, 1 page.

Li, Y.Y. et al 'Polymer Replicas of Photonic Porous Silicon for Sensing and Drug Delivery Applications' (2003) Science vol. 299 pp. 2045-2047.

Mark, J.E. ed. Physical Properties of Polymers Handbook. American Institute of Physics Press, Woodbury, N.Y., 1996.

Malina, M. et al 'Endovascular AAA Exclusion: Will Stents with Hooks and Barbs Prevent Stent-Graft Migration' Journal Endovascular Surgery (1998) vol. 5 pp. 310-317.

Mansberger et al 'A New Type Pull-Out Wire for Tendon Surgery: A Preliminary Report' Department of Surgery, University Hospital and University of Maryland School of Medicine, Baltimore, Maryland, Received for Publication May 10, 1951 pp. 119-121.

Martin, D.P. et al 'Medical applications of poly-4-hydroxybutyrate: a strong flexible absorbable biomaterial' Biochemical Engineering Journal Vol. 16 (2003) pp.97-105.

Mason, M.L. 'Primary and Secondary Tendon Suture. A discussion of the significance of technique in tendon surgery' (1940) Surg Gynecol Obstet 70.

McKee, GK 'Metal anastomosis tubes in tendon suture' The Lancet (1945) pp. 659-660.

(56)

References Cited

OTHER PUBLICATIONS

- McKenzie 'An Experimental Multiple Barbed Suture for the Long Flexor Tendons of the Palm and Fingers' *The Journal of Bone and Joint Surgery* (1967) vol. 49B, No. 3 pp. 440-447.
- Middleton and Tipton 'Synthetic Biodegradable Polymers as Medical Devices' (1998) *Medical Plastics and Biomaterials Magazine*. Polymer Data Handbook, 1999 by Oxford University Press, Inc.
- Potenza, A. 'Tendon Healing Within the Flexor Digital Sheath in the Dog: An Experimental Study' *Journal of Bone & Joint Surgery* (1962) vol. 44A No. 1 pp. 49-64.
- Pulvertaft 'Suture Materials and Tendon Junctionures' *American Journal of Surgery* (1965) vol. 109 pp. 346-352.
- Quill Medical, Inc. 'Barbed Sutures, wrinkle filters give patients more innovative, non-surgical options' Press Release of Program presented at American Society of Plastic Surgeons annual scientific meeting; Philadelphia, Oct. 9, 2004 3 pages.
- Quill Medical, Inc. 'Quill Medical's Novel-Self-Anchoring Surgical Suture Approved for Sale in Europe' Press Release; Research Triangle Park, N.C. May 10, 2004, 1 page.
- Quill Medical, Inc., "Quill Medical, Inc. Receives FDA Clearance for First-in-Class Knot-Less Self-Anchoring Surgical Suture", Press Release; Research Triangle Park, N.C., Nov. 4, 2004, 1 page.
- Rofin-Baasel 'Laser Marking on Plastic Materials' (2001) RB50.0, Rofin-Baasel Inc. 2 pages.
- Schmid A. et al 'The outspreading anchor cord. A material for arthroscopic suturing of a fresh anterior cruciate ligament rupture' *Surgical Clinic of the University of Gottingen*. (Date Unknown, Applicant requests that Examiner consider reference as if it was prior art).
- Semenov, G.M. et al 'Surgical Suture' (2001) Piter, Saint Petersburg, pp. 12-13 and 92-98.
- Serafetinides, AA 'Short pulse laser beam interactions with polymers biocompatible materials and tissue' *Proce SPIE* vol. 3052 (1996) pp. 111-123.
- Sulamanidze, M. et al., "APTOS Suture Lifting Methods: 10 Years of Experience", *Clin Plastic Surg* 36 (2009); pp. 281-306.
- Sulamanidze, M.A. et al 'Clinical aspects of bloodless facelift using APTOS filaments' A.V. Vishnevsky Institute of Surgery, Bol'shaya Serpukhovskaya ul, 7, 113811, Moscow, Russia (2002) pp. 24-34.
- Sulamanidze, M.A. et al 'Facial lifting with Aptos threads' *International Journal of Cosmetic Surgery and Aesthetic Dermatology* (2001) No. 4 pp. 1-8.
- Sulamanidze, M.A. et al 'Facial lifting with "Aptos" threads' <http://fonendo.com> (Jul. 18, 2001) pp. 1-4.
- Sulamanidze, M.A. et al 'Management of Facial Rhytids by Subcutaneous Soft Tissue Dissection' (2000) *International Journal of Cosmetic Surgery and Aesthetic Dermatology* vol. 2 No. 4 pp. 255-259.
- Sulamanidze, M.A. et al 'Morphological foundations of facelift using APTOS filaments' *Bolshaya Serpukhovskaya ul 27, 113811 Moscow, Russia* (2002) pp. 19-26.
- Sulamanidze, M.A. et al 'Removal of Facial Soft Tissue Ptosis with Special Threads' *Dermatol Surg* (2002) vol. 28 pp. 367-371.
- Sulzle, Inc. B.G. et al *Drilled End Surgical Needles* Jul. 2002 Syracuse, New York.
- Szarmach, R. et al 'An Expanded Surgical Suture and Needle Evaluation and Selection Program by a Healthcare Resource Management Group Purchasing Organization' *Journal of Long-Term Effects of Medical Implants* (2003) vol. 13 No. 3 pp. 155-170.
- 'Up Lifting (Aptos Threads), <http://www.ccpr.com.br/up1-1.htm> Aug. 19, 2002 pp. 1-2.
- Verdan, C. 'Primary Repair of Flexor Tendons' *Journal of Bone and Joint Surgery* (1960) vol. 42, No. 4 pp. 647-657.
- Zoltan, J. 'Cicatrix Optimia: Techniques for Ideal Wound Healing' English language edition University Park Press Baltimore (1977) Chapter 3 pp. 54-55.
- Encyclopedia of Polymer Science and Engineering*, edited by H.F. Mark, et al. Wiley-Interscience, New York, 1989.
- Mark, J.E. ed. *Physical Properties of Polymer Handbook*. American Institute of Physics Press Woodbury, N.Y., 1996.
- Communication from EPO re: 10000486 dated Apr. 4, 2011.
- European Search Report re: EP05025816 dated Jun. 23, 2006.
- European Search Report for EP07006258.3 dated May 4, 2007, 4 pages.
- European Search Report for EP07015906 dated Oct. 2, 2007.
- European Search Report for EP07015905.8 dated Oct. 2, 2007, 2 pages.
- European Search Report for EP07016222 dated Jan. 7, 2008.
- European Search Report for EP09014651 dated Jan. 12, 2010.
- European Search Report for EP10000629.5 dated Mar. 10, 2010, 4 pages.
- European Search Report re: EP10000486 dated Apr. 23, 2010.
- European Search Report re: 10004453 dated Jun. 15, 2010.
- European Search Report for EP10011871.0 dated Dec. 3, 2010, 2 pages.
- European Search Report for EP10011868.6 dated Dec. 6, 2010, 2 pages.
- European Search Report for EP10011869 dated Jan. 20, 2011.
- European Search Report for EP10011872 dated Apr. 20, 2011.
- European Search Report for EP10012437 dated Apr. 28, 2011.
- European Search Report for EP10186592.1 dated Jan. 19, 2011, 2 pages.
- European Search Report for EP10184766 dated Apr. 20, 2011.
- Extended European Search Report re: 07015905.8 dated Oct. 23, 2007.
- Extended European Search Report re: 07016222.7 dated Jan. 30, 2008.
- International Preliminary Examination Report re: PCT/US1998/10478 dated Dec. 11, 1999.
- International Preliminary Report re: PCT/US2008/060127 dated Oct. 13, 2009.
- International Preliminary Report re: PCT/US2008/087788 dated Jun. 22, 2010.
- International Preliminary Report re: PCT/US2009/040545 dated Oct. 19, 2010.
- International Search Report for PCT/US1994/09631 dated Dec. 9, 1994.
- International Search Report for PCT/US1998/10478 dated Sep. 23, 1998.
- International Search Report for PCT/US2002/20449 dated May 20, 2003.
- International Search Report for PCT/US2002/027525 dated Dec. 9, 2002, 3 pages.
- International Search Report for PCT/US2003/030424 dated Nov. 1, 2004.
- International Search Report for PCT/US2003/030664 dated May 25, 2004.
- International Search Report for PCT/2003/030666 dated Dec. 15, 2004.
- International Search Report for PCT/US2003/25088 dated Dec. 29, 2003.
- International Search Report re: PCT/US2003/030674 dated Sep. 2, 2004.
- International Search Report re: PCT/US2004/014962 dated Feb. 24, 2005.
- International Search Report for PCT/US2005/017028 dated Mar. 26, 2008.
- International Search Report for PCT/US2007/002688 dated Oct. 22, 2007.
- International Search Report for PCT/US2007/074658 dated Jun. 12, 2007, 3 pages.
- International Search Report for PCT/US2008/060127 dated Sep. 23, 2008, 5 pages.
- International Search Report for PCT/US2008/0064921 dated Nov. 19, 2008, 3 pages.
- International Search Report for PCT/US2008/075849 dated Mar. 18, 2009, 4 pages.
- International Search Report for PCT/US2008/077813 dated Mar. 31, 2009.
- International Search Report for PCT/US2008/082009 dated Feb. 16, 2010.
- International Search Report for PCT/US2009/032693 dated Aug. 26, 2009.

(56)

References Cited

OTHER PUBLICATIONS

International Search Report for PCT/US2009/034703 dated Sep. 28, 2009.
International Search Report for PCT/US2009/040545 dated Oct. 29, 2009.
International Search Report for PCT/US2009/063081 dated Aug. 2, 2010.
International Search Report for PCT/US2009/041685 dated Dec. 22, 2009.
International Search Report for PCT/US2009/044274 dated Jan. 15, 2010.
International Search Report for PCT/US2010/056898 dated Aug. 2, 2011.
International Search Report for PCT/US2010/060889 dated Oct. 11, 2011.
International Search Report for PCT/US2011/034660 dated Feb. 8, 2012.
International Search Report for PCT/US2011/035270 dated Jan. 12, 2012.
International Search Report for PCT/US2011/035271 dated Jan. 12, 2012.
International Search Report re: PCT/US2011/035431 dated Jan. 12, 2012.
International Search Report re: PCT/US2011/040014 dated Feb. 9, 2012.

International Search Report for PCT/US2011/059238 dated May 21, 2012.
International Search Report for PCT/US2011/060069 dated May 18, 2012.
International Search Report for PCT/US2012/030441 dated Sep. 27, 2012.
Partial European Search Report re: EP05025816 dated Mar. 20, 2006.
Singapore Search Report for Singapore Patent Application No. 200702625-5 dated Nov. 26, 2008, 7 pages.
Singapore Search Report for Singapore Patent Application No. 200702350-0 dated Nov. 26, 2008, 6 pages.
Singapore Search Report for Singapore Patent Application No. 200703688-2 dated Nov. 26, 2008, 7 pages.
Supplementary European Search Report re: EP98923664 dated Jun. 12, 2001.
Supplementary European Search Report re: EP03752630 dated Nov. 17, 2005.
Supplementary European Search Report re: 03770556 dated Nov. 17, 2005.
Supplementary European Search Report re: 03754965 dated Nov. 18, 2005.
Supplementary European Search Report re: EP03785177 dated May 19, 2009.
Supplementary European Search Report re: 05750101 dated Apr. 7, 2010.
Supplementary European Search Report re: 07017663 dated Nov. 7, 2007.

* cited by examiner

FIG. 1




FIG. 2




FIG. 4





FIG. 3




FIG. 5




FIG. 6




FIG. 7






FIG. 8






FIG. 11




FIG. 13




FIG. 12




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 21





FIG. 20

**MULTIPLE SUTURE THREAD
CONFIGURATION WITH AN
INTERMEDIATE CONNECTOR**

CLAIM TO PRIORITY

This application is a continuation of U.S. application Ser. No. 12/119,749, filed May 13, 2008, now pending; which is a divisional of U.S. application Ser. No. 10/914,755, filed Aug. 9, 2004, now U.S. Pat. No. 7,371,253, issued May 13, 2008; which is a divisional of U.S. application Ser. No. 10/216,516, filed Aug. 9, 2002, now U.S. Pat. No. 6,773,450, issued Aug. 10, 2004. All of the above claimed priority applications are incorporated herein by reference in their entireties.

BACKGROUND OF THE INVENTION

This invention relates generally to a device and method for anchoring tissue within a body and, more particularly, to a suture anchor for use in surgical procedures requiring attachment of tissue, such as ligaments, tendons and the like, to other, preferably harder or more fibrous, tissue, such as a bone surface.

Suture anchors are used in surgical procedures wherein it is necessary for a surgeon to attach tissue to the surface of bone, for example, during joint reconstruction and ligament repair or replacement. Suture anchors generally comprise an anchor portion for fixed attachment to the bone, and a suture portion extending from the anchor portion used to connect the tissue to the bone. The anchor portion is often a generally cylindrical body having a sharp pointed end. An impact tool is typically used for driving the pointed end of the anchor into the bone. The outer surface of the anchor portion may be barbed or serrated to prevent the suture anchor from being withdrawn from the bone. The outer surface of the anchor portion could also be threaded and a driver, turned by a conventional drill, used to seat the threaded anchor portion into the bone. The anchor portion may also be fitted into a hole formed in the bone.

With the anchor portion securely in the bone, the suture portion is used for securing the tissue to the bone. The procedure typically involves passing a needle with the suture attached through the tissue. The tissue is advanced along the suture and tension is applied to the suture to draw the tissue tightly against the bone. The needle is removed and the tissue is secured against the bone by knotting the ends of the suture extending from the tissue. The knot is brought down to the surface of the tissue and tightened sufficiently to secure the tissue and bone in close approximation to promote reattachment and healing. A sliding retainer is sometimes used with the suture to pin the tissue against the bone.

There are other conventional suture anchors for attaching tissue to bone. For example, the anchor portion could take other forms including a staple which is driven into the bone surface with the suture positioned between the staple legs and the staple web fixing the suture to the bone surface. Also, a pair of closely-spaced holes can be drilled in the bone for passing the suture into one hole and out the other. However, these procedures are often difficult to perform, particularly in areas with limited access, such as deep wounds.

Further, conventional methods for approximating tissue to bone using a suture are difficult and inefficient because the procedure requires manipulation of the suture for securing the tissue in place. This is a time-consuming part of most surgical procedures, particularly in microsurgery and endoscopic surgery where there is insufficient space to properly manipulate the suture.

For the foregoing reasons, there is a need for an improved suture anchor for use in surgical procedures. The new suture anchor should eliminate the need for tying the suture to hold the tissue against the bone or other tissue surface. The method for using the suture anchor in surgical applications should allow a surgeon to approximate tissue to the bone or tissue surface in an efficient manner. A particularly useful new suture anchor would be used in surgical applications where space is limited such as microsurgery, endoscopic surgery or arthroscopic surgery.

SUMMARY OF THE INVENTION

According to the present invention, a suture anchor is provided for approximating tissue to bone or other tissue. The suture comprises an anchor member adapted to fixedly engage the bone for securing the anchor member relative to the bone. A plurality of sutures are mounted to the proximal end of the anchor member so that the sutures extend outwardly from the anchor member. Each suture has a sharp pointed distal end for penetrating the tissue and a plurality of barbs extending from the periphery of the body. The barbs permit movement of the sutures through the tissue in a direction of movement of the pointed end and prevent movement of the sutures relative to the tissue in a direction opposite the direction of movement of the pointed end.

Also according to the present invention, a method is provided for approximating tissue to a bone or other tissue to allow reapproximation and healing of the tissue and bone in vivo. The method uses a suture anchor including an anchor member adapted to be fixedly mounted to the bone and a plurality of sutures extending from the anchor member. The method comprises the steps of providing on each suture a sharp pointed distal end for penetrating the tissue and a plurality of barbs extending from the periphery of the body. The barbs permit movement of the sutures through the tissue in a direction of movement of the pointed end and prevent movement of the sutures relative to the tissue in a direction opposite the direction of movement of the pointed end. The anchor member is secured in the bone such that the sutures extend from the bone surface and a pointed end of a first suture is inserted into the tissue. The end of the first suture is pushed through the tissue along a curvilinear path in a direction away from the bone until the point at the end of the first suture extends out of the tissue at an exit point in the periphery of the tissue longitudinally spaced from the point of insertion. The pointed end of the first suture is gripped and pulled out of the tissue for drawing the first suture through the tissue while approximating the tissue adjacent the bone along the suture and leaving a length of the first suture in the tissue. The pointed end of the first suture is then inserted into the periphery of the tissue adjacent the exit point and pushed through the tissue along a curvilinear path in the direction away from the bone until the pointed end of the first suture extends out of the tissue at an exit point in the periphery of the tissue longitudinally spaced from the previous insertion point. The pointed end of the first suture is gripped and pulled out of the tissue for drawing the first suture through the tissue leaving a length of the first portion of the suture in the tissue. These steps are repeated with the first suture for advancing longitudinally along the tissue in the direction away from the bone. A second suture is then introduced into the tissue and the previous steps repeated so that the exit and entry points of the second suture are adjacent the corresponding exit and entry points of the

first suture and the path of the second suture substantially mirrors the path of the first suture.

BRIEF DESCRIPTION OF THE DRAWINGS

For a more complete understanding of the present invention, reference should now be had to the embodiments shown in the accompanying drawings and described below. In the drawings:

FIG. 1 is a perspective view of an embodiment of a suture anchor according to the present invention;

FIG. 2 is a perspective view of another embodiment of a suture anchor including a plurality of barbed sutures according to the present invention;

FIG. 3 is a side elevation view of an ankle with a portion of the outer layer of tissue cut-away to schematically show a torn Achilles tendon;

FIGS. 4-6 are schematic views of an embodiment of a method according to the present invention for reattaching the Achilles tendon to bone;

FIGS. 7-10 are perspective views of a method for joining two ends of a severed tendon according to the present invention;

FIGS. 11-13 are perspective, side and top plan views, respectively, of the suture pattern generated by the method shown in FIGS. 7-10;

FIGS. 14-17 are perspective views of another method for joining two ends of a severed tendon according to the present invention;

FIGS. 18 and 19 are perspective and side elevation views, respectively, of the suture pattern generated by the method shown in FIGS. 14-17; and

FIGS. 20 and 21 are side and rear elevation views, respectively, of the ankle shown in FIG. 3 with the torn Achilles tendon reattached to the bone using the suture anchor and method shown in FIGS. 7-13 according to the present invention.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

As used herein, the term "tissue" includes tendons, ligaments, cartilage, muscle, skin, organs, and other soft tissue. The term "bone" includes bone, cartilage, tendon, ligament, fascia, and other connective or fibrous tissue suitable for anchor for a suture.

Certain other terminology is used herein for convenience only and is not to be taken as a limitation on the invention. For example, words such as "upper," "lower," "left," "right," "horizontal," "vertical," "upward," and "downward" merely describe the configuration shown in the FIGs. It is understood that the components may be oriented in any direction and the terminology, therefore, should be understood as encompassing such variations unless specified otherwise.

Referring now to the drawings, wherein like reference numerals designate corresponding or similar elements throughout the several views, there is shown in FIG. 1 a suture anchor for use according to the present invention and generally designated at 30. The suture anchor 30 includes an anchor portion 32 and a suture portion 34. The anchor portion 32 comprises an elongated body 36 having a distal pointed tip 38 which serves as a leading end of the suture anchor 30 when the suture anchor is inserted into bone. A blind bore 40, or opening, is formed at the proximal end 41 of the anchor portion 32. A crossbar 42 integral with the anchor body 36 spans the opening 40 for threadably receiving the suture portion 34 at the proximal end of the anchor portion 32.

The anchor portion 32 is shown as having a circular cross-section, although other cross-sectional shapes could be utilized without departing from the present invention. As shown in FIG. 1, ridges 44, or barbs, may be formed on the outer surface of the anchor portion 32 which allow movement of the anchor portion 32 through bone in one direction but which resist the withdrawal of the anchor portion 32 after the anchor portion has been implanted in the bone.

As described above, the anchor portion 32 is driven into the bone surface, pointed tip 38 first, by impact against the proximal end 41, or by turning as when the anchor portion 32 is threaded (not shown). The anchor portion 32 can also be disposed into a hole bored in the bone, in which case insertion can be accomplished with direct pressure or gentle tapping on the proximal end 41 of the anchor portion 32. The ridges 44 on the surface of the anchor body 36 grasp the bone rendering the anchor portion 32 substantially irremovable from the bone. Tension on the suture portion 34 enhances this effect.

The suture portion 34 of the suture anchor 30 has an elongated body 46 and a plurality of barbs 48 disposed along the length of the body 46. First and second ends 50, 52 of the suture body 46 terminate in points 54, 56 for penetrating tissue. The body 46 of the suture portion 34 is, in one embodiment, circular in cross section. Suitable diameters for the body 46 range from about 0.001 mm to about 5.0 mm. The body 46 of the suture portion 34 could also have a non-circular cross-sectional shape which would increase the surface area of the body 46 and facilitate the formation of multiple barbs 48. The length of the suture portion 34 can vary depending on several factors, including the desired surgical application, the type of tissue to be approximated to the bone, the location of the bone, and the like. A suture portion 34 of proper length is selected for achieving suitable results in a particular application.

The plurality of barbs 48 is axially-spaced along the body 46 of the suture portion 34. The barbs 48 are oriented in one direction facing toward the first end 50 of the suture body 46 for a first portion 58 of the length of the suture portion 34 and in an opposite direction facing the second end 52 of the suture body 46 for a second portion 60 of the suture portion 34. The point on the suture body 46 where the barbs 48 change direction is preferably positioned adjacent the crossbar 42 at the proximal end of the anchor body 36. The barbs 48 are yieldable toward the body 46. The barbs 48 on each portion 58, 60 of the suture body 46 are oriented so as to allow movement of the suture portion 34 through the tissue in one direction along with the corresponding end 50, 52 of the suture portion 34. The barbs 48 are generally rigid in an opposite direction to prevent the suture body 46 from moving in the tissue in the opposite direction.

The barbs 48 can be arranged in any suitable pattern, for example, in a helical pattern as shown in FIG. 1. The number, configuration, spacing and surface area of the barbs 48 can vary depending upon the tissue in which the suture portion 34 is used, and depending on the composition and geometry of the suture body 46. The proportions of the barbs 48 may remain relatively constant while the overall length and spacing of the barbs 48 are determined by the tissue being approximated to the bone. For example, if the suture portion 34 is intended to be used in tendon, the barbs 48 can be made relatively short and more rigid to facilitate entry into this rather firm, fibrous tissue. If the suture portion 34 is intended for use in soft tissue, such as fat, the barbs 48 can be made longer and spaced farther apart to increase the holding ability in the soft tissue. Moreover, the ratio of the number of barbs 48 on the first portion 58 of the suture body 46 to the number

5

of barbs 48 on the second portion 60, and the lengths of each portion 58, 60, can vary depending on the surgical application and needs.

The surface area of the barbs 48 can also vary. For example, fuller-tipped barbs 48 can be made of varying sizes designed for specific surgical applications. For joining fat and relatively soft tissues, larger barbs 48 are desired, whereas smaller barbs 48 are more suited for collagen-dense tissues. There are also situations where a combination of large and small barbs 48 within the same structure will be beneficial such as when the suture portion 34 is used in the repair of tissue with differing layered structures. Use of the combination of large and small barbs 48 with the same suture portion 34 wherein barb 48 sizes are customized for each tissue layer will ensure maximum anchoring properties.

The barbs 48 may be formed on the surface of the suture body 46 according to any suitable method, including cutting, molding, and the like. The preferred method is cutting with acute angular cuts directly into the suture body 46 with the cut portions pushed outwardly and separated from the body 46. The depth of the barbs 48 formed in the suture body 46 depends on the diameter of the suture material and the depth of cut. Embodiments of a suitable cutting device for cutting a plurality of axially spaced barbs 48 on the exterior of suture filaments are shown and described in U.S. patent application Ser. No. 09/943,733, entitled "Method Of Forming Barbs On A Suture And Apparatus For Performing Same", which was filed on Aug. 31, 2001, the contents of which are hereby incorporated by reference. This cutting device utilizes a cutting bed, a cutting bed vise, a cutting template, and a blade assembly to perform the cutting. When operated, the cutting device has the ability to produce a plurality of axially spaced barbs 48 in the same or random configuration and at different angles in relation to each other. Various other suitable methods of cutting the barbs 48 have been proposed including the use of a laser. The barbs 48 could also be cut manually. However, manually cutting the barbs 48 is labor intensive, decreases consistency, and is not cost effective. The suture portion 34 could also be formed by injection molding, extrusion, stamping and the like.

Barbed sutures suitable for use according to the methods of the present invention are described in U.S. Pat. No. 5,342,376, entitled "Inserting Device for a Barbed Tissue Connector", U.S. Pat. No. 6,241,747, entitled "Barbed Bodily Tissue Connector", and U.S. Pat. No. 5,931,855. The contents of U.S. Pat. No. 5,342,376, U.S. Pat. No. 5,931,855 and U.S. Pat. No. 6,241,747 are hereby incorporated by reference.

The suture portion 34 is attached to the proximal end of the anchor portion 32. As seen in FIG. 1, the suture portion 34 is threaded around the crossbar 42 on the anchor body 36. It is understood that the suture portion 34 may be attached to the anchor portion 32 in a number of ways, including inserting the end of the suture body 46 into the bore 40 formed in the proximal end of the anchor body 36 and securing the suture body 46 in place with a set screw, rivet, or the like, or, wherein the material of the anchor portion 32 is metal, by swaging or crimping. The anchor portion 32 and suture portion 34 could also be formed in one piece in the manufacturing process. However, the preferred attachment of the suture portion 34 is as shown in FIG. 1 since this arrangement allows a simple, secure threading of a double-ended suture portion 34 during manufacture or prior to use. Moreover, as seen in FIG. 2, the user may selectively attach several suture portions 34 to the anchor portion 32 depending upon the surgical application.

Suitable material for the body 46 of the suture portion 34 is available in a wide variety of monofilament suture material. The particular suture material chosen depends on strength

6

and flexibility requirements. In one embodiment, the material for the suture body 46 is flexible and substantially nonresilient so that the shape of an inserted suture portion 34 will be determined by the path of insertion and the surrounding tissue. In some applications, however, it may be desirable for at least a portion of the suture body 46 to have sufficient dimensional stability to assume a substantially rigid configuration during use and sufficient resiliency to return to a predetermined position after deflection therefrom. The portions of the ends 50, 52 of the suture body 46 adjacent the points 54, 56 may be formed of a material sufficiently stiff to enable the points 54, 56 to penetrate tissue in which the suture portion 34 is used when a substantially axial force is applied to the body 46. Variations in surface texture of the suture body 46 can impart different interaction characteristics with the tissue.

The ends 50, 52 of the suture portion 34 may be straight (FIG. 1) or curved (FIG. 2). In one embodiment, the ends 50, 52 of the suture portion 34 may be surgical needles secured at each end of the suture portion 34 so that the body 46 extends between the shank ends of the two needles. The needles are preferably constructed of stainless steel or other surgical-grade metal alloy. The needles may be secured to the suture body 46 by means of adhesives, crimping, swaging, or the like, or the joint may be formed by heat shrinkable tubing. A detachable connection may also be employed such that the needles may be removed from the suture body 46 by a sharp tug or pull or by cutting. The length of the needles is selected to serve the type of tissue being repaired so that the needles can be completely removed leaving the suture body 46 in the desired position within the tissue.

The suture anchor 30 of the present invention can be formed of a bioabsorbable material which allows the suture anchor 30 to be absorbed by the body over time. Bioabsorbable material is particularly useful in arthroscopic surgery and procedures. Many compositions useful as bioabsorbable materials can be used to make the suture anchor 30. Generally, bioabsorbable materials are thermoplastic polymers. Selection of the particular material is determined by the desired absorption or degradation time period which depends upon the anticipated healing time for the subject of the procedure. Biodegradable polymers and co-polymers range in degradation time from about one month to over twenty-four months. They include, but are not limited to, polydioxanone, polylactide, polyglycolide, polycaprolactone, and copolymers thereof. Other copolymers with trimethylene carbonate can also be used. Examples are PDS II (polydioxanone), Maxon (copolymer of 67% glycolide and 33% trimethylene carbonate), and Monocryl (copolymer of 75% glycolide and 25% caprolactone). Germicides can also be incorporated into the suture anchor 30 to provide long lasting germicidal properties.

Alternatively, either the anchor portion 32 or the suture portion 34 of the suture anchor 30 can be formed from non-absorbable material such as, for example, nylon, polyethylene terephthalate (polyester), polypropylene, and expanded polytetrafluoroethylene (ePTFE). The suture body 46 can also be formed of metal (e.g. steel), metal alloys, or the like. Titanium is a preferred material when the anchor portion 32 is to remain permanently in the bone. A suitable anchor portion 32 for use according to the present invention is available from Mitek Products of Norwood, Mass. Alternatively, the anchor portion 32 can also be a rigid barbed structure made from thick monofilament suture material with barbs suitable for anchoring in bone.

In use in an orthopedic surgical procedure, the anchor portion 32 of the suture anchor 30 of the present invention is inserted into bone. Once the anchor portion 32 is fixed in

place, the suture portion 34 extends outwardly from the anchor portion 32 and the bone for surgical suturing to tissue to be approximated to the bone. The tissue is brought into position over the suture anchor 30 site. The point 54 at one end 50 of the suture portion 34 is inserted into the tissue such that the point 54 pierces the tissue and the barbs 48 on the portion 58 of the suture body 46 corresponding to the one end 50 yield toward the body 46 to facilitate movement of the suture body as it is drawn through the tissue in the direction of insertion. The point 56 at the other end 52 of the suture portion 34 is also inserted into the tissue and advanced through the tissue in like manner. The tissue is then advanced along the suture portions 58, 60 within the tissue to close the gap between the tissue and the bone. The barbs 48 of the suture body 46 grasp the surrounding tissue and maintain the tissue in position adjacent to the bone during healing. The leading ends 50, 52 of the suture body 46 protruding from the tissue are then cut and discarded.

According to the present invention, a surgical procedure using the suture anchor 30 is provided for approximating a torn Achilles tendon to bone for reattachment and healing. It is understood that the applicants do not intend to limit the suture anchor 30 and method of the present invention to only the reattachment of the Achilles tendon.

Referring to FIG. 3, a human foot 70 is shown with a portion of the outer layer 72 of skin and tissue cutaway to schematically show the Achilles tendon 74 torn away from the heel bone 76. In this embodiment of the present invention, the user, such as a surgeon, selects a suture anchor 30 (FIG. 4) having a suture portion 34 of sufficient length and having curved ends 50, 52 which, in one embodiment, as noted above may be surgical needles. As seen in FIG. 4, the surgeon begins by inserting the suture anchor 30 into the heel bone 76. The first and second portions 58, 60 of the elongated suture portion 34 extend from the anchor portion 32. Next the surgeon inserts the first end 50 (FIG. 5), or surgical needle, into the free end of the Achilles tendon 74 and pushes the needle 50 through the tendon 74 along a selected curvilinear path until the point 54 at the first end of the needle 50 extends from an exit point 78 at the periphery of the tendon 74 longitudinally spaced from the end of the tendon. The surgeon grips the needle 50 and pulls the needle out of the tendon 74 for drawing the first portion 58 of the suture body 46 through the tendon 74 leaving a length of the first portion 58 of the suture body 46 in the tendon 74 between the end of the tendon and the exit point 78, as seen in FIG. 6. These steps are repeated with the second portion 60 of the suture body 46 beginning with insertion into the end of the tendon 74.

Methods according to the present invention useful in binding together partially or completely severed tendons, or other internal tissue repairs requiring considerable tensile strength, are suitable for use in attaching tissue to bone. One such method for joining two ends 82, 84 of a tendon 80 is shown in FIGS. 7-10. Referring to FIG. 7, the surgeon begins by inserting a first end 92 of a two-way barbed suture 90, which may comprise a straight or curved surgical needle, into one end 82 of the tendon 80 and pushing the needle 92 through the tendon 80 along a selected curvilinear path until the point 94 of the needle 92 extends from an exit point 96 in the periphery of the tendon 80 longitudinally spaced from the one end 82 of the tendon 80. The first needle 92 is gripped and pulled out of the tendon 80 for drawing a first portion 98 of the suture 90 through the tendon 80 leaving a length of the first portion 98 of the suture 90 in the tendon end 82 between the end of the tendon 80 and the exit point 96. As seen in FIG. 7, these steps are repeated with a second portion 100 of the suture 90 at the other end 84 of the tendon 80, wherein a second end 93 of the suture 90 is inserted into the tendon end 84 and advanced

along a selected curvilinear path to an exit point 97 longitudinally spaced from the end 84 of the tendon 80. The second end 93 of the suture 90 projecting from the exit point 97 is gripped and pulled out of the tendon 80 for drawing the second portion 100 of the suture 90 through the tendon 80 and leaving a length of the second portion 100 of the suture 90 in the tendon end 84 (FIG. 8).

Referring now to FIG. 8, a second suture 90a is introduced into the ends 82, 84 of the tendon 80. The first needle 92a of the second suture 90a is inserted into the one end 82 of the tendon 80 and pushed through the tendon along a selected curvilinear path until the needle 92a extends from an exit point 96a in the periphery of the tendon 82 substantially co-located with the first exit point 96 of the first portion 98 of the first suture 90. These steps are repeated with the second portion 100a of the second suture 90a at the other end 84 of the tendon 80 such that the exit point 97a in the periphery of the end of the tendon 84 is substantially co-located with the first exit point 97 of the second portion 100 of the first suture 90. The needles 92a, 93a of the second suture 90a are pulled out of the tendon 80 for drawing the first and second portions 98a, 100a, respectively, of the second suture 90a through the tendon 80 leaving a length of the second suture 90a in the tendon 80 between the exit points 96a, 97a.

As shown in FIG. 9, the surgeon reinserts the first needle 92 of the first suture 90 into the periphery of the one end 82 of the tendon 80 at an entry point 102 immediately adjacent the exit point 96 and pushes the needle 92 along a selected curvilinear path until the point 94 of the needle 92 exits the same side of the tendon 82 at an exit point 104 that is longitudinally spaced from the entry point 102. It is understood that the surgeon could use the exit point 96 as the entry point 102 for the needle 92 if desired. The surgeon pulls the needle 92 out of the tendon 82 for drawing the first portion 98 of the suture 90 through the tendon 82. The surgeon may then reinsert the needle 92 into the tendon 82 at an entry point (not shown) immediately adjacent the exit point 104 and push the needle 92 along a selected curvilinear path and out of the same side of the tendon 82 at an exit point (not shown) longitudinally spaced from the previous entry point. It is understood that the surgeon makes as many passes as deemed necessary in a "wave-like" pattern for holding the end 82 of the tendon, or as the length or thickness of the tendon 82 allows, and removes the remaining length of the first portion 98 of the suture 90.

The surgeon repeats the steps described above with the first portion 98a of the second suture 90a (FIG. 10) by reinserting the needle 92a into the tendon 82 at an entry point 102a adjacent the exit point 96a, crossing over the first portion 98 of the first suture 90, and pushing the needle 92a along a selected curvilinear path until the needle 92a emerges from an exit point 104a in the periphery of the tendon 82 substantially co-located with the second exit point 104 of the first portion 98 of the first suture 90. In this manner, the surgeon advances longitudinally along the end 82 of the tendon 80 with the first portion 98a of the second suture 90a in a "wave-like" pattern which generally mirrors that of the first portion 98 of the first suture 90.

The previous steps are repeated at the other end 84 of the tendon 80 with the second portions 100, 100a of the first suture 90 and second suture 90a. The pattern of the second portions 100, 100a of the sutures 90, 90a in the second end 84 of the tendon 80 generally mirrors that of the first portions 98, 98a of the sutures in the first end 82 of the tendon 80. Thus, the exit points and entry points of the first and second sutures 90, 90a are substantially co-located.

The ends 82, 84 of the tendon 80 are brought together by pushing the tendon ends along the sutures while maintaining

tension on the free ends **92**, **92a**, **93**, **93a** of the sutures **90**, **90a**. The barbs **48** maintain the sutures **90**, **90a** in place and resist movement of the tendon ends **82**, **84** away from this position. The needles along with remaining lengths of the suture portions **98**, **98a**, **100**, **100a** are cut and discarded.

FIGS. **11-13** show the suture pattern resulting from use of the above-described method of the present invention. It is understood that we do not intend to limit ourselves to the depth or length of the suture paths shown in the FIGs. as the amount of tissue grasped by each pass, which is related to the depth of the suture path into the tissue and the length of the pass from entry point to exit point, may be determined by the surgeon based on a number of factors including the tissue to be joined.

Another method according to the present invention for joining two ends **82**, **84** of a tendon **80** which is suitable for use in attaching tissue to bone is shown in FIGS. **14-17**. Referring to FIG. **14**, the surgeon begins by inserting the first end **92** of a two-way barbed suture **90**, which may comprise a straight or curved surgical needle, into one end **82** of the tendon **80** and pushing the needle **92** through the tendon **82** along a selected curvilinear path until the point **94** of the needle **92** extends from an exit point **96** in the periphery of the tendon **82** longitudinally spaced from the one end **82** of the tendon. The first needle **92** is gripped and pulled out of the tendon **82** for drawing the first portion **98** of the suture **90** through the tendon **80** leaving a length of the first portion **98** of the suture in the tendon **80** between the tendon end **82** and the exit point **96**. As seen in FIG. **14**, these steps are repeated with the second portion **100** of the suture **90** at the other end **84** of the tendon **80**. That is, a second end **93** of the suture **90** is inserted into the tendon end **84** and advanced along a selected curvilinear path to an exit point **97** longitudinally spaced from the end **84** of the tendon **80**. The exit point **97** of the second needle **93** is on the opposite side of the tendon **80** from the first exit point **96** of the first portion **98** of the suture **90**. The second end **93** of the suture **90** projecting from the exit point **97** is gripped and pulled out of the tendon **80** for drawing the second portion **100** of the suture **90** through the tendon **80** and leaving a length of the second portion **100** of the suture **90** in the tendon end **84** (FIG. **15**).

Referring now to FIG. **15**, a second suture **90a** is introduced into the ends **82**, **84** of the tendon **80**. The first needle **92a** of the second suture **90a** is inserted into the end **82** of the tendon **80** and pushed through the tendon along a selected curvilinear path until the needle **92a** extends from an exit point **96a** in the periphery of the tendon **82** substantially co-located with the first exit point **96** of the first portion **98** of the first suture **90**. These steps are repeated with the second portion **100a** of the second suture **90a** at the other end **84** of the tendon **80** such that the exit point **97a** in the periphery of the end of the tendon **84** is substantially co-located with the first exit point **97** of the second portion **100** of the first suture **90**. The needles **92a**, **93a** of the second suture **90a** are pulled out of the tendon **80** for drawing the first portion **98a** and second portion **100a** of the second suture **90a** through the tendon **80** leaving a length of the second suture **90a** in the tendon **80** between the exit points **96a**, **97a**.

As shown in FIG. **16**, the surgeon reinserts the second needle **92a** into the periphery of the one end **82** of the tendon **80** at an entry point **102a** immediately adjacent the exit point **96a** and pushes the needle **92a** along a selected curvilinear path until the point **94a** of the needle **92a** exits the opposite side of the tendon **82** at an exit point **104a** that is longitudinally spaced from the entry point **102a**. It is understood that the surgeon could use the first exit point **96a** as the entry point **102a** for the needle **92a** if desired. The surgeon pulls the

needle **92a** out of the tendon **82** for drawing the first portion **98a** of the suture **90a** through the tendon **82**. The surgeon may then reinsert the needle **92a** into the tendon **82** at an entry point (not shown) immediately adjacent the exit point **104a** and push the needle **92a** along a selected curvilinear path and out of the opposite side of the tendon **82** at an exit point (not shown) longitudinally spaced from the previous entry point. It is understood that the surgeon makes as many passes in a "side-to-side" pattern as deemed necessary for holding the end **82** of the tendon **80**, or as the length or thickness of the tendon end **82** allows, and removes the remaining length of the first portion **98a** of the second suture **90a**. With each pass, the longitudinal distance between the entry point and exit point decreases. The surgeon repeats these steps with the second portion **100a** of the second suture **90a** at the other **84** of the tendon **80**. The second end **93a** of the suture **90a** is inserted into the other end **84** of the tendon **80** at an entry point **106a** immediately adjacent the first exit point **97a** and advanced along a selected curvilinear path to an exit point **108a** opposite and longitudinally spaced from the entry point **106a**. The second portion **100a** of the second suture **90a** is drawn through the tendon **80** leaving a length of the second portion **100a** of the suture **90a** in the tendon (FIG. **17**).

The surgeon repeats the steps described above with the first portion **98** and second portion **100** of the first suture **90** at the ends **82**, **84** of the tendon **80**. As seen in FIG. **17**, the needle **92** at the end of the first portion **98** is inserted into the tendon end **82** at an entry point **102** adjacent the exit point **96** and pushed along a selected curvilinear path until the needle **92** emerges from an exit point **104** in the periphery of the tendon **82** substantially co-located with the second exit point **104a** of the first portion **98a** of the second suture **90a**. In this manner, the surgeon advances longitudinally along the end **82** of the tendon **80** with the first portion **98** of the first suture **90** in a "side-to-side" pattern which generally mirrors that of the first portion **98a** of the second suture **90a**. Similar steps are taken with the second portion **100** of the first suture **90** in the other end **84** of the tendon **80**. The pattern of the first suture **90** and second suture **90a**, as well as the respective first portions **98**, **98a** and second portions **100**, **100a** of the sutures **90**, **90a**, generally mirror one another. The exit points and entry points of the sutures are substantially co-located. The ends **82**, **84** of the tendon **80** are brought together by pushing the tendon ends along the sutures while maintaining tension on the free ends of the sutures **90**, **90a**. The barbs **48** maintain the sutures **90**, **90a** in place and resist movement of the tendon ends **82**, **84** away from this position. The needles, along with remaining lengths of the sutures, are cut and discarded. FIGS. **18** and **19** show the suture pattern using the above-described method of the present invention.

It is understood that more sutures may be used in any of the methods of the present invention. The number of sutures used depends on the size, caliber, and length of the tendon to be repaired. Large tendons will require more than two sutures whereas one may suffice for very small tendons. Tendon repair with two sutures according to the present invention exhibits equivalent or better holding power than conventional techniques. Moreover, tendons repaired according to the methods of the present invention maintain their original configuration, profile, contour, and form better when subject to stretching forces. Other methods of tendon repair suitable for use according to the present invention are shown and described in U.S. patent application Ser. No. 09/896,455, entitled "Suture Method", which was filed on Jun. 29, 2001, the contents of which are hereby incorporated by reference.

FIGS. **20** and **21** are two views of the Achilles tendon **74** reattached to the heel bone **76** to promote healing according to

11

the present invention using the suture method shown in FIGS. 7-13. The tendon 74 and bone 76 will, over time, grow together.

The present invention provides a compact and easy to use suture anchor and method for reattaching tissue, such as tendons and ligaments, to bone or other connective tissue. The curvilinear placement paths of the suture portion, as contrasted with linear insertion, provide substantially increased biomechanical strength for approximating tissue and bone, or the ends of tendon. The barbed suture portion permits tissue to be approximated and held snug during suturing with less slippage of the suture in the wound. The barbs spread out the holding forces evenly thereby significantly reducing tissue distortion. The suture anchor is useful in endoscopic and arthroscopic procedures and microsurgery. Since knots do not have to be tied, arthroscopic knot tying instruments are unnecessary. If there is an accidental breakage of the barbed suture, the wound is minimally disturbed whereas, with conventional sutures, dehiscence would occur.

Although the present invention has been shown and described in considerable detail with respect to only a few exemplary embodiments thereof, it should be understood by those skilled in the art that we do not intend to limit the invention to the embodiments since various modifications, omissions and additions may be made to the disclosed embodiments without materially departing from the novel teachings and advantages of the invention, particularly in light of the foregoing teachings. For example, the methods of the present invention can be used with a suture anchor alone as a two-way barbed suture. Accordingly, we intend to cover all such modifications, omissions, additions and equivalents as may be included within the spirit and scope of the invention as defined by the following claims.

What is claimed is:

1. A suture system comprising:
 - a suture system adapted for positioning in tissue and to remain in said tissue after said positioning, the suture system comprising:
 - a plurality of sutures, each suture having a first end and a second end;
 - a plurality of barbs located on each suture of the plurality of sutures between the first end and the second end;

12

each of the barbs of each of the plurality of barbs oriented so as to permit movement of each said suture in a first direction through tissue and to prevent movement of the suture in an opposite direction;

a body located between the first ends and the second ends of said plurality of sutures; and
said body connecting together said sutures of said plurality of sutures; and

said body is slidably located on said sutures; and
said body has an opening and said sutures can move relative to said opening.

2. The system of claim 1 wherein:

said body has said opening and another opening and said sutures can slide through both said opening and said another opening.

3. The system of claim 1 wherein:

said body is cylindrical.

4. The system of claim 1 wherein:

said body includes a bio-absorbable material.

5. The system of claim 1 wherein:

said body includes at least one of ridges, barbs and serrations.

6. The system of claim 1 wherein:

said body includes an opening and said sutures can slide relative to said opening.

7. The system of claim 1 wherein:

said body is cone shaped.

8. The system of claim 1 wherein:

said body is wider than any of said sutures.

9. The system of claim 1 wherein:

said body includes an outer surface that can engage and hold tissue.

10. The system of claim 1 wherein:

said body has an outer surface that can hold tissue.

11. The system of claim 1 wherein:

said sutures are provided through said opening, and said body is located around said sutures.

12. A system comprising the system of claim 1 wherein:

a needle is attached to each of said first end and said second end of each suture.

* * * * *