

(12) **United States Patent**  
Mazumdar et al.

(10) **Patent No.:** **US 8,843,626 B2**  
(45) **Date of Patent:** **Sep. 23, 2014**

(54) **METHODS AND APPARATUS TO DETERMINE IMPRESSIONS USING DISTRIBUTED DEMOGRAPHIC INFORMATION**

USPC ..... 709/224; 725/25; 725/42; 725/46; 725/50

(71) Applicants: **Mainak Mazumdar**, Forest Hills, NY (US); **Kevin Geraghty**, Dublin, CA (US); **Ronan Heffernan**, Wesley Chapel, FL (US); **Mark Kalus**, New York, NY (US); **Ari Paparo**, New York, NY (US); **Steven J. Splaine**, Tampa, FL (US)

(58) **Field of Classification Search**  
USPC ..... 709/22; 725/9–14, 25, 42, 46, 50  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,540,003 A 11/1970 Murphy  
3,818,458 A 6/1974 Deese

(Continued)

FOREIGN PATENT DOCUMENTS

AU 2013205736 5/2013  
CN 101222348 7/2008

(Continued)

OTHER PUBLICATIONS

JavaScript and AJAX Forum, Sep. 28, 2005, [retrieved from Internet at <http://www.webmasterworld.com/forum91/4465.htm> on Jun. 29, 2011] 4 pages.

(Continued)

*Primary Examiner* — Yves Dalencourt

(74) *Attorney, Agent, or Firm* — Hanley, Flight and Zimmerman, LLC

(57) **ABSTRACT**

Example methods and apparatus to determine impressions using distributed demographic information are disclosed. A disclosed example method to monitor media exposure involves receiving, at a first internet domain, a first request from a client computer, the first request indicative of access to the media at the client computer. The example method also involves determining if the client computer is known. If the client computer is not known, a response is sent from the first internet domain to the client computer, the response to instruct the client computer to send a second request to a second internet domain, the second request to be indicative of access to the media at the client computer. If the client computer is known, an impression of the media is logged.

**18 Claims, 12 Drawing Sheets**

(21) Appl. No.: **13/691,175**

(22) Filed: **Nov. 30, 2012**

(65) **Prior Publication Data**

US 2013/0097312 A1 Apr. 18, 2013

**Related U.S. Application Data**

(62) Division of application No. 13/513,148, filed as application No. PCT/US2011/052623 on Sep. 21, 2011, now Pat. No. 8,370,489.


(60) Provisional application No. 61/386,543, filed on Sep. 26, 2010, provisional application No. 61/385,553, filed on Sep. 22, 2010.

(51) **Int. Cl.**

**G06F 15/173** (2006.01)  
**H04L 12/26** (2006.01)  
**G06Q 30/02** (2012.01)  
**H04L 29/08** (2006.01)

(52) **U.S. Cl.**

CPC ..... **H04L 43/04** (2013.01); **G06Q 30/0201** (2013.01); **H04L 67/22** (2013.01); **G06Q 30/0241** (2013.01)





(56)

## References Cited

## U.S. PATENT DOCUMENTS

3,906,450 A	9/1975	Prado, Jr.	6,877,007 B1	4/2005	Hentzel et al.
3,906,454 A	9/1975	Martin	6,993,590 B1	1/2006	Gauthier et al.
T955,010 I4	2/1977	Ragonese et al.	7,039,699 B1	5/2006	Narin et al.
4,168,396 A	9/1979	Best	7,092,926 B2	8/2006	Cerrato
4,230,990 A	10/1980	Lert, Jr. et al.	7,159,023 B2	1/2007	Tufts
4,232,193 A	11/1980	Gerard	7,181,412 B1	2/2007	Fulgoni et al.
4,306,289 A	12/1981	Lumley	7,260,837 B2	8/2007	Abraham et al.
4,319,079 A	3/1982	Best	7,386,473 B2	6/2008	Blumenau
4,361,832 A	11/1982	Cole	7,406,516 B2	7/2008	Davis et al.
4,367,525 A	1/1983	Brown et al.	7,526,538 B2	4/2009	Wilson
4,558,413 A	12/1985	Schmidt et al.	7,546,370 B1	6/2009	Acharya et al.
4,588,991 A	5/1986	Atalla	7,590,568 B2	9/2009	Blumenau
4,590,550 A	5/1986	Eilert et al.	7,600,014 B2	10/2009	Russell et al.
4,595,950 A	6/1986	Lofberg	7,613,635 B2	11/2009	Blumenau
4,658,093 A	4/1987	Hellman	7,644,156 B2	1/2010	Blumenau
4,672,572 A	6/1987	Alsberg	7,650,407 B2	1/2010	Blumenau
4,685,056 A	8/1987	Barnsdale, Jr. et al.	7,653,724 B2	1/2010	Blumenau
4,696,034 A	9/1987	Wiedemer	7,716,326 B2	5/2010	Blumenau
4,703,324 A	10/1987	White	7,720,963 B2	5/2010	Blumenau
4,718,005 A	1/1988	Feigenbaum et al.	7,720,964 B2	5/2010	Blumenau
4,720,782 A	1/1988	Kovalcin	7,756,974 B2	7/2010	Blumenau
4,734,865 A	3/1988	Scullion et al.	7,788,216 B2	8/2010	Li et al.
4,740,890 A	4/1988	William	7,882,242 B2	2/2011	Chen
4,747,139 A	5/1988	Taaffe	7,941,525 B1	5/2011	Yavilevich
4,757,533 A	7/1988	Allen et al.	7,949,565 B1	5/2011	Eldering et al.
4,791,565 A	12/1988	Dunham et al.	7,958,234 B2	6/2011	Thomas et al.
4,821,178 A	4/1989	Levin et al.	7,962,603 B1	6/2011	Morimoto
4,825,354 A	4/1989	Agrawal et al.	8,032,626 B1	10/2011	Russell et al.
4,827,508 A	5/1989	Shear	8,046,255 B2	10/2011	Bistriceanu et al.
4,866,769 A	9/1989	Karp	8,060,601 B1	11/2011	Brown et al.
4,914,689 A	4/1990	Quade et al.	8,229,780 B2	7/2012	Davidow et al.
4,926,162 A	5/1990	Pickell	8,234,408 B2	7/2012	Jungck et al.
4,940,976 A	7/1990	Gastouniotis et al.	8,266,687 B2	9/2012	Baldry
4,956,769 A	9/1990	Smith	8,271,886 B2	9/2012	Lee et al.
4,977,594 A	12/1990	Shear	8,307,006 B2	11/2012	Hannan et al.
5,023,907 A	6/1991	Johnson et al.	8,370,489 B2	2/2013	Mazumdar et al.
5,032,979 A	7/1991	Hecht et al.	8,626,084 B2	1/2014	Chan et al.
5,086,386 A	2/1992	Islam	8,631,122 B2	1/2014	Kadam et al.
5,182,770 A	1/1993	Medveczky et al.	8,713,168 B2	4/2014	Heffernan et al.
5,204,897 A	4/1993	Wyman	2003/0046385 A1	3/2003	Vincent
5,233,642 A	8/1993	Renton	2003/0177488 A1	9/2003	Smith et al.
5,283,734 A	2/1994	Von Kohorn	2003/0220901 A1	11/2003	Carr et al.
5,287,408 A	2/1994	Samson	2004/0088212 A1	5/2004	Hill
5,343,239 A	8/1994	Lappington et al.	2005/0033657 A1	2/2005	Herrington et al.
5,355,484 A	10/1994	Record et al.	2005/0166233 A1	7/2005	Beyda et al.
5,374,951 A	12/1994	Welsh	2006/0271641 A1	11/2006	Stavrakos et al.
5,377,269 A	12/1994	Heptig et al.	2006/0294259 A1	12/2006	Matefi et al.
5,388,211 A	2/1995	Hornbuckle	2007/0106787 A1	5/2007	Blumenau
5,406,269 A	4/1995	Baran	2007/0106792 A1	5/2007	Blumenau
5,410,598 A	4/1995	Shear	2007/0156532 A1	7/2007	Nyhan et al.
5,440,738 A	8/1995	Bowman et al.	2008/0004958 A1	1/2008	Ralph et al.
5,444,642 A	8/1995	Montgomery et al.	2008/0126420 A1 *	5/2008	Wright et al. .... 707/104.1
5,450,134 A	9/1995	Legate	2008/0201427 A1	8/2008	Chen
5,483,658 A	1/1996	Grube et al.	2008/0201472 A1	8/2008	Bistriceanu et al.
5,497,479 A	3/1996	Hornbuckle	2008/0235243 A1	9/2008	Lee et al.
5,499,340 A	3/1996	Barritz	2009/0030780 A1	1/2009	York et al.
5,584,050 A	12/1996	Lyons	2009/0070443 A1	3/2009	Vanderhook et al.
5,594,934 A	1/1997	Lu et al.	2009/0076899 A1	3/2009	Gbodimowo
5,675,510 A	10/1997	Coffey et al.	2010/0004977 A1	1/2010	Marci et al.
5,793,409 A	8/1998	Tetsumura	2010/0070621 A1	3/2010	Urdan et al.
5,796,952 A	8/1998	Davis et al.	2010/0088152 A1	4/2010	Bennett
6,052,730 A	4/2000	Felciano et al.	2010/0121676 A1	5/2010	Jackson
6,055,573 A	4/2000	Gardenswartz et al.	2010/0153544 A1	6/2010	Krassner et al.
6,098,093 A	8/2000	Bayeh et al.	2010/0205057 A1	8/2010	Hook et al.
6,102,406 A	8/2000	Miles et al.	2010/0241745 A1	9/2010	Offen et al.
6,108,637 A	8/2000	Blumenau	2010/0262498 A1	10/2010	Nolet et al.
6,138,155 A	10/2000	Davis et al.	2010/0299604 A1	11/2010	Blumenau
6,164,975 A	12/2000	Weingarden et al.	2011/0052762 A1	3/2011	Flieger et al.
6,223,215 B1	4/2001	Hunt et al.	2011/0065881 A1	3/2011	Iji et al.
6,247,050 B1	6/2001	Tso et al.	2011/0087519 A1	4/2011	Fordyce, III et al.
6,415,323 B1	7/2002	McCanne et al.	2011/0087919 A1	4/2011	Deshmukh et al.
6,434,614 B1	8/2002	Blumenau	2011/0093327 A1	4/2011	Fordyce et al.
6,460,079 B1	10/2002	Blumenau	2011/0137733 A1	6/2011	Baird et al.
6,529,952 B1	3/2003	Blumenau	2011/0191664 A1	8/2011	Sheleheda et al.
6,839,680 B1	1/2005	Liu et al.	2011/0208860 A1	8/2011	Sim et al.
			2011/0231240 A1	9/2011	Schoen et al.
			2011/0246297 A1	10/2011	Buchalter et al.
			2011/0246641 A1 *	10/2011	Pugh et al. .... 709/224
			2011/0288907 A1	11/2011	Harvey et al.



(56)

**References Cited****U.S. PATENT DOCUMENTS**

2012/0005213	A1	1/2012	Hannan et al.	
2012/0026760	A1	2/2012	Juhlin	
2012/0030037	A1	2/2012	Carriero	
2012/0072469	A1	3/2012	Perez et al.	
2012/0109709	A1 *	5/2012	Fordyce et al.	705/7.29
2012/0110027	A1	5/2012	Falcon	
2012/0151322	A1	6/2012	Lindsay et al.	
2012/0158954	A1	6/2012	Heffernan et al.	
2012/0166520	A1	6/2012	Lindsay et al.	
2012/0192214	A1	7/2012	Hunn et al.	
2012/0215621	A1	8/2012	Heffernan et al.	
2012/0239809	A1	9/2012	Mazumdar et al.	
2012/0254466	A1	10/2012	Jungck	
2012/0310729	A1	12/2012	Dalto et al.	
2013/0025687	A1	1/2013	Al-Shammari	
2013/0097311	A1	4/2013	Mazumdar et al.	
2013/0138506	A1	5/2013	Zhu et al.	
2013/0212188	A1	8/2013	Duterque et al.	
2013/0246609	A1	9/2013	Topchy et al.	

**FOREIGN PATENT DOCUMENTS**

CN	101505247	8/2009
EP	0325219	7/1989
EP	0703683	3/1996
EP	0744695	11/1996
GB	2176639	12/1986
JP	H05324352	12/1993
JP	2002163562	6/2002
JP	2006127320	5/2006
JP	2006127321	5/2006
KR	20020037980	5/2002
WO	WO9600950	1/1996
WO	WO9617467	6/1996
WO	WO9628904	9/1996
WO	WO9632815	10/1996
WO	WO9637983	11/1996
WO	WO9641495	12/1996
WO	2011/097624	8/2011
WO	2012/040371	3/2012
WO	2012/087954	6/2012
WO	2012/128895	9/2012
WO	WO2013122907	8/2013

**OTHER PUBLICATIONS**

Vranica, Suzanne, "Nielsen Testing a New Web-Ad Metric," The Wall Street Journal, Sep. 23, 2010, 2 pages.

"Mental Poker," Wikipedia, Jan. 12, 2010, [retrieved from Internet at [http://en.wikipedia.org/wiki/Mental\\_poker](http://en.wikipedia.org/wiki/Mental_poker) on Sep. 21, 2010] 5 pages.

"Nielsen Unveils New Online Advertising Measurement," The Nielsen Company, Sep. 27, 2010, [retrieved from Internet at [http://nielsen.com/us/en/insights/press-room/2010/nielsen\\_unveils\\_newonlineadvertisingmeasurement.html](http://nielsen.com/us/en/insights/press-room/2010/nielsen_unveils_newonlineadvertisingmeasurement.html) on May 31, 2012] 3 pages.

Adam et al., "Privacy Preserving Integration of Health Care Data," AMIA 2007 Symposium Proceedings, 6 pages.

Patent Cooperation Treaty, "Written Opinion of the International Searching Authority," issued by the International Searching Authority in connection with PCT/US2011/052623, mailed Mar. 8, 2012 (4 pages).

Patent Cooperation Treaty, "International Search Report," issued by the International Searching Authority in connection with PCT application No. PCT/US2011/052623, mailed Mar. 8, 2012 (3 pages).

International Bureau, "International Preliminary Report on Patentability," issued in connection with PCT application Serial No. PCT/US2011/052623, issued Mar. 26, 2013 (5 pages).

Steve Coffey, "Internet Audience Measurement: A Practitioner's View," Journal of Interactive Advertising, vol. 1, No. 2, Spring 2001, pp. 10-17.

Fliptop, "Fliptop Person API Documentation," <https://developerfliptop.com/documentation>, retrieved on May 7, 2013 (6 pages).

Fliptop, "Get, Keep and Grow Customers with Fliptop's Customer Intelligence Application," [www.fliptop.com/features#social\\_matching](http://www.fliptop.com/features#social_matching), retrieved on May 7, 2013 (3 pages).

Fliptop, "What is Fliptop?," [www.fliptop.com/about\\_us](http://www.fliptop.com/about_us), retrieved on May 7, 2013 (1 page).

Rapleaf, "Fast. Simple. Secure," [www.rapleaf.com/why-rapleaf/](http://www.rapleaf.com/why-rapleaf/), retrieved on May 7, 2013 (3 pages).

Rapleaf, "Frequently Asked Questions," [www.rapleaf.com/about-us/faq/#where](http://www.rapleaf.com/about-us/faq/#where), retrieved on May 7, 2013 (3 pages).

Rapleaf, "The Consumer Data Marketplace," [www.rapleaf.com/under-the-hood/](http://www.rapleaf.com/under-the-hood/), retrieved on May 7, 2013 (2 pages).

Rainier, Maria, "Why Businesses Should Use Google Plus," The Social Media Guide, [thesocialmediaguide.com/social\\_media/why-businesses-should-use-google-plus](http://thesocialmediaguide.com/social_media/why-businesses-should-use-google-plus), retrieved on May 7, 2013 (9 pages).

Vega, Tanzina, "Nielsen Introduces New Ad Measurement Product," The New York Times, Sep. 27, 2010 (7 pages).

United States Patent and Trademark Office, "Notice of Allowance," issued in connection with U.S. Appl. No. 13/513,148, on Nov. 5, 2012 (27 pages).

IP Australia, "Patent Examination Report No. 1," issued in connection with application No. AU2013205736, on Jun. 18, 2013 (2 pages).

United States Patent and Trademark Office, "Non-Final Office Action," issued in connection with U.S. Appl. No. 13/239,005, on Jun. 4, 2013 (28 pages).

United States Patent and Trademark Office, "Non-Final Office Action," issued in connection with U.S. Appl. No. 13/690,915, on Sep. 5, 2013 (14 pages).

International Searching Authority, "International Preliminary Report on Patentability," issued in connection with application No. PCT/US2012/026760, on Sep. 24, 2013 (4 pages).

International Searching Authority, "International Search Report and Written Opinion of the International Searching Authority," issued in connection with application No. PCT/US2012/026760, on Jan. 2, 2013, 6 pages.

United States Patent and Trademark Office, "Non-Final Office Action," issued in connection with U.S. Appl. No. 13/756,493, on Jan. 17, 2014, 32 pages.

International Searching Authority, "International Search Report and Written Opinion of the International Searching Authority," issued in connection with International Application No. PCT/US2013/025687 on Jun. 2, 2013, 10 pages.

Launder, "Media Journal: Nielsen to Test Online-TV Viewing Tool," The Wall Street Journal, Apr. 30, 2013, 2 pages.

Sharma, "Nielsen Gets Digital to Track Online TV Viewers," All Things, Apr. 30, 2013, 3 pages.

United States Patent and Trademark Office, "Notice of Allowance and Fee(s) Due," issued in connection with U.S. Appl. No. 13/690,915, Apr. 9, 2014, 28 pages.

United States Patent and Trademark Office, "Final Office Action," issued in connection with U.S. Appl. No. 13/690,915, Dec. 20, 2013, 18 pages.

United States Patent and Trademark Office, "Non-Final Office Action," issued in connection with U.S. Appl. No. 13/239,005, Jun. 4, 2013, 28 pages.

United States Patent and Trademark Office, "Notice of Allowance and Fee(s) Due," issued in connection with U.S. Appl. No. 13/239,005, Nov. 27, 2013, 46 pages.

Japan Patent Office, "Notice of Reasons for Rejection," issued in connection with Application No. 2013-529435, Aug. 20, 2013, 4 pages.

United States Patent and Trademark Office, "Non-Final Office Action," issued in connection with U.S. Appl. No. 13/396,071, on May 9, 2014 (15 pages).

United States Patent and Trademark Office, "Notice of Allowance," issued in connection with U.S. Appl. No. 13/756,493, on May 20, 2014, (12 pages).

Japanese Patent Office, "Notice of Reasons for Rejection," issued in connection with Japanese Patent Application No. P2014-005867 on Apr. 15, 2014 (10 pages).

Australian Government, IP Australia, "Patent Examination Report No. 1," issued in connection with application No. 2011305429 on Apr. 17, 2014 (4 pages).

(56)

**References Cited**

OTHER PUBLICATIONS

Australian Government, IP Australia, "Examination Report," issued in connection with application No. AU 2012231667, on Mar. 18, 2014, 2 pages.

Chloe Albanesius, "Facebook Issues Fix for Several Tracking Cookies," Internet article, [www.pcmag.com](http://www.pcmag.com), Sep. 28, 2011, 2 pages.

Emil Protalinski, "Facebook denies cookie tracking allegations," Internet article, [www.zdnet.com](http://www.zdnet.com), Sep. 25, 2011, 2 pages.

Emil Protalinski, "Facebook fixes cookie behavior after logging out," Internet article, [www.zdnet.com](http://www.zdnet.com), Sep. 27, 2011, 2 pages.

Emil Protalinski, "US congressmen ask FTC to investigate Facebook cookies", Internet article, [www.zdnet.com](http://www.zdnet.com), Sep. 28, 2011, 2 pages.

Japan Patent Office, "Notice of Reasons for Rejection," issued in connection with application No. JP P2014-005867 on Apr. 15, 2014 (10 pages).

Nik Cubrilovic, "Logging out of Facebook is not enough," Internet article, [www.nikcub.appspot.com](http://www.nikcub.appspot.com), Sep. 25, 2011, 3 pages.

United States Patent and Trademark Office, "Supplemental Notice of Allowability," issued in connection with U.S. Appl. No. 13/690,915, Jul. 8, 2014 (3 pages).

\* cited by examiner






FIG. 1





FIG. 2





400

402 FREQUENCY	404 UUIDs (COOKIES)	406 IMPRESSION
1	100,000	100,000
2	200,000	400,000
3	100,000	300,000
4	50,000	200,000
5	50,000	1,500,000
TOTAL	500,000	2,500,000

RATINGS ENTITY IMPRESSIONS

FIG. 4

500

502 AGE/GENDER	504 IMPRESSIONS	506 FREQUENCY	508 IMPRESSION COMP
(SOURCE)	(DB PROPRIETOR)	(DB PROPRIETOR)	(DB PROPRIETOR)
M 13-18	1,000,000	4	33%
F 13-18	2,000,000	5	66%
...			
F 50+	0	0	0
TOTAL	3,000,000	4.7	100%

DATABASE (DB) PROPRIETOR CAMPAIGN-LEVEL AGE/GENDER AND  
IMPRESSION COMPOSITION TABLE

FIG. 5

600

602 AGE/GENDER	604 IMPRESSIONS	606 FREQUENCY	608 IMPRESSION COMP
(SOURCE)	(ONLINE+PC&TV)	(ONLINE+PC&TV)	(ONLINE+PC&TV)
<12	100,000	3	4%
M 13-18	750,000	3	31%
F 13-18	1,550,000	4	65%
...			
F 50+	0	0	0
TOTAL	2,400,000	3.3	100%

PANELIST CAMPAIGN-LEVEL AGE/GENDER AND  
IMPRESSION COMPOSITION TABLE

FIG. 6



700

702

AGE/GENDER	IMPRESSION COMP	IMPRESSION COMP	ERROR WEIGHTED
(SOURCE)	(RE PC&TV)	(DB PROPRIETOR)	$(\alpha)IC_{(RE)} + (1-\alpha)IC_{(SN)}$
<12	4%	0	2%
M 13-18	31%	33%	32%
F 13-18	65%	66%	66%
...			
F 50+	0	0	0
TOTAL	100%	100%	100%

COMBINED CAMPAIGN-LEVEL AGE/GENDER AND  
IMPRESSION COMPOSITION TABLE

FIG. 7

800

AGE/ GENDER	IMPRESSIONS	FREQUENCY	REACH	IMPRESSION COMP
(SOURCE)	(RATINGS ENTITY)	(DB PROPRIETOR)	(DERIVED)	(IMP COMP TABLE)
<12	56,000	3	18,666	2%
M 13-18	896,000	4	224,000	32%
F 13-18	1,848,000	5	369,600	66%
...				
F 50+	0	0	0	0
TOTAL	2,800,000	4.6	612,266	100%

AGE/GENDER IMPRESSIONS DISTRIBUTION TABLE

FIG. 8




FIG. 9






FIG. 10




FIG. 11






FIG. 12




FIG. 13






FIG. 14




FIG. 15



## 1

# METHODS AND APPARATUS TO DETERMINE IMPRESSIONS USING DISTRIBUTED DEMOGRAPHIC INFORMATION

## RELATED APPLICATIONS

This patent arises from a divisional of U.S. patent application Ser. No. 13/513,148, filed May 31, 2012, now U.S. Pat. No. 8,370,489, which issued from a national stage entry of International Application No. PCT/US11/52623, filed Sep. 21, 2011, which claims priority to U.S. Provisional Patent Application No. 61/385,553, filed on Sep. 22, 2010, and U.S. Provisional Patent Application No. 61/386,543, filed on Sep. 26, 2010, all of which are hereby incorporated herein by reference in their entireties.

## FIELD OF THE DISCLOSURE

The present disclosure relates generally to monitoring media and, more particularly, to methods and apparatus to determine impressions using distributed demographic information.

## BACKGROUND

Traditionally, audience measurement entities determine audience engagement levels for media programming based on registered panel members. That is, an audience measurement entity enrolls people who consent to being monitored into a panel. The audience measurement entity then monitors those panel members to determine media programs (e.g., television programs or radio programs, movies, DVDs, etc.) exposed to those panel members. In this manner, the audience measurement entity can determine exposure measures for different media content based on the collected media measurement data.

Techniques for monitoring user access to Internet resources such as web pages, advertisements and/or other content has evolved significantly over the years. Some known systems perform such monitoring primarily through server logs. In particular, entities serving content on the Internet can use known techniques to log the number of requests received for their content at their server.

## BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 depicts an example system that may be used to determine advertisement viewership using distributed demographic information.

FIG. 2 depicts an example system that may be used to associate advertisement exposure measurements with user demographic information based on demographics information distributed across user account records of different web service providers.

FIG. 3 is a communication flow diagram of an example manner in which a web browser can report impressions to servers having access to demographic information for a user of that web browser.

FIG. 4 depicts an example ratings entity impressions table showing quantities of impressions to monitored users.

FIG. 5 depicts an example campaign-level age/gender and impression composition table generated by a database proprietor.

FIG. 6 depicts another example campaign-level age/gender and impression composition table generated by a ratings entity.

## 2

FIG. 7 depicts an example combined campaign-level age/gender and impression composition table based on the composition tables of FIGS. 5 and 6.

FIG. 8 depicts an example age/gender impressions distribution table showing impressions based on the composition tables of FIGS. 5-7.

FIG. 9 is a flow diagram representative of example machine readable instructions that may be executed to identify demographics attributable to impressions.

FIG. 10 is a flow diagram representative of example machine readable instructions that may be executed by a client computer to route beacon requests to web service providers to log impressions.

FIG. 11 is a flow diagram representative of example machine readable instructions that may be executed by a panelist monitoring system to log impressions and/or redirect beacon requests to web service providers to log impressions.

FIG. 12 is a flow diagram representative of example machine readable instructions that may be executed to dynamically designate preferred web service providers from which to request demographics attributable to impressions.

FIG. 13 depicts an example system that may be used to determine advertising exposure based on demographic information collected by one or more database proprietors.

FIG. 14 is a flow diagram representative of example machine readable instructions that may be executed to process a redirected request at an intermediary.

FIG. 15 is an example processor system that can be used to execute the example instructions of FIGS. 9, 10, 11, 12, and/or 14 to implement the example apparatus and systems described herein.

## DETAILED DESCRIPTION

Although the following discloses example methods, apparatus, systems, and articles of manufacture including, among other components, firmware and/or software executed on hardware, it should be noted that such methods, apparatus, systems, and articles of manufacture are merely illustrative and should not be considered as limiting. For example, it is contemplated that any or all of these hardware, firmware, and/or software components could be embodied exclusively in hardware, exclusively in firmware, exclusively in software, or in any combination of hardware, firmware, and/or software. Accordingly, while the following describes example methods, apparatus, systems, and articles of manufacture, the examples provided are not the only ways to implement such methods, apparatus, systems, and articles of manufacture.

Techniques for monitoring user access to Internet resources such as web pages, advertisements and/or other content has evolved significantly over the years. At one point in the past, such monitoring was done primarily through server logs. In particular, entities serving content on the Internet would log the number of requests received for their content at their server. Basing Internet usage research on server logs is problematic for several reasons. For example, server logs can be tampered with either directly or via zombie programs which repeatedly request content from the server to increase the server log counts. Secondly, content is sometimes retrieved once, cached locally and then repeatedly viewed from the local cache without involving the server in the repeat viewings. Server logs cannot track these views of cached content. Thus, server logs are susceptible to both over-counting and under-counting errors.

The inventions disclosed in Blumenau, U.S. Pat. No. 6,108,637, fundamentally changed the way Internet monitoring is performed and overcame the limitations of the server side log



monitoring techniques described above. For example, Blumenau disclosed a technique wherein Internet content to be tracked is tagged with beacon instructions. In particular, monitoring instructions are associated with the HTML of the content to be tracked. When a client requests the content, both the content and the beacon instructions are downloaded to the client. The beacon instructions are, thus, executed whenever the content is accessed, be it from a server or from a cache.

The beacon instructions cause monitoring data reflecting information about the access to the content to be sent from the client that downloaded the content to a monitoring entity. Typically, the monitoring entity is an audience measurement entity that did not provide the content to the client and who is a trusted third party for providing accurate usage statistics (e.g., The Nielsen Company, LLC). Advantageously, because the beaconing instructions are associated with the content and executed by the client browser whenever the content is accessed, the monitoring information is provided to the audience measurement company irrespective of whether the client is a panelist of the audience measurement company.

It is important, however, to link demographics to the monitoring information. To address this issue, the audience measurement company establishes a panel of users who have agreed to provide their demographic information and to have their Internet browsing activities monitored. When an individual joins the panel, they provide detailed information concerning their identity and demographics (e.g., gender, race, income, home location, occupation, etc.) to the audience measurement company. The audience measurement entity sets a cookie on the panelist computer that enables the audience measurement entity to identify the panelist whenever the panelist accesses tagged content and, thus, sends monitoring information to the audience measurement entity.

Since most of the clients providing monitoring information from the tagged pages are not panelists and, thus, are unknown to the audience measurement entity, it is necessary to use statistical methods to impute demographic information based on the data collected for panelists to the larger population of users providing data for the tagged content. However, panel sizes of audience measurement entities remain small compared to the general population of users. Thus, a problem is presented as to how to increase panel sizes while ensuring the demographics data of the panel is accurate.

There are many database proprietors operating on the Internet. These database proprietors provide services to large numbers of subscribers. In exchange for the provision of the service, the subscribers register with the proprietor. As part of this registration, the subscribers provide detailed demographic information. Examples of such database proprietors include social network providers such as Facebook, Myspace, etc. These database proprietors set cookies on the computers of their subscribers to enable the database proprietor to recognize the user when they visit their website.

The protocols of the Internet make cookies inaccessible outside of the domain (e.g., Internet domain, domain name, etc.) on which they were set. Thus, a cookie set in the amazon.com domain is accessible to servers in the amazon.com domain, but not to servers outside that domain. Therefore, although an audience measurement entity might find it advantageous to access the cookies set by the database proprietors, they are unable to do so.

In view of the foregoing, an audience measurement company would like to leverage the existing databases of database proprietors to collect more extensive Internet usage and demographic data. However, the audience measurement entity is faced with several problems in accomplishing this end. For example, a problem is presented as to how to access

the data of the database proprietors without compromising the privacy of the subscribers, the panelists, or the proprietors of the tracked content. Another problem is how to access this data given the technical restrictions imposed by the Internet protocols that prevent the audience measurement entity from accessing cookies set by the database proprietor. Example methods, apparatus and articles of manufacture disclosed herein solve these problems by extending the beaconing process to encompass partnered database proprietors and by using such partners as interim data collectors.

Example methods, apparatus and/or articles of manufacture disclosed herein accomplish this task by responding to beacon requests from clients (who may not be a member of an audience member panel and, thus, may be unknown to the audience member entity) accessing tagged content by redirecting the client from the audience measurement entity to a database proprietor such as a social network site partnered with the audience member entity. The redirection initiates a communication session between the client accessing the tagged content and the database proprietor. The database proprietor (e.g., Facebook) can access any cookie it has set on the client to thereby identify the client based on the internal records of the database proprietor. In the event the client is a subscriber of the database proprietor, the database proprietor logs the content impression in association with the demographics data of the client and subsequently forwards the log to the audience measurement company. In the event the client is not a subscriber of the database proprietor, the database proprietor redirects the client to the audience measurement company. The audience measurement company may then redirect the client to a second, different database proprietor that is partnered with the audience measurement entity. That second proprietor may then attempt to identify the client as explained above. This process of redirecting the client from database proprietor to database proprietor can be performed any number of times until the client is identified and the content exposure logged, or until all partners have been contacted without a successful identification of the client. The redirections all occur automatically so the user of the client is not involved in the various communication sessions and may not even know they are occurring.

The partnered database proprietors provide their logs and demographic information to the audience measurement entity which then compiles the collected data into statistical reports accurately identifying the demographics of persons accessing the tagged content. Because the identification of clients is done with reference to enormous databases of users far beyond the quantity of persons present in a conventional audience measurement panel, the data developed from this process is extremely accurate, reliable and detailed.

Significantly, because the audience measurement entity remains the first leg of the data collection process (e.g., receives the request generated by the beacon instructions from the client), the audience measurement entity is able to obscure the source of the content access being logged as well as the identity of the content itself from the database proprietors (thereby protecting the privacy of the content sources), without compromising the ability of the database proprietors to log impressions for their subscribers. Further, the Internet security cookie protocols are complied with because the only servers that access a given cookie are associated with the Internet domain (e.g., Facebook.com) that set that cookie.

Example methods, apparatus, and articles of manufacture described herein can be used to determine content impressions, advertisement impressions, content exposure, and/or advertisement exposure using demographic information, which is distributed across different databases (e.g., different



website owners, service providers, etc.) on the Internet. Not only do example methods, apparatus, and articles of manufacture disclosed herein enable more accurate correlation of Internet advertisement exposure to demographics, but they also effectively extend panel sizes and compositions beyond persons participating in the panel of an audience measurement entity and/or a ratings entity to persons registered in other Internet databases such as the databases of social medium sites such as Facebook, Twitter, Google, etc. This extension effectively leverages the content tagging capabilities of the ratings entity and the use of databases of non-ratings entities such as social media and other websites to create an enormous, demographically accurate panel that results in accurate, reliable measurements of exposures to Internet content such as advertising and/or programming.

In illustrated examples disclosed herein, advertisement exposure is measured in terms of online Gross Rating Points. A Gross Rating Point (GRP) is a unit of measurement of audience size that has traditionally been used in the television ratings context. It is used to measure exposure to one or more programs, advertisements, or commercials, without regard to multiple exposures of the same advertising to individuals. In terms of television (TV) advertisements, one GRP is equal to 1% of TV households. While GRPs have traditionally been used as a measure of television viewership, example methods, apparatus, and articles of manufacture disclosed herein develop online GRPs for online advertising to provide a standardized metric that can be used across the Internet to accurately reflect online advertisement exposure. Such standardized online GRP measurements can provide greater certainty to advertisers that their online advertisement money is well spent. It can also facilitate cross-medium comparisons such as viewership of TV advertisements and online advertisements. Because the example methods, apparatus, and/or articles of manufacture disclosed herein associate viewership measurements with corresponding demographics of users, the information collected by example methods, apparatus, and/or articles of manufacture disclosed herein may also be used by advertisers to identify markets reached by their advertisements and/or to target particular markets with future advertisements.

Traditionally, audience measurement entities (also referred to herein as “ratings entities”) determine demographic reach for advertising and media programming based on registered panel members. That is, an audience measurement entity enrolls people that consent to being monitored into a panel. During enrollment, the audience measurement entity receives demographic information from the enrolling people so that subsequent correlations may be made between advertisement/media exposure to those panelists and different demographic markets. Unlike traditional techniques in which audience measurement entities rely solely on their own panel member data to collect demographics-based audience measurement, example methods, apparatus, and/or articles of manufacture disclosed herein enable an audience measurement entity to share demographic information with other entities that operate based on user registration models. As used herein, a user registration model is a model in which users subscribe to services of those entities by creating an account and providing demographic-related information about themselves. Sharing of demographic information associated with registered users of database proprietors enables an audience measurement entity to extend or supplement their panel data with substantially reliable demographics information from external sources (e.g., database proprietors), thus extending the coverage, accuracy, and/or completeness of their demographics-based audience measurements. Such

access also enables the audience measurement entity to monitor persons who would not otherwise have joined an audience measurement panel. Any entity having a database identifying demographics of a set of individuals may cooperate with the audience measurement entity. Such entities may be referred to as “database proprietors” and include entities such as Facebook, Google, Yahoo!, MSN, Twitter, Apple iTunes, Experian, etc.

Example methods, apparatus, and/or articles of manufacture disclosed herein may be implemented by an audience measurement entity (e.g., any entity interested in measuring or tracking audience exposures to advertisements, content, and/or any other media) in cooperation with any number of database proprietors such as online web services providers to develop online GRPs. Such database proprietors/online web services providers may be social network sites (e.g., Facebook, Twitter, MySpace, etc.), multi-service sites (e.g., Yahoo!, Google, Experian, etc.), online retailer sites (e.g., Amazon.com, Buy.com, etc.), and/or any other web service(s) site that maintains user registration records.

To increase the likelihood that measured viewership is accurately attributed to the correct demographics, example methods, apparatus, and/or articles of manufacture disclosed herein use demographic information located in the audience measurement entity’s records as well as demographic information located at one or more database proprietors (e.g., web service providers) that maintain records or profiles of users having accounts therewith. In this manner, example methods, apparatus, and/or articles of manufacture disclosed herein may be used to supplement demographic information maintained by a ratings entity (e.g., an audience measurement company such as The Nielsen Company of Schaumburg, Ill., United States of America, that collects media exposure measurements and/or demographics) with demographic information from one or more different database proprietors (e.g., web service providers).

The use of demographic information from disparate data sources (e.g., high-quality demographic information from the panels of an audience measurement company and/or registered user data of web service providers) results in improved reporting effectiveness of metrics for both online and offline advertising campaigns. Example techniques disclosed herein use online registration data to identify demographics of users and use server impression counts, tagging (also referred to as beaconing), and/or other techniques to track quantities of impressions attributable to those users. Online web service providers such as social networking sites (e.g., Facebook) and multi-service providers (e.g., Yahoo!, Google, Experian, etc.) (collectively and individually referred to herein as online database proprietors) maintain detailed demographic information (e.g., age, gender, geographic location, race, income level, education level, religion, etc.) collected via user registration processes. An impression corresponds to a home or individual having been exposed to the corresponding media content and/or advertisement. Thus, an impression represents a home or an individual having been exposed to an advertisement or content or group of advertisements or content. In Internet advertising, a quantity of impressions or impression count is the total number of times an advertisement or advertisement campaign has been accessed by a web population (e.g., including number of times accessed as decreased by, for example, pop-up blockers and/or increased by, for example, retrieval from local cache memory).

Example methods, apparatus, and/or articles of manufacture disclosed herein also enable reporting TV GRPs and online GRPs in a side-by-side manner. For instance, techniques disclosed herein enable advertisers to report quantities



of unique people or users that are reached individually and/or collectively by TV and/or online advertisements.

Example methods, apparatus, and/or articles of manufacture disclosed herein also collect impressions mapped to demographics data at various locations on the Internet. For example, an audience measurement entity collects such impression data for its panel and automatically enlists one or more online demographics proprietors to collect impression data for their subscribers. By combining this collected impression data, the audience measurement entity can then generate GRP metrics for different advertisement campaigns. These GRP metrics can be correlated or otherwise associated with particular demographic segments and/or markets that were reached.

FIG. 1 depicts an example system **100** that may be used to determine media exposure (e.g., exposure to content and/or advertisements) based on demographic information collected by one or more database proprietors. "Distributed demographics information" is used herein to refer to demographics information obtained from at least two sources, at least one of which is a database proprietor such as an online web services provider. In the illustrated example, content providers and/or advertisers distribute advertisements **102** via the Internet **104** to users that access websites and/or online television services (e.g., web-based TV, Internet protocol TV (IPTV), etc.). The advertisements **102** may additionally or alternatively be distributed through broadcast television services to traditional non-Internet based (e.g., RF, terrestrial or satellite based) television sets and monitored for viewership using the techniques described herein and/or other techniques. Websites, movies, television and/or other programming is generally referred to herein as content. Advertisements are typically distributed with content. Traditionally, content is provided at little or no cost to the audience because it is subsidized by advertisers who pay to have their advertisements distributed with the content.

In the illustrated example, the advertisements **102** may form one or more ad campaigns and are encoded with identification codes (e.g., metadata) that identify the associated ad campaign (e.g., campaign ID), a creative type ID (e.g., identifying a Flash-based ad, a banner ad, a rich type ad, etc.), a source ID (e.g., identifying the ad publisher), and a placement ID (e.g., identifying the physical placement of the ad on a screen). The advertisements **102** are also tagged or encoded to include computer executable beacon instructions (e.g., Java, javascript, or any other computer language or script) that are executed by web browsers that access the advertisements **102** on, for example, the Internet. Computer executable beacon instructions may additionally or alternatively be associated with content to be monitored. Thus, although this disclosure frequently speaks in the area of tracking advertisements, it is not restricted to tracking any particular type of media. On the contrary, it can be used to track content or advertisements of any type or form in a network. Irrespective of the type of content being tracked, execution of the beacon instructions causes the web browser to send an impression request (e.g., referred to herein as beacon requests) to a specified server (e.g., the audience measurement entity). The beacon request may be implemented as an HTTP request. However, whereas a transmitted HTML request identifies a webpage or other resource to be downloaded, the beacon request includes the audience measurement information (e.g., ad campaign identification, content identifier, and/or user identification information) as its payload. The server to which the beacon request is directed is programmed to log the audience measurement data of the beacon request as an impression (e.g., an ad and/or

content impressions depending on the nature of the media tagged with the beaconing instruction).

In some example implementations, advertisements tagged with such beacon instructions may be distributed with Internet-based media content including, for example, web pages, streaming video, streaming audio, IPTV content, etc. and used to collect demographics-based impression data. As noted above, methods, apparatus, and/or articles of manufacture disclosed herein are not limited to advertisement monitoring but can be adapted to any type of content monitoring (e.g., web pages, movies, television programs, etc.). Example techniques that may be used to implement such beacon instructions are disclosed in Blumenau, U.S. Pat. No. 6,108,637, which is hereby incorporated herein by reference in its entirety.

Although example methods, apparatus, and/or articles of manufacture are described herein as using beacon instructions executed by web browsers to send beacon requests to specified impression collection servers, the example methods, apparatus, and/or articles of manufacture may additionally collect data with on-device meter systems that locally collect web browsing information without relying on content or advertisements encoded or tagged with beacon instructions. In such examples, locally collected web browsing behavior may subsequently be correlated with user demographic data based on user IDs as disclosed herein.

The example system **100** of FIG. 1 includes a ratings entity subsystem **106**, a partner database proprietor subsystem **108** (implemented in this example by a social network service provider), other partnered database proprietor (e.g., web service provider) subsystems **110**, and non-partnered database proprietor (e.g., web service provider) subsystems **112**. In the illustrated example, the ratings entity subsystem **106** and the partnered database proprietor subsystems **108**, **110** correspond to partnered business entities that have agreed to share demographic information and to capture impressions in response to redirected beacon requests as explained below. The partnered business entities may participate to advantageously have the accuracy and/or completeness of their respective demographic information confirmed and/or increased. The partnered business entities also participate in reporting impressions that occurred on their websites. In the illustrated example, the other partnered database proprietor subsystems **110** include components, software, hardware, and/or processes similar or identical to the partnered database proprietor subsystem **108** to collect and log impressions (e.g., advertisement and/or content impressions) and associate demographic information with such logged impressions.

The non-partnered database proprietor subsystems **112** correspond to business entities that do not participate in sharing of demographic information. However, the techniques disclosed herein do track impressions (e.g., advertising impressions and/or content impressions) attributable to the non-partnered database proprietor subsystems **112**, and in some instances, one or more of the non-partnered database proprietor subsystems **112** also report unique user IDs (UUIDs) attributable to different impressions. Unique user IDs can be used to identify demographics using demographics information maintained by the partnered business entities (e.g., the ratings entity subsystem **106** and/or the database proprietor subsystems **108**, **110**).

The database proprietor subsystem **108** of the example of FIG. 1 is implemented by a social network proprietor such as Facebook. However, the database proprietor subsystem **108** may instead be operated by any other type of entity such as a web services entity that serves desktop/stationary computer users and/or mobile device users. In the illustrated example,



the database proprietor subsystem **108** is in a first internet domain, and the partnered database proprietor subsystems **110** and/or the non-partnered database proprietor subsystems **112** are in second, third, fourth, etc. internet domains.

In the illustrated example of FIG. 1, the tracked content and/or advertisements **102** are presented to TV and/or PC (computer) panelists **114** and online only panelists **116**. The panelists **114** and **116** are users registered on panels maintained by a ratings entity (e.g., an audience measurement company) that owns and/or operates the ratings entity subsystem **106**. In the example of FIG. 1, the TV and PC panelists **114** include users and/or homes that are monitored for exposures to the content and/or advertisements **102** on TVs and/or computers. The online only panelists **116** include users that are monitored for exposure (e.g., content exposure and/or advertisement exposure) via online sources when at work or home. In some example implementations, TV and/or PC panelists **114** may be home-centric users (e.g., home-makers, students, adolescents, children, etc.), while online only panelists **116** may be business-centric users that are commonly connected to work-provided Internet services via office computers or mobile devices (e.g., mobile phones, smartphones, laptops, tablet computers, etc.).

To collect exposure measurements (e.g., content impressions and/or advertisement impressions) generated by meters at client devices (e.g., computers, mobile phones, smartphones, laptops, tablet computers, TVs, etc.), the ratings entity subsystem **106** includes a ratings entity collector **117** and loader **118** to perform collection and loading processes. The ratings entity collector **117** and loader **118** collect and store the collected exposure measurements obtained via the panelists **114** and **116** in a ratings entity database **120**. The ratings entity subsystem **106** then processes and filters the exposure measurements based on business rules **122** and organizes the processed exposure measurements into TV&PC summary tables **124**, online home (H) summary tables **126**, and online work (W) summary tables **128**. In the illustrated example, the summary tables **124**, **126**, and **128** are sent to a GRP report generator **130**, which generates one or more GRP report(s) **131** to sell or otherwise provide to advertisers, publishers, manufacturers, content providers, and/or any other entity interested in such market research.

In the illustrated example of FIG. 1, the ratings entity subsystem **106** is provided with an impression monitor system **132** that is configured to track exposure quantities (e.g., content impressions and/or advertisement impressions) corresponding to content and/or advertisements presented by client devices (e.g., computers, mobile phones, smartphones, laptops, tablet computers, etc.) whether received from remote web servers or retrieved from local caches of the client devices. In some example implementations, the impression monitor system **132** may be implemented using the SiteCensus system owned and operated by The Nielsen Company. In the illustrated example, identities of users associated with the exposure quantities are collected using cookies (e.g., Universally Unique Identifiers (UUIDs)) tracked by the impression monitor system **132** when client devices present content and/or advertisements. Due to Internet security protocols, the impression monitor system **132** can only collect cookies set in its domain. Thus, if, for example, the impression monitor system **132** operates in the "Nielsen.com" domain, it can only collect cookies set by a Nielsen.com server. Thus, when the impression monitor system **132** receives a beacon request from a given client, the impression monitor system **132** only has access to cookies set on that client by a server in the, for example, Nielsen.com domain. To overcome this limitation, the impression monitor system **132** of the illustrated example

is structured to forward beacon requests to one or more database proprietors partnered with the audience measurement entity. Those one or more partners can recognize cookies set in their domain (e.g., Facebook.com) and therefore log impressions in association with the subscribers associated with the recognized cookies. This process is explained further below.

In the illustrated example, the ratings entity subsystem **106** includes a ratings entity cookie collector **134** to collect cookie information (e.g., user ID information) together with content IDs and/or ad IDs associated with the cookies from the impression monitor system **132** and send the collected information to the GRP report generator **130**. Again, the cookies collected by the impression monitor system **132** are those set by server(s) operating in a domain of the audience measurement entity. In some examples, the ratings entity cookie collector **134** is configured to collect logged impressions (e.g., based on cookie information and ad or content IDs) from the impression monitor system **132** and provide the logged impressions to the GRP report generator **130**.

The operation of the impression monitor system **132** in connection with client devices and partner sites is described below in connection with FIGS. 2 and 3. In particular, FIGS. 2 and 3 depict how the impression monitor system **132** enables collecting user identities and tracking exposure quantities for content and/or advertisements exposed to those users. The collected data can be used to determine information about, for example, the effectiveness of advertisement campaigns.

For purposes of example, the following example involves a social network provider, such as Facebook, as the database proprietor. In the illustrated example, the database proprietor subsystem **108** includes servers **138** to store user registration information, perform web server processes to serve web pages (possibly, but not necessarily including one or more advertisements) to subscribers of the social network, to track user activity, and to track account characteristics. During account creation, the database proprietor subsystem **108** asks users to provide demographic information such as age, gender, geographic location, graduation year, quantity of group associations, and/or any other personal or demographic information. To automatically identify users on return visits to the webpage(s) of the social network entity, the servers **138** set cookies on client devices (e.g., computers and/or mobile devices of registered users, some of which may be panelists **114** and **116** of the audience measurement entity and/or may not be panelists of the audience measurement entity). The cookies may be used to identify users to track user visits to the webpages of the social network entity, to display those web pages according to the preferences of the users, etc. The cookies set by the database proprietor subsystem **108** may also be used to collect "domain specific" user activity. As used herein, "domain specific" user activity is user Internet activity occurring within the domain(s) of a single entity. Domain specific user activity may also be referred to as "intra-domain activity." The social network entity may collect intra-domain activity such as the number of web pages (e.g., web pages of the social network domain such as other social network member pages or other intra-domain pages) visited by each registered user and/or the types of devices such as mobile (e.g., smartphones) or stationary (e.g., desktop computers) devices used for such access. The servers **138** are also configured to track account characteristics such as the quantity of social connections (e.g., friends) maintained by each registered user, the quantity of pictures posted by each registered user, the quantity of messages sent or received by each registered user, and/or any other characteristic of user accounts.



## 11

The database proprietor subsystem **108** includes a database proprietor (DP) collector **139** and a DP loader **140** to collect user registration data (e.g., demographic data), intra-domain user activity data, inter-domain user activity data (as explained later) and account characteristics data. The collected information is stored in a database proprietor database **142**. The database proprietor subsystem **108** processes the collected data using business rules **144** to create DP summary tables **146**.

In the illustrated example, the other partnered database proprietor subsystems **110** may share with the audience measurement entity similar types of information as that shared by the database proprietor subsystem **108**. In this manner, demographic information of people that are not registered users of the social network services provider may be obtained from one or more of the other partnered database proprietor subsystems **110** if they are registered users of those web service providers (e.g., Yahoo!, Google, Experian, etc.). Example methods, apparatus, and/or articles of manufacture disclosed herein advantageously use this cooperation or sharing of demographic information across website domains to increase the accuracy and/or completeness of demographic information available to the audience measurement entity. By using the shared demographic data in such a combined manner with information identifying the content and/or ads **102** to which users are exposed, example methods, apparatus, and/or articles of manufacture disclosed herein produce more accurate exposure-per-demographic results to enable a determination of meaningful and consistent GRPs for online advertisements.

As the system **100** expands, more partnered participants (e.g., like the partnered database proprietor subsystems **110**) may join to share further distributed demographic information and advertisement viewership information for generating GRPs.

To preserve user privacy, the example methods, apparatus, and/or articles of manufacture described herein use double encryption techniques by each participating partner or entity (e.g., the subsystems **106**, **108**, **110**) so that user identities are not revealed when sharing demographic and/or viewership information between the participating partners or entities. In this manner, user privacy is not compromised by the sharing of the demographic information as the entity receiving the demographic information is unable to identify the individual associated with the received demographic information unless those individuals have already consented to allow access to their information by, for example, previously joining a panel or services of the receiving entity (e.g., the audience measurement entity). If the individual is already in the receiving party's database, the receiving party will be able to identify the individual despite the encryption. However, the individual has already agreed to be in the receiving party's database, so consent to allow access to their demographic and behavioral information has previously already been received.

FIG. 2 depicts an example system **200** that may be used to associate exposure measurements with user demographic information based on demographics information distributed across user account records of different database proprietors (e.g., web service providers). The example system **200** enables the ratings entity subsystem **106** of FIG. 1 to locate a best-fit partner (e.g., the database proprietor subsystem **108** of FIG. 1 and/or one of the other partnered database proprietor subsystems **110** of FIG. 1) for each beacon request (e.g., a request from a client executing a tag associated with tagged media such as an advertisement or content that contains data identifying the media to enable an entity to log an exposure or impression). In some examples, the example system **200** uses

## 12

rules and machine learning classifiers (e.g., based on an evolving set of empirical data) to determine a relatively best-suited partner that is likely to have demographics information for a user that triggered a beacon request. The rules may be applied based on a publisher level, a campaign/publisher level, or a user level. In some examples, machine learning is not employed and instead, the partners are contacted in some ordered fashion (e.g., Facebook, Myspace, then Yahoo!, etc.) until the user associated with a beacon request is identified or all partners are exhausted without an identification.

The ratings entity subsystem **106** receives and compiles the impression data from all available partners. The ratings entity subsystem **106** may weight the impression data based on the overall reach and demographic quality of the partner sourcing the data. For example, the ratings entity subsystem **106** may refer to historical data on the accuracy of a partner's demographic data to assign a weight to the logged data provided by that partner.

For rules applied at a publisher level, a set of rules and classifiers are defined that allow the ratings entity subsystem **106** to target the most appropriate partner for a particular publisher (e.g., a publisher of one or more of the advertisements or content **102** of FIG. 1). For example, the ratings entity subsystem **106** could use the demographic composition of the publisher and partner web service providers to select the partner most likely to have an appropriate user base (e.g., registered users that are likely to access content for the corresponding publisher).

For rules applied at a campaign level, for instances in which a publisher has the ability to target an ad campaign based on user demographics, the target partner site could be defined at the publisher/campaign level. For example, if an ad campaign is targeted at males aged between the ages of 18 and 25, the ratings entity subsystem **106** could use this information to direct a request to the partner most likely to have the largest reach within that gender/age group (e.g., a database proprietor that maintains a sports website, etc.).

For rules applied at the user level (or cookie level), the ratings entity subsystem **106** can dynamically select a preferred partner to identify the client and log the impression based on, for example, (1) feedback received from partners (e.g., feedback indicating that panelist user IDs did not match registered users of the partner site or indicating that the partner site does not have a sufficient number of registered users), and/or (2) user behavior (e.g., user browsing behavior may indicate that certain users are unlikely to have registered accounts with particular partner sites). In the illustrated example of FIG. 2, rules may be used to specify when to override a user level preferred partner with a publisher (or publisher campaign) level partner target.

Turning in detail to FIG. 2, a panelist computer **202** represents a computer used by one or more of the panelists **114** and **116** of FIG. 1. As shown in the example of FIG. 2, the panelist computer **202** may exchange communications with the impression monitor system **132** of FIG. 1. In the illustrated example, a partner A **206** may be the database proprietor subsystem **108** of FIG. 1 and a partner B **208** may be one of the other partnered database proprietor subsystems **110** of FIG. 1. A panel collection platform **210** contains the ratings entity database **120** of FIG. 1 to collect ad and/or content exposure data (e.g., impression data or content impression data). Interim collection platforms are likely located at the partner A **206** and partner B **208** sites to store logged impressions, at least until the data is transferred to the audience measurement entity.

The panelist computer **202** of the illustrated example executes a web browser **212** that is directed to a host website



## 13

(e.g., www.acme.com) that displays one of the advertisements and/or content **102**. The advertisement and/or content **102** is tagged with identifier information (e.g., a campaign ID, a creative type ID, a placement ID, a publisher source URL, etc.) and beacon instructions **214**. When the beacon instructions **214** are executed by the panelist computer **202**, the beacon instructions cause the panelist computer to send a beacon request to a remote server specified in the beacon instructions **214**. In the illustrated example, the specified server is a server of the audience measurement entity, namely, at the impression monitor system **132**. The beacon instructions **214** may be implemented using javascript or any other types of instructions or script executable via a web browser including, for example, Java, HTML, etc. It should be noted that tagged webpages and/or advertisements are processed the same way by panelist and non-panelist computers. In both systems, the beacon instructions are received in connection with the download of the tagged content and cause a beacon request to be sent from the client that downloaded the tagged content for the audience measurement entity. A non-panelist computer is shown at reference number **203**. Although the client **203** is not a panelist **114**, **116**, the impression monitor system **132** may interact with the client **203** in the same manner as the impression monitor system **132** interacts with the client computer **202**, associated with one of the panelists **114**, **116**. As shown in FIG. 2, the non-panelist client **203** also sends a beacon request **215** based on tagged content downloaded and presented on the non-panelist client **203**. As a result, in the following description panelist computer **202** and non-panelist computer **203** are referred to generically as a “client” computer.

In the illustrated example, the web browser **212** stores one or more partner cookie(s) **216** and a panelist monitor cookie **218**. Each partner cookie **216** corresponds to a respective partner (e.g., the partners A **206** and B **208**) and can be used only by the respective partner to identify a user of the panelist computer **202**. The panelist monitor cookie **218** is a cookie set by the impression monitor system **132** and identifies the user of the panelist computer **202** to the impression monitor system **132**. Each of the partner cookies **216** is created, set, or otherwise initialized in the panelist computer **202** when a user of the computer first visits a website of a corresponding partner (e.g., one of the partners A **206** and B **208**) and/or when a user of the computer registers with the partner (e.g., sets up a Facebook account). If the user has a registered account with the corresponding partner, the user ID (e.g., an email address or other value) of the user is mapped to the corresponding partner cookie **216** in the records of the corresponding partner. The panelist monitor cookie **218** is created when the client (e.g., a panelist computer or a non-panelist computer) registers for the panel and/or when the client processes a tagged advertisement. The panelist monitor cookie **218** of the panelist computer **202** may be set when the user registers as a panelist and is mapped to a user ID (e.g., an email address or other value) of the user in the records of the ratings entity. Although the non-panelist client computer **203** is not part of a panel, a panelist monitor cookie similar to the panelist monitor cookie **218** is created in the non-panelist client computer **203** when the non-panelist client computer **203** processes a tagged advertisement. In this manner, the impression monitor system **132** may collect impressions (e.g., ad impressions) associated with the non-panelist client computer **203** even though a user of the non-panelist client computer **203** is not registered in a panel and the ratings entity operating the impression monitor system **132** will not have demographics for the user of the non-panelist client computer **203**.

## 14

In some examples, the web browser **212** may also include a partner-priority-order cookie **220** that is set, adjusted, and/or controlled by the impression monitor system **132** and includes a priority listing of the partners **206** and **208** (and/or other database proprietors) indicative of an order in which beacon requests should be sent to the partners **206**, **208** and/or other database proprietors. For example, the impression monitor system **132** may specify that the client computer **202**, **203** should first send a beacon request based on execution of the beacon instructions **214** to partner A **206** and then to partner B **208** if partner A **206** indicates that the user of the client computer **202**, **203** is not a registered user of partner A **206**. In this manner, the client computer **202**, **203** can use the beacon instructions **214** in combination with the priority listing of the partner-priority-order cookie **220** to send an initial beacon request to an initial partner and/or other initial database proprietor and one or more re-directed beacon requests to one or more secondary partners and/or other database proprietors until one of the partners **206** and **208** and/or other database proprietors confirms that the user of the panelist computer **202** is a registered user of the partner's or other database proprietor's services and is able to log an impression (e.g., an ad impression, a content impression, etc.) and provide demographic information for that user (e.g., demographic information stored in the database proprietor database **142** of FIG. 1), or until all partners have been tried without a successful match. In other examples, the partner-priority-order cookie **220** may be omitted and the beacon instructions **214** may be configured to cause the client computer **202**, **203** to unconditionally send beacon requests to all available partners and/or other database proprietors so that all of the partners and/or other database proprietors have an opportunity to log an impression. In yet other examples, the beacon instructions **214** may be configured to cause the client computer **202**, **203** to receive instructions from the impression monitor system **132** on an order in which to send re-directed beacon requests to one or more partners and/or other database proprietors.

To monitor browsing behavior and track activity of the partner cookie(s) **216**, the panelist computer **202** is provided with a web client meter **222**. In addition, the panelist computer **202** is provided with an HTTP request log **224** in which the web client meter **222** may store or log HTTP requests in association with a meter ID of the web client meter **222**, user IDs originating from the panelist computer **202**, beacon request timestamps (e.g., timestamps indicating when the panelist computer **202** sent beacon requests such as the beacon requests **304** and **308** of FIG. 3), uniform resource locators (URLs) of websites that displayed advertisements, and ad campaign IDs. In the illustrated example, the web client meter **222** stores user IDs of the partner cookie(s) **216** and the panelist monitor cookie **218** in association with each logged HTTP request in the HTTP requests log **224**. In some examples, the HTTP requests log **224** can additionally or alternatively store other types of requests such as file transfer protocol (FTP) requests and/or any other internet protocol requests. The web client meter **222** of the illustrated example can communicate such web browsing behavior or activity data in association with respective user IDs from the HTTP requests log **224** to the panel collection platform **210**. In some examples, the web client meter **222** may also be advantageously used to log impressions for untagged content or advertisements. Unlike tagged advertisements and/or tagged content that include the beacon instructions **214** causing a beacon request to be sent to the impression monitor system **132** (and/or one or more of the partners **206**, **208** and/or other database proprietors) identifying the exposure or impression



15

to the tagged content to be sent to the audience measurement entity for logging, untagged advertisements and/or advertisements do not have such beacon instructions **214** to create an opportunity for the impression monitor system **132** to log an impression. In such instances, HTTP requests logged by the web client meter **222** can be used to identify any untagged content or advertisements that were rendered by the web browser **212** on the panelist computer **202**.

In the illustrated example, the impression monitor system **132** is provided with a user ID comparator **228**, a rules/machine learning (ML) engine **230**, an HTTP server **232**, and a publisher/campaign/user target database **234**. The user ID comparator **228** of the illustrated example is provided to identify beacon requests from users that are panelists **114**, **116**. In the illustrated example, the HTTP server **232** is a communication interface via which the impression monitor system **132** exchanges information (e.g., beacon requests, beacon responses, acknowledgements, failure status messages, etc.) with the client computer **202**, **203**. The rules/ML engine **230** and the publisher/campaign/user target database **234** of the illustrated example enable the impression monitor system **132** to target the 'best fit' partner (e.g., one of the partners **206** or **208**) for each impression request (or beacon request) received from the client computer **202**, **203**. The 'best fit' partner is the partner most likely to have demographic data for the user(s) of the client computer **202**, **203** sending the impression request. The rules/ML engine **230** is a set of rules and machine learning classifiers generated based on evolving empirical data stored in the publisher/campaign/user target database **234**. In the illustrated example, rules can be applied at the publisher level, publisher/campaign level, or user level. In addition, partners may be weighted based on their overall reach and demographic quality.

To target partners (e.g., the partners **206** and **208**) at the publisher level of ad campaigns, the rules/ML engine **230** contains rules and classifiers that allow the impression monitor system **132** to target the 'best fit' partner for a particular publisher of ad campaign(s). For example, the impression monitoring system **132** could use an indication of target demographic composition(s) of publisher(s) and partner(s) (e.g., as stored in the publisher/campaign/user target database **234**) to select a partner (e.g., one of the partners **206**, **208**) that is most likely to have demographic information for a user of the client computer **202**, **203** requesting the impression.

To target partners (e.g., the partners **206** and **208**) at the campaign level (e.g., a publisher has the ability to target ad campaigns based on user demographics), the rules/ML engine **230** of the illustrated example are used to specify target partners at the publisher/campaign level. For example, if the publisher/campaign/user target database **234** stores information indicating that a particular ad campaign is targeted at males aged 18 to 25, the rules/ML engine **230** uses this information to indicate a beacon request redirect to a partner most likely to have the largest reach within this gender/age group.

To target partners (e.g., the partners **206** and **208**) at the cookie level, the impression monitor system **132** updates target partner sites based on feedback received from the partners. Such feedback could indicate user IDs that did not correspond or that did correspond to registered users of the partner(s). In some examples, the impression monitor system **132** could also update target partner sites based on user behavior. For example, such user behavior could be derived from analyzing cookie clickstream data corresponding to browsing activities associated with panelist monitor cookies (e.g., the panelist monitor cookie **218**). In the illustrated example, the impression monitor system **132** uses such

16

cookie clickstream data to determine age/gender bias for particular partners by determining ages and genders of which the browsing behavior is more indicative. In this manner, the impression monitor system **132** of the illustrated example can update a target or preferred partner for a particular user or client computer **202**, **203**. In some examples, the rules/ML engine **230** specify when to override user-level preferred target partners with publisher or publisher/campaign level preferred target partners. For example such a rule may specify an override of user-level preferred target partners when the user-level preferred target partner sends a number of indications that it does not have a registered user corresponding to the client computer **202**, **203** (e.g., a different user on the client computer **202**, **203** begins using a different browser having a different user ID in its partner cookie **216**).

In the illustrated example, the impression monitor system **132** logs impressions (e.g., ad impressions, content impressions, etc.) in an impressions per unique users table **235** based on beacon requests (e.g., the beacon request **304** of FIG. 3) received from client computers (e.g., the client computer **202**, **203**). In the illustrated example, the impressions per unique users table **235** stores unique user IDs obtained from cookies (e.g., the panelist monitor cookie **218**) in association with total impressions per day and campaign IDs. In this manner, for each campaign ID, the impression monitor system **132** logs the total impressions per day that are attributable to a particular user or client computer **202**, **203**.

Each of the partners **206** and **208** of the illustrated example employs an HTTP server **236** and **240** and a user ID comparator **238** and **242**. In the illustrated example, the HTTP servers **236** and **240** are communication interfaces via which their respective partners **206** and **208** exchange information (e.g., beacon requests, beacon responses, acknowledgements, failure status messages, etc.) with the client computer **202**, **203**. The user ID comparators **238** and **242** are configured to compare user cookies received from a client **202**, **203** against the cookie in their records to identify the client **202**, **203**, if possible. In this manner, the user ID comparators **238** and **242** can be used to determine whether users of the panelist computer **202** have registered accounts with the partners **206** and **208**. If so, the partners **206** and **208** can log impressions attributed to those users and associate those impressions with the demographics of the identified user (e.g., demographics stored in the database proprietor database **142** of FIG. 1).

In the illustrated example, the panel collection platform **210** is used to identify registered users of the partners **206**, **208** that are also panelists **114**, **116**. The panel collection platform **210** can then use this information to cross-reference demographic information stored by the ratings entity subsystem **106** for the panelists **114**, **116** with demographic information stored by the partners **206** and **208** for their registered users. The ratings entity subsystem **106** can use such cross-referencing to determine the accuracy of the demographic information collected by the partners **206** and **208** based on the demographic information of the panelists **114** and **116** collected by the ratings entity subsystem **106**.

In some examples, the example collector **117** of the panel collection platform **210** collects web-browsing activity information from the panelist computer **202**. In such examples, the example collector **117** requests logged data from the HTTP requests log **224** of the panelist computer **202** and logged data collected by other panelist computers (not shown). In addition, the collector **117** collects panelist user IDs from the impression monitor system **132** that the impression monitor system **132** tracks as having set in panelist computers. Also, the collector **117** collects partner user IDs from one or more partners (e.g., the partners **206** and **208**) that the partners track



## 17

as having been set in panelist and non-panelist computers. In some examples, to abide by privacy agreements of the partners **206**, **208**, the collector **117** and/or the database proprietors **206**, **208** can use a hashing technique (e.g., a double-hashing technique) to hash the database proprietor cookie IDs.

In some examples, the loader **118** of the panel collection platform **210** analyzes and sorts the received panelist user IDs and the partner user IDs. In the illustrated example, the loader **118** analyzes received logged data from panelist computers (e.g., from the HTTP requests log **224** of the panelist computer **202**) to identify panelist user IDs (e.g., the panelist monitor cookie **218**) associated with partner user IDs (e.g., the partner cookie(s) **216**). In this manner, the loader **118** can identify which panelists (e.g., ones of the panelists **114** and **116**) are also registered users of one or more of the partners **206** and **208** (e.g., the database proprietor subsystem **108** of FIG. **1** having demographic information of registered users stored in the database proprietor database **142**). In some examples, the panel collection platform **210** operates to verify the accuracy of impressions collected by the impression monitor system **132**. In such some examples, the loader **118** filters the logged HTTP beacon requests from the HTTP requests log **224** that correlate with impressions of panelists logged by the impression monitor system **132** and identifies HTTP beacon requests logged at the HTTP requests log **224** that do not have corresponding impressions logged by the impression monitor system **132**. In this manner, the panel collection platform **210** can provide indications of inaccurate impression logging by the impression monitor system **132** and/or provide impressions logged by the web client meter **222** to fill-in impression data for panelists **114**, **116** missed by the impression monitor system **132**.

In the illustrated example, the loader **118** stores overlapping users in an impressions-based panel demographics table **250**. In the illustrated example, overlapping users are users that are panelist members **114**, **116** and registered users of partner A **206** (noted as users P(A)) and/or registered users of partner B **208** (noted as users P(B)). (Although only two partners (A and B) are shown, this is for simplicity of illustration, any number of partners may be represented in the table **250**. The impressions-based panel demographics table **250** of the illustrated example is shown storing meter IDs (e.g., of the web client meter **222** and web client meters of other computers), user IDs (e.g., an alphanumeric identifier such as a user name, email address, etc. corresponding to the panelist monitor cookie **218** and panelist monitor cookies of other panelist computers), beacon request timestamps (e.g., timestamps indicating when the panelist computer **202** and/or other panelist computers sent beacon requests such as the beacon requests **304** and **308** of FIG. **3**), uniform resource locators (URLs) of websites visited (e.g., websites that displayed advertisements), and ad campaign IDs. In addition, the loader **118** of the illustrated example stores partner user IDs that do not overlap with panelist user IDs in a partner A (P(A)) cookie table **252** and a partner B (P(B)) cookie table **254**.

Example processes performed by the example system **200** are described below in connection with the communications flow diagram of FIG. **3** and the flow diagrams of FIGS. **10**, **11**, and **12**.

In the illustrated example of FIGS. **1** and **2**, the ratings entity subsystem **106** includes the impression monitor system **132**, the rules/ML engine **230**, the HTTP server communication interface **232**, the publisher/campaign/user target database **232**, the GRP report generator **130**, the panel collection platform **210**, the collector **117**, the loader **118**, and the ratings entity database **120**. In the illustrated example of FIGS.

## 18

**1** and **2**, the impression monitor system **132**, the rules/ML engine **230**, the HTTP server communication interface **232**, the publisher/campaign/user target database **232**, the GRP report generator **130**, the panel collection platform **210**, the collector **117**, the loader **118**, and the ratings entity database **120** may be implemented as a single apparatus or a two or more different apparatus. While an example manner of implementing the impression monitor system **132**, the rules/ML engine **230**, the HTTP server communication interface **232**, the publisher/campaign/user target database **232**, the GRP report generator **130**, the panel collection platform **210**, the collector **117**, the loader **118**, and the ratings entity database **120** has been illustrated in FIGS. **1** and **2**, one or more of the impression monitor system **132**, the rules/ML engine **230**, the HTTP server communication interface **232**, the publisher/campaign/user target database **232**, the GRP report generator **130**, the panel collection platform **210**, the collector **117**, the loader **118**, and the ratings entity database **120** may be combined, divided, re-arranged, omitted, eliminated and/or implemented in any other way. Further, the impression monitor system **132**, the rules/ML engine **230**, the HTTP server communication interface **232**, the publisher/campaign/user target database **232**, the GRP report generator **130**, the panel collection platform **210**, the collector **117**, the loader **118**, and the ratings entity database **120** and/or, more generally, the example apparatus of the example ratings entity subsystem **106** may be implemented by hardware, software, firmware and/or any combination of hardware, software and/or firmware. Thus, for example, any of the impression monitor system **132**, the rules/ML engine **230**, the HTTP server communication interface **232**, the publisher/campaign/user target database **232**, the GRP report generator **130**, the panel collection platform **210**, the collector **117**, the loader **118**, and the ratings entity database **120** and/or, more generally, the example apparatus of the ratings entity subsystem **106** could be implemented by one or more circuit(s), programmable processor(s), application specific integrated circuit(s) (ASIC(s)), programmable logic device(s) (PLD(s)) and/or field programmable logic device(s) (FPLD(s)), etc. When any of the appended apparatus or system claims are read to cover a purely software and/or firmware implementation, at least one of the impression monitor system **132**, the rules/ML engine **230**, the HTTP server communication interface **232**, the publisher/campaign/user target database **232**, the GRP report generator **130**, the panel collection platform **210**, the collector **117**, the loader **118**, and/or the ratings entity database **120** appearing in such claim is hereby expressly defined to include a computer readable medium such as a memory, DVD, CD, etc. storing the software and/or firmware. Further still, the example apparatus of the ratings entity subsystem **106** may include one or more elements, processes and/or devices in addition to, or instead of, those illustrated in FIGS. **1** and **2**, and/or may include more than one of any or all of the illustrated elements, processes and devices.

Turning to FIG. **3**, an example communication flow diagram shows an example manner in which the example system **200** of FIG. **2** logs impressions by clients (e.g., clients **202**, **203**). The example chain of events shown in FIG. **3** occurs when a client **202**, **203** accesses a tagged advertisement or tagged content. Thus, the events of FIG. **3** begin when a client sends an HTTP request to a server for content and/or an advertisement, which, in this example, is tagged to forward an exposure request to the ratings entity. In the illustrated example of FIG. **3**, the web browser of the client **202**, **203** receives the requested content or advertisement (e.g., the content or advertisement **102**) from a publisher (e.g., ad publisher **302**). It is to be understood that the client **202**, **203** often



requests a webpage containing content of interest (e.g., www.weather.com) and the requested webpage contains links to ads that are downloaded and rendered within the webpage. The ads may come from different servers than the originally requested content. Thus, the requested content may contain instructions that cause the client **202**, **203** to request the ads (e.g., from the ad publisher **302**) as part of the process of rendering the webpage originally requested by the client. The webpage, the ad or both may be tagged. In the illustrated example, the uniform resource locator (URL) of the ad publisher is illustratively named http://my.advertiser.com.

For purposes of the following illustration, it is assumed that the advertisement **102** is tagged with the beacon instructions **214** (FIG. 2). Initially, the beacon instructions **214** cause the web browser of the client **202** or **203** to send a beacon request **304** to the impression monitor system **132** when the tagged ad is accessed. In the illustrated example, the web browser sends the beacon request **304** using an HTTP request addressed to the URL of the impression monitor system **132** at, for example, a first internet domain. The beacon request **304** includes one or more of a campaign ID, a creative type ID, and/or a placement ID associated with the advertisement **102**. In addition, the beacon request **304** includes a document referrer (e.g., www.acme.com), a timestamp of the impression, and a publisher site ID (e.g., the URL http://my.advertiser.com of the ad publisher **302**). In addition, if the web browser of the client **202** or **203** contains the panelist monitor cookie **218**, the beacon request **304** will include the panelist monitor cookie **218**. In other example implementations, the cookie **218** may not be passed until the client **202** or **203** receives a request sent by a server of the impression monitor system **132** in response to, for example, the impression monitor system **132** receiving the beacon request **304**.

In response to receiving the beacon request **304**, the impression monitor system **132** logs an impression by recording the ad identification information (and any other relevant identification information) contained in the beacon request **304**. In the illustrated example, the impression monitor system **132** logs the impression regardless of whether the beacon request **304** indicated a user ID (e.g., based on the panelist monitor cookie **218**) that matched a user ID of a panelist member (e.g., one of the panelists **114** and **116** of FIG. 1). However, if the user ID (e.g., the panelist monitor cookie **218**) matches a user ID of a panelist member (e.g., one of the panelists **114** and **116** of FIG. 1) set by and, thus, stored in the record of the ratings entity subsystem **106**, the logged impression will correspond to a panelist of the impression monitor system **132**. If the user ID does not correspond to a panelist of the impression monitor system **132**, the impression monitor system **132** will still benefit from logging an impression even though it will not have a user ID record (and, thus, corresponding demographics) for the impression reflected in the beacon request **304**.

In the illustrated example of FIG. 3, to compare or supplement panelist demographics (e.g., for accuracy or completeness) of the impression monitor system **132** with demographics at partner sites and/or to enable a partner site to attempt to identify the client and/or log the impression, the impression monitor system **132** returns a beacon response message **306** (e.g., a first beacon response) to the web browser of the client **202**, **203** including an HTTP **302** redirect message and a URL of a participating partner at, for example, a second internet domain. In the illustrated example, the HTTP **302** redirect message instructs the web browser of the client **202**, **203** to send a second beacon request **308** to the particular partner (e.g., one of the partners A **206** or B **208**). In other examples, instead of using an HTTP **302** redirect message, redirects may

instead be implemented using, for example, an iframe source instructions (e.g., <iframe src="">) or any other instruction that can instruct a web browser to send a subsequent beacon request (e.g., the second beacon request **308**) to a partner. In the illustrated example, the impression monitor system **132** determines the partner specified in the beacon response **306** using its rules/ML engine **230** (FIG. 2) based on, for example, empirical data indicative of which partner should be preferred as being most likely to have demographic data for the user ID. In other examples, the same partner is always identified in the first redirect message and that partner always redirects the client **202**, **203** to the same second partner when the first partner does not log the impression. In other words, a set hierarchy of partners is defined and followed such that the partners are "daisy chained" together in the same predetermined order rather than them trying to guess a most likely database proprietor to identify an unknown client **203**.

Prior to sending the beacon response **306** to the web browser of the client **202**, **203**, the impression monitor system **132** of the illustrated example replaces a site ID (e.g., a URL) of the ad publisher **302** with a modified site ID (e.g., a substitute site ID) which is discernable only by the impression monitor system **132** as corresponding to the ad publisher **302**. In some example implementations, the impression monitor system **132** may also replace the host website ID (e.g., www.acme.com) with another modified site ID (e.g., a substitute site ID) which is discernable only by the impression monitor system **132** as corresponding to the host website. In this way, the source(s) of the ad and/or the host content are masked from the partners. In the illustrated example, the impression monitor system **132** maintains a publisher ID mapping table **310** that maps original site IDs of ad publishers with modified (or substitute) site IDs created by the impression monitor system **132** to obfuscate or hide ad publisher identifiers from partner sites. In some examples, the impression monitor system **132** also stores the host website ID in association with a modified host website ID in a mapping table. In addition, the impression monitor system **132** encrypts all of the information received in the beacon request **304** and the modified site ID to prevent any intercepting parties from decoding the information. The impression monitor system **132** of the illustrated example sends the encrypted information in the beacon response **306** to the web browser **212**. In the illustrated example, the impression monitor system **132** uses an encryption that can be decrypted by the selected partner site specified in the HTTP **302** redirect.

In some examples, the impression monitor system **132** also sends a URL scrape instruction **320** to the client computer **202**, **302**. In such examples, the URL scrape instruction **320** causes the client computer **202**, **203** to "scrape" the URL of the webpage or website associated with the tagged advertisement **102**. For example, the client computer **202**, **203** may perform scraping of web page URLs by reading text rendered or displayed at a URL address bar of the web browser **212**. The client computer **202**, **203** then sends a scraped URL **322** to the impression monitor system **322**. In the illustrated example, the scraped URL **322** indicates the host website (e.g., http://www.acme.com) that was visited by a user of the client computer **202**, **203** and in which the tagged advertisement **102** was displayed. In the illustrated example, the tagged advertisement **102** is displayed via an ad iFrame having a URL 'my.advertiser.com,' which corresponds to an ad network (e.g., the publisher **302**) that serves the tagged advertisement **102** on one or more host websites. However, in the illustrated example, the host website indicated in the scraped URL **322** is 'www.acme.com,' which corresponds to a website visited by a user of the client computer **202**, **203**.



## 21

URL scraping is particularly useful under circumstances in which the publisher is an ad network from which an advertiser bought advertisement space/time. In such instances, the ad network dynamically selects from subsets of host websites (e.g., www.caranddriver.com, www.espn.com, www.allrecipes.com, etc.) visited by users on which to display ads via ad iFrames. However, the ad network cannot foretell definitively the host websites on which the ad will be displayed at any particular time. In addition, the URL of an ad iFrame in which the tagged advertisement **102** is being rendered may not be useful to identify the topic of a host website (e.g., www.acme.com in the example of FIG. 3) rendered by the web browser **212**. As such, the impression monitor system **132** may not know the host website in which the ad iFrame is displaying the tagged advertisement **102**.

The URLs of host websites (e.g., www.caranddriver.com, www.espn.com, www.allrecipes.com, etc.) can be useful to determine topical interests (e.g., automobiles, sports, cooking, etc.) of user(s) of the client computer **202**, **203**. In some examples, audience measurement entities can use host website URLs to correlate with user/panelist demographics and interpolate logged impressions to larger populations based on demographics and topical interests of the larger populations and based on the demographics and topical interests of users/panelists for which impressions were logged. Thus, in the illustrated example, when the impression monitor system **132** does not receive a host website URL or cannot otherwise identify a host website URL based on the beacon request **304**, the impression monitor system **132** sends the URL scrape instruction **320** to the client computer **202**, **203** to receive the scraped URL **322**. In the illustrated example, if the impression monitor system **132** can identify a host website URL based on the beacon request **304**, the impression monitor system **132** does not send the URL scrape instruction **320** to the client computer **202**, **203**, thereby, conserving network and computer bandwidth and resources.

In response to receiving the beacon response **306**, the web browser of the client **202**, **203** sends the beacon request **308** to the specified partner site, which is the partner A **206** (e.g., a second internet domain) in the illustrated example. The beacon request **308** includes the encrypted parameters from the beacon response **306**. The partner A **206** (e.g., Facebook) decrypts the encrypted parameters and determines whether the client matches a registered user of services offered by the partner A **206**. This determination involves requesting the client **202**, **203** to pass any cookie (e.g., one of the partner cookies **216** of FIG. 2) it stores that had been set by partner A **206** and attempting to match the received cookie against the cookies stored in the records of partner A **206**. If a match is found, partner A **206** has positively identified a client **202**, **203**. Accordingly, the partner A **206** site logs an impression in association with the demographics information of the identified client. This log (which includes the undetectable source identifier) is subsequently provided to the ratings entity for processing into GRPs as discussed below. In the event partner A **206** is unable to identify the client **202**, **203** in its records (e.g., no matching cookie), the partner A **206** does not log an impression.

In some example implementations, if the user ID does not match a registered user of the partner A **206**, the partner A **206** may return a beacon response **312** (e.g., a second beacon response) including a failure or non-match status or may not respond at all, thereby terminating the process of FIG. 3. However, in the illustrated example, if partner A **206** cannot identify the client **202**, **203**, partner A **206** returns a second HTTP **302** redirect message in the beacon response **312** (e.g., the second beacon response) to the client **202**, **203**. For

## 22

example, if the partner A site **206** has logic (e.g., similar to the rules/ml engine **230** of FIG. 2) to specify another partner (e.g., partner B **208** or any other partner) which may likely have demographics for the user ID, then the beacon response **312** may include an HTTP **302** redirect (or any other suitable instruction to cause a redirected communication) along with the URL of the other partner (e.g., at a third internet domain). Alternatively, in the daisy chain approach discussed above, the partner A site **206** may always redirect to the same next partner or database proprietor (e.g., partner B **208** at, for example, a third internet domain or a non-partnered database proprietor subsystem **110** of FIG. 1 at a third internet domain) whenever it cannot identify the client **202**, **203**. When redirecting, the partner A site **206** of the illustrated example encrypts the ID, timestamp, referrer, etc. parameters using an encryption that can be decoded by the next specified partner.

As a further alternative, if the partner A site **206** does not have logic to select a next best suited partner likely to have demographics for the user ID and is not effectively daisy chained to a next partner by storing instructions that redirect to a partner entity, the beacon response **312** can redirect the client **202**, **203** to the impression monitor system **132** with a failure or non-match status. In this manner, the impression monitor system **132** can use its rules/ML engine **230** to select a next-best suited partner to which the web browser of the client **202**, **203** should send a beacon request (or, if no such logic is provided, simply select the next partner in a hierarchical (e.g., fixed) list). In the illustrated example, the impression monitor system **132** selects the partner B site **208**, and the web browser of the client **202**, **203** sends a beacon request to the partner B site **208** with parameters encrypted in a manner that can be decrypted by the partner B site **208**. The partner B site **208** then attempts to identify the client **202**, **203** based on its own internal database. If a cookie obtained from the client **202**, **203** matches a cookie in the records of partner B **208**, partner B **208** has positively identified the client **202**, **203** and logs the impression in association with the demographics of the client **202**, **203** for later provision to the impression monitor system **132**. In the event that partner B **208** cannot identify the client **202**, **203**, the same process of failure notification or further HTTP **302** redirects may be used by the partner B **208** to provide a next other partner site an opportunity to identify the client and so on in a similar manner until a partner site identifies the client **202**, **203** and logs the impression, until all partner sites have been exhausted without the client being identified, or until a predetermined number of partner sites failed to identify the client **202**, **203**.

Using the process illustrated in FIG. 3, impressions (e.g., ad impressions, content impressions, etc.) can be mapped to corresponding demographics even when the impressions are not triggered by panel members associated with the audience measurement entity (e.g., ratings entity subsystem **106** of FIG. 1). That is, during an impression collection or merging process, the panel collection platform **210** of the ratings entity can collect distributed impressions logged by (1) the impression monitor system **132** and (2) any participating partners (e.g., partners **206**, **208**). As a result, the collected data covers a larger population with richer demographics information than has heretofore been possible. Consequently, generating accurate, consistent, and meaningful online GRPs is possible by pooling the resources of the distributed databases as described above. The example structures of FIGS. 2 and 3 generate online GRPs based on a large number of combined demographic databases distributed among unrelated parties (e.g., Nielsen and Facebook). The end result appears as if users attributable to the logged impressions were part of a large virtual panel formed of registered users of the audience



measurement entity because the selection of the participating partner sites can be tracked as if they were members of the audience measurement entities panels **114**, **116**. This is accomplished without violating the cookie privacy protocols of the Internet.

Periodically or aperiodically, the impression data collected by the partners (e.g., partners **206**, **208**) is provided to the ratings entity via a panel collection platform **210**. As discussed above, some user IDs may not match panel members of the impression monitor system **132**, but may match registered users of one or more partner sites. During a data collecting and merging process to combine demographic and impression data from the ratings entity subsystem **106** and the partner subsystem(s) **108** and **110** of FIG. **1**, user IDs of some impressions logged by one or more partners may match user IDs of impressions logged by the impression monitor system **132**, while others (most likely many others) will not match. In some example implementations, the ratings entity subsystem **106** may use the demographics-based impressions from matching user ID logs provided by partner sites to assess and/or improve the accuracy of its own demographic data, if necessary. For the demographics-based impressions associated with non-matching user ID logs, the ratings entity subsystem **106** may use the impressions (e.g., advertisement impressions, content impressions, etc.) to derive demographics-based online GRPs even though such impressions are not associated with panelists of the ratings entity subsystem **106**.

As briefly mentioned above, example methods, apparatus, and/or articles of manufacture disclosed herein may be configured to preserve user privacy when sharing demographic information (e.g., account records or registration information) between different entities (e.g., between the ratings entity subsystem **106** and the database proprietor subsystem **108**). In some example implementations, a double encryption technique may be used based on respective secret keys for each participating partner or entity (e.g., the subsystems **106**, **108**, **110**). For example, the ratings entity subsystem **106** can encrypt its user IDs (e.g., email addresses) using its secret key and the database proprietor subsystem **108** can encrypt its user IDs using its secret key. For each user ID, the respective demographics information is then associated with the encrypted version of the user ID. Each entity then exchanges their demographics lists with encrypted user IDs. Because neither entity knows the other's secret key, they cannot decode the user IDs, and thus, the user IDs remain private. Each entity then proceeds to perform a second encryption of each encrypted user ID using their respective keys. Each twice-encrypted (or double encrypted) user ID (UID) will be in the form of  $E1(E2(UID))$  and  $E2(E1(UID))$ , where  $E1$  represents the encryption using the secret key of the ratings entity subsystem **106** and  $E2$  represents the encryption using the secret key of the database proprietor subsystem **108**. Under the rule of commutative encryption, the encrypted user IDs can be compared on the basis that  $E1(E2(UID))=E2(E1(UID))$ . Thus, the encryption of user IDs present in both databases will match after the double encryption is completed. In this manner, matches between user records of the panelists and user records of the database proprietor (e.g., identifiers of registered social network users) can be compared without the partner entities needing to reveal user IDs to one another.

The ratings entity subsystem **106** performs a daily impressions and UUID (cookies) totalization based on impressions and cookie data collected by the impression monitor system **132** of FIG. **1** and the impressions logged by the partner sites. In the illustrated example, the ratings entity subsystem **106** may perform the daily impressions and UUID (cookies) total-

ization based on cookie information collected by the ratings entity cookie collector **134** of FIG. **1** and the logs provided to the panel collection platform **210** by the partner sites. FIG. **4** depicts an example ratings entity impressions table **400** showing quantities of impressions to monitored users. Similar tables could be compiled for one or more of advertisement impressions, content impressions, or other impressions. In the illustrated example, the ratings entity impressions table **400** is generated by the ratings entity subsystem **106** for an advertisement campaign (e.g., one or more of the advertisements **102** of FIG. **1**) to determine frequencies of impressions per day for each user.

To track frequencies of impressions per unique user per day, the ratings entity impressions table **400** is provided with a frequency column **402**. A frequency of 1 indicates one exposure per day of an ad in an ad campaign to a unique user, while a frequency of 4 indicates four exposures per day of one or more ads in the same ad campaign to a unique user. To track the quantity of unique users to which impressions are attributable, the ratings impressions table **400** is provided with a UUIDs column **404**. A value of 100,000 in the UUIDs column **404** is indicative of 100,000 unique users. Thus, the first entry of the ratings entity impressions table **400** indicates that 100,000 unique users (i.e., UUIDs=100,000) were exposed once (i.e., frequency=1) in a single day to a particular one of the advertisements **102**.

To track impressions based on exposure frequency and UUIDs, the ratings entity impressions table **400** is provided with an impressions column **406**. Each impression count stored in the impressions column **406** is determined by multiplying a corresponding frequency value stored in the frequency column **402** with a corresponding UUID value stored in the UUID column **404**. For example, in the second entry of the ratings entity impressions table **400**, the frequency value of two is multiplied by 200,000 unique users to determine that 400,000 impressions are attributable to a particular one of the advertisements **102**.

Turning to FIG. **5**, in the illustrated example, each of the partnered database proprietor subsystems **108**, **110** of the partners **206**, **208** generates and reports a database proprietor ad campaign-level age/gender and impression composition table **500** to the GRP report generator **130** of the ratings entity subsystem **106** on a daily basis. Similar tables can be generated for content and/or other media. Additionally or alternatively, media in addition to advertisements may be added to the table **500**. In the illustrated example, the partners **206**, **208** tabulate the impression distribution by age and gender composition as shown in FIG. **5**. For example, referring to FIG. **1**, the database proprietor database **142** of the partnered database proprietor subsystem **108** stores logged impressions and corresponding demographic information of registered users of the partner A **206**, and the database proprietor subsystem **108** of the illustrated example processes the impressions and corresponding demographic information using the rules **144** to generate the DP summary tables **146** including the database proprietor ad campaign-level age/gender and impression composition table **500**.

The age/gender and impression composition table **500** is provided with an age/gender column **502**, an impressions column **504**, a frequency column **506**, and an impression composition column **508**. The age/gender column **502** of the illustrated example indicates the different age/gender demographic groups. The impressions column **504** of the illustrated example stores values indicative of the total impressions for a particular one of the advertisements **102** (FIG. **1**) for corresponding age/gender demographic groups. The frequency column **506** of the illustrated example stores values



indicative of the frequency of exposure per user for the one of the advertisements **102** that contributed to the impressions in the impressions column **504**. The impressions composition column **508** of the illustrated example stores the percentage of impressions for each of the age/gender demographic groups.

In some examples, the database proprietor subsystems **108**, **110** may perform demographic accuracy analyses and adjustment processes on its demographic information before tabulating final results of impression-based demographic information in the database proprietor campaign-level age/gender and impression composition table. This can be done to address a problem facing online audience measurement processes in that the manner in which registered users represent themselves to online data proprietors (e.g., the partners **206** and **208**) is not necessarily veridical (e.g., truthful and/or accurate). In some instances, example approaches to online measurement that leverage account registrations at such online database proprietors to determine demographic attributes of an audience may lead to inaccurate demographic-exposure results if they rely on self-reporting of personal/demographic information by the registered users during account registration at the database proprietor site. There may be numerous reasons for why users report erroneous or inaccurate demographic information when registering for database proprietor services. The self-reporting registration processes used to collect the demographic information at the database proprietor sites (e.g., social media sites) does not facilitate determining the veracity of the self-reported demographic information. To analyze and adjust inaccurate demographic information, the ratings entity subsystem **106** and the database proprietor subsystems **108**, **110** may use example methods, systems, apparatus, and/or articles of manufacture disclosed in U.S. patent application Ser. No. 13/209,292, filed on Aug. 12, 2011, and titled "Methods and Apparatus to Analyze and Adjust Demographic Information," which is hereby incorporated herein by reference in its entirety.

Turning to FIG. 6, in the illustrated example, the ratings entity subsystem **106** generates a panelist ad campaign-level age/gender and impression composition table **600** on a daily basis. Similar tables can be generated for content and/or other media. Additionally or alternatively, media in addition to advertisements may be added to the table **600**. The example ratings entity subsystem **106** tabulates the impression distribution by age and gender composition as shown in FIG. 6 in the same manner as described above in connection with FIG. 5. As shown in FIG. 6, the panelist ad campaign-level age/gender and impression composition table **600** also includes an age/gender column **602**, an impressions column **604**, a frequency column **606**, and an impression composition column **608**. In the illustrated example of FIG. 6, the impressions are calculated based on the PC and TV panelists **114** and online panelists **116**.

After creating the campaign-level age/gender and impression composition tables **500** and **600** of FIGS. 5 and 6, the ratings entity subsystem **106** creates a combined campaign-level age/gender and impression composition table **700** shown in FIG. 7. In particular, the ratings entity subsystem **106** combines the impression composition percentages from the impression composition columns **508** and **608** of FIGS. 5 and 6 to compare the age/gender impression distribution differences between the ratings entity panelists and the social network users.

As shown in FIG. 7, the combined campaign-level age/gender and impression composition table **700** includes an error weighted column **702**, which stores mean squared errors (MSEs) indicative of differences between the impression compositions of the ratings entity panelists and the users of

the database proprietor (e.g., social network users). Weighted MSEs can be determined using Equation 4 below.

$$\text{Weighted MSE} = (\alpha * IC_{(RE)} + (1 - \alpha) IC_{(DP)}) \quad \text{Equation 4}$$

In Equation 4 above, a weighting variable ( $\alpha$ ) represents the ratio of  $\text{MSE}(\text{SN})/\text{MSE}(\text{RE})$  or some other function that weights the compositions inversely proportional to their MSE. As shown in Equation 4, the weighting variable ( $\alpha$ ) is multiplied by the impression composition of the ratings entity ( $IC_{(RE)}$ ) to generate a ratings entity weighted impression composition ( $\alpha * IC_{(RE)}$ ). The impression composition of the database proprietor (e.g., a social network) ( $IC_{(DP)}$ ) is then multiplied by a difference between one and the weighting variable ( $\alpha$ ) to determine a database proprietor weighted impression composition ( $(1 - \alpha) IC_{(DP)}$ ).

In the illustrated example, the ratings entity subsystem **106** can smooth or correct the differences between the impression compositions by weighting the distribution of MSE. The MSE values account for sample size variations or bounces in data caused by small sample sizes.

Turning to FIG. 8, the ratings entity subsystem **106** determines reach and error-corrected impression compositions in an age/gender impressions distribution table **800**. The age/gender impressions distribution table **800** includes an age/gender column **802**, an impressions column **804**, a frequency column **806**, a reach column **808**, and an impressions composition column **810**. The impressions column **804** stores error-weighted impressions values corresponding to impressions tracked by the ratings entity subsystem **106** (e.g., the impression monitor system **132** and/or the panel collection platform **210** based on impressions logged by the web client meter **222**). In particular, the values in the impressions column **804** are derived by multiplying weighted MSE values from the error weighted column **702** of FIG. 7 with corresponding impressions values from the impressions column **604** of FIG. 6.

The frequency column **806** stores frequencies of impressions as tracked by the database proprietor subsystem **108**. The frequencies of impressions are imported into the frequency column **806** from the frequency column **506** of the database proprietor campaign-level age/gender and impression composition table **500** of FIG. 5. For age/gender groups missing from the table **500**, frequency values are taken from the ratings entity campaign-level age/gender and impression composition table **600** of FIG. 6. For example, the database proprietor campaign-level age/gender and impression composition table **500** does not have a less than 12 (<12) age/gender group. Thus, a frequency value of 3 is taken from the ratings entity campaign-level age/gender and impression composition table **600**.

The reach column **808** stores reach values representing reach of one or more of the content and/or advertisements **102** (FIG. 1) for each age/gender group. The reach values are determined by dividing respective impressions values from the impressions column **804** by corresponding frequency values from the frequency column **806**. The impressions composition column **810** stores values indicative of the percentage of impressions per age/gender group. In the illustrated example, the final total frequency in the frequency column **806** is equal to the total impressions divided by the total reach.

FIGS. 9, 10, 11, 12, and 14 are flow diagrams representative of machine readable instructions that can be executed to implement the methods and apparatus described herein. The example processes of FIGS. 9, 10, 11, 12, and 14 may be implemented using machine readable instructions that, when executed, cause a device (e.g., a programmable controller, processor, other programmable machine, integrated circuit,



or logic circuit) to perform the operations shown in FIGS. 9, 10, 11, 12, and 14. For instance, the example processes of FIGS. 9, 10, 11, 12, and 14 may be performed using a processor, a controller, and/or any other suitable processing device. For example, the example process of FIGS. 9, 10, 11, 12, and 14 may be implemented using coded instructions stored on a tangible machine readable medium such as a flash memory, a read-only memory (ROM), and/or a random-access memory (RAM).

As used herein, the term tangible computer readable medium is expressly defined to include any type of computer readable storage and to exclude propagating signals. Additionally or alternatively, the example processes of FIGS. 9, 10, 11, 12, and 14 may be implemented using coded instructions (e.g., computer readable instructions) stored on a non-transitory computer readable medium such as a flash memory, a read-only memory (ROM), a random-access memory (RAM), a cache, or any other storage media in which information is stored for any duration (e.g., for extended time periods, permanently, brief instances, for temporarily buffering, and/or for caching of the information). As used herein, the term non-transitory computer readable medium is expressly defined to include any type of computer readable medium and to exclude propagating signals.

Alternatively, the example processes of FIGS. 9, 10, 11, 12, and 14 may be implemented using any combination(s) of application specific integrated circuit(s) (ASIC(s)), programmable logic device(s) (PLD(s)), field programmable logic device(s) (FPLD(s)), discrete logic, hardware, firmware, etc. Also, the example processes of FIGS. 9, 10, 11, 12, and 14 may be implemented as any combination(s) of any of the foregoing techniques, for example, any combination of firmware, software, discrete logic and/or hardware.

Although the example processes of FIGS. 9, 10, 11, 12, and 14 are described with reference to the flow diagrams of FIGS. 9, 10, 11, 12, and 14, other methods of implementing the processes of FIGS. 9, 10, 11, 12, and 14 may be employed. For example, the order of execution of the blocks may be changed, and/or some of the blocks described may be changed, eliminated, sub-divided, or combined. Additionally, one or both of the example processes of FIGS. 9, 10, 11, 12, and 14 may be performed sequentially and/or in parallel by, for example, separate processing threads, processors, devices, discrete logic, circuits, etc.

Turning in detail to FIG. 9, the ratings entity subsystem 106 of FIG. 1 may perform the depicted process to collect demographics and impression data from partners and to assess the accuracy and/or adjust its own demographics data of its panelists 114, 116. The example process of FIG. 9 collects demographics and impression data for registered users of one or more partners (e.g., the partners 206 and 208 of FIGS. 2 and 3) that overlap with panelist members (e.g., the panelists 114 and 116 of FIG. 1) of the ratings entity subsystem 106 as well as demographics and impression data from partner sites that correspond to users that are not registered panel members of the ratings entity subsystem 106. The collected data is combined with other data collected at the ratings entity to determine online GRPs. The example process of FIG. 9 is described in connection with the example system 100 of FIG. 1 and the example system 200 of FIG. 2.

Initially, the GRP report generator 130 (FIG. 1) receives impressions per unique users 235 (FIG. 2) from the impression monitor system 132 (block 902). The GRP report generator 130 receives impressions-based aggregate demographics (e.g., the partner campaign-level age/gender and impression composition table 500 of FIG. 5) from one or more partner(s) (block 904). In the illustrated example, user

IDs of registered users of the partners 206, 208 are not received by the GRP report generator 130. Instead, the partners 206, 208 remove user IDs and aggregate impressions-based demographics in the partner campaign-level age/gender and impression composition table 500 at demographic bucket levels (e.g., males aged 13-18, females aged 13-18, etc.). However, for instances in which the partners 206, 208 also send user IDs to the GRP report generator 130, such user IDs are exchanged in an encrypted format based on, for example, the double encryption technique described above.

For examples in which the impression monitor system 132 modifies site IDs and sends the modified site IDs in the beacon response 306, the partner(s) log impressions based on those modified site IDs. In such examples, the impressions collected from the partner(s) at block 904 are impressions logged by the partner(s) against the modified site IDs. When the ratings entity subsystem 106 receives the impressions with modified site IDs, GRP report generator 130 identifies site IDs for the impressions received from the partner(s) (block 906). For example, the GRP report generator 130 uses the site ID map 310 (FIG. 3) generated by the impression monitoring system 310 during the beacon receive and response process (e.g., discussed above in connection with FIG. 3) to identify the actual site IDs corresponding to the modified site IDs in the impressions received from the partner(s).

The GRP report generator 130 receives per-panelist impressions-based demographics (e.g., the impressions-based panel demographics table 250 of FIG. 2) from the panel collection platform 210 (block 908). In the illustrated example, per-panelist impressions-based demographics are impressions logged in association with respective user IDs of panelist 114, 116 (FIG. 1) as shown in the impressions-based panel demographics table 250 of FIG. 2.

The GRP report generator 130 removes duplicate impressions between the per-panelist impressions-based panel demographics 250 received at block 908 from the panel collection platform 210 and the impressions per unique users 235 received at block 902 from the impression monitor system 132 (block 910). In this manner, duplicate impressions logged by both the impression monitor system 132 and the web client meter 222 (FIG. 2) will not skew GRPs generated by the GRP generator 130. In addition, by using the per-panelist impressions-based panel demographics 250 from the panel collection platform 210 and the impressions per unique users 235 from the impression monitor system 132, the GRP generator 130 has the benefit of impressions from redundant systems (e.g., the impression monitor system 132 and the web client meter 222). In this manner, if one of the systems (e.g., one of the impression monitor system 132 or the web client meter 222) misses one or more impressions, the record(s) of such impression(s) can be obtained from the logged impressions of the other system (e.g., the other one of the impression monitor system 132 or the web client meter 222).

The GRP report generator 130 generates an aggregate of the impressions-based panel demographics 250 (block 912). For example, the GRP report generator 130 aggregates the impressions-based panel demographics 250 into demographic bucket levels (e.g., males aged 13-18, females aged 13-18, etc.) to generate the panelist ad campaign-level age/gender and impression composition table 600 of FIG. 6.

In some examples, the GRP report generator 130 does not use the per-panelist impressions-based panel demographics from the panel collection platform 210. In such instances, the ratings entity subsystem 106 does not rely on web client meters such as the web client meter 222 of FIG. 2 to determine GRP using the example process of FIG. 9. Instead in such



instances, the GRP report generator **130** determines impressions of panelists based on the impressions per unique users **235** received at block **902** from the impression monitor system **132** and uses the results to aggregate the impressions-based panel demographics at block **912**. For example, as discussed above in connection with FIG. 2, the impressions per unique users table **235** stores panelist user IDs in association with total impressions and campaign IDs. As such, the GRP report generator **130** may determine impressions of panelists based on the impressions per unique users **235** without using the impression-based panel demographics **250** collected by the web client meter **222**.

The GRP report generator **130** combines the impressions-based aggregate demographic data from the partner(s) **206**, **208** (received at block **904**) and the panelists **114**, **116** (generated at block **912**) its demographic data with received demographic data (block **914**). For example, the GRP report generator **130** of the illustrated example combines the impressions-based aggregate demographic data to form the combined campaign-level age/gender and impression composition table **700** of FIG. 7.

The GRP report generator **130** determines distributions for the impressions-based demographics of block **914** (block **916**). In the illustrated example, the GRP report generator **130** stores the distributions of the impressions-based demographics in the age/gender impressions distribution table **800** of FIG. 8. In addition, the GRP report generator **130** generates online GRPs based on the impressions-based demographics (block **918**). In the illustrated example, the GRP report generator **130** uses the GRPs to create one or more of the GRP report(s) **131**. In some examples, the ratings entity subsystem **106** sells or otherwise provides the GRP report(s) **131** to advertisers, publishers, content providers, manufacturers, and/or any other entity interested in such market research. The example process of FIG. 9 then ends.

Turning now to FIG. 10, the depicted example flow diagram may be performed by a client computer **202**, **203** (FIGS. 2 and 3) to route beacon requests (e.g., the beacon requests **304**, **308** of FIG. 3) to web service providers to log demographics-based impressions. Initially, the client computer **202**, **203** receives tagged content and/or a tagged advertisement **102** (block **1002**) and sends the beacon request **304** to the impression monitor system **132** (block **1004**) to give the impression monitor system **132** (e.g., at a first internet domain) an opportunity to log an impression for the client computer **202**, **203**. The client computer **202**, **203** begins a timer (block **1006**) based on a time for which to wait for a response from the impression monitor system **132**.

If a timeout has not expired (block **1008**), the client computer **202**, **203** determines whether it has received a redirection message (block **1010**) from the impression monitor system **132** (e.g., via the beacon response **306** of FIG. 3). If the client computer **202**, **203** has not received a redirection message (block **1010**), control returns to block **1008**. Control remains at blocks **1008** and **1010** until either (1) a timeout has expired, in which case control advances to block **1016** or (2) the client computer **202**, **203** receives a redirection message.

If the client computer **202**, **203** receives a redirection message at block **1010**, the client computer **202**, **203** sends the beacon request **308** to a partner specified in the redirection message (block **1012**) to give the partner an opportunity to log an impression for the client computer **202**, **203**. During a first instance of block **1012** for a particular tagged advertisement (e.g., the tagged advertisement **102**), the partner (or in some examples, non-partnered database proprietor **110**) specified in the redirection message corresponds to a second internet domain. During subsequent instances of block **1012** for the

same tagged advertisement, as beacon requests are redirected to other partner or non-partnered database proprietors, such other partner or non-partnered database proprietors correspond to third, fourth, fifth, etc. internet domains. In some examples, the redirection message(s) may specify an intermediary(ies) (e.g., an intermediary(ies) server(s) or sub-domain server(s)) associated with a partner(s) and/or the client computer **202**, **203** sends the beacon request **308** to the intermediary(ies) based on the redirection message(s) as described below in conjunction with FIG. 13.

The client computer **202**, **203** determines whether to attempt to send another beacon request to another partner (block **1014**). For example, the client computer **202**, **203** may be configured to send a certain number of beacon requests in parallel (e.g., to send beacon requests to two or more partners at roughly the same time rather than sending one beacon request to a first partner at a second internet domain, waiting for a reply, then sending another beacon request to a second partner at a third internet domain, waiting for a reply, etc.) and/or to wait for a redirection message back from a current partner to which the client computer **202**, **203** sent the beacon request at block **1012**. If the client computer **202**, **203** determines that it should attempt to send another beacon request to another partner (block **1014**), control returns to block **1006**.

If the client computer **202**, **203** determines that it should not attempt to send another beacon request to another partner (block **1014**) or after the timeout expires (block **1008**), the client computer **202**, **203** determines whether it has received the URL scrape instruction **320** (FIG. 3) (block **1016**). If the client computer **202**, **203** did not receive the URL scrape instruction **320** (block **1016**), control advances to block **1022**. Otherwise, the client computer **202**, **203** scrapes the URL of the host website rendered by the web browser **212** (block **1018**) in which the tagged content and/or advertisement **102** is displayed or which spawned the tagged content and/or advertisement **102** (e.g., in a pop-up window). The client computer **202**, **203** sends the scraped URL **322** to the impression monitor system **132** (block **1020**). Control then advances to block **1022**, at which the client computer **202**, **203** determines whether to end the example process of FIG. 10. For example, if the client computer **202**, **203** is shut down or placed in a standby mode or if its web browser **212** (FIGS. 2 and 3) is shut down, the client computer **202**, **203** ends the example process of FIG. 10. If the example process is not to be ended, control returns to block **1002** to receive another content and/or tagged ad. Otherwise, the example process of FIG. 10 ends.

In some examples, real-time redirection messages from the impression monitor system **132** may be omitted from the example process of FIG. 10, in which cases the impression monitor system **132** does not send redirect instructions to the client computer **202**, **203**. Instead, the client computer **202**, **203** refers to its partner-priority-order cookie **220** to determine partners (e.g., the partners **206** and **208**) to which it should send redirects and the ordering of such redirects. In some examples, the client computer **202**, **203** sends redirects substantially simultaneously to all partners listed in the partner-priority-order cookie **220** (e.g., in seriatim, but in rapid succession, without waiting for replies). In such some examples, block **1010** is omitted and at block **1012**, the client computer **202**, **203** sends a next partner redirect based on the partner-priority-order cookie **220**. In some such examples, blocks **1006** and **1008** may also be omitted, or blocks **1006** and **1008** may be kept to provide time for the impression monitor system **132** to provide the URL scrape instruction **320** at block **1016**.



## 31

Turning to FIG. 11, the example flow diagram may be performed by the impression monitor system 132 (FIGS. 2 and 3) to log impressions and/or redirect beacon requests to web service providers (e.g., database proprietors) to log impressions. Initially, the impression monitor system 132 waits until it has received a beacon request (e.g., the beacon request 304 of FIG. 3) (block 1102). The impression monitor system 132 of the illustrated example receives beacon requests via the HTTP server 232 of FIG. 2. When the impression monitor system 132 receives a beacon request (block 1102), it determines whether a cookie (e.g., the panelist monitor cookie 218 of FIG. 2) was received from the client computer 202, 203 (block 1104). For example, if a panelist monitor cookie 218 was previously set in the client computer 202, 203, the beacon request sent by the client computer 202, 203 to the panelist monitoring system will include the cookie.

If the impression monitor system 132 determines at block 1104 that it did not receive the cookie in the beacon request (e.g., the cookie was not previously set in the client computer 202, 203, the impression monitor system 132 sets a cookie (e.g., the panelist monitor cookie 218) in the client computer 202, 203 (block 1106). For example, the impression monitor system 132 may use the HTTP server 232 to send back a response to the client computer 202, 203 to 'set' a new cookie (e.g., the panelist monitor cookie 218).

After setting the cookie (block 1106) or if the impression monitor system 132 did receive the cookie in the beacon request (block 1104), the impression monitor system 132 logs an impression (block 1108). The impression monitor system 132 of the illustrated example logs an impression in the impressions per unique users table 235 of FIG. 2. As discussed above, the impression monitor system 132 logs the impression regardless of whether the beacon request corresponds to a user ID that matches a user ID of a panelist member (e.g., one of the panelists 114 and 116 of FIG. 1). However, if the user ID comparator 228 (FIG. 2) determines that the user ID (e.g., the panelist monitor cookie 218) matches a user ID of a panelist member (e.g., one of the panelists 114 and 116 of FIG. 1) set by and, thus, stored in the record of the ratings entity subsystem 106, the logged impression will correspond to a panelist of the impression monitor system 132. For such examples in which the user ID matches a user ID of a panelist, the impression monitor system 132 of the illustrated example logs a panelist identifier with the impression in the impressions per unique users table 235 and subsequently an audience measurement entity associates the known demographics of the corresponding panelist (e.g., a corresponding one of the panelists 114, 116) with the logged impression based on the panelist identifier. Such associations between panelist demographics (e.g., the age/gender column 602 of FIG. 6) and logged impression data are shown in the panelist ad campaign-level age/gender and impression composition table 600 of FIG. 6. If the user ID comparator 228 (FIG. 2) determines that the user ID does not correspond to a panelist 114, 116, the impression monitor system 132 will still benefit from logging an impression (e.g., an ad impression or content impression) even though it will not have a user ID record (and, thus, corresponding demographics) for the impression reflected in the beacon request 304.

The impression monitor system 132 selects a next partner (block 1110). For example, the impression monitor system 132 may use the rules/ML engine 230 (FIG. 2) to select one of the partners 206 or 208 of FIGS. 2 and 3 at random or based on an ordered listing or ranking of the partners 206 and 208 for an initial redirect in accordance with the rules/ML engine

## 32

230 (FIG. 2) and to select the other one of the partners 206 or 208 for a subsequent redirect during a subsequent execution of block 1110.

The impression monitor system 132 sends a beacon response (e.g., the beacon response 306) to the client computer 202, 203 including an HTTP 302 redirect (or any other suitable instruction to cause a redirected communication) to forward a beacon request (e.g., the beacon request 308 of FIG. 3) to a next partner (e.g., the partner A 206 of FIG. 2) (block 1112) and starts a timer (block 1114). The impression monitor system 132 of the illustrated example sends the beacon response 306 using the HTTP server 232. In the illustrated example, the impression monitor system 132 sends an HTTP 302 redirect (or any other suitable instruction to cause a redirected communication) at least once to allow at least a partner site (e.g., one of the partners 206 or 208 of FIGS. 2 and 3) to also log an impression for the same advertisement (or content). However, in other example implementations, the impression monitor system 132 may include rules (e.g., as part of the rules/ML engine 230 of FIG. 2) to exclude some beacon requests from being redirected. The timer set at block 1114 is used to wait for real-time feedback from the next partner in the form of a fail status message indicating that the next partner did not find a match for the client computer 202, 203 in its records.

If the timeout has not expired (block 1116), the impression monitor system 132 determines whether it has received a fail status message (block 1118). Control remains at blocks 1116 and 1118 until either (1) a timeout has expired, in which case control returns to block 1102 to receive another beacon request or (2) the impression monitor system 132 receives a fail status message.

If the impression monitor system 132 receives a fail status message (block 1118), the impression monitor system 132 determines whether there is another partner to which a beacon request should be sent (block 1120) to provide another opportunity to log an impression. The impression monitor system 132 may select a next partner based on a smart selection process using the rules/ML engine 230 of FIG. 2 or based on a fixed hierarchy of partners. If the impression monitor system 132 determines that there is another partner to which a beacon request should be sent, control returns to block 1110. Otherwise, the example process of FIG. 11 ends.

In some examples, real-time feedback from partners may be omitted from the example process of FIG. 11 and the impression monitor system 132 does not send redirect instructions to the client computer 202, 203. Instead, the client computer 202, 203 refers to its partner-priority-order cookie 220 to determine partners (e.g., the partners 206 and 208) to which it should send redirects and the ordering of such redirects. In some examples, the client computer 202, 203 sends redirects simultaneously to all partners listed in the partner-priority-order cookie 220. In such some examples, blocks 1110, 1114, 1116, 1118, and 1120 are omitted and at block 1112, the impression monitor system 132 sends the client computer 202, 203 an acknowledgement response without sending a next partner redirect.

Turning now to FIG. 12, the example flow diagram may be executed to dynamically designate preferred web service providers (or preferred partners) from which to request logging of impressions using the example redirection beacon request processes of FIGS. 10 and 11. The example process of FIG. 12 is described in connection with the example system 200 of FIG. 2. Initial impressions associated with content and/or ads delivered by a particular publisher site (e.g., the publisher 302 of FIG. 3) trigger the beacon instructions 214 (FIG. 2) (and/or beacon instructions at other computers) to request logging of



impressions at a preferred partner (block 1202). In this illustrated example, the preferred partner is initially the partner A site 206 (FIGS. 2 and 3). The impression monitor system 132 (FIGS. 1, 2, and 3) receives feedback on non-matching user IDs from the preferred partner 206 (block 1204). The rules/ML engine 230 (FIG. 2) updates the preferred partner for the non-matching user IDs (block 1206) based on the feedback received at block 1204. In some examples, during the operation of block 1206, the impression monitor system 132 also updates a partner-priority-order of preferred partners in the partner-priority-order cookie 220 of FIG. 2. Subsequent impressions trigger the beacon instructions 214 (and/or beacon instructions at other computers 202, 203) to send requests for logging of impressions to different respective preferred partners specifically based on each user ID (block 1208). That is, some user IDs in the panelist monitor cookie 218 and/or the partner cookie(s) 216 may be associated with one preferred partner, while others of the user IDs are now associated with a different preferred partner as a result of the operation at block 1206. The example process of FIG. 12 then ends.

FIG. 13 depicts an example system 1300 that may be used to determine media (e.g., content and/or advertising) exposure based on information collected by one or more database proprietors. The example system 1300 is another example of the systems 200 and 300 illustrated in FIGS. 2 and 3 in which an intermediary 1308, 1312 is provided between a client computer 1304 and a partner 1310, 1314. Persons of ordinary skill in the art will understand that the description of FIGS. 2 and 3 and the corresponding flow diagrams of FIGS. 8-12 are applicable to the system 1300 with the inclusion of the intermediary 1308, 1312.

According to the illustrated example, a publisher 1302 transmits an advertisement or other media content to the client computer 1304. The publisher 1302 may be the publisher 302 described in conjunction with FIG. 3. The client computer 1304 may be the panelist client computer 202 or the non-panelist computer 203 described in conjunction with FIGS. 2 and 3 or any other client computer. The advertisement or other media content includes a beacon that instructs the client computer to send a request to an impression monitor system 1306 as explained above.

The impression monitor system 1306 may be the impression monitor system 132 described in conjunction with FIGS. 1-3. The impression monitor system 1306 of the illustrated example receives beacon requests from the client computer 1304 and transmits redirection messages to the client computer 1304 to instruct the client to send a request to one or more of the intermediary A 1308, the intermediary B 1312, or any other system such as another intermediary, a partner, etc. The impression monitor system 1306 also receives information about partner cookies from one or more of the intermediary A 1308 and the intermediary B 1312.

In some examples, the impression monitor system 1306 may insert into a redirection message an identifier of a client that is established by the impression monitor system 1306 and identifies the client computer 1304 and/or a user thereof. For example, the identifier of the client may be an identifier stored in a cookie that has been set at the client by the impression monitor system 1306 or any other entity, an identifier assigned by the impression monitor system 1306 or any other entity, etc. The identifier of the client may be a unique identifier, a semi-unique identifier, etc. In some examples, the identifier of the client may be encrypted, obfuscated, or varied to prevent tracking of the identifier by the intermediary 1308, 1312 or the partner 1310, 1314. According to the illustrated example, the identifier of the client is included in the redirection message to the client computer 1304 to cause the client

computer 1304 to transmit the identifier of the client to the intermediary 1308, 1312 when the client computer 1304 follows the redirection message. For example, the identifier of the client may be included in a URL included in the redirection message to cause the client computer 1304 to transmit the identifier of the client to the intermediary 1308, 1312 as a parameter of the request that is sent in response to the redirection message.

The intermediaries 1308, 1312 of the illustrated example receive redirected beacon requests from the client computer 1304 and transmit information about the requests to the partners 1310, 1314. The example intermediaries 1308, 1312 are made available on a content delivery network (e.g., one or more servers of a content delivery network) to ensure that clients can quickly send the requests without causing substantial interruption in the access of content from the publisher 1302.

In examples disclosed herein, a cookie set in a domain (e.g., "partnerA.com") is accessible by a server of a sub-domain (e.g., "intermediary.partnerA.com") corresponding to the domain (e.g., the root domain "partnerA.com") in which the cookie was set. In some examples, the reverse is also true such that a cookie set in a sub-domain (e.g., "intermediary.partnerA.com") is accessible by a server of a root domain (e.g., the root domain "partnerA.com") corresponding to the sub-domain (e.g., "intermediary.partnerA.com") in which the cookie was set. As used herein, the term domain (e.g., Internet domain, domain name, etc.) includes the root domain (e.g., "domain.com") and sub-domains (e.g., "a.domain.com," "b.domain.com," "c.d.domain.com," etc.).

To enable the example intermediaries 1308, 1312 to receive cookie information associated with the partners 1310, 1314 respectively, sub-domains of the partners 1310, 1314 are assigned to the intermediaries 1308, 1312. For example, the partner A 1310 may register an internet address associated with the intermediary A 1308 with the sub-domain in a domain name system associated with a domain for the partner A 1310. Alternatively, the sub-domain may be associated with the intermediary in any other manner. In such examples, cookies set for the domain name of partner A 1310 are transmitted from the client computer 1304 to the intermediary A 1308 that has been assigned a sub-domain name associated with the domain of partner A 1310 when the client 1304 transmits a request to the intermediary A 1308.

The example intermediaries 1308, 1312 transmit the beacon request information including a campaign ID and received cookie information to the partners 1310, 1314 respectively. This information may be stored at the intermediaries 1308, 1312 so that it can be sent to the partners 1310, 1314 in a batch. For example, the received information could be transmitted near the end of the day, near the end of the week, after a threshold amount of information is received, etc. Alternatively, the information may be transmitted immediately upon receipt. The campaign ID may be encrypted, obfuscated, varied, etc. to prevent the partners 1310, 1314 from recognizing the content to which the campaign ID corresponds or to otherwise protect the identity of the content. A lookup table of campaign ID information may be stored at the impression monitor system 1306 so that impression information received from the partners 1310, 1314 can be correlated with the content.

The intermediaries 1308, 1312 of the illustrated example also transmit an indication of the availability of a partner cookie to the impression monitor system 1306. For example, when a redirected beacon request is received at the intermediary A 1308, the intermediary A 1308 determines if the redirected beacon request includes a cookie for partner A



35

1310. The intermediary A 1308 sends the notification to the impression monitor system 1306 when the cookie for partner A 1310 was received. Alternatively, intermediaries 1308, 1312 may transmit information about the availability of the partner cookie regardless of whether a cookie is received. Where the impression monitor system 1306 has included an identifier of the client in the redirection message and the identifier of the client is received at the intermediaries 1308, 1312, the intermediaries 1308, 1312 may include the identifier of the client with the information about the partner cookie transmitted to the impression monitor system 1306. The impression monitor system 1306 may use the information about the existence of a partner cookie to determine how to redirect future beacon requests. For example, the impression monitor system 1306 may elect not to redirect a client to an intermediary 1308, 1312 that is associated with a partner 1310, 1314 with which it has been determined that a client does not have a cookie. In some examples, the information about whether a particular client has a cookie associated with a partner may be refreshed periodically to account for cookies expiring and new cookies being set (e.g., a recent login or registration at one of the partners).

The intermediaries 1308, 1312 may be implemented by a server associated with a content metering entity (e.g., a content metering entity that provides the impression monitor system 1306). Alternatively, intermediaries 1308, 1312 may be implemented by servers associated with the partners 1310, 1314 respectively. In other examples, the intermediaries may be provided by a third-party such as a content delivery network.

In some examples, the intermediaries 1308, 1312 are provided to prevent a direct connection between the partners 1310, 1314 and the client computer 1304, to prevent some information from the redirected beacon request from being transmitted to the partners 1310, 1314 (e.g., to prevent a REFERRER\_URL from being transmitted to the partners 1310, 1314), to reduce the amount of network traffic at the partners 1310, 1314 associated with redirected beacon requests, and/or to transmit to the impression monitor system 1306 real-time or near real-time indications of whether a partner cookie is provided by the client computer 1304.

In some examples, the intermediaries 1308, 1312 are trusted by the partners 1310, 1314 to prevent confidential data from being transmitted to the impression monitor system 1306. For example, the intermediary 1308, 1312 may remove identifiers stored in partner cookies before transmitting information to the impression monitor system 1306.

The partners 1310, 1314 receive beacon request information including the campaign ID and cookie information from the intermediaries 1308, 1312. The partners 1310, 1314 determine identity and demographics for a user of the client computer 1304 based on the cookie information. The example partners 1310, 1314 track impressions for the campaign ID based on the determined demographics associated with the impression. Based on the tracked impressions, the example partners 1310, 1314 generate reports (previously described). The reports may be sent to the impression monitor system 1306, the publisher 1302, an advertiser that supplied an ad provided by the publisher 1302, a media content hub, or other persons or entities interested in the reports.

FIG. 14 is a flow diagram representative of example machine readable instructions that may be executed to process a redirected request at an intermediary. The example process of FIG. 14 is described in connection with the example intermediary A 1308. Some or all of the blocks may additionally or alternatively be performed by one or more of

36

the example intermediary B 1312, the partners 1310, 1314 of FIG. 13 or by other partners described in conjunction with FIGS. 1-3.

According to the illustrated example, intermediary A 1308 receives a redirected beacon request from the client computer 1304 (block 1402). The intermediary A 1308 determines if the client computer 1304 transmitted a cookie associated with partner A 1310 in the redirected beacon request (block 1404). For example, when the intermediary A 1308 is assigned a domain name that is a sub-domain of partner A 1310, the client computer 1304 will transmit a cookie set by partner A 1310 to the intermediary A 1308.

When the redirected beacon request does not include a cookie associated with partner A 1310 (block 1404), control proceeds to block 1412 which is described below. When the redirected beacon request includes a cookie associated with partner A 1310 (block 1404), the intermediary A 1308 notifies the impression monitor system 1306 of the existence of the cookie (block 1406). The notification may additionally include information associated with the redirected beacon request (e.g., a source URL, a campaign ID, etc.), an identifier of the client, etc. According to the illustrated example, the intermediary A 1308 stores a campaign ID included in the redirected beacon request and the partner cookie information (block 1408). The intermediary A 1308 may additionally store other information associated with the redirected beacon request such as, for example, a source URL, a referrer URL, etc.

The example intermediary A 1308 then determines if stored information should be transmitted to the partner A 1310 (block 1408). For example, the intermediary A 1308 may determine that information should be transmitted immediately, may determine that a threshold amount of information has been received, may determine that the information should be transmitted based on the time of day, etc. When the intermediary A 1308 determines that the information should not be transmitted (block 1408), control proceeds to block 1412. When the intermediary A 1308 determines that the information should be transmitted (block 1408), the intermediary A 1308 transmits stored information to the partner A 1310. The stored information may include information associated with a single request, information associated with multiple requests from a single client, information associated with multiple requests from multiple clients, etc.

According to the illustrated example, the intermediary A 1308 then determines if a next intermediary and/or partner should be contacted by the client computer 1304 (block 1412). The example intermediary A 1308 determines that the next partner should be contacted when a cookie associated with partner a 1310 is not received. Alternatively, the intermediary A 1308 may determine that the next partner should be contacted whenever a redirected beacon request is received, associated with the partner cookie, etc.

When the intermediary A 1308 determines that the next partner (e.g., intermediary B 1314) should be contacted (block 1412), the intermediary A 1308 transmits a beacon redirection message to the client computer 1304 indicating that the client computer 1304 should send a request to the intermediary B 1312. After transmitting the redirection message (block 1414) or when the intermediary A 1308 determines that the next partner should not be contacted (block 1412), the example process of FIG. 14 ends.

While the example of FIG. 14 describes an approach where each intermediary 1308, 1312 selectively or automatically transmits a redirection message identifying the next intermediary 1308, 1312 in a chain, other approaches may be implemented. For example, the redirection message from the



impression monitor system **1306** may identify multiple intermediaries **1308**, **1312**. In such an example, the redirection message may instruct the client computer **1304** to send a request to each of the intermediaries **1308**, **1312** (or a subset) sequentially, may instruct the client computer **1304** to send requests to each of the intermediaries **1308**, **1312** in parallel (e.g., using JavaScript instructions that support requests executed in parallel), etc.

While the example of FIG. **14** is described in conjunction with intermediary A, some or all of the blocks of FIG. **14** may be performed by the intermediary B **1312**, one or more of the partners **1310**, **1314**, any other partner described herein, or any other entity or system. Additionally or alternatively, multiple instances of FIG. **14** (or any other instructions described herein) may be performed in parallel at any number of locations.

FIG. **15** is a block diagram of an example processor system **1510** that may be used to implement the example apparatus, methods, articles of manufacture, and/or systems disclosed herein. As shown in FIG. **15**, the processor system **1510** includes a processor **1512** that is coupled to an interconnection bus **1514**. The processor **1512** may be any suitable processor, processing unit, or microprocessor. Although not shown in FIG. **15**, the system **1510** may be a multi-processor system and, thus, may include one or more additional processors that are identical or similar to the processor **1512** and that are communicatively coupled to the interconnection bus **1514**.

The processor **1512** of FIG. **15** is coupled to a chipset **1518**, which includes a memory controller **1520** and an input/output (I/O) controller **1522**. A chipset provides I/O and memory management functions as well as a plurality of general purpose and/or special purpose registers, timers, etc. that are accessible or used by one or more processors coupled to the chipset **1518**. The memory controller **1520** performs functions that enable the processor **1512** (or processors if there are multiple processors) to access a system memory **1524**, a mass storage memory **1525**, and/or an optical media **1527**.

In general, the system memory **1524** may include any desired type of volatile and/or non-volatile memory such as, for example, static random access memory (SRAM), dynamic random access memory (DRAM), flash memory, read-only memory (ROM), etc. The mass storage memory **1525** may include any desired type of mass storage device including hard disk drives, optical drives, tape storage devices, etc. The optical media **1527** may include any desired type of optical media such as a digital versatile disc (DVD), a compact disc (CD), or a blu-ray optical disc. The instructions of any of FIGS. **9-12** and **14** may be stored on any of the tangible media represented by the system memory **1524**, the mass storage device **1525**, and/or any other media.

The I/O controller **1522** performs functions that enable the processor **1512** to communicate with peripheral input/output (I/O) devices **1526** and **1528** and a network interface **1530** via an I/O bus **1532**. The I/O devices **1526** and **1528** may be any desired type of I/O device such as, for example, a keyboard, a video display or monitor, a mouse, etc. The network interface **1530** may be, for example, an Ethernet device, an asynchronous transfer mode (ATM) device, an 802.11 device, a digital subscriber line (DSL) modem, a cable modem, a cellular modem, etc. that enables the processor system **1310** to communicate with another processor system.

While the memory controller **1520** and the I/O controller **1522** are depicted in FIG. **15** as separate functional blocks within the chipset **1518**, the functions performed by these

blocks may be integrated within a single semiconductor circuit or may be implemented using two or more separate integrated circuits.

Although the foregoing discloses the use of cookies for transmitting identification information from clients to servers, any other system for transmitting identification information from clients to servers or other computers may be used. For example, identification information or any other information provided by any of the cookies disclosed herein may be provided by an Adobe Flash® client identifier, identification information stored in an HTML5 datastore, etc. The methods and apparatus described herein are not limited to implementations that employ cookies.

Although certain methods, apparatus, systems, and articles of manufacture have been disclosed herein, the scope of coverage of this patent is not limited thereto. To the contrary, this patent covers all methods, apparatus, systems, and articles of manufacture fairly falling within the scope of the claims either literally or under the doctrine of equivalents.

What is claimed is:

1. A method of expanding an audience measurement panel, comprising:

determining if a received indication identifying access to media was sent by a member of the audience measurement panel;

if the received indication identifying access to the media was not sent by the member of the audience measurement panel, forwarding the indication to a social network provider, wherein forwarding the indication to the social network provider comprises forwarding a modified value of a site identifier indicative of a publisher website of the media; and

if the indication was sent by a user of the social network provider, receiving a log associating the access to the media with first demographics of the user stored in records of the social network provider.

2. A method as defined in claim 1 further comprising, if the indication was sent by the member of the audience measurement panel, logging an association between the media and second demographics of the member.

3. A method as defined in claim 1, wherein the indication is received via a hypertext transfer protocol request.

4. A method as defined in claim 1 further comprising storing the modified value in association with the site identifier in a data structure, and not sending the site identifier to the provider of the social network.

5. A method as defined in claim 4 further comprising receiving logged impression data from the social network provider based on the modified value and identifying the site identifier of the publisher website based on the modified value in the logged impression data and the storing of the modified value in association with the site identifier in the data structure.

6. A method as defined in claim 1, wherein the forwarding of the indication to the social network provider is performed by an audience measurement entity managing the audience measurement panel.

7. An apparatus to expand an audience measurement panel, comprising:

a comparator to determine if a received indication identifying access to media was sent by a member of the audience measurement panel;

a communication interface to, if the received indication identifying access to the media was not sent by the member of the audience measurement panel, forward the indication to a social network provider, wherein forwarding the indication to the social network provider



39

comprises forwarding a modified value of a site identifier indicative of a publisher website of the media; and a report generator to, if the indication was sent by a user of the social network provider, receive a log associating the access to the media with first demographics of the user stored in records of the social network provider.

8. An apparatus as defined in claim 7 further comprising a data structure to, if the indication was sent by the member of the audience measurement panel, log an association between the media and second demographics of the member.

9. An apparatus as defined in claim 7, wherein the indication is received via a hypertext transfer protocol request.

10. An apparatus as defined in claim 7 further comprising a data structure to store the modified value in association with the site identifier, and the communication interface to not send the site identifier to the provider of the social network.

11. An apparatus as defined in claim 10, wherein the report generator is to receive logged impression data from the social network provider based on the modified value and identify the site identifier of the publisher website based on the modified value in the logged impression data and the storing of the modified value in association with the site identifier in the data structure.

12. An apparatus as defined in claim 7, wherein the comparator, the communication interface, and the report generator are operated by an audience measurement entity managing the audience measurement panel.

13. A machine accessible medium having instructions stored thereon that, when executed, cause a machine to at least:

determine if a received indication identifying access to media was sent by a member of the audience measurement panel;

if the received indication identifying access to the media was not sent by the member of the audience measure-

40

ment panel, forward the indication to a social network provider, wherein forwarding the indication to the social network provider comprises forwarding a modified value of a site identifier indicative of a publisher website of the media; and

if the indication was sent by a user of the social network provider, receive a log associating the access to the media with first demographics of the user stored in records of the social network provider.

14. A machine accessible medium as defined in claim 13 storing instructions that cause the machine to, if the indication was sent by the member of the audience measurement panel, log an association between the media and second demographics of the member.

15. A machine accessible medium as defined in claim 13, wherein the indication is received via a hypertext transfer protocol request.

16. A machine accessible medium as defined in claim 13 storing instructions that cause the machine to store the modified value in association with the site identifier in a data structure, and not send the site identifier to the provider of the social network.

17. A machine accessible medium as defined in claim 16 storing instructions that cause the machine to receive logged impression data from the social network provider based on the modified value and identify the site identifier of the publisher website based on the modified value in the logged impression data and the storing of the modified value in association with the site identifier in the data structure.

18. A machine accessible medium as defined in claim 13, wherein the forwarding of the indication to the social network provider is performed by an audience measurement entity managing the audience measurement panel.

\* \* \* \* \*