



US008897903B2

(12) **United States Patent**
Eisner

(10) **Patent No.:** **US 8,897,903 B2**
(45) **Date of Patent:** ***Nov. 25, 2014**

(54) **LOCATION-AWARE DISTRIBUTED SPORTING EVENTS**

- (71) Applicant: **Seth Eisner**, Shawnee on Del, PA (US)
- (72) Inventor: **Seth Eisner**, Shawnee on Del, PA (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

- (21) Appl. No.: **13/717,287**
- (22) Filed: **Dec. 17, 2012**

(65) **Prior Publication Data**

US 2013/0178957 A1 Jul. 11, 2013

Related U.S. Application Data

- (63) Continuation of application No. 13/077,682, filed on Mar. 31, 2011, now Pat. No. 8,333,643, which is a continuation of application No. 12/816,981, filed on Jun. 16, 2010, now Pat. No. 7,934,983.

- (60) Provisional application No. 61/264,151, filed on Nov. 24, 2009.

- (51) **Int. Cl.**
A63K 1/00 (2006.01)
A63K 3/00 (2006.01)
G06F 17/40 (2006.01)

- (52) **U.S. Cl.**
CPC . *G06F 17/40* (2013.01); *A63K 3/00* (2013.01);
A63K 1/00 (2013.01)
USPC **700/91**

- (58) **Field of Classification Search**
CPC A63F 2300/8005; A63F 2300/8082;
A63F 2300/8017; A63F 2300/80; A63F
2300/69; A63F 2300/5533; A63F 2300/5573;
A63F 2300/558; A63F 2300/61; A63F
2300/638; A63F 2300/552; A63F 2300/306;
A63F 2300/307; A63F 2300/205; A63F
2011/0097; A63B 24/0084; A63B 24/0021;
A63K 1/00; A63K 3/00; G06F 17/40
USPC 463/6, 9, 39, 40-42; 701/213-215, 1,
701/23, 26, 120, 121, 122, 300, 201, 205,

701/206, 207, 210, 224; 700/91-92;
707/919-921; 342/357.22, 357.29;
340/426.18, 539.12, 323, 539.13,
340/686.1, 825.36, 825.49, 901, 903, 905,
340/984, 985, 988, 989, 990, 995.1, 995.17,
340/995.19, 995.21, 995.25, 995.27, 436,
340/437, 539.1, 3.41; 434/173-183,
434/190-197, 198-200, 201-206, 207-217,
434/219-225; 482/1, 8.9, 900

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,810,120 A 5/1974 Huettner
4,372,558 A 2/1983 Shimamoto et al.

(Continued)

FOREIGN PATENT DOCUMENTS

GB 2293111 A 3/1996
WO 03088584 A1 10/2003
WO 2009078740 A2 6/2009

Primary Examiner — David L Lewis



Assistant Examiner — Matthew D Hoel

(74) Attorney, Agent, or Firm — Lowe Graham Jones PLLC;
Benedict R. Dugan

(57) **ABSTRACT**

Various embodiments facilitate location-aware distributed competitions. In one embodiment, a system facilitates a distributed sporting event that includes multiple players traveling over courses that are remote from one another. The system includes a manager that receives state information, such as location information, from client devices used by each of the players. The manager then transmits location information for each of the players to the client devices, which are each configured to present a graphical representation, such as a map annotated with the locations of each of the players. The manager asserts a course to each of the players, by providing specific instructions to travel along a particular path. The client devices provide the players with the appearance of competing over the same course, even though they are all actually competing over courses remote from one another.

19 Claims, 18 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,868,560	A	9/1989	Oliwa et al.	2002/0016674	A1	2/2002	Rudow et al.	
4,872,686	A	10/1989	Trasko	2002/0027524	A1	3/2002	Pippin	
5,083,271	A	1/1992	Thacher et al.	2002/0156649	A1*	10/2002	Edgar	705/1
5,283,733	A	2/1994	Colley	2003/0069072	A1	4/2003	Miura	
5,317,321	A	5/1994	Sass	2003/0073473	A1	4/2003	Mori	
5,397,133	A	3/1995	Penzias	2003/0153374	A1	8/2003	Gilmore	
5,507,485	A	4/1996	Fisher	2003/0220143	A1	11/2003	Shteyn et al.	
5,674,127	A	10/1997	Horstmann et al.	2004/0002843	A1	1/2004	Robarts et al.	
5,731,788	A	3/1998	Reeds	2004/0147329	A1	7/2004	Meadows et al.	
5,835,697	A	11/1998	Watabe et al.	2004/0176082	A1	9/2004	Cliff et al.	
6,013,007	A	1/2000	Root et al.	2005/0009608	A1	1/2005	Robarts et al.	
6,070,243	A*	5/2000	See et al. 726/2	2005/0059495	A1	3/2005	Horowitz et al.	
6,080,063	A	6/2000	Khosla	2005/0101415	A1	5/2005	Sweeney	
6,117,007	A	9/2000	Matsuyama et al.	2005/0227791	A1	10/2005	McCreary et al.	
6,177,905	B1	1/2001	Welch	2005/0250590	A1*	11/2005	Doaga et al. 473/150	
6,287,200	B1*	9/2001	Sharma 463/40	2006/0154713	A1	7/2006	Sunazuka et al.	
6,306,038	B1	10/2001	Graves et al.	2007/0026919	A1	2/2007	Klitsner et al.	
6,320,495	B1	11/2001	Sporgis	2007/0060408	A1	3/2007	Schultz et al.	
6,544,121	B2	4/2003	DeWeese et al.	2007/0111768	A1	5/2007	Tipping et al.	
6,579,175	B2	6/2003	Suzuki	2007/0290801	A1	12/2007	Powell	
6,705,942	B1	3/2004	Crook et al.	2008/0027607	A1	1/2008	Ertl et al.	
6,902,513	B1	6/2005	McClure	2008/0039203	A1	2/2008	Ackley et al.	
6,932,698	B2	8/2005	Sprogis	2008/0092202	A1	4/2008	Greenquist et al.	
6,937,165	B2*	8/2005	Rogers 340/963	2008/0201107	A1	8/2008	Doherty et al.	
7,038,973	B1	5/2006	Merlino	2008/0278314	A1	11/2008	Miller et al.	
7,339,470	B2	3/2008	Scott	2009/0005140	A1	1/2009	Rose et al.	
7,454,715	B2	11/2008	Chen et al.	2009/0063419	A1*	3/2009	Nurminen et al. 707/3	
7,457,583	B2	11/2008	Katayama	2009/0076784	A1*	3/2009	Ong et al. 703/6	
7,603,255	B2	10/2009	Case, Jr. et al.	2009/0240354	A1	9/2009	Davidson	
7,625,314	B2	12/2009	Ungari et al.	2009/0256688	A1	10/2009	Khan	
7,733,808	B2	6/2010	Hu et al.	2009/0259566	A1	10/2009	White, III et al.	
2001/0010541	A1*	8/2001	Fernandez et al. 348/143	2009/0275413	A1	11/2009	Rusiniak	
2002/0004723	A1*	1/2002	Meifu et al. 705/1	2010/0004097	A1	1/2010	D'Eredita	
				2010/0041517	A1	2/2010	Ungari et al.	
				2010/0109948	A1	5/2010	Razoumov et al.	
				2010/0210421	A1*	8/2010	Case et al. 482/8	

* cited by examiner

Fig. 1A





Fig. 1B

<u>Estimated Finish Time:</u>	
Booger	24' 11"
Fritz	30' 39"
Oswald	36' 15"



Kona, HI

Lubbock, TX

Oswego, NY

Fig. 2A





Fig. 2B

100






Fig. 2C




Fig. 2D






Fig. 2E

Fig. 3A






Fig. 3B




Fig. 3C




Fig. 3D




Fig. 3E




Fig. 3F




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9

1

LOCATION-AWARE DISTRIBUTED
SPORTING EVENTS

TECHNICAL FIELD

The technical field relates to location-aware distributed competition and more particularly, to apparatus, systems, methods and techniques for facilitating a distributed sporting event that includes multiple players traveling over courses that are remote from one another.

BRIEF DESCRIPTION OF THE DRAWINGS

The components in the drawings are not necessarily to scale relative to each other. Like reference numerals designate corresponding parts throughout the several views.

FIG. 1A shows an example distributed sporting event facilitator system deployed in an example environment.

FIG. 1B illustrates aggregation of individual sporting activities that are occurring at locations and upon courses that are remote from one another.

FIGS. 2A-2B are block diagrams illustrating functional elements of an example embodiment of an example distributed sporting event facilitator system.

FIG. 2C is an example flow diagram of a distributed sporting event process performed according to an example embodiment.

FIGS. 2D-2E illustrate example techniques for determining whether a player is within a boundary of a course

FIGS. 3A-3F are block diagrams illustrating example client device user interface aspects according to various example embodiments.

FIG. 4 is a block diagram of an example computing system for implementing an example competition manager according to an example embodiment.

FIG. 5 is a block diagram of an example client device according to an example embodiment.

FIG. 6 is a flow diagram of an example competition manager process provided by an example embodiment.

FIG. 7 is a flow diagram of in-event processing performed by an example competition manager according to an example embodiment.

FIG. 8 is a flow diagram of an example client device process provided by an example embodiment.

FIG. 9 is a flow diagram of in-event processing performed by an example client device according to an example embodiment.

DETAILED DESCRIPTION

The headings employed herein are used to assist in the presentation and organization of the material and are not to be used to limit the scope of the described techniques.

A. Example Distributed Sporting Event

FIG. 1A shows an example distributed sporting event facilitator system **100** deployed in an example environment. In the embodiment illustrated in FIG. 1A, the system **100** includes a competition manager (i.e., an event controller) **102**, a location information provider **106**, and client devices **104a** and **104b**. The client devices are wirelessly communicatively coupled to the location information provider **106** and to the competition manager **102**. The system **100** is facilitating a distributed sporting event (a kayak race, in this example) by aggregating a plurality of individual sporting activities into a distributed sporting event that includes two players **108a** and **108b**. The players **108a** and **108b** are each performing individual sporting activities, each competing against one

2

another, and each remotely located from the other player. In this example, the players **108a** and **108b** are respectively racing kayaks about courses **110a** and **110b**.

In the illustrated example of FIG. 1A, each course **110a** and **110b** is situated at a location distinct and remote from the other, such as upon two distinct lakes, at two distinct locations on a single body of water, or the like. In other embodiments, there may be a single course on the same body of water, such as a sail boat race from California to Hawaii or a kayak race on Lake Michigan, a canoe race on a river with many bends, or a bike race over a mountainous area. In such competitions, the competitors may be on the same course, but natural obstacles or large distances prevent them from seeing one another and being able to gauge their progress as compared to other competitors. In still other embodiments, there may be multiple courses on the same body of water, such as two separate kayak courses on Lake Michigan.

The client devices **104a** and **104b** are used by their respective corresponding players **108a** and **108b** to obtain information about the distributed sporting event, such as the locations of the other players. In particular, from time to time, each client device **104a** and **104b** transmits state information to the competition manager **102**. The transmitted state information includes an indication of the location of the client device and/or player, as determined in cooperation with the location information provider **106**. In one embodiment, the location information provider includes one or more satellites that transmit a signal that can be used by a client device **104a** and **104b** to determine the location of the device. The competition manager **102** then transmits to the client devices **104a** and **104b** indications of the locations of the client devices **104a** and **104b**. In turn, the client devices **104a** and **104b** present, such as on a graphical display, information about the distributed sporting event, such as indications of the locations of the other players superimposed upon a graphical representation of the race course.

In addition, the competition manager **102** “asserts” a course corresponding to each of the players. In asserting the course, the competition manager **102** imposes a race course over a region or location at which a player is traveling. Asserting the course includes providing specific instructions to each player to travel over a specified path (e.g., a continuously bounded route over which a player moves) and/or to travel in a specified direction. Such instructions may include directions to turn one way or another, warnings (e.g., visual and/or auditory indications) that a player is nearing a course boundary, penalties (e.g., time or point penalty, disqualification) for players who cross course boundaries, and the like. Asserting the course may also include determining the actual or likely location of a player, and determining if that location is within or near the boundaries of a course. In some embodiments, the asserted course is continuous in nature, in that the competition manager **102** causes the players to stay within course boundaries at all times during the event.

The client devices **104a** and **104b** are at or near the same location as their respective player, within the tolerances needed to make the devices usable by their respective players for purposes of competing in such a race. For example, a client device can be coupled and adjacent to a player by being mounted on the player’s body or clothing, the kayak or other boat the player is in, the player’s bicycle, the player’s mode of transport, or the like. The client devices **104** are therefore considered to be “co-located” with the player, namely in the same location as, and moving with, the player.

In some embodiments, two or more players may wish to race each other but live in different locations, such as Boston and San Diego. Of course, the different players can be in any

separate city, state, or country, such as Louisiana and Seattle or France and Argentina. Course information can be transmitted to and programmed into the player's respective client devices, indicating to the players the beginning of the event, where to turn, how to paddle, and other actions, even though no physical buoys or other course markers are present at the player's respective locations. Thus, all players can compete on the same course as the other competitors, even though they are all at different locations that do not include any indications of the course.

FIG. 1B illustrates aggregation of individual sporting activities that are occurring at locations and upon courses that are remote from one another. In particular, FIG. 1B shows three different and distinct lakes **122a-122c**, respectively located at or near Oswego, N.Y.; Lubbock, Tex.; and Kona, Hi. On each of the lakes **122a-122c**, a player (e.g., Oswald, Booger, and Fritz) is racing a kayak about a respective course **124a-124c**. In this example, the courses are substantially or nearly the same shape and dimensions, but are oriented differently and are asserted in different physical locales. As discussed above, the competition manager **102** receives location information from client devices used by each of the players, causes the client devices to display indications of the positions of the players, and asserts a course to each of the players. An example client device **104** is shown, displaying a virtual overlay of relative positions of the players Booger, Fritz, and Oswald, along with their estimated finish times.

Although kayaking is used herein as an example domain for describing a distributed sporting event facilitator system, other domains are suitable as well. Other example distributed sporting events include bicycling (e.g., track racing, road racing, mountain biking), distance running/walking (e.g., trail running, marathons, ultra marathons, competitive walking), other boating disciplines (e.g., rowing, canoeing, sculling, sailing, power boat racing), motorsports (e.g., rally driving, track racing), and the like.

Also, the example distributed sporting event facilitator system is herein described as typically managing the concurrent performances of multiple players. For example, a given distributed sporting event begins at the same time, that is, the players begin racing at or about the same time (e.g., simultaneously). In other embodiments, players may compete in a time-shifted manner, such that a player can compete against recordings of past performances of himself or other players.

B. Functional Aspects of an Example System

FIGS. 2A-2B are block diagrams illustrating functional elements of an example embodiment of an example distributed sporting event facilitator system **100**.

As shown in FIG. 2A, the system **100** includes a competition manager **102**, a plurality of client devices **104a-104c**, a location information provider **106**, and a media provider **118**. The competition manager **102** facilitates a distributed sporting event by aggregating a plurality of individual sporting activities that are each performed by one of a plurality of players. The plurality of players are each competing against one another by traveling over a course situated at a location that is remote from or otherwise not in visual contact with the other players. A player is any human participant or competitor in the distributed sporting event. In the kayaking example of FIG. 1A, each player competes (e.g., races) against the other players by traveling in a boat (e.g., kayak, canoe, rowboat) over different courses at the same time. Each course is situated upon a different lake or some other body of water. Each of the players uses a respective one of the plurality of client devices **104a-104c** to obtain information about the locations of the other players. Each of the client devices **104a-104c** displays, in substantially or near real time, an indication of the

location of each of the players with respect to their travel about their respective course. Thus, each player can ascertain their respective position in the race, and continuously receive feedback regarding the effects of an increase or decrease in physical output.

The competition manager **102** facilitates the distributed sporting event by receiving state information from each of the client devices **104a-104c**. State information received from one client device includes, for example, an indication of the location of the client device and thus the location of the player using the client device. Each client device **104a-104c** is configured to determine its location with the assistance of the location information provider **106**. For example, the location information provider **106** may be or include one or more satellites that transmit a signal, such as a Global Positioning System ("GPS") signal, that may be used by a client device to determine its location. Each client device **104a-104c** transmits state information in response to a passage of time (e.g., every 10 seconds) or some other condition, such as when the client device has moved a predetermined distance from the location of a previous transmission, when the client device is queried for its location by the competition manager **102**, or the like.

The competition manager **102** updates, based on the received state information, a model of the distributed sporting event. The model includes any data structure or arrangement configured to represent the locations of, and possibly other information about, each of the players in the sporting event. In some embodiments, updating the model of the distributed sporting event includes translating indications of player locations from one coordinate system into another. In particular, indications of the "physical" or "global" locations of the players may be converted into corresponding indications of "virtual" or "course" locations of the players. The physical location of a player is the location of the player with respect to a shared, uniform, global coordinate system, such as a planet-wide latitude and longitude coordinate system. In contrast, the course location of a player is the location of a player with respect to a course over which the player is traveling. A course may be or refer to an actual physical course traveled by the player, or a single, shared, uniform, virtual course being "traveled" by all of the plurality of players. Translating player locations may include mapping physical locations onto a virtual course location. By translating or mapping the physical player locations into course locations, the competition manager **102** can more readily compare player locations, such as to determine the respective rankings of the players (e.g., who is winning the race). Also, the translated locations can be transmitted to the client devices **104a-104c** such that each device can more readily display the locations of the players in conjunction with one another, so as to make it appear that the players are all competing on a single, shared course, even though they are actually traveling over courses that are located remotely from one another.

The competition manager **102** transmits to each of the client devices **104a-104c** information about the updated sporting event model. Transmitting information about the updated sporting event model includes transmitting indications of the locations of the plurality of players. In response, each of the client devices **104a-104c** presents the received information to its corresponding player. Presenting the received information includes, for example, displaying a map or other graphical representation of the course, annotated with indications of the locations of the various players. As the players move about their respective courses, their corresponding client devices continuously update their displays in substantially or near real time with respect to the motions of

the players. In this manner, each of the players receives information about his or her position with respect to the other players.

The competition manager **102** asserts the course to each of the plurality of players by causing each of the client devices **104a-104c** to present specific instructions to the corresponding player to travel over a specified course. Asserting the course may include sending a message to a player to travel in a specified direction (e.g., turn left), alarms or other signals to warn a player that he is nearing a course boundary, assessing penalties to players that cross course boundaries, and the like. Asserting a course may also include determining the location of a player with respect to the course. For example, the competition manager **102** may determine whether a player has crossed, or is nearing, a course boundary, and based on that determination, transmit specific instructions to the player to travel in a direction that will take him to a location within the course boundary.

The competition manager **102** may also take various actions in the presence of uncertainty about the location of a particular player. Such uncertainty may be due to unreliable communication channels caused by various factors, including wireless signal attenuation, client device hardware failure, client device power failure, environmental conditions, and the like. In other cases, GPS equipment may provide erroneous readings, such that even though the competition manager **102** has recently received location information from a client device, that location information is associated with a high degree of uncertainty.

In one embodiment, the competition manager **102** determines that information has not been received from at least one of the plurality of players (e.g., within a specified time interval), and in response, determines a likely position for the at least one player, based at least in part on last known location information (e.g., position, orientation, speed of travel) for the at least one player. Various approaches to determining a likely position for a player are contemplated. In one approach, the competition manager **102** performs linear extrapolation based on two previously received location points, according to the following function, where (x_{k-1}, y_{k-1}) and (x_k, y_k) are the two points nearest the point x^* to be extrapolated:

$$y(x_*) = y_{k-1} + \frac{x_* - x_{k-1}}{x_k - x_{k-1}}(y_k - y_{k-1}).$$

A second approach may be used in other circumstances, such as near the end of an event, when even a fatigued a participant will sprint (e.g., over-exert) to the finish line. A linear solution as discussed above may be inadequate here, and a multivariate and/or polynomial approach may be used instead. Various polynomial approaches are contemplated, including generating a Newton series or Lagrange polynomial to fit the data and using the resulting polynomial to perform extrapolation.

Various other actions may be taken by the competition manager **102** in response to a determination that communication with a client device has failed. In one embodiment, if communication with a client device fails for longer than a predetermined amount of time (e.g., one minute) a participant removal (e.g., disqualification) notification will be sent to the client device. The amount of time may also be based at least in part on the current state of the sporting event. For example, if players are nearing the finish line, the competition manager

102 may require more frequent communication in order to make an accurate determination of which player won the event.

As another advantage provided by the described techniques, there is no need for judges or other officials to observe the players, because the competition manager **102** keeps track of how far and fast each player has moved, when the player turns, where the player turns, and other information so that even if one player cuts the course short or turns too soon, this can be detected by the competition manager **102**, and handled by taking the appropriate action. In some cases, the competition manager **102** issues a warning or other instruction to return to the course. In other cases, the competition manager **102** adds an appropriate amount of time for the distance that should have been traveled, based on the average travel speed, wind speed compensation, and other factors. Other actions performed by the competition manager **102** may be similarly incorporated.

Additional features are contemplated. For example, in one embodiment, the competition manager **102** handicaps players and/or courses by correcting for a disparity between at least some of the players. Various factors impact the performance of each player, including player-related factors, such as player strength, endurance, age, experience, and the like; course conditions, such as terrain, weather conditions, and the like; etc. Such factors may result in races that are not "fair," such as when an adult competes against a child, when one player with a tailwind competes against another player with a headwind, or the like. In some embodiments, the competition manager may identify disparities between players, such as based on one or more of the above factors, and correct for such disparities in various ways. Correcting for a disparity may include modifying or otherwise adjusting the length of the course and/or the course location of one or more of the players. For example, the location of a disadvantaged player may be modified such that the player appears to be progressing over the course faster than they really are. Similarly, the location of an advantaged player may be modified such that the player appears to be progressing slower than they really are. As a further example, the competition manager may cause a stronger player to travel over a course that is 10% (or some other amount based on the respective player strengths) longer than other players, and further cause the client devices to vary the display scale, such that all players appear to be traveling on the same length course both to themselves and the other players. Other methods for adjusting, modifying, normalizing, and/or handicapping players or courses may be used.

In other cases, the competition manager **102** aggregates sporting activities that are of a similar or same type (e.g., paddling/rowing boats of a similar class, running on a standard-distance track, bicycling over one of several pre-designated courses), in which players are self selected into categories or groups of similar experience (e.g., beginner, old-timer), age (e.g., 20 to 30-year olds, 30 to 40-year olds), and/or skill level (e.g., casual, advanced, expert), and in which differences between course conditions are negligible (e.g. a typical player competing over each of the different courses would finish each course in a time that varies by no more than 5%). In such cases, the competition manager **102** need not perform any handicapping, disparity correction, or the like.

In another embodiment, the competition manager **102** also transmits a media content stream to each of the client devices **104a-104c**. In particular, the competition manager **102** receives media content, such as text, images, audio, video, and the like, from the media provider **118**, and transmits such

media content to each of the client devices **104a-104c**. The media content may include content that is in some way related to one or more of the players and/or the sporting event itself. For example, real-time and/or historical commentary about the performance of each of the players may be streamed to the client devices **104a-104c** in order to enhance the competitive experience for the players. Other types of media content and/or media-related services or functions are contemplated and are discussed further below.

In some embodiments, the competition manager **102** also provides, possibly in cooperation with the media provider **118**, an online distributed sporting event media framework. Such a framework provides an environment through which players, spectators, coaches, and other types of users may access media content and other event information, including image data, audio data, video data, conditions information, commentary, text messages, and the like. In one embodiment, the competition manager **102** receives, in substantially or near real time with the movements of the players, video data taken from the locations of the corresponding players (e.g., via helmet cameras, boat cameras), and transmits at least some of the received data via or across the distributed sporting event framework to other players and/or non-participating parties, such as spectators. In some embodiments, the competition manager **102** edits the received video data into a program that presents the progress of the distributed sporting event, by incorporating various views of the event taken from the current locations of some of the players.

In other embodiments, a distributed sporting event framework may provide other and/or additional services. For example, the framework may facilitate real time coaching by persons who are remotely located from the plurality of players; record information about the distributed sporting event, including event times, rankings, scores, and the like; distribute information about upcoming events (e.g., to announce a new race or race series); and facilitate the organization of players into leagues or other groups of players. Organizing players into groups may include facilitating the self selection of players into groups of similar players and/or activities, such as players of similar age, ability, experience, boat type, or the like. In addition, the distributed sporting event framework may facilitate communication amongst player before, during, and after a distributed sporting event, for example by facilitating the exchange of text or other messages between players.

FIG. 2B is a block diagram illustrating functional components of a competition manager **102** and a client device **104** according to one example embodiment of a distributed sporting event facilitator system **100**.

The illustrated competition manager **102** includes a participant tracker **202**, an event manager **204**, and a competition bookkeeper **206**. The competition bookkeeper **206** manages information about distributed sporting events and players and/or users of the distributed sporting event facilitator system **100**. The functions of the bookkeeper **206** are typically focused on pre-event and post-event operations. Pre-event operations include managing the creation of new distributed sporting events and managing user accounts associated with players. For example, a prospective player can interact with the competition bookkeeper **206** in order to create a new user account. Once that account has been created, the player can create a new distributed sporting event, by providing details such as information about the event course (e.g., dimensions, length, course type, waypoints), the timing of the event (e.g., when the event is to take place), the type of event, or the like. Post-event operations include storing information about event results (e.g., the respective positions/places of the play-

ers in an event), providing information about past events (e.g., providing standings), and the like.

The event manager **204** and the participant tracker **202** cooperate to facilitate a particular distributed sporting event. More specifically, the participant tracker **202** receives and records state information from the client device **104**. In this manner, the participant tracker **202** tracks the progress of the players that are competing in the distributed sporting event.

The event manager **204** manages a model of the distributed sporting event by updating the model based on the state information received by the participant tracker **202**. The event manager **204** also asserts the course by transmitting specific instructions to the client device **104** that, when followed by the corresponding player, would cause or facilitate the player to travel over a specified course. In addition, the event manager **204** transmits information about the updated event model to the client device **104**, such as by transmitting to the client device **104** indications of the location of the players competing in the distributed sporting event. Furthermore, the event manager **204** may transmit, or initiate the transmission of, media content to the client device **104**. As noted above, media content including live or recorded commentary and/or other information may be streamed or otherwise transmitted to the client device **104** to enhance the competitive experience of the player.

The client device **104** includes a user interface manager **212**, an event client **214**, and a state information collector **216**. The state information collector **216** determines and records state information about the client device **104** and/or a corresponding player. The state information may be received from various sources, including the location information provider **106** (e.g., one or more satellites, one or more cellular telephone towers), sensors that are local to the client device **104** (e.g., an accelerometer, an altimeter, a thermometer), and other remote information sources (e.g., network-accessible weather information). The state information may include location information about the client device **104**, such as location, orientation, direction of travel, velocity, acceleration, altitude, and the like. The state information may also include local event conditions information, such as weather conditions (e.g., temperature, precipitation, wind speed, wind direction), course conditions (e.g., road or trail surface conditions, road or trail incline), and the like. In addition, the state information may include information about the player, including biometrics (e.g., heart rate, blood pressure, cadence, blood oxygen level).

The event client **214** facilitates interaction with the competition manager **102**. In particular, the event client **214** obtains state information collected by the state information collector **216** and transmits that information to the competition manager **102**. Various transmission protocols are contemplated. For example, in some embodiments, a “push” communication model is employed, wherein the event client **214** asynchronously transmits state information to the competition manager **102**. In other embodiments, a “pull” communication model is employed, wherein the event client **214** synchronously, in response to a received request, transmits state information to the competition manager **102**. In general, the event client **214** may be configured to transmit state information in response to the occurrence of one or more events, such as a passage of time, a change in location, a received request, and the like.

The event client **214** also obtains and records state information about other client devices and/or players. In particular, the event client **214** receives from the competition manager **102** indications of the locations of other players that are

participating in the distributed sporting event. The received information is stored for use by the user interface manager **212**, described next.

The user interface manager **212** manages the input/output functionality of the client device **104**. In particular, the user interface manager **212** presents, on a display (e.g., bit mapped graphics display) of the client device **104**, information about the distributed sporting event. The displayed information can include indications of the locations of players participating in the event, a depiction of the event course (e.g., a map), ranking information (e.g., the race positions of the players), instructions (e.g., to make a turn), and the like. The user interface manager **212** updates the displayed information from time to time, such as when the event client **214** receives updated information about the locations of the players or upon the occurrence of other conditions (e.g., a passage of time, a received request). The user interface manager may also present media content, such as commentary or other information, upon the display device.

The above description of the elements of the distributed sporting event facilitator system **100**, such as the competition manager **102** and client device **104**, is intended as a broad, non-limiting overview to assist the reader's understanding. In particular, FIGS. **2A** and **2B** illustrate just one example of a distributed sporting event facilitator system **100**. The various embodiments discussed herein are not limited to the illustrated arrangements. In particular, distributed sporting event facilitator system **100** and the various elements thereof may contain other components, modules, devices, systems and/or media not specifically described herein, and/or be combined into different units, or the like.

FIG. **2C** is an example flow diagram of a distributed sporting event process performed according to an example embodiment. In particular, FIG. **2C** illustrates a process **220** that may be implemented by, for example, one or more elements of the distributed sporting event system **100** as described with respect to FIG. **2B**, including the competition manager **102** and/or the client device **104**. The process **220** facilitates a distributed sporting event comprising a plurality of players. In one embodiment, the players are each competing against one another by traveling over a course situated at a location that is remote from other of the plurality of players, such as by competing upon different lakes, or different portions of the same lake. In another embodiment, at least some of the players may be competing at the same location, such as by competing over the same course on the same lake.

The illustrated process **220** begins at block **221**. At block **222**, the process initiates a distributed sporting event comprising multiple players each having a client device. Initiating a distributed sporting event includes notifying one or more players that the event is beginning.

At block **223**, the process receives information about a current location of a player. Receiving information about a current location of a player includes receiving the information from a GPS receiver or other location provider associated with a client device.

At block **224**, the process presents indications of positions of at least some of the other players with respect to the player. Presenting indications of positions of at least some of the players may include presenting a virtual overlay of the locations of each of the players with respect to one another and/or with respect to the course and/or its boundaries, so that the players appear to be competing over the same course at the same location.

At block **225**, the process asserts a course to the player by presenting specific instructions to travel over a specified path. Asserting the course includes presenting specific instructions

to travel over a specified path and/or to travel in a specified direction. A path may include a bounded route over which a player must travel in order to compete in manner that complies with the rules of the event. In some embodiments, the bounded route is at continuous or nearly continuous in nature, in that the player is considered to be in compliance with event rules if he is situated within course boundaries all or most (e.g., 80%, 90%) of the time. In some embodiments, the bounded route is mostly continuous in nature, in that the player is considered to be in compliance with event rules if he is situated within course boundaries during the balance (e.g., at least half the time) of the competition. Asserting the course may include determining whether the player is within boundaries of the asserted course path, and if not (or if approaching a boundary) providing visual and/or auditory feedback, instructions, warning, penalties, disqualifications, or the like, that cause the player to re-enter (or stay within) the boundaries.

At block **226**, the process determines whether to continue, and if so, continues to block **223**, otherwise proceeds to **229**, where it returns.

FIGS. **2D-2E** illustrate example techniques for determining whether a player is within a boundary of a course. As noted, asserting a course may include determining whether a player is within a boundary of the asserted course. In the example of FIG. **2D**, a course is represented as an outer bounding polygon **232** and an inner bounding polygon **234**. Here, both polygons **232** and **234** are rectangular in shape, but other shapes may be used, including non-polygonal shapes such as circles, ellipses, arcs and/or aggregations thereof. A player **108** is determined to be within the boundaries of the course when his location (e.g., measured as the location of his client device **104**) is outside (or not inside) the inner bounding polygon **234** and inside (or not outside) the outer bounding polygon **232**. As the player **108** nears one or the other of the inner **234** or outer **232** bounding polygons, various actions may be taken (e.g., by the competition manager **102**), including transmitting an instruction to travel in a different direction and/or to turn the boat, transmitting a warning, causing a client device **104** to present a visual and/or auditory alarm, or the like. Note that the boundaries of the illustrated course are continuous, in that the player **108** must stay within the boundaries at all times during the event.

In the example of FIG. **2E**, a course is represented as a polygon **244**. A player **108** is determined to be within the boundaries of the course when his location is within a specified distance, here represented as circle **242** having the player **108** placed substantially at or near its center, of any side of the polygon **244** (or other portion of other type of shape used to represent the course). Shapes other than circle **242** are contemplated, including bounding boxes or other polygons. As discussed with reference to FIG. **2D**, various actions may be taken to assert the course as the player **108** nears a course boundary. Here, for example, as the distance between the player and the course boundary increases, the competition manager **102** may cause a client device **104** of the player to play a sound of increasing volume and/or pitch, provide specific instructions as to which way to turn the boat, or the like.

Note that in at least some embodiments one or more of the functions attributed to the competition manager **102** may be instead or in part performed by a client device. In one embodiment, the client device determines whether a player is within boundaries of a course, and in response, provides instructions to the corresponding player to travel in a particular direction to stay within the boundaries. In such an embodiment, the client device receives from the competition manager **102** a representation of the course (e.g., at or prior to the beginning

of the event), such that the client device can make the necessary determinations locally. The client device may still from time to time transmit location information to the competition manager 102, such that the location information can be forwarded to other client devices for purposes of presenting a virtual overlay of player positions.

Also, although certain terms are used primarily herein, other terms could be used interchangeably to yield equivalent embodiments and examples. For example, it is well-known that equivalent terms in location-based services, distributed processing, and in other similar fields could be substituted for such terms as “client device,” “location provider,” and the like. Specifically, the term “client device” can be used interchangeably with “portable device,” “mobile client,” “mobile device,” “participant device,” and the like. Likewise, the term “location provider” can be used interchangeably with the terms “positioning system,” “positioning service,” and the like. In addition, terms may have alternate spellings which may or may not be explicitly mentioned, and all such variations of terms are intended to be included.

Example embodiments described herein provide applications, tools, data structures and other support to implement a distributed sporting event facilitator system. Other embodiments of the described techniques may be used for other purposes or contexts, such as for distributed, real-time, location-aware applications generally. In the following description, numerous specific details are set forth, such as data formats, code sequences, and the like, in order to provide a thorough understanding of the described techniques. The embodiments described also can be practiced without some of the specific details described herein, or with other specific details, such as changes with respect to the ordering of the code flow, different code flows, and the like. Thus, the scope of the techniques and functions described are not limited by the particular order, selection, or decomposition of steps described with reference to any particular module, component, or routine.

C. User Interfaces Provided by Various Example Embodiments

FIGS. 3A-3F are block diagrams illustrating example client device user interface aspects according to various example embodiments. In particular, FIG. 3A shows example user interfaces provided by client devices used in the kayaking example of FIG. 1A. FIGS. 3B-3E show additional views of example user interfaces provided by client devices used in an example kayaking implementation. FIG. 3F shows an example user interface provided by a client device used in a bicycling implementation.

FIG. 3A illustrates user interface screens 301a and 301b respectively displayed upon client devices 104a-104b. In particular, screens 301a and 301b present event information regarding the state of the distributed sporting (kayak race) event described with reference to FIG. 1A.

The screens 301a and 301b present graphical representations of the event course annotated with indicators of the locations of the players. As can be seen in FIG. 1A, player 108a is leading player 108b. This fact is illustrated by, for example, the screen 301a of device 104a used by player 108a, showing a graphical representation, such as a map, 310a of the course annotated with icons 312a and 312b that respectively indicate the locations of players 108a and 108b. Icon 312a is highlighted or otherwise bolded to indicate that icon 312a corresponds to player 108a who is using device 104a and is leading player 108b with corresponding icon 312b. Similarly, screen 301b of device 104b used by player 108b shows a graphical representation 310b of the course annotated with icons 312c and 312d that respectively indicate the

locations of players 108a and 108b. In this case, icon 312d is highlighted to indicate that icon 312d corresponds to player 108b who is using device 104b and is trailing player 108a with corresponding icon 312c.

Note that the screens 301a and 301b each display a virtual overlay of the positions of the players with respect to each other and/or the course. Thus, even though the players 108a and 108b are participating at locations that are remote from one another (e.g., on different lakes) they appear to be competing against one another, in a head-to-head fashion, on the same course. Other examples of virtual overlays that make it appear as if players are competing over the same course are shown FIGS. 3B, 3D, 3F, and 10.

The screens 301a and 301b also present other kinds of event information in various other ways. For example, screen 301a includes a graphical representation 316 that indicates that the boat raced by player 108a is tracking slightly to the right of the center line of the course. Also, screen 301a includes a text area 314 which provides textual and/or graphical information about the event, including an identifier of the player (e.g., “Boat #32”), a current race position/ranking (e.g., “1/2” meaning “first position out of a total of two racers”), a current speed (e.g., 7.5 miles per hour), and an event instruction describing an upcoming turn (e.g., “30 m-100 R” meaning “in thirty meters, make a 100 degree right turn, the angle of turn measured from the direction of travel”).

In some embodiments, event instructions are used to assert the course by providing instructions to the players to assist them in participating in the event. Instructions can be in textual format, such as one that is shown in text area 314, above, where the player is instructed to make a 100 degree right turn in thirty meters, where the angle of the turn is measured from the direction of travel. Instructions can also be in graphical format. For example, arrow 318 instructs the player 108a to turn slightly to the left, in order to correct for the fact that the boat is tracking to the right of the center line of the course.

Other types of event instructions are contemplated, such as those provided to improve the performance of the player. In particular, the client device may display sport-specific instructions, such as a preferred stroke type or rowing cadence for paddle sports, or a preferred pedal cadence or body position (e.g., in or out of saddle) for cycling sports. The client device may also display target output levels, such as for heart rate, breathing, speed, and the like.

Event instructions may also include warnings or indications of potential or actual infractions of race rules. For example, an event instruction can warn a player that they are about to stray too far from the race course, and are therefore in danger of being disqualified from the race. As another example, an event instruction can warn a player that they are moving too slowly to finish the race within a predetermined time limit, and are therefore in danger of being disqualified. In a further example, an event instruction can inform a player that they have been disqualified or penalized for an infraction of a race rule.

In some embodiments, asserting the course includes the use of alarms, or other visual or auditory feedback that is based on the nearness of a player to a course boundary. For example, a beeping sound may be played at increasing volumes as a player approaches a course boundary. In another embodiment, a visual indicator may flash more brightly or more frequently as the player approaches a course boundary.

FIG. 3B illustrates another example user interface screen 321 displayed by a client device used in a kayaking implementation. The screen 321 is similar to screens 301a and 301b described with respect to FIG. 3A, except that screen 321

illustrates a number of other types of event information that can be displayed by various embodiments. For example, screen **321** displays a graphical representation **322** of a course that includes a directional indicator **323** and a start/finish indicator **325**. The directional indicator **323** indicates a direction of travel of a corresponding player/boat. Other types of event information are shown in text area **324**, including current race position (42nd out of 111), hull speed (7.4 miles per hour), distance to finish (2.2 kilometers), distance to next turn (104 meters) and type of turn (90 degrees right), projected finish time (40 minutes and 46 seconds), and projected finish position/place (53rd out of 111). Additional event information is shown in text area **326**, which shows a list of players ordered by position (i.e., a leader board) along with timing information showing a number of seconds behind the leader.

The form factor of screen **321** is approximately 4 inches (about 10 cm) high by 6 inches (about 15 cm) wide. Screen **321** is suitably dimensioned to be part of a client device that is a standard GPS device or a general-purpose (e.g., tablet computer) or special-purpose computing device. The client device that includes screen **321** will typically be waterproof or water resistant, and include a portable, self-contained power source (e.g., battery). In at least some embodiments, the screen **321** will also be touch sensitive, so that a user can provide inputs to control the device.

FIG. **3C** illustrates a further user interface screen **331** displayed by a client device used in a kayaking implementation. The screen **331** is similar in form factor to screen **321** described with respect to FIG. **3B**, except that screen **331** illustrates a number of other types of event information. In particular, screen **331** includes a media content display area **338** used to display media content received by the client device. In this case, streaming video is being displayed in the area **338**. Media content displayed in area **338** may be related to the sporting event, such as commentary describing the relative performances of the various players. In addition, the media content may in some embodiments be received from other players in the distributed sporting event, such as text, audio, and/or video chat or instant messaging. In some embodiments area **338** may be used to provide betting or wagering functionality, such that players can place wagers on the outcome of sporting events. In some embodiments, the media content may be unrelated to the sporting event, such as audio/video programming (e.g., music, talk radio, news, sports, weather, drama, and/or comedy) obtained from television networks, radio stations, Internet sources, or the like.

Screen **331** also includes a graphical representation **332** of a course that includes an icon **333** that indicates the location of the player viewing screen **331**. The graphical representation **332** does not display locations of other players, but in a typical embodiment, this function can be toggled to show some or all of the other players, such as by selecting a user interface control (e.g., a button). Also, in some embodiments, the display of a client device can be switched to present a screen of any of the types shown in FIGS. **3A-3F**, or even other types, by pressing appropriate buttons or touch screen areas, or by other input mechanisms, including voice.

Screen **331** also includes a graphical representation **334** that indicates the track of the player's boat as being slightly to the left of the center line of the course, and also instructs the player to make a 90 degree right turn in 115 meters. The graphical representation **334** also includes indicators **335a** and **335b** indicating the location of the course boundary with respect to the player's boat.

FIG. **3D** illustrates a further user interface screen **341** displayed by a client device used in a kayaking implementation. The screen **341** is similar in form factor to screens **321** and

331 described above, except that screen **341** illustrates a number of additional types of event information. In particular, screen **341** includes a graphical representation **342** of a finish line approach. The graphical representation **342** includes a finish line indicator **343** and icons **344a-344d** that respectively indicate the locations of four players/boats, named "TooTired," "SlowBoat," "Hercules," and "Intrepid." Icon **344b** is highlighted (e.g., bolded) to indicate that it represents the current player's boat. Note that the graphical representation **342** may display player positions in a manner that is only partly faithful to, or otherwise reflective of, the actual physical positions of the players. For example, the left-right positioning of the icons **344a-344d** may not reflect the actual left-right positioning of the corresponding players, and instead be selected or determined for display purposes (e.g., to make the display more readable).

FIG. **3E** illustrates another user interface screen **351** used in a kayaking implementation. Screen **351** is a smaller form factor than screens **321**, **331**, and **341** described above. In particular, screen **351** is approximately 3 inches (about 7.5 cm) high and 2 inches (about 5 cm) wide. Screen **351** is suitably dimensioned to be part of a smart phone, personal digital assistant, pocket-sized GPS device, or the like.

Also, in contrast to the in-event information presented by screens **321**, **331**, and **341**, above, screen **351** presents primarily pre-event information, such as may be displayed prior to the beginning of a race. In particular, screen **351** includes a login area **352**, a media area **353**, a message area **354**, a league standings area **355**, and an event overview area **356**. The event overview area **356** provides information regarding an upcoming race, taking place at 11 AM Eastern Standard Time ("EST"), beginning in 24 minutes, with registration closing in 11 minutes. The upcoming race has an entry fee, payable in dollars (\$11) or in points (110 FKP). The login area **352** includes user-selectable controls (e.g., text entry fields, buttons) configured to receive user identifiers, passwords, and similar tokens that may be used to authenticate a player for purposes of registering for the upcoming race. The media area **353** is shown displaying a video or still image of a player. The message area **354** includes instant messaging (e.g., chat) functionality, such that the player can converse via text, audio, and/or video with other players. The league standings area **355** provides information about current league standings, such as accumulated total scores or points based on a series of races.

FIG. **3F** illustrates an example user interface screen **361** used in a bicycling implementation. The illustrated user interface screen **361** is about 4 inches (about 10 cm) wide by 2.5 inches (about 6.4 cm) high. The screen **361** is suitably dimensioned to be part of a bicycling computer, GPS unit, or other computing device mounted on a bicycle, such as on the handlebars. The screen **361** includes a graphical representation **362** including five icons **364a-364d** respectively representing the relative positions of five cyclists. Each bicycle icon **364a-364d** is annotated with text that includes the cyclist's competition name ("Ignatz," "Elf06," "FishLips," "RokHund," and "Elastic," respectively), current speed (11.7, 19.2, 9.9, 13.1, and 16.0 miles per hour, respectively), distance to finish (4.11, 4.13, 4.71, 4.91, and 5.26 miles, respectively), and current grade. The current grade indicates the percent uphill or downhill grade (indicated by an up or down arrow) being currently ridden by a cyclist. For example, the cyclist "Ignatz" is shown riding a 7.5% uphill grade, the cyclist "Elf06" is shown riding a 4.7% downhill grade, and the cyclist "Elastic" is shown riding on substantially or near level ground.

Although various specific user interface aspects have been described above, these aspects may be varied in other embodiments. For example, other form factors and/or layouts may be utilized. In one embodiment, client devices may be suitably dimensioned to be worn on the body, such as on the wrist or forearm. Such a small form factor may be suitable, for example, in a distance running (e.g., trail running, 10K, marathon, ultra marathon) or multi-sport (e.g., triathlon, adventure racing) implementation. In addition, at least some of the above-described user interface features may be deployed using other display media, such as eyeglass displays, heads up displays, or the like.

D. Example Computing System Implementations

FIG. 4 is a block diagram of an example computing system for implementing an example competition manager according to an example embodiment. FIG. 4 shows a computing system 400 that may be utilized to implement a competition manager (i.e., an event controller) 102. Typically, the computing system 400 is a network accessible server computing system that manages one or more distributed sporting events for multiple participants.

Note that one or more general purpose or special purpose computing systems/devices may be used to implement the competition manager 102. In addition, the computing system 400 may comprise one or more distinct computing systems/devices and may span distributed locations. Furthermore, each block shown may represent one or more such blocks as appropriate to a specific embodiment or may be combined with other blocks. Also, the competition manager 102 may be implemented in software, hardware, firmware, or in some combination to achieve the capabilities described herein.

In the embodiment shown, computing system 400 comprises a computer memory (“memory”) 401, a display 402, one or more Central Processing Units (“CPU”) 403, Input/Output devices 404 (e.g., keyboard, mouse, CRT or LCD display, and the like), other computer-readable media 405, and network connections 406. The competition manager 102 is shown residing in memory 401. In other embodiments, some portion of the contents, some or all of the components of the competition manager 102 may be stored on and/or transmitted over the other computer-readable media 405. The components of the competition manager 102 preferably execute on one or more CPUs 403 and facilitate distributed sporting events, as described herein. Other code or programs 430 (e.g., an administrative interface, a Web server, and the like) and potentially other data repositories, such as data repository 420, also reside in the memory 401, and preferably execute on one or more CPUs 403. Of note, one or more of the components in FIG. 4 may not be present in any specific implementation. For example, some embodiments may not provide other computer readable media 405 or a display 402.

In a typical embodiment, the competition manager 102 includes a participant tracker 202, an event manager 204, a competition bookkeeper 206, a competition manager application program interface (“API”) 410, and a data repository 414 that includes event and/or user information. Operation of the participant tracker 202, event manager 204, and competition bookkeeper 206 are described with respect to FIG. 2B, above.

The data repository 414 is used by the other modules of the competition manager 102 to store and/or communicate information. For example, the participant tracker 202 receives state information from one or more client devices 104, and stores the received state information in the data repository 414. In addition, the event manager 204 updates an event model stored in the data repository 414, based on the received state information. Furthermore, the competition bookkeeper

206 stores user account information, event results, course information, and the like in the data repository 414. Although the modules are described as communicating primarily through the data repository 414, other communication mechanisms are contemplated, including message passing, function calls, pipes, sockets, shared memory, and the like.

The API 410 provides programmatic access to one or more functions of the competition manager 102. For example, the API 410 may provide a programmatic interface to one or more functions of the competition manager 102 that may be invoked by one of the other programs 430 or some other module. In this manner, the API 410 facilitates the development of third-party software, such as user interfaces, plug-ins, news feeds, adapters (e.g., for integrating functions of the competition manager 102 into Web applications), and the like.

In addition, the API 410 may be in at least some embodiments invoked or otherwise accessed via remote entities, such as the media provider 118 and/or the client device 104, to access various functions of the competition manager 102. For example, the client device 104 may transmit state information and/or receive state information to the competition manager 102 via the API 410. In addition, the media provider 118 may provide media content to the competition manager 102 and/or client devices 104 via the API 410.

The competition manager 102 interacts via the communication system 440 with the media provider 118 and the client device 104. The communication system 440 may be any combination of media (e.g., twisted pair, coaxial, fiber optic, radio frequency), hardware (e.g., routers, switches, repeaters, transceivers), and protocols (e.g., TCP/IP, UDP, Ethernet, Wi-Fi, WiMAX) that facilitate communication between remotely situated humans and/or devices.

Other or additional functions and/or data are contemplated. In some embodiments, the competition manager 102 includes a user interface manager (not shown) that provides a view and a controller that facilitate user interaction with the competition manager 102 and its various components. For example, the user interface manager may provide Web based access to the competition manager 102, such that users can create user accounts, register to take part in upcoming distributed sporting events, generate new distributed sporting events, obtain information about their own and other users’ past performance, and the like.

FIG. 5 is a block diagram of an example client device according to an example embodiment. In particular, FIG. 5 illustrates a possible software implementation of the functions of a client device 104. Typically, the client device 104 is a portable computing device, such as a smart phone, a GPS device, a personal digital assistant (“PDA”), a cycling computer, a wearable computer (e.g., wrist computer), and the like. Note that in the following, each block shown may represent one or more such blocks as appropriate to a specific embodiment or may be combined with other blocks. Also, in other embodiments, the functions of the client device 104 may be implemented in software, hardware, firmware, or in some combination thereof to achieve the capabilities described herein.

In the embodiment shown, client device 104 comprises a computer memory (“memory”) 501, a display 502 (e.g., an LCD display), one or more Central Processing Units (“CPU”) 503, Input/Output devices 504 (e.g., keyboard, keypad, buttons, mouse, and the like), other computer-readable media 505, and network connections 506. The I/O devices 504 may also include a variety of sensors, such as a thermometer, altimeter, accelerometer, or the like. In some embodiments, the display 502 may be separate from the device 104, such as

part of an eyeglass or heads up display. Client device logic **500** (e.g., software instructions and/or data) is shown residing in memory **501**. In other embodiments, some portion of the contents, some or all of the components of the client device logic **500** may be stored on and/or transmitted over the other computer-readable media **505**. The components of the logic **500** preferably execute on one or more CPUs **503** and facilitate participation in distributed sporting events, as described herein. Other code or programs **530** (e.g., a Web browser, sensor modules, and the like) and potentially other data repositories, such as data repository **520**, also reside in the memory **501**, and preferably execute on one or more CPUs **503**. Of note, one or more of the components in FIG. 5 may not be present in any specific implementation. For example, some embodiments may not provide other computer readable media **505** or data repository **520**.

In a typical embodiment, the logic **500** includes a user interface manager **212**, an event client **214**, a state information collector **216**, a client device application program interface (“API”) **510**, and a data repository **514** that includes event information. The user interface manager **212**, an event client **214**, a state information collector **216** are described with respect to FIG. 2B, above.

The data repository **514** is used by the other modules (e.g., modules **212**, **214**, and/or **216**) of the client device logic **500** to store and/or communicate information. For example, the state information collector **216** obtains state information from the location information provider **106** and/or local sources (e.g., the I/O devices **504** or one of the other programs **530**), and stores the received information in the data repository **514**. The event client **214** receives event information from the competition manager **102**, including indications of the locations of other players/devices, and stores the received information in the data repository **514**. The user interface manager **212** obtains event information from the data repository **514** and displays it on the display **502** and/or the other I/O devices **504**. Although the modules are described as communicating primarily through the data repository **514**, other communication mechanisms are contemplated, including message passing, function calls, pipes, sockets, shared memory, and the like.

The API **510** provides programmatic access to one or more functions of the client device **104**, such that those functions may be invoked by one of the other programs **530** or some other module. In this manner, the API **510** facilitates the development of third-party software, such as user interfaces, plug-ins, adapters, and the like. For example, the API **510** may be utilized to develop a custom user interface for a particular type of client device **104**, a plug-in for a Web browser, or the like.

In addition, the API **510** may be in at least some embodiments invoked or otherwise accessed via remote entities, such as the media provider **118**, the competition manager **102**, and/or the location information provider **106**, to access various functions of the client device **102**. For example, the competition manager **102** may transmit event information to the client device **104** via the API **510**. In addition, the media provider **118** may provide media content to the client device **104** via the API **510**.

The client device **104** interacts via the communication system **440** with the media provider **118**, the competition manager **102**, and the location information provider, as discussed with respect to FIG. 4, above. Although the competition manager **102** and location information provider **106** are shown using a single communication system **440**, in other embodiments the competition manager **102** and location information provider **106** may communicate with the client

device **104** using distinct communication mechanisms. For example, the location information provider **106** may be a satellite system transmitting messages on a particular radio frequency, whilst the competition manager **102** may utilize Internet protocols via a cellular telephone network or WiMAX network.

In an example embodiment, components/modules of the competition manager **102** and client device **104** are implemented using standard programming techniques. For example, the competition manager **102** and/or client device logic **500** may be implemented as a “native” executable running on the CPUs **403** and **503**, along with one or more static or dynamic libraries. In other embodiments, the competition manager **102** or the client device logic **500** may be implemented as instructions processed by a virtual machine that executes as one of the other programs **430** or **530**. In general, a range of programming languages known in the art may be employed for implementing such example embodiments, including representative implementations of various programming language paradigms, including but not limited to, object-oriented (e.g., Java, C++, C#, Visual Basic.NET, Smalltalk, and the like), functional (e.g., ML, Lisp, Scheme, and the like), procedural (e.g., C, Pascal, Ada, Modula, and the like), scripting (e.g., Perl, Ruby, Python, JavaScript, VBScript, and the like), and declarative (e.g., SQL, Prolog, and the like).

The embodiments described above may also use either well-known or proprietary synchronous or asynchronous client-server computing techniques. If given this disclosure, a person having ordinary skill in the art would be able to routinely program various computers, software, client devices and the like to perform the described techniques. Also, the various components may be implemented using more monolithic programming techniques, for example, as an executable running on a single CPU computer system, or alternatively decomposed using a variety of structuring techniques known in the art, including but not limited to, multiprogramming, multithreading, client-server, or peer-to-peer, running on one or more computer systems each having one or more CPUs. Some embodiments may execute concurrently and asynchronously, and communicate using message passing techniques. Equivalent synchronous embodiments are also supported. Also, other functions could be implemented and/or performed by each component/module, and in different orders, and by different components/modules, yet still achieve the described functions.

In addition, programming interfaces to the data stored as part of the competition manager **102** and client device **104**, such as in the data repositories **414** and **514**, can be available by standard mechanisms such as through C, C++, C#, and Java APIs; libraries for accessing files, databases, or other data repositories; through markup languages such as XML; or through Web servers, FTP servers, or other types of servers providing access to stored data. The data repositories **414** and **514** may be implemented as one or more database systems, file systems, or any other technique for storing such information, or any combination of the above, including implementations using distributed computing techniques.

Different configurations and locations of programs and data are contemplated for use with techniques of described herein. A variety of distributed computing techniques are appropriate for implementing the components of the illustrated embodiments in a distributed manner including but not limited to TCP/IP sockets, RPC, RMI, HTTP, Web Services (XML-RPC, JAX-RPC, SOAP, and the like). Other variations are possible. Also, other functionality could be provided by each component/module, or existing functionality could be

distributed amongst the components/modules in different ways, yet still achieve the functions of a media format transcoder.

Furthermore, in some embodiments, some or all of the components of the competition manager **102** and/or the client device **104** may be implemented or provided in other manners, such as at least partially in firmware and/or hardware, including, but not limited to one or more application-specific integrated circuits (“ASICs”), standard integrated circuits, controllers executing appropriate instructions, and including microcontrollers and/or embedded controllers, field-programmable gate arrays (“FPGAs”), complex programmable logic devices (“CPLDs”), and the like. Some or all of the system components and/or data structures may also be stored as contents (e.g., as executable or other machine-readable software instructions or structured data) on a computer-readable medium (e.g., as a hard disk; a memory; a computer network or cellular wireless network or other data transmission medium; or a portable media article to be read by an appropriate drive or via an appropriate connection, such as a DVD or flash memory device) so as to enable or configure the computer-readable medium and/or one or more associated computing systems or devices to execute or otherwise use or provide the contents to perform at least some of the described techniques. Some or all of the system components and data structures may also be stored as data signals (e.g., by being encoded as part of a carrier wave or included as part of an analog or digital propagated signal) on a variety of computer-readable transmission mediums, which are then transmitted, including across wireless-based and wired/cable-based mediums, and may take a variety of forms (e.g., as part of a single or multiplexed analog signal, or as multiple discrete digital packets or frames). Such computer program products may also take other forms in other embodiments. Accordingly, embodiments of this disclosure may be practiced with other computer system configurations.

Other architectures than those illustrated in FIGS. 4 and 5 are contemplated. For example, in another embodiment, at least some of the functions of the competition manager **102** are distributed amongst the client devices **104**, such that the client devices **104** form a peer-to-peer (P2P) network wherein state information is passed amongst the client devices without first passing through a centralized competition manager **102** or other system.

E. Example Process Logic

FIG. 6 is a flow diagram of an example competition manager process provided by an example embodiment. In particular, FIG. 6 illustrates a process **600** that may be implemented by, for example, one or more elements of the competition manager **102** as described with respect to FIG. 2B. The process **600** facilitates distributed sporting events.

The illustrated process **600** begins at block **602**. At block **604**, the process performs pre-event processing, including event configuration and registration. Event configuration includes the creation or generation of new events. For example, a user may interact with the competition manager **102** in order to provide details regarding a particular distributed sporting event, such as timing, for example when the event is to take place; course, such as a map or other representation of a race course; event type, such as kayaking, bicycling, running, or the like; and event rules and the like. In one embodiment, the competition manager **102** provides an interactive graphical user interface, such as via a Web site, that can be used to draw or otherwise specify a new event, manage existing events, and the like.

Event registration includes receiving from each of a plurality of players an indication that they desire to participate in

a particular sporting event. In some embodiments, the competition manager provides a list or calendar of upcoming distributed sporting events, and receives indications from players wishing to compete in one or more of those events.

Pre-event processing can include other functions as well, such as league management including generating and hosting a series of distributed sporting events having a regular group of players; user account management including creating, updating, deleting user accounts; and the like.

Event registration may also include determining whether a particular geographic location is suitable for holding an instance of a distributed sporting event. For example, a player may register for a particular distributed kayaking event that has a course that is larger than the lake upon which the player is situated. In such circumstances, the process may determine to exclude the player from the event. In other embodiments, the process may modify the event course so that it is suitable for the geographic location of the player, while still maintaining at least some of the characteristics of the event, such as overall length or duration.

At block **606**, the process performs in-event processing, such as by executing process **700** described with respect to FIG. 7, below. In at least some embodiments, the process initiates execution of process **700** concurrently, such as by forking a separate process, thread, or the like. In this manner, the process **700** can concurrently facilitate multiple distributed sporting events.

At block **608**, the process performs post-event processing, including storage of competition results. In some embodiments, the results of a particular distributed sporting event are stored, such that they may be tallied or aggregated with prior results. Post-event processing may also include presentation of information about various past distributed sporting events, such as league standings, player rankings, player information, and the like.

At block **699**, the process ends. In other embodiments, the process may instead continue to one of blocks **604-608** in order to facilitate additional distributed sporting events.

FIG. 7 is a flow diagram of in-event processing performed by an example competition manager according to an example embodiment. In particular, FIG. 7 illustrates a process **700** that may be implemented by, for example, one or more elements of the competition manager **102** as described with respect to FIG. 2B. The process **700** manages a distributed sporting event comprising a plurality of players that are each competing against one another by traveling over a course situated at a location that is remote from other of the plurality of players. The process **700** is typically initiated by process **600**, as described above.

The illustrated process **700** begins at block **702**. At block **704**, the process initiates a distributed sporting event. Initiating the sporting event includes transmitting to client devices (e.g., client devices) used by the plurality of players an indication that the sporting event is beginning or will begin at some future time.

At block **706**, the process initiates continuous media content feeds to client devices used by the plurality of players. Initiating media content feeds includes notifying a media provider **118** of the client devices, so that the media provider **118** may begin transmitting media content to the client devices or begin providing other media-related functions, such as chat or instant message services, video streams, advertising streams, and the like. In some cases, the media content is forwarded by the media provider **118** through the competition manager **102** to the client devices, whereas in other embodiments it is transmitted directly by the media provider **118** to the client devices.

At block **708**, the process receives from the client devices location information about the plurality of players. As noted, the client devices are configured to transmit, independently or in response to a request from the competition manager **102**, location information such as GPS coordinates to the competition manager **102**. Other types of state information may also be received, including direction of travel, speed of travel, weather conditions information (e.g., wind direction, precipitation, temperature), course conditions information (e.g., road grade or conditions, wave height), or the like.

At block **710**, the process updates a sporting event model based on the received location information. Updating the sporting event model may include as little as transiently recording or otherwise storing the received location information. In other embodiments, updating the sporting event model may include other operations, such as correcting for a lack of parity between at least some of the players. As noted, different players may perform at different levels, because of differing course conditions or levels of skill, fitness, wind conditions, or the like. Correcting for a lack of parity may include adjusting the “virtual” or “course” location or distance traveled of the players, based on information about the players and/or the course conditions experienced by the players, to make it appear that the players are performing at more nearly the same level than they actually are. In an example boating (e.g., kayaking) embodiment, the process obtains wind conditions information, such as the direction and speed of the prevailing winds for each of the courses being traveled by the players. The virtual locations of the players are then adjusted (e.g., normalized) based on the obtained wind conditions information. In another approach, the courses traveled by the players may be adjusted, such that players encountering a stronger headwind travel a shorter course. In an example bicycling embodiment, the process adjusts player positions based on obtained wind (e.g., relative strength and angle of prevailing wind with respect to rider direction) and course gradient information (e.g., relative positive or negative angle of slopes being ridden by the riders).

At block **712**, the process transmits to each of the client devices information about the updated sporting event model. Transmitting information about the updated sporting event model includes transmitting location information for each of the players. The transmitted location information will typically represent player location as a “course” location that represents the player’s location with respect to the course of travel, rather than the physical location. However, in other embodiments, the physical player locations may be transmitted, and adjusted for presentation purposes by each of the client devices. By transmitting information to the client devices, the process causes, in substantially or near real time with respect to movements of the players, each of the client devices to present information about the sporting event, such as the locations of the players with respect to each other and/or the event course.

At block **714**, the process determines whether or not to continue. If so, the process continues at block **708** to receive further location information. Otherwise, the process continues at block **799**. Typically, the process will continue until the occurrence of a stopping condition, such as when the last player finishes the event by crossing the finish line or withdrawing, when a maximum event time is reached, or the like.

At block **799**, the process ends. Some embodiments perform one or more operations/aspects in addition to the ones described with respect to process **700**. For example, in one embodiment, process **700** also transmits event instructions, such as helpful hints or advice to improve the performance of one or more players, such as recommended cadences, heart

rate, or the like. Such information may be tailored to specific player abilities and/or needs. Event instructions may also include warnings or penalties, based for example on the event rules and the location of a player. In some embodiments, not all of the blocks described above are performed. For example, in one embodiment, the process **700** does not perform block **706**.

FIG. **8** is a flow diagram of an example client device process provided by an example embodiment. In particular, FIG. **8** illustrates a process **800** that may be implemented by, for example, one or more elements of the client device **104** as described with respect to FIG. **2B**. The process **800** facilitates participation by a player in a distributed sporting event.

The illustrated process **800** begins at block **802**. At block **804**, the process performs pre-event processing including event registration. Event registration may include transmitting an indication that the player desires to participate in a particular event. Event registration may also include receiving information about the event, such as course details, timing, rules, and the like. Pre-event processing can include other functions, such as user account creation (e.g., signing up for a user account), payment processing (e.g., event and/or league fees paid to the competition manager **102** or other party), and the like.

At block **806**, the process performs in-event processing, such as by initiating execution of process **900** described with respect to FIG. **9**, below.

At block **808**, the process performs post-event processing, including presentation of competition results. Presenting competition results includes displaying final positions, rankings, times, and the like. Post-event processing may also include transmitting competition results to the competition manager **102** for storage or other processing.

At block **899**, the process ends. In other embodiments, the process may instead continue to one of blocks **804-808** in order to facilitate participation in additional distributed sporting events.

FIG. **9** is a flow diagram of in-event processing performed by an example client device according to an example embodiment. In particular, FIG. **9** illustrates a process **900** that may be implemented by, for example, one or more elements of the client device **104** as described with respect to FIG. **2B**. The process **900** facilitates participation by a player in a distributed sporting event.

The illustrated process **900** begins at block **902**. At block **904**, the process receives from a remote event manager an initiation of a distributed sporting event. The received initiation may be a start signal or other message notifying the player that the event is presently beginning, or will begin at a specified future time. In response, the process may display an instruction or other message on a display screen or other output device, such as a speaker.

At block **906**, the process initiates reception and presentation of a media content feed. Typically, the process starts a thread or forks a process to handle one or more media content feeds concurrently with the functions described below. The forked process or thread manages the reception and display of media content or related services (e.g., messaging services).

At block **908**, the process transmits to the remote event manager, such as the competition manager **102**, an indication of the location of the corresponding player. The transmitted location indication may include physical location information as well as orientation, altitude, velocity, and the like, and may be obtained by the client device from one or more location information provider modules that are remote from or local to the client device, such as a satellite system, accelerometer, compass, altimeter, or the like.

At block **910**, the process receives from the event manager indications of the locations of other of the plurality of players. The received location indications may be the actual, physical location of each of the other players, or may be their locations with respect to a uniform, virtual course, so that the positions of the players may be readily displayed with a minimum of processing, so as to avoid the need to perform position or coordinate translation on the client device.

At block **912**, the process presents on a display of the client device the locations of the other players or devices in relation to the location of the corresponding player. Displaying the locations of the other players typically occurs in substantially or near real time with the movements of the other players. Typically, displaying the locations of the other players includes displaying a map with icons (or other user interface elements) indicating the positions of the players. Other information, such as rankings, projected times, and the like, may be displayed in addition or instead, as described with respect to FIGS. **3A-3F**, above.

At block **914**, the process determines whether or not to continue. If so, the process continues at block **908** to transmit further location information to the remote event manager. Otherwise, the process continues at block **999**. Typically, the process will continue until the occurrence of a stopping condition, such as when the process receives a stop signal from the competition manager, when the last player finishes the event by crossing the finish line or withdrawing, when a maximum event time is reached, or the like.

At block **999**, the process ends. Some embodiments perform one or more operations/aspects in addition to the ones described with respect to process **900**. For example, in one embodiment, process **900** also records and transmits biometric information about the player, such that the information can be analyzed (in real time or after the event) so that performance improvement advice can be provided to the player. In some embodiments, not all of the blocks described above are performed. For example, in one embodiment, the process **900** does not perform block **906**.

All of the above U.S. patents, U.S. patent application publications, U.S. patent applications, foreign patents, foreign patent applications and non-patent publications referred to in this specification and/or listed in the Application Data Sheet, including but not limited to U.S. patent application Ser. No. 13/077,682, entitled "Location-Aware Distributed Sporting Events," filed Mar. 31, 2011 and issued as U.S. Pat. No. 8,333,643 on Dec. 18, 2012; U.S. patent application Ser. No. 12/816,981, entitled "Location-Aware Distributed Sporting Events," filed Jun. 16, 2010 and issued as U.S. Pat. No. 7,934,983 on May 3, 2011; and U.S. Provisional Patent Application No. 61/264,151, entitled "Systems and Methods for Location-Aware Distributed Competitions," filed Nov. 24, 2009, is incorporated herein by reference, in its entirety.

From the foregoing it will be appreciated that, although specific embodiments have been described herein for purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. For example, the methods and systems for facilitating distributed sporting events discussed herein are applicable to other architectures. For example, the techniques can be used in a non-competitive context, such as for individual training (e.g., in a time-shifted manner), for group/team training exercises, and the like. Also, the methods and systems discussed herein are applicable to differing mobile device protocols, communication media (optical, wireless, cable, etc.) and devices (such as wireless handsets, electronic organizers, personal digital assistants, portable email machines, game machines, pagers, navigation devices such as GPS receivers, etc.).

The invention claimed is:

1. A method for facilitating a distributed sporting event, the method comprising:

aggregating a plurality of individual sporting activities into a distributed sporting event comprising a plurality of players that are each performing one of the individual sporting activities, that are each competing against one another by running over standard-distance tracks that are remotely located from one another, and that each have a corresponding client device, wherein the plurality of players are each competing against one another by running to obtain a lowest time to cross finish lines of the standard-distance tracks, by:

receiving from each of the plurality of client devices information about a current location of the corresponding player;

causing each of the plurality of client devices to present indications of positions of at least some of the other players with respect to the corresponding player, the indicated positions based on the current locations of the at least some of the plurality of players; and

asserting a course to each of the plurality of players by causing each of the client devices to display specific instructions to the corresponding player to travel over a specified path.

2. The method of claim **1** wherein aggregating the individual sporting activities includes aggregating sporting activities that are of a substantially similar type, in which the plurality of players are self selected into categories of substantially similar experience, age, and/or skill level, and in which differences between course conditions experienced by the plurality of players are negligible, such that no handicapping need be performed.

3. The method of claim **1** wherein asserting the course includes:

determining whether one of the plurality of players is within boundaries of the asserted course; and

issuing at least one of a warning, penalty, or disqualification to a player who is not within boundaries of the asserted course.

4. The method of claim **1** wherein asserting the course includes causing each of the plurality of client devices to present a visual indication of the player with respect to boundaries of the asserted course along with an instruction directing the player to stay within the boundaries of the asserted course.

5. The method of claim **1** wherein asserting the course includes causing, as one of the players approaches a boundary of the asserted course, the client device corresponding to the one player to present increasing visual and/or auditory feedback based in part on nearness of the one player to the boundary of the asserted course.

6. The method of claim **5** wherein causing the client device to present increasing visual and/or auditory feedback includes causing the client device to present an alarm.

7. The method of claim **1** wherein asserting the course includes transmitting, when communication with one of the client devices fails for longer than a predetermined amount of time, a participant removal notification to the one client device.

8. The method of claim **1**, further comprising:

receiving in substantially real time, with movements of the plurality of players from each of the plurality of client devices video data taken from the current location of the corresponding player; and

transmitting, across a distributed sporting event framework, at least some of the video data.

25

9. The method of claim 1, further comprising:
under control of an online distributed sporting event frame-
work, facilitating access to media content that is
obtained from each of the plurality of client devices and
that is obtained from the current location of the corre- 5
sponding player, the media content including at least one
of text messages, commentary, image data, audio data,
and/or conditions information.

10. The method of claim 9 wherein facilitating access to the
media content includes editing video data received from the 10
plurality of client devices into a program that is provided via
the online distributed sporting event environment, the pro-
gram presenting progress of the distributed sporting event by
incorporating views from the current locations of at least
some of the players.

11. The method of claim 1, further comprising:
updating, based on the received information, a model of the
distributed sporting event that includes indications of the
current locations of each of the plurality of players, the
updating including: 20
determining, in response to an unreliable communica-
tion channel caused by at least one of wireless signal
attenuation, client device hardware failure, client
device power failure, and/or environmental condi-
tions, that information has not been received from at 25
least one of the plurality of client devices; and
determining a likely position for the at least one player,
based at least in part on last known location informa-
tion for the at least one player.

12. The method of claim 11 wherein determining a likely 30
position includes performing multivariate extrapolation
based on a last known position, orientation, and speed of
travel.

13. The method of claim 1, further comprising:
handicapping for a lack of parity between at least some of 35
the plurality of players, the lack of parity due to the at
least some players having differing ability levels.

14. A computer-readable storage medium including non-
transitory contents that, when executed, cause a computing 40
system to facilitate a distributed sporting event, by perform-
ing a method comprising:

aggregating a plurality of individual sporting activities into
a distributed sporting event comprising a plurality of
players that are each performing one of the individual 45
sporting activities, that are each competing against one
another by traveling over standard-distance tracks that
are remotely located from one another, and that each
have a corresponding client device, wherein the plurality
of players are each competing against one another by
traveling to obtain a lowest time to cross finish lines of 50
the standard-distance tracks, by:

receiving from each of the plurality of client devices
information about a current location of the corre-
sponding player;
causing each of the plurality of client devices to graphi- 55
cally depict a virtual overlay of positions of at least
some of the other players with respect to the corre-
sponding player, such that the at least some players
appear to be competing alongside the corresponding
player, the depicted positions based on the current 60
locations of the at least some of the players; and

26

asserting a course to each of the plurality of players by
causing each of the client devices to present instruc-
tions to the corresponding player to travel in a speci-
fied direction, thereby directing movements of the
corresponding player relative to the distributed sport-
ing event.

15. The computer-readable storage medium of claim 14
wherein the plurality of players are competing against one
another in a time-shifted manner.

16. The computer-readable storage medium of claim 14
wherein the players are each competing against one another
by biking over standard-distance tracks.

17. The computer-readable storage medium of claim 14
wherein the players the players are each competing against
one another by driving over standard-distance tracks. 15

18. A system configured to facilitate a distributed sporting
event, the system comprising:

a memory;

an event controller stored on the memory and configured,
when executed, to aggregate a plurality of individual
sporting activities into a distributed sporting event com-
prising a plurality of players that are each performing
one of the individual sporting activities, that are each
competing concurrently against one another by traveling
over standard-distance tracks that are remotely located
from one another, and that each have a corresponding
client device, wherein the plurality of players are each
competing against one another by traveling to obtain a
lowest time to cross finish lines of the standard-distance
tracks, by: 20

receiving from each of the plurality of client devices
information about a current location of the corre-
sponding player;

asserting a course to each of the plurality of players by
causing each of the client devices to present instruc-
tions to the corresponding player to travel in a speci-
fied direction; and

causing each of the plurality of client devices to present
indications of positions of at least some of the other
players with respect to the corresponding player, the
indications of the positions presented upon a depic-
tion of the asserted course.

19. The system of claim 18, further comprising a distrib-
uted sporting event framework that is configured to:

transmit, in substantially real time with movements of the
plurality of players, a video program of the distributed
sporting event, the video program comprising video data
obtained from at least some of the plurality of players;
facilitate real time coaching by a coach who is remotely
located from the plurality of players;

facilitate communication amongst the plurality of players
before, during, and after the distributed sporting event;
record information about the distributed sporting event,
including event rankings, event times, and player scores;
distribute information about upcoming distributed sporting
events; and

facilitate organization of players into groups of players
who prefer to participate in a similar type of sporting
activity and are substantially similar to one another in
experience, age, and/or skill level.

* * * * *