

US008929915B2

(12) **United States Patent**
Stewart

(10) **Patent No.:** **US 8,929,915 B2**
(45) **Date of Patent:** **Jan. 6, 2015**

(54) **PROVIDING INFORMATION TO A COMPUTING DEVICE BASED ON KNOWN LOCATION AND USER INFORMATION**

(71) Applicant: **Wayport, Inc.**, Austin, TX (US)

(72) Inventor: **Brett B. Stewart**, Austin, TX (US)

(73) Assignee: **Wayport, Inc.**, Austin, TX (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **13/787,271**

(22) Filed: **Mar. 6, 2013**

(65) **Prior Publication Data**

US 2013/0185394 A1 Jul. 18, 2013

Related U.S. Application Data

(60) Continuation of application No. 10/776,293, filed on Feb. 11, 2004, now Pat. No. 8,417,763, which is a continuation of application No. 09/755,649, filed on Jan. 5, 2001, now Pat. No. 6,697,018, which is a division of application No. 09/382,551, filed on Aug. 25, 1999, now Pat. No. 6,326,918, which is a continuation of application No. 09/186,131, filed on Nov. 4, 1998, now Pat. No. 5,969,678, which is a continuation of application No. 08/470,004, filed on Jun. 6, 1995, now Pat. No. 5,835,061.

(51) **Int. Cl.**
H04W 24/00 (2009.01)
H04W 4/00 (2009.01)

(Continued)

(52) **U.S. Cl.**
CPC **G06Q 30/0261** (2013.01); **H04W 48/16** (2013.01); **G06Q 30/02** (2013.01); **H04M 15/8033** (2013.01); **G06Q 30/0255** (2013.01); **G06Q 30/0277** (2013.01); **G06Q 10/109**

(2013.01); **H04L 67/12** (2013.01); **H04W 48/08** (2013.01); **G06Q 10/107** (2013.01); **G06Q 30/0267** (2013.01); **H04L 29/06** (2013.01); **H04M 2215/7435** (2013.01); **G06Q 30/0254** (2013.01); **H04W 88/08** (2013.01); **G01S 5/02** (2013.01); **H04W 4/00** (2013.01); **H04W 64/00** (2013.01); **H04L 67/18** (2013.01); **H04W 8/26** (2013.01); **H04W 4/02** (2013.01)

USPC **455/456.1**; 370/338; 455/456.3

(58) **Field of Classification Search**

CPC **H04W 64/00**; **H04W 4/02**; **H04W 88/08**
USPC **709/201-203**; 370/338; 455/456.1, 455/456.3

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,636,421 A 1/1972 Takeishi et al.
4,021,780 A 5/1977 Narey et al.

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 11/403,093, "Distributed Network Communication System to Provide Wireless Access to a Computing Device at a Reduced Rate", Final Office Action dated Mar. 10, 2011, 19 pages.

(Continued)


Primary Examiner — Hieu Hoang

(74) *Attorney, Agent, or Firm* — Toler Law Group, PC

(57) **ABSTRACT**

A method includes receiving a beacon from a mobile device at an access point associated with a transportation station. The beacon includes identification information that identifies the mobile device. The method includes receiving, at the access point via a network, information from at least one service provider based on a location of the access point and the identification information. The method also includes sending the information to the mobile device.

20 Claims, 2 Drawing Sheets



(51)	Int. Cl.		5,583,864 A	12/1996	Lightfoot et al.
	G06Q 30/02	(2012.01)	5,586,254 A	12/1996	Kondo et al.
	H04M 15/00	(2006.01)	5,588,042 A	12/1996	Comer
	G06Q 10/10	(2012.01)	5,590,196 A	12/1996	Moreau
	H04L 29/08	(2006.01)	5,590,398 A	12/1996	Matthews
	H04L 29/06	(2006.01)	5,592,470 A	1/1997	Rudrapatna et al.
	H04W 64/00	(2009.01)	5,594,779 A	1/1997	Goodman
	H04W 4/02	(2009.01)	5,596,625 A	1/1997	LeBlanc
	H04W 48/16	(2009.01)	5,602,843 A	2/1997	Gray
	H04W 48/08	(2009.01)	5,608,854 A	3/1997	Labeledz et al.
	H04W 88/08	(2009.01)	5,610,973 A	3/1997	Comer
	G01S 5/02	(2010.01)	5,625,364 A	4/1997	Herrick et al.
	H04W 8/26	(2009.01)	5,625,668 A	4/1997	Loomis et al.
			5,627,549 A	5/1997	Park
			5,636,245 A	6/1997	Ernst et al.
			5,646,632 A	7/1997	Khan
			5,654,959 A	8/1997	Baker et al.
			5,657,375 A	8/1997	Connolly et al.
			5,661,492 A	8/1997	Shoap et al.
			5,663,734 A	9/1997	Krasner
			5,664,948 A	9/1997	Dimitriadis et al.
			5,666,481 A	9/1997	Lewis
			5,670,964 A	9/1997	Dent
			5,677,905 A	10/1997	Bigham
			5,687,212 A	11/1997	Kinser, Jr.
			5,689,431 A	11/1997	Rudow et al.
			5,694,453 A	12/1997	Fuller et al.
			5,701,301 A	12/1997	Weisser, Jr.
			5,704,049 A	12/1997	Briechle
			5,712,899 A	1/1998	Pace, II
			5,713,075 A	1/1998	Threadgill et al.
			5,714,948 A	2/1998	Farmakis et al.
			5,717,688 A	2/1998	Belanger et al.
			5,720,033 A	2/1998	Deo
			5,724,521 A	3/1998	Dedrick
			5,727,057 A	3/1998	Emery et al.
			5,729,680 A	3/1998	Belanger et al.
			5,771,283 A	6/1998	Chang et al.
			5,774,534 A	6/1998	Mayer et al.
			5,777,580 A	7/1998	Janky et al.
			5,778,304 A	7/1998	Grube et al.
			5,790,974 A	8/1998	Tognazzini
			5,794,210 A	8/1998	Goldhaber et al.
			5,796,727 A	8/1998	Harrison et al.
			5,798,733 A	8/1998	Ethridge
			5,806,018 A	9/1998	Smith et al.
			5,812,763 A	9/1998	Teng
			5,819,155 A	10/1998	Worthey et al.
			5,826,195 A	10/1998	Westerlage et al.
			5,835,061 A	11/1998	Stewart
			5,838,774 A	11/1998	Weisser, Jr.
			5,842,010 A	11/1998	Jain et al.
			5,845,211 A	12/1998	Roach
			5,852,775 A	12/1998	Hidary
			5,855,007 A	12/1998	Jovicic et al.
			5,870,555 A	2/1999	Pruet et al.
			5,870,724 A	2/1999	Lawlor et al.
			5,875,186 A	2/1999	Belanger et al.
			5,875,401 A	2/1999	Rochkind
			5,878,126 A	3/1999	Velamuri et al.
			5,880,958 A	3/1999	Helms et al.
			5,881,131 A	3/1999	Farris et al.
			5,884,284 A	3/1999	Peters et al.
			5,887,259 A	3/1999	Zicker et al.
			5,889,953 A	3/1999	Thebaut et al.
			5,892,454 A	4/1999	Schipper et al.
			5,896,440 A	4/1999	Reed et al.
			5,897,640 A	4/1999	Veghte et al.
			5,903,454 A	5/1999	Hoffberg et al.
			5,903,636 A	5/1999	Malik
			5,907,544 A	5/1999	Rypinski
			5,920,846 A	7/1999	Storch et al.
			5,922,040 A	7/1999	Prabhakaran
			5,923,702 A	7/1999	Brenner et al.
			5,933,420 A	8/1999	Jaszewski et al.
			5,938,721 A	8/1999	Dussell et al.
			5,949,867 A	9/1999	Sonnenberg
			5,950,130 A	9/1999	Coursey
			5,961,593 A	10/1999	Gabber et al.
(56)	References Cited				
	U.S. PATENT DOCUMENTS				
	4,255,619 A	3/1981	Saito		
	4,445,118 A	4/1984	Taylor et al.		
	4,536,647 A	8/1985	Atalla et al.		
	4,757,267 A	7/1988	Riskin		
	4,841,560 A	6/1989	Chan et al.		
	4,845,504 A	7/1989	Roberts et al.		
	4,922,516 A	5/1990	Butler et al.		
	4,973,952 A	11/1990	Malec et al.		
	4,974,170 A	11/1990	Bouve et al.		
	4,977,399 A	12/1990	Price		
	5,089,814 A	2/1992	DeLuca et al.		
	5,095,532 A	3/1992	Mardus		
	5,121,126 A	6/1992	Clagett		
	5,122,795 A	6/1992	Cubley et al.		
	5,131,020 A	7/1992	Liebesny et al.		
	5,185,857 A	2/1993	Rozmanith et al.		
	5,223,844 A	6/1993	Mansell et al.		
	5,243,652 A	9/1993	Teare et al.		
	5,245,608 A	9/1993	Deaton et al.		
	5,264,822 A	11/1993	Vogelman et al.		
	5,265,070 A	11/1993	Minowa		
	5,303,393 A	4/1994	Noreen et al.		
	5,315,636 A	5/1994	Patel		
	5,321,242 A	6/1994	Heath, Jr.		
	5,347,632 A	9/1994	Filepp et al.		
	5,361,091 A	11/1994	Hoarty et al.		
	5,363,245 A	11/1994	Borello		
	5,363,377 A	11/1994	Sharpe		
	5,365,516 A	11/1994	Jandrell		
	5,371,794 A	12/1994	Diffie et al.		
	5,389,773 A	2/1995	Coutts et al.		
	5,390,237 A	2/1995	Hoffman, Jr.		
	5,404,505 A	4/1995	Levinson		
	5,432,841 A	7/1995	Rimer		
	5,444,444 A	8/1995	Ross		
	5,451,757 A	9/1995	Heath, Jr.		
	5,455,807 A	10/1995	Nepple et al.		
	5,461,627 A	10/1995	Rypinski		
	5,464,822 A	11/1995	Christophers et al.		
	5,475,735 A	12/1995	Williams et al.		
	5,485,163 A	1/1996	Singer et al.		
	5,487,103 A	1/1996	Richardson et al.		
	5,493,309 A	2/1996	Bjornholt et al.		
	5,497,414 A	3/1996	Bartholomew		
	5,504,482 A	4/1996	Schreder		
	5,511,111 A	4/1996	Serbetcioglu et al.		
	5,511,233 A	4/1996	Otten		
	5,512,908 A	4/1996	Herrick		
	5,513,263 A	4/1996	White et al.		
	5,519,760 A	5/1996	Borkowski et al.		
	5,528,248 A	6/1996	Steiner et al.		
	5,539,395 A	7/1996	Buss et al.		
	5,544,354 A	8/1996	May et al.		
	5,559,520 A	9/1996	Barzegar et al.		
	5,561,704 A	10/1996	Salimando		
	5,566,235 A	10/1996	Hetz		
	5,570,555 A	11/1996	Ferguson et al.		
	5,581,479 A	12/1996	McLaughlin		

(56)

References Cited

U.S. PATENT DOCUMENTS

5,963,866	A	10/1999	Palamara et al.	6,343,290	B1	1/2002	Cossins et al.
5,963,913	A	10/1999	Tenneuse et al.	6,353,664	B1	3/2002	Cannon et al.
5,968,176	A	10/1999	Nessett et al.	6,359,880	B1	3/2002	Curry et al.
5,969,678	A	10/1999	Stewart	6,360,101	B1	3/2002	Irvin
5,982,867	A	11/1999	Urban et al.	6,363,421	B2	3/2002	Barker et al.
5,983,091	A	11/1999	Rodriguez	6,366,561	B1	4/2002	Bender
5,987,381	A	11/1999	Oshizawa	6,377,548	B1	4/2002	Chuah et al.
5,991,287	A	11/1999	Diepstraten et al.	6,377,810	B1	4/2002	Geiger et al.
5,995,015	A	11/1999	DeTemple et al.	6,377,982	B1	4/2002	Rai et al.
6,006,090	A	12/1999	Coleman et al.	6,385,531	B2	5/2002	Bates et al.
6,009,398	A	12/1999	Mueller et al.	6,385,591	B1	5/2002	Mankoff
6,011,975	A	1/2000	Emery et al.	6,389,426	B1	5/2002	Turnbull et al.
6,018,293	A	1/2000	Smith	6,393,482	B1	5/2002	Rai et al.
6,018,726	A	1/2000	Tsumura	6,400,722	B1	6/2002	Chuah et al.
6,026,151	A	2/2000	Bauer et al.	6,407,673	B1	6/2002	Lane
6,028,921	A	2/2000	Malik et al.	6,408,307	B1	6/2002	Semple et al.
6,047,327	A	4/2000	Tso et al.	6,414,635	B1	7/2002	Stewart et al.
6,055,637	A	4/2000	Hudson et al.	6,414,950	B1	7/2002	Rai et al.
6,058,106	A	5/2000	Cudak et al.	6,415,019	B1	7/2002	Savaglio et al.
6,067,082	A	5/2000	Enmei	6,418,308	B1	7/2002	Heinonen et al.
6,067,297	A	5/2000	Beach	6,421,441	B1	7/2002	Dzuban
6,076,080	A	6/2000	Morscheck et al.	6,421,714	B1	7/2002	Rai et al.
6,085,086	A	7/2000	La Porta et al.	6,427,073	B1	7/2002	Kortelsalmi et al.
6,091,956	A	7/2000	Hollenberg	6,427,119	B1	7/2002	Stefan et al.
6,101,381	A	8/2000	Tajima et al.	6,430,276	B1	8/2002	Bouvier et al.
6,101,443	A	8/2000	Kato et al.	6,430,562	B1	8/2002	Kardos et al.
6,112,186	A	8/2000	Bergh et al.	6,442,391	B1	8/2002	Johansson et al.
6,115,669	A	9/2000	Watanabe et al.	6,442,479	B1	8/2002	Barton
6,122,520	A	9/2000	Want et al.	6,442,687	B1	8/2002	Savage
6,133,853	A	10/2000	Obradovich et al.	6,449,272	B1	9/2002	Chuah et al.
6,138,003	A	10/2000	Kingdon et al.	6,449,497	B1	9/2002	Kirbas et al.
6,138,119	A	10/2000	Hall et al.	6,452,498	B2	9/2002	Stewart
6,141,609	A	10/2000	Herdeg et al.	6,463,533	B1	10/2002	Calamera et al.
6,144,645	A	11/2000	Struhsaker et al.	6,470,378	B1	10/2002	Tracton et al.
6,154,152	A	11/2000	Ito	6,470,447	B1	10/2002	Lambert et al.
6,154,637	A	11/2000	Wright et al.	6,473,626	B1	10/2002	Nevoux et al.
6,157,829	A	12/2000	Grube et al.	6,477,382	B1	11/2002	Mansfield et al.
6,157,946	A	12/2000	Itakura et al.	6,477,526	B2	11/2002	Hayashi et al.
6,163,274	A	12/2000	Lindgren	6,484,029	B2	11/2002	Hughes et al.
6,167,255	A	12/2000	Kennedy, III et al.	6,484,092	B2	11/2002	Seibel et al.
6,182,226	B1	1/2001	Reid et al.	6,484,148	B1	11/2002	Boyd
6,184,829	B1	2/2001	Stilp	6,490,291	B1	12/2002	Lee et al.
6,185,426	B1	2/2001	Alperovich	6,496,491	B2	12/2002	Chuah et al.
6,185,484	B1	2/2001	Rhinehart	6,496,931	B1	12/2002	Rajchel et al.
6,192,230	B1	2/2001	VanBokhorst et al.	6,505,046	B1	1/2003	Baker
6,192,314	B1	2/2001	Khavakh et al.	6,505,048	B1	1/2003	Moles et al.
6,202,054	B1	3/2001	Lawlor et al.	6,505,049	B1	1/2003	Dorenbosch
6,205,478	B1	3/2001	Sugano et al.	6,505,120	B2	1/2003	Yamashita et al.
6,208,854	B1	3/2001	Roberts et al.	6,505,163	B1	1/2003	Zhang et al.
6,208,866	B1	3/2001	Rouhollahzadeh et al.	6,512,754	B2	1/2003	Feder et al.
6,226,277	B1	5/2001	Chuah	6,516,055	B1	2/2003	Bedeski et al.
6,229,477	B1	5/2001	Chang et al.	6,516,416	B2	2/2003	Gregg et al.
6,229,810	B1	5/2001	Gerszberg et al.	6,519,252	B2	2/2003	Sallberg
6,233,329	B1	5/2001	Urban et al.	6,519,458	B2	2/2003	Oh et al.
6,233,452	B1	5/2001	Nishino	6,522,876	B1	2/2003	Weiland et al.
6,236,360	B1	5/2001	Rudow et al.	6,526,275	B1	2/2003	Calvert
6,236,940	B1	5/2001	Rudow et al.	6,526,349	B2	2/2003	Bullock et al.
6,246,361	B1	6/2001	Weill et al.	6,532,418	B2	3/2003	Chun et al.
6,259,405	B1	7/2001	Stewart et al.	6,545,596	B1	4/2003	Moon
6,263,209	B1	7/2001	Reed et al.	6,546,257	B1	4/2003	Stewart
6,278,938	B1	8/2001	Alumbaugh	6,560,442	B1	5/2003	Yost et al.
6,285,665	B1	9/2001	Chuah et al.	6,560,461	B1	5/2003	Fomukong et al.
6,285,931	B1	9/2001	Hattori et al.	6,577,643	B1	6/2003	Rai et al.
6,298,234	B1	10/2001	Brunner	6,577,644	B1	6/2003	Chuah et al.
6,308,273	B1	10/2001	Goertzel et al.	6,594,482	B1	7/2003	Findikli et al.
6,311,069	B1	10/2001	Havinis et al.	6,618,474	B1	9/2003	Reese
6,317,718	B1	11/2001	Fano	6,618,593	B1	9/2003	Drutman et al.
6,321,092	B1	11/2001	Fitch et al.	6,622,016	B1	9/2003	Sladek et al.
6,324,396	B1	11/2001	Vasa et al.	6,628,627	B1	9/2003	Zendle et al.
6,326,918	B1	12/2001	Stewart	6,628,928	B1	9/2003	Crosby et al.
6,327,254	B1	12/2001	Chuah	6,628,938	B1	9/2003	Rachabathuni et al.
6,327,357	B1	12/2001	Meek et al.	6,633,633	B1	10/2003	Bedingfield
6,332,127	B1	12/2001	Bandera et al.	6,640,184	B1	10/2003	Rabe
6,332,163	B1	12/2001	Bowman-Amuah	6,647,257	B2	11/2003	Owensby
6,340,958	B1	1/2002	Cantu et al.	6,647,269	B2	11/2003	Hendrey et al.
				6,650,901	B1	11/2003	Schuster et al.
				6,654,610	B1	11/2003	Chen et al.
				6,662,014	B1	12/2003	Walsh
				6,665,536	B1	12/2003	Mahany

(56)

References Cited

U.S. PATENT DOCUMENTS

6,665,718	B1	12/2003	Chuah et al.	2001/0001239	A1	5/2001	Stewart
6,671,272	B2	12/2003	Vaziri et al.	2001/0007450	A1	7/2001	Begum
6,675,017	B1	1/2004	Zellner et al.	2001/0021646	A1	9/2001	Antonucci et al.
6,675,208	B1	1/2004	Rai et al.	2001/0028301	A1	10/2001	Geiger et al.
6,677,894	B2	1/2004	Sheynblat et al.	2001/0034709	A1	10/2001	Stoifo et al.
6,697,018	B2	2/2004	Stewart	2001/0049275	A1	12/2001	Pierry et al.
6,697,783	B1	2/2004	Brinkman et al.	2001/0051911	A1	12/2001	Marks et al.
6,701,160	B1	3/2004	Pinder et al.	2002/0035474	A1	3/2002	Alpemir
6,701,251	B2	3/2004	Stefan et al.	2002/0037709	A1	3/2002	Bhatia et al.
6,704,311	B1	3/2004	Chuah et al.	2002/0037722	A1	3/2002	Hussain et al.
6,716,101	B1	4/2004	Meadows et al.	2002/0037731	A1	3/2002	Mao et al.
6,721,406	B1	4/2004	Contractor	2002/0037744	A1	3/2002	Bhatia et al.
6,725,048	B2	4/2004	Mao et al.	2002/0037750	A1	3/2002	Hussain et al.
6,732,080	B1	5/2004	Blants	2002/0038362	A1	3/2002	Bhatia et al.
6,732,101	B1	5/2004	Cook	2002/0038384	A1	3/2002	Khan et al.
6,732,176	B1	5/2004	Stewart et al.	2002/0038386	A1	3/2002	Bhatia
6,738,808	B1	5/2004	Zellner et al.	2002/0046090	A1	4/2002	Stewart
6,754,504	B1	6/2004	Reed	2002/0052781	A1	5/2002	Aufricht et al.
6,754,582	B1	6/2004	Smith et al.	2002/0077083	A1	6/2002	Zellner et al.
6,759,960	B2	7/2004	Stewart	2002/0077084	A1	6/2002	Zellner et al.
6,772,064	B1	8/2004	Smith et al.	2002/0077118	A1	6/2002	Zellner et al.
6,799,049	B1	9/2004	Zellner et al.	2002/0077130	A1	6/2002	Owensby
6,801,509	B1	10/2004	Chuah et al.	2002/0077897	A1	6/2002	Zellner et al.
6,816,720	B2	11/2004	Hussain et al.	2002/0087335	A1	7/2002	Meyers et al.
6,819,929	B2	11/2004	Antonucci et al.	2002/0090932	A1	7/2002	Bhatia et al.
6,820,053	B1	11/2004	Ruwisch	2002/0095312	A1	7/2002	Wheat
6,820,062	B1	11/2004	Gupta et al.	2002/0102993	A1	8/2002	Hendrey et al.
6,829,475	B1	12/2004	Lee et al.	2002/0107027	A1	8/2002	O'Neil
6,850,758	B1	2/2005	Paul et al.	2002/0120713	A1	8/2002	Gupta et al.
6,867,733	B2	3/2005	Sandu et al.	2002/0161637	A1	10/2002	Sugaya
6,868,074	B1	3/2005	Hanson	2002/0174147	A1	11/2002	Wang et al.
6,874,011	B1	3/2005	Spielman et al.	2003/0003990	A1	1/2003	Von Kohorn
6,876,858	B1	4/2005	Duvall et al.	2003/0016233	A1	1/2003	Charpentier
6,898,569	B1	5/2005	Bansal et al.	2003/0018527	A1	1/2003	Filepp et al.
6,937,869	B1	8/2005	Rayburn	2003/0140088	A1	7/2003	Robinson et al.
6,937,998	B1	8/2005	Swartz et al.	2003/0169151	A1	9/2003	Ebling et al.
6,954,147	B1	10/2005	Cromer et al.	2004/0002329	A1	1/2004	Bhatia et al.
6,985,747	B2	1/2006	Chithambaram	2004/0097243	A1	5/2004	Zellner et al.
6,999,572	B1	2/2006	Shaffer et al.	2004/0111269	A1	6/2004	Koch
7,005,985	B1	2/2006	Steeves	2004/0164898	A1	8/2004	Stewart
7,009,556	B2	3/2006	Stewart et al.	2004/0186902	A1	9/2004	Stewart et al.
7,023,995	B2	4/2006	Olsson	2004/0203903	A1	10/2004	Wilson et al.
7,043,231	B2	5/2006	Bhatia et al.	2004/0205198	A1	10/2004	Zellner et al.
7,058,594	B2	6/2006	Stewart et al.	2004/0266453	A1	12/2004	Maanoja et al.
7,069,319	B2	6/2006	Zellner et al.	2005/0017068	A1	1/2005	Zalewski
7,085,555	B2	8/2006	Zellner et al.	2005/0043036	A1	2/2005	Ioppe et al.
7,103,368	B2	9/2006	Teshima	2005/0060365	A1	3/2005	Robinson et al.
7,103,476	B2	9/2006	Smith et al.	2005/0096067	A1	5/2005	Martin
7,106,843	B1	9/2006	Gainsboro et al.	2005/0114777	A1	5/2005	Szeto
7,110,749	B2	9/2006	Zellner et al.	2005/0151655	A1	7/2005	Hamrick et al.
7,116,977	B1	10/2006	Moton et al.	2005/0246097	A1	11/2005	Hamrick et al.
7,124,101	B1	10/2006	Mikurak	2005/0272445	A1	12/2005	Zellner
7,130,630	B1	10/2006	Enzmann et al.	2006/0030335	A1	2/2006	Zellner et al.
7,139,722	B2	11/2006	Perrella et al.	2006/0030339	A1	2/2006	Zhovnirovsky et al.
7,155,199	B2	12/2006	Zalewski et al.	2006/0059043	A1	3/2006	Chan et al.
7,181,225	B1	2/2007	Moton et al.	2006/0089134	A1	4/2006	Moton et al.
7,181,529	B2	2/2007	Bhatia et al.	2006/0094447	A1	5/2006	Zellner
7,188,027	B2	3/2007	Smith et al.	2006/0099966	A1	5/2006	Moton et al.
7,190,960	B2	3/2007	Wilson et al.	2006/0105784	A1	5/2006	Zellner et al.
7,203,502	B2	4/2007	Wilson et al.	2006/0106537	A1	5/2006	Hamrick et al.
7,212,829	B1	5/2007	Lau et al.	2006/0164302	A1	7/2006	Stewart et al.
7,224,978	B2	5/2007	Zellner et al.	2006/0167986	A1	7/2006	Trzyna et al.
7,236,799	B2	6/2007	Wilson et al.	2006/0183467	A1	8/2006	Stewart et al.
RE39,717	E	7/2007	Yates et al.	2006/0189327	A1	8/2006	Zellner et al.
7,245,925	B2	7/2007	Zellner	2006/0189332	A1	8/2006	Benco et al.
7,260,378	B2	8/2007	Holland et al.	2006/0195570	A1	8/2006	Zellner et al.
7,272,493	B1	9/2007	Hamrick et al.	2006/0253252	A1	11/2006	Hamrick et al.
7,292,939	B2	11/2007	Smith et al.	2007/0010260	A1	1/2007	Zellner et al.
7,295,924	B2	11/2007	Smith et al.	2007/0042789	A1	2/2007	Moton et al.
7,362,851	B2	4/2008	Contractor	2007/0105565	A1	5/2007	Enzmann et al.
7,383,052	B2	6/2008	Moton et al.	2007/0124721	A1	5/2007	Cowing et al.
8,095,647	B2	1/2012	Stewart	2007/0136603	A1	6/2007	Kuecukyan
8,199,733	B2	6/2012	Stewart	2007/0250920	A1	10/2007	Lindsay
8,250,204	B2	8/2012	Stewart	2008/0045241	A1	2/2008	Stewart
8,391,265	B2	3/2013	Stewart	2008/0051108	A1	2/2008	Stewart
				2008/0057924	A1	3/2008	Stewart
				2008/0096529	A1	4/2008	Zellner

(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0078723 A1 3/2012 Stewart
 2012/0284066 A1 11/2012 Stewart
 2013/0036010 A1 2/2013 Stewart

OTHER PUBLICATIONS

Azuma, Ronald, Tracking Requirements for Augmented Reality, *Communications of the ACM*, vol. 36 No. 7, Jul. 1993, ACM Press, New York, NY pp. 50-51.

Chen, Harry et al. Dynamic Service Discovery for Mobile Computing: Intelligent Agents Meet Jini in the Aether, *Cluster Computing, Special Issue on Internet Scalability*, vol. 4, Issue.4, Oct. 2001, Springer Science + Business Media, New York, NY, pp. 343-354.

Dingus, Thomas A. et al., Human Factors Engineering the TravTek Driver Interface, *Vehicle Navigation and Information Systems Conference Proceedings, Part II*, Oct. 1991, Society of Automotive Engineers, Incorporated, Warrendale, PA, pp. 749-755.

Egenhofer, Max J., Spatial SQL: A Query and Presentation Language, *IEEE Transactions on Knowledge and Data Engineering*, vol. 6, No. 1, Feb. 1994, IEEE Educational Activities Department, Piscataway, NJ, pp. 86-95.

Fitzmaurice, George W., Situated Information Spaces and Spatially Aware Palmtop Computers, *Communication of the ACM*, vol. 36, No. 7, Jul. 1993, ACM Press, New York, NY, pp. 39-49.

Harter, Andy et al., A Distributed Location System for the Active Office, *IEEE Network*, Jan./Feb. 1994, IEEE Communications Society, New York, NY, pp. 62-70.

Muffat, Michael et al., European Cooperation on Dual Mode Route Guidance-Perspectives for Advanced Research Partners, *Vehicle Navigation and Information Systems Conference Proceedings, Part II*, Oct. 1991, Soc. of Automotive Engineers, Inc., Warrendale, PA, pp. 929-935.

Phail, Fred, The Power of a Personal Computer for Car Information and Communications Systems, *Vehicle Navigation and Information Systems Conference Proceedings, Part I*, Oct. 1991, Society of Automotive Engineers, Inc., Warrendale, PA, pp. 389-395.

Schilit, Bill N. et al., Disseminating Active Map Information to Mobile Hosts, *IEEE Network*, Sep./Oct. 1994, IEEE Communications Society, New York, NY, pp. 22-32.

Spreitzer, Mike et al., Providing Location Information in a Ubiquitous Computing Environment, *Proceedings of the Fourteenth ACM Symposium on Operating Systems Principles*, Dec. 1993, ACM Press, New York, NY, pp. 270-283.

Want, Roy et al., The Active Badge Location System, *ACM Transactions on Information Systems*, vol. 10, No. 1, Jan. 1992, ACM Press, New York, NY, pp. 91-102.

White, Marvin, Emerging Requirements for Digital Maps for In-Vehicle Pathfinding and Other Traveller Assistance, *Vehicle Navigation and Information Systems Conference Proceedings, Part I*, Oct. 1991, Society of Automotive Engineers, Inc., Warrendale, PA, pp. 179-184.




FIG. 1




FIG. 2

**PROVIDING INFORMATION TO A
COMPUTING DEVICE BASED ON KNOWN
LOCATION AND USER INFORMATION**

PRIORITY CLAIM

This application is a continuation of, and claims priority to, U.S. patent application Ser. No. 10/776,293, filed on Feb. 11, 2004, which is a continuation of U.S. patent application Ser. No. 09/755,649, filed on Jan. 5, 2001, now issued as U.S. Pat. No. 6,697,018, which is a divisional of U.S. patent application Ser. No. 09/382,551, filed on Aug. 25, 1999, now issued as U.S. Pat. No. 6,326,918, which is a continuation of U.S. patent application Ser. No. 09/186,131, filed on Nov. 4, 1998, now issued as U.S. Pat. No. 5,969,678, which is a continuation of U.S. patent application Ser. No. 08/470,004, filed on Jun. 6, 1995, now issued as U.S. Pat. No. 5,835,061, each of which is hereby incorporated by reference in its entirety.

FIELD OF THE DISCLOSURE

This disclosure generally relates to a geographic-based communications service and, more particularly, an apparatus and method for using known locations of wireless local area network access points (APs) to service mobile users (MUs) of portable smart devices (e.g., notebooks, personal computers, personal digital assistants (PDAs), etc.) that are in the vicinity of these APs.

BACKGROUND

As technology improvements result in smaller, lighter and more portable computing devices, a wide variety of new applications and users will emerge. Users will not only operate such devices in stand-alone mode, but with portability, users will also require the ability to send and receive information through such devices at any location. The need to communicate will arise in circumstances where hard wired links may not be readily available or practical or when the user of the portable computing device cannot be reached immediately. Moreover, a result of user mobility is that the precise location of the user is often variable or not determined. Conventional communications systems for computing devices are not equipped to handle such communication scenarios.

Commercially available personal computers or other similar devices are generally equipped with industry standard interface ports for driving a peripheral device such as a printer, a plotter, or a modem. While operating in an unknown, remote location not connected to a network, the portable personal computer user may be unaware of messages waiting for him. In addition, conventionally, the user must wait until reaching an office or other place with appropriate equipment to receive such messages and to transmit or print documents or other information prepared by the user on his personal device.

By way of example and not limitation, one type of mobile user is a traveler who passes through airports or similar mass transit centers (e.g., subway stations), uses ground transportation and stays in a hotel. In a typical scenario, the traveler may use a personal computer to perform calculations or prepare documents on a personal computing device during an airplane flight. Simultaneously, associates may leave messages for the traveler on a network. In conventional systems, the traveler's work product, and messages destined for the

traveler, are not available until the traveler arrives at a location where a wired connection to the traveler's network is available.

A further example of inefficiencies for the traveler concerns travel arrangements themselves. After arriving at an airport, the traveler proceeds to a car rental desk or to some other transportation location. The traveler typically waits in line while the car rental agency inquires about automobile preference, driver's license, method of payment, type of insurance required, etc. Having experienced some delay, the traveler is now on his way to a business location or hotel. Upon arriving at a hotel check-in/registration desk, the traveler often experiences further delay waiting in line and providing the check-in clerk with routine information such as address, length of stay, type of room desired, method of payment, etc. In addition, the business traveler may need to call back to his office to check for telephone messages, thereby incurring further delays.

While accessing databases for information about the traveler, the traveler's preferences and the traveler's requirements can reduce many delays, a common characteristic is that the pending arrival or presence of the traveler is not known to those who can act in advance. Further, conventional systems cannot generally locate a mobile user of a personal computing device and take advantage of that information to reduce the time required to complete routine activities or to provide the user options that can enhance the user's productivity.

In another example, when a user dials a telephone number to an automatic teller machine (ATM) locator, the user is prompted to key in his area code and exchange prefix. The locator system then identifies one or more ATMs within the user's area. However, the system requires the user to call in and cannot locate the user any more accurately than the telephone exchange area. Thus, the mobile user could be advised of an ATM quite a physical distance from the mobile user's location.

SUMMARY

In view of the above limitations of the related art an object of the disclosure is to provide a system in which a mobile user can be geographically located automatically.

It is another object of the disclosure to provide a system which can automatically locate a user with greater precision than is currently available.

A still further object of the disclosure is to provide a system which integrates personal computing devices to networks such that routine tasks, such as travel routing can be accomplished more efficiently.

A still further object of the disclosure is to provide a system that allows a user to employ a personal computing device more effectively and to utilize otherwise idle time, such as time spent waiting at a car rental desk, a hotel registration desk and the like.

According to the disclosure, mobile users communicate with wireless local area networks within a range of an access point (AP). When a user passes an access point, the access point recognizes the user, and the user's device can then retrieve data (telephone, E-mail messages, etc.) waiting for the user and transmit information (E-mail messages, print documents, requests for information from service providers, etc.) that the user may have for transmission to a desired recipient. For instance, this process could occur as a user exits an airplane and is detected by an access point in an airport.

Accordingly, the present disclosure is directed toward a method and apparatus for using known locations of local area network APs (access points) to service mobile users who are

in the vicinity of these APs. Such access points and mobile units typically communicate with each other in a wireless manner. The method according to the disclosure includes the steps of: (a) detecting the presence of a mobile unit in the vicinity of an access point and (b) transmitting/receiving information from the mobile unit to/from the network through the access point.

According to the disclosure, information and services can be provided by various providers connected to the network which are able to respond to unanticipated requests or which have acquired knowledge about the user's requirements, preferences and habits over a period of time and have extrapolated information from the user's past practices for probable future actions consistent with these past actions.

For example, in one application, an access point receives a print job from a user's mobile unit and sends it to a printer available at a destination point designated by the user so that the document is printed and available to the user upon his arrival at his destination. In another application according to the disclosure, upon detecting the arrival of a user's mobile unit at a destination, a message, for example, an E-mail message, is sent to the user's rental car agency. The agency can take appropriate actions so that the user's rental car is ready and the user does not waste time waiting in line. Using a similar approach, a user can be pre-registered at a hotel so that his room is ready upon arrival.

Thus, according to the disclosure, a geographic-based communications service system for mobile users includes a mobile unit for transmitting and receiving information and a plurality of access points connected to a network and arranged at known locations in a geographic region for transmitting the information to and receiving the information from said mobile unit. One of the access points detects the presence of a mobile unit and sends a signal to the network. A plurality of information providers are connected to the network. The network accesses the information providers based on the signal received from a mobile unit via the access points to provide data to the mobile unit or to another entity on behalf of the user of the mobile unit. In particular, the known location of the access point detecting the presence of the mobile unit defines the location of said mobile unit. Based on the location of the mobile unit as detected by the AP, a service provider on the network can take actions appropriate to the user's location, such as notifying a car rental agency of the user's presence or notifying the user of canceled flights and adjustments to the user's itinerary. Further according to the disclosure, clocks in the user's mobile device and event schedules can be updated automatically to correspond to the present time in the time zone where the access point detecting the user's mobile unit is located.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a representation of a geographic-based communications service system, according to the disclosure; and

FIG. 2 is a flow chart showing a mobile unit interfacing with an access point, according to the system of FIG. 1.

DETAILED DESCRIPTION

FIG. 1 shows a geographic-based communications service system, generally designated 1, according to the disclosure. The system includes a mobile unit (e.g., portable computer) 5, an AP (access point) 10, an information provider 20, a management information base (MIB) 25 and a centralized network 15. The information provider 20 will typically have a processor 21 and memory 22 with controlled access thereto.

Typically, access point 10 and mobile unit 5 communicate in a wireless manner. Thus, mobile unit 5 and access point 10 would be equipped with an appropriate transmitter and receiver compatible in power and frequency range to establish such a wireless communication link. In addition, mobile unit 5 would also be equipped with a code generator which generates an identification code that can be transmitted to and recognized by the access point 10 or a system accessed through access point 10. Such an identification code allows recognition of a user before providing access to system services, thereby providing a measure of security and a service billing mechanism.

FIG. 2 is a flow chart showing an implementation of the communication between the mobile unit 5 and an access point 10. In step 30, the access point 10 determines whether the mobile unit 5 is within a range of the access point 10. In steps 35 and 40, the access point 10 scans the mobile unit 5 and determines whether a mobile unit identity (ID) matches a stored ID, and in step 45, the communication between the mobile unit 5 and the access point 10 begins. The communication between mobile unit 5 and access point 10 may include sending and receiving information which may include text, voice data and video data.

As illustrated in FIG. 2 a first step according to the disclosure is establishing a connection between a mobile unit and an access point. Referring again to FIG. 1, the mobile unit 5 can send a beacon signal that is picked up by one of the APs 10 located in a plurality of locations within a geographic region. When the beacon signal is picked up by a particular AP 10, the beacon signal is transmitted back to the management information base (MIB) 25 by AP 10. Since a location of the access point is defined and known by MIB 25, detection of the presence of the mobile unit by an AP 10 allows MIB 25 to know exactly where the mobile user is located at any given time. For example, the MIB could store the latitude, longitude, altitude, and other geographic information such as a local map of the area of each access point.

The precision available in this type of mapping scheme is distinguished from that typically achieved in a cellular telephone system. In a cellular telephone system a user transmits a beacon signal at a fixed frequency. When the user moves from a first "cell" to a second "cell", the receiver located at the midpoint of the first cell no longer picks up the beacon signal, and the receiver located at the midpoint of the second cell picks up the beacon signal. A cellular telephone "handoff" in which the phone call is now under control of the second cell then takes place. It is only possible to locate the user to a relatively large area defined by the cells. There is no provision for locating the user more precisely within the cell. Thus, a cellular system is limited in its ability to provide services requiring the precise location of the user.

In the present disclosure, it is only necessary to provide the mobile unit a method of determining its own location. It is not necessary to provide tracking of the mobile unit's whereabouts. For example, upon establishing a connection with an AP 10, the mobile unit 5 can transmit a message inquiring "Where is this AP?" Upon receiving the answer that the AP 10 is located at the user's destination airport, the mobile unit can then transmit an E-mail to a car rental agency or hotel to AP 10. AP 10 routes the message through a network connected to AP 10 so that the user's car or hotel room is ready upon his arrival. Once the message is provided to the AP, it is not necessary to continue to track the user.

In another approach according to the disclosure, one or more selected APs 10 can be programmed to watch for the arrival of a particular mobile unit (target mobile unit). Upon detecting the presence of the target mobile unit, the AP 10

5

establishing the link with the target mobile unit sends a message directly to the rental car agency, hotel, etc. Since the message has been sent, other APs can then be directed to cease watching for the target mobile unit.

Another feature according to the disclosure allows the user to access a service provider over a network connected through the access point. For example, upon establishing its location, a mobile unit can direct an inquiry through the AP over the network connected to the user's bank to locate the nearest ATM. Since the user's location is established with relative precision by the location of the AP, the service provider can respond with a message such as "Straight ahead to exit 3, turn right and proceed two blocks." The message is routed to the user through the same AP.

According to the disclosure, service can be initiated by the mobile unit's transmission of an inquiry requiring a response. Alternatively, service can be initiated by an element of the network, such as a service provider, when an AP 10 detects the presence of a mobile unit. As an element of the network, the AP 10 could access its memory to initiate the service or transmit a message over the network to a service provider who initiates the appropriate service.

A system according to the disclosure would include a plurality of APs and mobile units and could be configured to allow all users access to all service providers on a network or to allow selected users access to selected service providers, depending on a service profile contracted for by the user. For example, according to the disclosure, system software could be programmed to provide service gates in which a user identification code is compared with a list of authorized codes for access to the particular service. In addition, users could contract for unlimited access for a fixed fee or for time billed access or some combination thereof. Service usage records for billing and other purposes can be maintained in an automated database, so that users can be billed by a single entity that maintains the network of APs or individually by each service provider.

Assume, for example, that a user of the mobile unit 5 is located at an airport and that several APs 10 are located at the same airport. The mobile unit 5 is connected to an antenna 6, and AP 10 is connected to an antenna 8 which can both receive and transmit radio frequency (RF) signals at designated transmit and receive frequency bands. RF signals over-the-air from AP 10 are received by the antenna 6, and sent to mobile unit 5.

The mobile unit 5 can send information to the AP 10, for example, in order to retrieve messages or obtain information needed by the user or to send messages and data to other users. These messages are entered by the user through the mobile unit 5 or can be automatically generated, as in the previously described case of sending a message to a car rental company signaling the user's arrival at the airport. During this process, antenna 6 transmits the RF signal which is received by antenna 8 and sent to AP 10.

In one embodiment, when a beacon signal output from the mobile unit 5 is detected and received by AP 10, information in the beacon signal identifying the mobile unit is transmitted back to network 15. The information sent back to network 15 includes the identification number of the mobile unit 5 and AP 10, thereby identifying both the user and his location to the network. Using this identification and location data, network 15 provides desired services (or arranges to provide desired services by accessing appropriate providers) and essential information to the user of the mobile unit 5. Based on the type of information required, network 15 may access one or more information providers 20 to provide the information or services to the user. One or more information providers 20 are

6

coupled to network 15 in a ring-network configuration, a star-network configuration, or other type of connection known in the art.

Other query/response approaches to link the mobile unit 5 and AP 10 could also be employed within the scope of the disclosure. For example, AP 10 could scan its coverage area, thereby causing a mobile unit 5 in the area to generate a response using active or passive circuitry. Such a response could be either a simple presence indication causing the AP 10 to transmit a further inquiry message requesting the mobile unit's identification information. Alternatively, in response to an AP scan, the mobile 5 could transmit its identification data immediately. Since a mobile unit may be in an area serviced by an AP for some time, either the AP or the mobile unit could be configured to determine if any correspondence is necessary before engaging in further communication.

In a simplified configuration according to the disclosure, the mobile unit could be configured merely as a device to locate its user through the APs 10. In this case, a processor on the network 15 would then take the appropriate action, such as sending an E-mail to the user's car rental agency, upon detection of the user's presence by an AP.

Network 15 shown in FIG. 1 stores information in the MIB 25. MIB 25 is a mechanism, such as a memory, which allows the persistent storage of information needed by network 15 to operate. Examples of such information include a directory of all the elements (APs, mobile units, etc.) in the network, the topology of the network, characteristics of individual network elements, characteristics of connection links, performance and trend statistics, and any information which is of interest in the operation of the network 15. For example, the MIB would store the precise longitude, latitude, altitude and other geographic information pinpointing the location of each AP 10. Alternatively, an access point can be located by its proximity to another known location. For example, an access point location may be defined as a particular hotel known to be a particular address or having known latitude and longitude coordinates. The extent of geographic area covered by an access point may be defined in the same ways.

In order to reduce message traffic over the network, all or part of MIB may be stored at one or more access points 10. In particular, static information which does not change, or changes relatively infrequently, can be stored in the AP 10. Thus, as shown in FIG. 1, AP 10 includes a memory 27 for storing at least a portion of the MIB. For example, memory 27 could store the location of the AP 10, the local map, local services and other information, such that routine requests for information from the mobile unit, such as "Where am I" requests need not be serviced over the network, leaving more resources for other message traffic.

By way of example and not limitation, service and information providers 20 may include car rental agencies, hotels, restaurants, airline reservation centers, banks, taxi services, bus and train reservation offices, printing services, on-line database services, message services, and E-mail providers, so that the user can receive messages. The system according to the disclosure may also provide the user access to updates on specific databases, such as a database maintained by the user's employer (e.g., a company rolodex) or the user's own personal databases and any other service which can be used in a remote manner.

Any of the service and information providers 20 may maintain in memory data files on members and subscribing merchants and have the ability to extract data from past transactions for each of the users to facilitate future plans. In this way, the service providers have available the information to learn

the past habits and preferences of their subscribers and provide corresponding services for new transactions.

For example, upon learning that a business traveler is scheduling a trip to Austin, service and information providers **20** consider the previous trips by the traveler develop a suggested itinerary, and book travel, hotel, car and restaurant reservations. The information providers **20** acquire knowledge about the habits of the traveler over a period of time, store the information in a memory, and extrapolate information from past habits for probable future actions consistent with these past actions. For example, when arranging for a rental car, the information stored in the service provider's memory for a particular subscriber may indicate that the subscriber typically requests a four door intermediate size car. Referencing this information, the service provider would now reserve a similar vehicle, unless otherwise instructed by the mobile unit.

A system according to the disclosure also has processing and memory access to operate in an interactive or adaptable mode. For example, when the user of the mobile unit **5** arrives at the airport, his identity, as well as the fact that he is at the airport, is detected by AP **10** and transmitted to the network, for example using the beacon signal emitted from his mobile unit **5**, as previously described. One or more service providers with access to transportation schedules, flight status information, hotel or automobile rental information, weather information, ground maps or other information desired by the user employs network **15** to send the user updated information about whether a connecting flight has been delayed, alternative routings, where to go to pick up a pre-specified rental car, directions to a preferred hotel and other types of information.

Since the location of the AP **10** communication with a mobile unit **5** is known precisely, service and information provider **20** can employ processors to provide only suitable information to the user and can track the user's last reported location. For example, since updated information can be sent to the mobile unit **5**, based on the location of the mobile unit **5**, information that is pertinent only to the fact that the user of the mobile unit **5** is at the airport need be sent back to the mobile unit **5** via the communication path between AP **10** and the mobile unit **5**. Other information can be sent at other times.

For purposes of illustration, FIG. **1** shows one AP **10** and one service and information provider **20** connected to network **15**. However, any number of such APs and service and information providers would typically be connected to network **15** to service any number of mobile units, the only limitations being physical ones, such as constraints on bandwidth.

In a variation of a system according to the disclosure, the mobile unit **5** initiates a request for information from the network **15**. For example, the user of the mobile unit **5** finds the location of the nearest automatic teller machine (ATM) by entering the request into the mobile unit **5**, which will be received by the nearest AP **10**. AP **10** forwards this request for information to the network **15**. Network **15** routes the request to a service and information provider who obtains the requested information transmits it back to mobile unit **5** through AP **10**.

In another variation of a system according to the disclosure, network **15** is connected to other types of communications networks, such as a public switched telephone network (PSTN), whereby the user of the mobile unit **5** sends and receives information from/to the PSTN or other communication network through a service provider. The service provider would employ processors and other apparatus to convert protocols and data formats from those used on the network **15** to

those compatible with the PSTN or other communication network. For example, the user may receive facsimile information from a PSTN connected to the network **15**.

Another feature according to the disclosure is the ability to adjust time clocks in the mobile unit to display and generate schedules using the correct time in the time zone where the user is located. This feature could be accomplished by sharing in the MIB a time zone identifying code for each access point and during communication between an access point and a mobile unit, notifying the mobile unit of the correct zone. Alternatively, the time zone information could be stored in the access point or the access point could be instructed to check with a time reference (e.g., Greenwich Mean Time) and calculate local time. Alternatively, the time zone could be determined for the longitude of the access point stored in the MIB. This determination could be made either by the information provider and transmitted as a time zone message to the mobile unit or could be determined in the mobile unit using the longitude information of the access point.

Still another feature according to the disclosure is the ability to provide customized messages based on the location of the active access point or based on the user's profile. For example, a user accessing a network through an access point in a hotel may be provided information about promotions offered by that hotel or other affiliated hotels, airlines, car rental agencies or other providers of goods and services.

The apparatus and method according to the disclosure and many of its attendant advantages will be understood from the foregoing description and it will be apparent that various changes may be made in form, construction and arrangement of the parts thereof without departing from the spirit and scope of the disclosure or sacrificing all of its material advantages, the form described here being merely a preferred embodiment thereof.

What is claimed is:

1. A method comprising:

receiving a beacon from a mobile device at an access point associated with a transportation station, wherein the beacon includes identification information that identifies the mobile device;

determining, at the access point, that a service provider associated with the mobile device is identified in a list of service providers that are to be sent messages upon detection of the mobile device by the access point;

sending a presence message from the access point to equipment of the service provider; and

sending a cease monitoring message to another access point associated with the transportation station to inhibit a second access point associated with the transportation station from sending another presence message when the second access point detects the mobile device.

2. The method of claim **1**, wherein the transportation station is an airport.

3. The method of claim **2**, further comprising:

receiving, at the access point via a network, information from the equipment of the service provider based on the presence message, wherein the information comprises connecting flight information; and

sending the information from the access point to the mobile device.

4. The method of claim **1**, wherein the transportation station is a subway.

5. The method of claim **1**, further comprising:

receiving, at the access point via a network, information from the equipment of the service provider based on the presence message, wherein the information comprises directions to a hotel based; and

9

sending the information from the access point to the mobile device.

6. The method of claim **1**, further comprising:

receiving, at the access point via a network, information from the equipment of the service provider based on the presence message, wherein the information comprises directions to a transportation service location; and sending the information from the access point to the mobile device.

7. The method of claim **6**, wherein the transportation service location comprises a car rental service.

8. The method of claim **6**, wherein the transportation service comprises a taxi service.

9. The method of claim **1**, further comprising:

receiving a query at the access point from the mobile device;

determining whether information answering the query is in a memory of the access point; and

sending an answer to the query to the mobile device from the memory of the access point when the answer to the query is in the memory of the access point without contacting an information provider for the answer via a network.

10. The method of claim **9**, further comprising:

sending the query to the information provider via the network when an answer to the query is not in the memory of the access point;

receiving the answer to the query from the information provider via the network; and

sending the answer to the mobile device from the access point.

11. A method comprising:

receiving a beacon from a mobile device at an access point associated with a transportation station, wherein the beacon includes identification information that identifies the mobile device;

determining, at the access point, that a service provider associated with the mobile device is identified in a list of service providers that are to be sent messages upon detection of the mobile device by the access point;

sending, via the access point, a presence message to equipment of the service provider; and

sending, via the access point, a cease monitoring message to access points associated with the transportation station to inhibit a second access point of the access points from sending another presence message when the second access point detects the mobile device.

10

12. The method of claim **11**, wherein the access point forwards information associated with a car rental agency to the mobile device based on the presence message, the information received by the access point from the equipment.

13. The method of claim **11**, wherein the access point forwards information associated with a hotel to the mobile device based on the presence message, the information received by the access point from the equipment.

14. The method of claim **11**, wherein the transportation station is an airport.

15. The method of claim **11**, wherein the transportation station is a subway station.

16. The method of claim **11**, wherein the list is stored in a memory of the access point.

17. A system comprising:

a processor of an access point associated with a transportation station;

a memory coupled to the processor, wherein the memory includes program instructions which are executable by the processor to perform operations comprising:

receiving a beacon from a mobile device at the access point associated with the transportation station, wherein the beacon includes identification information that identifies the mobile device;

determining, at the access point, that a service provider associated with the mobile device is identified in a list of service providers that are to be sent messages upon detection of the mobile device by the access point;

sending, via the access point, a presence message to equipment of the service provider; and

sending, via the access point, a cease monitoring message to another access point associated with the transportation station to inhibit a second access point associated with the transport station from sending another presence message when the second access point detects the mobile device.

18. The system of claim **17**, wherein the service provider comprises an electronic mail service provider.

19. The system of claim **17**, wherein the mobile device comprises a computer.

20. The system of claim **17**, wherein the operations include sending weather information to the mobile device, wherein the weather information is associated with a location of the access point.

* * * * *