



US009055023B2

(12) **United States Patent**
Murphy et al.

(10) **Patent No.:** **US 9,055,023 B2**
(45) **Date of Patent:** **Jun. 9, 2015**

(54) **SYSTEM AND METHOD FOR CONTROLLING ELECTRONIC COMMUNICATIONS**

(56) **References Cited**

(71) Applicant: **VEEVA SYSTEMS INC.**, Pleasanton, CA (US)

(72) Inventors: **Timothy S. Murphy**, Berkeley, CA (US); **Brian C. Longo**, Danville, CA (US)

(73) Assignee: **VEEVA SYSTEMS INC.**, Pleasanton, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **14/271,134**

(22) Filed: **May 6, 2014**

(65) **Prior Publication Data**

US 2014/0330915 A1 Nov. 6, 2014

Related U.S. Application Data

(60) Provisional application No. 61/820,029, filed on May 6, 2013, provisional application No. 61/828,034, filed on May 28, 2013.

(51) **Int. Cl.**
H04L 12/58 (2006.01)

(52) **U.S. Cl.**
CPC **H04L 51/36** (2013.01)

(58) **Field of Classification Search**
CPC G06F 27/30; H04N 21/4345
USPC 709/206; 705/26, 43, 35, 14, 58
See application file for complete search history.

U.S. PATENT DOCUMENTS

5,870,149	A	2/1999	Comroe et al.
6,167,435	A	12/2000	Druckenmiller et al.
6,295,058	B1	9/2001	Hsu et al.
6,360,221	B1	3/2002	Gough et al.
6,438,584	B1	8/2002	Powers
6,449,634	B1	9/2002	Capiel
6,650,890	B1	11/2003	Irlam et al.
6,775,689	B1	8/2004	Raghunandan

(Continued)

FOREIGN PATENT DOCUMENTS

JP	2004-513460	A	4/2004
JP	2010-211830	A	9/2010

(Continued)

OTHER PUBLICATIONS

International Search Report for PCT/US2011/040407 mailed on Jul. 1, 2011, 4 pages.

(Continued)


Primary Examiner — Jude Jean Gilles

(74) *Attorney, Agent, or Firm* — Baker & McKenzie LLP

(57) **ABSTRACT**

The approved email generation system described is capable of producing email communications between user and customer by using approved email templates and content that have been aligned with customer information regarding access to such content. Once the approved email has been generated, the content may be verified again for accuracy and validity before being delivered to the customer. When the customer accesses delivered content, the approved email generation system again verifies the content and allows the customer access to only the most current version of the content available. The system provides for control of the content of electronic communications to customers.

25 Claims, 18 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,789,108 B1 9/2004 McMillan
 6,978,417 B1 12/2005 Kohn et al.
 7,065,555 B2 6/2006 Foulger et al.
 7,149,964 B1 12/2006 Cottrille et al.
 7,155,436 B2 12/2006 Hegde et al.
 7,251,500 B2 7/2007 Nakagawa et al.
 7,333,956 B2 2/2008 Malcolm
 7,363,384 B2 4/2008 Chatani et al.
 7,496,281 B2 2/2009 Ishida
 7,523,167 B2 4/2009 Thomas et al.
 7,567,207 B2 7/2009 Angus
 7,584,251 B2 9/2009 Brown et al.
 7,606,799 B2 10/2009 Kalinichenko et al.
 7,634,556 B2 12/2009 Huynh et al.
 7,698,393 B2 4/2010 Milstein et al.
 7,707,317 B2 4/2010 Huynh et al.
 7,730,165 B2 6/2010 Shapiro
 7,865,394 B1 1/2011 Calloway et al.
 7,904,922 B1 3/2011 Haberman et al.
 7,966,374 B2 6/2011 Huynh et al.
 8,055,221 B2 11/2011 Lee et al.
 8,171,077 B2 5/2012 Huynh et al.
 8,296,378 B2 10/2012 Huynh et al.
 8,307,392 B2 11/2012 Ahanger et al.
 8,316,392 B2 11/2012 Ahanger et al.
 8,320,939 B1 11/2012 Vincent
 8,348,762 B2 1/2013 Willis
 2001/0031454 A1 10/2001 Mintz
 2001/0052019 A1 12/2001 Walters et al.
 2001/0054059 A1 12/2001 Marks et al.
 2002/0019849 A1 2/2002 Tuvey et al.
 2002/0059632 A1 5/2002 Link et al.
 2002/0092019 A1 7/2002 Marcus
 2002/0133393 A1 9/2002 Tatsumi
 2002/0169670 A1* 11/2002 Barsade et al. 705/14

2004/0093429 A1 5/2004 Burton et al.
 2005/0204379 A1 9/2005 Yamamori
 2006/0084410 A1 4/2006 Sutaria et al.
 2006/0222328 A1 10/2006 Akahane
 2007/0073699 A1* 3/2007 Reed 707/9
 2008/0201731 A1 8/2008 Howcroft
 2008/0243724 A1* 10/2008 Voorhees 705/400
 2008/0320568 A1* 12/2008 Hawkins et al. 726/5
 2009/0240521 A1* 9/2009 Simons et al. 705/2
 2009/0254449 A1* 10/2009 Kuno 705/26
 2010/0057466 A1 3/2010 Garg et al.
 2011/0213658 A1* 9/2011 Joa et al. 705/14.52
 2013/0138487 A1* 5/2013 Crasmaru et al. 705/14.4
 2013/0232550 A1* 9/2013 Kihara et al. 726/3
 2013/0294322 A1* 11/2013 Yun et al. 370/312

FOREIGN PATENT DOCUMENTS

JP 4980636 B2 7/2012
 KR 10-2008-0111175 A 12/2008
 KR 10-2012-0076490 A 7/2012
 TW 201215109 A 1/2012
 WO 00/30009 A2 5/2000
 WO WO0030009 A2 5/2000
 WO WO00/65762 A2 11/2000
 WO WO01/93509 A1 12/2001
 WO 2011/163019 A1 12/2011

OTHER PUBLICATIONS

U.S. Appl. No. 60/393,176, filed Jul. 1, 2002, 41 pages.
 U.S. Appl. No. 60/633,832, filed Dec. 6, 2004, 25 pages.
 International Search Report and Written Opinion, PCT/US2014/036990, dated Sep. 24, 2014, 13 pages.
 U.S. Appl. No. 60/261,712, filed Jan. 12, 2001, entitled Method and System for Creating Presentation Packages.
 U.S. Appl. No. 60/326,776, filed Oct. 3, 2001, entitled Methods and Apparatus for a Dynamic Messaging Engine.

* cited by examiner




FIG. 1

FIG. 2





FIG. 3a

302



Search

My Accounts

Dermatology Center
 321 Old Main Rd
 Springfield, USA 12345
 (555) 123-4567

Smith, John
 4567 Main Drive

Doe, Jane
 321 Wall Rd
 Springfield, USA 12345
 (555) 456-7890

Simpson, Homer
 1 Only State License
 Springfield, USA 12345
 (555) 987-6543

Simpson, Marge
 321 Old Main Rd
 Springfield, USA 12345

New Call

Launch Media

Send Email


310

320


305

Last Update: 5/1/2013 2:20 PM


FIG. 3b




Account Type




Business Account




Person Account



Account Lists



Approved Error




Last Update

Cancel

Call Report

Media

Sign



Professional Information		
Datetime	5/1/2013 2:27 PM	Signature Date
Call Type		

Detailing Priority

Common (0)

Anvil
 Coldcap_Jap
 Market_2_Product_0

Birvana
 Lab #2
 Restalot

Chat_Lab
 Market_0_Product_0
 Restalotmor

Prod_grp2 (2)

My Other Detail Topic
 Coldcap_tst
 Labyrinth

Supero
 Anvil

TimTsl2-DettGip (3)

My Detail Topic
 Anvil

My Other Detail Topic
 Labyrinth

Nilbrack

Save

Submit

Send Email

355

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z 7 #

352

360

FIG. 4





FIG. 5

502



602

FIG. 6

Send Email
Done

Select on or more templates.

Filters	Email Templates (13) Search														
Products <hr/> Common <table style="width: 100%; border: none;"> <tr> <td><input type="checkbox"/> Anvil</td> <td><input type="checkbox"/> Birdvana</td> </tr> <tr> <td><input type="checkbox"/> Chat_Lab</td> <td><input type="checkbox"/> Coldcap_Germany</td> </tr> <tr> <td><input type="checkbox"/> Coldcap_Jap</td> <td><input type="checkbox"/> Lab #2</td> </tr> <tr> <td><input type="checkbox"/> Market_0_Product_0</td> <td><input type="checkbox"/> Market_2_Product_0</td> </tr> <tr> <td><input type="checkbox"/> Restalot</td> <td><input type="checkbox"/> Restalotmor</td> </tr> </table> <hr/> Prod-grp2 <input type="checkbox"/> My Other Detail topic <hr/> <table style="width: 100%; border: none;"> <tr> <td><input type="checkbox"/> Anvil</td> <td><input type="checkbox"/> Coldcap_tst</td> </tr> <tr> <td><input type="checkbox"/> Labyrinth</td> <td><input type="checkbox"/> Supero</td> </tr> </table> <hr/> ▼ TimTst2-DetGrp <hr/> Language <div style="border: 1px solid black; padding: 2px; margin-top: 5px; width: fit-content;">All</div> <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> Recipients have conflicting preferred languages. Consider sending email separately to each recipient. </div>	<input type="checkbox"/> Anvil	<input type="checkbox"/> Birdvana	<input type="checkbox"/> Chat_Lab	<input type="checkbox"/> Coldcap_Germany	<input type="checkbox"/> Coldcap_Jap	<input type="checkbox"/> Lab #2	<input type="checkbox"/> Market_0_Product_0	<input type="checkbox"/> Market_2_Product_0	<input type="checkbox"/> Restalot	<input type="checkbox"/> Restalotmor	<input type="checkbox"/> Anvil	<input type="checkbox"/> Coldcap_tst	<input type="checkbox"/> Labyrinth	<input type="checkbox"/> Supero	<div style="border-bottom: 1px solid black; padding: 5px;"> Coldcap newsletter Labyrinth English ET2! </div> <div style="border-bottom: 1px solid black; padding: 5px;"> Coldcap Thank You & Followup Labyrinth English Followup documents </div> <div style="border-bottom: 1px solid black; padding: 5px;"> Coldcap_markup Labyrinth English should render?! </div> <div style="border-bottom: 1px solid black; padding: 5px;"> Clean - Hello Coldcap No Fragments Labyrinth English Clean Template - No Fragments </div> <div style="border-bottom: 1px solid black; padding: 5px;"> Clean Template - CHATHAM REED DE Lunaster English </div> <div style="border-bottom: 1px solid black; padding: 5px;"> Clean Template - CHATHAM US Lab #2 English User Fields </div> <div style="border-bottom: 1px solid black; padding: 5px;"> Clean Template - Hello Coldcap Labyrinth Prod-grp2 French Clean Template </div> <div style="padding: 5px;"> Hello Coldcap - Japanese Lab #2 English </div>
<input type="checkbox"/> Anvil	<input type="checkbox"/> Birdvana														
<input type="checkbox"/> Chat_Lab	<input type="checkbox"/> Coldcap_Germany														
<input type="checkbox"/> Coldcap_Jap	<input type="checkbox"/> Lab #2														
<input type="checkbox"/> Market_0_Product_0	<input type="checkbox"/> Market_2_Product_0														
<input type="checkbox"/> Restalot	<input type="checkbox"/> Restalotmor														
<input type="checkbox"/> Anvil	<input type="checkbox"/> Coldcap_tst														
<input type="checkbox"/> Labyrinth	<input type="checkbox"/> Supero														

702

FIG. 7

710

Send Email Done

Clean Template - Hello Coldcap

To Doe, Jane Simpson, Bart Simpson, Homer Smith, John Smith, Lucy

Subject Coldcap is here, Say Yes NOW! 720

2 of 5 recipients cannot receive this email.

ColdCap

Important Safety Information Full Prescribing Information

Dear Dr. Jane Doe, DO,

This is free text

Thank you for meeting with me. I've provided links to the studies we discussed while I was in your office . Please review at your leisure and I will be back in your office next week to follow up with you.

Select Documents to Share

Sincerely ,
Bob Sales
Bob's Pharma, Inc.

Indication
Coldcap is indicated for the treatment of high cholesterol in adults aged

FIG. 8

702

Send Email
Coldcap Thank You & Followup
Coldcap_markup
Clean - Hello Coldcap No Fragments
Coldcap newsletter

Done

To: Doe, Jane

Subject: Thanks for your

⚠ 2 of 5 recipients ca

Dear Dr. Jane Doe,

I enjoyed our convers
discuss the importan

wcck

Please find the infor
you're ready to go.

Select Documents to Sh

If you have any quest

Sincerely,

Recipients (5)

Smith, John

Smith, John@bobssystems.com

Language: French

⚠ This account has received 5 or more emails in the last 30 days.

Doe, Jane

tim@lmnop.com

Language:

Simpson, Homer

t.mills@bobssystems.com

Language:

Simpson, Bart

b@xyz.com

Language:

⊗ Simpson, Bart is not opted to receive emails for Labyrinth.

Smith, Lucy

t.mills+barnes@bobssystems.com

Language: German

802

902

FIG. 9

The image shows a screenshot of a web form titled "Email Opt In". At the top left is a "Cancel" button, and at the top right are "Clear" and "Save" buttons. The form contains the following elements:

- Name field: "Simpson, Bart"
- Email field: "b@xyz.com"
- Paper Consent ID field: (empty)
- Consent checkbox: "I hereby consent to receive email."
- Text: "I hereby consent to receive email."
- Timestamp: "May 1, 2013 2:24 PM"
- Signature box: A rectangular box containing a large "X" and a handwritten signature. This box is labeled with the reference numeral "905".

FIG. 10a





FIG. 10b



Send Email

Done

Clean Template - Hello Coldcap

Clean Template - CHATHAM REED DE

Hello Restalot 4

1002

To Doe, Jane Simpson, E

Subject Why not try Restalot?

⚠ 2 of 5 recipients cannot receive

Dear Dr. Jane Do
This is free to
Thank you for mee
while was in your
your office next (

1004

Restalot Com

1030

Restalot Effic

1030

Sincerely,
Bob Sales
Bob's
(nul)
bsales+bobs.pm
(null) Extn.-(null)

ndication

Documents (2)

Search

Restalot Compliance

Restalot
English
Email Fragment Compliance.



Restalot Efficacy

Restalot
English
Discusses Restalot's Efficacy.



1020

1040

FIG. 10c




FIG. 11




FIG. 12

1202




FIG. 13a

XYZ Analytics

Home My Accounts My Schedule My Samples Analytics Cycle Plans Medical Events

Search

Search All ▲▼

Limit to items I own

Advanced Search...

Create New... ▼

Recent Items

- [Tim Mills](#)
- [MCC-00000014](#)
- [Judy Miller](#)
- [Joe Michaels](#)
- [Suzy Matthews](#)
- [Jess Mills](#)
- [Family Practice, PC](#)
- [John Smith](#)
- [Clean Template - Hello Coldcap](#)
- [SE-0048](#)

[Recycle Bin](#)

Account

Dr. Tim Mills

[<< Back to List: Users](#)

Account Detail

▼ **Account Information**

Name	Dr. Tim Mills
Middle	
Suffix	
Preferred Name	
Territories	103
Language	French

▼ **Contact Information and Preferences**

Phone	
Email	tim.mills@bobssystems.com

▼ **Profile Information**

Investigator?	<input type="checkbox"/>
KOL?	<input type="checkbox"/>

▼ **Ratings and Evaluations**

Common

	Awareness
Anvil	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Birdvana	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

TO FIG. 13b

FIG. 13b

Logged in as Jane Doe (jdoe@veeva.pm2.tim)

Sandbox: Ti...

Jane Doe ▾
Help & Training

vBioPharma ▾

Approved Documents
Sent Email
Multichannel Consents +

[Customize Page](#) | [Printable View](#) | [Help for this Page](#)

[Sent Email \[5+\]](#)
[Multichannel Consents \[5+\]](#)
[Cycle Plan Targets \[0\]](#)
[Addresses \[1\]](#)

[Affiliations \[0\]](#)
[Calls \[0\]](#)
[Call Samples \[0\]](#)
[Account Plans \[0\]](#)
[Medical Inquiries \[0\]](#)

Record a Call

Account Summary

Calendar

Email Opt In

Send Email

Account Record Type	Professional
Primary Parent	
Credentials	MD
Specialty	?
Spend Status	<input checked="" type="radio"/>
Spend Amount	200
Restricted Products	
Approved Email Consent	
PDRP Opt-Out	<input type="checkbox"/>
PDRP Opt-out Date	
Website	
ME #	

Segment	Movement
[][][][]	
[][][][]	

FROM FIG. 13a




FIG. 14




FIG. 15

1

SYSTEM AND METHOD FOR CONTROLLING ELECTRONIC COMMUNICATIONS

CROSS-REFERENCE TO RELATED APPLICATIONS

The present application relates and claims priority to provisional patent application nos. 61/820,029, filed May 6, 2013 and 61/828,034, filed May 28, 2013, both entitled "System and method for controlling electronic communications." Both of these provisional patent applications are hereby incorporated by reference herein for all purposes.

TECHNICAL FIELD

The present application relates generally to systems and methods that provide for sending approved content to electronic communications recipients, including methods and systems for building the approved content and generating the approved messages for electronic communications such as email.

BACKGROUND

In certain fields, the ability to achieve the efficiencies associated with modern electronic communications such as email has been hampered by the risks (regulatory and otherwise) of sending such electronic communications. An example of one field that has been so limited has been the pharmaceutical sales industry, where sales reps typically are restricted from sending email communications to prescribing doctors because of the enormous risks that can flow from unapproved, uncontrolled messages. For example, a careless rep or other personnel might send an email to a subscribing doctor suggesting off-label uses for a drug. This could end up exposing the company employer (e.g., a pharmaceutical company) to regulatory penalties or other legal liabilities.

SUMMARY

Embodiments disclosed in the present document provide a machine-implemented method for generating approved emails. The method comprises: establishing a controlled content repository, the controlled content repository being securely and controllably accessed; establishing an access protocol for the controlled content repository, whereby approved content is stored in the controlled content repository according to the access protocol and whereby the access protocol comprises at least one set of alignment rules for determining if a first piece of approved content within the controlled content repository can be made available to a first customer via an electronic message; storing the approved content within the controlled content repository, the approved content further being accessible according to the established access protocol; aligning the approved content within the controlled content repository with information from an information management system; and providing an approved email generating system which generates an electronic message according to the established access protocol for sending a piece of approved content within the controlled content repository to an approved customer.

BRIEF DESCRIPTION OF THE DRAWINGS

For a more complete understanding of the present application and its advantages, reference is now made to the follow-

2

ing description taken in conjunction with the accompanying drawings, in which like reference numbers indicate like features.

FIG. 1 illustrates an exemplary architecture for managing the building and sending of approved electronic communications;

FIG. 2 illustrates an example architecture for the content repository of FIG. 1 in which content is built and organized in a controlled manner that facilitates efficient content generation;

FIG. 3a illustrates a screenshot showing one embodiment of the "My Accounts" option where the user may access personalized customer mailing lists;

FIG. 3b illustrates a screenshot showing an embodiment of starting to build an approved email from a content page;

FIG. 4 illustrates a screenshot showing one example of the "Email Targets" option in the mobile application (or web application) from which users may select individuals from the mailing list as recipients of an approved email;

FIG. 5 illustrates a screenshot of an example "Email Targets" screen with individual email targets selected to receive an approved email;

FIG. 6 illustrates a screenshot of one embodiment of an "Email Template" selection screen where the user may choose one or more customer-aligned templates to generate approved emails to selected customers;

FIG. 7 illustrates a screenshot of an example approved template for email generation with an example warning icon indicating that one or more of the email recipients is unapproved to receive the content within the template or content attached to the template email;

FIG. 8 illustrates a screenshot of example pop-up screen detailing the reasons why individual customers may not be approved to receive the content;

FIG. 9 illustrates a screenshot of one embodiment of the signature capture technology available to users through the mobile application to provide for remote opt-in for electronic communications;

FIG. 10a-c illustrates a screenshot of an example approved email template with user-selected hyperlinks to approved content included within the body;

FIG. 11 illustrates a screenshot of an example "Preview" screen, from which the user may view the approved email in the format in which it is viewable by the recipient;

FIG. 12 illustrates a screenshot of an example customer portal through which customers may access approved content from the controlled content repository;

FIG. 13a-b illustrate a screenshot of one embodiment of the customer profile information screen wherein users may have access to information regarding approved email communication history with the customer;

FIG. 14 is a flowchart illustrating the providing and/or provisioning of an approved email system; and

FIG. 15 is a flowchart illustrating the building and sending of approved emails.

Although similar reference numbers may be used to refer to similar elements for convenience, it can be appreciated that each of the various example embodiments may be considered to be distinct variations.

The present embodiments will now be described hereinafter with reference to the accompanying drawings, which form a part hereof, and which illustrate example embodiments which may be practiced. As used in the disclosures and the appended claims, the terms "embodiment" and "example embodiment" do not necessarily refer to a single embodiment, although it may, and various example embodiments may be readily combined and interchanged, without depart-

ing from the scope or spirit of the present embodiments. Furthermore, the terminology as used herein is for the purpose of describing example embodiments only, and are not intended to be limitations. In this respect, as used herein, the term “in” may include “in” and “on,” and the terms “a,” “an” and “the” may include singular and plural references. Furthermore, as used herein, the term “by” may also mean “from,” depending on the context. Furthermore, as used herein, the term “if” may also mean “when” or “upon,” depending on the context. Furthermore, as used herein, the words “and/or” may refer to and encompass any and all possible combinations of one or more of the associated listed items.

DETAILED DESCRIPTION

Embodiments disclosed in the present application allow for control of email content for communications between system users and email recipients (customers) by providing for a system and method for generating an “approved email” communication. Users may access a list of email templates which have been pre-generated with approved content and then aligned with various customer attributes such as regulatory limitations, customer preferences and demographic information in order to ensure compliant and tailored communication between the user and the customer.

Such controlled email or other electronic communication generation occurs at an interface between a repository of approved content items and templates along with customer relationship management (CRM) information including customer profile information and parameters including customer preferences and regulatory limitations or fields that can be used to facilitate compliance with regulatory limitations. The system is capable of generating warning notices to users when content and customer access do not align and users may choose various actions to address the warning notices such as excluding certain customers from the communication or changing email content. The customer information is from a customer relationship management subsystem.

In disclosed embodiments, intelligent and flexible updating of records may be provided within the customer relationship management subsystem, including such approaches as communicating with third-party systems and sources in order to verify and update customer information in an effective and timely manner, such as by using the collective information gained by managing a cloud-based system/Software-as-a-Service (SaaS) system on behalf of multiple company customers for the disclosed embodiments.

After approved emails are constructed by the user, the content contained within the approved email may be once again checked for accuracy and validity by the system before release to the email server. When a customer accesses content within an approved email, the customer is directed to a customer portal through which the content is accessed. The customer may be only allowed access to the most current version of the approved content within the content repository. In this manner, the content received and viewable by the customer has been verified in real-time as being compliant, approved content.

FIG. 1 is a system overview illustrating an embodiment of a controlled email communication system 100. The presently disclosed embodiment comprises a controlled content repository 102, a Customer Relationship Management (CRM) server 106, and a multichannel processing engine 108. The customer relationship management server 106 may provide access to a customer relationship management subsystem 104, and the multichannel processing engine 108 may be

coupled to an email server 114. In one embodiment, the customer relationship management subsystem 104 and/or the email server 114 may be operated by a third party. The multichannel processing engine 108 may be accessed by users such as company sales representatives through web clients 110 or through mobile apps 112 (such as iOS, Android, Blackberry, or Windows Mobile systems), communicating with the multichannel processing engine 108 through web servers 113. Although the users may be described in the present application as being company sales representatives, this particular described embodiment is not intended to limit the generality of the claims that may eventually issue in patents stemming from the present disclosure.

The controlled content repository 102 is designed to have a process for developing approved content that is sharable across multiple users, such as shareholders, reviewers, managers, marketing personnel, sales representatives, etc. The content generated in the controlled content repository 102 may be accessed on a regulated basis and used to generate approved electronic communications. This regulated basis may be determined, in part, by the company as a whole and additionally by interaction with data from the customer relationship management subsystem 104, described in further detail below. In one embodiment, approved content, customer profile information, customer preferences, and regulatory limitations and requirements may be stored in a table in the controlled content repository 102. In addition to storage and development of content, the controlled content repository 102 may also store an audit trail, tracking exact content of communications as they were sent by the user, as well as metadata about the communications and information regarding the content accessed by customers.

The customer relationship management subsystem 104 contains all contact information that may be available to users. In addition to storage of contact information, the customer relationship management subsystem 104 may also be capable of storing configurations regarding specific preferences, regulatory limitations and requirements, and other fields that will facilitate the generation of appropriate approved electronic communications, in general or on a by-recipient basis. These preferences and/or requirements include both the preferences of the user (e.g., maintaining account lists) as well as the preferences of the enterprise (e.g., employers of the users), discussed in further detail below. In some examples, the approved content and email templates may be pre-processed and stored in the controlled content repository 102 and provided to the multichannel processing engine 108 during the process for generating an approved email. In other examples, the customer relationship management subsystem 104 may have a content management subsystem and may provide the approved content and the templates.

In this embodiment, the customer relationship management subsystem 104 is capable of communication with multiple sources through the customer relationship management server 106 or through other channels to maintain a current and accurate collection of information regarding customer accounts. The interface with the multiple sources can be, for example, through an Applications Programming Interface or API, as the API interface will allow compatibility with a flexible array of third-party provider servers. The information being updated may include, but is not limited to, licensing information, area of practice, and location of the various customer contacts. In this manner, the customer relationship management subsystem 104 pulls the approved version of what represents an account or physician, which then pulls from multiple networks to ensure that the information regard-

ing an account is up-to-date. The customer relationship management subsystem **104** may also be used to determine the type of domain an email communication is delivered through. A customer in Spain may receive an email from “CompanyX.es,” whereas a customer in Germany would receive the same email from “CompanyX.ge.” This may allow for additional branding options for the company controlling and sending the electronic communications.

With further reference to the customer relationship management subsystem **104**, this system may be a cloud-based customer database that provides a central access to store and distribute consistent data across customer companies as well as their possible third-party partners and agencies that are used to keep this data updated. This system can provide standard data formats and provide an easy and automated way for customers to have access to coordinated and frequently updated CRM data and to use that coordinated data for sending approved electronic communications in accordance with the system described herein.

In an embodiment, the multichannel processing engine **108** is responsible for combining the customer account information from the customer relationship management subsystem **104** with content available from the controlled content repository **102**. Within the customer relationship management subsystem **104**, customer accounts may be assigned a set of alignment rules which determine specific pieces of content that are available for use from the controlled content repository **102**. The multichannel processing engine **108** may apply these rules and supply the user with a list of approved email templates and pieces of content that may then be used to construct an approved email communication. Approved email generation occurs within the multichannel processing engine **108** according to executable code computer instructions stored in executable code storage **120**.

The executable code comprises computer readable instructions stored on the computer readable medium (the code storage medium **120**). The executable code storage **120** is in communication with the various computing machines in the system **100** such as the customer relationship management server **106** and the multichannel processing engine **108**. The same or another executable code storage **120** may be accessed by the previously described components of the controlled content repository **102** for providing separate computer readable code for operating upon by processing machines in that system. In all cases, the code is programmed to perform the functions that are described in the present embodiments and/or additional functions according to system design needs.

Communication between the multichannel processing engine **108** and the customer relationship management subsystem **104** may occur via the customer relationship management server **106**, which acts as an interface between the two. The customer relationship management server **106** may act solely as an entry and exit point for the customer relationship management subsystem **104**. The user may access the multichannel processing engine **108** through either a Web Client **110** or through the mobile apps **112** (such as iOS, Android, Blackberry, or Windows Mobile systems).

FIG. 2 provides a description of the controlled content repository **102** with additional specific applications and interfaces connected thereto. In an embodiment, this controlled content repository **102** is a cloud-based or distributed network based system for consolidating an enterprise’s data, often-times integrating multiple content repositories in an enterprise into a single system having coordinated control, measuring, and auditing of data creation, access and distribution.

In an embodiment of the controlled content repository **102** for the life sciences industry, as illustrated in the figure, this

repository **102** can include specific data collections for the following areas and/or business process-specific front-end applications **204**:

The Research & Development (R&D) front end application **208** provides for an aggregation of materials in support of research and initial clinical trial submissions through building organized and controlled content repositories within the controlled content repository **102**. Elements that can be stored, organized, and managed through this front end include submission bills of materials, Drug Information Association (DIA) reference models support, and submission-ready renderings. This front end **208** is designed to provide an interface to the controlled content repository **102** whereby researchers, contract research organizations (CROs), and other collaboration partners can access and/or distribute content through a single controlled document system.

The clinical trials front-end application **210** provides for faster and more organized access to trial documents and reports, while supporting seamless collaboration between sponsors, CROs, sites, investigators and other trial participants. Specific features both ease study and site administration as well as support the DIA trial master file (TMF) reference model. Having this front-end application providing access to the controlled content repository **102** further provides for efficient passing off of controlled content repository content between this phase and other phases of the life sciences development process.

The manufacturing and quality application **212** enables the creation, review, approval and distribution of controlled documents across the organization and with external partners in the context of materials control and other manufacturing elements. The application **212** provides functionality in support of the manufacturing process including watermarking, controlled print, signature manifestation and “Read and Understood” signature capabilities. The documents and metadata associated with this process is managed and stored in the controlled content repository **102** whereby it can be assured that the related documents are not distributed in contravention of law and company policy.

The medical communications application **214** provides for communications with medical facilities, including call center access, integration, and interface functionality. Particular access control features and metadata associated with this application **214** include expiration and periodic review elements, multi-channel support, global documents and automatic response package generation through the controlled content repository **102**.

The marketing and sales application **216** application provides an end-to-end solution for the development, approval, distribution, expiration and withdrawal of promotional materials. Specific features include support for global pieces, approved Form FDA **2253** (or similar international forms) form generation, online document, and video annotation, and a built-in digital asset library (DAL). Again, the communications may be through the controlled content repository **102**.

In disclosed embodiments, there are provided a number of back-end system applications **220** that provide for the management of the data, forms, and other communications in the controlled content repository. For example, the back-end systems applications **220** may include a regulatory compliance engine **222** to facilitate regulatory compliance, including audit trail systems, electronic signatures systems, and system traceability to comply with government regulations, such as 21 CFR Part 11, Annex 11 and GxP-related requirements. The regulatory compliance engine **222** may include processors for developing metadata surrounding document and project folder accesses so from a regulatory compliance standpoint it

can be assured that only allowed accesses have been permitted. The regulatory compliance engine **122** may further include prevalidation functionality to build controlled content in support of installation qualification (IQ) and/or operational qualification (OQ), resulting in significant savings to customers for their system validation costs.

In further disclosed embodiments, the back-end systems **220** may contain a reporting engine **224** that reports on documents, their properties and the complete audit trail of changes. These simple-to-navigate reports show end users and management how content moves through its life cycle over time, enabling the ability to track 'plan versus actual' and identify process bottlenecks. The reporting engine may include processors for developing and reporting life cycle and document management reporting based on stored project data and access metadata relative to documents, forms and other communications stored in the controlled content repository **102**.

In further disclosed embodiments, the back-end systems **220** can include an administrative portal **226** whereby administrators can control documents, properties, users, security, workflow and reporting with a simple, point-and-click web interface. Customers also have the ability to quickly change and extend the applications or create brand new applications, including without writing additional software code.

In further disclosed embodiments, the back-end systems **220** may include a search engine **228** whereby the controlled content repository **102** can deliver simple, relevant and secure searching.

In providing this holistic combination of front-end applications **204** and back-end system applications **220**, the various applications can further be coordinated and communicated with by the service gateway **230**, which in turn can provide for communications with various web servers and/or web services APIs **113**. Such web servers and/or web services APIs **113** can include access to the content and metadata layers of some or all of the various applications **204** and systems **220**, enabling seamless integration among complementary systems.

In the context of the described embodiments, the particular features and capabilities integrate with the other elements of the controlled email communication system **100** such that particular features are usable within the various user screens. For example, and without limitation to any other possible combination of features, in the below-described description of generating an approved electronic communication, the above-described search portal can be used to search for approved attachments (i.e. content) within the controlled content repository **102** which may be then attached to one of the template emails being prepared for sending to a customer. And the synergy of combining these particular systems is that the generation of the controlled content can be done in a controlled fashion such that the approved content can be sent to customers with greater confidence in the integrity of the data being sent.

FIG. **3a** illustrates an embodiment screenshot **302** of a "My Accounts" interface in a web-based or mobile interface within a web-based system **110** or mobile system **112** (see FIG. **1**). From this screen **302**, a user may select an individual account from a list of existing physician or other clinical accounts within the customer relationship management subsystem **104**. By selecting a specific individual account from the "My Accounts" screen **302**, the user can be taken to a screen containing current contact information for the selected account as stored in the customer relationship management subsystem **104**. From this screen, users may begin constructing an approved email to the individual customers by select-

ing a "Compose Email" link on the screen. In this embodiment, there are additional options within the web-based or mobile application **110**, **112** for sending an individual customer an approved email. From the "My Accounts" screen **302** shown in FIG. **3a**, the user may also click on or mouse over the "Action" sheet shown in this embodiment to the right of the contact name to get a pop-up window and select a "Send Email" link **310** in the pop-up window. The user may click on a link **305** to update information of the accounts.

A user may also begin constructing an email from a content page, e.g., when the user is viewing a document or a video on his screen. FIG. **3b** illustrates an embodiment screenshot **352** of a "Call Report" interface in a web-based or mobile interface within a web-based system **110** or mobile system **112** (see FIG. **1**). While viewing a Call Report **360** on screen **352**, a user may decide to send content related to some topics in the Call Report. The user may click on or mouse over the "Action" sheet next to the "Sign" link shown in this embodiment to get a pop-up window and then select a "Send Email" link **355** in the pop-up window. After that, the screenshot **302** may be displayed for the user to build an approved email. Because the described system including the controlled content repository **102** provides for a coherent and controlled access to the approved content for email communications, it can be made quite flexible as to providing consistently formatted and approved content from various applications and/or specific screenshots within applications.

Referring now to FIG. **4**, by selecting the "Account Lists" **320** on the left hand side of the screen in FIG. **3a**, users may access personally or institutionally pre-constructed lists **410** of individual customers as configured in the customer relationship management subsystem **104**. From this screen **402**, the user may also select a number of individual customer accounts **420** with whom they wish to communicate. Once desired customers have been selected from the list, which could include the selecting of all customers in the list, the user may begin building an approved email to the selected customers through the web-based or mobile client application **110**, **112**. The email may be constructed within the multichannel processing engine **108** from the accessible content provided by the controlled content repository **102** which has been aligned with the customer information provided by the customer relationship management subsystem **104**.

FIG. **5** illustrates an exemplary screenshot **502** in which the user begins constructing the approved email by selecting an "Email Targets" link **505**. The link icon may also contain the number of selected customers in parentheses. In this embodiment, the "Send Email" links **510** appear after the customer selection of the "Email Targets" link **505**.

Shown in FIG. **6**, by selecting the "Send Email" link, the user may access the "Email Generation Wizard." From this screen **602**, a user may access pre-approved, controlled email templates **604** that are available and approved for the specific group of customers selected. From this approved list, the user may select multiple templates. After desired templates are selected, individual tabs appear at the top of the screen and within each tab is a separate approved email which may be sent to the selected customers.

The user may access an individual template, as shown in the screenshot **702** of FIG. **7**, by selecting the appropriate tab **710**. The template may also display a warning icon **720**, shown in the top left of FIG. **7**, which indicates that one or more of the selected individuals may be restricted from receiving the chosen template with its current content. This warning is generated from information contained within the customer relationship management subsystem **104**. The user may select this icon **720**, which generates a pop-up window

802 containing specific warning information for all potential recipients who may be currently restricted from receiving the content, shown in FIG. **8**. Recipients may be removed from the email list on this screen by selecting the appropriate icon.

Warnings generated on the pop-up screen **802** illustrated in FIG. **8** may appear for reasons that include, but are not limited to, regulatory limitations, customer preferences, demographic information, a customer “opt-out” option where the customer has requested to not have the content delivered; the absence of a customer “opt-in” option where the customer may not receive the communication without prior approval; or that the most current information contained within the customer account profile no longer allows access to the current content delivered by the controlled content repository **102**. Information regarding regulatory limitations, customer preferences, demographic information, the “opt-in” or “opt-out” status of individual customer accounts is stored within the customer relationship management subsystem **104**.

In an embodiment, as shown in FIG. **9**, the user may access an “opt-in” request **902** from the recipient of the email through the web-based or mobile client applications **110**, **112**. In this embodiment, the user may have access to signature capture technology, which allows for instant, remote customer approval along with the appropriate signature **905**.

Once all warnings are cleared, or all restricted recipients are removed from the list, the user may once again have access to the approved email template **1002** as illustrated in FIG. **10a**. Email templates may be either “branded” with imagery **1003** or may be presented in a plain, text-only format, selectable by the user. As illustrated in FIG. **10a**, the user may have the ability to personalize the email content by free-texting in the text box **1004** supplied within the template. This customizable text box **1004** may also be regulated to ensure compliance by limiting the number of characters that may be typed in the box and by constructing “libraries” of restricted words for each customer that may not be used in the box. The information used to regulate the text box may be accessed from the customer relationship management subsystem **104**, and configuration of these regulatory parameters may be designated by both the company, by the specific customer, and/or by specific regulation. Within the approved template, the user may choose from approved content to be included in the body of the email.

The user may select the “Select Documents to Share” icon **1010** within the template, which generates a pop-up screen **1020** (see FIG. **10b**) containing a list of approved content from within the controlled content repository **102** that has been aligned with the customer information retrieved from the customer relationship management subsystem **104**. From the pop-up screen **1020**, the user may select multiple content items to be included within the body in the form of one hyperlink per selected content item. As the content items are selected, they are added to the body of the email as individual tiles **1030** as illustrated in the center of FIG. **10b**. The list of content items may be rearranged by the user by dragging the tiles into the desired order. The user may preview the approved email on the web-based or mobile applications **110**, **112** as it will be received by the customer by selecting the “magnifying glass” icon **1040** located within the template screen. The user may then return to the edit function by selecting an “editing” icon or clicking outside the document selection pop-up screen **1020**.

From this continued editing screen **1050** of FIG. **10c**, the user may also select a customized valediction from a dropdown menu located within the template **1050**. The overall approved content authoring system described herein includes selection capabilities that are highly flexible, highly config-

urable, and may be applicable to any place within the approved email template. The user may then send the email to selected recipients using the “Send” icon **1060** illustrated in FIG. **10c**.

The communications between the mobile applications **112** or the web clients **110** and the multichannel processing engine **108** may use any communication protocols between a web client and its server, e.g., HttpPost.

In one embodiment, the content contained within the generated email may be once again checked for accuracy and validity by the system just before releasing. Once the approved email is generated in the multichannel processing engine **108** and the user selects the “Send” icon, the communication is then sent to the controlled content repository **102** for final verification of the accuracy and validity of the selected content. The controlled content repository **102** may also store audit trail data **150** which documents and retains information that may include, but is not limited to, recipient information, time stamp data, and the most current version number of any content included within the approved email. The communication is then sent back to the multichannel processing engine **108**, where it may be routed through an email server **114** and then delivered to the customer’s preferred inbox. The multichannel processing engine **108** may send only enough information to the email server **114** for the email server **114** to create an email, and the email server **114** may create the actual email to be sent to the customer. The email server **114** may collect and distribute the outbound email content, but it may also collect interaction information from the customer regarding clicks, views, and other statistics regarding customer usage. As shown in FIG. **1**, this information may then be posted back to the multichannel processing engine **108** as CRM updates **111** and sent through the customer relationship management server **106** to be deposited in the customer relationship management subsystem **104** as information contained within the customer account profile. The email sent may also be stored in the customer relationship management subsystem **104**.

As shown in the approved email preview screen **1102** illustrated in FIG. **11**, when an approved email is opened by the customer, the customer may have immediate access to communications as they appeared in the “preview” screens or thumbnails available to the user through the web-based or mobile applications **112**. This communication **1102** includes the readable text and a tiled list of approved content hyperlinks, shown in the figure. The recipient may choose to view the content by selecting the appropriate content icon. In an embodiment of the system, the recipient may select the “view pdf” hyperlink **1110** within the email, which will redirect the recipient to the customer portal screen **1202**, shown in FIG. **12**. Each recipient has the ability to custom-configure the specific URL to be loaded as the “landing page” for clicks from the approved emails.

This arrangement allows for the direction of customers to specific portals. Within the portal **1202**, the recipient may view the full text of the content that was included as a tile within the body of the original approved email. The content is accessed directly from the controlled content repository **102** to ensure that the most up-to-date information is displayed when the customer accesses the selected content. If the content has been updated to a newer version since the user constructed the approved email, then the hyperlink included in the approved email will automatically connect the customer to the most up-to-date version of the selected content. Information regarding the content version viewed by the customer may be stored with other pertinent information about the customer experience in the audit trail within the controlled

11

content repository **102**. In one embodiment, the controlled content repository **102** may create a token for the approved content to be sent with the approved email. The token may have information about which piece of content to show to the customer, and direct the customer to the right content. In one embodiment, even when the content is updated after the email is sent, the token may direct the customer to the latest version of the content.

Illustrated in FIG. **13a-b** is an embodiment of the system that allows the user access to information regarding specific communications. This information is stored in the customer relationship management subsystem **104** along with customer account information. The user may access this information through either mobile apps **112** or through web clients **110**. The information available may include, but is not limited to, the number of times the approved email communication has been opened by the customer, the number of clicks executed, type of device used to access the communication, platform used when accessing the content, and location when the communication was viewed.

FIG. **14** is a flowchart illustrating the building and/or provisioning of exemplary elements of an approved email system in accordance with the embodiments disclosed in the present application. The method starts and block **1400**, after which the system builders and/or administrators establish a controlled content repository **102** at block **1402**. As described herein, the controlled content repository is designed to be securely and controllably accessed such that only authorized users can build the controlled content therein. To ensure the integrity and security of the controlled content repository **102**, an access protocol is established at block **1402**. The access protocol may be defined by computer instructions stored in the computer readable memory or executable code storage **120**. By the computer instructions stored therein, the multichannel processing engine **108** is thereby able to control access to the controlled content repository **108** in accordance with the principles described in the present application.

At block **1406**, one or more users establish approved content to be stored in the controlled content repository **102** under the control of the access protocol established at block **1402** (or as that protocol is later changed or updated). At block **1408**, a system designer or other admin establishes or updates email templates that approved content senders can pick and choose from in building approved email content messages. At block **1410**, a customer relationship management system is accessed such that the approved emails can be addressed to customer contacts of the enterprise or salesperson for the enterprise who is engaging in the marketing, manufacturing, clinical trials, or other activity described herein. At block **1412**, the actual email generation system is provided that interfaces with the approved content, the access protocol, the email templates, and/or the customer relationship management system. This email generation system, or more specifically the multichannel processing engine **108**, is accessed by senders of approved email content as described in the present application.

It should be appreciated that as previously discussed, the customer relationship management system **104/106** may be further operable to communicate with multiple sources of information to build a current and accurate collection of information regarding customer accounts. It should also be appreciated that to facilitate such communications, at least one of the multiple sources of information that might communicate with the custom relationship management system **104/106** may communicate with external servers that belong to one or more third-party partners or agencies through an Application Programming Interface (“API”) whereby the customer rela-

12

tionship management system can flexibly receive data updates from the one or more third-party partners or agencies. The access protocol that is established may also include a set of alignment rules that determine specific pieces of approved content that are available to the selected customers from the controlled content repository.

While FIG. **14** is described in basic terms regarding its general operation as a controlled content access system, it should be appreciated that such a system is described herein with multiple specific implementations. Such specific implementations can be facilitated through front-end applications in the context of supporting research, development, and initial clinical trial submissions as previously described. Other front-end applications as previously described include manage access and/or distribution of trial documents and reports in support of ongoing clinical trials, materials control and/or manufacturing process controls, communications with medical facilities in support of medical facility operations, and the development and distribution of promotional materials as related to regulatory restricted products such as prescription drugs.

To facilitate the compliance with government regulation, a regulatory compliance engine can be provided to review content and the access protocols and to ensure that only approved content authored by properly authorized individuals and according to required controls can be distributed to permitted possible customers or other content recipients in accordance with government regulations.

Next with regard to FIG. **15**, a method for generation of approved email content is described. In particular, FIG. **15** shows at block **1500** the start of the process, after which at block **1502** an email author or prospective sender can choose a template from a set of customizable templates. In this way the email authors or prospective senders do not have to recreate content every time an email campaign is beginning. At block **1504**, the user selects the desired content from the approved content repository **102**, and the user at block **1506** selects the desired recipients or customers from the CRM database **104**.

Still referring to FIG. **15**, the system, or more specifically the multichannel processing engine **108** confirms that the approved content and form of email may permissibly be sent by the prospective email sender to the customers or other selected recipients at **1508** based on factors including but not limited to regulatory limitations, customer preferences, demographic information, or the “opt-in” or “opt-out” status of individual customer accounts. Once that has been confirmed in accordance with the access protocol, the multichannel processing engine **108** can begin building and sending the emails in accordance with the user’s selections or as modified in accordance with the access protocol, regulator engine, and or other system controls, at **1512**. The content contained within the approved email may be checked for accuracy and validity by the system before release to the email server **114**. If the email is created when the user is offline, the content contained in the approved emails may be checked again after the user is back online, before they are sent to the email server.

The flowcharts do not mean to limit the sequence of the steps. In one example, the controlled content repository **102** may determine in advance, before a template is chosen at **1502**, if a piece of content can be sent to a customer and store the result. The result may be stored as a part of metadata for the content in the controlled content repository **102**. During the generation of the approved email, the multichannel processing engine may check information in the controlled con-

tent repository 102, instead of the customer relationship management subsystem 104, to decide if a piece of content can be sent to a customer.

While various embodiments have been described above, it should be understood that they have been presented by way of example only, and not limitation. Thus, the breadth and scope of a preferred embodiment should not be limited by any of the above described exemplary embodiments, but should be defined only in accordance with the claims and their equivalents for any patent that issues claiming priority from the present provisional patent application.

For example, although the embodiments are described with a customer relationship management subsystem 104, the customer information and content may be from other types of information management systems, e.g., a Closed Loop Marketing (CLM) system. In addition, the multichannel processing engine 108 is shown to communicate with only one customer relationship management subsystem 104 in the drawings, but it may communicate with more customer relationship management subsystems. For example, as referred to herein, a machine or engine may be a virtual machine, computer, node, instance, host, or machine in a networked computing environment. Also as referred to herein, a networked computing environment is a collection of machines connected by communication channels that facilitate communications between machines and allow for machines to share resources. Network may also refer to a communication medium between processes on the same machine. Also as referred to herein, a server is a machine deployed to execute a program operating as a socket listener and may include software instances.

In all descriptions of “servers” or other computing devices herein, whether or not the illustrations of those servers or other computing devices similarly show a server-like illustration in the figures, it should be understood that any such described servers or computing devices will similarly perform their described functions in accordance with computer-readable instructions stored on a computer-readable media that are connected thereto.

Resources may encompass any types of resources for running instances including hardware (such as servers, clients, mainframe computers, networks, network storage, data sources, memory, central processing unit time, scientific instruments, and other computing devices), as well as software, software licenses, available network services, and other non-hardware resources, or a combination thereof.

A networked computing environment may include, but is not limited to, computing grid systems, distributed computing environments, cloud computing environment, etc. Such networked computing environments include hardware and software infrastructures configured to form a virtual organization comprised of multiple resources which may be in geographically disperse locations.

The approved content may be in any format, e.g., text, audio, video, picture, multimedia, or PDF.

Various terms used herein have special meanings within the present technical field. Whether a particular term should be construed as such a “term of art,” depends on the context in which that term is used. “Connected to,” “in communication with,” or other similar terms should generally be construed broadly to include situations both where communications and connections are direct between referenced elements or through one or more intermediaries between the referenced elements, including through the Internet or some other communicating network. “Network,” “system,” “environment,” and other similar terms generally refer to networked computing systems that embody one or more aspects of the present

disclosure. These and other terms are to be construed in light of the context in which they are used in the present disclosure and as those terms would be understood by one of ordinary skill in the art would understand those terms in the disclosed context. The above definitions are not exclusive of other meanings that might be imparted to those terms based on the disclosed context.

Words of comparison, measurement, and timing such as “at the time,” “equivalent,” “during,” “complete,” and the like should be understood to mean “substantially at the time,” “substantially equivalent,” “substantially during,” “substantially complete,” etc., where “substantially” means that such comparisons, measurements, and timings are practicable to accomplish the implicitly or expressly stated desired result.

Additionally, the section headings herein are provided for consistency with the suggestions under 37 CFR 1.77 or otherwise to provide organizational cues. These headings shall not limit or characterize the invention(s) set out in any claims that may issue from this disclosure. Specifically and by way of example, although the headings refer to a “Technical Field,” such claims should not be limited by the language chosen under this heading to describe the so-called technical field. Further, a description of a technology in the “Background” is not to be construed as an admission that technology is prior art to any invention(s) in this disclosure. Neither is the “Brief Summary” to be considered as a characterization of the invention(s) set forth in issued claims. Furthermore, any reference in this disclosure to “invention” in the singular should not be used to argue that there is only a single point of novelty in this disclosure. Multiple inventions may be set forth according to the limitations of the multiple claims issuing from this disclosure, and such claims accordingly define the invention(s), and their equivalents, that are protected thereby. In all instances, the scope of such claims shall be considered on their own merits in light of this disclosure, but should not be constrained by the headings set forth herein.

What is claimed is:

1. A machine-implemented method for generating approved electronic messages, the method comprising:
 - establishing a controlled content repository, the controlled content repository being securely and controllably accessed;
 - establishing an access protocol for the controlled content repository, whereby approved content is stored in the controlled content repository according to the access protocol and whereby the access protocol comprises at least one set of alignment rules for determining if a first item of approved content within the controlled content repository can be made available to a first customer via an electronic message;
 - storing the approved content within the controlled content repository, the approved content further being accessible according to the established access protocol;
 - aligning the approved content within the controlled content repository with information from an information management system;
 - providing the first item of approved content within the controlled content repository for selection by a sender after a determination that the first item of approved content within the controlled content repository is authorized to be made available to the first customer in accordance with the at least one set of alignment rules; and
 - providing an approved electronic message generating system which generates an electronic message according to the established access protocol for sending the provided

15

first item of approved content within the controlled content repository to the first customer.

2. The method of claim 1, wherein the information management system is a customer relationship management (CRM) system or a closed loop marketing (CLM) system.

3. The method of claim 1, wherein the information from the information management system comprises information related to a customer profile, customer preferences or regulatory limitations.

4. The method of claim 1, further comprising: providing a template for the electronic message, wherein the template is pre-generated with approved content and has at least one customizable area.

5. The method of claim 1, further comprising: providing a hyperlink to the first item of approved content and including the hyperlink in the electronic message.

6. The method of claim 5, further comprising: directing the first customer to a customer portal through which the first item of approved content can be accessed.

7. The method of claim 6, wherein when the first item of approved content is updated after the electronic message is generated, the first customer is automatically directed to the updated version.

8. The method of claim 1, further comprising: determining a domain the electronic message is delivered through.

9. The method of claim 1, further comprising: displaying a warning when it is determined that the first item of approved content can't be made available to a second customer.

10. The method of claim 1, further comprising: verifying content in the generated electronic message just before releasing it to a server for sending the electronic message.

11. The method of claim 1, wherein the access protocol is based on regulatory restrictions.

12. The method of claim 11, wherein the access protocol is further based on customer profile information.

13. The method of claim 1, wherein the controlled content repository is adapted to provide development and distribution of promotional materials as related to regulatory restricted products.

14. The method of claim 13, wherein the regulatory restricted products are prescription drugs.

15. The method of claim 1, further comprising: a signature interface to register a customer's "opt in" input to receive the electronic message.

16. The method of claim 1, further comprising: reporting life cycle analytics relating to review cycles of the approved content.

17. The method of claim 1, further comprising: storing audit trail information relative to the controlled content repository whereby compliance with government regulations for access of such controlled content can be audited.

18. A system for generating approved electronic messages, comprising:

a controlled content repository for storing approved content according to an access protocol, wherein the access protocol is based on regulatory restrictions, and comprises at least one set of alignment rules for determining if a first item of approved content within the controlled content repository can be made available to a first customer via an electronic message; and

16

an approved electronic message generator, coupled to the controlled content repository, coupled to an application over a network, providing the first item of approved content within the controlled content repository for selection by a sender after a determination that the first item of approved content within the controlled content repository is authorized to be made available to the first customer in accordance with the at least one set of alignment rules, and generating an electronic message according to the access protocol for sending the first item of approved content within the controlled content repository to the first customer.

19. The system of claim 18, further comprising: a regulatory compliance engine for checking that the item of approved content is in compliance with government regulations.

20. A non-transitory computer-readable medium for generating approved emails, the computer-readable medium comprising instructions that, when executed by a computer, cause the computer to:

access an information management system for customer information;

receive selection of a customer and a template;

determine if a selected customer is approved to receive a selected template according to an access protocol;

provide the selected template for selection by a sender after a determination that the selected template is authorized to be made available to a selected customer;

construct an email template;

access a controlled content repository, according to the access protocol, for a first item of approved content within the controlled content repository that the selected customer is approved to access; and

generate an electronic message to the selected customer, which enables the selected customer to access the first item of approved content within the controlled content repository that the selected customer is approved to access,

wherein the access protocol is based on regulatory restrictions.

21. The method of claim 1, further comprising: receiving a selection by a sender for the first item of approved content after the determination that the first item of approved content is authorized to be made available to a first customer.

22. The method of claim 1, wherein the electronic message is generated at least in part based on a selection by a sender for the first item of approved content.

23. The method of claim 1, wherein the determination that the first item of approved content is authorized to be made available to a first customer is based at least in part on regulatory limitations for a regulatory restricted product.

24. The method of claim 1, wherein the determination that the first item of approved content is authorized to be made available to a first customer is based at least in part on a customer profile, customer preferences, and an "opt-in" customer selection.

25. The method of claim 1, further comprising: sending the electronic message to the first customer.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 9,055,023 B2
APPLICATION NO. : 14/271134
DATED : June 9, 2015
INVENTOR(S) : Murphy et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, Item (72) Inventor is corrected to read:
-- Timothy S. Murphy, Berkeley (CA);
Brian C. Longo, Danville (CA);
Ling Lam, Fremont (CA) --.

Signed and Sealed this
Fifth Day of April, 2016



Michelle K. Lee
Director of the United States Patent and Trademark Office