

US009111271B2

(12) **United States Patent**
Dennis

(10) **Patent No.:** **US 9,111,271 B2**
(45) **Date of Patent:** **Aug. 18, 2015**

(54) **SYSTEM AND METHOD FOR
CONTROLLING FINANCIAL
TRANSACTIONS OVER A WIRELESS
NETWORK**

G06Q 20/3224 (2013.01); *G06Q 20/3226*
(2013.01); *G06Q 20/3674* (2013.01);
(Continued)

(71) Applicant: **Unwired Planet, LLC**, Reno, NV (US)

(72) Inventor: **Charles L. Dennis**, Woodinville, WA
(US)

(73) Assignee: **Unwired Planet, LLC**, Reno, NV (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **14/477,663**

(22) Filed: **Sep. 4, 2014**

(65) **Prior Publication Data**

US 2014/0379786 A1 Dec. 25, 2014

Related U.S. Application Data

(60) Continuation of application No. 13/601,816, filed on
Aug. 31, 2012, which is a continuation of application
No. 12/772,422, filed on May 3, 2010, now Pat. No.
8,280,402, which is a continuation of application No.
11/405,312, filed on Apr. 17, 2006, now Pat. No.
7,711,100, which is a division of application No.
08/997,489, filed on Dec. 23, 1997, now Pat. No.
7,167,711.

(51) **Int. Cl.**
H04W 4/22 (2009.01)
G06Q 20/20 (2012.01)
(Continued)

(52) **U.S. Cl.**
CPC *G06Q 20/206* (2013.01); *G06F 3/04842*
(2013.01); *G06Q 20/04* (2013.01); *G06Q 20/10*
(2013.01); *G06Q 20/20* (2013.01); *G06Q*
20/202 (2013.01); *G06Q 20/32* (2013.01);

(58) **Field of Classification Search**

USPC 455/405, 406, 414.1, 432.1, 466, 404.2,
455/456.1, 456.2, 456.3; 709/203, 223,
709/229, 204; 705/26.9, 37

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,663,762 A 5/1972 Joel, Jr.
4,979,118 A 12/1990 Kheradpir

(Continued)

FOREIGN PATENT DOCUMENTS

EP 0532231 A2 3/1993
EP 0708547 A2 4/1996

(Continued)

OTHER PUBLICATIONS

Lucas, Peter, "Why Some Want to Spank the Baby Bells. Credit Card
Management" New York, Apr. 1992. vol. 5, Iss. 1., p. 70. (6 pages).


(Continued)

Primary Examiner — Andrew Joseph Rudy

(57) **ABSTRACT**

A system and method for controlling financial transactions is
disclosed. A customer, using a wireless device, identifies a
point of sale and the amount of a transaction at that point of
sale is first communicated to a central service and then trans-
mitted to the wireless device for display at the wireless
device. The customer can either accept the transaction
amount to complete the transaction or reject the amount to
cancel the transaction. The customer may have to enter a
password or personal identification number to verify the
authorization to use the wireless financial system. The cus-
tomer is billed for the transaction via credit, debit, ATM or
other methods, such as the wireless carrier or an internet
provider.

30 Claims, 2 Drawing Sheets



(51)	Int. Cl.		5,952,638 A	9/1999	Demers et al.
	<i>G06Q 20/04</i>	(2012.01)	5,956,651 A	9/1999	Willkie et al.
	<i>G06Q 20/10</i>	(2012.01)	5,959,543 A	9/1999	LaPorta et al.
	<i>G06Q 20/32</i>	(2012.01)	5,978,770 A	11/1999	Waytena et al.
	<i>G06Q 20/36</i>	(2012.01)	5,983,094 A	11/1999	Altschul et al.
	<i>G06Q 20/42</i>	(2012.01)	5,991,749 A	11/1999	Morrill, Jr.
	<i>G06Q 40/02</i>	(2012.01)	6,011,790 A	1/2000	Fisher
	<i>H04M 15/00</i>	(2006.01)	6,018,724 A	1/2000	Arent
	<i>G06F 3/0484</i>	(2013.01)	6,023,682 A	2/2000	Checchio
	<i>H04L 29/08</i>	(2006.01)	6,026,375 A	2/2000	Hall et al.
	<i>H04W 4/02</i>	(2009.01)	6,047,268 A	4/2000	Bartoli
			6,047,270 A	4/2000	Joao et al.
			6,049,711 A	4/2000	Ben-Yehzekel et al.
(52)	U.S. Cl.		6,078,888 A	6/2000	Johnson, Jr.
	CPC	<i>G06Q 20/42</i> (2013.01); <i>G06Q 40/025</i>	6,091,956 A	7/2000	Hollenberg
		(2013.01); <i>H04L 67/04</i> (2013.01); <i>H04L 67/16</i>	6,105,006 A	8/2000	Davis et al.
		(2013.01); <i>H04L 67/22</i> (2013.01); <i>H04L</i>	6,108,533 A	8/2000	Brohoff
		<i>67/306</i> (2013.01); <i>H04M 15/68</i> (2013.01);	6,108,554 A	8/2000	Kawamoto
		<i>H04W 4/025</i> (2013.01); <i>H04M 2215/00</i>	6,119,933 A	9/2000	Wong et al.
		(2013.01); <i>H04M 2215/0176</i> (2013.01); <i>H04M</i>	6,157,841 A	12/2000	Bolduc et al.
		<i>2215/0196</i> (2013.01); <i>H04M 2215/32</i> (2013.01)	6,175,922 B1	1/2001	Wang
			6,188,994 B1	2/2001	Egendorf
			6,199,753 B1	3/2001	Tracy et al.
			6,208,857 B1	3/2001	Agre et al.
			6,240,365 B1	5/2001	Bunn
			6,263,319 B1	7/2001	Leatherman
(56)	References Cited		6,331,972 B1	12/2001	Harris et al.
	U.S. PATENT DOCUMENTS		6,332,133 B1	12/2001	Takayama
	5,043,736 A	8/1991 Darnell et al.	6,351,647 B1	2/2002	Gustafsson
	5,343,529 A	8/1994 Goldfine et al.	6,366,893 B2	4/2002	Hannula et al.
	5,359,182 A	10/1994 Schilling	6,505,046 B1	1/2003	Baker
	5,444,763 A	8/1995 Lazaridis et al.	6,519,463 B2	2/2003	Tendler
	5,473,143 A	12/1995 Vak et al.	6,519,571 B1	2/2003	Guheen et al.
	5,530,438 A	6/1996 Bickham et al.	6,529,725 B1	3/2003	Joao et al.
	5,561,704 A	10/1996 Salimando	6,572,014 B1	6/2003	Lambert
	5,579,535 A	11/1996 Orlen et al.	6,584,403 B2	6/2003	Bunn
	5,602,377 A	2/1997 Beller et al.	6,595,417 B2	7/2003	O'Hagan et al.
	5,604,676 A	2/1997 Penzias	6,601,040 B1	7/2003	Kolls
	5,605,676 A	2/1997 Gaffar et al.	6,664,922 B1	12/2003	Fan
	5,606,361 A	2/1997 Davidsohn et al.	6,676,017 B1	1/2004	Smith, III
	5,608,778 A	3/1997 Partridge, III	6,731,880 B2	5/2004	Westbrook et al.
	5,629,981 A	5/1997 Nerlikar	6,799,032 B2	9/2004	McDonnell et al.
	5,640,002 A	6/1997 Ruppert et al.	6,808,110 B1	10/2004	von Brockdorff
	5,649,115 A	7/1997 Schrader et al.	6,847,822 B1 *	1/2005	Dennison et al. 455/456.1
	5,652,866 A	7/1997 Aldred et al.	6,868,391 B1	3/2005	Hultgren
	5,668,876 A	9/1997 Falk et al.	6,877,661 B2	4/2005	Webb
	5,675,507 A	10/1997 Bobo, II	6,895,394 B1	5/2005	Kremer et al.
	5,682,525 A	10/1997 Bouve et al.	6,952,181 B2 *	10/2005	Karr et al. 342/457
	5,708,422 A	1/1998 Blonder et al.	6,985,742 B1	1/2006	Giniger et al.
	5,717,737 A	2/1998 Doviak et al.	7,107,221 B1	9/2006	Tracy et al.
	5,724,423 A	3/1998 Khello	7,167,711 B1	1/2007	Dennis
	5,727,057 A *	3/1998 Emery et al. 379/201.07	7,298,327 B2 *	11/2007	Dupray et al. 342/451
	5,740,538 A	4/1998 Joyce et al.	7,305,243 B1 *	12/2007	Tendler 455/456.2
	5,742,668 A	4/1998 Pepe et al.	7,450,706 B2 *	11/2008	Urban et al. 379/207.12
	5,754,655 A	5/1998 Hughes et al.	7,635,084 B2	12/2009	Wang et al.
	5,757,917 A	5/1998 Rose et al.	7,711,100 B2	5/2010	Dennis
	5,784,683 A	7/1998 Sistanizadeh et al.	7,747,508 B1 *	6/2010	Silverman 705/37
	5,794,221 A	8/1998 Egendorf	7,753,269 B2	7/2010	Russell
	5,796,832 A	8/1998 Kawan	7,890,581 B2 *	2/2011	Rao et al. 709/204
	5,802,526 A	9/1998 Fawcett et al.	7,969,730 B1	6/2011	Doherty
	5,805,997 A	9/1998 Farris	8,016,189 B2	9/2011	Wang et al.
	5,809,143 A	9/1998 Hughes	8,060,117 B1	11/2011	Tendler
	5,867,495 A	2/1999 Elliott et al.	8,060,410 B2	11/2011	Hahn-Carlson
	5,870,723 A	2/1999 Pare, Jr. et al.	8,078,507 B1	12/2011	Rao et al.
	5,878,211 A	3/1999 Delagrangue et al.	8,152,071 B2	4/2012	Doherty
	5,878,337 A	3/1999 Joao et al.	8,239,340 B2	8/2012	Hanson
	5,903,830 A	5/1999 Joao et al.	8,392,285 B2	3/2013	Hahn-Carlson
	5,903,878 A	5/1999 Talati et al.	8,478,887 B2 *	7/2013	Stewart 709/229
	5,910,896 A	6/1999 Hahn-Carlson	8,496,164 B2	7/2013	Stefani
	5,915,008 A	6/1999 Dulman	8,543,842 B2	9/2013	Ginter et al.
	5,915,022 A	6/1999 Robinson et al.	8,645,280 B2	2/2014	Mckenzie
	5,917,913 A	6/1999 Wang	8,730,971 B2 *	5/2014	Christie 370/395.2
	5,918,158 A	6/1999 LaPorta et al.	8,994,591 B2 *	3/2015	Dupray et al. 342/457
	5,918,211 A	6/1999 Sloane			
	5,930,474 A	7/1999 Dunworth et al.			
	5,930,699 A	7/1999 Bhatia			
	5,945,919 A	8/1999 Trask	EP	07459621 A2	12/1996
	5,948,040 A	9/1999 DeLorme et al.	EP	0785534 A1	7/1997
	5,948,919 A	9/1999 Sisti et al.	EP	0848360 A1	6/1998
FOREIGN PATENT DOCUMENTS					

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	9601531	A2	1/1996
WO	96/13814	A1	5/1996
WO	9613814	A1	5/1996
WO	9625828	A1	8/1996
WO	9717678	A1	5/1997
WO	9723988	A1	7/1997
WO	9733421	A1	9/1997
WO	9741654	A1	11/1997
WO	9745814	A1	12/1997
WO	9747121	A2	12/1997
WO	9834203	A1	8/1998

OTHER PUBLICATIONS

Muller, Nancy, "American Express Introduces New Corporate Service with MCI". PR Newswire, Nov. 19, 1992, 3pgs.

"US West Hopes to Ring Up New Business with a Cobranded Card". Credit Card News. Chicago, May 1, 1993. Iss. 26. (2 pgs.).

Defendant Square, Inc.'s Answer to First Amended Complaint for Patent Infringement in the litigation before the Nevada District Court under case No. 3:13-cv-00579-RCJ-WGC between Unwired Planet LLC and Square, Inc. involving a parent of the instant application (US Patent No. 7,711,100).

"Portable Wireless Banking with Sony Magic Link"; Newsbytes News Network; Mar. 1996.

Corbett, M.; "Choosing the perfect PDA"; Black Enterprise, v. 26, No. 6; p. 34-35; Jan. 1996.

"Visa Interactive, Sony, and General Magic Unveil Hand-Held Solution for Remote Banking"; PR Newswire; Feb. 1996.

Wines, L.; "Taking technology in Hand"; Journal of Business Strategy, v. 17, No. 1; p. 36-40; Jan. 1996.

"General Magic going after Success"; Wireless Week; p. 32; Mar. 1996.

"Priority Call Management Solutions"; Solutions/Applications; pp. 1-2 (see p. 2—Oryxview, Pub. Date Jan. 1998).

Bourrie, S.R.; "Information Services Boost Paging"; See pp. 2, col. 4; Jan. 26, 1998.

Duffey, K.; "Wireless Networks—The Internet Goes Mobile"; Jan. 26, 1998.

Website—Wyrex Communications, Inc.; Feb. 3, 1998.

Allen, W. West et al.; "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; 67 pgs.; Apr. 22, 2014.

International Search Report for PCT/US98/26786, Dec. 16, 1998.

Exhibit E-1 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Exhibit E-2 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Exhibit E-3 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Exhibit E-4 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Exhibit E-5 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Exhibit E-6 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Exhibit E-7 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Exhibit E-8 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Exhibit E-9 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Exhibit F-1 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Exhibit F-2 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Exhibit F-3 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Exhibit F-4 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Exhibit F-5 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Corrected Exhibit E-7 of "Initial Disclosure of Noninfringement, Invalidity, and Unenforceability Contentions"; Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet vs. Square, Inc.*; Apr. 22, 2014.

Square, Inc.'s Petition for Covered Business Method Review of United States Patent No. 7,711,100 Under 35 U.S.C. § 321 and § 18 of the Leahy-Smith America Invents Act, CBM2014-00156.

Exhibit 1005: "High Value Added Solutions for Creating New Markets for Mobile Communication Systems and Harmonizing their Mobility Aspects" by Behruz Vazvan, published Sep. 30, 1996. ISBN 952-90-8115-4.

Exhibit 1013: "Context-Aware Computing Applications" by Bill N. Schilit, Norman Adams, and Roy Want, IEEE Workshop on Mobile Computing Systems and Applications, published Dec. 8, 1994.

Exhibit 1016: Declaration of James A. Proctor Jr. in Support of Petitioner Square Inc.'s Petition for Covered Business Method Review of United States Patent No. 7,711,100.

Petition for Inter Partes Review of U.S. Patent No. 7,376,433.

Exhibit 1004: Declaration of Sandeep Chatterjee, Ph.D. in Support of Plaintiff Unwired Planets Proposed Claim Construction, Case No. 3:13-CV-00579-RCJ-WGC; *Unwired Planet LLC vs. Square, Inc.*

Exhibit 1010: U.S. Appl. No. 60/066,653, filed Nov. 19, 1997, titled "Method and Apparatus for Distributing Location-Based Messages in a Wireless Communication Network."

Exhibit 1012: Declaration of James A. Proctor Jr.

Exhibit 1013: Curriculum Vitae of James A. Proctor Jr.

Ex. 1015: Moe Rahnema, Overview of the GSM System and Protocol Architecture, IEEE Communications, Apr. 1993 at 98 ("GSM Overview").

Exhibit 1016: GSM 03.02 Network Architecture: version 3.1.4 (Release 92, Phase 1), Feb. 1992.

Exhibit 1017: GSM 03.12 Location Registration Procedures: Version 3.3.0 (Release 92, Phase 1), Feb. 1992.

Exhibit 1018: GSM 03.03 Numbering, Addressing and Identification: Version 3.6.0 (Release 92, phase 1), Oct. 1993.

Exhibit 1020: FCC 96-264 (Jul. 26, 1996); 61 Fed. Reg. 40348 (Aug. 2, 1996).

Ex. 1021: Jeffery H. Reed, et al., Virginia Tech, "An Overview of the Challenges and Progress in Meeting the E-911 Requirement for Location Service," IEEE Communications Magazine, Apr. 1998.

Petitioner Square Inc.'s reply brief dated May 11, 2015 in pending CBM review of related patent US 7,711,100, Case CBM2014-00156. CV of Michael Shamos dated Apr. 14, 2015 in in pending CBM review of related patent US 7,711,100, Case CBM2014-00156.

Declaration of Michael Shamos dated May 11, 2015 in pending CBM review of related patent US 7,711,100, Case CBM2014-00156.

About Hertz Webpage, retrieved on May 8, 2015.

Petition for CBM of US Patent No. 7,711,100.

Declaration of Hannu Markkanen (Exhibit 1006).

Declaration of Ben Hellerstein (Exhibit 1009).

Declaration of Dr. Michael Shamos (Exhibit 1011).

Resume of Dr. Michael Shamos (Exhibit 1012).

* cited by examiner

FIG. 1







FIG. 4



1

SYSTEM AND METHOD FOR CONTROLLING FINANCIAL TRANSACTIONS OVER A WIRELESS NETWORK

RELATED APPLICATIONS

This application is related to application Serial No. (P004US), SYSTEM AND METHOD FOR CONTROLLING PERSONAL INFORMATION AND INFORMATION DELIVERY TO AND FROM A TELECOMMUNICATIONS DEVICE, filed concurrently with this application and incorporated by reference herein. These applications are commonly assigned.

TECHNICAL FIELD OF THE INVENTION

This invention relates to wireless telephone networks, and more particularly to a system and method for coordinating financial transactions via a wireless telephone network.

BACKGROUND OF THE INVENTION

Many point of sale locations, such as grocery stores and gas stations, have systems which allow customers to complete their purchases using a credit card or debit card. These systems typically have an electronic card reader or swipe device which reads data, such as account information, from the customer's card. After reading data from the card, the system presents a series of menus which prompt the customer for additional information, such as a password or personal identification number (PIN). The transaction is completed and the sale is finalized after the system verifies the customer's authority to use the card and after the customer verifies the transaction amount.

In a grocery store setting, the point of sale credit (debit) card device is usually in communication with the check-out registers. This system allows customers to pay for groceries without using cash or checks. Instead, the system bills the transaction to the credit card or transfers funds from customers' bank accounts to the merchant's bank account. If a debit card is used, then customers often have the option of obtaining cash from the clerk in addition to paying for their purchases.

Some point of sale locations, such as gas station pumps, allow customers to complete credit card or debit card transactions on their own, without the need for a clerk. Typically, customers have the option of either paying the gas station clerk or using a credit or debit card to pay at the pump. The customer is able to activate the pump simply by swiping the card in a card reader.

Most systems accept various combinations of credit and debit cards. Typically, a grocery store will accept credit cards, debit cards and bank automated teller machine (ATM) cards. Gas station pumps usually accept credit cards, debit cards and sometimes accept ATM cards. Gas stations typically accept universal credit cards, such as VISA, in addition to accepting proprietary or private label credit cards that are issued by the gasoline vendor. Systems that accept ATM cards often accept cards only from certain banking networks. Thus, if the customer's card is not issued by a particular banking network, then the point of sale system will not be able to process the transaction.

One problem with current point of sale systems is the limitation on the types of cards that can be used at various locations. Few, if any, point of sale locations have the capability of accepting and processing all types of credit cards and

2

debit cards from every banking network. As a result, customers may not be able to use the point of sale systems at every business. Also, if customers are required to have multiple credit and debit cards to use the point of sale systems, then they will also have the burden of multiple passwords, PINs and bills.

Additionally, current systems limit customers to credit and debit cards. Consumers are not able to designate other accounts or methods of payment in addition to their credit or debit card accounts.

Accordingly there is a need in the art for a consumer to have a single mode for making all point of sale transactions.

Another need in the art is a system which allows consumers to designate any financial system as the source of funds to pay for various point of sale transactions.

A further need in the art is a system which, in real-time, positively identifies the purchaser as being the proper person authorized to use the account to which the merchandise is being charged or from which the funds are being withdrawn.

SUMMARY OF THE INVENTION

These and other problems and needs are addressed by a system and method in which a customer can complete financial transactions at point of sale locations by using a wireless device, such as a wireless telephone or a pager. Once the customer indicates a particular point of sale location, such as a particular cash register and transmits that location over the wireless network, a financial system, using the wireless network, correlates the customer with a transaction amount entered by the merchant at the identified point of sale location. The point of sale location can be identified by selecting from a series of menus presented on the wireless display or by entering a unique location identifier on the wireless device. It will be understood that, while a wireless telephone is used to describe one embodiment of the present invention, the wireless device does not have to have voice capability and that any other two-way wireless device may be used.

When the transaction is to be finalized, the total purchase price or transaction amount is displayed on the customer's wireless telephone along with a prompt to accept or reject the transaction. If the transaction is accepted, then customers are further prompted to enter a password or PIN to ensure that they are authorized to make the transaction. This entry of a password or PIN ensures that the person using the wireless device is authorized to do so.

Upon acceptance of the wireless financial transaction, the financial system then charges the transaction amount to a bank account, credit card or other billing means that has been designated by the customer. Also, the transaction amount is credited to an account designated by the merchant.

It is a feature of the present invention to provide a system and method for using a wireless device to complete financial transactions at various point of sale locations.

It is another feature of the present invention to provide a system and method wherein a customer can designate how a wireless financial transaction should be billed. The customer can optionally use funds from a designated bank account, charge the transaction to a credit card or have the transaction billed as part of a wireless or internet service provider's monthly statement. The customer can dynamically change the billing method on a monthly basis or on a transaction-by-transaction basis.

It is an additional feature of the present invention to allow the customer to specify different payment sources for different types of wireless financial transactions.

3

The foregoing has outlined rather broadly the features and technical advantages of the present invention in order that the detailed description of the invention that follows may be better understood. Additional features and advantages of the invention will be described hereinafter which form the subject of the claims of the invention. It should be appreciated by those skilled in the art that the conception and the specific embodiment disclosed may be readily utilized as a basis for modifying or designing other structures for carrying out the same purposes of the present invention. It should also be realized by those skilled in the art that such equivalent constructions do not depart from the spirit and scope of the invention as set forth in the appended claims.

BRIEF DESCRIPTION OF THE DRAWINGS

For a more complete understanding of the present invention, and the advantages thereof, reference is now made to the following descriptions taken in conjunction with the accompanying drawings, in which:

FIG. 1 is a block diagram of a system employing the present invention;

FIG. 2 is a block diagram illustrating the communication links in a system employing the present invention;

FIG. 3 is a block diagram illustrating the interaction of various financial entities with the present invention; and

FIG. 4 is a series of menus that are presented on a wireless telephone display.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

FIG. 1 shows system 10 having point of sale terminal 11 at location 100. Point of sale terminal 11 has register 12 for indicating the amount of a customer's purchases. Point of sale terminal 11 is linked to financial gateway 18 via communication link 101. Communication link 101 can be embodied using any means for transmitting information from one location to another, such as a data bus, local area network (LAN), the internet, a dedicated telephone line, a wireless connection or via the customers own wireless device (not shown).

Location 100 can be any point of sale location, such as a grocery store, gas station, vending machine or even an ATM. Depending upon the type of location 100, point of sale terminal 11 will be constructed as appropriate. For example, terminal 11 may be coupled to a cash register, gas pump or vending machine in the same manner in which swipe devices are currently connected to those machines. Depending upon the particular business, point of sale terminal 11 may use register 12 to reflect a final transaction cost or terminal 11 may be used to authorize a device to dispense a product, such as gasoline from a pump or soda from a machine. When, for example, a customer makes a grocery purchase, system 10 will usually know the total transaction cost when the customer accesses the wireless financial system. On the other hand, if the customer is buying gasoline or using a vending machine, the wireless financial system may be used first to authorize the pump (or vending machine) to dispense gas (or soda) and then to confirm the total transaction amount after the customer stops pumping gas (or has received the desired merchandise). In this manner, a person entering a store could use his/her wireless device to indicate his/her presence in the store to the financial transaction system. The user could then authorize purchases of items as they are taken off the shelf or have each item credited to his/her account. For example, a person could use a bar code reader attached to the wireless device, or attached to a shopping cart, to identify specific

4

items and to authorize the purchase of the selected merchandise. When the user leaves the store, his/her account would be charged for the items and the merchant would be paid. This arrangement could eliminate checkout lines in some situations.

Also shown at location 100 is mobile wireless telephone 13 having keypad 14, display 15 and antenna 16. Wireless telephone 13 communicates with wireless network 17 via antenna 16 communicating with cell site antenna 19. In a preferred embodiment, wireless telephone 13 complies with the IS-136 protocol or other wireless communication standards, such as time-division multiple access (TDMA), code division multiple access (CDMA) or frequency division multiplexing (FDM). As discussed above, telephone 13 could be any type of wireless communications device, such as a two-way pager.

Wireless network 17 is connected to financial gateway 18 via communication link 102. Like communication link 101, communication link 102 can be a data bus, local area network (LAN), dedicated telephone line, the internet, a wireless connection or any other means of transmitting data from one location or device to another.

System 10 operates to allow a customer (not shown) to use wireless telephone 13 to purchase goods or services at location 100. After the customer decides on a purchase, the transaction cost is displayed at location 100 on register 12 or alternatively is displayed on display 15 of a wireless device. In other situations, the transaction cost can simply be transmitted to network 17 or financial gateway 18 without display. To complete the transaction and accept the purchase price, the customer uses wireless telephone 13 to access the appropriate financial application within wireless network 17. In a preferred embodiment, the customer dials a specific number that corresponds to wireless financial transactions. The financial application uses information from financial gateway 18 to link a specific wireless telephone 13 to a specific register 12. If the purchase data is being entered at telephone 13, then the financial information is delivered to financial gateway 18 via network 17.

Wireless network 17 can identify wireless telephone 13 by using the mobile number identification (MNI) function. A specific customer can be identified by prompting the customer for a password or PIN. Once the customer and/or wireless telephone 13 are identified, system 10 can verify whether the customer is authorized to make wireless financial transactions, for example, by checking an account balance, verifying the validity of a credit card or some other criteria. Then system 10 proceeds in certain operating environments to identify the specific location 100, terminal 11 and register 12 that is involved in the transaction.

Wireless network 17 is comprised of a number of individual wireless cells. Each cell serves a limited geographic area through antenna 19. System 10 can identify the customer's geographic area by determining which antenna 19 is being used during the customers call on wireless telephone 13. Once the geographic area is identified, system 10 can determine the point of sale locations 100 that are within the identified area. The size of the geographic area will vary depending upon wireless network 17. In most networks, antenna 19 will serve several square miles. In this situation, it is likely that many businesses will be within the area covered by antenna 19. However, future networks may have the capability to use pico cells that will serve a very small area. Pico cells will allow network 17 to place the customer in a very small geographic area and potentially link the customer to a particular point of sale location without additionally input from the user. Thus, a user may simply walk into a store, or

5

walk up to a register, and enter a code in his/her wireless device. The system would then link that user to the register so that the specific transaction data can be entered.

Display 15 on wireless telephone 13 presents the customer with a menu or list of potential sales locations 100. Of course, this menu could be an audible message that is broadcast to the listening user on device 13. The list of businesses can be derived using the geographic area of active antenna 19. For example, the customer could choose a display 15 so that only those point of sale locations within the area served by antenna 19 are displayed. In other cases, display 15 could show all point of sale locations. The customer, using telephone 13, selects the appropriate location 100 from the menu on display 15. Depending upon the size of display 15 and the number of businesses displayed, the customer may have to scroll through one or more menu screens to find a particular point of sale location 100. After selecting the proper location, the customer is then prompted to identify a specific point of sale terminal 11. Again, as discussed above, some or all of these steps can be eliminated as wireless system capabilities are expanded.

In one embodiment, once a particular terminal 11 is identified, the transaction amount on register 12 is transmitted from terminal 11 to financial gateway 18 over connection 101. Financial gateway 18 receives information from all registers 12 on all terminals 11 at all point of sale locations 100. One of the functions of system 10 is match the proper transaction amount from register 12 with the correct customer using wireless telephone 13.

After the customer has identified a particular location 100, financial gateway 18 transfers the register 12 value (received as discussed above) to wireless network 17 over link 102. Wireless network 17 has information from the customer regarding the relationship between telephone 13 and particular point of sale register 12. Wireless network 17 then matches the customer with point of sale register 12 using information from financial gateway 18. The amount shown in register 12 is then transmitted to telephone 13 from network 17 via wireless antennas 19 and 16, for display on screen 15 to the user.

The financial information which was passed from point of sale 11 through financial gateway 18 to wireless network 17 could also be passed using different routes. For example, point of sale terminal 11 could be capable of wireless transmission (not shown) which would allow register 12 information to be transmitted directly to wireless network 17. The transaction amount in register 12 could then be passed via link 102 from wireless network 17 to financial gateway 18 for processing. The information could be passed to gateway 18 via the customer's telephone 13. By using well-known speech recognition (not shown) the transaction amount could be spoken into terminal 13 and decoded at switching center 17 or at gateway 18.

After wireless network 17 sends the transaction amount to wireless telephone 13, the customer can "accept" the displayed amount to complete the sale or "reject" the amount to refuse the transaction. The accept option could be coupled with a password or PIN to verify that an authorized user is making the purchase. The password could vary for different users of telephone 13 or it could be the same for all users of telephone 13, or it could vary by transaction amount or by purchase type.

When the customer accepts the amount displayed, financial gateway 18 acknowledges to terminal 11 that the transaction has been successfully completed. If the customer rejects the transaction, enters the wrong password or does not have sufficient funds, then financial gateway 18 can inform

6

terminal 11 that the transaction has been canceled. In situations when point of sale 100 is not used, then certain codes could be sent to device 13 which in turn would authorize the user to leave the premises with his/her purchases.

For completed transactions, financial gateway 18 arranges for payment to the proprietor of point of sale terminal 11, and arranges for the billing method specified by the customer who owns telephone 13 or who was identified by a password or PIN during the transaction. These payments and billings can be accomplished by any of a number of well known methods. For example, financial gateway could obtain funds from any source designated by the customer, such as a credit card, debit card, bank account or the transaction could appear on the customer's wireless service bill. Once the customer's funds have been identified and obtained, then financial gateway 18 would transfer the funds to an account or other depository designated by the point of sale proprietor. All these transactions are not shown but are implicit in financial gateway 18.

System 20 in FIG. 2 is a typical internet service provider's network 23 connected to a subscriber's personal computer (PC) 21 through connection 201. The subscriber can manage, via internet 23, a personal profile of information for wireless financial transaction system 10. The personal profile would allow a customer to use display 22 to set up and modify his/her predetermined preferences for wireless financial transactions. For example, the customer could specify methods of payment, such as which credit card or bank account is to be used by financial gateway 18 during a wireless financial transaction. The customer could also choose to have wireless transactions billed as part of the wireless service provider's monthly statement. If customers have established or preferred business relationships, they could also identify preferred vendors or point of sale locations 100. This operation could be conducted directly from device 13, either by menu selection or by voice commands.

Financial gateway 18 and wireless network 17 are linked to the customer via internet connections 202 and 203. This allows customers to modify their personal profile on PC 21 and then update their records on financial gateway 18 and wireless network 17 via internet 23. Using the personal profile information, wireless network 17 can select the proper information to provide to the customer during a wireless financial transaction. One use of the personal profile would be to select the list of potential locations 100 that are displayed when the customer initiates a transaction. For example, if the customer has indicated that he/she prefers to shop at a particular chain of grocery stores or gas stations, then wireless network 17 can select the potential point of sale locations based upon the customer's preferences. This would allow the customer to identify a particular point of sale terminal 11 faster thereby increasing the efficiency of system 10.

The customer's personal profile could also be adjusted based upon the frequency of use for certain locations. Typically, shoppers use a certain few businesses the majority of the time. For example, they may shop at the same grocery store or they may use the same neighborhood gas station every week. Financial gateway 18 or wireless network 17 could monitor the statistical use of certain businesses and update customers' personal profiles accordingly. Using this information, the menu of point of sale locations 100 could list the businesses that the customer uses most often before listing other businesses in that geographic area.

Financial gateway 18 can continually track the personal profile information that is provided by the customer at PC 21 using link 202 to internet 23. Financial gateway 18 can also manage customers' transactions on a transaction-by-transaction basis using the personal profile. A memory device or a

server (not shown) located at financial gateway **18** could be used to track customer information. Also, financial gateway **18** could use internet **23** to gather information from customers' computer **21** in real-time during a transaction.

For each transaction, financial gateway **18** receives information both from point of sale location **100**, such as the transaction amount and the vendor's identity, and from wireless telephone **13**, such as the customer's identity. The customer's identity is matched to a specific personal preference record to determine how the transaction will be billed. Once wireless network **17** indicates that the transaction has been completed properly, the merchant will be paid by one of the various methods described by FIG. 3.

In FIG. 3, system **30** shows financial gateway **18** connected to various entities that may be used for transferring funds during a wireless financial transaction. Financial gateway **18** is connected via link **301** to banking network **31** which allows financial gateway to verify account balances and to transfer funds among customer and business bank accounts. Credit card clearing house **32** allows financial gateway **18** to bill wireless transactions to customers' credit cards. Wireless provider's billing system **33** and internet provider's billing system **34** allow financial gateway **18** to bill transactions to the customer's wireless provider or internet provider. These transactions could then be billed to the customer as part of the providers' monthly statement. Block **35** represents any other financial management institutions which may be used to transfer funds as part of a wireless financial transaction. Communications link **301** can be any means of transferring financial information from one location to another.

Customers can set their personal profile to identify the source of payment for various transactions. For example, transactions at a grocery store could be billed to a universal credit card, such as VISA, transactions at a particular gas station could be billed to that company's proprietary or private label credit card and transactions at vending machines could be billed to a bank account for direct reduction.

In another embodiment, the customer can set up a primary payment source for all transactions and a secondary payment source to be used if the primary source is overdrawn or above a credit limit. For example, the customer could designate his bank account as the primary payment source, but if the account balance is below a specified level, then additional wireless transactions could be billed to a credit card.

FIG. 4 shows a typical series of menus for use in the present invention. In the example shown, a customer desires to purchase gas from a particular pump. The customer first dials a number to access the wireless financial service application in wireless network **17**. The application receives the call and identifies the calling wireless telephone using MNI. Alternatively, the application could request an identification number from the customer. The application then causes an initial message **400** to be displayed on wireless telephone **13**. Message **400** may repeat the number of calling telephone **13**, as shown, or the customer's name so that the caller knows that he/she has been identified properly. In other cases, the display may prompt the customer for a password or PIN for identification or to verify the caller's authority to use the financial transaction application.

In addition to identifying the caller, the wireless financial transaction system determines the caller's geographic location by identifying cell site antenna **19** which is communicating with wireless telephone **13**. Display **15** then shows menu **401** to the customer. In a preferred embodiment, menu **401** lists several categories of the point of sale locations **100** that fall within the geographic area of the customer's cell site. In other embodiments, the customer's personal profile may

cause the display to show all the point of sale locations in all categories or in certain categories without regard to whether they fall within a particular geographic area. These menus, in the preferred embodiment, reside either at switching center **17** or at gateway **18** and are transmitted to device **13**.

In the present example, the customer is at a gas station and desires to complete a transaction at a particular pump, so the "Gas Stations" category is selected on menu **401**. This causes menu **402** to be displayed. The customer then selects a particular chain of gas stations to get menu **403** which shows the street addresses for that vendor's gas stations. The information in menu **403** may list a specific street address or it may list an intersection where a particular gas station is located. It will be understood that specific locations **100** can be identified in any number of ways in addition to the vendor's address.

After identifying a particular gas station, the customer then selects the correct gas pump from menu **404**. Concurrently, the gas station provides information to financial gateway **18** regarding the transaction amounts for the gas provided at each pump. This corresponds to register **12** in FIG. 1. Once the customer has identified a specific pump, financial gateway transmits the transaction cost to wireless telephone **13**. In menu **405**, this amount is displayed for the customer and he/she is prompted to accept or reject the transaction by selecting a particular button on keypad **14**. If the transaction amount is correct and the customer accepts the transaction, he/she may be further prompted to enter a PIN or password in menu **406** to verify that he/she is authorized to make the transaction. Upon entering the correct PIN, the transaction is completed and financial gateway **18** charges the transaction cost to the account, credit card or other entity specified by the customer's personal profile.

The menus described above can be modified to present almost any sequence of information to the customer. In one embodiment, the customer could select "Point of Sale ID" from menu **401**. This would present menu **407** which prompts the customer for the identifier of a specific point of sale terminal **11**. For example, a unique number assigned to gas pump #3 at the gas station selected above, such as 9999. After the customer enters the terminal's identifier, the menu display could jump immediately to menu **405** where the customer is shown the transaction amount for that specific point of sale terminal **11** and asked to accept or reject the transaction. This would reduce the number of menus and increase the efficiency of system **10**.

It will be understood that the above described menu arrangement can also be used to locate businesses that are members of the present wireless financial system. For example, if a potential customer needed gas and desired to make a wireless financial transaction to purchase the gas, then by following the sequence in FIG. 4 to display menu **403**, the customer would receive a list of nearby gas stations that accept wireless financial transactions. In other embodiments, menu **403** could be modified to show all gas stations (or other business categories) in a certain geographic area. If there are no business of a certain category within the potential customer's geographic area, then menu **403** could display the closest business of that type.

Although the above examples often use grocery stores and gas stations, it will be understood that the present invention can be used with any retail store or other point of sale location. Furthermore, the present wireless financial transaction system could be used to pay any bill, such as a mortgage payment, utility bill, tax bill, tuition or other loan. The vendor, institution or other entity that sends the bill could participate in a wireless financial system by using a unique identifier for each bill or required payment. The bill or payment that is due

could be selected by the customer in the same manner that a point of sale location is selected and the customer could use the personal profile to designate the source of funds to satisfy the bill or payment obligation that is due.

The system could be used to keep the user's checkbook, thereby allowing the user, while at home or while roaming, to pay bills and maintain his/her financial accounts. In this respect, a linkage to a brokerage house could display the user's investments and allow for selling or buying such investments.

In addition, the system could be used by a customer for comparison shopping simply by entering an item identifier and the amount and the system could respond with other known prices. The system could even display product specifications from a database.

Although the present invention and its advantages have been described in detail, it should be understood that various changes, substitutions and alterations can be made herein without departing from the spirit and scope of the invention as defined by the appended claims.

What is claimed is:

1. A method comprising, on a wireless communications device:

transmitting, to a server system, first data indicative of a geographic area in which the wireless communications device is currently located;

receiving, from the server system, second data comprising data identifying a plurality of locations based at least in part on the first data;

presenting, on a display of the wireless communications device, the plurality of locations identified by the second data;

receiving user input representing a selected location of the plurality of locations; and

transmitting, to the server system, third data indicative of the selected location, wherein the third data is transmitted to associate a user of the wireless communications device with the selected location.

2. The method of claim 1, wherein the presenting the plurality of different locations on the display of the wireless communications device is to request user input indicative of the presence of the user at the selected location.

3. The method of claim 1, wherein the second data further comprises an order of presentation of the plurality of locations, the order of presentation being based at least in part on a profile of the user stored at the server system; and

the presenting of the plurality of locations is based at least in part on the order of presentation.

4. The method of claim 1, wherein the second data is further based at least in part on a profile of the user stored at the server system.

5. The method of claim 1, wherein the plurality of locations is more than can be presented on the display simultaneously, the method further comprising presenting the plurality of locations by scrolling the plurality of different locations on the display.

6. The method of claim 1, further comprising:

presenting, on the display of the wireless communications device, one or more categories of locations;

wherein the second data is received responsive to selection of a selected category from the one or more categories of locations, and wherein the second data is further based at least in part on the selected category.

7. The method of claim 6, wherein the one or more categories include a category selected from the group consisting of retail stores, gas stations, ATMs and vending machines.

8. The method of claim 1, further comprising: receiving, from the server system, additional data associated with the selected location.

9. The method of claim 8, wherein the additional data comprises data indicating the geographical position of the selected location; the method further comprising:

presenting the geographical position of the selected location on the display of the wireless device.

10. The method of claim 1, further comprising: transmitting, to the server system, update data including an update to be associated with the selected location.

11. The method of claim 1, wherein the first data is based at least in part on determining a location of a wireless network site from which the wireless communications device is currently receiving wireless communications service.

12. A server system comprising:

one or more processors;

a communication interface; and

storage storing computer-executable instructions,

wherein the computer-executable instructions, when executed by the one or more processors, cause the server system to:

receive, from a wireless communications device, first data indicative of a geographic area in which the wireless communications device is currently located;

determine a plurality of locations based at least in part on the first data;

transmit, to the wireless communications device, second data identifying the plurality of locations for presentation on a display of the wireless communications device;

receive, from the wireless communications device, third data indicative of a selected location of the one or more locations; and

associate a user of the wireless communications device with data relating to the selected location.

13. The server system of claim 12, wherein the computer-executable instructions further cause the server system to:

determine an order of presentation of the plurality of different locations, the order of presentation being based at least in part on a profile of the user stored at the server system; and

include data of the order of presentation in the second data.

14. The server system of claim 12, wherein the computer-executable instructions further cause the server system to:

determine the plurality of different locations further based at least in part on a profile of the user stored at the server system.

15. The server system of claim 12, wherein the computer-executable instructions further cause the server system to:

update a profile of the user stored at the server system to indicate the presence of the user at the selected location.

16. The server system of claim 12, wherein the computer-executable instructions further cause the server system to:

receive data of a selected category from the wireless communications device; and

determine the plurality of locations further based at least in part on the selected category.

17. The server system of claim 16, wherein the selected category is selected from the group consisting of retail stores, gas stations, ATMs and vending machines.

18. The server system of claim 12, wherein the computer-executable instructions further cause the server system to:

receive, from the wireless communications device, update data including an update to be associated with the selected location; and

update a profile of the user stored at the server system based at least in part on the update data.

11

19. The server system of claim 12, wherein the first data is based at least in part on a location of a wireless network site from which the wireless communications device is currently receiving wireless communications service.

20. The server system of claim 12, wherein the computer executable instructions further cause the server system to: transmit additional data associated with the selected location, the additional data comprising data indicating the geographical position of the selected location for presentation on the display of the wireless communications device.

21. A non-transitory computer-readable medium having computer-executable instructions embodied thereon, the computer-executable instructions executable by a processor of a wireless communications device to cause the wireless communications device to:

transmit, to a server system, first data indicative of a geographic area in which the wireless communications device is currently located;

receive, from the server system, second data comprising data identifying a plurality of locations based at least in part on the first data indicative of a geographic area;

present, on a display of the wireless communications device, the plurality of locations identified by the second data;

receive user input representing a selected location of the plurality of locations; and

transmit, to the server system, third data indicative of the selected location, wherein the third data is transmitted to associate a user of the wireless communications device with the selected location.

22. The non-transitory computer-readable medium of claim 21, and wherein the computer-executable instructions further cause the wireless communications device to:

present the plurality of different locations on the display of the wireless communications device thereby to request user input indicative of the presence of the user at the selected location.

23. The non-transitory computer-readable medium of claim 21, wherein the second data further comprises an order of presentation of the plurality of locations, the order of presentation being based at least in part on a profile of the user stored at the server system; and wherein the computer-executable instructions further cause the wireless communications device to:

present the plurality of locations based at least in part on the order of presentation.

12

24. The non-transitory computer-readable medium of claim 21, wherein the second data is further based at least in part on a profile of the user stored at the server system.

25. The non-transitory computer-readable medium of claim 21, wherein the plurality of locations is more than can be presented on the display simultaneously, and wherein the computer-executable instructions further cause the wireless communications device to:

present the plurality of locations by scrolling the plurality of different locations on the display.

26. The non-transitory computer-readable medium of claim 21, wherein the computer-executable instructions further cause the wireless communications device to:

present, on the display of the wireless communications device, one or more categories of locations;

wherein the second data is received responsive to selection of a selected category from the one or more categories of locations, and wherein the second data is further based at least in part on the selected category.

27. The non-transitory computer-readable medium of claim 20, wherein the one or more categories include a category selected from the group consisting of retail stores, gas stations, ATMs and vending machines.

28. The non-transitory computer-readable medium of claim 21, wherein the computer-executable instructions further cause the wireless communications device to:

receive, from the server system, additional data associated with the selected location, the additional data comprising data indicating the geographical position of the selected location; and

present the geographical position of the selected location on the display of the wireless device.

29. The non-transitory computer-readable medium of claim 21, wherein the computer-executable instructions further cause the wireless communications device to:

transmit, to the server system, update data including an update to be associated with the selected location.

30. The non-transitory computer-readable medium of claim 21, wherein the computer-executable instructions further cause the wireless communications device to:

determine a location of a wireless network site from which the wireless communications device is currently receiving wireless communications service;

wherein the first data is based at least in part on the location of the wireless network site.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 9,111,271 B2
APPLICATION NO. : 14/477663
DATED : August 18, 2015
INVENTOR(S) : Charles L. Dennis

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE SPECIFICATION

In Column 1, Line 5, change
“RELATED APPLICATIONS

This application is related to application Serial No. (P004US), SYSTEM AND METHOD FOR CONTROLLING PERSONAL INFORMATION AND INFORMATION DELIVERY TO AND FROM A TELECOMMUNICATIONS DEVICE, filed concurrently with this application and incorporated by reference herein. These applications are commonly assigned.”

to

-- CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. patent application no. 13/601,816, filed August 31, 2012, which is a continuation of U.S. patent application no. 12/772,422, filed May 3, 2010 (now U.S. Patent no. 8,280,402), which is a continuation of U.S. patent application no. 11/405,312, filed April 17, 2006 (now U.S. Patent no. 7,711,100), which is a divisional of U.S. patent application no. 08/997,489, filed December 23, 1997 (now U.S. Patent no. 7,167,711), all of which are incorporated by reference herein. These applications are commonly assigned. --

Signed and Sealed this
Thirteenth Day of September, 2016



Michelle K. Lee
Director of the United States Patent and Trademark Office