



US009116324B2

(12) **United States Patent**
Cooke et al.

(10) **Patent No.:** **US 9,116,324 B2**
(45) **Date of Patent:** **Aug. 25, 2015**

(54) **STACKED FIBER OPTIC MODULES AND FIBER OPTIC EQUIPMENT CONFIGURED TO SUPPORT STACKED FIBER OPTIC MODULES**

(75) Inventors: **Terry L. Cooke**, Hickory, NC (US);
David L. Dean, Jr., Hickory, NC (US);
Juan Garcia Martinez, Reynosa (MX);
Sebastian Schreiber, Berlin (DE)

(73) Assignee: **Corning Cable Systems LLC**, Hickory, NC (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1024 days.

(21) Appl. No.: **12/947,883**

(22) Filed: **Nov. 17, 2010**

(65) **Prior Publication Data**
US 2012/0106911 A1 May 3, 2012

Related U.S. Application Data

(60) Provisional application No. 61/408,196, filed on Oct. 29, 2010.

(51) **Int. Cl.**
G02B 6/00 (2006.01)
G02B 6/44 (2006.01)
G02B 6/38 (2006.01)

(52) **U.S. Cl.**
CPC **G02B 6/4452** (2013.01); **G02B 6/3897** (2013.01)

(58) **Field of Classification Search**
USPC 385/135
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

620,013 A	2/1899	Barnes
864,761 A	8/1907	Erickson
2,614,685 A	10/1952	Miller
3,175,873 A	3/1965	Blomquist et al.
3,212,192 A	10/1965	Bachmann et al.
3,433,886 A	3/1969	Myers
3,494,306 A	2/1970	Aguilar
3,568,263 A	3/1971	Meehan

(Continued)

FOREIGN PATENT DOCUMENTS

AU	2010270959 A1	2/2012
CA	2029592 A1	5/1992

(Continued)

OTHER PUBLICATIONS

International Search Report for PCT/US2011/030446 mailed Jul. 14, 2011, 2 pages.


(Continued)

Primary Examiner — Michelle R Connelly
Assistant Examiner — Hoang Tran

(57) **ABSTRACT**

Embodiments disclosed in the detailed description include stacked fiber optic modules and fiber optic equipment supporting stacked fiber optic modules. In one embodiment, a stacked fiber optic module is provided. This embodiment of the stacked fiber optic module comprises a body having a first sub-body and a second sub-body where the second sub-body can translate relative to the first sub-body. The stacked fiber optic module further comprises a first plurality of fiber optic components disposed in a first longitudinal axis in the at least one front side. The stacked fiber optic module also further comprises a second plurality of fiber optic components disposed adjacent the first plurality of fiber optic components in a second longitudinal axis parallel or substantially parallel to the first longitudinal axis in the at least one front side.

19 Claims, 24 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

3,646,244 A	2/1972	Cole	5,153,910 A	10/1992	Mickelson et al.
3,664,514 A	5/1972	Drake	5,157,749 A	10/1992	Briggs et al.
3,683,238 A	8/1972	Olds et al.	5,167,001 A	11/1992	Debortoli et al.
3,880,396 A	4/1975	Freiberger et al.	5,170,452 A	12/1992	Ott
3,906,592 A	9/1975	Sakasegawa et al.	5,189,723 A	2/1993	Johnson et al.
4,047,797 A	9/1977	Arnold et al.	5,199,099 A	3/1993	Dalgoutte
4,059,872 A	11/1977	Delesandri	5,204,929 A	4/1993	Machall et al.
4,119,285 A	10/1978	Bisping et al.	5,209,572 A	5/1993	Jordan
4,239,316 A	12/1980	Spaulding	5,214,735 A	5/1993	Henneberger et al.
4,244,638 A	1/1981	Little et al.	5,224,186 A	6/1993	Kishimoto et al.
4,285,486 A	8/1981	Von Osten et al.	5,231,687 A	7/1993	Handley
4,303,296 A	12/1981	Spaulding	5,231,688 A	7/1993	Zimmer
4,354,731 A	10/1982	Mouissie	5,233,674 A	8/1993	Vladic
4,457,482 A	7/1984	Kitagawa	5,239,609 A	8/1993	Auteri
4,525,012 A	6/1985	Dunner	5,243,679 A	9/1993	Sharrow et al.
4,597,173 A	7/1986	Chino et al.	5,253,320 A	10/1993	Takahashi et al.
4,611,875 A	9/1986	Clarke et al.	5,260,957 A	11/1993	Hakimi et al.
4,645,292 A	2/1987	Sammueler	5,261,633 A	11/1993	Mastro
4,657,340 A	4/1987	Tanaka et al.	5,265,187 A	11/1993	Morin et al.
4,702,551 A	10/1987	Coulombe	5,274,729 A	12/1993	King et al.
4,736,100 A	4/1988	Vastagh	5,274,731 A	12/1993	White
4,744,629 A	5/1988	Bertoglio et al.	5,280,138 A	1/1994	Preston et al.
4,747,020 A	5/1988	Brickley et al.	5,285,515 A	2/1994	Milanowski et al.
4,752,110 A	6/1988	Blanchet et al.	5,315,679 A	5/1994	Baldwin et al.
4,753,510 A	6/1988	Sezerman	5,317,663 A	5/1994	Beard et al.
4,787,706 A	11/1988	Cannon, Jr. et al.	5,323,478 A	6/1994	Milanowski et al.
4,792,203 A	12/1988	Nelson et al.	5,323,480 A	6/1994	Mullaney et al.
4,798,432 A	1/1989	Becker et al.	5,333,193 A	7/1994	Cote et al.
4,808,774 A	2/1989	Crane	5,333,221 A	7/1994	Briggs et al.
4,824,193 A	4/1989	Maeda et al.	5,333,222 A	7/1994	Belenkiy et al.
4,824,196 A	4/1989	Bylander	5,337,400 A	8/1994	Morin et al.
4,826,277 A	5/1989	Weber et al.	5,339,379 A	8/1994	Kutsch et al.
4,838,643 A	6/1989	Hodges et al.	5,347,603 A	9/1994	Belenkiy et al.
4,840,449 A	6/1989	Ghandeharizadeh	5,353,367 A	10/1994	Czosnowski et al.
4,865,280 A	9/1989	Wollar	5,359,688 A	10/1994	Underwood
4,898,448 A	2/1990	Cooper	5,363,466 A	11/1994	Milanowski et al.
4,900,123 A	2/1990	Barlow	5,363,467 A	11/1994	Keith
4,911,662 A	3/1990	Debortoli et al.	5,366,388 A	11/1994	Freeman et al.
4,948,220 A	8/1990	Violo et al.	5,367,598 A	11/1994	Devenish, III et al.
4,949,376 A	8/1990	Nieves et al.	5,373,421 A	12/1994	Detsikas et al.
4,971,421 A	11/1990	Ori	5,383,051 A	1/1995	Delrosso et al.
4,986,625 A	1/1991	Yamada et al.	5,390,272 A	2/1995	Repta et al.
4,988,831 A	1/1991	Wilson et al.	5,398,295 A	3/1995	Chang et al.
4,991,928 A	2/1991	Zimmer	5,398,820 A	3/1995	Kiss
4,995,688 A	2/1991	Anton et al.	5,399,814 A	3/1995	Staber et al.
5,001,602 A	3/1991	Suffi et al.	5,401,193 A	3/1995	Lo Cicero et al.
5,005,941 A	4/1991	Barlow et al.	5,402,515 A	3/1995	Vidacovich et al.
5,017,211 A	5/1991	Wenger et al.	5,408,557 A	4/1995	Hsu
5,023,646 A	6/1991	Ishida et al.	RE34,955 E	5/1995	Anton et al.
5,024,498 A	6/1991	Becker et al.	5,412,751 A	5/1995	Siemon et al.
5,028,114 A	7/1991	Krausse et al.	5,416,837 A	5/1995	Cote et al.
5,037,175 A	8/1991	Weber	5,418,874 A	5/1995	Carlisle et al.
5,048,918 A	9/1991	Daems et al.	5,421,532 A	6/1995	Richter
5,066,149 A	11/1991	Wheeler et al.	5,444,804 A	8/1995	Yui et al.
5,067,784 A	11/1991	Debortoli et al.	5,495,549 A	2/1996	Schneider et al.
5,071,211 A *	12/1991	Debortoli et al. 385/76	5,511,798 A	4/1996	Kawamoto et al.
5,071,220 A	12/1991	Ruello et al.	5,530,786 A	6/1996	Radliff et al.
5,073,042 A	12/1991	Mulholland et al.	5,546,495 A	8/1996	Bruckner et al.
5,074,635 A	12/1991	Justice et al.	5,563,971 A	10/1996	Abendschein
5,076,688 A	12/1991	Bowen et al.	5,596,670 A	1/1997	Debortoli et al.
5,080,459 A	1/1992	Wettengel et al.	5,608,606 A	3/1997	Blaney
5,100,221 A	3/1992	Carney et al.	5,668,910 A	9/1997	Arnett
5,104,336 A	4/1992	Hatanaka et al.	5,668,911 A	9/1997	Debortoli
5,125,060 A	6/1992	Edmundson	5,689,607 A	11/1997	Vincent et al.
5,127,082 A	6/1992	Below et al.	5,692,079 A	11/1997	Iso
5,127,851 A	7/1992	Hilbert et al.	5,717,810 A *	2/1998	Wheeler 385/135
5,129,030 A	7/1992	Petrunia	5,765,698 A	6/1998	Bullivant
5,133,039 A	7/1992	Dixit	5,788,087 A	8/1998	Orlando
5,138,678 A	8/1992	Briggs et al.	5,790,741 A	8/1998	Vincent et al.
5,138,688 A	8/1992	Debortoli	5,806,687 A	9/1998	Ballesteros et al.
5,142,598 A	8/1992	Tabone	5,828,807 A	10/1998	Tucker et al.
5,142,607 A	8/1992	Petrotta et al.	5,874,733 A	2/1999	Silver et al.
5,150,277 A	9/1992	Bainbridge et al.	5,880,864 A	3/1999	Williams et al.
D330,368 S	10/1992	Bourgeois et al.	5,909,298 A	6/1999	Shimada et al.
5,152,760 A	10/1992	Latina	5,913,006 A	6/1999	Summach
			5,933,557 A	8/1999	Ott
			5,943,460 A	8/1999	Mead et al.
			5,949,946 A	9/1999	Debortoli et al.
			5,953,962 A	9/1999	Hewson

(56)

References Cited

U.S. PATENT DOCUMENTS

5,956,439	A	9/1999	Pimpinella	6,418,262	B1	7/2002	Puetz et al.
5,956,449	A	9/1999	Otani et al.	6,419,519	B1	7/2002	Young
5,975,769	A	11/1999	Larson et al. 385/53	6,424,781	B1	7/2002	Puetz et al.
5,987,203	A	11/1999	Abel et al.	6,425,694	B1	7/2002	Szilagyi et al.
5,995,700	A	11/1999	Burek et al.	6,427,045	B1	7/2002	Matthes et al.
6,027,352	A	2/2000	Byrne	6,431,762	B1	8/2002	Taira et al.
6,049,963	A	4/2000	Boe	6,434,313	B1	8/2002	Clapp, Jr. et al.
6,061,492	A	5/2000	Strause et al.	6,438,310	B1	8/2002	Lance et al.
6,078,661	A	6/2000	Arnett et al.	6,452,925	B1	9/2002	Sistanizadeh et al.
6,079,881	A	6/2000	Roth	6,456,773	B1	9/2002	Keys
6,118,075	A	9/2000	Baker et al.	6,464,402	B1	10/2002	Andrews et al.
6,127,627	A	10/2000	Daoud	6,466,724	B1	10/2002	Glover et al.
6,130,983	A	10/2000	Cheng	6,469,905	B1	10/2002	Hwang
6,134,370	A	10/2000	Childers et al.	D466,087	S	11/2002	Cuny et al.
6,141,222	A	10/2000	Toor et al.	6,478,472	B1	11/2002	Anderson et al.
6,149,313	A	11/2000	Giebel et al.	6,480,487	B1	11/2002	Wegleitner et al.
6,149,315	A	11/2000	Stephenson	6,480,660	B1	11/2002	Reitmeier et al.
6,151,432	A	11/2000	Nakajima et al.	6,483,977	B2	11/2002	Batthey et al.
6,160,946	A	12/2000	Thompson et al.	6,484,958	B1	11/2002	Xue et al.
6,181,861	B1	1/2001	Wenski et al.	6,496,640	B1	12/2002	Harvey et al.
6,188,687	B1	2/2001	Mussman et al.	6,504,988	B1	1/2003	Trebesch et al.
6,188,825	B1	2/2001	Bandy et al.	6,507,980	B2	1/2003	Bremicker
6,192,180	B1	2/2001	Kim et al.	6,510,274	B1	1/2003	Wu et al.
6,200,170	B1	3/2001	Amberg et al.	6,532,332	B2	3/2003	Solheid et al.
6,201,919	B1	3/2001	Puetz et al.	6,533,472	B1	3/2003	Dinh et al.
6,201,920	B1	3/2001	Noble et al.	6,535,397	B2	3/2003	Clark et al.
6,208,796	B1	3/2001	Williams	6,539,147	B1	3/2003	Mahony
6,212,324	B1	4/2001	Lin et al.	6,539,160	B2	3/2003	Batthey et al.
6,215,938	B1	4/2001	Reitmeier et al.	6,542,688	B1	4/2003	Batthey et al.
6,227,717	B1	5/2001	Ott et al.	6,544,075	B1	4/2003	Liao
6,234,683	B1	5/2001	Waldron et al.	6,550,977	B2	4/2003	Hizuka
6,234,685	B1	5/2001	Carlisle et al.	6,554,485	B1	4/2003	Beatty et al.
6,236,795	B1	5/2001	Rodgers	6,560,334	B1	5/2003	Mullaney et al.
6,240,229	B1	5/2001	Roth	6,567,601	B2	5/2003	Daoud et al.
6,243,522	B1	6/2001	Allan et al.	6,568,542	B1	5/2003	Chen
6,245,998	B1	6/2001	Curry et al.	6,571,048	B1	5/2003	Bechamps et al.
6,247,851	B1	6/2001	Ichihara	6,577,595	B1	6/2003	Counterman
6,250,816	B1	6/2001	Johnston et al.	6,577,801	B2	6/2003	Broderick et al.
6,263,141	B1	7/2001	Smith	6,579,014	B2	6/2003	Melton et al.
6,265,680	B1	7/2001	Robertson	6,584,267	B1	6/2003	Caveney et al.
6,269,212	B1	7/2001	Schiattone	6,587,630	B2	7/2003	Spence et al.
6,275,641	B1	8/2001	Daoud	6,588,938	B1	7/2003	Lampert et al.
6,278,829	B1	8/2001	BuAbbud et al.	6,591,051	B2	7/2003	Solheid et al.
6,278,831	B1	8/2001	Henderson et al.	6,592,266	B1	7/2003	Hankins et al.
D448,005	S	9/2001	Klein, Jr. et al.	6,597,670	B1	7/2003	Tweedy et al.
6,292,614	B1	9/2001	Smith et al.	6,600,106	B2	7/2003	Standish et al.
6,301,424	B1	10/2001	Hwang	6,600,866	B2	7/2003	Gatica et al.
6,307,997	B1	10/2001	Walters et al.	6,601,997	B2	8/2003	Ngo
6,318,824	B1	11/2001	LaGrotta et al.	6,612,515	B1	9/2003	Tinucci et al.
6,321,017	B1	11/2001	Janus et al.	6,612,874	B1	9/2003	Stout et al.
6,322,279	B1	11/2001	Yamamoto et al.	6,614,978	B1	9/2003	Caveney
6,325,549	B1	12/2001	Shevchuk	6,614,980	B1	9/2003	Mahony
RE37,489	E	1/2002	Anton et al.	6,621,975	B2	9/2003	Laporte et al.
6,343,313	B1	1/2002	Salesky et al.	6,624,389	B1	9/2003	Cox
6,344,615	B1	2/2002	Nolf et al.	6,625,374	B2	9/2003	Holman et al.
6,347,888	B1	2/2002	Puetz	6,625,375	B1	9/2003	Mahony
6,353,696	B1	3/2002	Gordon et al.	6,631,237	B2	10/2003	Knudsen et al.
6,353,697	B1	3/2002	Daoud	6,640,042	B2	10/2003	Araki et al.
6,357,712	B1	3/2002	Lu	RE38,311	E	11/2003	Wheeler
6,359,228	B1	3/2002	Strause et al.	6,644,863	B1	11/2003	Azami et al.
6,363,198	B1	3/2002	Braga et al.	6,647,197	B1	11/2003	Marrs et al.
6,363,200	B1	3/2002	Thompson et al.	6,648,520	B2	11/2003	McDonald et al.
6,370,309	B1	4/2002	Daoud	6,654,536	B2	11/2003	Batthey et al.
6,377,218	B1	4/2002	Nelson et al.	6,668,127	B1	12/2003	Mahony
6,379,052	B1	4/2002	De Jong et al.	6,677,520	B1	1/2004	Kim et al.
6,385,374	B2	5/2002	Kropp	6,679,604	B1	1/2004	Bove et al.
6,385,381	B1	5/2002	Janus et al.	6,687,450	B1	2/2004	Kempeneers et al.
6,389,214	B1	5/2002	Smith et al.	6,693,552	B1	2/2004	Herzig et al.
6,392,140	B1	5/2002	Yee et al.	6,695,620	B1	2/2004	Huang
6,397,166	B1	5/2002	Leung et al.	6,701,056	B2	3/2004	Burek et al.
6,398,149	B1	6/2002	Hines et al.	6,710,366	B1	3/2004	Lee et al.
6,406,314	B1	6/2002	Byrne	6,715,619	B2	4/2004	Kim et al.
6,410,850	B1	6/2002	Abel et al.	6,719,149	B2	4/2004	Tomino
6,411,767	B1	6/2002	Burrous et al.	6,721,482	B1	4/2004	Glynn
6,412,986	B1	7/2002	Ngo et al.	6,728,462	B2	4/2004	Wu et al.
				6,741,784	B1	5/2004	Guan
				6,741,785	B2	5/2004	Barthel et al.
				6,746,037	B1	6/2004	Kaplenski et al.
				6,748,154	B2	6/2004	O'Leary et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,748,155 B2	6/2004	Kim et al.	7,094,095 B1	8/2006	Caveney
6,758,600 B2	7/2004	Del Grosso et al.	7,097,047 B2	8/2006	Lee et al.
6,768,860 B2	7/2004	Liberty	7,101,093 B2	9/2006	Hsiao et al.
6,771,861 B2	8/2004	Wagner et al.	7,102,884 B2	9/2006	Mertesdorf et al.
6,773,297 B2	8/2004	Komiya	7,103,255 B2	9/2006	Reagan et al.
6,778,525 B1	8/2004	Baum et al.	7,110,654 B2	9/2006	Dillat
6,778,752 B2	8/2004	Laporte et al.	7,111,990 B2	9/2006	Melton et al.
6,786,647 B1	9/2004	Hinds et al.	7,113,679 B2	9/2006	Melton et al.
6,786,743 B2	9/2004	Huang	7,113,686 B2	9/2006	Bellekens et al.
6,786,896 B1	9/2004	Madhani et al.	7,113,687 B2	9/2006	Womack et al.
6,788,871 B2	9/2004	Taylor	7,116,491 B1	10/2006	Willey et al.
6,792,190 B2	9/2004	Xin et al.	7,116,883 B2	10/2006	Kline et al.
6,792,191 B1	9/2004	Clapp, Jr. et al.	7,118,281 B2	10/2006	Chiu et al.
6,798,751 B1	9/2004	Voit et al.	7,118,405 B2	10/2006	Peng
6,804,447 B2	10/2004	Smith et al.	7,120,347 B2	10/2006	Blackwell, Jr. et al.
6,810,194 B2	10/2004	Griffiths et al.	7,120,348 B2	10/2006	Trebesch et al.
6,813,412 B2	11/2004	Lin	7,120,349 B2	10/2006	Elliott
6,816,660 B2	11/2004	Nashimoto	7,127,143 B2	10/2006	Elkins, II et al.
6,819,856 B2	11/2004	Dagley et al.	7,128,471 B2	10/2006	Wilson
6,819,857 B2	11/2004	Douglas et al.	7,136,555 B2	11/2006	Theuerkorn et al.
6,826,174 B1	11/2004	Erekson et al.	7,139,462 B1	11/2006	Richtman
6,826,346 B2	11/2004	Sloan et al.	7,170,466 B2	1/2007	Janoschka
6,830,489 B2	12/2004	Aoyama	7,171,099 B2	1/2007	Barnes et al.
6,839,428 B2	1/2005	Brower et al.	7,171,121 B1	1/2007	Skarica et al.
6,839,438 B1	1/2005	Riegelsberger et al.	7,181,142 B1	2/2007	Xu et al.
6,840,815 B2	1/2005	Musolf et al.	7,186,134 B2	3/2007	Togami et al.
6,845,207 B2	1/2005	Schray	7,193,783 B2	3/2007	Willey et al.
6,848,862 B1	2/2005	Schlig	7,194,181 B2	3/2007	Holmberg et al.
6,850,685 B2	2/2005	Tinucci et al.	7,195,521 B2	3/2007	Musolf et al.
6,853,637 B1	2/2005	Norrell et al.	7,200,314 B2	4/2007	Womack et al.
6,854,894 B1	2/2005	Yunker et al.	7,200,316 B2	4/2007	Giraud et al.
6,856,334 B1	2/2005	Fukui	7,201,595 B1	4/2007	Morello
6,856,505 B1	2/2005	Venegas et al.	7,220,065 B2	5/2007	Han et al.
6,865,331 B2	3/2005	Mertesdorf	7,228,036 B2	6/2007	Elkins, II et al.
6,865,334 B2	3/2005	Cooke et al.	7,228,047 B1	6/2007	Szilagyi et al.
6,866,541 B2	3/2005	Barker et al.	7,231,125 B2	6/2007	Douglas et al.
6,868,216 B1	3/2005	Gehrke	7,234,878 B2	6/2007	Yamauchi et al.
6,869,227 B2	3/2005	Del Grosso et al.	7,236,677 B2	6/2007	Escoto et al.
6,870,734 B2	3/2005	Mertesdorf et al.	7,239,789 B2	7/2007	Grubish et al.
6,870,997 B2	3/2005	Cooke et al.	7,245,809 B1	7/2007	Gniadek et al.
6,879,545 B2	4/2005	Cooke et al.	7,259,325 B2	8/2007	Pincu et al.
6,915,058 B2	7/2005	Pons	7,266,283 B2	9/2007	Kline et al.
6,920,273 B2	7/2005	Knudsen	7,270,485 B1	9/2007	Robinson et al.
6,920,274 B2	7/2005	Rapp et al.	7,272,291 B2	9/2007	Bayazit et al.
6,925,241 B2	8/2005	Bohle et al.	7,274,852 B1	9/2007	Smrha et al.
6,934,451 B2	8/2005	Cooke	7,284,785 B2	10/2007	Gotou et al.
6,934,456 B2	8/2005	Ferris et al.	7,287,913 B2	10/2007	Keenum et al.
6,937,807 B2	8/2005	Franklin et al.	7,289,731 B2	10/2007	Thinguldstad
6,944,383 B1	9/2005	Herzog et al.	7,292,769 B2	11/2007	Watanabe et al.
6,944,389 B2	9/2005	Giraud et al.	7,298,950 B2	11/2007	Frohlich
6,952,530 B2	10/2005	Helvajian et al.	7,300,216 B2	11/2007	Morse et al.
6,963,690 B1	11/2005	Kassal et al.	7,300,308 B2	11/2007	Laursen et al.
6,968,107 B2	11/2005	Belardi et al.	7,302,149 B2	11/2007	Swam et al.
6,968,111 B2	11/2005	Trebesch et al.	7,302,153 B2	11/2007	Thom
6,985,665 B2	1/2006	Baechtle	7,302,154 B2	11/2007	Trebesch et al.
6,993,237 B2	1/2006	Cooke et al.	7,308,184 B2	12/2007	Barnes et al.
7,000,784 B2	2/2006	Canty et al.	7,310,471 B2	12/2007	Bayazit et al.
7,005,582 B2	2/2006	Muller et al.	7,310,472 B2	12/2007	Haberman
7,006,748 B2	2/2006	Dagley et al.	7,315,681 B2	1/2008	Kewitsch
7,007,296 B2	2/2006	Rakib	7,325,975 B2	2/2008	Yamada et al.
7,025,275 B2	4/2006	Huang et al.	7,330,624 B2	2/2008	Isenhour et al.
7,027,695 B2	4/2006	Cooke et al.	7,330,625 B2	2/2008	Barth
7,027,706 B2	4/2006	Diaz et al.	7,330,626 B2	2/2008	Kowalczyk et al.
7,031,588 B2	4/2006	Cowley et al.	7,330,629 B2	2/2008	Cooke et al.
7,035,510 B2	4/2006	Zimmel et al.	7,331,718 B2	2/2008	Yazaki et al.
7,038,137 B2	5/2006	Grubish et al.	7,340,145 B2	3/2008	Allen
7,048,447 B1	5/2006	Patel et al.	7,349,615 B2	3/2008	Frazier et al.
7,054,513 B2	5/2006	Herz et al.	7,352,947 B2	4/2008	Phung et al.
7,066,748 B2	6/2006	Bricaud et al.	7,373,071 B2	5/2008	Douglas et al.
7,068,907 B2	6/2006	Schray	7,376,321 B2	5/2008	Bolster et al.
7,070,459 B2	7/2006	Denovich et al.	7,376,323 B2	5/2008	Zimmel
7,077,710 B2	7/2006	Haggay et al.	7,391,952 B1	6/2008	Ugolini et al.
7,079,744 B2	7/2006	Douglas et al.	7,397,996 B2	7/2008	Herzog et al.
7,090,406 B2	8/2006	Melton et al.	7,400,813 B2	7/2008	Zimmel
7,090,407 B2	8/2006	Melton et al.	7,409,137 B2	8/2008	Barnes
			7,414,198 B2	8/2008	Stansbie et al.
			7,417,188 B2	8/2008	McNutt et al.
			7,418,182 B2	8/2008	Krampotich
			7,418,184 B1	8/2008	Gonzales et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

7,421,182	B2	9/2008	Bayazit et al.	7,837,495	B2	11/2010	Baldwin et al.
7,428,363	B2	9/2008	Leon et al.	7,850,372	B2	12/2010	Nishimura et al.
7,435,090	B1	10/2008	Schriefer et al.	7,853,112	B2	12/2010	Zimmel et al.
7,437,049	B2	10/2008	Krampotich	7,856,166	B2	12/2010	Biribuze et al.
7,439,453	B2	10/2008	Murano et al.	7,862,369	B2	1/2011	Gimenes et al.
7,454,113	B2	11/2008	Barnes	7,869,685	B2	1/2011	Hendrickson et al.
7,460,757	B2	12/2008	Hoehne et al.	7,876,580	B2	1/2011	Mayer
7,460,758	B2	12/2008	Xin	7,914,332	B2	3/2011	Song et al.
7,461,981	B2	12/2008	Yow, Jr. et al.	7,942,589	B2	5/2011	Yazaki et al.
7,462,779	B2	12/2008	Caveney et al.	7,945,135	B2	5/2011	Cooke et al.
7,463,810	B2	12/2008	Bayazit et al.	7,945,136	B2	5/2011	Cooke et al.
7,463,811	B2	12/2008	Trebesch et al.	7,945,138	B2	5/2011	Hill et al.
7,469,090	B2	12/2008	Ferris et al.	7,970,250	B2	6/2011	Morris
7,471,867	B2	12/2008	Vogel et al.	8,014,171	B2	9/2011	Kelly et al.
7,474,828	B2	1/2009	Leon et al.	8,014,646	B2	9/2011	Keith et al.
7,477,824	B2	1/2009	Reagan et al.	8,020,813	B1	9/2011	Clark et al.
7,477,826	B2	1/2009	Mullaney et al.	8,059,932	B2	11/2011	Hill et al.
7,480,438	B2	1/2009	Douglas et al.	8,093,499	B2	1/2012	Hoffer et al.
7,488,205	B2	2/2009	Spisany et al.	8,107,785	B2	1/2012	Berglund et al.
7,493,002	B2	2/2009	Coburn et al.	8,184,938	B2	5/2012	Cooke et al.
7,496,269	B1	2/2009	Lee	8,206,043	B2	6/2012	Thirugnanam et al.
7,499,622	B2	3/2009	Castonguay et al.	8,206,058	B2	6/2012	Vrondran et al.
7,499,623	B2	3/2009	Barnes et al.	8,226,305	B2	7/2012	Thirugnanam et al.
7,507,111	B2	3/2009	Togami et al.	8,249,410	B2	8/2012	Andrus et al.
7,509,015	B2	3/2009	Murano	8,270,798	B2	9/2012	Dagley et al.
7,509,016	B2	3/2009	Smith et al.	8,280,216	B2	10/2012	Cooke et al.
7,510,421	B2	3/2009	Fransen et al.	8,331,752	B2	12/2012	Biribuze et al.
7,522,804	B2	4/2009	Araki et al.	8,391,666	B2	3/2013	Hetzer et al.
7,526,171	B2	4/2009	Caveney et al.	8,472,773	B2	6/2013	De Jong
7,526,172	B2	4/2009	Gniadek et al.	8,491,331	B2	7/2013	Follingstad
7,526,174	B2	4/2009	Leon et al.	8,537,477	B2	9/2013	Shioda
7,529,458	B2	5/2009	Spisany et al.	8,538,226	B2	9/2013	Makrides-Saravanos et al.
7,534,958	B2	5/2009	McNutt et al.	8,559,783	B2	10/2013	Campos et al.
7,536,075	B2	5/2009	Zimmel	8,824,850	B2	9/2014	Garcia et al.
7,540,666	B2	6/2009	Luther et al.	2001/0010741	A1	8/2001	Hizuka
7,542,645	B1	6/2009	Hua et al.	2001/0029125	A1	10/2001	Morita et al.
7,544,085	B2	6/2009	Baldwin et al.	2002/0010818	A1	1/2002	Wei et al.
7,555,193	B2	6/2009	Rapp et al.	2002/0012353	A1	1/2002	Gerszberg et al.
7,558,458	B2	7/2009	Gronvall et al.	2002/0014571	A1	2/2002	Thompson
7,565,051	B2	7/2009	Vongseng	2002/0034290	A1	3/2002	Pershan
7,567,744	B2	7/2009	Krampotich et al.	2002/0037139	A1	3/2002	Asao et al.
7,570,860	B2	8/2009	Smrha et al.	2002/0064364	A1	5/2002	Batthey et al.
7,570,861	B2	8/2009	Smrha et al.	2002/0131730	A1	9/2002	Keeble et al.
7,577,331	B2	8/2009	Laurisch et al.	2002/0136519	A1	9/2002	Tinucci et al.
7,596,293	B2	9/2009	Isenhour et al.	2002/0141724	A1	10/2002	Ogawa et al.
7,603,020	B1	10/2009	Wakileh et al.	2002/0150372	A1	10/2002	Schray
7,607,938	B2	10/2009	Clark et al.	2002/0172467	A1	11/2002	Anderson et al.
7,609,967	B2	10/2009	Hochbaum et al.	2002/0180163	A1	12/2002	Muller et al.
7,613,377	B2	11/2009	Gonzales et al.	2002/0181918	A1	12/2002	Spence et al.
7,614,903	B1	11/2009	Huang	2002/0181922	A1	12/2002	Xin et al.
7,620,287	B2	11/2009	Appenzeller et al.	2002/0191939	A1	12/2002	Daoud et al.
7,641,398	B2	1/2010	O'Riorden et al.	2002/0194596	A1	12/2002	Srivastava
7,668,430	B2	2/2010	McClellan et al.	2003/0007743	A1	1/2003	Asada
7,668,433	B2	2/2010	Bayazit et al.	2003/0007767	A1	1/2003	Douglas et al.
7,672,561	B1	3/2010	Keith et al.	2003/0021539	A1	1/2003	Kwon et al.
7,676,135	B2	3/2010	Chen	2003/0036748	A1	2/2003	Cooper et al.
7,697,811	B2	4/2010	Murano et al.	2003/0066998	A1	4/2003	Lee
7,715,125	B2	5/2010	Willey	2003/0086675	A1	5/2003	Wu et al.
7,715,683	B2	5/2010	Kowalczyk et al.	2003/0095753	A1	5/2003	Wada et al.
7,734,138	B2	6/2010	Bloodworth et al.	2003/0123834	A1	7/2003	Burek et al.
7,740,409	B2	6/2010	Bolton et al.	2003/0147604	A1	8/2003	Tapia et al.
7,743,495	B2	6/2010	Mori et al.	2003/0174996	A1	9/2003	Henschel et al.
7,748,911	B2	7/2010	Keenum et al.	2003/0180012	A1	9/2003	Deane et al.
7,751,674	B2	7/2010	Hill	2003/0183413	A1	10/2003	Kato
7,751,675	B2	7/2010	Holmberg et al.	2003/0199201	A1	10/2003	Mullaney et al.
7,756,382	B2	7/2010	Saravanos et al.	2003/0210882	A1	11/2003	Barthel et al.
7,760,984	B2	7/2010	Solheid et al.	2003/0223723	A1	12/2003	Massey et al.
7,764,858	B2	7/2010	Bayazit et al.	2003/0235387	A1	12/2003	Dufour
7,764,859	B2	7/2010	Krampotich et al.	2004/0013389	A1	1/2004	Taylor
7,769,266	B2	8/2010	Morris	2004/0013390	A1	1/2004	Kim et al.
7,805,044	B2	9/2010	Reagan et al.	2004/0067036	A1	4/2004	Clark et al.
7,809,232	B2	10/2010	Reagan et al.	2004/0074852	A1	4/2004	Knudsen et al.
7,809,235	B2	10/2010	Reagan et al.	2004/0086238	A1	5/2004	Finona et al.
7,811,136	B1	10/2010	Hsieh et al.	2004/0086252	A1	5/2004	Smith et al.
7,822,310	B2	10/2010	Castonguay et al.	2004/0120679	A1	6/2004	Vincent et al.
				2004/0147159	A1	7/2004	Urban et al.
				2004/0151465	A1	8/2004	Krampotich et al.
				2004/0175090	A1	9/2004	Vastmans et al.
				2004/0192115	A1	9/2004	Bugg

(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0208459	A1	10/2004	Mizue et al.	2008/0069512	A1	3/2008	Barnes et al.
2004/0228598	A1	11/2004	Allen et al.	2008/0080826	A1	4/2008	Leon et al.
2004/0240882	A1	12/2004	Lipski et al.	2008/0080827	A1	4/2008	Leon et al.
2004/0264873	A1	12/2004	Smith et al.	2008/0080828	A1	4/2008	Leon et al.
2005/0002633	A1	1/2005	Solheid et al.	2008/0085094	A1	4/2008	Krampotich
2005/0008131	A1	1/2005	Cook	2008/0089656	A1	4/2008	Wagner et al.
2005/0026497	A1	2/2005	Holliday	2008/0095502	A1	4/2008	McColloch
2005/0036749	A1	2/2005	Vogel et al.	2008/0095541	A1	4/2008	Dallesasse
2005/0067358	A1	3/2005	Lee et al.	2008/0100440	A1	5/2008	Downie et al.
2005/0074990	A1	4/2005	Shearman et al.	2008/0106871	A1	5/2008	James
2005/0076149	A1	4/2005	McKown et al.	2008/0112681	A1	5/2008	Batthey et al.
2005/0083959	A1	4/2005	Binder	2008/0118207	A1	5/2008	Yamamoto et al.
2005/0107086	A1	5/2005	Tell et al.	2008/0121423	A1	5/2008	Vogel et al.
2005/0111809	A1	5/2005	Giraud et al.	2008/0124039	A1	5/2008	Gniadek et al.
2005/0123261	A1	6/2005	Bellekens et al.	2008/0131068	A1	6/2008	Mertesdorf et al.
2005/0129379	A1	6/2005	Reagan et al.	2008/0145013	A1	6/2008	Escoto et al.
2005/0178573	A1	8/2005	James	2008/0152294	A1	6/2008	Hirano et al.
2005/0201073	A1	9/2005	Pincu et al.	2008/0166094	A1	7/2008	Bookbinder et al.
2005/0232566	A1	10/2005	Rapp et al.	2008/0166131	A1	7/2008	Hudgins et al.
2005/0233647	A1	10/2005	Denovich et al.	2008/0175541	A1	7/2008	Lu et al.
2005/0254757	A1	11/2005	Ferretti, III et al.	2008/0175550	A1	7/2008	Coburn et al.
2005/0281526	A1	12/2005	Vongseng et al.	2008/0175551	A1	7/2008	Smrha et al.
2006/0007562	A1	1/2006	Willey et al.	2008/0175552	A1	7/2008	Smrha et al.
2006/0018448	A1	1/2006	Stevens et al.	2008/0193091	A1	8/2008	Herbst
2006/0018622	A1	1/2006	Caveney et al.	2008/0205823	A1	8/2008	Luther et al.
2006/0034048	A1	2/2006	Xu	2008/0205843	A1	8/2008	Castonguay et al.
2006/0039290	A1	2/2006	Roden et al.	2008/0205844	A1	8/2008	Castonguay et al.
2006/0044774	A1	3/2006	Vasavda et al.	2008/0212928	A1	9/2008	Kowalczyk et al.
2006/0045458	A1	3/2006	Sasaki et al.	2008/0219632	A1	9/2008	Smith et al.
2006/0072606	A1	4/2006	Posthuma	2008/0219634	A1	9/2008	Rapp et al.
2006/0077968	A1	4/2006	Pitsoulakis et al.	2008/0236858	A1	10/2008	Quijano
2006/0093303	A1	5/2006	Reagan et al.	2008/0247723	A1	10/2008	Herzog et al.
2006/0103270	A1	5/2006	Bergesch et al.	2008/0267573	A1	10/2008	Douglas et al.
2006/0127026	A1	6/2006	Beck	2008/0285934	A1	11/2008	Standish et al.
2006/0133759	A1	6/2006	Mullaney et al.	2008/0292261	A1	11/2008	Kowalczyk et al.
2006/0147172	A1	7/2006	Luther et al.	2008/0296060	A1	12/2008	Hawley et al.
2006/0153517	A1	7/2006	Reagan et al.	2008/0298763	A1	12/2008	Appenzeller et al.
2006/0160377	A1	7/2006	Huang	2008/0310810	A1	12/2008	Gallagher
2006/0165365	A1	7/2006	Feustel et al.	2009/0010607	A1	1/2009	Elisson et al.
2006/0165366	A1	7/2006	Feustel et al.	2009/0016685	A1	1/2009	Hudgins et al.
2006/0191700	A1	8/2006	Herzog et al.	2009/0022470	A1	1/2009	Krampotich
2006/0193590	A1	8/2006	Puetz et al.	2009/0038845	A1	2/2009	Fransen et al.
2006/0193591	A1	8/2006	Rapp et al.	2009/0060439	A1	3/2009	Cox et al.
2006/0198098	A1	9/2006	Clark et al.	2009/0060440	A1	3/2009	Wright et al.
2006/0204179	A1	9/2006	Patel et al.	2009/0067800	A1	3/2009	Vazquez et al.
2006/0215980	A1	9/2006	Bayazit et al.	2009/0074371	A1	3/2009	Bayazit et al.
2006/0225912	A1	10/2006	Clark et al.	2009/0080849	A1	3/2009	Hankins et al.
2006/0269194	A1	11/2006	Luther et al.	2009/0097813	A1	4/2009	Hill
2006/0269205	A1	11/2006	Zimmel	2009/0136194	A1	5/2009	Barnes
2006/0269206	A1	11/2006	Zimmel	2009/0136196	A1	5/2009	Trebesch et al.
2006/0269208	A1	11/2006	Allen et al.	2009/0146342	A1	6/2009	Haney et al.
2006/0275008	A1	12/2006	Xin	2009/0148117	A1	6/2009	Laurisch
2006/0275009	A1	12/2006	Ellison et al.	2009/0169163	A1	7/2009	Abbott, III et al.
2006/0285812	A1	12/2006	Ferris et al.	2009/0175588	A1	7/2009	Brandt et al.
2007/0003204	A1	1/2007	Makrides-Saravanos et al.	2009/0180749	A1	7/2009	Douglas et al.
2007/0025070	A1	2/2007	Jiang et al.	2009/0185782	A1	7/2009	Parikh et al.
2007/0031099	A1	2/2007	Herzog et al.	2009/0191891	A1	7/2009	Ma et al.
2007/0033629	A1	2/2007	McGranahan et al.	2009/0194647	A1	8/2009	Keith
2007/0047891	A1	3/2007	Bayazit et al.	2009/0196563	A1	8/2009	Mullsteff et al.
2007/0047894	A1	3/2007	Holmberg et al.	2009/0202214	A1	8/2009	Holmberg et al.
2007/0104447	A1	5/2007	Allen	2009/0207577	A1	8/2009	Fransen et al.
2007/0110373	A1	5/2007	Dudek et al.	2009/0208178	A1	8/2009	Kowalczyk et al.
2007/0131628	A1	6/2007	Mimlitch, III et al.	2009/0208210	A1	8/2009	Trojer et al.
2007/0183732	A1	8/2007	Wittmeier et al.	2009/0214171	A1	8/2009	Coburn et al.
2007/0189692	A1	8/2007	Zimmel et al.	2009/0220200	A1	9/2009	Wong et al.
2007/0196071	A1	8/2007	Laursen et al.	2009/0220204	A1	9/2009	Ruiz
2007/0221793	A1	9/2007	Kusuda et al.	2009/0226142	A1	9/2009	Barnes et al.
2007/0237484	A1	10/2007	Reagan et al.	2009/0238531	A1	9/2009	Holmberg et al.
2007/0274718	A1	11/2007	Bridges et al.	2009/0245743	A1	10/2009	Cote et al.
2008/0011514	A1	1/2008	Zheng et al.	2009/0252472	A1	10/2009	Solheid et al.
2008/0025683	A1	1/2008	Murano	2009/0257726	A1	10/2009	Redmann et al.
2008/0031585	A1	2/2008	Solheid et al.	2009/0257727	A1	10/2009	Laurisch et al.
2008/0063350	A1	3/2008	Trebesch et al. 385/135	2009/0257754	A1	10/2009	Theodoras, II et al.
2008/0068788	A1	3/2008	Ozawa et al.	2009/0263096	A1	10/2009	Solheid et al.
2008/0069511	A1	3/2008	Blackwell et al.	2009/0263122	A1	10/2009	Helkey et al.
				2009/0267865	A1	10/2009	Miller et al.
				2009/0269016	A1	10/2009	Korampally et al.
				2009/0269018	A1	10/2009	Frohlich et al.
				2009/0274429	A1	11/2009	Krampotich et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2009/0274430 A1 11/2009 Krampotich et al.
 2009/0274432 A1 11/2009 Iwaya
 2009/0290842 A1 11/2009 Bran de Leon et al.
 2009/0290843 A1 11/2009 Reagan et al.
 2009/0297111 A1 12/2009 Reagan et al.
 2009/0304342 A1 12/2009 Adomeit et al.
 2009/0324189 A1 12/2009 Hill et al.
 2010/0003000 A1 1/2010 Rapp et al.
 2010/0012671 A1 1/2010 Vrondran et al.
 2010/0054681 A1 3/2010 Biribuze et al.
 2010/0054682 A1 3/2010 Cooke et al. 385/135
 2010/0054683 A1 3/2010 Cooke et al.
 2010/0054684 A1 3/2010 Cooke et al.
 2010/0054685 A1 3/2010 Cooke et al.
 2010/0054686 A1 3/2010 Cooke et al.
 2010/0054687 A1 3/2010 Ye et al.
 2010/0061693 A1 3/2010 Bran de Leon et al.
 2010/0074587 A1 3/2010 Loeffelholz et al.
 2010/0080517 A1 4/2010 Cline et al.
 2010/0086274 A1 4/2010 Keith
 2010/0111483 A1 5/2010 Reinhardt et al.
 2010/0119201 A1 5/2010 Smrha et al.
 2010/0129035 A1 5/2010 Teo
 2010/0142544 A1 6/2010 Chapel et al.
 2010/0142910 A1 6/2010 Hill et al.
 2010/0150518 A1 6/2010 Leon et al.
 2010/0158467 A1 6/2010 Hou et al.
 2010/0166377 A1 7/2010 Nair et al.
 2010/0178022 A1 7/2010 Schroeder et al.
 2010/0202745 A1 8/2010 Sokolowski et al.
 2010/0202748 A1 8/2010 Pierce et al.
 2010/0220967 A1 9/2010 Cooke et al.
 2010/0220968 A1 9/2010 Dagley et al.
 2010/0247051 A1 9/2010 Kowalczyk et al.
 2010/0278499 A1 11/2010 Mures et al.
 2010/0296790 A1 11/2010 Cooke et al.
 2010/0296791 A1 11/2010 Makrides-Saravanos et al.
 2010/0310225 A1 12/2010 Anderson et al.
 2010/0310226 A1 12/2010 Wakileh et al.
 2010/0316334 A1 12/2010 Kewitsch
 2010/0322580 A1 12/2010 Beamon et al.
 2010/0322582 A1 12/2010 Cooke et al.
 2010/0322583 A1 12/2010 Cooke et al.
 2010/0329624 A1 12/2010 Zhou et al.
 2011/0058786 A1 3/2011 Zimmel
 2011/0073730 A1 3/2011 Kitchen
 2011/0085774 A1 4/2011 Murphy et al.
 2011/0085776 A1 4/2011 Biribuze et al.
 2011/0097053 A1 4/2011 Smith et al.
 2011/0097977 A1 4/2011 Bubnick et al.
 2011/0129186 A1 6/2011 Lewallen et al.
 2011/0186532 A1 8/2011 Wu
 2011/0211799 A1 9/2011 Conner et al.
 2011/0217014 A1 9/2011 Dominique
 2011/0268405 A1 11/2011 Cote et al.
 2011/0268407 A1 11/2011 Cowen et al.
 2011/0268413 A1 11/2011 Cote et al.
 2011/0280535 A1 11/2011 Womack
 2011/0280537 A1 11/2011 Cowen et al.
 2012/0051707 A1 3/2012 Barnes et al.
 2012/0057838 A1 3/2012 Hill et al.
 2012/0106899 A1 5/2012 Choi
 2012/0183263 A1 7/2012 Wu
 2012/0183289 A1 7/2012 Lou et al.
 2012/0219263 A1 8/2012 Beamon et al.
 2012/0288244 A1 11/2012 Wu et al.
 2012/0288248 A1 11/2012 Ramirez et al.
 2012/0301083 A1 11/2012 Carter et al.
 2013/0004136 A1 1/2013 Brower et al.
 2013/0077927 A1 3/2013 O'Connor
 2013/0243386 A1 9/2013 Pimentel et al.
 2013/0266282 A1 10/2013 Cote et al.
 2013/0308916 A1 11/2013 Buff et al.

2014/0003782 A1 1/2014 Blackwell, Jr. et al.
 2014/0010510 A1 1/2014 Blackard
 2014/0112628 A1 4/2014 Keenum et al.

FOREIGN PATENT DOCUMENTS

CA 2186314 A1 4/1997
 CA 2765835 A1 1/2011
 CH 688705 A5 1/1998
 CN 102460258 A 5/2012
 DE 8711970 U1 10/1987
 DE 3726718 A1 2/1989
 DE 3726719 A1 2/1989
 DE 4030301 A1 3/1992
 DE 4231181 C1 8/1993
 DE 20115940 U1 1/2002
 DE 10338848 A1 3/2005
 DE 202005009932 U1 11/2005
 DE 202010009385 U1 9/2010
 EP 29512 A1 6/1981
 EP 0250900 A2 1/1988
 EP 0408266 A2 1/1991
 EP 0474091 A1 8/1991
 EP 0468671 A1 1/1992
 EP 0490698 A1 6/1992
 EP 0529830 A1 3/1993
 EP 0544004 A1 6/1993
 EP 0547778 A1 6/1993
 EP 0581527 A1 2/1994
 EP 0620462 A1 10/1994
 EP 0693699 A1 1/1996
 EP 0720322 A2 7/1996
 EP 0776557 B1 6/1997
 EP 0940700 A2 9/1999
 EP 0949522 A2 10/1999
 EP 1041417 A2 10/2000
 EP 1056177 A1 11/2000
 EP 1065542 A1 1/2001
 EP 1203974 A2 5/2002
 EP 1289319 A2 3/2003
 EP 1310816 A2 5/2003
 EP 1316829 A2 6/2003
 EP 1621907 A1 2/2006
 EP 1777563 A1 4/2007
 EP 2159613 A2 3/2010
 FR 2378378 A1 8/1978
 GB 2241591 A 9/1991
 GB 2277812 A 11/1994
 JP 3172806 A 7/1991
 JP 5045541 A 2/1993
 JP 06018749 A 1/1994
 JP 7308011 A 11/1995
 JP 8007308 A 1/1996
 JP 8248235 A 9/1996
 JP 8248237 A 9/1996
 JP 3487946 A 10/1996
 JP 8254620 A 10/1996
 JP 3279474 A 10/1997
 JP 9258033 A 10/1997
 JP 9258055 A 10/1997
 JP 2771870 B2 7/1998
 JP 3448448 A 8/1998
 JP 10227919 A 8/1998
 JP 3478944 A 12/1998
 JP 10332945 A 12/1998
 JP 10339817 A 12/1998
 JP 11023858 A 1/1999
 JP 2000098138 A 4/2000
 JP 2000098139 A 4/2000
 JP 2001004849 A 1/2001
 JP 3160322 B2 4/2001
 JP 2001133636 A 5/2001
 JP 3173962 B2 6/2001
 JP 3176906 B2 6/2001
 JP 2001154030 A 6/2001
 JP 2001159714 A 6/2001
 JP 2002022974 A 1/2002
 JP 2002169035 A 6/2002
 JP 3312893 B2 8/2002

(56)

References Cited

- FOREIGN PATENT DOCUMENTS
- | | | | | |
|----|------------|----|---------|---|
| JP | 2002305389 | A | 10/2002 | Final Office Action for U.S. Appl. No. 13/649,417 mailed Jun. 25, 2014, 9 pages. |
| JP | 2003029054 | A | 1/2003 | Notice of Allowance for U.S. Appl. No. 13/649,417 mailed Sep. 8, 2014, 7 pages. |
| JP | 3403573 | B2 | 5/2003 | Non-final Office Action for U.S. Appl. No. 12/956,446 mailed Dec. 5, 2014, 12 pages. |
| JP | 2003169026 | A | 6/2003 | Advisory Action for U.S. Appl. No. 13/663,975 mailed Dec. 24, 2014, 7 pages. |
| JP | 2003215353 | A | 7/2003 | Advisory Action for U.S. Appl. No. 12/394,114 mailed Jan. 16, 2015, 3 pages. |
| JP | 2003344701 | A | 12/2003 | Non-final Office Action for U.S. Appl. No. 12/818,986 mailed Jan. 5, 2015, 21 pages. |
| JP | 3516765 | B2 | 4/2004 | Notice of Allowance for U.S. Appl. No. 13/649,417 mailed Jan. 8, 2015, 7 pages. |
| JP | 2004144808 | A | 5/2004 | Non-final Office Action for U.S. Appl. No. 12/946,217 mailed Dec. 29, 2014, 50 pages. |
| JP | 2004514931 | A | 5/2004 | Notice of Allowance and Examiner-Initiated Interview Summary for U.S. Appl. No. 12/940,585 mailed Feb. 27, 2015, 16 pages. |
| JP | 3542939 | B2 | 7/2004 | Notice of Allowance for U.S. Appl. No. 12/953,101 mailed Feb. 20, 2015, 9 pages. |
| JP | 2004246147 | A | 9/2004 | Final Office Action for U.S. Appl. No. 12/953,003 mailed Feb. 12, 2015, 14 pages. |
| JP | 2004361652 | A | 12/2004 | Final Office Action for U.S. Appl. No. 12/953,039 mailed Feb. 23, 2015, 9 pages. |
| JP | 2004361893 | A | 12/2004 | Notice of Allowance for U.S. Appl. No. 13/688,675 mailed Jan. 26, 2015, 7 pages. |
| JP | 3107704 | U | 2/2005 | Final Office Action for U.S. Appl. No. 12/819,065 mailed Mar. 12, 2015, 13 pages. |
| JP | 2005055748 | A | 3/2005 | Examiner's Answer to the Appeal Brief for U.S. Appl. No. 12/946,139 mailed Feb. 5, 2015, 12 pages. |
| JP | 2005062569 | A | 3/2005 | Notice of Allowance for U.S. Appl. No. 12/707,889 mailed Feb. 17, 2015, 7 pages. |
| JP | 2005084241 | A | 3/2005 | Non-final Office Action for U.S. Appl. No. 13/902,012 mailed Feb. 17, 2015, 9 pages. |
| JP | 2005148327 | A | 6/2005 | Non-final Office Action for U.S. Appl. No. 13/081,856 mailed Feb. 9, 2015, 8 pages. |
| JP | 3763645 | B2 | 4/2006 | Patent Cooperation Treaty International Search Report, Application No. PCT/US2011/057582, Jan. 27, 2012, 3 pages. |
| JP | 3778021 | B2 | 5/2006 | Final Office Action for U.S. Appl. No. 12/394,114 mailed Oct. 25, 2012, 8 pages. |
| JP | 2006126513 | A | 5/2006 | Non-final Office Action for U.S. Appl. No. 12/915,682 mailed Oct. 24, 2012, 8 pages. |
| JP | 2006126516 | A | 5/2006 | Non-final Office Action for U.S. Appl. No. 12/818,986 mailed Feb. 3, 2012, 12 pages. |
| JP | 3794540 | B2 | 7/2006 | Final Office Action for U.S. Appl. No. 12/818,986 mailed Oct. 18, 2012, 13 pages. |
| JP | 2006227041 | A1 | 8/2006 | Non-final Office Action for U.S. Appl. No. 12/952,960 mailed Oct. 4, 2012, 11 pages. |
| JP | 3833638 | B2 | 10/2006 | Non-final Office Action for U.S. Appl. No. 12/953,134 mailed Sep. 25, 2012, 8 pages. |
| JP | 3841344 | B2 | 11/2006 | Non-final Office Action for U.S. Appl. No. 12/953,039 mailed Jan. 11, 2013, 6 pages. |
| JP | 3847533 | B2 | 11/2006 | Non-final Office Action for U.S. Appl. No. 12/952,912 mailed Dec. 28, 2012, 9 pages. |
| JP | 3896035 | B2 | 3/2007 | Non-final Office Action for U.S. Appl. No. 12/953,118 mailed Jan. 7, 2013, 9 pages. |
| JP | 2007067458 | A1 | 3/2007 | Non-final Office Action for U.S. Appl. No. 12/953,536 mailed Jan. 2, 2013, 20 pages. |
| JP | 3934052 | B2 | 6/2007 | Non-final Office Action for U.S. Appl. No. 12/707,889 mailed Jan. 2, 2013, 7 pages. |
| JP | 3964191 | B2 | 8/2007 | European Search Report for patent application 10790017.7 mailed Nov. 8, 2012, 7 pages. |
| JP | 3989853 | B2 | 10/2007 | Examination Report for European patent application 09789090.9-2216 mailed Aug. 29, 2011, 4 pages. |
| JP | 4026244 | B2 | 12/2007 | Examination Report for European patent application 09789090.9-2216 mailed Mar. 30, 2012, 6 pages. |
| JP | 4029494 | B2 | 1/2008 | Written Opinion of the International Searching Authority for International patent application PCT/US2009004548, mailed Apr. 5, 2011, 6 pages. |
| JP | 4065223 | B2 | 3/2008 | European Search Report for European patent application 09789090.9-2217 mailed Jan. 24, 2013, 5 pages. |
| JP | 4093475 | B2 | 6/2008 | Non-final Office Action for U.S. Appl. No. 12/946,139 mailed Jul. 26, 2012, 12 pages. |
| JP | 4105696 | B2 | 6/2008 | |
| JP | 4112437 | B2 | 7/2008 | |
| JP | 4118862 | B2 | 7/2008 | |
| JP | 2008176118 | A1 | 7/2008 | |
| JP | 2008180817 | A1 | 8/2008 | |
| JP | 4184329 | B2 | 11/2008 | |
| JP | 2008542822 | T | 11/2008 | |
| JP | 2009503582 | T | 1/2009 | |
| WO | 9105281 | A1 | 4/1991 | |
| WO | 9326070 | A1 | 12/1993 | |
| WO | 9520175 | A1 | 7/1995 | |
| WO | 9636896 | A1 | 11/1996 | |
| WO | 9638752 | A1 | 12/1996 | |
| WO | 9712268 | A1 | 4/1997 | |
| WO | 9744605 | A1 | 11/1997 | |
| WO | 9825416 | A1 | 6/1998 | |
| WO | 0005611 | A2 | 2/2000 | |
| WO | 0127660 | A2 | 4/2001 | |
| WO | 0242818 | A1 | 5/2002 | |
| WO | 03009527 | A2 | 1/2003 | |
| WO | 2004052066 | A1 | 6/2004 | |
| WO | 2007050515 | A1 | 5/2007 | |
| WO | 2007079074 | A2 | 7/2007 | |
| WO | 2007149215 | A2 | 12/2007 | |
| WO | 2008063054 | A2 | 5/2008 | |
| WO | 2008113054 | A2 | 9/2008 | |
| WO | 2008157248 | A1 | 12/2008 | |
| WO | 2009120280 | A2 | 10/2009 | |
| WO | 2011005461 | A1 | 1/2011 | |
- OTHER PUBLICATIONS
- International Search Report for PCT/US2011/030448 mailed Jul. 20, 2011, 2 pages.
- International Search Report for PCT/US2011/030466 mailed Aug. 5, 2011, 2 pages.
- Non-final Office Action for U.S. Appl. No. 13/649,417 mailed Feb. 13, 2014, 10 pages.

(56)

References Cited

OTHER PUBLICATIONS

Final Office Action for U.S. Appl. No. 12/946,139 mailed Feb. 15, 2013, 17 pages.

Non-final Office Action for U.S. Appl. No. 12/751,884 mailed Feb. 15, 2013, 5 pages.

Non-final Office Action for U.S. Appl. No. 12/394,114 mailed Feb. 27, 2013, 8 pages.

Non-final Office Action for U.S. Appl. No. 12/819,065 mailed Mar. 4, 2013, 7 pages.

Final Office Action for U.S. Appl. No. 12/952,960 mailed Mar. 7, 2013, 13 pages.

Notice of Allowance for U.S. Appl. No. 12/732,487 mailed Mar. 19, 2013, 11 pages.

Non-final Office Action for U.S. Appl. No. 12/953,134 mailed Mar. 21, 2013, 9 pages.

Final Office Action for U.S. Appl. No. 12/641,617 mailed May 10, 2013, 21 pages.

Notice of Allowance for U.S. Appl. No. 13/090,621 mailed Apr. 22, 2013, 8 pages.

Final Office Action for U.S. Appl. No. 12/953,039 mailed May 1, 2013, 8 pages.

Final Office Action for U.S. Appl. No. 12/953,118 mailed May 3, 2013, 11 pages.

Final Office Action for U.S. Appl. No. 12/915,682 mailed Apr. 18, 2013, 9 pages.

Advisory Action for U.S. Appl. No. 12/952,960 mailed May 15, 2013, 2 pages.

Non-final Office Action for U.S. Appl. No. 12/952,960 mailed Jun. 20, 2013, 13 pages.

Non-final Office Action for U.S. Appl. No. 12/953,536 mailed Jun. 6, 2013, 21 pages.

Non-final Office Action for U.S. Appl. No. 11/820,300 mailed Apr. 25, 2012, 10 pages.

Final Office Action for U.S. Appl. No. 12/871,052 mailed Jul. 1, 2013, 12 pages.

Non-final Office Action for U.S. Appl. No. 12/940,699 mailed Jun. 26, 2013, 9 pages.

Notice of Allowance for U.S. Appl. No. 13/090,621 mailed Jun. 25, 2013, 8 pages.

Non-final Office Action for U.S. Appl. No. 12/956,475 mailed Oct. 4, 2012, 7 pages.

Non-final Office Action for U.S. Appl. No. 13/302,067 mailed Jun. 7, 2013, 13 pages.

Final Office Action for U.S. Appl. No. 12/771,473 mailed Jul. 19, 2013, 7 pages.

Notice of Allowance for U.S. Appl. No. 12/751,884 mailed Jul. 17, 2013, 8 pages.

Non-final Office Action for U.S. Appl. No. 12/940,585 mailed Aug. 16, 2013, 14 pages.

Final Office Action for U.S. Appl. No. 12/953,134 mailed Aug. 23, 2013, 11 pages.

Ex parte Quayle Action for U.S. Appl. No. 12/953,164 mailed Aug. 16, 2013, 5 pages.

Non-final Office Action for U.S. Appl. No. 12/732,487 mailed Jul. 17, 2013, 22 pages.

Advisory Action for U.S. Appl. No. 12/953,039 mailed Jul. 12, 2013, 3 pages.

Advisory Action for U.S. Appl. No. 12/953,118 mailed Jul. 12, 2013, 3 pages.

Advisory Action for U.S. Appl. No. 12/641,617 mailed Jul. 29, 2013, 3 pages.

Final Office Action for U.S. Appl. No. 12/952,912 mailed Aug. 30, 2013, 15 pages.

Advisory Action for U.S. Appl. No. 12/771,473 mailed Oct. 2, 2013, 3 pages.

Notice of Allowance for U.S. Appl. No. 12/641,617 mailed Sep. 4, 2013, 9 pages.

Annex to Form PCT/ISA/2006, Communication Relating to the Results of the Partial International Search, for PCT/US2009/004549 mailed Feb. 10, 2010, 2 pages.

Annex to Form PCT/ISA/2006, Communication Relating to the Results of the Partial International Search, for PCT/US2009/004548 mailed Jan. 19, 2010, 2 pages.

Corning Cable Systems, "Corning Cable Systems Products for BellSouth High Density Shelves," Jun. 2000, 2 pages.

Corning Cable Systems, "Corning Cable Systems Quick Reference Guide for Verizon FTTP FDH Products," Jun. 2005, 4 pages.

Conner, M. "Passive Optical Design for RFOG and Beyond," Braodband Properties, Apr. 2009, pp. 78-81.

Corning Evolant, "Eclipse Hardware Family," Nov. 2009, 1 page.

Corning Evolant, "Enhanced Management Frame," Dec. 2009, 1 page.

Corning Evolant, "Enhanced Management Frame (EMF)," Specification Sheet, Nov. 2009, 24 pages.

Corning Cable Systems, "Evolant Solutions for Evolving Networks: Fiber Optic Hardware," Oct. 2002, 2 pages.

Corning Cable Systems, "Fiber Optic Hardware with Factory-Installed Pigtailed: Features and Benefits," Nov. 2010, 12 pages.

Corning Cable Systems, "FiberManager System 1- and 3-Position Compact Shelves," Jan. 2003, 4 pages.

Corning Cable Systems, "FiberManager System Frame and Components," Jan. 2003, 12 pages.

Corning Cable Systems, "High Density Frame," Jul. 2001, 2 pages.

Corning Cable Systems, "High Density Frame (HDF) Connector-Splice Shelves and Housings," May 2003, 4 pages.

International Search Report for PCT/US10/35529 mailed Jul. 23, 2010, 2 pages.

International Search Report for PCT/US10/35563 mailed Jul. 23, 2012, 1 page.

International Search Report for PCT/US2008/002514 mailed Aug. 8, 2008, 2 pages.

International Search Report for PCT/US2008/010317 mailed Mar. 4, 2008, 2 pages.

International Search Report for PCT/US2009/001692 mailed Nov. 24, 2009, 5 pages.

International Search Report for PCT/US2010/024888 mailed Jun. 23, 2010, 5 pages.

International Search Report for PCT/US2010/027402 mailed Jun. 16, 2010, 2 pages.

Corning Cable Systems, "MTX Frames and Accessories," Feb. 2006, 4 pages.

Panduit, "Lock-in LC Duplex Clip," Accessed Mar. 22, 2012, 1 page.

International Search Report for PCT/US06/49351 mailed Apr. 25, 2008, 1 page.

International Search Report for PCT/US09/57069 mailed Mar. 24, 2010, 2 pages.

International Search Report for PCT/US2009/057244 mailed Nov. 9, 2009, 3 pages.

International Search Report for PCT/US2009004548 mailed Mar. 19, 2010, 5 pages.

International Search Report for PCT/US2009004549 mailed Apr. 20, 2010, 6 pages.

Siecor, "Single Shelf HDF with Slack Storage and Heat Shield (HH1-CSH-1238-1V-BS)," Jan. 1998, 12 pages.

Corning Cable Systems, "Mass Termination Xchange (MTX) Frame System Equipment Office Planning and Application Guide," SRP003-664, Issue 1, Mar. 2005, 57 pages.

Corning Cable Systems, "Mass Termination Xchange (MTX) Equipment Patch Cord Interbay Vertical Channel," SRP003-684, Issue 1, Mar. 2005, 8 pages.

Corning Cable Systems, "High Density Frame (HDF) Installation," SRP003-355, Issue 4, Sep. 2002, 18 pages.

Written Opinion for PCT/US2010/023901 mailed Aug. 25, 2011, 8 pages.

Advisory Action for U.S. Appl. No. 12/221,117 mailed Aug. 24, 2011, 3 pages.

Examiner's Answer to Appeal Brief for U.S. Appl. No. 12/221,117 mailed Mar. 29, 2012, 16 pages.

Final Office Action for U.S. Appl. No. 12/221,117 mailed Feb. 19, 2010, 7 pages.

Final Office Action for U.S. Appl. No. 12/221,117 mailed Jun. 10, 2011, 8 pages.

(56)

References Cited

OTHER PUBLICATIONS

Non-final Office Action for U.S. Appl. No. 12/221,117 mailed Jul. 14, 2010, 7 pages.

Non-final Office Action for U.S. Appl. No. 12/221,117 mailed Jun. 9, 2009, 5 pages.

Non-final Office Action for U.S. Appl. No. 12/221,117 mailed Dec. 21, 2010, 7 pages.

Advisory Action for U.S. Appl. No. 12/394,483 mailed Feb. 16, 2012, 3 pages.

Final Office Action for U.S. Appl. No. 12/394,483 mailed Dec. 6, 2011, 14 pages.

Non-final Office Action for U.S. Appl. No. 12/394,483 mailed Jun. 17, 2011, 11 pages.

Advisory Action for U.S. Appl. No. 12/950,234 mailed Dec. 21, 2011, 3 pages.

Non-final Office Action for U.S. Appl. No. 12/950,234 mailed Jun. 17, 2011, 7 pages.

Non-final Office Action for U.S. Appl. No. 12/950,234 mailed Mar. 12, 2012, 10 pages.

Final Office Action for U.S. Appl. No. 12/950,234 mailed Oct. 14, 2011, 10 pages.

Advisory Action mailed May 12, 2011, for U.S. Appl. No. 12/323,423, 3 pages.

Final Rejection mailed Mar. 3, 2011, for U.S. Appl. No. 12/323,423, 17 pages.

Non-Final Rejection mailed Aug. 5, 2011, for U.S. Appl. No. 12/323,423, 13 pages.

Non-Final Rejection mailed Sep. 7, 2010, for U.S. Appl. No. 12/323,423, 18 pages.

Notice of Allowance for U.S. Appl. No. 12/323,423 mailed Jan. 24, 2012, 8 pages.

Examiner's Answer mailed Mar. 4, 2011, for U.S. Appl. No. 12/323,415, 11 pages.

Final Rejection mailed Jun. 25, 2010, for U.S. Appl. No. 12/323,415, 10 pages.

Non-Final Rejection mailed Aug. 5, 2011, for U.S. Appl. No. 12/323,415, 41 pages.

Non-final Office Action for U.S. Appl. No. 12/323,415 mailed Apr. 23, 2012, 11 pages.

Non-Final Rejection mailed Dec. 10, 2009, for U.S. Appl. No. 12/323,415, 7 pages.

Examiner's Answer to Appeal Brief for U.S. Appl. No. 11/320,062 mailed Dec. 8, 2011, 8 pages.

Final Office Action for U.S. Appl. No. 11/320,062 mailed Mar. 8, 2011, 8 pages.

Non-final Office Action for U.S. Appl. No. 11/320,062 mailed Jan. 15, 2010, 11 pages.

Non-final Office Action for U.S. Appl. No. 12/320,062 mailed Sep. 30, 2010, 7 pages.

Final Office Action for U.S. Appl. No. 11/439,086 mailed Feb. 4, 2010, 14 pages.

Non-final Office Action for U.S. Appl. No. 11/439,086 mailed May 3, 2010, 11 pages.

Non-final Office Action for U.S. Appl. No. 11/439,086 mailed Sep. 21, 2009, 10 pages.

Final Office Action for U.S. Appl. No. 12/079,481 mailed Mar. 18, 2010, 10 pages.

Non-final Office Action for U.S. Appl. No. 12/079,481 mailed Dec. 26, 2008, 9 pages.

Non-final Office Action for U.S. Appl. No. 12/079,481 mailed Sep. 16, 2009, 10 pages.

Notice of Allowance for U.S. Appl. No. 12/079,481 mailed Jun. 3, 2010, 6 pages.

Notice of Allowance for U.S. Appl. No. 12/079,481 mailed Oct. 4, 2010, 4 pages.

Final Office Action for U.S. Appl. No. 12/394,114 mailed Dec. 22, 2011, 8 pages.

Non-final Office Action for U.S. Appl. No. 12/394,114 mailed Mar. 16, 2012, 8 pages.

Non-final Office Action for U.S. Appl. No. 12/394,114 mailed Sep. 1, 2011, 7 pages.

Non-final Office Action for U.S. Appl. No. 12/323,373 mailed May 3, 2012, 7 pages.

Non-final Office Action for U.S. Appl. No. 11/809,474 mailed Apr. 8, 2008, 13 pages.

Non-final Office Action for U.S. Appl. No. 11/809,474 mailed Nov. 13, 2008, 10 pages.

Notice of Allowance for U.S. Appl. No. 11/809,474 mailed Jul. 6, 2009, 6 pages.

Final Office Action for U.S. Appl. No. 11/320,031 mailed Mar. 8, 2011, 8 pages.

Non-final Office Action for U.S. Appl. No. 11/320,031 mailed Jan. 5, 2010, 16 pages.

Non-final Office Action for U.S. Appl. No. 11/320,031 mailed Sep. 30, 2010, 7 pages.

Notice of Allowance for U.S. Appl. No. 11/320,031 mailed Nov. 15, 2011, 7 pages.

Non-final Office Action for U.S. Appl. No. 12/157,622 mailed Mar. 31, 2009, 9 pages.

Non-final Office Action for U.S. Appl. No. 12/157,622 mailed Oct. 15, 2009, 9 pages.

Notice of Allowance for U.S. Appl. No. 12/157,622 mailed Apr. 22, 2010, 4 pages.

Non-final Office Action for U.S. Appl. No. 12/323,395 mailed Dec. 8, 2011, 7 pages.

Non-final Office Action for U.S. Appl. No. 12/415,454 mailed Mar. 2, 2012, 5 pages.

Non-final Office Action for U.S. Appl. No. 12/415,454 mailed Sep. 6, 2011, 7 pages.

Notice of Allowance for U.S. Appl. No. 12/415,454 mailed Jan. 13, 2012, 5 pages.

Non-final Office Action for U.S. Appl. No. 12/576,769 mailed Feb. 2, 2012, 23 pages.

Notice of Allowance for U.S. Appl. No. 12/415,454 mailed Jun. 19, 2012, 5 pages.

Non-final Office Action for U.S. Appl. No. 13/603,894 mailed Oct. 3, 2013, 9 pages.

International Search Report for PCT/US2009/066779 mailed Aug. 27, 2010, 3 pages.

"MPO Fiber Optic Rack Panels now available from L-com Connectivity Products," article dated Jun. 4, 2007, 16 pages, <http://www.I-com.com/content/Article.aspx?Type=P&ID=438>.

"19" Rack Panel with 16 MPO Fiber Optic Couplers—1U high," product page, accessed Oct. 23, 2012, 2 pages, <http://www.I-com.com/item.aspx?id=9767#.UlbgG8XXay5>.

"Drawing for L-com 1U Panel with 16 MTP couplers," May 15, 2007, 1 page, http://www.I-com.com/multimedia/eng_drawings/PR17516MTP.pdf.

Non-final Office Action for U.S. Appl. No. 12/771,473 mailed Oct. 4, 2012, 6 pages.

Non-final Office Action for U.S. Appl. No. 12/819,081 mailed Aug. 21, 2012, 12 pages.

International Search Report for PCT/US2010/038986 mailed Aug. 18, 2010, 1 page.

International Search Report for PCT/US2010/023901 mailed Jun. 11, 2010, 3 pages.

Notice of Allowance for U.S. Appl. No. 12/576,769 mailed May 31, 2012, 9 pages.

Non-final Office Action for U.S. Appl. No. 12/576,806 mailed Dec. 13, 2011, 6 pages.

Notice of Allowance for U.S. Appl. No. 12/576,806 mailed Apr. 18, 2012, 5 pages.

Non-final Office Action for U.S. Appl. No. 13/688,675 mailed Jan. 31, 2014, 13 pages.

Non-final Office Action for U.S. Appl. No. 12/946,217 mailed Jul. 26, 2012, 25 pages.

Final Office Action for U.S. Appl. No. 12/946,217 mailed Mar. 18, 2013, 48 pages.

Non-final Office Action for U.S. Appl. No. 12/946,217 mailed Oct. 3, 2013, 47 pages.

Final Office Action for U.S. Appl. No. 12/946,217 mailed Apr. 25, 2014, 40 pages.

(56)


References Cited

OTHER PUBLICATIONS

Non-final Office Action for U.S. Appl. No. 13/833,876 mailed Apr. 24, 2014, 7 pages.
 Notice of Allowance for U.S. Appl. No. 12/953,536 mailed May 20, 2014, 9 pages.
 Advisory Action for U.S. Appl. No. 12/707,889 mailed Jun. 11, 2014, 4 pages.
 Advisory Action for U.S. Appl. No. 12/940,585 mailed Jun. 17, 2014, 3 pages.
 Advisory Action for U.S. Appl. No. 12/947,883 mailed Jun. 19, 2014, 3 pages.
 Non-final Office Action for U.S. Appl. No. 12/732,487 mailed Jun. 20, 2014, 24 pages.
 Non-final Office Action for U.S. Appl. No. 13/621,958 mailed Jun. 20, 2014, 13 pages.
 Non-final Office Action for U.S. Appl. No. 12/952,960 mailed Jun. 26, 2014, 13 pages.
 Non-final Office Action for U.S. Appl. No. 13/746,938 mailed Jul. 11, 2014, 9 pages.
 Non-final Office Action for U.S. Appl. No. 12/751,895 mailed May 20, 2014, 9 pages.
 Final Office Action for U.S. Appl. No. 12/953,039 mailed Jul. 25, 2014, 10 pages.
 Notice of Allowance for U.S. Appl. No. 12/953,536 mailed Aug. 28, 2014, 9 pages.
 Final Office Action for U.S. Appl. No. 13/901,074 mailed Sep. 5, 2014, 7 pages.
 Final Office Action for U.S. Appl. No. 13/663,975 mailed Aug. 14, 2014, 42 pages.
 Corrected Notice of Allowance for U.S. Appl. No. 13/533,093 mailed Sep. 2, 2014, 7 pages.
 Examiner's Answer to the Appeal for U.S. Appl. No. 12/952,912 mailed Sep. 11, 2014, 15 pages.
 Advisory Action and Examiner-Initiated Interview Summary for U.S. Appl. No. 13/081,856 mailed Sep. 16, 2014, 4 pages.
 Notice of Allowance for U.S. Appl. No. 13/455,646 mailed Sep. 26, 2014, 9 pages.

Non-Final Office Action for U.S. Appl. No. 13/663,949 mailed Sep. 25, 2014, 21 pages.
 Non-Final Office Action for U.S. Appl. No. 13/688,675 mailed Sep. 30, 2014, 9 pages.
 Advisory Action for U.S. Appl. No. 12/953,039 mailed Oct. 3, 2014, 3 pages.
 Notice of Allowance for U.S. Appl. No. 13/597,549 mailed Oct. 3, 2014, 8 pages.
 Decision on Appeal for U.S. Appl. No. 11/320,062 mailed Aug. 14, 2014, 8 pages.
 Final Office Action for U.S. Appl. No. 12/953,101 mailed Oct. 20, 2014, 14 pages.
 Notice of Allowance for U.S. Appl. No. 13/533,093 mailed Oct. 17, 2014, 9 pages.
 Notice of Allowance for U.S. Appl. No. 12/732,487 mailed Oct. 7, 2014, 8 pages.
 Non-Final Office Action for U.S. Appl. No. 13/567,288 mailed Oct. 8, 2014, 7 pages.
 Advisory Action for U.S. Appl. No. 12/818,986 mailed Oct. 15, 2014, 5 pages.
 Examiner's Answer to the Appeal Brief for U.S. Appl. No. 12/953,134 mailed Aug. 1, 2014, 7 pages.
 Final Office Action for U.S. Appl. No. 12/394,114 mailed Oct. 31, 2014, 10 pages.
 Non-final Office Action for U.S. Appl. No. 12/940,699 mailed Oct. 28, 2014, 9 pages.
 Non-final Office Action for U.S. Appl. No. 12/953,039 mailed Nov. 12, 2014, 8 pages.
 Notice of Allowance for U.S. Appl. No. 12/952,960 mailed Nov. 10, 2014, 7 pages.
 Notice of Allowance for U.S. Appl. No. 13/081,856 mailed Oct. 29, 2014, 10 pages.
 Notice of Allowance for U.S. Appl. No. 13/833,876 mailed Nov. 7, 2014, 7 pages.
 Advisory Action for U.S. Appl. No. 13/901,074 mailed Nov. 24, 2014, 3 pages.
 Notice of Allowance for U.S. Appl. No. 12/751,895 mailed Nov. 19, 2014, 8 pages.

* cited by examiner






FIG. 2




FIG. 3A





FIG. 3B






FIG. 4





FIG. 5A 26







FIG. 6B






FIG. 7B




FIG. 7C





FIG. 8






FIG. 10




FIG. 11




FIG. 12A




FIG. 12B




FIG. 13




FIG. 14




FIG. 15




FIG. 16

1

**STACKED FIBER OPTIC MODULES AND
FIBER OPTIC EQUIPMENT CONFIGURED
TO SUPPORT STACKED FIBER OPTIC
MODULES**

RELATED APPLICATIONS

The present application claims priority to U.S. Provisional Patent Application Ser. No. 61/408,196 filed Oct. 29, 2010, entitled "Stacked Fiber Optic Modules and Fiber Optic Equipment Configured to Support Stacked Fiber Optic Modules," the disclosure of which is relied upon and incorporated herein by reference in its entirety.

BACKGROUND

1. Field of the Disclosure

The technology of the disclosure relates to fiber optic modules and related fiber optic equipment to support and manage fiber optic connections.

2. Technical Background

Benefits of optical fiber include extremely wide bandwidth and low noise transmission. Because of these advantages, optical fiber is increasingly being used for a variety of applications, including but not limited to broadband voice, video, and data transmission. Fiber optic networks employing optical fiber are being developed and used to deliver voice, video, and data transmissions to subscribers over both private and public networks. These fiber optic networks often include separated connection points linking optical fibers to provide "live fiber" from one connection point to another connection point. In this regard, fiber optic connection equipment, which is also referred to as fiber optic equipment, is located in data distribution centers or central offices to support interconnections.

The fiber optic equipment is customized based on application need. The fiber optic equipment is typically included in housings that are mounted in equipment racks for organizational purposes and to optimize use of space. One example of such fiber optic equipment is a fiber optic module. A fiber optic module is designed to provide cable-to-cable fiber optic connections and manage the polarity of fiber optic cable connections. A fiber optic module is typically mounted to a chassis or housing which is then mounted inside an equipment rack or cabinet. A technician establishes fiber optic connections to the fiber optic modules mounted in the equipment rack. Due to increasing bandwidth needs and the need to provide a larger number of connections in data centers for increased revenue generating opportunities, a need exists to provide fiber optic modules that can facilitate larger numbers of fiber optic connections in a given space.

SUMMARY OF THE DETAILED DESCRIPTION

Embodiments disclosed in the detailed description include stacked fiber optic modules and fiber optic equipment supporting stacked fiber optic modules. In one embodiment, a stacked fiber optic module is provided. This embodiment of the stacked fiber optic module comprises a body having at least one front side and at least one rear side and defining at least one internal chamber disposed between the at least one front side and the at least one rear side. The stacked fiber optic module further comprises a first plurality of fiber optic components disposed in a first longitudinal axis in the at least one front side. The stacked fiber optic module also further comprises a second plurality of fiber optic components disposed adjacent the first plurality of fiber optic components in a

2

second longitudinal axis parallel or substantially parallel to the first longitudinal axis in the at least one front side. Fiber optic equipment supporting stacked fiber optic modules can include, without limitation, fiber optic equipment trays, housings, chassis, and drawers.

Additional features and advantages will be set forth in the detailed description which follows, and in part will be readily apparent to those skilled in the art from that description or recognized by practicing the invention as described herein, including the detailed description that follows, the claims, as well as the appended drawings.

It is to be understood that both the foregoing general description and the following detailed description present embodiments, and are intended to provide an overview or framework for understanding the nature and character of the disclosure. The accompanying drawings are included to provide a further understanding, and are incorporated into and constitute a part of this specification. The drawings illustrate various embodiments, and together with the description serve to explain the principles and operation of the concepts disclosed.

BRIEF DESCRIPTION OF THE FIGURES

FIG. 1 is a front left perspective view of an exemplary stacked fiber optic module;

FIG. 2 is a perspective, exploded view of the exemplary stacked fiber optic module in FIG. 1;

FIGS. 3A and 3B are rear right perspective and side views, respectively, of the exemplary stacked fiber optic module of FIG. 1;

FIG. 3C is a rear view of the exemplary stacked fiber optic module of FIG. 1;

FIG. 4 is a perspective, exploded view of an alternative exemplary stacked fiber optic module having removable and/or sliding sub-bodies;

FIGS. 5A and 5B are bottom perspective and front views, respectively, of the top sub-body of the alternative exemplary stacked fiber optic module of FIG. 4;

FIGS. 6A and 6B are side perspective views of the alternative exemplary stacked fiber optic module of FIG. 4 prior to and after the top sub-body being attached to the bottom sub-body, respectively;

FIG. 6C is a front cross-sectional view the alternative exemplary stacked fiber optic module of FIG. 4 with the top sub-body attached to the bottom sub-body;

FIGS. 7A-7C are front right perspective and side views, respectively, of the exemplary alternative stacked fiber optic module of FIG. 4;

FIG. 8 is a front perspective view of one fiber optic equipment tray with installed stacked fiber optic modules configured to be installed in a chassis;

FIG. 9 is a front perspective view of the fiber optic equipment tray of FIG. 8 without stacked fiber optic modules installed therein;

FIG. 10 is a close-up view of the fiber optic equipment tray of FIG. 8 with fiber optic modules installed therein;

FIG. 11 is a front perspective view of an exemplary fiber optic equipment rack with an installed exemplary 1-U size chassis supporting fiber optic equipment trays of FIG. 6 each supporting stacked fiber optic modules;

FIGS. 12A and 12B are front perspective views of an alternate exemplary 4-U size chassis that can support the fiber optic equipment trays and stacked fiber optic modules according to the fiber optic equipment tray and fiber optic modules disclosed;

3

FIG. 13 is a front perspective view of the 4-U size chassis of FIGS. 12A and 12B with a fiber optic equipment tray supporting stacked fiber optic modules pulled out from the fiber optic equipment tray;

FIG. 14 is a front perspective view of an exemplary fiber optic equipment drawer installed in a chassis and supporting fiber optic equipment trays supporting stacked fiber optic modules, according to another embodiment;

FIG. 15 is a front perspective view of an exemplary fiber optic equipment tray supported by the fiber optic equipment drawer of FIG. 14 and pulled out from the fiber optic equipment drawer; and

FIG. 16 is a front perspective view of the fiber optic equipment drawer of FIG. 14 fully pulled out from the chassis and tilted downward.

DETAILED DESCRIPTION OF THE EMBODIMENTS

Reference will now be made in detail to certain embodiments, examples of which are illustrated in the accompanying drawings, in which some, but not all features are shown. Indeed, embodiments disclosed herein may be embodied in many different forms and should not be construed as limited to the embodiments set forth herein; rather, these embodiments are provided so that this disclosure will satisfy applicable legal requirements. Whenever possible, like reference numbers will be used to refer to like components or parts.

Embodiments disclosed in the detailed description include stacked fiber optic modules and fiber optic equipment supporting stacked fiber optic modules. In one embodiment, a stacked fiber optic module is provided. This embodiment of the stacked fiber optic module comprises a body having at least one front side and at least one rear side and defining at least one internal chamber disposed between the at least one front side and the at least one rear side. The stacked fiber optic module further comprises a first plurality of fiber optic components disposed in a first longitudinal axis in the at least one front side. The stacked fiber optic module also further comprises a second plurality of fiber optic components disposed adjacent the first plurality of fiber optic components in a second longitudinal axis parallel or substantially parallel to the first longitudinal axis in the at least one front side. Fiber optic equipment supporting stacked fiber optic modules can include, without limitation, fiber optic equipment trays, housings, chassis, and drawers.

In this regard, FIG. 1 is a front left perspective view of an exemplary stacked fiber optic module 10. FIG. 2 illustrates a perspective, exploded view of the stacked fiber optic module 10 in FIG. 1. As illustrated in FIGS. 1 and 2, the stacked fiber optic module 10 is comprised of a body 12 receiving a cover 14. The body 12 has a front side 16 and a rear side 18 and defines an internal chamber 20 (FIG. 2) disposed between the front side 16 and rear side 18. The internal chamber 20 is configured to receive or retain optical fibers or a fiber optic cable harness 22 (FIG. 2) for establishing connections and maintaining desired polarity for first and second pluralities of fiber optic components 24, 26. The first plurality of fiber optic components 24 is disposed in a first longitudinal axis A_1 in the front side 16 of the body 12. The second plurality of fiber optic components 26 is disposed adjacent the first plurality of fiber optic components 24 in a second longitudinal axis A_2 parallel or substantially parallel to the first longitudinal axis A_1 in the front side 16. In this manner, the stacked fiber optic module 10 is configured to support a great number and/or density of fiber optic components in a given body 12 size or

4

space. The stacked fiber optic module 10 may be employed in high-density fiber optic connection applications.

In this example, the first and second pluralities of fiber optic components 24, 26 are duplex LC fiber optic adapters that are configured to receive and support connections with duplex LC fiber optic connectors. However, any fiber optic connection type desired can be provided in the fiber optic module 10. As illustrated in FIG. 3A, the first and second pluralities of fiber optic components 24, 26 are connected to a fiber optic component 28 disposed through the rear side 18 of the body 12. In this manner, a connection to the first and second pluralities of fiber optic components 24, 26 creates a fiber optic connection to the fiber optic component 28. In this example, the fiber optic component 28 is a multi-fiber MPO fiber optic adapter equipped to establish connections to multiple optical fibers (e.g., either twelve (12) or twenty-four (24) optical fibers). For example, if the first and second pluralities of fiber optic components 24, 26 provide twenty-four (24) connections, the fiber optic component 28 may be a twenty-four (24) optical fiber MPO fiber optic adapter to support the connections being provided to a fiber optic cable connected to the MPO fiber optic adapter.

In this example as illustrated in FIGS. 1 and 2, to provide for both the first and second pluralities of fiber optic components 24, 26 to be supported by the stacked fiber optic module 10, the body 12 is comprised of two sub-bodies. A first or bottom sub-body 30 supports the first plurality of fiber optic components 24, and a second or top sub-body 32 supports the second plurality of fiber optic components 26. The second sub-body 32 is disposed or "stacked" on top or adjacent to the first sub-body 30 in this example. The first and second sub-bodies 30, 32 may be provided as part of a single mold for the body 12. Alternatively, as will be discussed by example below with regard to FIGS. 4-7C, the first and second sub-bodies 30, 32 may be cast from two separate molds, wherein the first and second sub-bodies 30, 32 are secured to each other either permanently or in a removable manner.

With reference back to FIG. 2, the stacked fiber optic module 10 provides that the first plurality of fiber optic components 24 is disposed in the first sub-body 30 in a first front opening 34 disposed in the first longitudinal axis A_1 in the front side 16 of the body 12. Similarly, the second plurality of fiber optic components 26 is disposed in the second sub-body 32 in a second front opening 36 disposed in the second longitudinal axis A_2 in the front side 16 of the body 12. In this example of the stacked fiber optic module 10, as illustrated in FIG. 3B, the first front opening 34 is disposed in the same plane or substantially the same plane as the second front opening 36. This arrangement provides that the first plurality of fiber optic components 24 is disposed in the same front plane or substantially the same front plane P_1 as the second plurality of fiber optic components 26. As will be discussed in more detail below, other options are possible wherein a stacked fiber optic module is provided that supports a first plurality of fiber optic components disposed in a different plane from a second plurality of fiber optic components.

With continuing reference to FIG. 2, in this example of the stacked fiber optic module 10, the cover 14 is configured to engage with the second sub-body 32. In this regard, tabs 38 are disposed in the second sub-body 32 and configured to engage with complementary detents 39 disposed on the cover 14 to secure the cover 14 to the second sub-body 32 when engaged thereto.

With continuing reference to FIGS. 1-3B, module rails 40A, 40B are disposed on each side 42A, 42B of the stacked fiber optic module 10. In this example, the module rails 40A, 40B are disposed on each side 42A, 42B of the first sub-body

5

30. As will be discussed in more detail below, the module rails 40A, 40B are configured to be inserted within the module rail guides (not shown) in the fiber optic equipment to support the stacked fiber optic module 10. In this manner, when it is desired to install the stacked fiber optic module 10 in the fiber optic equipment, either the front side 14 or the rear side 16 of the stacked fiber optic module 10 can be first inserted into the module rail guides of a fiber optic equipment tray to dispose the module rails 40A, 40B in the module rail guides. A latch 44 containing a protrusion 46 is shown as being attached to the module rail 40A to allow the module rail 40A to be secured within a module rail guide.

The stacked fiber optic module 10 may also be configured to provide a certain density of fiber optic connections. In this regard, the stacked fiber optic module 10 may be provided of certain dimensions. For example, the stacked fiber optic module 10 may be provided wherein the first plurality of fiber optic components 24 is comprised of at least twelve (12) fiber optic connections disposed in a width W_1 (FIG. 2) of the first front opening 34 of ninety (90) mm or less. Further, the stacked fiber optic module 10 may be provided wherein the second plurality of fiber optic components 26 is also comprised of at least twelve (12) fiber optic connections disposed in a width W_2 (FIG. 2) of the second front opening 36 of ninety (90) mm or less. As another example, the first front opening 34 may be configured to support a fiber optic connection density of at least one fiber optic connection per 7.0 mm of width W_1 of the first front opening 34. Likewise, the second front opening 36 may be configured to support a fiber optic connection density of at least one fiber optic connection per 7.0 mm of width W_2 of the second front opening 36.

As discussed above, the first sub-body of a stacked fiber optic module may be provided as a separate component from a second sub-body of a stacked fiber optic module. The first sub-body and second sub-body may be configured to be permanently attached or be removeably attached. In this regard, FIGS. 4-7C discussed below provide an alternative exemplary stacked fiber optic module 10' wherein a first sub-body 30' is a separate component from the second sub-body 32' when disassembled and secured to each other when assembled. As will be discussed in more detail below, providing the first sub-body 30' as a separate component from the second sub-body 32' allows the first sub-body 30' to be slid about the second sub-body 32' to provide improved finger access to the fiber optic components 24, 26.

In this regard, FIG. 4 is a perspective, exploded view of the stacked fiber optic module 10' having the separate first sub-body 30' and second sub-body 32'. Other components provided in the stacked fiber optic module 10' that are common and/or provided in the stacked fiber optic module 10 in FIGS. 1-3C are shown in FIG. 4 with common element numbers and thus will not be described again. As illustrated in FIG. 4, the first sub-body 30' includes an internal chamber 50 that is configured to receive the fiber optic component 28 disposed through the rear side 18 of the body 12 and to store a cable harness connecting the fiber optic component 28 to the fiber optic components 24 and/or 26. A fiber guide 52 is disposed in the first sub-body 30' inside the internal chamber 50 to guide optical fibers from a cable harness. An internal chamber 54 is also disposed in the second sub-body 32'. To allow optical fibers from a cable harness connected to the fiber optic component 28 to be internally routed to the fiber optic connectors 24, 26 in both the first sub-body 30' and second sub-body 32', an opening 56 is disposed in a base 58 of the second sub-body 32'. The opening 56 connects the internal chambers 50, 54 when the second sub-body 32' is installed on the first sub-body 30'.

6

Features are also provided in the first sub-body 30' and the second sub-body 32' to allow the first sub-body 30' and the second sub-body 32' to be easily connected together to form the stacked fiber optic module 10'. In this regard, as illustrated in FIG. 4 and the bottom and front views of the second sub-body 32' in FIGS. 5 and 6, respectively, the second sub-body 32' contains locking tabs 58A, 58B disposed on each side 42A, 42B. The locking tabs 58A, 58B are configured to engage with rails 60A, 60B, respectively, disposed inside the first sub-body 30'. As illustrated in FIG. 5B and the side cross-sectional view of the stacked fiber optic module 10' in FIG. 6A, the locking tabs 58A, 58B contain outwardly flared portions 62A, 62B. As illustrated in the side cross-sectional view of the stacked fiber optic module 10' in FIG. 6B, the outwardly flared portions 62A, 62B of the locking tabs 58A, 58B, respectively, are configured to interfere with and be pushed out from the rails 60A, 60B when the second sub-body 32' is alignedly disposed on top of the first sub-body 30' and the second sub-body 32' is pushed down on the first sub-body 30'. The outwardly flared portions 62A, 62B of the locking tabs 58A, 58B then move inwardly in a locking position when disposed below the rails 60A, 60B, as illustrated in the front cross-sectional view of the stacked fiber optic module 10' in FIG. 6C.

Providing the rails 60A, 60B in the first sub-body 30' to interlock the second sub-body 32' to the first sub-body 30' also allows the second sub-body 32' to be translated about the first sub-body 30' for improved access to the fiber optic components 24, 26, as illustrated in FIGS. 7A-7C. The locking tabs 58A, 58B can translate about the rails 60A, 60B to allow the second sub-body 32' to be translated about the first sub-body 30' in the depth direction, as illustrated in FIGS. 7A-7C.

In this regard, FIGS. 7A-7C illustrate front right perspective and side views, respectively, of the stacked fiber optic module 10'. As illustrated in FIG. 7B, the first plurality of fiber optic components 24 is disposed in a different front plane from the second plurality of fiber optic components 26 when the second sub-body 32' is translated back about the first sub-body 30'. In this regard, the first plurality of fiber optic components 24 is disposed in a front plane P_2 , which is disposed forward of a front plane P_3 where the second plurality of fiber optic components 26 is disposed. This may improve finger access to the first plurality of fiber optic components 24 by providing the first plurality of fiber optic components 24 in a different front plane from the second plurality of fiber optic components 26. This is because the first plurality of fiber optic components 24 is disposed forward of the second plurality of fiber optic components 26, such that the second plurality of fiber optic components 26 does not intrude access to the first plurality of fiber optic components 24, and vice versa. By way of example, a distance D that front plane P_2 extends beyond front plane P_3 is about 10 millimeters or more or vice versa as discussed below.

FIG. 7C is a side view of the stacked fiber optic module 10' where the second sub-body 32' is disposed forward of the first sub-body 30', to provide improved finger access to the second plurality of fiber optic components 26. As illustrated in FIG. 7C, the first plurality of fiber optic components 24 is disposed in a different front plane from the second plurality of fiber optic components 26 in the stacked fiber optic module 10' in FIGS. 7A and 7B. The first plurality of fiber optic components 24 is disposed in the front plane P_3 , which is disposed behind the front plane P_2 where the second plurality of fiber optic components 26 is disposed. This may improve finger access to the first plurality of fiber optic components 24 and second plurality of fiber optic components 26. Because the first plurality of fiber optic components 24 is disposed behind the

second plurality of fiber optic components 26, the first plurality of fiber optic components 24 does not intrude access to the second plurality of fiber optic components 26, and vice versa.

The stacked fiber optic modules 10, 10' can be configured to be disposed in a variety of different types of fiber optic equipment. For example, FIG. 8 is a front perspective view of a fiber optic equipment tray 70 supporting installed stacked fiber optic modules 10, 10' therein. The module rails 40A, 40B (FIGS. 1-7C) of the stacked fiber optic modules 10, 10' are inserted in module rail guides 72 disposed in the fiber optic equipment tray 70. Each module rail guide 72 includes a guide 73 to receive the module rails 40A, 40B, as illustrated in the unloaded fiber optic equipment tray 70 in FIG. 10. Note that any number of module rail guides 72 can be provided. The stacked fiber optic modules 10, 10' can be installed from both a front end 74 and a rear end 74 of the fiber optic equipment tray 70 in this embodiment. The stacked fiber optic modules 10, 10' can then be pushed within the module rail guides 72.

The stacked fiber optic modules 10, 10' can be moved towards the front end 74 until the stacked fiber optic modules 10, 10' reach a locking feature 78 disposed in the front end 34, as illustrated in the close-up view of the fiber optic equipment tray 70 in FIG. 10. The locking features 78 each include a stop 80. The stop 80 prevents the stacked fiber optic modules 10, 10' from extending beyond the front end 74. When it is desired to remove a stacked fiber optic module 10, 10' from the fiber optic equipment tray 70, the locking feature 78 can be engaged wherein the stop 80 will move downward away from the stacked fiber optic module 10, 10' such that the stacked fiber optic module 10, 10' is not obstructed from being pulled forward. The stacked fiber optic module 10, 10', and in particular its module rails 40A, 40B (FIGS. 1-7C), can be pulled forward along the module rail guides 72 to remove the stacked fiber optic module 10, 10' from the fiber optic equipment tray 70.

The stacked fiber optic module 10, 10' can also be removed from the rear end 76 of the fiber optic equipment tray 70. To remove the stacked fiber optic module 10, 10' from the rear end 76 of the fiber optic equipment tray 70, the protrusion 46 disposed in the module rails 40A, 40B is disengaged by pushing the latch 44 (FIGS. 1-7C) inward towards the stacked fiber optic module 10, 10' to release the protrusion 46 from the module rail guide 72.

With continuing reference to FIGS. 8-10, the fiber optic equipment tray 70 may also contain extension members 82. Routing guides 84 may be conveniently disposed on the extension members 82 to provide routing for optical fibers or fiber optic cables connected to the first and second pluralities of fiber optic components 24, 26 disposed in the stacked fiber optic modules 10, 10' (FIG. 10). The routing guides 84 on the ends of the fiber optic equipment tray 70 may be angled with respect to the module rail guides 72 to route optical fibers or fiber optic cables at an angle to the sides of the fiber optic equipment tray 70. Pull tabs 86 may also be connected to the extension members 82 to provide a means to allow tray guide rails 88 (FIG. 9) disposed in the fiber optic equipment tray 70 to be easily pulled out from a chassis, as will be described in more detail below.

The fiber optic equipment trays 70 in FIGS. 8-10 that support one or more of the stacked fiber optic modules 10, 10' are configured to be installed in a chassis or other fiber optic equipment. In this regard, FIG. 11 is a front perspective view of an exemplary fiber optic equipment rack 90 with an installed exemplary 1-U size chassis supporting the fiber

optic equipment trays 70 of FIGS. 8-10 each supporting stacked fiber optic modules 10, 10'.

In this regard, FIG. 11 illustrates exemplary 1-U or 1-RU size fiber optic equipment 92 from a front perspective view. The fiber optic equipment 92 may be provided at a data distribution center or central office to support cable-to-cable fiber optic connections and to manage a plurality of fiber optic cable connections. As shown in FIG. 11, the fiber optic equipment 92 supports one or more of the fiber optic equipment trays 70 that each support one or more of stacked fiber optic modules 10, 10'. In addition, the fiber optic equipment 92 could also be adapted to support one or more fiber optic patch panels or other fiber optic equipment that supports fiber optic components and connectivity.

With continuing reference to FIG. 11, the fiber optic equipment 92 includes a fiber optic equipment chassis 94 (also referred to herein a "chassis 94"). The chassis 94 is shown as being installed in the fiber optic equipment rack 90. The fiber optic equipment rack 90 contains two vertical rails 96A, 96B that extend vertically and include a series of apertures 98 for facilitating attachment of the chassis 94 inside the fiber optic equipment rack 90. The chassis 94 is attached and supported by the fiber optic equipment rack 90 in the form of shelves that are stacked on top of each other within the vertical rails 96A, 96B. The tray guide rails 88 of the fiber optic equipment trays 70 previously described with regard to FIGS. 8-10 can be inserted into tray rail guides 97 disposed in the chassis 94 to allow each fiber optic equipment tray 70 to be independently extended out from and retracted back into the chassis 94. As illustrated, the chassis 94 is attached to the vertical rails 96A, 96B. The fiber optic equipment rack 90 may support 1-U or 1-RU-sized shelves, with "U" or "RU" equal to a standard 1.75 inches in height and nineteen (19) inches in width. In certain applications, the width of "U" may be twenty-three (23) inches. In this embodiment, the chassis 94 is 1-U in size; however, the chassis 94 could be provided in a size greater than 1-U as well.

Up to three (3) fiber optic equipment trays 70 can be supported by the chassis 94. However, only one of the fiber optic equipment trays 70 provided in the chassis 94 can support stacked fiber optic modules 10, 10' due to the additional space consumed by the stacked fiber optic modules 10, 10'. In this regard, two (2) of such fiber optic equipment trays 70 can be provided in the chassis 94 if stacked fiber optic modules 10, 10' are included. In this scenario, one fiber optic equipment tray 70 supported in the chassis 94 could contain stacked fiber optic modules 10, 10', and the second fiber optic equipment tray 70 could support non-stacked fiber optic modules 10, 10' that have the height of one of the sub-bodies 30, 32 of the stacked fiber optic module 10, 10' (FIGS. 1-7C). The total count of fiber optic connections that can be supported by the chassis 94 is not reduced in any of these configurations.

Chassis sizes other than 1-U are possible. For example, FIGS. 12A and 12B are front perspective views of an alternate exemplary 4-U size chassis 100 that can support the fiber optic equipment trays 70 of FIGS. 8-10 supporting stacked fiber optic modules 10, 10'. The chassis 100 is a 4-U sized chassis and is configured to hold the fiber optic equipment trays 70 each supporting one or more stacked fiber optic modules 10, 10'. The tray guide rails 88 of the fiber optic equipment trays 70 previously described with regard to FIGS. 8-10 can be inserted into tray rail guides 102 (FIG. 12B) disposed in the chassis 100 to allow each fiber optic equipment tray 70 to be independently extended out from and retracted back into the chassis 100, as illustrated in FIG. 13. A front door 104 is attached to the chassis 100 and is configured to close about the chassis 100 to secure the fiber optic equip-

ment trays 70 disposed in the chassis 100. A cover 108 is also attached to the chassis 100, as illustrated in FIG. 12A, to secure the fiber optic equipment trays 70. FIG. 12B illustrates the chassis 100 with the cover 108 removed.

Up to twelve (12) fiber optic equipment trays 70 can be supported by the chassis 100. However, if the fiber optic equipment trays 70 support stacked fiber optic modules 10, 10', due to the additional space consumed by the stacked fiber optic modules 10, 10', six (6) of such fiber optic equipment trays 70 can be provided in the chassis 100 if all six (6) such fiber optic equipment trays 70 support stacked fiber optic modules 10, 10'. Each fiber optic equipment tray 70 disposed in the chassis 100 that includes at least one stacked fiber optic module 10, 10' reduces the total number of fiber optic equipment trays 70 that can be supported by the chassis 100 by two (2). However, the total count of fiber optic connections that can be supported by the chassis 100 is not reduced in any of these configurations.

FIG. 14 illustrates alternate exemplary fiber optic equipment that can support the fiber optic equipment trays 70, which can support the stacked fiber optic modules 10, 10'. In this regard, FIG. 14 illustrates a front perspective view of a fiber optic equipment drawer 110 (also referred to herein as "drawer 110") installed in a chassis 112 and supporting fiber optic equipment trays 70 supporting stacked fiber optic modules 10, 10'. FIG. 15 is a close-up view of FIG. 14.

The chassis 112 includes the drawer 110 supporting one or more extendable fiber optic equipment trays 70. Each fiber optic equipment tray 70 supported by the drawer 110 is independently translatable from the drawer 110, whether or not the drawer 110 is extended out from the chassis 112 or tilted downward, as illustrated in FIG. 16. The fiber optic equipment trays 70 can be moved and extended from the drawer 110 and refracted back into the drawer 110. Any number of fiber optic equipment trays 70 can be provided. Each fiber optic equipment tray 70 supports one or more of the stacked fiber optic modules 10, 10'. The drawer 110 is extendable out from the chassis 112 to allow improved access to the fiber optic equipment trays 70 and the stacked fiber optic modules 10, 10' supported therein.

The chassis 112 is a 1-U sized chassis and is configured to hold the fiber optic equipment trays 70 each supporting one or more stacked fiber optic modules 10, 10'. The tray guide rails 88 of the fiber optic equipment trays 70 previously described with regard to FIGS. 8-10 can be inserted into tray rail guides 114 disposed in the drawer 110, as illustrated in FIGS. 15 and 16, to allow each fiber optic equipment tray 70 to be independently extended out from and retracted back into the drawer 110. A front door 116 is attached to the drawer 110 and is configured to close about the drawer 110 to secure the fiber optic equipment trays 70 and fiber optic modules disposed therein in the drawer 110.

In the example of the drawer 110 in FIG. 14, one (1) fiber optic equipment tray 70 is supported. This is because although the drawer 110 can support up to two (2) fiber optic equipment trays 70, the stacked fiber optic modules 10, 10' consume space needed for a second fiber optic equipment tray 70. If only non-stacked fiber optic modules were supported, two (2) fiber optic equipment trays 70 could be supported in the chassis 112. The number of fiber optic connections supported by the drawer 110, however, is not reduced.

Many modifications and other embodiments of the invention set forth herein will come to mind to one skilled in the art to which the invention pertains having the benefit of the teachings presented in the foregoing descriptions and the associated drawings. These modifications include, but are not limited to, the number and type of fiber optic components

provided in the stacked fiber optic module, the configuration and/or alignment of bodies or sub-bodies of the stacked fiber optic module, the number or type of fiber optic equipment, the number and type of fiber optic module, the number and type of fiber optic equipment tray, and features included in the fiber optic equipment tray. Any size equipment, including but not limited to 1-U, 2-U and 4-U sizes, may include some or all of the aforementioned features and fiber optic modules disclosed herein and some or all of their features. Further, the modifications are not limited to the type of fiber optic equipment tray or the means or device to support fiber optic modules installed in the fiber optic equipment trays. The fiber optic modules can include any fiber optic connection type, including but not limited to fiber optic connectors and adapters, and number of fiber optic connections, density, etc.

Further, as used herein, it is intended that terms "fiber optic cables" and/or "optical fibers" include all types of single mode and multi-mode light waveguides, including one or more optical fibers that may be upcoated, colored, buffered, ribbonized and/or have other organizing or protective structure in a cable such as one or more tubes, strength members, jackets or the like. Likewise, other types of suitable optical fibers include bend-insensitive optical fibers, or any other expedient of a medium for transmitting light signals. An example of a bend-insensitive, or bend resistant, optical fiber is ClearCurve® Multimode fiber commercially available from Corning Incorporated. Suitable fibers of this type are disclosed, for example, in U.S. Patent Application Publication Nos. 2008/0166094 and 2009/0169163.

Therefore, it is to be understood that the embodiments are not to be limited to the specific embodiments disclosed and that modifications and other embodiments are intended to be included within the scope of the appended claims. It is intended that the embodiments cover the modifications and variations of this invention provided they come within the scope of the appended claims and their equivalents. Although specific terms are employed herein, they are used in a generic and descriptive sense only and not for purposes of limitation.

What is claimed is:

1. A stacked fiber optic module, comprising: a body having at least one front side and at least one rear side and defining at least one internal chamber disposed between the at least one front side and the at least one rear side, the body further comprised of a second sub-body engaged on top of a first sub-body to secure the second sub-body to the first sub-body, wherein the second sub-body can translate relative to the first sub-body; a first plurality of fiber optic components disposed in a first longitudinal axis in the at least one front side of the first sub-body; and a second plurality of fiber optic components disposed adjacent the first plurality of fiber optic components in a second longitudinal axis parallel or substantially parallel to the first longitudinal axis in the at least one front side of the second sub-body wherein the first plurality of fiber optic components is comprised of at least twelve (12) fiber optic connections disposed in a width of the first front opening of ninety (90) mm or less; and the second plurality of fiber optic components is comprised of at least (12) fiber optic connections disposed in a width of the second front opening of ninety (90) mm or less.

2. The stacked fiber optic module of claim 1, wherein the front side of the second sub-body can translate a distance of about 10 millimeters beyond the front side of the first sub-body or vice versa.

3. The stacked fiber optic module of claim 1, wherein the first plurality of fiber optic components is configured to be disposed in a different plane as the second plurality of fiber optic components.

11

4. The stacked fiber optic module of claim 1, wherein the first plurality of fiber optic components are disposed in a first front opening disposed along the first longitudinal axis in the at least one front side of the body.

5. The stacked fiber optic module of claim 4, wherein the second plurality of fiber optic components are disposed in a second front opening disposed along the second longitudinal axis in the at least one front side of the body.

6. The stacked fiber optic module of claim 5, wherein the first front opening is configured to be disposed in a same plane or substantially the same plane as the second front opening.

7. The stacked fiber optic module of claim 1, wherein the first sub-body and the second sub-body are provided as separated bodies.

8. The stacked fiber optic module of claim 1, further comprising at least one locking tab disposed in the second sub-body configured to engage with at least one rail disposed in the first sub-body to secure the second sub-body to the first sub-body.

9. The stacked fiber optic module of claim 8, wherein the at least one locking tab is configured to translate about the at least one rail to allow the second sub-body to translate about the first sub-body.

10. The stacked fiber optic module of claim 1, further comprising at least one rail disposed on either the first sub-body or the second sub-body, and configured to be received within at least one guide member.

11. The stacked fiber optic module of claim 1, further comprising a cover disposed in either the first sub-body or the second sub-body.

12. The stacked fiber optic module of claim 1, further comprising at least one fiber optic component disposed through the at least one rear side of the body optically connected to at least one fiber optic component in at least one of the first plurality of fiber optic components and the second plurality of fiber optic components.

12

13. The stacked fiber optic module of claim 1, wherein the first plurality of fiber optic components is comprised of a first plurality of fiber optic connectors or a first plurality of fiber optic adapters, and the second plurality of fiber optic components is comprised of a second plurality of fiber optic connectors or a second plurality of fiber optic adapters.

14. The stacked fiber optic module of claim 1, further comprising at least one rail disposed on the body configured to be received within at least one guide member.

15. The stacked fiber optic module of claim 14, further comprising at least one latch attached to the at least one rail and configured to engage the at least one rail.

16. The stacked fiber optic module of claim 1 disposed in fiber optic equipment comprised from the group consisting of a fiber optic chassis and a fiber optic equipment drawer.

17. The stacked fiber optic module of claim 5, wherein: the first front opening is configured to support a fiber optic connection density of at least one fiber optic connection per 7.0 mm of width of the first front opening; and the second front opening is configured to support a fiber optic connection density of at least one fiber optic connection per 7.0 mm of width of the second front opening.

18. The stacked fiber optic module of claim 1, further comprising at least one plurality of optical fibers disposed in the at least one internal chamber;

the at least one plurality of optical fibers optically connected to at least one of the first plurality of fiber optic components and the second plurality of fiber optic components.

19. The stacked fiber optic module of claim 18, wherein the at least one plurality of optical fibers are provided in at least one fiber optic harness disposed in the at least one internal chamber.

* * * * *