



US009237369B2

(12) **United States Patent**
Ellis et al.

(10) **Patent No.:** **US 9,237,369 B2**
(45) **Date of Patent:** **Jan. 12, 2016**

(54) **INTERACTIVE TELEVISION PROGRAM GUIDE SYSTEM HAVING MULTIPLE DEVICES WITHIN A HOUSEHOLD**

H04N 21/4532; H04N 21/47214; H04N 21/4751; H04N 21/4753; H04N 21/4755; H04N 21/4782; H04N 21/4786; H04N 21/4788; H04N 21/48; H04N 21/4882; H04N 21/485; H04N 21/4856; H04N 2005/4433; H04N 21/4345; H04N 21/84

(75) Inventors: **Michael D. Ellis**, Boulder, CO (US);
William L. Thomas, Bixby, OK (US);
Thomas R. Lemmons, Sand Springs, OK (US)

USPC 725/39
See application file for complete search history.

(73) Assignee: **Rovi Guides, Inc.**, Santa Clara, CA (US)

(56) **References Cited**

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

U.S. PATENT DOCUMENTS
4,264,924 A 4/1981 Freeman
4,264,925 A 4/1981 Freeman et al.
(Continued)

(21) Appl. No.: **11/894,618**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Aug. 20, 2007**

CA 2232003 4/1997
CA 2764753 6/1998

(65) **Prior Publication Data**

US 2008/0189737 A1 Aug. 7, 2008

(Continued)

Related U.S. Application Data

OTHER PUBLICATIONS

(63) Continuation of application No. 11/179,410, filed on Jul. 11, 2005, which is a continuation of application No. 09/356,161, filed on Jul. 16, 1999, now abandoned.

“Honey, is there anything good on the remote tonight?”, advertisement from Multichannel News, Broadband Week Section, p. 168, Nov. 30, 1998.

(Continued)

(60) Provisional application No. 60/093,292, filed on Jul. 17, 1998.

Primary Examiner — Jonathan V Lewis

(74) *Attorney, Agent, or Firm* — Ropes & Gray LLP

(51) **Int. Cl.**
G06F 3/00 (2006.01)
G06F 13/00 (2006.01)

(Continued)


(57) **ABSTRACT**

An interactive television program guide system based on multiple user television equipment devices in a single household is provided. The system provides a user with an opportunity to adjust program guide settings with a given one of the interactive television program guides. The system coordinates the operation of the interactive television program guides so that the program guide settings that were adjusted with the given interactive television program guide are used by the other interactive television program guides. Program guide setting include features related to setting program reminders, profiles, program recording features, messaging features, favorites features, parental control features, program guide set up features (e.g., audio and video and language settings), etc. The operation of applications such as web browser applications, home shopping applications, home banking applications, game applications, etc. may also be coordinated.

(52) **U.S. Cl.**
CPC **H04N 21/4227** (2013.01); **H04N 5/44543** (2013.01); **H04N 5/44582** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC H04N 5/44543; H04N 5/44582; H04N 7/106; H04N 7/163; H04N 7/17318; H04N 21/4227; H04N 21/43615; H04N 21/44222;

46 Claims, 38 Drawing Sheets



(51)	Int. Cl.		5,038,211 A	8/1991	Hallenbeck
	<i>H04N 5/445</i>	(2011.01)	5,047,867 A	9/1991	Strubbe et al.
	<i>H04N 21/4227</i>	(2011.01)	5,068,733 A	11/1991	Bennett
	<i>H04N 21/84</i>	(2011.01)	5,089,885 A	2/1992	Clark
	<i>H04N 21/434</i>	(2011.01)	5,105,184 A	4/1992	Pirani et al.
	<i>H04N 7/10</i>	(2006.01)	5,109,279 A	4/1992	Ando
	<i>H04N 7/16</i>	(2011.01)	5,113,259 A	5/1992	Romesburg et al.
	<i>H04N 7/173</i>	(2011.01)	5,132,992 A	7/1992	Yurt et al.
	<i>H04N 21/436</i>	(2011.01)	5,134,719 A	7/1992	Mankovitz
	<i>H04N 21/442</i>	(2011.01)	5,151,789 A	9/1992	Young
	<i>H04N 21/45</i>	(2011.01)	5,155,591 A	10/1992	Wachob
	<i>H04N 21/472</i>	(2011.01)	5,168,353 A	12/1992	Walker et al.
	<i>H04N 21/475</i>	(2011.01)	5,172,413 A	12/1992	Bradley et al.
	<i>H04N 21/478</i>	(2011.01)	5,187,589 A	2/1993	Kono et al.
	<i>H04N 21/4782</i>	(2011.01)	5,195,134 A	3/1993	Inoue et al.
	<i>H04N 21/4786</i>	(2011.01)	5,200,822 A	4/1993	Bronfin et al.
	<i>H04N 21/4788</i>	(2011.01)	5,202,915 A	4/1993	Nishii
	<i>H04N 21/482</i>	(2011.01)	5,210,611 A	5/1993	Yee et al.
	<i>H04N 21/485</i>	(2011.01)	5,223,924 A	6/1993	Strubbe et al.
	<i>H04N 5/44</i>	(2011.01)	5,225,902 A	7/1993	McMullan, Jr.
			5,233,423 A	8/1993	Jernigan et al.
			5,241,428 A	8/1993	Goldwasser et al.
			5,249,043 A	9/1993	Grandmougin
			5,253,066 A	10/1993	Vogel
			5,253,275 A	10/1993	Yurt et al.
(52)	U.S. Cl.		5,283,560 A	2/1994	Bartlett
	CPC	<i>H04N7/106</i> (2013.01); <i>H04N 7/163</i>	5,285,284 A	2/1994	Takashima et al.
		(2013.01); <i>H04N 7/17318</i> (2013.01); <i>H04N</i>	5,296,931 A	3/1994	Na et al.
		<i>21/4345</i> (2013.01); <i>H04N 21/43615</i> (2013.01);	5,307,173 A	4/1994	Yuen et al.
		<i>H04N 21/44222</i> (2013.01); <i>H04N 21/4532</i>	5,319,445 A	6/1994	Fitts
		(2013.01); <i>H04N 21/4751</i> (2013.01); <i>H04N</i>	5,323,234 A	6/1994	Kawasaki et al.
		<i>21/4753</i> (2013.01); <i>H04N 21/4755</i> (2013.01);	5,325,183 A	6/1994	Rhee
		<i>H04N 21/4782</i> (2013.01); <i>H04N 21/4786</i>	5,335,277 A	8/1994	Harvey et al.
		(2013.01); <i>H04N 21/4788</i> (2013.01); <i>H04N</i>	5,353,121 A	10/1994	Young et al.
		<i>21/47214</i> (2013.01); <i>H04N 21/47815</i>	5,359,367 A	10/1994	Stockill
		(2013.01); <i>H04N 21/482</i> (2013.01); <i>H04N</i>	5,371,551 A	12/1994	Logan et al.
		<i>21/4821</i> (2013.01); <i>H04N 21/4882</i> (2013.01);	5,377,317 A	12/1994	Bates et al.
		<i>H04N 21/84</i> (2013.01); <i>H04N 21/485</i>	5,382,983 A	1/1995	Kwoh et al.
		(2013.01); <i>H04N 21/4856</i> (2013.01); <i>H04N</i>	5,398,074 A	3/1995	Duffield et al.
		<i>2005/4433</i> (2013.01)	5,410,326 A	4/1995	Goldstein
			5,410,344 A	4/1995	Graves et al.
			5,412,720 A	5/1995	Hoarty
			5,414,756 A	5/1995	Levine
			5,416,508 A	5/1995	Sakuma et al.
			5,418,622 A	5/1995	Takeuchi
			5,420,913 A	5/1995	Hashimoto
			5,440,678 A	8/1995	Eisen et al.
			5,442,389 A	8/1995	Blahut et al.
			5,455,570 A	10/1995	Cook et al.
			5,459,522 A	10/1995	Pint
			5,465,113 A	11/1995	Gilboy
			5,469,206 A	11/1995	Strubbe et al.
			5,479,266 A	12/1995	Young et al.
			5,479,268 A	12/1995	Young et al.
			5,479,497 A	12/1995	Kovarik
			5,481,296 A	1/1996	Cragun et al.
			5,483,278 A	1/1996	Strubbe et al.
			5,485,197 A	1/1996	Hoarty
			5,485,219 A	1/1996	Woo et al.
			5,485,221 A	1/1996	Banker et al.
			5,488,409 A *	1/1996	Yuen et al. 725/41
			5,502,504 A	3/1996	Marshall et al.
			5,517,256 A	5/1996	Hashimoto
			5,517,257 A *	5/1996	Dunn et al. 348/734
			5,519,606 A	5/1996	Frid-Nielsen et al.
			5,523,796 A	6/1996	Marshall et al.
			5,524,195 A	6/1996	Clanton, III et al.
			5,526,034 A	6/1996	Hoarty et al.
			5,528,304 A	6/1996	Cherrick et al.
			5,532,754 A	7/1996	Young et al.
			5,534,911 A	7/1996	Levitan
			5,537,141 A	7/1996	Harper et al.
			5,539,449 A	7/1996	Blahut et al.
			5,539,822 A	7/1996	Lett
			5,541,662 A	7/1996	Adams et al.
			5,543,856 A *	8/1996	Rosser et al. 348/578
			5,548,345 A	8/1996	Brian et al.
			5,550,575 A	8/1996	West et al.
			5,550,576 A *	8/1996	Klosterman 725/46
(56)	References Cited				
	U.S. PATENT DOCUMENTS				
	4,355,415 A	10/1982	George et al.		
	4,429,385 A	1/1984	Cichelli et al.		
	4,488,179 A	12/1984	Krüger et al.		
	4,573,072 A	2/1986	Freeman		
	4,602,279 A	7/1986	Freeman		
	4,605,964 A	8/1986	Chard		
	4,625,080 A	11/1986	Scott		
	4,630,108 A *	12/1986	Gomersall	725/34	
	4,694,490 A	9/1987	Harvey et al.		
	4,706,121 A	11/1987	Young		
	4,718,107 A	1/1988	Hayes		
	4,751,578 A	6/1988	Reiter		
	4,761,684 A	8/1988	Clark et al.		
	4,787,063 A	11/1988	Muguet		
	4,802,022 A	1/1989	Harada		
	4,847,698 A	7/1989	Freeman		
	4,847,700 A	7/1989	Freeman		
	4,857,999 A	8/1989	Welsh		
	4,908,707 A	3/1990	Kinghorn		
	4,920,432 A	4/1990	Eggers et al.		
	4,930,158 A	5/1990	Vogel		
	4,945,563 A	7/1990	Horton et al.		
	4,947,244 A	8/1990	Fenwick et al.		
	4,959,720 A	9/1990	Duffield et al.		
	4,965,825 A	10/1990	Harvey et al.		
	4,977,455 A	12/1990	Young		
	4,994,908 A	2/1991	Kuban et al.		
	5,001,554 A	3/1991	Johnson et al.		
	5,016,273 A	5/1991	Hoff		
	5,036,314 A	7/1991	Barillari et al.		

(56)

References Cited

U.S. PATENT DOCUMENTS

5,550,863 A	8/1996	Yurt et al.	5,694,163 A	12/1997	Harrison
5,557,338 A	9/1996	Maze et al.	5,694,381 A	12/1997	Sako et al.
5,557,724 A	9/1996	Sampat et al.	5,696,824 A	12/1997	Walsh
5,559,548 A	9/1996	Davis et al.	5,699,052 A	12/1997	Miyahara
5,559,549 A	9/1996	Hendricks et al.	5,699,107 A	12/1997	Lawler et al.
5,559,550 A	9/1996	Mankovitz	5,710,601 A	1/1998	Marshall et al.
5,568,272 A	10/1996	Levine	5,710,605 A *	1/1998	Nelson 348/734
5,570,295 A	10/1996	Isenberg et al.	5,710,884 A	1/1998	Dedrick
5,570,415 A *	10/1996	Stretton et al. 379/110.01	5,715,020 A	2/1998	Kuroiwa et al.
5,572,442 A	11/1996	Schulhof et al.	5,717,452 A	2/1998	Janin et al.
5,574,965 A	11/1996	Welmer	5,724,091 A	3/1998	Freeman et al.
5,576,755 A	11/1996	Davis et al.	5,727,060 A	3/1998	Young
5,579,239 A	11/1996	Freeman et al.	5,734,719 A *	3/1998	Tsevdos G06Q 20/123 375/240.01
5,583,560 A	12/1996	Florin et al.	5,734,720 A	3/1998	Salganicoff
5,583,561 A	12/1996	Baker et al.	5,734,853 A	3/1998	Hendricks et al.
5,583,563 A	12/1996	Wanderscheid et al.	5,734,893 A	3/1998	Li et al.
5,583,653 A	12/1996	Timmermans et al.	5,742,905 A	4/1998	Pepe et al.
5,585,838 A	12/1996	Lawler et al.	5,745,710 A	4/1998	Clanton, III et al.
5,585,858 A	12/1996	Harper et al.	5,748,191 A	5/1998	Rozak et al.
5,585,865 A	12/1996	Amano et al.	5,748,716 A	5/1998	Levine
5,585,866 A	12/1996	Miller et al.	5,748,732 A	5/1998	Le Berre et al.
5,589,892 A	12/1996	Knee et al.	5,751,282 A	5/1998	Girard et al.
5,592,482 A	1/1997	Abraham	5,752,159 A	5/1998	Faust et al.
5,592,551 A	1/1997	Lett et al.	5,754,771 A	5/1998	Epperson et al.
5,594,509 A	1/1997	Florin et al.	5,754,938 A	5/1998	Herz et al.
5,596,373 A	1/1997	White et al.	5,758,257 A	5/1998	Herz et al.
5,600,364 A	2/1997	Hendricks et al.	5,758,259 A	5/1998	Lawler
5,602,582 A	2/1997	Wanderscheid et al.	5,760,821 A	6/1998	Ellis et al.
5,606,374 A	2/1997	Bertram	5,760,917 A	6/1998	Sheridan
5,606,726 A	2/1997	Yoshinobu	5,761,662 A	6/1998	Dasan
5,610,653 A	3/1997	Abecassis	5,768,528 A	6/1998	Stumm
5,617,526 A	4/1997	Oran et al.	5,771,275 A	6/1998	Brunner et al.
5,619,247 A	4/1997	Russo	5,774,539 A	6/1998	Maass et al.
5,619,249 A	4/1997	Billock et al.	5,774,664 A	6/1998	Hidary et al.
5,619,274 A	4/1997	Roop et al.	5,774,666 A	6/1998	Portuesi
5,621,456 A	4/1997	Florin et al.	5,774,859 A	6/1998	Houser et al.
5,623,613 A	4/1997	Rowe et al.	5,778,182 A	7/1998	Cathey et al.
5,625,406 A	4/1997	Newberry et al.	5,781,226 A	7/1998	Sheehan
5,625,464 A	4/1997	Compoint et al.	5,781,246 A	7/1998	Alten et al.
5,629,733 A	5/1997	Youman et al.	5,787,259 A	7/1998	Haroun et al.
5,630,067 A	5/1997	Kindell et al.	5,788,507 A	8/1998	Redford et al.
5,630,119 A	5/1997	Aristides et al.	5,790,198 A	8/1998	Roop et al.
5,631,995 A	5/1997	Weissensteiner et al.	5,790,202 A	8/1998	Kummer et al.
5,632,007 A	5/1997	Freeman	5,790,935 A	8/1998	Payton
5,635,978 A	6/1997	Alten et al.	5,790,974 A	8/1998	Tognazzini
5,635,979 A	6/1997	Kostreski et al.	5,793,438 A	8/1998	Bedard
5,635,989 A	6/1997	Rothmuller	5,793,964 A	8/1998	Rogers et al.
5,640,484 A	6/1997	Mankovitz	5,796,952 A	8/1998	Davis et al.
5,644,354 A	7/1997	Thompson et al.	5,798,785 A	8/1998	Hendricks et al.
5,646,603 A	7/1997	Nagata et al.	5,801,787 A	9/1998	Schein et al.
5,648,813 A	7/1997	Tanigawa et al.	5,802,284 A	9/1998	Karlton et al.
5,648,824 A	7/1997	Dunn et al.	5,805,155 A	9/1998	Allibhoy et al.
5,650,826 A	7/1997	Eitz	5,805,204 A	9/1998	Thompson et al.
5,650,831 A	7/1997	Farwell	5,805,763 A	9/1998	Lawler et al.
5,652,613 A	7/1997	Lazarus et al.	5,805,804 A	9/1998	Laursen et al.
5,652,615 A	7/1997	Bryant et al.	5,805,806 A	9/1998	McArthur
5,654,748 A	8/1997	Matthews, III	5,808,608 A	9/1998	Young et al.
5,654,886 A	8/1997	Zereski, Jr. et al.	5,808,694 A	9/1998	Usui et al.
5,655,214 A	8/1997	Mullett et al.	5,809,204 A	9/1998	Young et al.
5,657,072 A	8/1997	Aristides et al.	5,812,123 A	9/1998	Rowe et al.
5,657,414 A	8/1997	Lett et al.	5,812,205 A	9/1998	Milnes et al.
5,659,350 A	8/1997	Hendricks et al.	5,812,930 A	9/1998	Zavrel
5,659,367 A	8/1997	Yuen	5,812,931 A	9/1998	Yuen
5,661,516 A	8/1997	Carles	5,812,937 A	9/1998	Takahisa et al.
5,666,293 A	9/1997	Metz et al.	5,818,438 A	10/1998	Howe et al.
5,666,498 A	9/1997	Amro	5,818,441 A	10/1998	Throckmorton et al.
5,666,645 A	9/1997	Thomas et al.	5,819,019 A	10/1998	Nelson
5,673,401 A *	9/1997	Volk G06F 3/04847 348/E5.103	5,819,156 A	10/1998	Belmont
5,675,390 A	10/1997	Schindler et al.	5,822,123 A	10/1998	Davis et al.
5,682,206 A	10/1997	Wehmeyer et al.	5,828,420 A	10/1998	Marshall et al.
5,684,525 A	11/1997	Klosterman	5,828,945 A	10/1998	Klosterman
5,686,954 A	11/1997	Yoshinobu et al.	RE35,954 E	11/1998	Levine
5,689,666 A	11/1997	Berquist et al.	5,831,664 A *	11/1998	Wharton et al. 725/81
5,692,214 A	11/1997	Levine	5,838,314 A	11/1998	Neel et al.
			5,844,620 A	12/1998	Coleman et al.
			5,850,218 A	12/1998	LaJoie et al.
			5,852,437 A	12/1998	Wugofski et al.
			5,861,881 A	1/1999	Freeman et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

5,861,906	A	1/1999	Dunn et al.		6,133,910	A	10/2000	Stinebruner
5,867,223	A *	2/1999	Schindler	G06F 3/14 348/552	6,133,912	A	10/2000	Montero
5,867,233	A	2/1999	Tanaka		6,141,488	A	10/2000	Knudson et al.
5,867,799	A	2/1999	Lang et al.		6,144,401	A	11/2000	Casement et al.
5,878,222	A	3/1999	Harrison		6,144,702	A	11/2000	Yurt et al.
5,880,768	A	3/1999	Lemmons et al.		6,157,411	A	12/2000	Williams et al.
5,883,621	A	3/1999	Iwamura		6,157,413	A	12/2000	Hanafee et al.
5,884,298	A	3/1999	Smith, II et al.		6,160,988	A	12/2000	Shroyer
5,886,732	A	3/1999	Humpleman		6,163,316	A	12/2000	Killian
5,901,366	A	5/1999	Nakano et al.		6,169,543	B1	1/2001	Wehmeyer
5,907,322	A	5/1999	Kelly et al.		6,172,674	B1	1/2001	Etheredge
5,907,323	A	5/1999	Lawler et al.		6,172,677	B1 *	1/2001	Stautner et al. 715/716
5,909,212	A	6/1999	Nishina et al.		6,177,931	B1	1/2001	Alexander et al.
5,914,746	A	6/1999	Matthews, III et al.		6,182,094	B1	1/2001	Humpleman et al.
5,917,405	A	6/1999	Joao		6,188,397	B1	2/2001	Humpleman
5,926,624	A	7/1999	Katz et al.		6,192,340	B1	2/2001	Abecassis
5,929,849	A	7/1999	Kikinis		6,195,501	B1	2/2001	Perry et al.
5,929,932	A	7/1999	Otsuki et al.		6,198,479	B1	3/2001	Humpleman et al.
5,940,387	A	8/1999	Humpleman		6,199,076	B1	3/2001	Logan et al.
5,940,572	A	8/1999	Balaban et al.		6,202,211	B1	3/2001	Williams, Jr.
5,945,988	A	8/1999	Williams et al.		6,208,335	B1 *	3/2001	Gordon et al. 715/721
5,953,046	A *	9/1999	Pocock	H04N 7/17309 348/24	6,208,384	B1	3/2001	Schultheiss
5,953,485	A	9/1999	Abecassis		6,208,799	B1	3/2001	Marsh et al.
5,956,025	A	9/1999	Goulden et al.		6,212,327	B1	4/2001	Berstis et al.
5,956,716	A	9/1999	Kenner et al.		6,219,839	B1	4/2001	Sampsell
5,959,592	A	9/1999	Petruzzelli		6,233,389	B1	5/2001	Barton et al.
5,963,264	A	10/1999	Jackson		6,233,734	B1	5/2001	Macrae et al.
5,963,645	A	10/1999	Kigawa et al.		6,236,978	B1	5/2001	Tuzhilin
5,969,748	A	10/1999	Casement et al.		6,237,049	B1	5/2001	Ludtke
5,970,473	A	10/1999	Gerszberg et al.		6,239,794	B1	5/2001	Yuen et al.
5,973,683	A	10/1999	Cragun et al.		6,240,240	B1	5/2001	Nagano et al.
5,977,964	A	11/1999	Williams et al.		6,240,555	B1	5/2001	Shoff et al.
5,982,411	A	11/1999	Eyer et al.		6,263,501	B1	7/2001	Schein et al.
5,987,509	A	11/1999	Portuesi		6,263,503	B1	7/2001	Margulis
5,988,078	A	11/1999	Levine		6,263,507	B1	7/2001	Ahmad et al.
5,990,884	A	11/1999	Douma et al.		6,268,849	B1	7/2001	Boyer et al.
5,990,885	A	11/1999	Gopinath		6,275,648	B1	8/2001	Knudson et al.
5,990,890	A	11/1999	Etheredge		6,279,029	B1	8/2001	Sampat et al.
5,991,799	A	11/1999	Yen et al.		6,286,142	B1	9/2001	Ehreth
5,991,832	A	11/1999	Sato et al.		6,288,716	B1	9/2001	Humpleman et al.
6,002,394	A	12/1999	Schein et al.		6,292,624	B1	9/2001	Saib et al.
6,002,450	A	12/1999	Darbee et al.		6,298,482	B1	10/2001	Seidman et al.
6,005,561	A	12/1999	Hawkins et al.		6,305,018	B1	10/2001	Usui et al.
6,005,565	A	12/1999	Legall et al.		6,310,886	B1	10/2001	Barton
6,005,631	A	12/1999	Anderson et al.		6,311,011	B1	10/2001	Kuroda et al.
6,006,257	A	12/1999	Slezak		6,317,881	B1	11/2001	Shah-Nazaroff et al.
6,008,803	A *	12/1999	Rowe	G06F 3/0482 348/E5.105	6,317,884	B1	11/2001	Eames et al.
6,009,153	A	12/1999	Houghton et al.		6,324,338	B1	11/2001	Wood et al.
6,009,465	A	12/1999	Decker et al.		6,326,982	B1	12/2001	Wu et al.
6,012,086	A	1/2000	Lowell		6,327,418	B1	12/2001	Barton
6,020,880	A	2/2000	Nainpally		6,331,877	B1	12/2001	Bennington et al.
6,020,883	A	2/2000	Herz et al.		6,336,099	B1	1/2002	Barnett et al.
6,025,837	A	2/2000	Matthews, III et al.		6,337,715	B1	1/2002	Inagaki et al.
6,025,869	A	2/2000	Stas et al.		6,357,043	B1	3/2002	Ellis et al.
6,035,339	A	3/2000	Agraharam et al.		6,367,080	B1	4/2002	Enomoto et al.
6,038,367	A	3/2000	Abecassis		6,374,406	B2	4/2002	Hirata
6,040,829	A *	3/2000	Croy	H04N 5/4403 348/731	6,388,714	B1	5/2002	Schein et al.
6,047,327	A	4/2000	Tso et al.		6,396,544	B1	5/2002	Schindler et al.
6,049,823	A	4/2000	Hwang		6,397,080	B1	5/2002	Viktorsson et al.
6,055,314	A	4/2000	Spies et al.		6,408,435	B1	6/2002	Sato
6,057,872	A	5/2000	Candelore		6,425,000	B1	7/2002	Carmello et al.
6,057,890	A	5/2000	Viriden et al.		6,434,524	B1	8/2002	Weber
6,058,238	A	5/2000	Ng et al.		6,437,836	B1	8/2002	Huang et al.
6,064,980	A	5/2000	Jacobi et al.		6,442,332	B1	8/2002	Knudson et al.
6,067,564	A	5/2000	Urakoshi et al.		6,445,398	B1	9/2002	Gerba et al.
6,075,568	A	6/2000	Matsuura		6,463,585	B1	10/2002	Hendricks et al.
6,091,884	A	7/2000	Yuen et al.		6,473,559	B1	10/2002	Knudson et al.
6,097,441	A	8/2000	Allport		6,480,889	B1 *	11/2002	Saito et al. 709/220
6,104,334	A	8/2000	Allport		6,486,892	B1 *	11/2002	Stern 715/760
6,130,726	A *	10/2000	Darbee et al.	348/734	6,493,875	B1	12/2002	Eames et al.
6,133,909	A	10/2000	Schein et al.		6,505,348	B1	1/2003	Knowles et al.
					6,509,908	B1	1/2003	Croy et al.
					6,530,083	B1	3/2003	Liebenow
					6,545,578	B2	4/2003	Yoshiyama
					6,545,722	B1	4/2003	Schultheiss et al.
					6,557,031	B1	4/2003	Mimura et al.
					6,564,383	B1	5/2003	Combs et al.
					6,571,279	B1	5/2003	Herz et al.
					6,603,488	B2	8/2003	Humpleman et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,611,654 B1 8/2003 Shteyn
 6,622,304 B1 9/2003 Carhart
 6,637,029 B1 10/2003 Maissel et al.
 6,670,971 B1 12/2003 Oral et al.
 6,675,385 B1 1/2004 Wang
 6,678,004 B1 1/2004 Schultheiss et al.
 6,701,523 B1 3/2004 Hancock et al.
 6,704,028 B2 3/2004 Wugofski
 6,721,954 B1 4/2004 Nickum
 6,727,914 B1 4/2004 Gutta
 6,732,369 B1 5/2004 Schein et al.
 6,732,372 B2 5/2004 Tomita et al.
 6,738,978 B1 5/2004 Hendricks et al.
 6,744,967 B2 6/2004 Kaminski et al.
 6,760,537 B2 7/2004 Mankovitz
 6,772,433 B1 8/2004 LaJoie et al.
 6,785,904 B1 8/2004 Franken et al.
 6,788,882 B1 9/2004 Geer et al.
 6,816,172 B1 11/2004 Iki et al.
 6,822,661 B2 11/2004 Sai et al.
 6,871,146 B1 3/2005 Kelly et al.
 6,871,186 B1 3/2005 Tuzhilin et al.
 6,882,299 B1* 4/2005 Allport 341/176
 6,925,567 B1 8/2005 Hirata
 6,927,806 B2 8/2005 Chan
 6,934,964 B1 8/2005 Schaffer et al.
 6,973,669 B2 12/2005 Daniels
 7,003,606 B2 2/2006 Fukushima et al.
 7,006,881 B1 2/2006 Hoffberg et al.
 7,013,339 B2* 3/2006 Schwager 709/226
 7,017,171 B1* 3/2006 Horlander et al. 725/25
 7,051,353 B2 5/2006 Yamashita et al.
 7,084,780 B2 8/2006 Nguyen et al.
 7,117,518 B1* 10/2006 Takahashi et al. 725/86
 7,134,131 B1 11/2006 Hendricks et al.
 7,152,236 B1* 12/2006 Wugofski et al. 725/40
 7,194,755 B1 3/2007 Nakata et al.
 7,224,886 B2* 5/2007 Akamatsu et al. 386/83
 7,328,450 B2 2/2008 Macrae et al.
 7,343,614 B1 3/2008 Hendricks et al.
 7,343,616 B1 3/2008 Takahashi et al.
 7,403,693 B2 7/2008 Shteyn
 7,480,929 B2 1/2009 Klosterman et al.
 8,073,921 B2* 12/2011 Thomas et al. 709/208
 2001/0026533 A1 10/2001 Schwager
 2002/0013941 A1 1/2002 Ward, III et al.
 2002/0032907 A1 3/2002 Daniels
 2002/0057892 A1 5/2002 Mano et al.
 2002/0059599 A1 5/2002 Schein et al.
 2002/0059610 A1 5/2002 Ellis
 2002/0083455 A1 6/2002 Sato
 2002/0090203 A1 7/2002 Mankovitz
 2002/0095673 A1 7/2002 Leung et al.
 2002/0100044 A1* 7/2002 Daniels 725/39
 2002/0100052 A1 7/2002 Daniels
 2002/0118676 A1 8/2002 Tonnby et al.
 2002/0129368 A1* 9/2002 Schlack et al. 725/46
 2002/0174424 A1 11/2002 Chang et al.
 2002/0184626 A1* 12/2002 Darbee et al. 725/39
 2002/0194596 A1 12/2002 Srivastava
 2003/0005445 A1 1/2003 Schein et al.
 2003/0012555 A1 1/2003 Yuen et al.
 2003/0031465 A1 2/2003 Blake
 2003/0037336 A1* 2/2003 Leftwich 725/91
 2003/0040962 A1 2/2003 Lewis
 2003/0066085 A1 4/2003 Boyer et al.
 2003/0079227 A1 4/2003 Knowles et al.
 2003/0084461 A1 5/2003 Hoang
 2003/0093329 A1 5/2003 Gutta
 2003/0097227 A1 5/2003 Bloch et al.
 2003/0131356 A1 7/2003 Proehl et al.
 2003/0142957 A1 7/2003 Young et al.
 2003/0159157 A1 8/2003 Chan
 2003/0163813 A1 8/2003 Klosterman et al.
 2003/0164858 A1 9/2003 Klosterman et al.

2003/0188310 A1 10/2003 Klosterman et al.
 2003/0188311 A1 10/2003 Yuen et al.
 2003/0196201 A1 10/2003 Schein et al.
 2003/0198462 A1 10/2003 Bumgardner et al.
 2003/0208756 A1 11/2003 Macrae et al.
 2003/0229900 A1 12/2003 Reisman
 2004/0031050 A1* 2/2004 Klosterman 725/39
 2004/0078820 A1 4/2004 Nickum
 2004/0098744 A1 5/2004 Gutta
 2004/0103439 A1 5/2004 Macrae et al.
 2004/0194138 A1 9/2004 Boylan et al.
 2005/0004977 A1 1/2005 Roberts et al.
 2005/0015804 A1 1/2005 LaJoie et al.
 2005/0028208 A1* 2/2005 Ellis et al. 725/58
 2005/0028218 A1 2/2005 Blake
 2005/0120003 A1 6/2005 Drury et al.
 2005/0193414 A1 9/2005 Horvitz et al.
 2005/0240962 A1 10/2005 Cooper et al.
 2005/0240968 A1 10/2005 Knudson et al.
 2005/0251822 A1 11/2005 Knowles et al.
 2005/0251827 A1 11/2005 Ellis et al.
 2005/0265169 A1 12/2005 Yoshimaru et al.
 2005/0278741 A1 12/2005 Robarts et al.
 2006/0031883 A1 2/2006 Ellis et al.
 2006/0085825 A1 4/2006 Istvan et al.
 2006/0112410 A1 5/2006 Poli et al.
 2006/0136966 A1 6/2006 Folk
 2007/0157242 A1* 7/2007 Cordray et al. 725/46
 2007/0204308 A1 8/2007 Nicholas et al.
 2008/0010655 A1 1/2008 Ellis et al.
 2008/0013429 A1 1/2008 Chen et al.
 2008/0134239 A1 6/2008 Knowles et al.
 2008/0184304 A1 7/2008 Ellis et al.
 2008/0184313 A1 7/2008 Knudson et al.
 2008/0184322 A1 7/2008 Blake
 2008/0189742 A1 8/2008 Ellis et al.
 2008/0189743 A1 8/2008 Ellis et al.
 2008/0263600 A1 10/2008 Olague et al.
 2009/0241144 A1 9/2009 Lajoie et al.
 2011/0030027 A1 2/2011 Nishioka et al.

FOREIGN PATENT DOCUMENTS

DE 31 51 492 A1 7/1983
 DE 44 31 438 A1 3/1996
 DE 44 40 174 5/1996
 DE 195 02 92 A1 8/1996
 DE 195 02 922 A1 8/1996
 DE 195 31 121 A1 2/1997
 DE 197 40 079 A1 3/1999
 EP 0 560 593 9/1993
 EP 0 627 857 12/1994
 EP 0 682 452 11/1995
 EP 0 744 853 11/1996
 EP 0 753 964 1/1997
 EP 0 774 853 A2 5/1997
 EP 0 793 225 A2 9/1997
 EP 0 795 994 9/1997
 EP 0 805 594 A2 11/1997
 EP 0 836 320 4/1998
 EP 0 836 321 4/1998
 EP 0 843 468 5/1998
 EP 0 854 645 7/1998
 EP 0 897 242 2/1999
 EP 0 940 983 9/1999
 EP 1 099 339 5/2001
 EP 1 099 341 5/2001
 EP 1 271 952 1/2003
 EP 1 515 549 3/2005
 EP 1 538 838 6/2005
 GB 2 227 622 8/1990
 GB 2 229 595 9/1990
 GB 2 256 115 11/1992
 GB 2265792 10/1993
 GB 2275800 9/1994
 GB 2 286 754 8/1995
 GB 2 300 551 11/1996
 GB 2 346 251 8/2000
 JP 3-22770 1/1991

(56)

References Cited

FOREIGN PATENT DOCUMENTS			WO	WO	
JP	04-276342	10/1992	WO	97/34413	9/1997
JP	05-260400	10/1993	WO	97/35428	9/1997
JP	06-121262	4/1994	WO	97/36422	10/1997
JP	06-124309	5/1994	WO	97/46943	12/1997
JP	06-208500	7/1994	WO	97/47106	12/1997
JP	07-154349	6/1995	WO	97/47124	12/1997
JP	07-184131	7/1995	WO	97/47143	12/1997
JP	07-212328	8/1995	WO	97/48228	12/1997
JP	07-212331	8/1995	WO	97/48230	12/1997
JP	07-212732	8/1995	WO	97/49237	12/1997
JP	07-298153	11/1995	WO	97/50251	12/1997
JP	8-56352	2/1996	WO	98/06219	2/1998
JP	08-180505	7/1996	WO	98/10589	3/1998
JP	08-242313	9/1996	WO	98/10598	3/1998
JP	08-242436	9/1996	WO	98/16062	4/1998
JP	09-009245	1/1997	WO	98/17063	4/1998
JP	09-065300 A	3/1997	WO	98/17064	4/1998
JP	09-102827	4/1997	WO	98/26584	6/1998
JP	9-102827	4/1997	WO	98/26593	6/1998
JP	09-120686 A	5/1997	WO	98/37694	8/1998
JP	09-148994 A	6/1997	WO	98/43183	10/1998
JP	09-162818 A	6/1997	WO	98/43416	10/1998
JP	09-163287	6/1997	WO	98/56173	12/1998
JP	09-270965 A	10/1997	WO	98/56176	12/1998
JP	09-298677	11/1997	WO	98/59478	12/1998
JP	09-322022	12/1997	WO	99/03267	1/1999
JP	10-40057	2/1998	WO	99/04561	1/1999
JP	10-108090	4/1998	WO	99/04570	1/1999
JP	10-257448	9/1998	WO	99/14947	3/1999
JP	10-512420	11/1998	WO	99/30491	6/1999
JP	11-284929	10/1999	WO	99/45700	9/1999
JP	11-317937 A	11/1999	WO	99/52279	10/1999
JP	11-512903	11/1999	WO	99/57839	11/1999
KR	1998/025758	7/1998	WO	99/60783	11/1999
WO	WO 87/03766	6/1987	WO	99/66725	12/1999
WO	WO 88/04507	6/1988	WO	00/04706	1/2000
WO	WO 89/03085	4/1989	WO	00/04707	1/2000
WO	WO 90/13207	11/1990	WO	00/04709	1/2000
WO	WO-91/07050 A1	5/1991	WO	00/07368	2/2000
WO	WO-92/17027	10/1992	WO	00/08850	2/2000
WO	WO 92/22983	12/1992	WO	00/08851	2/2000
WO	WO 94/14282	6/1994	WO	00/08852	2/2000
WO	WO-94/14284	6/1994	WO	00/16548	3/2000
WO	WO 94/15284	7/1994	WO	00/28739	5/2000
WO	WO 95/01056	1/1995	WO	00/58833	10/2000
WO	WO 95/01058	1/1995	WO	00/58967	10/2000
WO	WO 95/01059	1/1995	WO	00/59214	10/2000
WO	WO 95/10910	4/1995	WO	00/59233	10/2000
WO	WO 95/10916	4/1995	WO	00/62298	10/2000
WO	WO 95/28055	10/1995	WO	00/62299	10/2000
WO	WO 95/32583	11/1995	WO	00/62533	10/2000
WO	WO 95/32585	11/1995	WO	00/67475	11/2000
WO	WO-95/32587	11/1995	WO	01/22729	3/2001
WO	WO 96/07270	3/1996	WO	01/46843	6/2001
WO	WO 96/13124	5/1996	WO	01/47238	6/2001
WO	WO 96/13932	5/1996	WO	01/47249	6/2001
WO	WO 96/17467	6/1996	WO	01/47257	6/2001
WO	WO 96/20555	7/1996	WO	01/47273	6/2001
WO	WO-96/26605	8/1996	WO	01/47279	6/2001
WO	WO 96/31980	10/1996	WO	01/76239	10/2001
WO	WO-96/34491	10/1996	WO	01/76248	10/2001
WO	WO-96/36172	11/1996	WO	02/078317	10/2002
WO	WO-96/37075	11/1996	WO	03/098932	11/2003
WO	WO-96/41478	12/1996	WO	2004/049208	6/2004
WO	WO 97/12314	4/1997	WO	2004/054264	6/2004
WO	WO-97/12486 A1	4/1997	WO	2004/075622	9/2004
WO	WO-97/12486 S1	4/1997	WO	2005/091626	9/2005
WO	WO 97/13368	4/1997	WO	2005/094068	10/2005
WO	WO 97/17774	5/1997	OTHER PUBLICATIONS		
WO	WO 97-19565	5/1997	"How Evolve Works," from the Internet at http://www.evolveproducts.com/network.html , printed on Dec. 28, 1998.		
WO	WO-97/22207 A1	6/1997	"Jini™ Architecture Overview," by Jim Waldo, from the Internet at http://Java.sun.com/products/jini/whitepapers/architectureoverview.pdf/ printed on Jan. 25, 1999. The document bears a copyright date of 1998.		
WO	WO 97/23997	7/1997	"Reaching your subscribers is a complex and costly process—until now," from the Internet at http://www.evolveproducts.com/info.html , printed on Dec. 28, 1998.		
WO	WO 97/31480	8/1997			
WO	WO-97/33434 A1	9/1997			
WO	WO-97/33434 S1	9/1997			

(56)

References Cited

OTHER PUBLICATIONS

- Curt Rogers, "Telcos vs. Cable TV: The Global View," Data Communications, No. 13, New York, pp. 75, 76, 78 and 80, Sep. 1995.
- "Sun's Next Steps in Digital Set-Tops," article in Cablevision, p. 56, Nov. 16, 1998.
- "The Evolve EZ Guide. The Remote. Control," from the Internet at <http://www.evolveproducts.com/display2.html>, printed on Dec. 28, 1998.
- "What is Jini?," from the Internet at <http://java.sun.com/products/jini/whitepapers/whatsjini.pdf>, printed on Jan. 25, 1999.
- "Why Jini Now?," from the internet at <http://java.sun.com/products/jini/whitepapers/whyjini.pdf>, printed on Jan. 25, 1999. The document bears a copyright date of 1998.
- Von Andreas Neumann, "WDR Online Aufbau Und Perspektiven Automatisierter Online-Dienste Im WDR," Rundfunktechnische Mitteilungen, vol. 41, pp. 56-66, Jun. 1997.
- Eitz, Gerhard, "Zukünftige Informations—Und Datenangebote Beim Digitalen Fernsehen—EPG Und "Lesezeichen"," Rundfunktechnische Mitteilungen, vol. 41, pp. 67-72, Jun. 1997.
- "Electronic Programme Guide (EPG); Protocol for a TV Guide using electronic data transmission" by European Telecommunication Standards Institute, May 1997, Valbonne, France, publication No. ETS 300 707.
- Hofmann, Neumann, Oberlies, and Schadwinkel, "Videotext Programmierter Videorecorder," Rundfunktechnische Mitteilungen, Nov.-Dec. 1982, pp. 254-257.
- "Windows 98 Feature Combines TV, Terminal and the Internet," New York Times, Aug. 18, 1998.
- PCT Notification of Transmittal of International Search Report, Intl. Application No. PCT/US00/05887, Aug. 2000, 4 pages.
- U.S. Appl. No. 09/363,575, filed Jul. 29, 1999.
- U.S. Appl. No. 10/304,634, filed Nov. 25, 2002.
- U.S. Appl. No. 11/182,081, filed Jul. 15, 2005.
- U.S. Appl. No. 11/841,642, filed Aug. 20, 2007.
- "Advanced Analog Systems—Addressable Terminals" General Instrument Corp. Of Horsham, Pennsylvania (URL:<http://www.gi.com/BUSAREA/ANALOG/TERMINAL/WATCH/watch.html>) Printed from the Internet on Mar. 4, 1999.
- "Directv Digital Satellite Receiver—Operating Instructions," Sony Electronics Inc. (2001).
- "Directv Receiver—Owner's Manual," Directv, Inc. (2002).
- "Directv Receiver with TiVo Digital Satellite Receiver/Recorder SAT-T60—Installation Guide," Sony Corporation (2000).
- "Directv Receiver with TiVo Installation Guide," Philips (2000).
- "Directv Receiver with TiVo Viewer's Guide" (1999, 2000).
- "DishPro Satellite System—User's Guide," Dish Network (undated).
- "Fall 2001 TiVo Service Update with Dual Tuner!," TiVo Inc. (2001).
- "PTV Recorder Setup Guide," Philips (2000).
- "RCA Satellite Receiver User's Guide," Thomson Multimedia Inc. (2001).
- "Start Here," Sony, TiVo and Directv (undated).
- Archived Intel InterCast's Website from Archive. Org, "How Does It Work?," <<http://web.archive.org/web/19990429214537/www.intercast.com/intercast/howitwks.htm>>, Accessed on Jul. 8, 2008.
- Archived Intel InterCast's Website from Archive. Org, "What Is It?," <<http://web.archive.org/web/19990422195517/www.intercast.com/intercast/whatisit.htm>>, Accessed on Jul. 8, 2008.
- Digital Video Broadcasting (DVB); DVB specification for data broadcasting, European Telecommunications Standards Institute, Draft EN 301 192 V1.2.1 (Jan. 1999).
- DiRosa, S. "Pinochle's Bigsurf Netguide", Jul. 1995, Volute 3.1, pp. 260-270.
- Rewind, replay and unwind with new high-tech TV devices, by Lawrence J. Magid, LA Times. This document was printed from the Internet on Jun. 6, 1999 and bears a date of May 19, 1999.
- Saito, Takeshi, et al., "Homenetwork Architecture Considering Digital Home Appliance," Technical Committee meeting of the Institute of Electronics, Information and Communication Engineers (IEICE), Japan, Nov. 6, 1997, vol. 97, No. 368, p. 57-64.
- User's Guide RCA Color TV with TV Plus + Guide, 1997.
- U.S. Appl. No. 08/900,417, filed Jul. 25, 1997, Daniels.
- Counterstatement of the Patentee for European Patent EP-B-1099341 (Feb. 23, 2006).
- EPO Opposition Submission for European Patent EP-B-1099341 dated Mar. 19, 2010.
- Ochiai et al., "@randomTV: A New TV System," NEC C&C Media Research Laboratories, Mach 17, 1998, pp. 3-302-3-303 (concise explanation included in Supp. IDS).
- Opposition against EP99935637 by Fast TV Server AG (Aug. 3, 2005).
- Opposition against EP99935637 by Velocity 303 Limited (Aug. 3, 2005).
- Submission by Velocity in European Patent No. 1099341 (Mar. 19, 2010).
- Bach, U., et al., "Multimedia-Terminal ALS Endgeraet," Funkschau, De, Franzis-Verlag K.G. Munich, vol. 68, No. 6, Mar. 1, 1996, pp. 70-75, XP 000556486, ISSN: 0016-2841 (Translation, pp. 1-7).
- U.S. Appl. No. 10/927,814, various Office Actions issued by the United States Patent Office and applicants' responses; as well as Request for Interference, Examiner Interview Summary and Applicant Summary of Interview with Examiner.
- Verknuepfung von TV mit INternet, Funkschau, De, Franzis—Verlag K.G. Munich, vol. 68, no. 18 Aug. 16, 1996, pp. 70-71, XP 000631189, ISSN: 0016-2841 (Translation, pp. 1-3).
- "Teletext System," National Technical Report, vol. 27, No. 4, Aug. 1981 (with full English translation).
- EPO Opposition Against EP1213919 by Virgin Media Limited (Dec. 16, 2010).
- EPO Opposition Statement of Grounds of Appeal for EP1099341 dated Feb. 28, 2011.
- Office Actions and Replies from U.S. Appl. No. 10/877,950, filed Jun. 25, 2004.
- Office Actions and Replies from U.S. Appl. No. 10/927,582, filed Aug. 26, 2004.
- Office Actions and Replies from U.S. Appl. No. 11/894,741, filed Aug. 20, 2007.
- Office Actions and Replies from U.S. Appl. No. 12/780,196, filed May 14, 2010.
- Office Actions and Replies from U.S. Appl. No. 11/246,392, filed Oct. 7, 2005.
- Office Actions and Replies from U.S. Appl. No. 10/927,814, filed Aug. 26, 2004.
- Counterstatement of the Patentee for European Patent EP 1213919B dated Sep. 20, 2011.
- "Description of Digital Audio-Visual Functionalities," Digital Audio-Visual Council, DAVIC 1.3.1 Specification Part 1, Technical Report, 86 pages, 1998.
- Office Actions and/or Replies from U.S. Appl. No. 10/877,950, filed Jun. 25, 2004.
- Office Actions and/or Replies from U.S. Appl. No. 12/759,303, filed Apr. 13, 2010.
- Office Actions and/or Replies from U.S. Appl. No. 12/773,423, filed May 4, 2010.
- Office Actions and/or Replies from U.S. Appl. No. 11/894,741, filed Aug. 20, 2007.
- "Student.Net TV Search & Remind," from the internet at <http://web.archive.org/web/19970124213237/http://www.student.net/tv/> and <http://web.archive.org/web/19970124214926/www.student.net/tv/search.cgi?searchTerm=Fri...>, printed on May 12, 2005.
- "The History Behind Broadcast—SmarTV (1989)," Broadcast Technologies, from the internet at <http://www.broadcast.com/smartv.html>, Jul. 1989, pp. 1-6, printed from the internet on Aug. 31, 2005.
- "Electronic Program Guide System via Internet Uses Television Programs Displayed on Internet Pages and Associates it With Program Label and On-Screen Icons to Remotely Program and Control TV Receiver w.r.t. Selected Program," published May 10, 1996.
- Tedesco, R., "WebTV Clicks on 'TV Guide'," Broadcasting & Cable, vol. 127, No. 3, Jan. 20, 1997, p. 56.
- Bestler, "Flexible Data Structures and Interface Rituals for Rapid Development of OSD Applications," 42nd Annual Convention and Exposition of the National Cable Television Association (NCTA), Technical Papers, Jun. 6-9, 1993, pp. 223-236.

(56)

References Cited

OTHER PUBLICATIONS

DAVIC 1.0 Specifications, Revision 3.2, Part 1, "Description fo DAVIC Functionalities," Digital Audio-Visual Council, Jul. 10, 1995, 61 pages.

English High Court Judgment, Neutral Citation No. [2014] EWHC 828 (Pat), Case No. HC11C04556, Starsight Telecast, Inc. and United Video Properties, Inc. v. Virgin Media Limited, Virgin Media Payments Limited, and TiVo, Inc., Mar. 26, 2014.

Uniden®, UST-4800 Super, Integrated Receiver/Descrambler, Preliminary Reference Manual, Nov. 12, 1991, 80 pages.

Office Actions and/or Replies from U.S. Appl. No. 10/927,582, filed Aug. 26, 2004.

Office Actions and/or Replies from U.S. Appl. No. 11/894,741, filed Aug. 20, 2007.

Office Actions and/or Replies from U.S. Appl. No. 12/780,196, filed May 14, 2010.

Bach, U., et al., "Multimediales-TV-Gereat," Radio Fernsehen Elektronik, De, Veb, Verlag, Technik, Berlin, vol. 45, No. 9, Aug. 1, 1996, pp. 28, 30-31, XP 000636538, ISSN: 1436-1574 (Translation, pp. 1-5).

Bach, U., et al., "Multimedia-Terminal ALS Endgeraet," Funkschau, De, Franzis-Verlag K.G. Munchen, vol. 68, No. 6, Mar. 1, 1996, pp. 70-75, XP 000556486, ISSN: 0016-2841 (Translation, pp. 1-7).

Office Actions and Corresponding Replies in relation to U.S. Appl. No. 10/251,670.

Office Actions and Corresponding Replies in relation to U.S. Appl. No. 10/718,187.

Office Actions and Corresponding Replies in relation to U.S. Appl. No. 11/600,944.

Examiner Interview Summary in U.S. Appl. No. 09/356,161 dated Aug. 10, 2005.

Final Office Action in U.S. Appl. No. 09/356,161 dated Jun. 17, 2005.

Final Office Action in U.S. Appl. No. 11/179,410 dated Apr. 27, 2009.

Hirtz Gentlemen: Et al., "Open TV: Betriebssystem Fuer Interaktives Fernsehen," Fernseh Und Kinotechnik, de vde Verlag GmbH, Berlin, vol. 50, No. 3, Mar. 1, 1996, pp. 84-89, Xp 000581417, ISSN: 0015-0142 (Translation, pp. 1-9).

International Preliminary Examination Report, International Application No. PCT/US97/18664, Dec. 7, 1998, 10 pages.

Non-Final Office Action in U.S. Appl. No. 09/356,161 dated Oct. 7, 2004.

Non-Final Office Action in U.S. Appl. No. 11/179,410 dated Jul. 23, 2008.

PCT Notification of Transmittal of International Search Report, International Application No. PCT/US00/05887, Aug. 2000, 2 pages.

Reply to Non-Final Office Action in U.S. Appl. No. 09/356,161 dated Mar. 7, 2005.

Reply to Non-Final Office Action in U.S. Appl. No. 11/179,410 dated Jan. 23, 2009.

Supplementary European Search Report, Feb. 25, 2000, Application No. EP 97 91 0985.

U.S. Appl. No. 10/927,814, copies of various Office Actions issued by the United States Patent Office and applicants' responses; as well as Request for Interference, Examiner Interview Summary and Applicant Summary of Interview with Examiner.

U.S. Appl. No. 11/179,410, Office Action issued by the United States Patent Office and applicants' response.

U.S. Appl. No. 11/894,741, Office Action dated Jun. 23, 2009 and Examiner Interview Summary dated Jun. 24, 2009.

U.S. Appl. No. 08/922,212, various Office Actions issued by the United States Patent Office and applicants' responses along with a Notice of Abandonment.

U.S. Appl. No. 10/927,582, various Office Actions issued by the United States Patent Office and applicants' responses; as well as Request for Interference.

U.S. Appl. No. 11/246,392, various Office Actions issued by the United States Patent Office and applicants' response.

U.S. Appl. No. 11/894,741, various Office Actions issued by the United States Patent Office and applicants' response.

Venditto, Gus, "Prodigy for Dummies," 1995, IDG Books, pp. 57-63 and p. 213.

Verknuepfung von TV mit INternet, Funkschau, De, Franzis—Verlag K.G. Munchen, vol. 68, No. 18 Aug. 16, 1996, pp. 70-71, XP 000631189, ISSN: 0016-2841 (Translation, pp. 1-3).

* cited by examiner





FIG. 1

*FIG. 2*




FIG. 3




FIG. 4a




FIG. 4b




FIG. 4c




FIG. 5




FIG. 6




FIG. 7a




FIG. 7b




FIG. 7c




FIG. 7d




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12





FIG. 13

*FIG. 14*




FIG. 15




FIG. 16




FIG. 17




FIG. 18a




FIG. 18b

MONITOR VIEWING			
LOCATION	CH	PROGRAM	RATING
MASTER	2 TNT	MOVIE	TV-MA
CHILDREN'S ROOM	6 NICK	KEENEN + KEL	TV-Y14
GUEST ROOM	1 LOCAL	NEWS	TV-Y14

230

FIG. 19




FIG. 20




FIG. 21





FIG. 22

*FIG. 23*




FIG. 24




FIG. 25




FIG. 26




FIG. 27

MESSAGES - RECEIVING			
<u>LOCATION</u>	<u>GENERAL</u>	<u>SERVICE</u>	<u>BILLING</u>
MASTER	ON	ON	ON
CHILDRENS	ON	OFF	<input type="radio"/> OFF
GUEST	ON	OFF	OFF

ON ◀▶ OFF

300

301

FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36

INTERACTIVE TELEVISION PROGRAM GUIDE SYSTEM HAVING MULTIPLE DEVICES WITHIN A HOUSEHOLD

This application is a continuation of U.S. patent application Ser. No. 11/179,410, filed Jul. 11, 2005, which is continuation of U.S. patent application Ser. No. 09/356,161, filed Jul. 16, 1999 now abandoned, which claims the benefit of U.S. provisional patent application No. 60/093,292, filed Jul. 17, 1998.

BACKGROUND OF THE INVENTION

This invention relates to interactive television program guides, and more particularly, to techniques for providing interactive television program guide functionality on multiple devices within a household.

Cable, satellite, and broadcast television systems provide viewers with a large number of television channels. Viewers have traditionally consulted printed television program schedules to determine the programs being broadcast at a particular time. More recently, interactive electronic television program guides have been developed that allow television program information to be displayed on a viewer's television.

Interactive television program guides are typically implemented on set-top boxes. Such programs guides allow users to view television program listings in different display formats. For example, a user may instruct the program guide to display a grid of program listings organized in a channel-ordered or a time-ordered list. Users may also search or sort program listings by theme (e.g., movies, sports, etc.) or by title (i.e., alphabetically). A user may obtain additional information for a program by placing a highlight region on a desired program listing and pressing an "info" button.

Households with children are concerned with protecting children from the potentially objectionable adult content contained in the broad range of programs that are currently available. Some program guides allow users to block channels or programs using a parental control function. For example, a user may instruct the program guide to block access to channels that provide adult programs. A user must enter a password to regain access to such adult channels.

Another feature available on some program guides is the ability for the cable operator to send messages such as billing information to the user. A user may also have the ability to set reminders that will alert the user when a preselected program is about to begin or that will automatically tune the user's set-top box to the channel of the preselected program when the program is about to begin. A user may have the ability to establish a list of favorite channels. All of these program guide settings and features are specific to the user's set-top box.

Families often have multiple televisions and set-top boxes placed throughout the household. A family's household even may include multiple homes. Because there is no coordination between the program guides running on each of the various set-top boxes in the household, if a user adjusts the settings for a program guide on one set-top box, these settings are not communicated to the program guides on any of the other set-top boxes in the household. If a parent wants to restrict access to certain channels on all the televisions in the household, the parent must adjust the parental control settings on each set-top box individually. Reminders and favorite channel settings must similarly be set for each program guide separately if a user desires to have such settings be in effect throughout the household. Messages sent from the cable

operator can only be sent to a particular set-top box. Some cable system subscriber management systems can allow a cable operator to manage all cable boxes within a home (i.e. manage billing for individual locations within a home). However, such systems do not allow user interaction with the cable operator.

It is therefore an object of the present invention to provide a program guide system that allows a user to adjust to the user settings of a plurality of program guides at different locations within a household from a single location.

SUMMARY OF THE INVENTION

These and other objects of the present invention are accomplished in accordance with the principles of the present invention by providing an interactive television program guide system for a household in which multiple interactive television program guides within the household are coordinated. In a typical system, various users in the household use various pieces of user television equipment (also called user television equipment devices). An interactive television program guide is implemented on each piece of user television equipment. Typical user television equipment may be a set-top box on which a program guide application and non-program-guide applications run, a videocassette recorder connected to the set-top box for recording television programs, and a television on which the program guide application may display various program guide display screens and the non-program-guide applications may display various non-program-guide display screens. Other suitable types of user television equipment may be based on personal computer televisions (PC/TVs) or advanced television receivers such as high-definition television (HDTV) receivers.

Each piece of user television equipment may be located in a different part of the home. For example, one piece of equipment may be located in the parents' bedroom. Another piece of equipment may be located in a child's bedroom. Additional pieces of equipment may be located in a family room, kitchen, living room, etc.

Typical program guide features that may be provided by the program guides of this invention implemented on the user television equipment include features related to setting program reminders, profiles, program recording features, messaging features, favorites features, parental control features, program guide set up features (e.g., video display settings, language settings, etc.), and other suitable program guide features. The system coordinates operation of the program guides so that, for example, a user may adjust his favorite channel settings on a program guide operating in the living room and those settings will be effective on the program guide operating in the master bedroom and may therefore be used by that program guide.

A parent may adjust parental control settings using the program guide in the parents' room and the system may apply those settings to all program guides in the household. Parents may use the parental control feature to control the viewing of their children even though the children may be viewing television using multiple user television equipment devices. For example, parents may establish parental controls to lock various programs and services from a master location and the system will apply these parental controls to the various pieces of user television equipment throughout the household. The ability to establish favorite channels, to set reminders, and to control other program guide settings at one location and to have those settings applied to multiple locations throughout the household may be used by both the parents and their children.

A user may adjust his favorite settings on a program guide in the family room and may direct the system to apply those settings to the program guides in the family room and the living room. A child may set reminders for certain programs using the program guide in the family room and may direct the system to apply those settings only to the program guide running in that child's bedroom. A user may select a program for recording using a program guide in the living room and may request that the videocassette recorder in the family room be used to record the selected program. A user may receive messages from a cable system operator and may direct the system to make certain types of those messages available to the program guide located in all rooms but the children's room. A user may adjust language or audio settings using one program guide and have those settings apply globally.

As these examples serve to illustrate, the settings for any suitable program guide features may be adjusted using the program guide at one location in a household and applied by the system to selected other program guides in the household.

The program guides may be linked using any suitable topologies and communication protocols. For example, the various pieces of user television equipment may be interconnected using a tree, bus or ring topology. One piece of user television equipment may be designated as a primary device and other pieces of user television equipment may be designated as secondary devices. The primary and secondary devices may be connected in a star arrangement. A remote server may be used to implement certain program guide features and the pieces of user television equipment in the home may act as clients.

If desired, non-program-guide applications may be implemented on the user television equipment. Such non-program-guide applications may include, for example, a web browser application, a home shopping application, a game application, an e-mail application, a chat application, a banking application, etc. These applications may be implemented on a set-top box within the user television equipment. The user may adjust the settings of such a non-program-guide application at one set-top box. The system coordinates the operation of the various set-top boxes so that the adjusted settings may be used by similar applications running on other set-top boxes in the household.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a diagram of an interactive television program guide system in accordance with the present invention.

FIG. 2 is a flow chart of steps involved in adjusting user settings and applying those adjustments to desired locations in accordance with the present invention.

FIG. 3 is a diagram of a system in which multiple interactive television program guides are implemented in a star configuration in accordance with the present invention.

FIG. 4a is a diagram of a system in which multiple interactive television program guides are implemented in a tree configuration in accordance with the present invention.

FIG. 4b is a diagram of a system in which multiple interactive television program guides are implemented in a ring configuration in accordance with the present invention.

FIG. 4c is a diagram of a system in which multiple interactive television program guides are implemented in a bus configuration in accordance with the present invention.

FIG. 5 is a diagram of another system in which multiple interactive television program guides are implemented in a client-server configuration in accordance with the present invention.

FIG. 6 is a diagram of a system in which multiple interactive television program guides are implemented in a client-server configuration and in which the set-top-box acts as the server in accordance with the present invention.

FIG. 7a is a diagram of a system similar to the system of FIG. 1 in which multiple interactive television program guides are implemented in a neighborhood node configuration in accordance with the present invention.

FIG. 7b is a diagram of a system similar to the system of FIG. 1 showing how servers may be located at network nodes in accordance with the present invention.

FIG. 7c is a diagram of a system similar to the system of FIG. 1 showing how homes may be connected by modem links in accordance with the present invention.

FIG. 7d is a diagram of a system similar to the system of FIG. 1 showing how homes may be connected via a server in accordance with the present invention.

FIG. 8 is a diagram of a system in which multiple interactive television program guides are implemented and in which each such guide uses a real-time communications device connected to the Internet in accordance with the present invention.

FIG. 9 is a diagram of a system in which multiple interactive television program guides are implemented with an occasional return path communications device in accordance with the present invention.

FIG. 10 is a diagram of illustrative user television equipment with an optional data input device in accordance with the present invention.

FIG. 11 is a depiction of an illustrative location selection screen in accordance with the present invention.

FIG. 12 is a depiction of an illustrative main menu screen in accordance with the present invention.

FIG. 13 is a depiction of another illustrative location selection screen in accordance with the present invention.

FIG. 14 is a flow chart showing steps involved in an illustrative approach for selecting a location for which to adjust settings in accordance with the present invention.

FIG. 15 is a depiction of an illustrative parental control password screen and an illustrative corresponding parental control access denied screen in accordance with the present invention.

FIG. 16 is a diagram of an illustrative parental control screen in accordance with the present invention.

FIG. 17 is a flow chart showing steps involved in an illustrative approach for applying parental controls in accordance with the present invention.

FIG. 18a is a depiction of an illustrative parental controls set channels screen in which selected channels are blocked in accordance with the present invention.

FIG. 18b is a depiction of an illustrative parental controls set channels screen in which selected channels are hidden in accordance with the present invention.

FIG. 19 is a depiction of an illustrative monitor viewing screen in accordance with the present invention.

FIG. 20 is a depiction of an illustrative browse screen in accordance with the present invention.

FIG. 21 is a depiction of an illustrative set reminder screen in accordance with the present invention.

FIG. 22 is a depiction of an illustrative select reminder screen in accordance with the present invention.

FIG. 23 is a flow chart showing steps involved in an illustrative approach for setting and selecting a reminder in accordance with the present invention.

FIG. 24 is a depiction of an illustrative favorite channels screen in accordance with the present invention.

5

FIG. 25 is a depiction of an illustrative set recording screen in accordance with the present invention.

FIG. 26 is a depiction of an illustrative pay-per-view movies screen in accordance with the present invention.

FIG. 27 is a depiction of an illustrative pay-per-view select start time screen in accordance with the present invention.

FIG. 28 is a depiction of an illustrative messages receiving screen in accordance with the present invention.

FIG. 29 is a depiction of an illustrative messages sending (user entered) screen in accordance with the present invention.

FIG. 30 is a depiction of an illustrative messages sending (pre-set) screen in accordance with the present invention.

FIG. 31 is a depiction of an illustrative setup screen in accordance with the present invention.

FIG. 32 is a depiction of an illustrative setup language screen in accordance with the present invention.

FIG. 33 is a depiction of an illustrative setup audio screen in accordance with the present invention.

FIG. 34 is a depiction of an illustrative Internet browser screen in accordance with the present invention.

FIG. 35 is a depiction of an illustrative shopping data entry screen in accordance with the present invention.

FIG. 36 is a depiction of an illustrative stock ticker data entry screen in accordance with the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

An illustrative program guide system 30 in accordance with the present invention is shown in FIG. 1. Main facility 32 contains a program guide database 34 for storing program guide information such as television program guide program listings data, pay-per-view ordering information, television program promotional information, etc. Information from database 34 may be transmitted to multiple television distribution facilities such as television distribution facility 38 via communications links such as communications link 40. Only one such television distribution facility 38 and one communications link 40 are shown in FIG. 1 to avoid over-complicating the drawings. Link 40 may be a satellite link, a telephone network link, a cable or fiber optic link, a microwave link, a combination of such links, or any other suitable communications path. If it is desired to transmit video signals (e.g., for advertising and promotional videos) over link 40 in addition to data signals, a relatively high bandwidth link such as a satellite link is generally preferable to a relatively low bandwidth link such as a telephone line.

Television distribution facility 38 is a facility for distributing television signals to users, such as a cable system head-end, a broadcast distribution facility, or a satellite television distribution facility or the like.

The program guide information transmitted by main facility 32 to television distribution facility 38 includes television program listings data such as program times, channels, titles, descriptions, etc. Transmitted program guide information may also include pay program data such as pricing information for individual programs and subscription channels, time windows for ordering programs and channels, telephone numbers for placing orders that cannot be impulse ordered, etc. If desired, some of the program guide and advertising information may be provided using data sources at facilities other than main facility 32. For example, data related to pay program order processing (e.g., billing data and the like) may be generated by an order processing and billing system that is separate from main facility 32 and separate from television distribution facility 38. Similarly, advertising information

6

may be generated by an advertising facility that is separate from main facility 32 and television distribution facility 38.

A server 42 may be provided in television distribution facility 38 for handling data distribution tasks and for storing local information. If desired, server 42 may be used to implement a client-server based interactive television program guide system. In such a system, client functions may be performed at user television equipment 44. Server 42 may be capable of handling text, graphics, and video.

Television distribution facility 38 distributes program guide and advertising information to the user television equipment 44 of multiple users via communications paths 46. Program guide data and other information may be distributed over an out-of-band channel on paths 46 or using any other suitable distribution technique.

Each user has a receiver, which is typically a set-top box such as set-top box 48, but which may be other suitable television equipment into which circuitry similar to set-top box circuitry has been integrated. If desired, user television equipment 44 may be an advanced television receiver or a personal computer television (PC/TV). For purposes of illustration, the present invention will generally be described in connection with user television equipment based on a set-top box arrangement. Program guide data may be distributed to set-top boxes 48 periodically and stored or may be distributed continuously and handled "on the fly," or by request. Television distribution facility 38 may poll set-top boxes 48 periodically for certain information (e.g., pay program account information or information regarding programs that have been purchased and viewed using locally-generated authorization techniques). Main facility 32 preferably contains a processor to handle information distribution tasks. Each set-top box 48 preferably contains a processor to handle tasks associated with implementing a program guide application on the set-top box 48. Television distribution facility 38 may contain a processor for tasks associated with implementing server 42 and for handling tasks associated with the distribution of program guide and other information.

Each set-top box 48 is may connected to an optional videocassette recorder 50 or other suitable recording device (e.g., digital storage device) so that selected television programs may be recorded. Each videocassette recorder 50 may be connected to a television 52. To record a program, set-top box 48 tunes to a particular channel and sends control signals to videocassette recorder 50 (e.g., using an infrared transmitter) that direct videocassette recorder 50 to start and stop recording at the appropriate times.

During use of the interactive television program guide implemented on set-top box 48, television program listings may be displayed on television 52. Each set-top box 48, videocassette recorder 50, and television 52 may be controlled by one or more remote controls 54 or any other suitable user input interface such as a wireless keyboard, mouse, trackball, dedicated set of buttons, etc.

Communications paths 46 preferably have sufficient bandwidth to allow television distribution facility 38 to distribute scheduled television programming, pay programming, advertising and other promotional videos, and other video information to set-top boxes 44 in addition to non-video program guide data. Multiple television and audio channels (analog, digital, or both analog and digital) may be provided to set-top boxes 48 via communications paths 46. If desired, program listings and other information may be distributed by one or more distribution facilities that are similar to but separate from television distribution facility 38 using communications paths that are separate from communications paths 46.

Certain functions such as pay program purchasing may require set-top boxes **48** to transmit data to television distribution facility **38** over communications paths **46**. If desired, such data may be transmitted over telephone lines or other separate communications paths. If functions such as these are provided using facilities separate from television distribution facility **38**, some of the communications involving set-top boxes **48** may be made directly with the separate facilities.

The present invention involves the distribution of user program guide settings to multiple program guide locations within a household. Such a household may contain multiple pieces of user television equipment. A program guide may be implemented on each piece of user television equipment. An illustrative process for distributing such settings is shown in FIG. **2**. At step **500**, a first program guide provides the user with an opportunity to adjust program guide settings (e.g., program guide settings for user profiles, favorites, parental controls, reminders, recording options, pay-per-view options, message options, or other setup functions). At step **510**, the system coordinates the operation of the multiple interactive television program guides so that the program guide settings that were adjusted with the first interactive television program guide are effective on a second interactive television program guide and may be used by that second interactive television program guide.

The steps of FIG. **2** are preferably performed using program guides as the program guides implemented on set-top boxes **48** of FIG. **1**. Certain program guide functions (particularly the display of graphics or videos) may involve the use of resources located at main facility **32** and television distribution facility **38** and other such facilities. If desired, some of the steps of FIG. **2** may be performed using an application running on set-top boxes **48** other than the interactive program guide. For clarity, the principles of the invention are described in the context of an arrangement in which the set-top-based steps of FIG. **2** are performed primarily using an interactive television program guide.

FIGS. **3**, **4a**, **4b**, **4c**, **5**, and **6** show various illustrative topologies for configuring multiple program guides within a household.

FIG. **3** shows an illustrative arrangement for interconnecting various user television equipment devices in accordance with the present invention. Primary user television equipment **60** may be connected to secondary user television equipment **61**, secondary user television equipment **62**, and secondary user television equipment **63** via communication paths **64**. Communications paths **64** may be any suitable communications path for in-home network, such as twisted pair lines, Ethernet links, fiber optics, power lines, radio-frequency (RF) links, infrared (IR) and links other wireless links, firewire (IEEE 1394) paths, dedicated cables, etc. As shown, one or more pieces of secondary user television equipment may be connected to primary user television equipment **60** in a star configuration if desired. User television equipment devices are typically located in different rooms within home **65**. For example, primary user television equipment **60** may be placed in the parents' bedroom, secondary user television equipment **61** may be placed in the children's room, secondary user television equipment **62** may be placed in a living room, and secondary user television equipment **63** may be placed in a guest room. With such an arrangement, the parents' bedroom may be used as a master location to adjust user settings for the program guides on the user television equipment in the children's room and the other rooms.

FIG. **4a** shows an illustrative tree configuration in which each piece of user television equipment is interconnected with another along a single path. User television equipment

66, **67**, **68**, and **69** of FIG. **4** are connected to each of the others via communications paths **70**. Communications paths **70** may be any suitable communications path for in-home network, such as twisted pair lines, Ethernet links, fiber optics, power lines, radio-frequency (RF) links, infrared (IR) and links other wireless links, firewire (IEEE 1394) paths, dedicated cables, etc. Two or more pieces of user television equipment may be connected in this way. The equipment mentioned above may be placed in various rooms within home **65**. For example, user television equipment **66** may be placed in a parents' bedroom, user television equipment **67** may be placed in a children's room, user television equipment **68** may be placed in a living room, user television equipment **69** may be placed in a guest room. With the arrangement of FIG. **4a**, each piece of user television equipment in home **65** may communicate with each other piece of user television equipment in home **65** over communications paths **70**. FIG. **4a** shows the system connected in a tree topology. If desired, this level of interconnectivity may be achieved using communications paths that are arranged in a ring configuration (FIG. **4b**), bus configuration (FIG. **4c**) or other suitable topology. Any of these topologies may use the types of communications paths described in connection with the arrangement of FIG. **4a**.

FIG. **5** shows an illustrative configuration based on a client-server architecture. Server **80** may be connected to user television equipment **81**, **82**, and **83** via communication paths **85**. Equipment **81**, **82**, and **83** and server **80** may be placed in various rooms within home **65**. For example, server **80** may be placed in a den, user television equipment **81** may be placed in a children's room, user television equipment may be placed in a living room, user television equipment **83** may be placed in a parents' room. Communication paths **85** may be any in-home network suitable to transmit video, audio and data, such as dedicated cable fiber optics, firewire links, RF links, etc. As, in the examples of FIGS. **4a**, **4b**, and **4c**, different communications path arrangements such as buses, rings and the like, may be used to interconnect user television equipment based on a client-server architecture.

FIG. **6** shows an illustrative configuration based on a single set-top box. Set-top box **90** is connected to optional videocassette recorders **91** and televisions **94**, **96**, and **98** via communication paths **99**. Optional videocassette recorder **91** is in turn connected to television **92**. If desired, any combination of televisions with or without videocassette recorders and televisions may be connected in a similar manner. The set-top box, videocassette recorders and televisions of FIG. **6** may be placed in rooms within home **65**. For example, set top box **90**, videocassette recorder **91** and television **92** may be placed in a parent's bedroom, television **94** may be placed in a children's room, and television **96** may be placed in a living room, and television **98** may be placed in a guest room. Communication paths **99** may be any in-home network paths suitable for transmitting video, audio and data, such as, dedicated cable, fiber optics or firewire links.

FIGS. **7a**, **7b**, **7c**, **8**, and **9** show illustrative configurations for the connection between the home and the television distribution facility. Only one user television equipment device is shown in the households in FIGS. **7a**, **7b**, **7c**, **8**, and **9** to avoid over-complicating the drawings. However, each household **65**, **101**, **102**, **103**, **104**, **401**, and **402** in FIGS. **7a**, **7b**, **7c**, **8**, and **9** may contain multiple pieces of user television equipment configured as shown in FIG. **3**, **4a**, **4b**, **4c**, **5**, or **6**.

FIG. **7a** shows an illustrative configuration in which multiple homes are handled by a common server. Server **105** may be located at central facility **100**. Central facility **100** may be a private home, a commercial building, a network node, or

other suitable structure that may be connected to a plurality of homes. In the example of FIG. 7a, server 105 is connected to user television equipment 106, 107, 108, and 109 that is located in homes 101, 102, 103, and 104, respectively via communication paths 700. When multiple user television equipment devices exist within a home as shown by devices 109a and 109b, each user television equipment device may communicate with the server 105 independently via communication paths 700, alternatively only one device may communicate while the other communicates via a home network. In other words, in alternative arrangements, there are either 1) multiple connections to an outside server and each user television equipment device communicates with the server independently with no need for an in-home network, or, 2) only one connection to an outside server and each user television device communicates with each other through an in-home network.

As shown in FIG. 7b, the capabilities of server 42 (FIG. 1) may be provided using servers 56 located at network nodes 58. Servers such as servers 56 may be used instead of server 42 or may be used in conjunction with a server 42 located at television distribution facility 38.

Graphics information for messages, advertisements and the like may be downloaded periodically (e.g., once per day) to set-top boxes 48 of FIG. 1 and stored locally. The graphics information may be accessed locally when needed by the program guides implemented on set-top boxes 48. Graphics information may also be provided in a continuously-looped arrangement on one or more digital channels on paths 46. With such a continuously-looped arrangement, a map indicating the location of the latest graphics information may be downloaded periodically to set-top boxes 48 (e.g., once per day) or continuously. This allows the content on the digital channels to be updated. The program guides on set-top boxes 48 may use the map to locate desired graphics information on the digital channels. Another approach involves using a server such as server 42 or servers 56 (FIG. 7b) to provide the graphics information after a set-top box 48 and that server have negotiated to set up a download operation. A bitmap or other suitable set of graphics information may then be downloaded from the server to the set-top box. If desired, the server may download instructions informing the set-top box where the desired graphics information can be located on a particular digital channel. The graphics information can be updated periodically if the server that is responsible for downloading the instructions for informing the set-top box of the location of the graphics information is also updated periodically.

Text information for messages, advertisements and the like may be provided to set-top boxes 48 using the same paths that are used for distributing program guide data. For example, advertising data from database 36 of FIG. 1 may be provided to set-top boxes 48 using link 40, television distribution facility 38, and paths 46. The text information may be stored locally in set-top boxes 48 and updated periodically (e.g., once per day).

Text information, graphics information, and videos for messages, advertisements and the like may also be distributed using a combination of these techniques or any other suitable technique.

As shown in FIG. 7c, when a household has more than one home, the user television equipment in each home may be connected by modem link or other suitable link for transferring data between homes. For example, user television equipment 403 may be connected to user television equipment 404 via link 405. Link 405 may use internal or external modems, cable modems or other communications devices suitable for

transmitting audio, video, and text data. In this manner, home 401 and home 402 may share program guide settings.

As shown in FIG. 7d, when a household has more than one home, the user television equipment in each home may be connected via an outside server. For example, user television equipment 413 may be connected to user television equipment 414 via server 410. Communication paths 415 may use internal or external modems, cable modems or other communications devices suitable for transmitting audio, video, and text data. In this manner, home 411 and home 412 may share program guide settings.

FIG. 8 shows an illustrative configuration in which a server is connected to the home via the Internet. Set top boxes 122 are connected to the Internet 110 or other suitable data network in real time using real-time communications devices 121. Videocassette recorders 123 may be connected between set-top boxes 122 and televisions 124. Real-time communications devices 121 may be any devices suitable for maintaining a constant open connection with network 110, such as internal or external modems, cable modem, or the like. The network used to connect homes to television distribution facility 38 may be any network suitable for distributing video and audio data such as the Internet. Network 110 is connected to television distribution facility 38 by communications link 115 and is connected to real-time communications device 121 by communications links 120.

FIG. 9 shows an illustrative configuration in which user television equipment is linked to a server outside the home via an occasional return path. Set top box 132 is connected to occasional return path communications device 130 and videocassette recorder 134. Videocassette recorder 134 may be connected to television 136. Occasional return path communications device 130 may be any device suitable for connecting set-top box 132 to a server for the transfer of video and audio data, such as an internal or external modem, cable modem, or the like. Occasional return path communications device 130 server 42 which may or may not be connected to television distribution facility 38 using a communications path 131. Communications path 131 may be, for example, a telephone link or other non-dedicated communications path suitable for providing an occasional return path to home 65 from server 42.

FIG. 10 shows illustrative components for user television equipment 44 (FIG. 1). In the arrangement of FIG. 10, set top box 48 is connected to data input device 140. Data input device 140 may be a keyboard, keypad, or any device suitable for inputting text (wired or wireless), audio or video. Videocassette recorder 50 is connected to set-top box 48 and television 52. Remote control 54 is used to control the operation of set-top box 48, videocassette recorder 50, and television 52.

Further aspects of the invention are described in detail below. For clarity, the principles of the invention described below are described in the context of the device configuration shown in FIG. 3 and the steps illustrated of FIG. 2, except where noted. However, the principles of the present invention also apply to configurations such as those shown in FIGS. 4-9. Also, the foregoing description is merely illustrative of the principles of this invention and various modifications can be made by those skilled in the art without departing from the scope and spirit of the invention.

In any of the above arrangements, an interactive television program guide on each user television equipment device may provide various features for displaying television program listings information for the user and for providing various program guide functions such as parental control, favorites, pay-per-view purchasing, etc. For example, if the user presses

the appropriate buttons on remote control **54**, the user may be presented with a time-ordered or channel-ordered grid or table of television program listings or other such programming information.

With one suitable approach, the user may select one of the user television equipment devices to be a master or primary device. Adjusting the program guide settings of the master device controls these settings for all other devices in the household. For example, with the arrangement of FIG. **3**, the user may set primary user television equipment **60** to be the master device. Primary user television equipment **60** may be located in the parents' bedroom. This allows the head of the household to control the program guide settings for all of the program guides in the household from a single location.

The system may provide the user with an opportunity to assign a master device, such as user television equipment **60**, that will coordinate its program guide settings with other devices such as secondary user television equipment **61**, **62**, and **63**. The system also provides the user with an opportunity to assign secondary devices.

One suitable way in which the system may allow the user to assign devices as primary (master) and secondaries is for at least one of the program guides (e.g., the program guide running on set-top box **60**) to provide an assign locations screen such as assign locations screen **160** of FIG. **11**. Screen **160** may be accessed, for example, by first accessing main screen **170** of FIG. **12** (by pressing, e.g., a suitable key on remote control **54**). After accessing screen **170**, the user can use remote control **54** to move highlight region **177** to the setup option **179** and select setup option **179** by pressing a select key, enter key, "OK" key, or other such key (sometimes referred to herein as simply an enter key) on remote control **54**.

Selecting setup option **179** directs the program guide to display a setup screen such as setup screen **310** of FIG. **31**. The user can select assign location option **316** on setup screen **310** by moving highlight region **312** and pressing the enter key. Selecting assign location option **316** directs the program guide to display assign locations screen **160** of FIG. **11**. The user can then move highlight region **162** to set B option **165**. Selecting option **165**, directs the program guide to provide the user with an opportunity to enter a name to assign to set B. For example, the user may use data input device **140** or remote control **54** to enter letters **164** associated with the selected name. The program guide may use such user-defined device names when the relationship between devices is set up. For example, the user may designate the "parents room" location as a master location and may designate the "children's room" location as a slave location.

The names of locations may be pre-set by a service provider and simply assigned by the user. Alternately the user (or an installation technician), may have the ability to assign locations from the home. The location name may be chosen from a list as above or typed in by the user (or an installation technician.)

In the alternative arrangement shown in FIG. **4**, each piece of user television equipment **66**, **67**, **68**, and **69** is a peer. The user can assign names to each such user television equipment device in much the same way that names may be assigned to the secondary devices in the FIG. **3** arrangement.

As shown in FIG. **14**, at step **1000**, the program guide may provide the user with an opportunity to select the devices or locations for which the user desires to adjust settings. Step **1000** may, for example, involve providing a screen such as select location screen **400** of FIG. **13**. At step **1001** of FIG. **14**, after the user has made a selection by moving highlight region **155** (FIG. **13**) to the desired device (e.g., parents' room option

154) and pressed the enter key, the program guide sets the selected locations. The guide may also default to a particular location based on the type of setting that is changed. (e.g., if a setting for the recording of a program is changed, the guide may default to location with a videocassette recorder.) The guide may default to any combination of locations based on the type of setting that is changed. There are also "other factors" that may be used by the guide to determine at which location the settings will be effective. These include: the current location of the user making the adjustment, whether a location to be adjusted is currently being used, the state of other settings, etc. At step **1002**, the program guide may return to a menu (e.g., menu **170** in FIG. **12**).

The program guide may allow a unique number to be assigned to a user so that he or she is able to access his or her program guide settings at a location outside the home. For example, a user may visit a neighbors home to housesit while the neighbor is out of town. This user has the ability to log on to the program guide at the neighbors home and access his or her personal program guide settings.

The program guide may allow the user to set parental controls to prevent children from viewing potentially inappropriate material. At step **1010** of FIG. **17**, for example, the program guide may provide the user with an opportunity to access main screen **170** of FIG. **12**. On Main screen **170**, the user may use remote control **54** to move highlight region **177** to the parental control option **176** and select that option by pressing the enter key.

At step **1011** of FIG. **17**, after the user has entered a pre-selected password **211** (FIG. **15**) on enter password screen **210** of FIG. **15**, the program guide checks the password. If the wrong password was provided at step **1013**, then the user is shown invalid password screen **212** of FIG. **15** and is denied access to parental control screen **190** of FIG. **16** at step **1014** of FIG. **17**, and may be returned to main menu screen **170** of FIG. **12**. If the user has provided a valid password at step **1012**, the program guide provides various options at step **1015**. At step **1015**, the user can access parental control screen **190** of FIG. **16** and may use remote control **54** to navigate between options such as set channels option **191**, set maximum rating option **193**, and monitor viewing option **195**. The user may navigate to set channels screen **200** of FIG. **18a** by selecting set channels option **191** at step **1016** of FIG. **17** by moving the highlight region **192** and pressing select.

If the user selects set channels option **191** at step **1016**, at step **1020** the program guide provides the user with an opportunity to set which channels are to be blocked. The user may block specific channels using remote control **54** to scroll through and select from channel options **201**, **202**, **203**, and **204** of FIG. **18a**. For example, the user may move highlight region **207** to channel option **201** (which may be an adult channel). The user can then toggle between blocking and not blocking the channel by pressing the enter key on remote control **54**.

In screen **200** of FIG. **18a**, a blocked channel is represented by an X. The user can choose to apply the parental controls selected in screen **200** of FIG. **18a** to all locations by selecting apply to all option **205**, choose to apply to the current location by selecting current location option **209**, or can choose to apply the controls to a specific location or locations by selecting the select locations option **206** from the option provided by the program guide, at step **1024** of FIG. **17**. The guide may apply the settings to a default location or to a location determined by other factors as described above.

FIG. **18b** shows an illustrative parental controls set channels screen **208** that may be used when it is desired to hide controlled channels rather than merely blocking them. When

the user chooses to hide the channels, the blocked channels do not appear on any of the program listings display screens provided by the program guide.

The user may also navigate to a set maximum ratings screen by choosing set maximum rating option **193** of FIG. **16**, at step **1017** of FIG. **17**, by moving a highlight region and pressing select. At step **1021** of FIG. **17**, the user may then set a maximum rating allowed for viewing in a manner similar to the set channels option. For example, the user may move a highlight region to a set maximum rating option (which may be TV-MA), then the user can enter his selected maximum using remote control **54**. Next, the user can choose to apply the adjustments to all locations by selecting an apply to all option or may opt to apply the adjustments to a specific location or locations by selecting a select locations option from the options provided by the program guide, at step **1024** of FIG. **17**. The guide may apply the settings to a default location or to a location determined by other factors as described above.

The user may navigate to monitor viewing screen **230** of FIG. **19** by choosing the monitor viewing option **195** of FIG. **16** (step **1019** of FIG. **17**) by moving highlight region **192** to the monitor viewing option **195** and pressing enter.

At step **1023** of FIG. **17**, the program guide at the user's location may then, in one alternative, provide the user with monitor viewing screen **230**, which shows the channel that each location is currently viewing or an overlay such as a banner or small information box that shows the channels that the other locations are viewing, but that also allows the user to continue watching programming at the user's location. The program guide at the user's location may poll the program guides at other locations within the household to determine whether anyone is currently viewing television and to which channels they are tuned. The monitor viewing screen may also allow the viewing of video, audio, or still images associated with the channel being viewed at another location. For example, the video of the remote location may be shown in a small box on the screen while the current channel's video is in the background.

The guide may allow the user to change the channel of a remote location. For example, a user in the parents' room may notice that the television in the children's room is tuned to a program the child should not be watching. The user may change the channel without physically-going into the child's room.

The guide may also allow a level of privacy to be set for a location so that location cannot be monitored. For example, if guests are visiting a household the monitor feature may be disallowed in the parents' room.

Other parental control features that may be distributed to remote locations within a household include: blocking channels by title, blocking channels by time, blocking channels by content (language, nudity, etc.), blocking the ability to use a feature (e.g., reminders), blocking the ability to set and clear pin numbers, ability to temporarily disable parental controls (e.g., disabling parental controls while the child is at school), and the ability to set pin numbers for individual locations or for the entire household. Additionally, the guide may have the ability to use multiple sets of parental control settings profiles. For example, the user may create a late night profile of parental controls and day time profile of parental controls. The guide then allows the user to designate which parental controls profile to use and when to use it.

Another feature that may be provided by the program guide is a reminders feature, which may be accessed by selecting reminders option **178** from the menu of main screen **170** of FIG. **12**. The reminders feature allows the user to set a

reminder for a television program that the user wishes to watch at a later time. Just before the television program for which a reminder has been set is to be broadcast, a reminder message is displayed on the user's television screen. Reminders may also be provided that direct the program guide to automatically tune the user's set-top box to the program specified in the reminder. Reminders may also provide the user with an on-screen reminder when a selected program begins and may allow the user to manually tune to the selected channel.

A family reminders option may be provided that operates similarly to the reminders functions described above and which allows reminders to be set for a family, which may be accessed by selecting family reminders option **184** from the menu of main screen **170** of FIG. **12**. For example, in FIG. **7a** server **105** at central facility **100** may store many family reminder settings (or other settings) for individual homes. The program guides in a particular home or household may also provide the ability to adjust favorites settings, parental control settings, reminder settings and the like. These settings may be named and associated with a viewing location, an entire home, or a group of homes.

A series reminder option may be provided that allows users to set reminders for program series. Series reminders are described in Knudson et al. U.S. patent application Ser. No. 09/330,792, filed Jun. 11, 1999, which is hereby incorporated by reference herein in its entirety.

An illustrative example of using the reminders feature is as follows. If a user at one of the program guide locations within the household presses an appropriate button (e.g., the enter button) after having used a browse feature (i.e., a pop-up program listing display **256**) to navigate to a program listing **257** for "Holiday Entertaining" as shown in screen **255** of FIG. **20**, the program guide at that location may present the user with set reminder screen **350** of FIG. **21**. Set reminder screen **350** allows the user to choose to set a reminder for the selected program **352** (Holiday Entertaining) by selecting yes option **354** with highlight region **356** shown at step **1030** of FIG. **23**. If the user selects no option **358**, set reminder screen **350** is canceled. If set reminder screen **350** is not canceled, the user select the program guide locations (i.e., the locations of the various user television equipment devices within the household) to which the adjustments are to be applied by selecting apply to all option **205**, current location option **209**, or by selecting the select locations option **206** (step **1031**, FIG. **23**) and interacting with various sub-menus listing the available locations from which to choose. Set reminder screen **350** and other such screens in the program guide may use either a full-screen or partial-screen display format. After the user selects the program guide locations to which the reminders are to be applied, the program guide at the user's location communicates with the program guides at the user-selected locations. During this communication process, the program guide at the user's location directs the other program guides to set reminders for display at their locations just before the scheduled broadcast time of the program. If desired, the program guide at the user's location can communicate with the program guides at the selected locations using other suitable techniques. For example, the program guide at the user's location may issue instructions to the program guides at the selected locations just before the scheduled broadcast time of the program for which the reminder was set that causes those program guides to display a reminder message at that time. These approaches are merely illustrative. Any other suitable approach for communicating the reminders settings or any other program guide settings from the

program guide at the user's location to the other program guides may be used if desired.

A short time before the scheduled broadcast time of the program for which a reminder has been set, the program guide at each selected location may display a reminder display region **361** on the television screen **360** at that location (Step **1032**; FIG. **23**), as shown in FIG. **22**. Reminder display region **361** may be displayed as a partial screen overlay over the currently displayed television channel (e.g., channel **9**). In the example of FIG. **22**, two reminders were set for the 10:00 AM time slot. As a result, reminder display region **361** contains program listings for both selected programs. A user at any of the program guide locations in which the reminder is displayed may automatically tune to one of the selected programs by moving highlight region **362** from hide reminders option **363** to program listing **364** or program listing **365**. When the user at that location presses the select button, the set-top box **48** at that location tunes to the channel of the selected program (step **1033**, FIG. **23**). If the user selects hide reminders option **363**, reminder display region **361** is hidden from view. Additionally, reminders may be set to automatically tune to a particular channel without accessing a reminder display region. For example, a parent would have the ability to insure that the children's television automatically tunes to an educational program by setting a reminder for that program.

In addition to the opportunity to set reminders, the user may be provided the opportunity to create profiles to customize the viewing experience, which may be accessed by selecting profiles option **183** from the menu of main screen **170** of FIG. **12**. For example, if desired, the program guides may allow each user to establish a profile of settings and other criteria as described, for example, in commonly-assigned Ellis et al. U.S. patent application Ser. No. 09/034,934, filed Mar. 4, 1998, which is hereby incorporated by reference herein in its entirety. With such an approach, users may establish profiles of preferences such as their favorite channels, preferred genres of programming (sports, comedy, etc.), favorite actors, desired or required ratings, etc. In accordance with the present invention, one of the program guides may provide the user with an opportunity to apply this profile to all locations or to apply such settings to a specific program guide location or locations. The guide may apply the profile to a default location or to a location determined by other factors as described above.

The user may also be provided the opportunity to set favorite channels. The program guide at the user's location may display a menu such as the menu of main screen **170** of FIG. **12**. The user may then use remote control **54** to navigate to the favorites option **175** using remote control **54** and pressing the enter button.

Once the user chooses favorites option **175**, the program guide at the user's location may present the user with a favorite channels screen such as favorite channels screen **250** of FIG. **24**. The user may move highlight region **207** to a channel such as channel option **251** of screen **250** (which may be a local news channel), channel option **252** of screen **250**, channel option **253** of screen **250**, or channel option **254** of screen **250**. The user can then toggle between selecting and not selecting that channel by pressing the enter key on remote control **54**. In the example of FIG. **24**, a favorite channel is represented by an X. Next, the user can choose to apply the selected favorites settings to various other program guide locations by selecting apply to all option **205**, apply to select locations option **206**, or apply to current location **209**. If the user chooses the apply to select locations option **206**, the program guide at the user's location provides the user with

menu screens from which to select the desired locations to which the favorites settings are to be applied. The desired locations may be set by default or other factors as described above. A parent may want to prevent children from even seeing the titles of objectionable programming.

The user may be provided with an opportunity to select programs for recording at a later time. For example, if the user presses an appropriate button (e.g., a "record" button) after having used a browse feature to navigate to a program listing for "Holiday Entertaining" as shown in FIG. **20**, the program guide at the user's location may present the user with a set recording screen such as set recording screen **270** of FIG. **25**. Set recording screen **270** allows the user to set a selected program **274** (Holiday Entertaining) for recording by the program guide by selecting yes option **272** with highlight region **271**. If the user selects no option **273**, set recording screen **270** is canceled.

If a household has only one videocassette recorder **50**, there will only be one location that will make all recordings, regardless of which location the recordings are set from. If there are multiple videocassette recorders, the user may be presented with select location screen **400** of FIG. **13** after selecting the yes option **272**, that provides the user with an opportunity to select the location that will make the recording. If desired multiple locations may be selected. The guide may choose which VCR is used based on which VCR is busy or based on other factors.

At the scheduled broadcast time of the program to be recorded, the program guide at each selected location causes videocassette recorder **50** to begin recording. After the scheduled completion of the broadcast of the recorded program, each program guide causes its videocassette recorder **50** to stop recording. The guides may cause videocassette recorders **50** to stop and start recording by sending an IR signal to the videocassette recorders IR input or by, any other suitable method for transmitting a signal to a videocassette recorder.

A series recording option may also be provided that allows users to record program series. Series recording is described in the above-mentioned Knudson et al. U.S. patent application Ser. No. 09/330,792, filed Jun. 11, 1999.

Another example of a program guide feature that benefits from coordination between multiple program guide devices in a household is pay-per-view ordering.

The user may be provided with an opportunity to order pay-per-view programming with a program guide display screen such as main screen **170** of FIG. **12**. The user may use remote control **54** to select the pay-per-view by time option **181**.

The user may select a program to order from a screen such as pay-per-view screen **290** of FIG. **26** using remote control **54** to navigate through program options. For example, the user may move highlight region **291** to program listing **292** (which may be for the movie "Volcano" scheduled to be aired at 10:00 PM). The user may then select the program by pressing the enter button on remote control **54**. Pay-per-view ordering screens such as pay-per-view ordering screen **370** of FIG. **27** may be used to allow the user to view information on channel **371** on which the program is scheduled to be broadcast, rating **377**, price **378** (shown illustratively as involving a surcharge for availability at additional locations within the household), and various available broadcast times **373**, **374**, and **376**. A cancel option **372** allows the user to cancel pay-per-view ordering. The user may select cancel option **372** or a given broadcast time **373**, **374**, or **376** by placing highlight region **375** on top of the desired option and pressing enter. The user may choose to make the selected program available to various locations within the household by selecting the select

locations option **206**. Alternatively, the guide may make the program available to a default location or to a location determined by other factors as described above.

The program guide system may support a messages option, which may be accessed by selecting messages option **174** from the menu of main screen **170** of FIG. **12**. Messages may be sent from the service provider at television distribution facility **38** (FIG. **1**) and may relate, e.g., to billing matters, general concerns, service issues, etc. Messages may be sent to the main facility or other locations by the Internet or electronic messages or other suitable means. Messages may appear on the television screen of television **52** when received. The appearance may, for example, be in a text box at the bottom of the screen. The user may be provided a list of messages that may be viewed and choose one to view. An indicator may also appear showing that unread messages exist. A messages receiving screen such as messages receiving screen **300** of FIG. **28** may be provided that allows, the user to navigate through a table relating various locations with various types of messaging. For example, the user may move highlight region **301** to the option relating to messages of the billing type for the children's room location. By hitting the enter key the user may toggle between turning such messages on and off. If, in this example, messages are turned on, the children's room would receive billing messages. If messages are turned off, the children's room would not receive billing messages.

A user may have the ability to send text, audio, graphics or video messages between locations. On Messages sending screen **340** of FIG. **29**, the user may use data input device **140** (FIG. **10**) to type a text message in the message entry section **343**. Alternately the user may enter audio messages through, for example, using a microphone as a data input device or video with a camera device. The user can select which location to send the message to by moving highlight region **341** to location option **342** (which may be the children's room). For example, a parent in the downstairs master bedroom may send a message telling the child in the upstairs bedroom to come down for dinner or to do their homework. [[If desired,]] Messages sending screen **379** of FIG. **30** may provide the user with an opportunity to select from pre-existing text messages **380**. Pre-existing messages **380** may have been previously stored by a user or pre-set by the manufacturer. Messages may be transmitted between program guides at different locations within the household using any suitable communications technique such as e-mail protocols or any method described in connection with the above discussion of various topologies.

The program guide system may also provide the user with an opportunity to set device control options. For example, the user may access main screen **170** of FIG. **12**, and use remote control **54** to choose the setup option **179** by using the remote control **54** to scroll to the setup option **179** and pressing the enter button. The user can then select audio option **312** on setup screen **310** of FIG. **31** by moving highlight region **313** and pressing the enter button. Next, on the setup audio screen **330** of FIG. **33**, the user may move highlight region **332** to set volume option **331**. The user may use remote control **54** to adjust the volume upwards or downwards. For example, parents may wish to turn down the volume on the kids television. The user may choose to apply the adjustments made on screen **330** to all locations by selecting apply to all option **205**, to the current location by selecting apply to current location option **209**, or may choose to apply adjustments to a specific location or locations by selecting the select locations option **206**.

Alternatively, the guide may apply the settings to a default location or to a location determined by other factors as described above.

Other device options, such as, video option **314** and closed-captioning (CC) option **315** may be set from screen **310** of FIG. **31**. After the user has chosen a location to which the settings may be applied, the user may name the location by selecting name location option **317**.

Another program guide option that may be coordinated within the household is an option for selecting languages. From setup screen **310** of FIG. **31**, the user may also select language option **311** by moving highlight region **313** and pressing the enter button. On setup language screen **320** of FIG. **32** or other such screen, the user may move highlight region **321** to select a language (which may be German). The user may use remote control **54** to select the chosen language. The user may choose to apply the adjustments to all locations by selecting apply to all option **205**, choose to apply adjustments to a specific location or locations by selecting the select locations option **206**, or choose to apply to the current location by selecting current location option **209**. Alternatively, the guide may apply the settings to a default location or to a location determined by other factors as described above. The selected language may be used by the program guide when displaying program guide screens that contain text or audio, as described in Ellis et al. U.S. patent application Ser. No. 09/354,602, filed concurrently herewith, which is hereby incorporated by reference herein in its entirety.

Data files may be used to transmit program guide settings. When a particular program guide retrieves program guide settings adjustments for the user, this data may be transmitted to the central facility or to another program guide via the return path in a two-way cable link, via modem link, or via any other suitable communications path. The settings may be stored at a server or on any one of the program guides in a household. For example, in the configuration of FIG. **3**, program guide settings adjustments collected at secondary user television equipment **61**, may be stored at primary user television equipment **60**. Similarly, set top box **90** of FIG. **6** may store program guide settings for televisions **92**, **94**, **96**, and **98**. In the configuration of FIGS. **4a**, **4b**, and **4c**, program guide settings adjustments collected at user television equipment **66** may be stored at any one of user television equipment devices **66**, **67**, **68**, or **69**. In the configuration of FIGS. **7a** and **7b**, program guide settings that are shared such as family reminders may be stored on any one of servers **56**, server **105**, or server **42**. Program guide settings may be transmitted periodically or when a data transfer is requested by a particular piece of user television equipment or the central facility. Certain communications protocols may be particularly suitable for certain topologies of user television equipment devices. For example, if the user television equipment devices are arranged in a ring topology, a token ring communications protocol may be used to interconnect the program guides. A bus protocol may be used for a bus topology, etc.

An advantage of using an in home network is sharing of data among devices within the home. For example, a listing may be stored on only one device, freeing space for other settings to be stored on other devices.

Messaging information may be transmitted to or from the central facility via the return path in a two-way cable link, via modem link, or via any other suitable communications path. The type of message may determine where the message is stored. Messages sent by the central facility may generally be stored at the central facility. Messages generated by a user may be stored at the user television equipment that stores the user's other program guide settings.

The discussion thus far has focused on implementing the invention with an interactive television program guide. The invention may also be applied to non-program-guide applications. These non-program-guide applications run on user television equipment such as a set-top box. For example, an Internet browser may be run on a set-top box connected to a television. Internet application settings can be coordinated among televisions and/or set-top boxes within a household in the same way that program guide settings are coordinated among program guides in the house.

One non-program-guide application that may be implemented in accordance with the present invention is an Internet browser. An Internet browser may have settings such as bookmarks, parental control settings, and general preferences that control how the browser functions. As shown in FIG. 34, a browser application screen 700, may have a bookmark option 705. After adding a bookmark, the system allows the bookmark and other settings to be effective on other locations in the household. For example, a user may select bookmark option 705 and add a bookmark (i.e., a record of the address of the current web site that can be used to access the site). Through a network, in accordance with the present invention, the application can make the bookmark effective on other locations in the household. Accordingly, the user can choose to apply settings adjustments to all locations by selecting an apply to all option or may opt to apply the adjustments to a specific location or locations by selecting a select locations option from the options provided by the program guide. The guide may apply the settings to a default location or to a location determined by other factors as described above.

Another application that may be implemented in accordance with the present invention is a shopping application. A shopping application may have settings such as a default shipping address, and credit card number. As shown in FIG. 35, a shopping application screen 730, has settings such as a shipping address 720, and credit card number 725. After adding a shipping and credit card information, the system allows the shipping address, credit card number and other settings to be effective on other locations in the household. For example, a user can add a shipping address. Through a network, in accordance with the present invention, the application can make the shipping address effective on other locations in the household. Accordingly, the user can choose to apply settings adjustments to all locations by selecting an apply to all option or may opt to apply the adjustments to a specific location or locations by selecting a select locations option from the options provided by the program guide. The guide may apply the settings to a default location or to a location determined by other factors as described above.

Another non-program-guide application that may be implemented on user television equipment and coordinated with other such applications in accordance with the present invention is a stock ticker. A stock ticker may have settings such as settings indicating the top 10 stocks in which the user is interested. As shown in FIG. 36, a stock ticker settings screen 710 has a ticker symbol 712 and a top 10 stocks option 715. For example, a user may add a top stock. Then, through a network, in accordance with the present invention, the application can make the top 10 stock settings effective on other locations in the household. Accordingly, the user can choose to apply the adjustments to all locations by selecting an apply to all option or may opt to apply the adjustments to a specific location or locations by selecting a select locations option from the options provided by the program guide. The guide may apply the settings to a default location or to a location determined by other factors as described above.

A chat application may be implemented on user television equipment such as a set top box. Chat applications are services that allow users to exchange chat messages with other users in real time. A chat application may be implemented as a stand-alone chat application or as part of another application such as a program guide application. A user may adjust settings associated with a chat application such as the size of a chat window or whether to filter potentially offensive messages. Chat applications that may be implemented on user television equipment are described in McKissick et al. U.S. patent application Ser. No. 09/356,270, filed concurrently herewith, which is hereby incorporated by reference herein in its entirety. After the user adjusts chat settings, the user can choose to apply the chat settings adjustments to all locations by selecting an apply to all option or may opt to apply the adjustments to a specific location or locations by selecting a select locations option. Settings may be coordinated between the chat applications using options provided by the chat application. The chat application may apply the settings to a default location or to a location determined by other factors as described above.

If desired, the settings of an e-mail application running on different user television equipment devices in the household may be coordinated. When the user adjusts the e-mail settings associated with one user television equipment device, the system coordinates the operation of the other e-mail applications so that the adjusted e-mail settings may be used by the other e-mail applications.

The foregoing is merely illustrative of the principles of this invention and various modifications can be made by those skilled in the art without departing from the scope and spirit of the invention.

What is claimed is:

1. A method for viewing a program, the method comprising:
 - generating a display of a video associated with a program at a first equipment device coupled to a second equipment device, wherein the video generated for display at the first equipment device is transmitted concurrently to a plurality of equipment devices while the video is generated for display at the first equipment device;
 - transmitting, independently of receiving user input at the first equipment device, an identification of the program, from the first equipment device to the second equipment device, while the video associated with the program is generated for display at the first equipment device, wherein the second equipment device is configured to:
 - receive the identification of the program from the first equipment device;
 - receive, independently of the first equipment device, a user input that requests to view the identified program using the second equipment device; and
 - generate a display of the video associated with the program in response to receiving the user input.
2. The method of claim 1, wherein the identification identifies the first equipment device.
3. The method of claim 1, further comprising:
 - receiving an instruction from the second equipment device to change the video associated with the program generated for display by the first equipment device; and
 - changing the video associated with the program generated for display by the first equipment device in response to receiving the instruction.
4. The method of claim 3, wherein changing further comprises tuning the first equipment device away from the channel of the program.

21

5. The method of claim 3, wherein changing further comprises turning off the first equipment device.

6. The method of claim 1, further comprising:
determining whether the second equipment device is authorized to monitor the first equipment device; and
generating a display of the video associated with the program in response to determining that the second equipment device is authorized to monitor the first equipment device.

7. The method of claim 6, further comprising:
receiving authorization information from the second equipment device;
verifying the authorization information; and
generating a display of the video associated with the program in response to verifying the authorization information.

8. The method of claim 7, wherein the authorization information comprises a password.

9. The method of claim 1, wherein a first interactive program guide implemented on the first equipment device transmits the identification of the program to a second interactive program guide implemented on the second equipment device.

10. The method of claim 1 further comprising:
receiving, at the first equipment device, a communication from the second equipment device requesting identification of the program generated for display on the first equipment device, and
transmitting the identification of the program, from the first equipment device to the second equipment device, in response to receiving the communication.

11. The method of claim 1, wherein the second equipment device generates a display of the identification of the program received from the first equipment device.

12. The method of claim 1, wherein an interactive program guide implemented on the second equipment device generates a display of the received identification as an overlay over another program currently being viewed using the second equipment device.

13. A method for identifying a program generated for display on another equipment device, the method comprising:

generating a display of a video associated with a program at a first equipment device coupled to a second equipment device, wherein the video generated for display at the first equipment device is transmitted concurrently to a plurality of equipment devices while the video is generated for display at the first equipment device, wherein the second equipment device is configured to:

receive, independently of the first equipment device, a user input that requests to identify the program corresponding to the video generated for display at the first equipment device;

cause the first equipment device to transmit, independently of receiving user input at the first equipment device, while the video associated with the program is generated for display at the first equipment device, identification information for the program corresponding to the video generated for display at the first equipment device to the second equipment device; and

generate a display of the identification information for the program corresponding to the video generated for display at the first equipment device on the second equipment device in response to receiving the identification information.

14. The method of claim 13, wherein the second equipment device is further configured to generate the display of identification information by generating a display of at least one of

22

the channel, title, and rating of the video associated with the program generated for display.

15. The method of claim 13, further comprising:
receiving an instruction from the second equipment device to change the video associated with the program generated for display by the first equipment device; and
changing the video associated with the program generated for display by the first equipment device in response to receiving the instruction.

16. The method of claim 15, wherein changing further comprises tuning the first equipment device away from the channel of the program.

17. The method of claim 15, wherein changing further comprises turning off the first equipment device.

18. The method of claim 13, further comprising:
determining whether the second equipment device is authorized to monitor the first equipment device, wherein the display of the identification information is generated in response to determining that the second equipment device is authorized to monitor the first equipment device.

19. The method of claim 18, further comprising:
receiving authorization information from the second equipment device; and
verifying the authorization information, wherein the display of the identification information is generated in response to verifying the authorization information.

20. The method of claim 19, wherein the authorization information comprises a password.

21. A system for viewing a program, the system comprising:

a first equipment device configured to:

generate, at the first equipment device, a display of a video associated with a program, wherein the first equipment device is coupled to a second equipment device, wherein the video generated for display at the first equipment device is transmitted concurrently to a plurality of equipment devices while the video is generated for display at the first equipment device; and
transmit, independently of receiving user input at the first equipment device, an identification of the program to the second equipment device while the video associated with the program is generated for display at the first equipment device, wherein the second equipment device is configured to:

receive, independently of the first equipment device, a user input that requests to view the identified program on the second equipment device; and
generate a display of the video associated with the program in response to receiving the user input.

22. The system of claim 21, wherein the second equipment device is further configured to provide an indication that the first equipment device is generating a display of the video associated with the program.

23. The system of claim 22, wherein the indication identifies the first equipment device.

24. The system of claim 21, wherein the first equipment device is further configured to:

receive an instruction from the second equipment device to change the video associated with the program generated for display by the first equipment device; and
change the video associated with the program generated for display by the first equipment device in response to receiving the instruction.

25. The system of claim 24, wherein the second equipment device is further configured to instruct a tuner to tune the first equipment device away from the channel of the program.

23

26. The system of claim 24, wherein the second equipment device is further configured to turn off the first equipment device.

27. The system of claim 21, wherein the first equipment device is further configured to:

determine whether the second equipment device is authorized to monitor the first equipment device; and
authorize the second equipment device to generate a display of the video associated with the program in response to determining that the second equipment device is authorized to monitor the first equipment device.

28. The system of claim 27, wherein the first equipment device is further configured to:

receive authorization information from the second equipment device;
verify the authorization information; and
authorize the second equipment device to generate a display of the video associated with the program in response to verifying the authorization information.

29. The system of claim 28, wherein the authorization information comprises a password.

30. The system of claim 21, wherein a first interactive program guide implemented on the first equipment device transmits the identification of the program to a second interactive program guide implemented on the second equipment device.

31. The system of claim 21, wherein the first equipment device is further configured to:

receive a communication from the second equipment device requesting identification of the program generated for display on the first equipment device, and
transmit the identification of the program in response to receiving the communication.

32. The system of claim 21, wherein the second equipment device is further configured to generate a display of the identification of the program received from the first equipment device.

33. The system of claim 21, wherein an interactive program guide implemented on the second equipment device generates a display of the received identification as an overlay over another program currently being viewed using the second equipment device.

34. A system for identifying a program generated for display on another equipment device, the system comprising:
a first equipment device configured to:

generate a display of a video associated with a program, wherein the first equipment device is coupled to a second equipment device, wherein the video generated for display at the first equipment device is transmitted concurrently to a plurality of equipment devices while the video is generated for display at the first equipment device;

receive a request to identify the program corresponding to the video generated for display at the first equipment device from the second equipment device, wherein the second equipment device receives a user input that requests to identify the program independently of the first equipment device; and

responsive to receiving the request to identify the program from the second equipment device, transmit, independently of receiving user input at the first equipment device, to the second equipment device, while the video associated with the program is generated for display at the first equipment device, identification information for the program corresponding to the video generated for display at the first equipment

24

device, wherein the second equipment device is configured to generate a display of the identification information for the program corresponding to the video generated for display at the first equipment device in response to receiving the identification information.

35. The system of claim 34, wherein the identification information further comprises at least one of the channel, title, and rating of the video associated with the program generated for display.

36. The system of claim 34, wherein the first equipment device is further configured to:

receive an instruction from the second equipment device to change the video associated with the program generated for display by the first equipment device; and
change the video associated with the program generated for display by the first equipment device in response to receiving the instruction.

37. The system of claim 36, wherein the second equipment device is further configured to instruct a tuner to tune the first equipment device away from the channel of the program.

38. The system of claim 36, wherein the second equipment device is further configured to turn off the first equipment device.

39. The system of claim 34, wherein:

the first equipment device is further configured to determine whether the second equipment device is authorized to monitor the first equipment device; and
the second equipment device is further configured to generate the display of the identification information in response to the first equipment device determining that the second equipment device is authorized to monitor the first equipment device.

40. The system of claim 39, wherein:

the first equipment device is further configured to:
receive authorization information from the second equipment device; and
verify the authorization information; and
the second equipment device is further configured to generate the display of the identification information in response to the first equipment device verifying the authorization information.

41. The system of claim 40, wherein the authorization information comprises a password.

42. A method for viewing a program, the method comprising:

generating a display of a video associated with a program at a first equipment device coupled to a second equipment device;

transmitting, independently of receiving user input at the first equipment device, an identification of the program, from the first equipment device to the second equipment device, while the video associated with the program is generated for display at the first equipment device, wherein the second equipment device is configured to:
receive the identification of the program from the first equipment device;

receive, independently of the first equipment device, a user input that requests to view the identified program using the second equipment device; and

generate a display of the video associated with the program in response to receiving the user input, wherein the first equipment device is located in a home, and wherein the identification of the program is received by the second equipment device at a remote location not in the home.

25

43. A system for viewing a program, the system comprising:
 a first equipment device configured to:
 generate, at the first equipment device, a display of a video associated with a program, wherein the first equipment device is coupled to a second equipment device; and
 transmit, independently of receiving user input at the first equipment device, an identification of the program to the second equipment device while the video associated with the program is generated for display at the first equipment device; wherein the second equipment device is configured to:
 receive, independently of the first equipment device, a user input that requests to view the identified program on the second equipment device; and
 generate a display of the video associated with the program in response to receiving the user input, wherein the first equipment device is located in a home, and wherein the identification of the program is received by the second equipment device at a remote location not in the home.
44. A method for identifying a program generated for display on another equipment device, the method comprising:
 generating a display of a video associated with a program at a first equipment device coupled to a second equipment device, wherein the second equipment device is configured to:
 receive, independently of the first equipment device, a user input that requests to identify the program corresponding to the video generated for display at the first equipment device;
 receive from the first equipment device, independently of receiving user input at the first equipment device, while the video associated with the program is generated for display at the first equipment device, identification information for the program corresponding to the video generated for display at the first equipment device with the second equipment device; and
 generate a display of the identification information for the program corresponding to the video generated for display at the first equipment device on the second equipment device in response to receiving the identification information, wherein the first equipment device is located in a home, and wherein the identification is transmitted responsive to the first equipment device receiving a request to transmit the identification from a remote location not in the home.
45. A system for identifying a program generated for display on another equipment device, the system comprising:
 a first equipment device configured to:
 generate a display of a video associated with a program, wherein the first equipment device is coupled to a second equipment device;

26

- receive a request to identify the program corresponding to the video generated for display at the first equipment device from the second equipment device, wherein the second equipment device receives a user input that requests to identify the program independently of the first equipment device; and
 transmit, independently of receiving user input at the first equipment device, to the second equipment device, while the video associated with the program is generated for display at the first equipment device, identification information for the program corresponding to the video generated for display at the first equipment device, wherein the second equipment device is configured to generate a display of the identification information for the program corresponding to the video generated for display at the first equipment device in response to receiving the identification information, wherein the first equipment device is located in a home, and wherein the identification is transmitted responsive to the first equipment device receiving a request to transmit the identification from a remote location not in the home.
46. A method comprising:
 generating, at a first equipment device, a display of a video associated with a program, wherein the first equipment device is coupled to a second equipment device, wherein the video generated for display at the first equipment device is transmitted concurrently to a plurality of equipment devices while the video is generated for display at the first equipment device;
 receiving, at the first equipment device from a second equipment device, a request to identify the program corresponding to the video generated for display at the first equipment device, wherein the second equipment device receives a user input that requests to identify the program independently of the first equipment device; and
 responsive to receiving the request to identify the program from the second equipment device, transmitting to the second equipment device, independently of receiving user input at the first equipment device, while the video associated with the program is generated for display at the first equipment device, identification information for the program corresponding to the video generated for display at the first equipment device, wherein the second equipment device is configured to generate a display of the identification information for the program corresponding to the video generated for display at the first equipment device in response to receiving the identification information.

* * * * *