



US009239821B2

(12) **United States Patent**  
**Sikchi et al.**

(10) **Patent No.:** **US 9,239,821 B2**  
(45) **Date of Patent:** **Jan. 19, 2016**

(54) **TRANSLATION FILE**

(71) Applicant: **Microsoft Technology Licensing, LLC**,  
Redmond, WA (US)  
(72) Inventors: **Prakash Sikchi**, Issaquah, WA (US);  
**Evgeny N. Veselov**, Sammamish, WA  
(US); **Stephen J. Mooney**, Seattle, WA  
(US)

(73) Assignee: **Microsoft Technology Licensing, LLC**,  
Redmond, WA (US)

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **14/530,237**

(22) Filed: **Oct. 31, 2014**

(65) **Prior Publication Data**

US 2015/0052424 A1 Feb. 19, 2015

**Related U.S. Application Data**

(63) Continuation of application No. 12/028,651, filed on  
Feb. 8, 2008, now Pat. No. 8,892,993, which is a  
continuation of application No. 10/632,297, filed on  
Aug. 1, 2003, now Pat. No. 7,406,660.

(51) **Int. Cl.**  
**G06F 17/00** (2006.01)  
**G06F 17/22** (2006.01)  
(Continued)

(52) **U.S. Cl.**  
CPC ..... **G06F 17/2247** (2013.01); **G06F 17/2264**  
(2013.01); **G06F 17/24** (2013.01); **G06F**  
**17/2725** (2013.01)

(58) **Field of Classification Search**  
CPC ..... G06F 17/30917; G06F 17/2264; G06F  
17/243; G06F 17/2725  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,804,878 A 9/1957 Fishwood et al.  
3,091,077 A 5/1963 Erickson et al.

(Continued)

FOREIGN PATENT DOCUMENTS

AU 2006200285 9/2006  
AU 2006200483 10/2006

(Continued)

OTHER PUBLICATIONS

Supplemental Notice of Allowance in U.S. Appl. No. 12/061,613,  
mailed Nov. 17, 2014, 2 pgs.

(Continued)


*Primary Examiner* — Laurie Ries

(74) *Attorney, Agent, or Firm* — Julie Kane Akhter; Danielle  
Johnston Holmes; Micky Minhas

(57) **ABSTRACT**

A data processing application uses a translation file to render  
a visual surface based on underlying structured data. The data  
processing application provides mapping between nodes  
associated with the visual surface and nodes associated with  
the structured data. The mapping is generated in two phases.  
In a first phase, the data processing application adds mapping  
functions to the translation file. In the second phase, the data  
processing application renders the visual surface on the basis  
of a specific instance of the structured data, and, in the pro-  
cess, executes the mapping functions within the translation  
file to provide specific pointer information that is embedded  
amongst the nodes associated with the visual surface. The  
pointer information points back to specific locations in the  
structured data, thus providing mapping between the visual  
surface and the structured data. The structured data can be  
formed using Extensible Markup Language (XML). The  
visual surface can be formed using Hypertext Markup Lan-  
guage (HTML). The translation file can be formed using  
Extensible Stylesheet Language Transformation (XSLT).

**20 Claims, 13 Drawing Sheets**



(51)	<b>Int. Cl.</b>		5,390,325 A	2/1995	Miller
	<b>G06F 17/27</b>	(2006.01)	5,396,623 A	3/1995	McCall et al.
	<b>G06F 17/24</b>	(2006.01)	5,408,665 A	4/1995	Fitzgerald
			5,410,646 A	4/1995	Tondevold et al.
			5,410,688 A	4/1995	Williams et al.
(56)	<b>References Cited</b>		5,412,772 A	5/1995	Monson
	<b>U.S. PATENT DOCUMENTS</b>		5,428,738 A	6/1995	Carter et al.
			5,434,965 A	7/1995	Matheny et al.
			5,434,975 A	7/1995	Allen
			5,436,637 A	7/1995	Gayraud et al.
			5,438,659 A	8/1995	Notess et al.
			5,440,744 A	8/1995	Jacobson et al.
			5,446,842 A	8/1995	Schaeffer et al.
			5,455,875 A	10/1995	Chevion et al.
			5,456,582 A	10/1995	Firnhaber et al.
			5,459,865 A	10/1995	Heninger et al.
			5,463,726 A	10/1995	Price
			5,481,722 A	1/1996	Skinner
			5,497,489 A	3/1996	Menne
			5,504,898 A	4/1996	Klein
			5,511,116 A	4/1996	Shastry et al.
			5,517,655 A	5/1996	Collins et al.
			5,523,775 A	6/1996	Capps
			5,535,389 A	7/1996	Elder et al.
			5,537,596 A	7/1996	Yu et al.
			5,540,558 A	7/1996	Harden et al.
			5,542,070 A	7/1996	LeBlanc et al.
			5,548,745 A	8/1996	Egan et al.
			5,550,976 A	8/1996	Henderson et al.
			5,551,035 A	8/1996	Arnold et al.
			5,555,325 A	9/1996	Burger
			5,556,271 A	9/1996	Zuercher et al.
			5,566,330 A	10/1996	Sheffield
			5,572,643 A	11/1996	Judson
			5,572,648 A	11/1996	Bibayan
			5,577,252 A	11/1996	Nelson et al.
			5,581,686 A	12/1996	Koppolu et al.
			5,581,760 A	12/1996	Atkinson et al.
			5,600,789 A	2/1997	Parker et al.
			5,602,996 A	2/1997	Powers, III et al.
			5,608,720 A	3/1997	Biegel et al.
			5,612,719 A	3/1997	Beernink et al.
			5,613,837 A	3/1997	Konishi et al.
			5,625,783 A	4/1997	Ezekiel et al.
			5,627,979 A	5/1997	Chang et al.
			5,630,126 A	5/1997	Redpath
			5,630,706 A	5/1997	Yang
			5,634,113 A	5/1997	Rusterholz
			5,634,121 A	5/1997	Tracz et al.
			5,634,124 A	5/1997	Khoyi et al.
			5,640,544 A	6/1997	Onodera et al.
			5,644,738 A	7/1997	Goldman et al.
			5,644,739 A	7/1997	Moursund
			5,649,099 A	7/1997	Theimer et al.
			5,655,887 A	8/1997	Chou
			5,659,729 A	8/1997	Nielsen
			5,664,133 A	9/1997	Malamud et al.
			5,664,178 A	9/1997	Sinofsky
			5,664,938 A	9/1997	Yang
			5,668,966 A	9/1997	Ono et al.
			5,669,005 A	9/1997	Curbow et al.
			5,681,151 A	10/1997	Wood
			5,682,536 A	10/1997	Atkinson et al.
			5,689,667 A	11/1997	Kurtenbach
			5,689,703 A	11/1997	Atkinson et al.
			5,692,540 A	12/1997	Huang
			5,704,029 A	12/1997	Wright, Jr.
			5,706,501 A	1/1998	Horikiri et al.
			5,717,939 A	2/1998	Bricklin et al.
			5,720,016 A	2/1998	Egashira
			5,721,824 A	2/1998	Taylor
			5,727,129 A	3/1998	Barrett et al.
			5,734,380 A	3/1998	Adams et al.
			5,740,439 A	4/1998	Atkinson et al.
			5,740,455 A	4/1998	Pavley et al.
			5,742,504 A	4/1998	Meyer et al.
			5,742,795 A	4/1998	Kussel
			5,745,683 A	4/1998	Lee et al.
			5,745,712 A	4/1998	Turpin et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

5,748,807 A	5/1998	Lopresti et al.	5,991,710 A	11/1999	Papineni et al.
5,758,184 A	5/1998	Lucovsky et al.	5,991,731 A	11/1999	Colon et al.
5,758,358 A	5/1998	Ebbo	5,991,877 A	11/1999	Luckenbaugh
5,761,408 A	6/1998	Kolawa et al.	5,995,103 A	11/1999	Ashe
5,761,683 A	6/1998	Logan et al.	5,999,740 A	12/1999	Rowley
5,764,984 A	6/1998	Loucks	6,005,570 A	12/1999	Gayraud et al.
5,764,985 A	6/1998	Smale	6,006,227 A	12/1999	Freeman et al.
5,778,372 A	7/1998	Cordell et al.	6,006,241 A	12/1999	Purnaveja et al.
5,778,402 A	7/1998	Gipson	6,012,066 A	1/2000	Discount et al.
5,784,555 A	7/1998	Stone	6,014,135 A	1/2000	Fernandes
5,785,081 A	7/1998	Krawczyk et al.	6,016,520 A	1/2000	Facq et al.
5,787,274 A	7/1998	Agrawal et al.	6,018,743 A	1/2000	Xu
5,790,796 A	8/1998	Sadowsky	6,021,403 A	2/2000	Horvitz et al.
5,796,403 A	8/1998	Adams et al.	6,026,379 A	2/2000	Haller et al.
5,798,757 A	8/1998	Smith	6,026,416 A	2/2000	Kanerva et al.
5,799,311 A	8/1998	Agrawal et al.	6,031,989 A	2/2000	Cordell et al.
5,801,701 A	9/1998	Koppolu et al.	6,035,297 A	3/2000	Van Huben et al.
5,801,702 A	9/1998	Dolan et al.	6,035,309 A	3/2000	Dauerer et al.
5,802,304 A	9/1998	Stone	6,035,336 A	3/2000	Lu et al.
5,802,530 A	9/1998	Van Hoff	6,044,205 A	3/2000	Reed et al.
5,803,715 A	9/1998	Kitchener	6,052,531 A	4/2000	Waldin et al.
5,805,165 A	9/1998	Thorne et al.	6,052,710 A	4/2000	Saliba et al.
5,805,824 A	9/1998	Kappe	6,054,987 A	4/2000	Richardson
5,806,079 A	9/1998	Rivette et al.	6,057,837 A	5/2000	Hatakeda et al.
5,815,138 A	9/1998	Tsubaki et al.	6,058,413 A	5/2000	Flores et al.
5,815,830 A	9/1998	Anthony	6,065,043 A	5/2000	Domenikos et al.
5,818,444 A	10/1998	Alimpich et al.	6,069,626 A	5/2000	Cline et al.
5,819,034 A	10/1998	Joseph et al.	6,070,184 A	5/2000	Blount et al.
5,825,359 A	10/1998	Derby et al.	6,072,870 A	6/2000	Nguyen et al.
5,826,031 A	10/1998	Nielsen	6,078,326 A	6/2000	Kilmer et al.
5,826,265 A	10/1998	Van Huben et al.	6,078,327 A	6/2000	Liman et al.
5,835,777 A	11/1998	Staelin	6,078,924 A	6/2000	Ainsbury et al.
5,838,906 A	11/1998	Doyle et al.	6,081,610 A	6/2000	Dwork et al.
5,842,018 A	11/1998	Atkinson et al.	6,084,585 A	7/2000	Kraft et al.
5,845,077 A	12/1998	Fawcett	6,085,227 A	7/2000	Kraft et al.
5,845,090 A	12/1998	Collins, III et al.	6,088,679 A	7/2000	Barkley
5,845,122 A	12/1998	Nielsen et al.	6,088,708 A	7/2000	Burch et al.
5,845,299 A	12/1998	Arora et al.	6,091,417 A	7/2000	Lefkowitz
5,854,630 A	12/1998	Nielsen	6,094,657 A	7/2000	Hailpern et al.
5,859,973 A	1/1999	Carpenter et al.	6,096,096 A	8/2000	Murphy et al.
5,862,372 A	1/1999	Morris et al.	6,097,382 A	8/2000	Rosen et al.
5,862,379 A	1/1999	Rubin et al.	6,098,081 A	8/2000	Heidorn et al.
5,864,819 A	1/1999	De Armas et al.	6,101,512 A	8/2000	DeRose et al.
5,870,735 A	2/1999	Agrawal et al.	6,105,012 A	8/2000	Chang et al.
5,873,088 A	2/1999	Hayashi et al.	6,106,570 A	8/2000	Mizuhara
5,875,815 A	3/1999	Ungerecht et al.	6,108,637 A	8/2000	Blumenau
5,898,434 A	4/1999	Small et al.	6,108,783 A	8/2000	Krawczyk et al.
5,905,492 A	5/1999	Straub et al.	6,115,044 A	9/2000	Alimpich et al.
5,907,621 A	5/1999	Bachman et al.	6,115,646 A	9/2000	Fizzman et al.
5,907,704 A	5/1999	Gudmundson et al.	6,121,965 A	9/2000	Kenney et al.
5,910,895 A	6/1999	Proskauer et al.	6,122,647 A	9/2000	Horowitz et al.
5,911,776 A	6/1999	Guck	6,144,969 A	11/2000	Inokuchi et al.
5,915,112 A	6/1999	Boutcher	6,151,624 A	11/2000	Teare et al.
5,919,247 A	7/1999	Van Hoff et al.	6,154,128 A	11/2000	Wookev et al.
5,922,072 A	7/1999	Hutchinson et al.	6,161,107 A	12/2000	Stern
5,926,796 A	7/1999	Walker et al.	6,163,772 A	12/2000	Kramer et al.
5,928,363 A	7/1999	Ruvolo	6,167,521 A	12/2000	Smith et al.
5,929,858 A	7/1999	Shibata et al.	6,167,523 A	12/2000	Strang
RE36,281 E	8/1999	Zuercher et al.	6,178,551 B1	1/2001	Sana et al.
5,940,075 A	8/1999	Mutschler, III et al.	6,182,094 B1	1/2001	Humpleman et al.
5,947,711 A	9/1999	Myers et al.	6,182,095 B1	1/2001	Leymaster et al.
5,950,010 A	9/1999	Hesse et al.	6,188,401 B1	2/2001	Peyer
5,950,221 A	9/1999	Draves et al.	6,191,797 B1	2/2001	Politis
5,953,731 A	9/1999	Glaser	6,192,367 B1	2/2001	Hawley et al.
5,956,481 A	9/1999	Walsh et al.	6,195,661 B1	2/2001	Filepp et al.
5,960,199 A	9/1999	Brodsky et al.	6,199,204 B1	3/2001	Donohue
5,960,411 A	9/1999	Hartman et al.	6,209,128 B1	3/2001	Gerard et al.
5,963,208 A	10/1999	Dolan et al.	6,216,152 B1	4/2001	Wong et al.
5,963,964 A	10/1999	Nielsen	6,219,423 B1	4/2001	Davis
5,973,696 A	10/1999	Agranat et al.	6,219,698 B1	4/2001	Iannucci et al.
5,974,454 A	10/1999	Apfel et al.	6,225,996 B1	5/2001	Gibb et al.
5,982,370 A	11/1999	Kamper	6,235,027 B1	5/2001	Herzon
5,983,348 A	11/1999	Ji	6,243,088 B1	6/2001	McCormack et al.
5,986,657 A	11/1999	Berteig et al.	6,247,016 B1	6/2001	Rastogi et al.
5,987,480 A	11/1999	Donohue et al.	6,253,366 B1	6/2001	Mutschler, III
			6,253,374 B1	6/2001	Dresevie et al.
			6,263,313 B1	7/2001	Milsted et al.
			6,266,810 B1	7/2001	Tanaka et al.
			6,268,852 B1	7/2001	Lindhorst et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

6,271,862	B1	8/2001	Yu	6,449,617	B1	9/2002	Quinn et al.
6,272,506	B1	8/2001	Bell	6,457,009	B1	9/2002	Bollay
6,275,227	B1	8/2001	DeStefano	6,460,058	B2	10/2002	Koppolu
6,275,575	B1	8/2001	Wu	6,463,419	B1	10/2002	Kluss
6,275,599	B1	8/2001	Adler et al.	6,470,349	B1	10/2002	Heninger et al.
6,279,042	B1	8/2001	Ouchi	6,473,800	B1	10/2002	Jerger et al.
6,281,896	B1	8/2001	Alimpich et al.	6,476,828	B1	11/2002	Burkett et al.
6,282,709	B1	8/2001	Reha et al.	6,476,833	B1	11/2002	Moshfeghi
6,282,711	B1	8/2001	Halpern et al.	6,476,834	B1	11/2002	Doval et al.
6,286,033	B1	9/2001	Kishinsky et al.	6,477,544	B1	11/2002	Bolosky et al.
6,286,130	B1	9/2001	Poulsen et al.	6,480,860	B1	11/2002	Monday
6,292,897	B1	9/2001	Gennaro et al.	6,487,566	B1	11/2002	Sundaresan
6,292,941	B1	9/2001	Jollands	6,490,601	B1	12/2002	Markus et al.
6,297,819	B1	10/2001	Furst	6,493,006	B1	12/2002	Gourdol et al.
6,300,948	B1	10/2001	Geller et al.	6,493,007	B1	12/2002	Pang
6,307,955	B1	10/2001	Zank et al.	6,493,702	B1	12/2002	Adar et al.
6,308,179	B1	10/2001	Petersen et al.	6,496,203	B1	12/2002	Beaumont et al.
6,308,273	B1	10/2001	Goertzel et al.	6,501,864	B1	12/2002	Eguchi et al.
6,311,221	B1	10/2001	Raz et al.	6,502,101	B1	12/2002	Verprauskus et al.
6,311,271	B1	10/2001	Gennaro et al.	6,502,103	B1	12/2002	Frey et al.
6,314,415	B1	11/2001	Mukherjee	6,505,200	B1	1/2003	Ims et al.
6,321,259	B1	11/2001	Ouellette et al.	6,505,230	B1	1/2003	Mohan
6,321,334	B1	11/2001	Jerger et al.	6,505,300	B2	1/2003	Chan et al.
6,327,628	B1	12/2001	Anuff et al.	6,505,344	B1	1/2003	Blais et al.
6,331,864	B1	12/2001	Coco et al.	6,507,856	B1	1/2003	Chen et al.
6,336,214	B1	1/2002	Sundaresan	6,513,154	B1	1/2003	Porterfield
6,336,797	B1	1/2002	Kazakis et al.	6,516,322	B1	2/2003	Meredith
6,342,907	B1	1/2002	Petty et al.	6,519,617	B1	2/2003	Wanderski et al.
6,343,149	B1	1/2002	Motoiwa	6,523,027	B1	2/2003	Underwood
6,343,302	B1	1/2002	Graham	6,529,909	B1	3/2003	Bowman-Amuah
6,343,377	B1	1/2002	Gessner et al.	6,535,229	B1	3/2003	Kraft
6,344,862	B1	2/2002	Williams et al.	6,535,883	B1	3/2003	Lee et al.
6,345,256	B1	2/2002	Milsted et al.	6,539,464	B1	3/2003	Getov
6,345,278	B1	2/2002	Hitchcock et al.	RE38,070	E	4/2003	Spies et al.
6,345,361	B1	2/2002	Jerger et al.	6,546,546	B1	4/2003	Van Doorn
6,347,323	B1	2/2002	Garber et al.	6,546,554	B1	4/2003	Schmidt et al.
6,349,408	B1	2/2002	Smith	6,549,221	B1	4/2003	Brown et al.
6,351,574	B1	2/2002	Yair et al.	6,549,878	B1	4/2003	Lowry et al.
6,353,851	B1	3/2002	Anupam et al.	6,549,922	B1	4/2003	Srivastava et al.
6,353,926	B1	3/2002	Parthesarathy et al.	6,553,402	B1	4/2003	Makarios et al.
6,356,906	B1	3/2002	Lippert et al.	6,559,966	B1	5/2003	Laverty et al.
6,357,038	B1	3/2002	Scouten	6,560,616	B1	5/2003	Garber
6,366,907	B1	4/2002	Fanning et al.	6,560,620	B1	5/2003	Chinq
6,366,912	B1	4/2002	Wallent et al.	6,560,640	B2	5/2003	Smethers
6,367,013	B1	4/2002	Bisbee et al.	6,563,514	B1	5/2003	Samar
6,369,840	B1	4/2002	Barnett et al.	6,571,253	B1	5/2003	Thompson et al.
6,369,841	B1	4/2002	Salomon et al.	6,574,655	B1	6/2003	Libert et al.
6,374,402	B1	4/2002	Schmeidler et al.	6,578,144	B1	6/2003	Gennaro et al.
6,381,742	B2	4/2002	Forbes et al.	6,580,440	B1	6/2003	Wagner et al.
6,381,743	B1	4/2002	Mutschier, III	6,581,061	B2	6/2003	Graham
6,385,767	B1	5/2002	Ziebell	6,584,469	B1	6/2003	Chiang et al.
6,389,434	B1	5/2002	Rivette et al.	6,584,548	B1	6/2003	Bourne et al.
6,393,442	B1	5/2002	Cromarty et al.	6,585,778	B1	7/2003	Hind et al.
6,393,456	B1	5/2002	Ambler et al.	6,589,290	B1	7/2003	Maxwell et al.
6,393,469	B1	5/2002	Dozier et al.	6,594,686	B1	7/2003	Edwards et al.
6,396,488	B1	5/2002	Simmons et al.	6,598,219	B1	7/2003	Lau
6,397,264	B1	5/2002	Stasnick et al.	6,603,489	B1	8/2003	Edlund et al.
6,401,077	B1	6/2002	Godden et al.	6,604,099	B1	8/2003	Chung et al.
6,405,221	B1	6/2002	Levine et al.	6,604,238	B1	8/2003	Lim et al.
6,405,238	B1	6/2002	Votipka	6,606,606	B2	8/2003	Star
6,408,311	B1	6/2002	Baisley et al.	6,609,200	B2	8/2003	Anderson et al.
6,414,700	B1	7/2002	Kurtenbach et al.	6,611,812	B2	8/2003	Hurtado et al.
6,421,070	B1	7/2002	Ramos et al.	6,611,822	B1	8/2003	Beams et al.
6,421,656	B1	7/2002	Cheng et al.	6,611,840	B1	8/2003	Baer et al.
6,421,777	B1	7/2002	Pierre-Louis	6,611,843	B1	8/2003	Jacobs
6,425,125	B1	7/2002	Fries et al.	6,613,098	B1	9/2003	Sorge et al.
6,427,142	B1	7/2002	Zachary et al.	6,615,276	B1	9/2003	Mastrianni et al.
6,429,885	B1	8/2002	Saib et al.	6,625,622	B1	9/2003	Henrickson et al.
6,434,563	B1	8/2002	Pasquali et al.	6,629,109	B1	9/2003	Koshisaka
6,434,564	B2	8/2002	Ebert	6,631,357	B1	10/2003	Perkowski
6,434,743	B1	8/2002	Click et al.	6,631,379	B2	10/2003	Cox
6,442,563	B1	8/2002	Bacon et al.	6,631,497	B1	10/2003	Jamshidi et al.
6,442,583	B1	8/2002	Eilert et al.	6,631,519	B1	10/2003	Nicholson et al.
6,442,755	B1	8/2002	Lemmons et al.	6,632,251	B1	10/2003	Rutten et al.
6,446,110	B1	9/2002	Lection et al.	6,633,315	B1	10/2003	Sobeski et al.
				6,635,089	B1	10/2003	Burkett et al.
				6,636,242	B2	10/2003	Bowman-Amuah
				6,636,845	B2	10/2003	Chau et al.
				6,640,249	B1	10/2003	Bowman-Amuah

(56)

## References Cited

## U.S. PATENT DOCUMENTS

6,643,633	B2	11/2003	Chau et al.	6,901,403	B1	5/2005	Bata et al.
6,643,652	B2	11/2003	Helgeson et al.	6,915,294	B1	7/2005	Singh et al.
6,643,684	B1	11/2003	Malkin et al.	6,915,454	B1	7/2005	Moore et al.
6,643,721	B1	11/2003	Sun	6,925,609	B1	8/2005	Lucke
6,651,217	B1	11/2003	Kennedy et al.	6,931,532	B1	8/2005	Davis
6,654,737	B1	11/2003	Nunez	6,941,129	B2	9/2005	Marce et al.
6,654,932	B1	11/2003	Bahrs et al.	6,941,510	B1	9/2005	Ozzie et al.
6,658,417	B1	12/2003	Stakutis et al.	6,941,511	B1	9/2005	Hind et al.
6,658,622	B1	12/2003	Aiken et al.	6,941,521	B2	9/2005	Lin et al.
6,658,652	B1	12/2003	Alexander et al.	6,948,129	B1	9/2005	Loghmani
6,661,920	B1	12/2003	Skinner	6,948,133	B2	9/2005	Haley
6,668,369	B1	12/2003	Krebs et al.	6,948,135	B1	9/2005	Ruthfield et al.
6,671,805	B1	12/2003	Brown et al.	6,950,980	B1	9/2005	Malcolm
6,675,202	B1	1/2004	Perttunen	6,950,987	B1	9/2005	Hargraves et al.
6,678,625	B1	1/2004	Reise et al.	6,957,395	B1	10/2005	Jobs et al.
6,678,717	B1	1/2004	Schneider	6,961,897	B1	11/2005	Peel, Jr. et al.
6,681,370	B2	1/2004	Gounares et al.	6,963,875	B2	11/2005	Moore et al.
6,683,600	B1	1/2004	Lui	6,968,503	B1	11/2005	Chang et al.
6,691,230	B1	2/2004	Bardon	6,968,505	B2	11/2005	Stoll et al.
6,691,281	B1	2/2004	Sorge et al.	6,993,714	B2	1/2006	Kaler et al.
6,697,944	B1	2/2004	Jones et al.	6,993,722	B1	1/2006	Greer et al.
6,701,434	B1	3/2004	Rohatgi	6,996,776	B1	2/2006	Makely et al.
6,701,486	B1	3/2004	Weber et al.	6,996,781	B1	2/2006	Myers et al.
6,704,906	B1	3/2004	Yankovich et al.	7,000,179	B2	2/2006	Yankovich et al.
6,708,172	B1	3/2004	Wong et al.	7,000,230	B1	2/2006	Murray et al.
6,710,789	B1	3/2004	Sekiguchi et al.	7,002,560	B2	2/2006	Graham
6,711,679	B1	3/2004	Guski et al.	7,003,548	B1	2/2006	Barck et al.
6,720,985	B1	4/2004	Silverbrook et al.	7,003,722	B2	2/2006	Rothchiller et al.
6,725,426	B1	4/2004	Pavlov	7,010,580	B1	3/2006	Fu et al.
6,728,755	B1	4/2004	de Ment	7,013,340	B1	3/2006	Burd et al.
6,732,102	B1	5/2004	Khandekar et al.	7,020,869	B2	3/2006	Abrari et al.
6,735,721	B1	5/2004	Morrow et al.	7,024,417	B1	4/2006	Russakovsky et al.
6,738,783	B2	5/2004	Melli et al.	7,032,170	B2	4/2006	Poulose
6,745,367	B1	6/2004	Bates et al.	7,036,072	B1	4/2006	Sulistio et al.
6,748,385	B1	6/2004	Rodkin et al.	7,039,875	B2	5/2006	Khalfay et al.
6,748,569	B1	6/2004	Brooke et al.	7,043,687	B2	5/2006	Knauss et al.
6,751,777	B2	6/2004	Bates et al.	7,043,688	B1	5/2006	Tsutsumi et al.
6,754,874	B1	6/2004	Richman	7,051,273	B1	5/2006	Holt et al.
6,757,826	B1	6/2004	Paltenghe	7,058,645	B2	6/2006	Seto et al.
6,757,868	B1	6/2004	Glaser et al.	7,058,663	B2	6/2006	Johnston et al.
6,757,890	B1	6/2004	Wallman	7,062,764	B2	6/2006	Cohen et al.
6,760,723	B2	7/2004	Oshinsky et al.	7,065,493	B1	6/2006	Homs
6,763,343	B1	7/2004	Brooke et al.	7,076,728	B2	7/2006	Davis et al.
6,766,526	B1	7/2004	Ellis	7,080,083	B2	7/2006	Kim et al.
6,772,139	B1	8/2004	Smith, III	7,080,325	B2	7/2006	Treibach-Heck et al.
6,772,165	B2	8/2004	O'Carroll	7,081,882	B2	7/2006	Sowden et al.
6,774,926	B1	8/2004	Ellis et al.	7,086,009	B2	8/2006	Resnick et al.
6,774,928	B2	8/2004	Bruzzzone	7,086,042	B2	8/2006	Abe et al.
6,779,154	B1	8/2004	Nussbaum et al.	7,088,374	B2	8/2006	David et al.
6,781,609	B1	8/2004	Barker et al.	7,092,992	B1	8/2006	Yu
6,782,144	B2	8/2004	Bellavita et al.	7,100,147	B2	8/2006	Miller et al.
6,799,299	B1	9/2004	Li et al.	7,103,611	B2	9/2006	Murthy et al.
6,801,929	B1	10/2004	Donoho et al.	7,106,888	B1	9/2006	Silverbrook et al.
6,806,892	B1	10/2004	Plow et al.	7,107,282	B1	9/2006	Yalamanchi
6,816,849	B1	11/2004	Halt, Jr.	7,107,521	B2	9/2006	Santos
6,823,478	B1	11/2004	Prologo et al.	7,107,522	B1	9/2006	Morgan et al.
6,828,992	B1	12/2004	Freeman et al.	7,107,539	B2	9/2006	Abbott et al.
6,829,745	B2	12/2004	Yassin et al.	7,120,863	B1	10/2006	Wang
6,833,925	B1	12/2004	Igoe et al.	7,124,167	B1	10/2006	Bellotti et al.
6,842,175	B1	1/2005	Schmalstieg et al.	7,124,251	B2	10/2006	Clark et al.
6,845,380	B2	1/2005	Su et al.	7,130,885	B2	10/2006	Chandra et al.
6,845,499	B2	1/2005	Srivastava et al.	7,134,083	B1	11/2006	Guerrero
6,847,387	B2	1/2005	Roth	7,143,103	B1	11/2006	Zisman et al.
6,848,078	B1	1/2005	Birsan et al.	7,143,341	B1	11/2006	Kohli
6,850,895	B2	2/2005	Brodersen et al.	7,146,564	B2	12/2006	Kim et al.
6,862,689	B2	3/2005	Bergsten et al.	7,152,027	B2	12/2006	Andrade et al.
6,871,220	B1	3/2005	Rajan et al.	7,152,205	B2	12/2006	Day et al.
6,871,345	B1	3/2005	Crow et al.	7,159,011	B1	1/2007	Knight et al.
6,874,084	B1	3/2005	Dobner et al.	7,168,035	B1	1/2007	Bell et al.
6,874,130	B1	3/2005	Baweja et al.	7,170,499	B1	1/2007	Lapstun et al.
6,874,143	B1	3/2005	Murray	7,178,166	B1	2/2007	Taylor et al.
6,876,996	B2	4/2005	Czajkowski et al.	7,190,376	B1	3/2007	Tonisson
6,883,168	B1	4/2005	James et al.	7,191,394	B1	3/2007	Ardeleanu et al.
6,885,748	B1	4/2005	Wang	7,197,515	B2	3/2007	Rivers-Moore et al.
6,889,359	B1	5/2005	Conner et al.	7,200,665	B2	4/2007	Eshghi et al.
				7,200,816	B2	4/2007	Falk et al.
				7,213,200	B2	5/2007	Abe et al.
				7,228,541	B2	6/2007	Gupton et al.
				7,234,105	B2	6/2007	Bezrukov et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

7,236,982 B2	6/2007	Zlatanov et al.	7,743,063 B2	6/2010	James et al.
7,237,114 B1	6/2007	Rosenberg	7,755,786 B2	7/2010	Foehr et al.
7,240,279 B1	7/2007	Chartier et al.	7,774,620 B1	8/2010	Stott
7,240,296 B1	7/2007	Matthews et al.	7,779,027 B2	8/2010	James
7,249,328 B1	7/2007	Davis	7,809,698 B1	10/2010	Salz et al.
7,251,777 B1	7/2007	Valtchev et al.	7,818,677 B2	10/2010	Ruthfield
7,269,664 B2	9/2007	Hutsch et al.	7,865,477 B2	1/2011	Larcheveque et al.
7,269,788 B2	9/2007	Gharavy	7,900,134 B2	3/2011	Ardeleanu
7,272,789 B2	9/2007	O'Brien	7,904,801 B2	3/2011	Catorcini et al.
7,272,815 B1	9/2007	Eldridge	7,913,159 B2	3/2011	Larcheveque
7,275,216 B2	9/2007	Paoli et al.	7,925,621 B2	4/2011	Sikchi
7,281,018 B1	10/2007	Begun et al.	7,934,098 B1	4/2011	Hahn et al.
7,281,206 B2	10/2007	Schnelle et al.	7,937,651 B2	5/2011	Kelkar et al.
7,281,245 B2	10/2007	Reynar et al.	7,971,139 B2	6/2011	Stanciu
7,284,208 B2	10/2007	Matthews	7,979,856 B2	7/2011	Murray
7,284,239 B1	10/2007	Young et al.	8,001,459 B2	8/2011	Rivers-Moore et al.
7,287,218 B1	10/2007	Knotz et al.	8,010,515 B2	8/2011	Mirzad
7,293,268 B2	11/2007	Masuda et al.	8,074,217 B2	12/2011	James
7,295,336 B2	11/2007	Yoshida et al.	8,078,960 B2	12/2011	Chaleki
7,296,017 B2	11/2007	Larcheveque et al.	8,117,552 B2	2/2012	Paoli
7,305,613 B2	12/2007	Oezgen	8,200,975 B2	6/2012	O'Connor
7,308,646 B1	12/2007	Cohen et al.	8,429,522 B2	4/2013	Stanciu et al.
7,313,757 B2	12/2007	Bradley et al.	8,487,879 B2	7/2013	Kim et al.
7,313,758 B2	12/2007	Kozlov	8,819,072 B1	8/2014	Croicu et al.
7,316,003 B1	1/2008	Dulepet et al.	8,892,993 B2	11/2014	Sikchi et al.
7,318,237 B2	1/2008	Moriconi et al.	8,918,729 B2	12/2014	Fortini et al.
7,334,187 B1	2/2008	Stanciu et al.	2001/0003828 A1	6/2001	Peterson et al.
7,337,391 B2	2/2008	Clarke et al.	2001/0007109 A1	7/2001	Lange
7,337,392 B2	2/2008	Lue	2001/0013947 A1	8/2001	Van Der Linden et al.
7,346,610 B2	3/2008	Ruthfield et al.	2001/0016880 A1	8/2001	Cai et al.
7,346,840 B1	3/2008	Ravishankar et al.	2001/0022592 A1	9/2001	Alimpich et al.
7,346,848 B1	3/2008	Ruthfield et al.	2001/0024195 A1	9/2001	Hayakawa
7,350,141 B2	3/2008	Kotler et al.	2001/0027472 A1	10/2001	Guan
7,360,171 B2	4/2008	Ruthfield et al.	2001/0037345 A1	11/2001	Kieman et al.
7,370,066 B1	5/2008	Sikchi et al.	2001/0044850 A1	11/2001	Raz et al.
7,373,595 B2	5/2008	Jones et al.	2001/0047372 A1	11/2001	Gorelik et al.
7,376,673 B1	5/2008	Chalecki et al.	2001/0051907 A1	12/2001	Kumar et al.
7,392,522 B2	6/2008	Murray	2001/0051928 A1	12/2001	Brody
7,406,660 B1	7/2008	Sikchi et al.	2001/0052121 A1	12/2001	Masuda et al.
7,412,649 B2	8/2008	Emek et al.	2001/0054004 A1	12/2001	Powers
7,424,671 B2	9/2008	Elza et al.	2001/0056411 A1	12/2001	Lindskog et al.
7,428,699 B1	9/2008	Kane et al.	2001/0056429 A1	12/2001	Moore et al.
7,430,711 B2	9/2008	Rivers-Moore et al.	2001/0056460 A1	12/2001	Sahota et al.
7,441,200 B2	10/2008	Savage	2002/0010700 A1	1/2002	Wotring
7,451,392 B1	11/2008	Chalecki et al.	2002/0010743 A1	1/2002	Ryan et al.
7,490,109 B1	2/2009	Sikchi et al.	2002/0010746 A1	1/2002	Jilk et al.
7,490,167 B2	2/2009	Pena et al.	2002/0010855 A1	1/2002	Reshef et al.
7,496,632 B2	2/2009	Chapman et al.	2002/0013788 A1	1/2002	Pennell et al.
7,496,837 B1	2/2009	Larcheveque et al.	2002/0019812 A1	2/2002	Board et al.
7,512,896 B2	3/2009	Rockey et al.	2002/0019941 A1	2/2002	Chan et al.
7,516,145 B2	4/2009	Sikchi et al.	2002/0023111 A1	2/2002	Arora et al.
7,516,399 B2	4/2009	Hsu et al.	2002/0023113 A1	2/2002	Hsing et al.
7,533,268 B1	5/2009	Catorcini	2002/0026356 A1	2/2002	Bergh et al.
7,543,228 B2	6/2009	Kelkar	2002/0026441 A1	2/2002	Kutay et al.
7,549,115 B2	6/2009	Kotler	2002/0026461 A1	2/2002	Kutay et al.
7,562,215 B2	7/2009	Cummins	2002/0026462 A1	2/2002	Shotton et al.
7,568,101 B1	7/2009	Catorcini	2002/0032590 A1	3/2002	Anand et al.
7,581,177 B1	8/2009	Mollicone et al.	2002/0032692 A1	3/2002	Suzuki et al.
7,584,417 B2	9/2009	Friend et al.	2002/0032706 A1	3/2002	Perla et al.
7,610,562 B2	10/2009	Rockey et al.	2002/0032768 A1	3/2002	Voskuil
7,613,996 B2	11/2009	Dallett et al.	2002/0035579 A1	3/2002	Wang et al.
7,624,356 B1	11/2009	Rockey et al.	2002/0035581 A1	3/2002	Reynar et al.
7,653,687 B2	1/2010	Reisman	2002/0035617 A1	3/2002	Lynch et al.
7,669,116 B2	2/2010	Lopata et al.	2002/0040469 A1	4/2002	Pramberger
7,673,227 B2	3/2010	Kotler	2002/0049790 A1	4/2002	Ricker et al.
7,673,228 B2	3/2010	Kelkar	2002/0052769 A1	5/2002	Navani et al.
7,676,843 B1	3/2010	Stott	2002/0053021 A1	5/2002	Rice et al.
7,689,929 B2	3/2010	Ruthfield	2002/0054115 A1	5/2002	Mack et al.
7,692,636 B2	4/2010	Kim	2002/0054126 A1	5/2002	Gamon
7,707,487 B2	4/2010	Easter et al.	2002/0054128 A1	5/2002	Lau et al.
7,712,022 B2	5/2010	Smuga	2002/0057297 A1	5/2002	Grimes et al.
7,712,048 B2	5/2010	Rockey et al.	2002/0059566 A1	5/2002	Delcambre et al.
7,721,190 B2	5/2010	Sikchi	2002/0065798 A1	5/2002	Bostleman et al.
7,725,834 B2	5/2010	Bell	2002/0065847 A1	5/2002	Furukawa et al.
7,739,602 B2	6/2010	Feng et al.	2002/0065950 A1	5/2002	Katz et al.
			2002/0070973 A1	6/2002	Croley
			2002/0072951 A1	6/2002	Lee et al.
			2002/0078074 A1	6/2002	Cho et al.
			2002/0078103 A1	6/2002	Gorman et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2002/0083145	A1	6/2002	Perinpanathan	2003/0048301	A1	3/2003	Menninger
2002/0083148	A1	6/2002	Shaw et al.	2003/0051243	A1	3/2003	Lemmons et al.
2002/0083318	A1	6/2002	Larose	2003/0055811	A1	3/2003	Stork et al.
2002/0085033	A1*	7/2002	Robinson et al. .... 345/762	2003/0055828	A1	3/2003	Koch et al.
2002/0091738	A1	7/2002	Rohrbaugh et al.	2003/0056198	A1	3/2003	Al-Azzawe et al.
2002/0099952	A1	7/2002	Lambert et al.	2003/0058286	A1	3/2003	Dano
2002/0100027	A1	7/2002	Binding et al.	2003/0061386	A1	3/2003	Brown et al.
2002/0103711	A1	8/2002	Karas et al.	2003/0061567	A1	3/2003	Brown et al.
2002/0107885	A1	8/2002	Brooks et al.	2003/0067497	A1	4/2003	Pichon
2002/0111699	A1	8/2002	Melli et al.	2003/0069881	A1	4/2003	Huttunen
2002/0111932	A1	8/2002	Roberge et al.	2003/0074279	A1	4/2003	Viswanath
2002/0112224	A1	8/2002	Cox	2003/0084424	A1	5/2003	Reddy et al.
2002/0116371	A1	8/2002	Dodds et al.	2003/0085918	A1	5/2003	Beaumont et al.
2002/0123993	A1*	9/2002	Chau et al. .... 707/5	2003/0093755	A1	5/2003	O'Carroll
2002/0124172	A1	9/2002	Manahan	2003/0101414	A1	5/2003	Liu et al.
2002/0129056	A1	9/2002	Conant	2003/0103071	A1	6/2003	Lusen
2002/0133484	A1	9/2002	Chau et al.	2003/0110443	A1	6/2003	Yankovich et al.
2002/0143815	A1	10/2002	Sather	2003/0120578	A1	6/2003	Newman
2002/0143856	A1	10/2002	Sastri et al.	2003/0120651	A1	6/2003	Bernstein et al.
2002/0147726	A1	10/2002	Yehia et al.	2003/0120659	A1	6/2003	Sridhar
2002/0147748	A1	10/2002	Huang	2003/0120671	A1	6/2003	Kim et al.
2002/0147929	A1	10/2002	Rose	2003/0120686	A1	6/2003	Kim et al.
2002/0152222	A1	10/2002	Holbrook	2003/0126555	A1	7/2003	Aggarwal et al.
2002/0152244	A1	10/2002	Dean et al.	2003/0128196	A1	7/2003	Lapstun et al.
2002/0156772	A1	10/2002	Chau et al.	2003/0135553	A1	7/2003	Pendakur
2002/0156846	A1	10/2002	Rawat et al.	2003/0135825	A1	7/2003	Gertner et al.
2002/0156905	A1	10/2002	Weissman	2003/0140132	A1	7/2003	Champagne
2002/0156929	A1	10/2002	Hekmatpour	2003/0140160	A1	7/2003	Raz et al.
2002/0169752	A1	11/2002	Kusama et al.	2003/0142072	A1	7/2003	Lapstun et al.
2002/0169789	A1	11/2002	Kutay et al.	2003/0145018	A1	7/2003	Hitchcock et al.
2002/0174147	A1	11/2002	Wang et al.	2003/0149737	A1	8/2003	Labert et al.
2002/0174417	A1	11/2002	Sijacic et al.	2003/0149934	A1	8/2003	Worden
2002/0178187	A1	11/2002	Rasmussen et al.	2003/0154464	A1	8/2003	Ullmann et al.
2002/0178380	A1	11/2002	Wolf et al.	2003/0158897	A1	8/2003	Ben-Natan et al.
2002/0184188	A1	12/2002	Mandyam et al.	2003/0163285	A1	8/2003	Nakamura et al.
2002/0184213	A1*	12/2002	Lau et al. .... 707/6	2003/0167277	A1	9/2003	Hejlsberg et al.
2002/0184219	A1	12/2002	Preisig et al.	2003/0172113	A1	9/2003	Cameron et al.
2002/0184401	A1	12/2002	Kadel, Jr. et al.	2003/0182268	A1	9/2003	Lai
2002/0184485	A1	12/2002	Dray et al.	2003/0182327	A1	9/2003	Ramanujam et al.
2002/0184491	A1	12/2002	Morgan et al.	2003/0182463	A1	9/2003	Valk
2002/0188597	A1	12/2002	Kern et al.	2003/0187756	A1	10/2003	Klivington et al.
2002/0188613	A1	12/2002	Chakraborty et al.	2003/0187930	A1	10/2003	Ghaffar et al.
2002/0194219	A1	12/2002	Bradley et al.	2003/0188260	A1	10/2003	Jensen et al.
2002/0194388	A1	12/2002	Boloker et al.	2003/0189593	A1	10/2003	Yarvin
2002/0196281	A1	12/2002	Audleman et al.	2003/0192008	A1	10/2003	Lee
2002/0196288	A1	12/2002	Emrani	2003/0197733	A1	10/2003	Beauchamp et al.
2002/0197593	A1	12/2002	Sutton	2003/0200254	A1	10/2003	Wei
2002/0198891	A1	12/2002	Li et al.	2003/0200506	A1	10/2003	Abe et al.
2002/0198935	A1	12/2002	Crandall et al.	2003/0204481	A1	10/2003	Lau
2003/0002526	A1	1/2003	Dias et al.	2003/0204511	A1	10/2003	Brundage
2003/0004951	A1	1/2003	Chokshi	2003/0204814	A1	10/2003	Elo et al.
2003/0007000	A1	1/2003	Carlson et al.	2003/0205615	A1	11/2003	Marappan
2003/0014397	A1	1/2003	Chau et al.	2003/0206170	A1	11/2003	Bickmore .
2003/0014406	A1	1/2003	Faieta et al.	2003/0210428	A1	11/2003	Bevlin et al.
2003/0018668	A1	1/2003	Britton et al.	2003/0212664	A1	11/2003	Breining et al.
2003/0020746	A1	1/2003	Chen et al.	2003/0212902	A1	11/2003	van der Made
2003/0023639	A1*	1/2003	Chen et al. .... 707/530	2003/0212988	A1	11/2003	Tsai et al.
2003/0023641	A1	1/2003	Gorman et al.	2003/0217053	A1	11/2003	Bachman et al.
2003/0023674	A1	1/2003	Hildebrand	2003/0218620	A1	11/2003	Lai et al.
2003/0023953	A1	1/2003	Lucassen et al.	2003/0220930	A1	11/2003	Milleker et al.
2003/0025693	A1	2/2003	Haley	2003/0225469	A1	12/2003	DeRemer et al.
2003/0025732	A1	2/2003	Prichard	2003/0225768	A1	12/2003	Chaudhuri et al.
2003/0026507	A1	2/2003	Zlotnick	2003/0225829	A1	12/2003	Pena et al.
2003/0028550	A1	2/2003	Lee et al.	2003/0226111	A1	12/2003	Wirts et al.
2003/0028762	A1	2/2003	Trilli et al.	2003/0226132	A1	12/2003	Tondreau et al.
2003/0029911	A1	2/2003	Kitayama	2003/0229716	A1	12/2003	Holland
2003/0033037	A1	2/2003	Yuen et al.	2003/0233374	A1	12/2003	Spinola et al.
2003/0033179	A1	2/2003	Katz et al.	2003/0233644	A1	12/2003	Cohen et al.
2003/0033606	A1	2/2003	Puente et al.	2003/0236859	A1	12/2003	Vaschillo et al.
2003/0037021	A1	2/2003	Krothappalli et al.	2003/0236903	A1	12/2003	Piotrowski
2003/0037303	A1	2/2003	Bodlaender et al.	2003/0237046	A1	12/2003	Parker et al.
2003/0038788	A1	2/2003	Demartines et al.	2003/0237047	A1	12/2003	Borson
2003/0038846	A1	2/2003	Hori et al.	2004/0002939	A1	1/2004	Arora
2003/0043986	A1	3/2003	Creamer et al.	2004/0002950	A1	1/2004	Brennan et al.
2003/0046665	A1	3/2003	Llin	2004/0003031	A1	1/2004	Brown et al.
				2004/0003341	A1	1/2004	alSafadi et al.
				2004/0003353	A1	1/2004	Rivera et al.
				2004/0003389	A1	1/2004	Reynar et al.
				2004/0006744	A1	1/2004	Jones et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0010752	A1	1/2004	Chan et al.	2004/0230676	A1	11/2004	Spivack et al.
2004/0010753	A1	1/2004	Salter	2004/0237030	A1	11/2004	Malkin
2004/0015778	A1	1/2004	Britton et al.	2004/0237120	A1	11/2004	Lewin et al.
2004/0015783	A1	1/2004	Lennon et al.	2004/0260593	A1	12/2004	Abraham-Fuchs et al.
2004/0024720	A1	2/2004	Fairweather	2004/0261019	A1	12/2004	Imamura et al.
2004/0024842	A1	2/2004	Witt	2004/0261032	A1	12/2004	Olander et al.
2004/0030991	A1	2/2004	Hepworth et al.	2004/0268229	A1	12/2004	Paoli et al.
2004/0031052	A1	2/2004	Wannamaker et al.	2004/0268259	A1	12/2004	Rockey et al.
2004/0032611	A1	2/2004	Daly et al.	2004/0268260	A1	12/2004	Rockey et al.
2004/0039881	A1	2/2004	Shoebrieger et al.	2005/0004893	A1	1/2005	Sangraniz
2004/0039990	A1	2/2004	Bakar et al.	2005/0005248	A1	1/2005	Rockey et al.
2004/0039993	A1	2/2004	Kougiouris et al.	2005/0015279	A1	1/2005	Rucker
2004/0044961	A1 *	3/2004	Pesenson ..... 715/513	2005/0015732	A1	1/2005	Vedula et al.
2004/0044965	A1	3/2004	Toyama et al.	2005/0022115	A1	1/2005	Baumgartner et al.
2004/0046787	A1	3/2004	Henry et al.	2005/0027676	A1	2/2005	Eichstaedt
2004/0046789	A1	3/2004	Inanoria	2005/0027757	A1	2/2005	Kiessig et al.
2004/0047643	A1	3/2004	Jackelen et al.	2005/0028073	A1	2/2005	Henry et al.
2004/0054966	A1	3/2004	Busch et al.	2005/0033626	A1	2/2005	Kruse et al.
2004/0059754	A1	3/2004	Barghout et al.	2005/0033657	A1	2/2005	Herrington et al.
2004/0060006	A1	3/2004	Lindblad et al.	2005/0033728	A1	2/2005	James
2004/0073565	A1	4/2004	Kaufman et al.	2005/0038711	A1	2/2005	Marlelo
2004/0073868	A1	4/2004	Easter et al.	2005/0039117	A1	2/2005	Lwo
2004/0073924	A1	4/2004	Pendakur	2005/0044524	A1	2/2005	Murray
2004/0078756	A1	4/2004	Napper et al.	2005/0050066	A1	3/2005	Hughes
2004/0083426	A1	4/2004	Sahu	2005/0055627	A1	3/2005	Lloyd et al.
2004/0083431	A1	4/2004	Graham et al.	2005/0060324	A1	3/2005	Johnson et al.
2004/0088320	A1	5/2004	Perry	2005/0060647	A1	3/2005	Doan et al.
2004/0088647	A1	5/2004	Miller et al.	2005/0060721	A1	3/2005	Choudhary et al.
2004/0088652	A1	5/2004	Abe et al.	2005/0065933	A1	3/2005	Goering
2004/0093296	A1	5/2004	Phelan et al.	2005/0065936	A1	3/2005	Goering
2004/0093596	A1	5/2004	Koyano	2005/0066287	A1	3/2005	Tattrie et al.
2004/0107367	A1	6/2004	Kisters	2005/0071752	A1	3/2005	Marlatt
2004/0111418	A1	6/2004	Nguyen et al.	2005/0076022	A1	4/2005	Wu et al.
2004/0117439	A1	6/2004	Levett et al.	2005/0076049	A1	4/2005	Qubti et al.
2004/0117769	A1	6/2004	Lauzon	2005/0080756	A1	4/2005	Hitchcock et al.
2004/0123277	A1	6/2004	Schrader et al.	2005/0080801	A1	4/2005	Kothandaraman et al.
2004/0128296	A1	7/2004	Krishnamurthy et al.	2005/0091285	A1	4/2005	Krishnan et al.
2004/0139400	A1	7/2004	Allam et al.	2005/0091305	A1	4/2005	Lange et al.
2004/0146199	A1	7/2004	Berkner et al.	2005/0097536	A1	5/2005	Bernstein et al.
2004/0148178	A1	7/2004	Brain	2005/0102370	A1	5/2005	Lin et al.
2004/0148514	A1	7/2004	Fee et al.	2005/0102612	A1	5/2005	Allan et al.
2004/0148571	A1	7/2004	Lue	2005/0108104	A1	5/2005	Woo
2004/0162741	A1	8/2004	Flaxer et al.	2005/0108262	A1	5/2005	Fawcett, Jr. et al.
2004/0163041	A1	8/2004	Engel	2005/0108624	A1	5/2005	Carrier
2004/0163046	A1	8/2004	Chu et al.	2005/0108633	A1	5/2005	Sahota et al.
2004/0168119	A1	8/2004	Liu et al.	2005/0108634	A1	5/2005	Sahota et al.
2004/0172442	A1	9/2004	Ripley	2005/0114757	A1	5/2005	Sahota et al.
2004/0181543	A1	9/2004	Wu et al.	2005/0114764	A1	5/2005	Gudenkauf et al.
2004/0181711	A1	9/2004	Johnson et al.	2005/0119910	A1	6/2005	Schneider
2004/0186762	A1	9/2004	Beaven et al.	2005/0132043	A1	6/2005	Wang et al.
2004/0189708	A1	9/2004	Larcheveque et al.	2005/0132196	A1	6/2005	Dietl
2004/0189716	A1	9/2004	Paoli et al.	2005/0138031	A1	6/2005	Wefers
2004/0193465	A1	9/2004	Sangroniz et al.	2005/0138086	A1	6/2005	Pecht-Seibert
2004/0194035	A1	9/2004	Chakraborty	2005/0138539	A1	6/2005	Bravery et al.
2004/0196266	A1	10/2004	Matsuura et al.	2005/0149375	A1	7/2005	Wefers
2004/0199572	A1	10/2004	Hunt et al.	2005/0149511	A1	7/2005	Ruthfield
2004/0199577	A1	10/2004	Burd et al.	2005/0149512	A1	7/2005	Ruthfield
2004/0205473	A1	10/2004	Fisher et al.	2005/0149726	A1	7/2005	Joshi et al.
2004/0205525	A1	10/2004	Murren et al.	2005/0159136	A1	7/2005	Rouse et al.
2004/0205534	A1	10/2004	Koelle	2005/0160398	A1	7/2005	Bjornson et al.
2004/0205571	A1	10/2004	Adler et al.	2005/0165615	A1	7/2005	Minar
2004/0205592	A1	10/2004	Huang	2005/0171746	A1	8/2005	Thalhammer-Reyero
2004/0205605	A1	10/2004	Adler et al.	2005/0177803	A1	8/2005	Ruthfield et al.
2004/0205644	A1	10/2004	Shaughnessy et al.	2005/0182645	A1	8/2005	Ehllis et al.
2004/0205653	A1	10/2004	Hadfield et al.	2005/0183006	A1	8/2005	Rivers-Moore et al.
2004/0205671	A1	10/2004	Sukehiro et al.	2005/0198086	A1	9/2005	Moore et al.
2004/0210599	A1	10/2004	Friedman et al.	2005/0198125	A1	9/2005	Macleod Beck et al.
2004/0210645	A1	10/2004	Kouznetsov et al.	2005/0198247	A1	9/2005	Perry et al.
2004/0212586	A1	10/2004	Denny, III	2005/0200907	A1	9/2005	Kitayama et al.
2004/0215665	A1	10/2004	Edgar et al.	2005/0210263	A1	9/2005	Levas et al.
2004/0216084	A1	10/2004	Brown et al.	2005/0216439	A1	9/2005	Kawakita
2004/0220912	A1	11/2004	Manikutty et al.	2005/0216452	A1	9/2005	Teague
2004/0221238	A1	11/2004	Cifra et al.	2005/0216837	A1	9/2005	Washburn
2004/0221245	A1	11/2004	Chickles et al.	2005/0219226	A1	10/2005	Liu et al.
2004/0225749	A1	11/2004	Pavlik et al.	2005/0223063	A1	10/2005	Chang et al.
				2005/0223320	A1	10/2005	Brintzenhofe et al.
				2005/0228887	A1	10/2005	Wang
				2005/0234890	A1	10/2005	Enzler et al.
				2005/0240620	A1	10/2005	Danner et al.



(56)

## References Cited

## U.S. PATENT DOCUMENTS

2005/0240876	A1	10/2005	Myers et al.
2005/0246304	A1	11/2005	Knight et al.
2005/0256933	A1	11/2005	Millington et al.
2005/0257148	A1	11/2005	Goodman et al.
2005/0262112	A1	11/2005	Moore
2005/0268100	A1	12/2005	Gasparini et al.
2005/0268217	A1	12/2005	Garrison
2005/0268222	A1	12/2005	Cheng
2005/0289147	A1	12/2005	Kahn et al.
2005/0289468	A1	12/2005	Kahn et al.
2006/0004703	A1	1/2006	Spivack et al.
2006/0004815	A1	1/2006	Murata et al.
2006/0004910	A1	1/2006	Burd et al.
2006/0010386	A1	1/2006	Khan
2006/0020586	A1	1/2006	Prompt et al.
2006/0020883	A1	1/2006	Kothari et al.
2006/0026500	A1	2/2006	Qa 'Im-maqami'
2006/0026534	A1	2/2006	Ruthfield et al.
2006/0031757	A9	2/2006	Vincent
2006/0036995	A1	2/2006	Chickles et al.
2006/0041593	A1	2/2006	Borthakur et al.
2006/0041838	A1	2/2006	Khan
2006/0053293	A1	3/2006	Zager et al.
2006/0059107	A1	3/2006	Elmore et al.
2006/0059434	A1	3/2006	Boss et al.
2006/0069605	A1	3/2006	Hatoun
2006/0069985	A1	3/2006	Friedman et al.
2006/0074933	A1	4/2006	Barac et al.
2006/0074969	A1	4/2006	Barac et al.
2006/0074981	A1	4/2006	Mauceri
2006/0075245	A1	4/2006	Meier
2006/0080657	A1	4/2006	Goodman
2006/0085409	A1	4/2006	Rys et al.
2006/0095507	A1	5/2006	Watson
2006/0101037	A1	5/2006	Brill et al.
2006/0101051	A1	5/2006	Carr et al.
2006/0107197	A1	5/2006	Friend et al.
2006/0107206	A1	5/2006	Koskimies
2006/0107224	A1	5/2006	Friend et al.
2006/0129583	A1	6/2006	Catorcini et al.
2006/0129917	A1	6/2006	Volk et al.
2006/0129978	A1	6/2006	Abrari et al.
2006/0136422	A1	6/2006	Matveief et al.
2006/0143220	A1	6/2006	Spencer, Jr.
2006/0155857	A1	7/2006	Feenan et al.
2006/0161559	A1	7/2006	Bordawekar et al.
2006/0161837	A1	7/2006	Kelkar et al.
2006/0161845	A1	7/2006	Kahn et al.
2006/0173865	A1	8/2006	Fong
2006/0173985	A1	8/2006	Moore
2006/0184393	A1	8/2006	Ewin et al.
2006/0191662	A1	8/2006	Deibl et al.
2006/0195413	A1	8/2006	Davis et al.
2006/0200443	A1	9/2006	Kahn et al.
2006/0200740	A1	9/2006	Kahn et al.
2006/0200754	A1	9/2006	Kablesh et al.
2006/0203081	A1	9/2006	Pulitzer
2006/0206589	A1	9/2006	Lentini et al.
2006/0206803	A1	9/2006	Smith
2006/0218403	A1	9/2006	Sauve et al.
2006/0230363	A1	10/2006	Rapp
2006/0242663	A1	10/2006	Gogerty
2006/0248468	A1	11/2006	Constantine et al.
2006/0253459	A1	11/2006	Kahn et al.
2006/0253489	A1	11/2006	Kahn et al.
2006/0265518	A1	11/2006	Owens et al.
2006/0271839	A1	11/2006	Gottlieb et al.
2006/0282552	A1	12/2006	Bhesania et al.
2006/0288011	A1	12/2006	Gandhi et al.
2006/0288329	A1	12/2006	Gandhi
2007/0005611	A1	1/2007	Takasugi et al.
2007/0005978	A1	1/2007	O'Connor
2007/0011156	A1	1/2007	Maron
2007/0011665	A1	1/2007	Gandhi et al.
2007/0036433	A1	2/2007	Teutsch
2007/0050446	A1	3/2007	Moore
2007/0050719	A1	3/2007	Lui et al.
2007/0061467	A1	3/2007	Essey
2007/0061706	A1	3/2007	Cupala
2007/0074106	A1	3/2007	Ardeleanu
2007/0088554	A1	4/2007	Harb et al.
2007/0094589	A1	4/2007	Paoli
2007/0100836	A1	5/2007	Eichstaedt et al.
2007/0100877	A1	5/2007	Paoli
2007/0100967	A1	5/2007	Smith et al.
2007/0101280	A1	5/2007	Paoli
2007/0101313	A1	5/2007	Bodin et al.
2007/0118538	A1	5/2007	Ahern et al.
2007/0118803	A1	5/2007	Walker et al.
2007/0130500	A1	6/2007	Rivers-Moore et al.
2007/0130504	A1	6/2007	Betancourt et al.
2007/0186157	A1	8/2007	Walker et al.
2007/0208606	A1	9/2007	MacKay et al.
2007/0208759	A1	9/2007	von Koch et al.
2007/0208769	A1	9/2007	Boehm et al.
2007/0245251	A1	10/2007	Kim
2007/0276768	A1	11/2007	Pallante
2008/0021916	A1	1/2008	Schnelle et al.
2008/0027896	A1	1/2008	Anjur
2008/0028340	A1	1/2008	Davis
2008/0040635	A1	2/2008	Larcheveque
2008/0052287	A1	2/2008	Stanciu
2008/0126402	A1	5/2008	Sikchi et al.
2008/0134162	A1	6/2008	James
2008/0162498	A1	7/2008	Omoigui
2008/0189335	A1	8/2008	Sikchi
2008/0195483	A1	8/2008	Moore
2008/0222514	A1	9/2008	Rivers-Moore
2009/0013266	A1	1/2009	Gandhi
2009/0019063	A1	1/2009	Gandhi
2009/0043798	A1	2/2009	Tan et al.
2009/0044103	A1	2/2009	Chaleki et al.
2009/0070411	A1	3/2009	Chang et al.
2009/0119580	A1	5/2009	Rohrbaugh et al.
2009/0138389	A1	5/2009	Barthel
2009/0177961	A1	7/2009	Fortini
2010/0125778	A1	5/2010	Kelkar
2010/0229110	A1	9/2010	Rockey et al.
2010/0281313	A1	11/2010	White et al.
2011/0173560	A1	7/2011	Larchveque
2011/0239101	A1	9/2011	Rivers-Moore
2011/0246868	A1	10/2011	Stanciu
2011/0296290	A1	12/2011	Ruthfield
2012/0066044	A1	3/2012	Honnef et al.
2013/0238967	A1	9/2013	Stanciu et al.
2013/0271409	A1	10/2013	Kim et al.
2013/0275865	A1	10/2013	Kim et al.

## FOREIGN PATENT DOCUMENTS

CN	1536483	10/2004
CN	1636208	7/2005
EP	0173123	3/1986
EP	0841615	5/1998
EP	0961197	12/1999
EP	1076290	2/2001
EP	1221661	7/2002
EP	1997023	12/2008
EP	2325745	5/2011
GB	2325539	11/1998
JP	63085960	4/1988
JP	401173140	7/1989
JP	3191429	8/1991
JP	4225466	8/1992
JP	04290126	10/1992
JP	5314152	11/1993
JP	406014105	1/1994
JP	6139241	5/1994
JP	6180697	6/1994
JP	6180698	6/1994
JP	08263246	10/1996
JP	08263247	10/1996
JP	09016801	1/1997
JP	09134273	5/1997

(56)

## References Cited

## FOREIGN PATENT DOCUMENTS

JP	09146736	6/1997
JP	09190327	7/1997
JP	09251370	9/1997
JP	09292967	11/1997
JP	10011255	1/1998
JP	10097559	4/1998
JP	10171662	6/1998
JP	10207805	8/1998
JP	10232754	9/1998
JP	10240434	9/1998
JP	10260765	9/1998
JP	2000029713	1/2000
JP	2000132436	5/2000
JP	2002183652	6/2002
JP	2003173288	6/2003
JP	2003296235	10/2003
JP	2003316769	11/2003
JP	2003337648	11/2003
JP	2004501450	1/2004
JP	2004054749	2/2004
JP	2004341675	12/2004
JP	2008547117	12/2008
JP	2009528648	8/2009
JP	2009529185	8/2009
JP	4833490	9/2011
RU	2413987	3/2011
TW	200506661	2/2004
TW	1224742	12/2004
TW	I364674	5/2012
TW	I428827	3/2014
WO	WO 9414115	6/1994
WO	WO 9427227	11/1994
WO	WO 9924945	5/1999
WO	WO 9956207	11/1999
WO	WO 0126018	4/2001
WO	WO 0144934	6/2001
WO	WO 0157720	8/2001
WO	WO 0198888	12/2001
WO	WO 0198927	12/2001
WO	WO 0198949	12/2001
WO	WO 2005089336	9/2005

## OTHER PUBLICATIONS

Final Office Action, U.S. Appl. No. 13/207,125, mailed Nov. 6, 2014, 27 pgs.

Final Office Action in U.S. Appl. No. 13/159,239, mailed Oct. 23, 2014, 42 pgs.

Gajic, "Understanding ViewState and Postback Processing in ASP.NET applications", Retrieved from: <<http://web.archive.org/web/20050918075312/http://delphi.about.com/library/weekly/aa051705a.htm>> on Oct. 23, 2014, Sep. 18, 2005, 3 pages.

"Advisory Action", U.S. Appl. No. 10/185,048, (Jun. 20, 2006), 3 pgs.

"Advisory Action", U.S. Appl. No. 10/185,048, (Sep. 16, 2005), 3 pgs.

"Advisory Action", U.S. Appl. No. 10/632,437, (Aug. 23, 2006), 3 pgs.

"Advisory Action", U.S. Appl. No. 11/276,584, (Apr. 17, 2009), 3 pgs.

"Advisory Action", U.S. Appl. No. 10/916,692, (Dec. 10, 2008), 3 pgs.

"Advisory Action", U.S. Appl. No. 12/061,613, May 20, 2014, 3 pgs.

"Applicant's statement regarding a non-public use", (May 31, 2006), 1 page.

"Attensa Outlook—Getting Started", [www.attensa.com](http://www.attensa.com), (2005), pp. 1-33.

"Blogdigger—Add Feed Form", Internet Resource, Retrieved from <<http://web.archive.org/web/20050618015745/http://www.blogdigger.com/add.jsp>> on Nov. 13, 2008, 1 page.

"Bradbury Software FeedDemon 1.0", 3 pages.

"Dreamweaver Technote, Changes in Copying and Pasting in Dreamweaver 4", Macromedia, Inc., (Mar. 12, 2001), 2 pages.

"Dreamweaver Technote: Changes in copying and pasting in Dreamweaver 4", [http://store1.adobe.com/cfusion/knowledgebase/index.cfm?id=tn\\_15152](http://store1.adobe.com/cfusion/knowledgebase/index.cfm?id=tn_15152), (Mar. 2001), 2 pages.

"EP Search Report", Application No. 07751586.4, (Aug. 13, 2009), 9 pages.

"EP Search Report", Application Serial No. 07750552.7, EESR, (Sep. 30, 2009), 6 pages.

"EP Search Report", EP Application No. 00306806, (Jul. 16, 2003), 3 pages.

"EP Search Report", EP Application No. 05112241.4, (Mar. 18, 2010), 10 pages.

"EP Search Report", EP Application No. 97307138, (Mar. 21, 2003), 3 pages.

"European Search Report", EP Application No. 12152133.0, Jul. 14, 2014, 10 pgs.

"European Search Report", EP Application No. 06111546.5, (Nov. 9, 2006), 5 pages.

"Feed Splicing, Part 1", Retrieved from: <[http://blogs.feedburner.com/feedburner/archives/2004/07/feedsplicing\\_part\\_i.php](http://blogs.feedburner.com/feedburner/archives/2004/07/feedsplicing_part_i.php)> on Jul. 14, 2004, 5 pages.

"Feed Splicing, Part 2", Retrieved from <[http://blogs.feedburner.com/feedburner/archives/2004/08/feedsplicing\\_part\\_ii.php](http://blogs.feedburner.com/feedburner/archives/2004/08/feedsplicing_part_ii.php)> on Dec. 8, 2008, (Aug. 16, 2004), 5 pages.

"FeedBurner", Retrieved from <<http://www.feedburner.com>> on Dec. 8, 2008, (Feb. 25, 2004), 1 Page.

"Final Office Action", U.S. Appl. No. 10/185,048, (Mar. 13, 2006), 14 Pages.

"Final Office Action", U.S. Appl. No. 10/185,048, (Jun. 3, 2005), 14 Pages.

"Final Office Action", U.S. Appl. No. 10/609,274, (Oct. 3, 2008), 50 pages.

"Final Office Action", U.S. Appl. No. 10/609,274, (Oct. 31, 2007), 41 pages.

"Final Office Action", U.S. Appl. No. 10/632,437, (Jan. 25, 2008), 25 pages.

"Final Office Action", U.S. Appl. No. 10/632,437, (Jun. 1, 2006), 21 pages.

"Final Office Action", U.S. Appl. No. 10/781,586, (Aug. 9, 2007), 20 pages.

"Final Office Action", U.S. Appl. No. 10/876,418, (May 22, 2008), 14 pages.

"Final Office Action", U.S. Appl. No. 10/916,692, (Oct. 2, 2008), 11 pages.

"Final Office Action", U.S. Appl. No. 11/095,254, (Dec. 22, 2008), 9 pages.

"Final Office Action", U.S. Appl. No. 11/158,398, (Oct. 15, 2010), 11 pages.

"Final Office Action", U.S. Appl. No. 11/158,398, (Feb. 25, 2009), 12 pages.

"Final Office Action", U.S. Appl. No. 11/158,398, (Mar. 22, 2010), 11 pages.

"Final Office Action", U.S. Appl. No. 11/158,911, (Oct. 15, 2010), 13 pages.

"Final Office Action", U.S. Appl. No. 11/158,911, (Oct. 28, 2009), 10 pages.

"Final Office Action", U.S. Appl. No. 11/158,936, (Jun. 26, 2009), 16 pages.

"Final Office Action", U.S. Appl. No. 11/158,936, (Jul. 19, 2010), 14 pages.

"Final Office Action", U.S. Appl. No. 11/234,767, (Mar. 10, 2011), 28 pages.

"Final Office Action", U.S. Appl. No. 11/276,536, (Apr. 23, 2010), 20 pages.

"Final Office Action", U.S. Appl. No. 11/276,584, (Oct. 29, 2009), 12 pages.

"Final Office Action", U.S. Appl. No. 11/927,296, (Jul. 7, 2011), 12 pages.

"Final Office Action", U.S. Appl. No. 12/061,613, (Apr. 28, 2011), 11 pages.

"Final Office Action", U.S. Appl. No. 12/694,836, (Sep. 16, 2013), 35 pgs.

"Final Office Action", U.S. Appl. No. 12/694,836, Apr. 24, 2013, 36 pgs.

(56)

**References Cited**

## OTHER PUBLICATIONS

- “Final Office Action”, U.S. Appl. No. 12/061,613, Jan. 30, 2014, 17 pgs.
- “Final Office Action”, U.S. Appl. No. 13/051,741, Feb. 6, 2014, 11 pgs.
- “First Office Action”, Chinese Application No. 200780007512.9, (Jan. 15, 2010), 7 pages.
- “First Office Action”, Chinese Application No. 200780008302.1, (Jan. 8, 2010), 15 pages.
- “flaggeditems.png”, Print screen from Internet Search, Retrieved from <http://web.archive.org/web/20050623095655/http://ranchero.com/images/nnw2/flaggeditems.png> on Nov. 13, 2008, 1 page.
- “Foreign Office Action”, Australian Application No. 2006200483, (Aug. 27, 2010), 1 page.
- “Foreign Office Action”, Australian Application No. 2006262540, (Oct. 8, 2010), 1 page.
- “Foreign Office Action”, BR Application No. PI0111797-1, May 5, 2014, 4 pgs.
- “Foreign Office Action”, CA Application No. 2408313, Jun. 18, 2012, 7 pgs.
- “Foreign Office Action”, Chinese Application Serial No. 200680018421.0, (Jan. 9, 2009), 10 pages.
- “Foreign Office Action”, EP Application No. 01939368.5, Jul. 16, 2014, 9 pgs.
- “Foreign Office Action”, European Application Serial No. 07750552.7, (Nov. 17, 2009), 6 pages.
- “Google Reader: beta feed reader”, Retrieved from <http://vwww.consumingexperience.com/2005/10/google-reader-beta-feedreader.html>, (Oct. 7, 2005), 8 pages.
- “Google Reader: Reviewer’s Guide”, Available at: <http://www.google.com/press/guides/readeroverview.pdf>, (Oct. 16, 2005), pp. 1-5.
- “Introduction to RSS”, Retrieved from: <http://vwww.webreference.com/authoring/languages/xml/rss/intro> on Jan. 28, 2008, (Mar. 27, 2000), 3 Pages.
- “Issue Notification”, U.S. Appl. No. 10/610,504, (Mar. 9, 2007), 1 page.
- “JP Notice of Publication”, Application Serial No. 2008-558275, (Aug. 6, 2009), 2 pages.
- “JP Notice of Publication”, Application Serial No. 2008-558294, (Aug. 13, 2009), 2 pages.
- “Kalsey Blogfeed”, Internet Article, Retrieved from <http://web.archive.org/web/20050515005125/http://www.kalsey.com/tools/blogfeed/> on Nov. 13, 2008, pp. 1-3.
- “mainWindow2.png”, Print Screen from Internet Article, Retrieved from <http://web.archive.org/web/20050623095300/http://ranchero.com/images/nnw2/mainWindow2.png> on Nov. 13, 2008, 1 page.
- “Mott Porous Metal. The Most Reliable Means of Restricting Gas Flow”, Mott Corporation Webpage, retrieved from [http://www.mottcorp.com/industry/oem/oem\\_flowres.htm](http://www.mottcorp.com/industry/oem/oem_flowres.htm) on Aug. 23, 2004, 4 pages.
- “NetNewsWire\_helpbook\_faq”, Internet Search FAQ sheet, Retrieved from <http://web.archive.org/web/20050623234918/http://ranchero.com/netnewswire/helpBook/faq.html> on Nov. 13, 2008, pp. 1-3.
- “Non Final Office Action”, U.S. Appl. No. 09/599,806, (Mar. 12, 2003), 7 pages.
- “Non Final Office Action”, U.S. Appl. No. 09/599,806, (Aug. 17, 2004), 5 pages.
- “Non Final Office Action”, U.S. Appl. No. 10/395,505, (Sep. 11, 2006), 8 pages.
- “Non Final Office Action”, U.S. Appl. No. 10/609,274, (Jan. 17, 2007), 43 pages.
- “Non Final Office Action”, U.S. Appl. No. 10/609,274, (Apr. 2, 2008), 43 pages.
- “Non Final Office Action”, U.S. Appl. No. 10/632,437, (Dec. 16, 2005), 22 pages.
- “Non Final Office Action”, U.S. Appl. No. 10/632,437, (Jul. 26, 2007), 19 pages.
- “Non Final Office Action”, U.S. Appl. No. 10/632,437, (Sep. 10, 2008), 28 pages.
- “Non Final Office Action”, U.S. Appl. No. 10/770,240, (May 1, 2008), 30 pages.
- “Non Final Office Action”, U.S. Appl. No. 10/770,240, (Aug. 24, 2006), 25 pages.
- “Non Final Office Action”, U.S. Appl. No. 10/988,720, (Apr. 2, 2009), 14 pages.
- “Non Final Office Action”, U.S. Appl. No. 11/158,911, (Jun. 30, 2009), 9 pages.
- “Non Final Office Action”, U.S. Appl. No. 11/276,536, (Jan. 9, 2009), 33 pages.
- “Non Final Office Action”, U.S. Appl. No. 11/276,536, (May 28, 2009), 18 pages.
- “Non Final Office Action”, U.S. Appl. No. 11/276,584, (Jun. 25, 2009), 11 pages.
- “Non Final Office Action”, U.S. Appl. No. 11/567,140, (Feb. 18, 2011), 8 pages.
- “Non Final Office Action”, U.S. Appl. No. 12/126,532, (Mar. 24, 2011), 23 pages.
- “Non Final Office Action”, U.S. Appl. No. 12/126,532, Jul. 2, 2014, 19 pgs.
- “Non Final Office Action”, U.S. Appl. No. 12/249,973, (Apr. 12, 2011), 8 pages.
- “Non-Final Office Action”, U.S. Appl. No. 10/185,048, (Dec. 8, 2004), 14 pages.
- “Non-Final Office Action”, U.S. Appl. No. 10/610,504, (Mar. 9, 2006), 12 pages.
- “Non-Final Office Action”, U.S. Appl. No. 10/781,586, (Jan. 9, 2008), 22 pages.
- “Non-Final Office Action”, U.S. Appl. No. 10/781,586, (Oct. 20, 2006), 21 pages.
- “Non-Final Office Action”, U.S. Appl. No. 10/876,418, (Sep. 13, 2007), 14 pages.
- “Non-Final Office Action”, U.S. Appl. No. 10/916,692, (Apr. 1, 2008), 9 pages.
- “Non-Final Office Action”, U.S. Appl. No. 10/976,451, (Mar. 20, 2008), 9 pages.
- “Non-Final Office Action”, U.S. Appl. No. 11/095,254, (Apr. 17, 2008), 8 pages.
- “Non-Final Office Action”, U.S. Appl. No. 11/158,398, (Sep. 8, 2009), 9 pages.
- “Non-Final Office Action”, U.S. Appl. No. 11/158,398, (May 13, 2010), 10 pages.
- “Non-Final Office Action”, U.S. Appl. No. 11/158,911, (Jun. 10, 2010), 11 pages.
- “Non-Final Office Action”, U.S. Appl. No. 11/158,936, (Jan. 12, 2010), 12 pages.
- “Non-Final Office Action”, U.S. Appl. No. 11/276,536, (Oct. 7, 2009), 15 pages.
- “Non-Final Office Action”, U.S. Appl. No. 11/276,536, (Sep. 15, 2010), 13 pages.
- “Non-Final Office Action”, U.S. Appl. No. 11/276,584, (Dec. 28, 2009), 12 pages.
- “Non-Final Office Action”, U.S. Appl. No. 11/276,584, (Jul. 26, 2010), 14 pages.
- “Non-Final Office Action”, U.S. Appl. No. 11/927,296, (Mar. 4, 2011), 19 pages.
- “Non-Final Office Action”, U.S. Appl. No. 12/234,449, (Oct. 27, 2010), 8 pages.
- “Non-Final Office Action”, U.S. Appl. No. 12/234,449, (Jun. 1, 2010), 8 pages.
- “Non-Final Office Action”, U.S. Appl. No. 13/051,741, Apr. 24, 2013, 11 pgs.
- “Non-Final Office Action”, U.S. Appl. No. 13/207,125, Jun. 6, 2014, 17 pgs.
- “Notice of Acceptance”, Australian Application No. 2006200483, (Dec. 17, 2010), 3 pages.
- “Notice of Allowance”, U.S. Appl. No. 09/599,806, (Jan. 21, 2005), 9 pages.

(56)

**References Cited**

## OTHER PUBLICATIONS

- “Notice of Allowance”, U.S. Appl. No. 10/395,505, (Oct. 4, 2006), 8 pages.
- “Notice of Allowance”, U.S. Appl. No. 10/610,504, (Sep. 6, 2006), 4 pages.
- “Notice of Allowance”, U.S. Appl. No. 10/632,437, (May 21, 2009), 15 pages.
- “Notice of Allowance”, U.S. Appl. No. 10/781,586, (May 9, 2008), 6 pages.
- “Notice of Allowance”, U.S. Appl. No. 10/876,418, (Dec. 31, 2008), 8 pages.
- “Notice of Allowance”, U.S. Appl. No. 10/976,451, (Feb. 4, 2013), 10 pages.
- “Notice of Allowance”, U.S. Appl. No. 11/072,087, (Feb. 23, 2010), 4 pages.
- “Notice of Allowance”, U.S. Appl. No. 11/107,347, (Dec. 13, 2010), 11 pages.
- “Notice of Allowance”, U.S. Appl. No. 11/218,149, (Feb. 11, 2011), 7 pages.
- “Notice of Allowance”, U.S. Appl. No. 11/295,178, (Mar. 22, 2011), 21 pages.
- “Notice of Allowance”, U.S. Appl. No. 11/931,730, (Feb. 2, 2011), 7 pages.
- “Notice of Allowance”, U.S. Appl. No. 10/770,240, Jan. 3, 2014, 10 pgs.
- “Notice of Reexamination”, Chinese Application No. 01813138.7, (Apr. 22, 2011), 14 pgs.
- “PCT Search Report and Written Opinion”, Application No. PCT/US06/23336, (Oct. 29, 2007), 8 pages.
- “PCT Search Report”, PCT Application No. PCT/IB98/01392, (Apr. 9, 1999), 3 pages.
- “PCT Search Report”, PCT Application No. PCT/IB99/02003, (Nov. 28, 2000), 3 pages.
- “PCT Search Report”, PCT Application No. PCT/US99/09620, (Sep. 22, 1999), 3 pages.
- “Persistence.png”, Print Screen from Internet Article, Retrieved from <<http://web.archive.org/web/20050623095937/http://ranchero.com/images/nnw2/persistence.png>> on Nov. 13, 2008, 1 page.
- “Protecting Commercial Secure Web Servers from Key-Finding Threats”, nCipher, Inc., Available at <[www.ncipher.com/uploads/resources/pcws.pdf](http://www.ncipher.com/uploads/resources/pcws.pdf)>, (1999), 12 pages.
- “Ranchero Software Editing LiveJournal Logs”, Internet Article, Retrieved from <<http://web.archive.org/web/20051217022724/http://ranchero.com/netnewswire/tips/livejournalconfig.php>> on Nov. 13, 2008, pp. 1-3.
- “Ranchero Software Features Chart”, Internet Article, Retrieved from <<http://web.archive.org/web/20050609010027/http://ranchero.com/netnewswire/featureschart20.php>> on Nov. 13, 2008, pp. 1-3.
- “Ranchero Software NetNewsWfaq”, Internet Search Engine FAQ sheet, Retrieved from <<http://web.archive.org/web/20030201120948/http://ranchero.com/netnewswire/faq.php>> on Nov. 13, 2008, pp. 1-4.
- “Ranchero Software NetNewsWire 2.0 Change Notes”, Internet Article, Retrieved from <<http://web.archive.org/web/20051024203943/http://ranchero.com/netnewswire/changenotes/netnewswire20.php>> on Nov. 13, 2008, 3 pages.
- “Ranchero Software Search Engine Subscriptions”, On-line Article, Retrieved from <<http://web.archive.org/web/20050714082710/http://ranchero.com/netnewswire/features/searchEngineSubscriptions.php>> on Nov. 13, 2008, pp. 1-2.
- “Ranchero Software Smart Lists”, Internet Article, Retrieved from <<http://web.archive.org/web/20050602084724/http://ranchero.com/netnewswire/features/smartLists.php>> on Nov. 13, 2008, pp. 1-2.
- “Ranchero Software Subscription Sharing”, Internet Article, Retrieved from <<http://web.archive.org/web/20050811083741/http://ranchero.com/netnewswire/features/sharing.php>> on Nov., 13, 2008, pp. 1-3.
- “Ranchero Software: NetNewsWire”, Internet Article, Retrieved from <<http://web.archive.org/web/20051003204517/ranchero.com/netnewswire/>> on Nov. 13, 2008, (2005), 5 pages.
- “Ranchero Software: What’s New in NetNewsWire 2.0”, Web article, retrieved from <<http://web.archive.org/web/20050618014501/http://ranchero.com/netnewswire/whatsnew/netnewswire20.php>> on Nov. 13, 2008, pp. 1-3.
- “Restriction Requirement”, U.S. Appl. No. 09/599,806, (Mar. 3, 2003), 5 pages.
- “Restriction Requirement”, U.S. Appl. No. 10/770,240, (Jan. 26, 2009), 7 pages.
- “Restriction Requirement”, U.S. Appl. No. 10/781,586, (Jun. 26, 2006), 5 pages.
- “Restriction Requirement”, U.S. Appl. No. 11/095,254, (Nov. 1, 2007), 8 pages.
- “RSS 2.0 Specification”, (Jul. 15, 2003), 8 pages.
- “RSS Submissions”, Internet Article, Retrieved from <<http://web.archive.org/web/20050619014308/http://www.rss-specifications.com/rsssubmission.htm>> on Nov. 13, 2008, pp. 1-3.
- “Search Engine Subscriptions”, Internet Article, Retrieved from <<http://web.archive.org/web/20051217013212/http://ranchero.com/netnewswire/helpBook/searchEngineSubs.html>> on Nov. 13, 2008, 1 page.
- “SearchFeed.png”, Print Screen in article, Retrieved from <<http://web.archive.org/web/20050623095831/http://ranchero.com/images/nnw2/searchFeed.png>> on Nov. 13, 2008, 1 page.
- “Searching.png”, Print Screen from article, Retrieved from <<http://web.archive.org/web/20050623095422/http://ranchero.com/images/nnw2/searching.png>> on Nov. 13, 2008, 1 page.
- “smartList.png”, Print Screen from Internet Article, Retrieved from <<http://web.archive.org/web/20050623095628/http://ranchero.com/images/nnw2/smartList.png>> on Nov. 13, 2008, 1 page.
- “Subscribing and Unsubscribing”, Internet Article, Retrieved from <<http://web.archive.org/web/20060915152527/http://ranchero.com/netnewswire/helpBook/subUnsub.html>> on Nov. 13, 2008, pp. 1-2.
- “Supplemental Notice of Allowance”, U.S. Appl. No. 10/781,586, (Jun. 4, 2008), 2 pages.
- “Supplemental Notice of Allowance”, U.S. Appl. No. 10/781,586, (Jul. 18, 2008), 3 pages.
- “Supplemental Notice of Allowance”, U.S. Appl. No. 10/976,451, (Apr. 22, 2013), 2 pages.
- “Supplemental Notice of Allowance”, U.S. Appl. No. 10/976,451, (May 22, 2013), 2 pages.
- “Supplemental Notice of Allowance”, U.S. Appl. No. 10/976,451, (Jun. 18, 2013), 2 pages.
- “Supplemental Notice of Allowance”, U.S. Appl. No. 11/072,087, (Apr. 19, 2010), 2 pages.
- “Supplemental Notice of Allowance”, U.S. Appl. No. 11/107,347, (Jun. 10, 2011), 10 pages.
- “Supplemental Notice of Allowance”, U.S. Appl. No. 11/218,149, (Apr. 5, 2011), 2 pages.
- “Supplemental Notice of Allowance”, U.S. Appl. No. 11/218,149, (Jun. 6, 2011), 2 pages.
- “Supplemental Notice of Allowance”, U.S. Appl. No. 11/931,730, (Mar. 2, 2011), 2 pages.
- “Supplemental Notice of Allowance”, U.S. Appl. No. 11/931,730, (Apr. 22, 2011), 2 pages.
- “Supplemental Notice of Allowance”, U.S. Appl. No. 11/931,730, (May 6, 2011), 2 pages.
- “Supplemental Notice of Allowance”, U.S. Appl. No. 12/021,894, (Jan. 12, 2011), 6 pages.
- “Supplemental Notice of Allowance”, U.S. Appl. No. 12/021,894, (Feb. 8, 2011), 6 pages.
- “Syncing”, Internet Article, Retrieved from <<http://web.archive.org/web/20051217023557/http://ranchero.com/netnewswire/helpBook/syncing.html>> on Nov. 13, 2008, 1 page.
- “syncing.png”, Print Screen from article, retrieved from: <<http://web.archive.org/web/20050623095327/http://ranchero.com/images/nnw2/syncing.png>> on Nov. 13, 2008, 1 page.
- “Syndic8.com—Documents1”, Internet Article, Retrieved from: <<http://web.archive.org/web/20050513214756/http://www.syndic8.com/documents/howto/>> on Nov. 13, 2008, pp. 1-3.

(56)

## References Cited

## OTHER PUBLICATIONS

“Syndic8.com—Documents2”, Internet Article, Retrieved from: <<http://web.archive.org/web/20050622035505/http://www.syndic8.com/documents/howto/>> on Nov. 13, 2008, pp. 1-3.

“Syndic8.com—HowToUse”, Internet Article, Retrieved from <<http://web.archive.org/web/20050619233841/http://www.syndic8.com/howtophp>> on Nov. 13, 2008, pp. 1-4.

“The Feed Thickens”, Retrieved from: <<http://blog.flickr.net/en/2004/07/14/the-feed-thickens/>>, (Jul. 14, 2004), 2 pages.

“Yahoo! Publisher’s Guide to RSS : Submit your RSS Feed”, Internet Article, Retrieved from <<http://web.archive.org/web/20051216153612/http://uk.promotions.yahoo.com/publisher/submit.html>> on Nov. 13, 2008, pp. 1-3.

“Yahoo! Search Services and Tools”, Internet Search Screen, Retrieved from <<http://web.archive.org/web/20051001065344/http://search.yahoo.com/mrss/submit>> on Nov. 13, 2008, 1 page.

About Microsoft Word, Microsoft Word 2000, published 1983-1999, and Microsoft Excel 2000 (see Screen Shot “About Microsoft Excel”), Published 1988-1999, 3 pgs.

Acklen, et al., “Using Corel Wordperfect 9”, Que Corporation,(1998), pp. 251-284, 424-434 ,583-585.

Adams, Susie et al., “BizTalk Unleashed”, Sams publishing, 2002, first printing Mar. 2001, 1-2, 31-138.

Adobe GoLive 5.0: User Guide, “Adobe Systems, 2000, Chapter 12.”, (2000),11 pages.

Advisory Action, U.S. Appl. No. 10/632,297, (Dec. 29, 2006), 3 pages.

Advisory Action, U.S. Appl. No. 10/723,188, (Feb. 21, 2007), 5 pages.

Advisory Action, U.S. Appl. No. 10/898,657, (Mar. 25, 2008), 4 pages.

Advisory Action, U.S. Appl. No. 10/942,528 (Oct. 26, 2009), 3 pages.

Advisory Action, U.S. Appl. No. 11/036,910, (Sep. 10, 2009), 3 pages.

Advisory Action, U.S. Appl. No. 12/061,613, Jul. 23, 2014, 3 pgs.

Akihiro, Senda “Word 2000, Conservative—Looking but ‘Attentive’ New Function”, NIKKEI PC 21, vol. 4, No. 8, (Aug. 1, 1999), pp. 115-116.

Alschuler, Liora “A tour of XMetal”, Retrieved from [www.sml.com/Qub/a/SeyboldReQort/iQ031102.html](http://www.sml.com/Qub/a/SeyboldReQort/iQ031102.html) on Feb. 5, 2003, XML.com, Online! XP002230081, (Jul. 14, 1999), 2 pgs.

Altova, “Altova Tools for XPath 1.0/2.0”, Retrieved from <http://www.altova.com/devportalpath.html>, Altova, 1-12.

Altova, “XML Spy4.0 Manual”, 1998-2001 Altova Inc. &Altova GmbH, (Sep. 10, 2001), pp. 1-90, 343-362.

Altova, “XmlSpy 2004 Enterprise Edition Manual”, Altova, (May 17, 2004), pp. 1-25, 220-225. (113 pgs).

Altova, “Altova Tools for XPath 1.0/2.0”, retrieved from [http://www.altova.com/dev\\_portal\\_xpath.html](http://www.altova.com/dev_portal_xpath.html), Altova, copyright 2005-2007, obtained online Nov. 7, 2007, pp. 1-12.

Altova, et al., “User and Reference Manual Version 4.4”, [www.xmlspy.com](http://www.xmlspy.com), (May 24, 2007), pp. 1-565.

Altova, et al., “XML Spy, XML Intergrated Development Environments”, Altova Inc., (2002), pp. 1-18.

Anat, Eyal et al., “Integrating and Customizing Hererogeneous E-Commerce Applications”, The VLDB Journal—The International Journal on Very Large Data Bases, vol. 10, Issue 1,(Aug. 2001), pp. 16-38.

Anonymous, “The Evolution of RSS”, (Online); XP002546010; Internet; Retrieved from the Internet: URL:<http://web.archive.org/web/20041011055544/http://vwww.webreference.com/authoring/languages/xml/rss/1/7.html> \*the whole document\*,(Oct. 11, 2004), 1 page.

AppleWorks, Retrieved from: <<http://en.wikipedia.org/wiki/AppleWorks>> on Jul. 4, 2014, Jul. 3, 2014, 6 pgs.

Architecture for a Dynamic Information Area Control, IBM Technical Disclosure Bulletin, IBM Corp, NY, US vol. 37, No. 10, Jan. 10, 1994, pp. 245-246.

Asche, Ruediger R., “Multithreading for Rookies”, Microsoft Developer Network Technology Group, Retrieved Apr. 17, 2002 from

<http://msdn.microsoft.com/library/en-us/dndllpro/html/msdnthreads.asp?frame=true>, (Sep. 24, 1993), 13 pages.

Attardi, G et al., “The LOA Customizable Media Aggregator”, Automated Production of Cross Media Content for Multi-Channel Distribution, 2005. Axmedis 2005. First International Conference on Florence, Italy 30-02 Nov. 2005, Piscataway, NJ, USA, IEEE, Nov. 30, 2005. XP010892440 ISBN: 978-0-7695-2348-4, (Nov. 30, 2005), 9 pages.

Au, Irene et al., “Netscape Communicator’s Collapsible Toolbars”, CHI 98, Human Factors in Computing Systems, Conference Proceedings, LA, CA,(Apr. 18-23, 1998), pp. 81-86.

Australian Notice of Allowance in Application 2006200285, mailed Sep. 23, 2010, 3 pgs.

Ayers, Danny et al., “Beginning RSS and Atom Programming”, Wiley Publishing, Inc., (2005), pp. 1-54.

Baldwin, J F., et al., “A Mass Assignment Based ID3 Algorithm for Decision Tree Introduction”, International Journal of Intelligent Systems, vol. 12, No. 7, (1997), pp. 523-548.

Barker, et al., “Creating In-Line Objects Within an Intergrated Editing Environment”, IBM Technical Disclosure Bulletin, vol. 27, No. 5,(Oct. 1984), p. 2962.

Battle, Steven A., et al., “Flexible Information Presentation with XML”, The Institution of Electrical Engineers, (1998), 6 pages.

Beauchemin, Dave “Using InfoPath to Create Smart Forms”, Retrieved from the Internet at <http://www.microsoft.com/office/infopath/prodinfo/using.mspix> on Jan. 21, 2007,(Mar. 27, 2003).

Begun, Andrew et al., “Support and Troubleshooting for XML Schemas in InfoPath 2003”, Microsoft Office InfoPath 2003 Technical Articles, Retrieved from the Internet at [http://msdn2.microsoft.com/en-us/library/aa168241\(office.11,d=printer\).aspx](http://msdn2.microsoft.com/en-us/library/aa168241(office.11,d=printer).aspx) on Jan. 21, 2007,(Aug. 2004).

Benzinger, Brian “Google Reader Reviewed”, Retrieved from: <<http://www.solutionwatch.com/250/google-reader-reviewed>> on Jun. 17, 2009, (Oct. 7, 2005), 5 pages.

Berg, A “Naming and Binding: Monikers”, Inside OLE, Chapter 9, Harmony Books, (1995), pp. 431-490.

Blair, Eric “Review: NetNewsWire 2.0”, Retrieved from: <<http://vwww.atpm.com/11.06/netnewswire.shtml>> on Nov. 11, 2008, (Jun. 2, 2005), 12 pages.

Borland, Russo “Running Microsoft Word 97”, 314-315,338,361-362,390,and 714-719.

Brabrand, Claus et al., “PowerForms: Declarative Client-Side Form Field Validation”, BRICS, Department of Computer Science, University of Aarhus, Denmark, World Wide Web, vol. 3, No. 4,(2000), pp. 205-214.

Brabrand, et al., “Power Forms Declarative Client-side Form Field Validation”, (2002),1-20.

Bradley, Neil “The XML Companion, Third Edition”, Published by Addison Wesley Professional, <http://Proquest.safaribooksonline.com0201770598>, (Dec. 12, 2001), 1-18.

Bray, Tim “Extensible Markup Language (XML)”, <http://www.textuality.com/sgml-erb/wD-xml.html>, second named inventor Jean Paoli, third named inventor C.M. Sperberg-McQueen, (Feb. 10, 1998), 37 pgs.

Brogden, William “Arbortext Adept 8 Editor Review”, Retrieved from [www.xml.com/pub/a/1999/09/adept/AdeptRyw.htm](http://www.xml.com/pub/a/1999/09/adept/AdeptRyw.htm) on Feb. 5, 2003, O’Reilly XML.com,Online!, (Sep. 22, 1999), 3 pgs.

Burch, Barbara “Notes R5 Technical Overview”, Retrieved from: <[http://www.ibm.com/developerworks/lotus/library/1\\_s-Notes\\_R5\\_Technical\\_Overview](http://www.ibm.com/developerworks/lotus/library/1_s-Notes_R5_Technical_Overview)> on Aug. 13, 2010 (Apr. 1, 1999),14 pages.

Canadian Notice of Allowance in Application 2408527, mailed Apr. 17, 2012, 1 pg.

Canadian Office Action in Application 2408313, mailed Jun. 18, 2012, 7 pgs.

Canadian Office Action in Application 2800037, mailed Sep. 30, 2013, 2 pgs.

Chan, Chee-Yong et al., “Efficient Filtering of XML Documents with Xpath Expressions,” The VLDB Journal (2002) 11, (Jun. 1, 2002), pp. 354-379.

Chen, Ya Bing et al., “Designing Valid XML Views”, ER 2002, LNCS 2503, Springer-Verlag Berlin Heidelberg 2002, pp. 463-477.

(56)

**References Cited**

## OTHER PUBLICATIONS

- Chen, Yi et al., "XKvalidator: A Constraint Validator for XML", CIKM '02, Nov. 4-9, 2002, McLean, VA, USA, Copyright 2002, ACM, ISBN 1-58113-492-4/02/0011, (Nov. 4-9, 2002), pp. 446-452.
- Chien, Shu-Yao et al., "Efficient Management of Multiversion Documents by Object Referencing", Proceedings of the 27th VLDB Conference, (2001), pp. 291-300.
- Chien, Shu-Yao et al., "Efficient Schemes for Managing Multiversion XML Documents", The VLDB Journal 2002, (Dec. 19, 2002), pp. 332-353.
- Chien, Shu-Yao et al., "Storing and Querying Multiversion XML Documents using Durable Node Numbers", IEEE, (2002), pp. 232-241.
- Chien, Shu-Yao et al., "XML Document Versioning", SIGMOD Record, vol. 30, No. 3, (Sep. 2001), pp. 46-53.
- Chuang, Tyng-Ruey "Generic Validation of Structural Content with Parametric Modules", ICFP, 01 copyright 2001, ACM 1-58113-415-0/01/0009, (Sep. 3-5, 2001), pp. 98-109.
- Cinacarin, Paolo A., et al., "Managing Complex Documents Over the WWW: A Case Study for XML", Transactions on Knowledge and Data Engineering, vol. 11, No. 4, (Jul./Aug. 1999), pp. 629-638.
- Clapp, D "The NeXT Application Kit Part 1: Non-Responsive Classes", The NeXT Bible Chapter 16, (1990), pp. 275-293.
- Clark, J "XSL Transformation (XSL T), Version 1.0", Retrieved from www.w3.org/TR/1999/REC-xslt19991116 WC3, (Nov. 16, 1999), pp. 1-156.
- Clark, J. et al., "XML Path Language (XPath)", Retrieved from www.w3.org/TR/1999/RCE-xpath-19991116 Version 1.0, (Nov. 16, 1999), pp. 1-49.
- Clarke, Peter, "From Small Beginnings", Knowledge Management, (Nov. 2001), pp. 28-30.
- Cloete, I et al., "CID3: An Extension of ID3 for Attributes with Ordered Domains", South African Computer Journal, vol. 4, (1991), pp. 10-16.
- Copying the Search Form to Custom Pages in Windows SharePoint Services based Web Sites, Retrieved from www.sharepointcustomization.com/resources/tiQstricks/04wss-searchbox-tiQ.htm, Microsoft Corp, (2004), 1 pages.
- Copying the Search Form to Services-based Web Sites, Cybook, Inc., the whole document, (Jul. 26, 2004), 1 page.
- Cover, Robin "XML Forms Architecture (XFA)", Cover Pages. Retrieved from "http://xml.coverpages.org/xf.html" on Aug. 17, 2006, (Apr. 19, 2000), 4 pages.
- Davidow, ARI "XML Editors: Allegations of Functionality in search of Reality", Retrieved from www.ivritvpe.com/xml/, SP002230082, (1999).
- Dayton, Linnea et al., "Photo Shop 5/5.5 WOW! Book", 2000, Peach pit Press, pp. 8-17.
- Dilascia, et al., "Sweeper", Microsoft interactive developer, vol. 1., No. 1, (1996), 27 pages.
- Dodds, "Toward an XPath API", xml.com, (May 7, 2001), 1-3.
- Dorward, Sean et al., "Unix Variants", Unix Review, vol. 10, No. 4, (Apr. 1992), pp. 29-31.
- Dreamweaver Technote: Changes in copying and pasting in Dreamweaver 4, http://store1.adobe.com/cfusion/knowledgebase/index.cfm?id=tn 15152, (Mar. 2001), 2 pages.
- Dubinko, et al., "XForms 1.0", W3C Recommendation, Retrieved from: <www.w3.org/TR/2003/REC-xforms-20031014/> on Feb. 29, 2012, (Oct. 14, 2003), 35 pages.
- Dubinko, et al., "XForms 1.0, W3C Working Draft", W3C, (Dec. 7, 2001), pp. 1-125.
- Dubinko, Micah, "XForms and Microsoft InfoPath", Retrieved from the Internet at http://www.xml.com/IpUa/1311 on Jan. 21, 2007, (Oct. 29, 2003), 6 pgs.
- Duce, et al., "Web 2D Graphics File Formats", Google 2003 (2003), pp. 43-65.
- Ducharme, "InfoPath and XForms", Retrieved from http://www.weblog.infoworld.com/udell2003/02/26.html, InfoWorld, (Feb. 26, 2003), pp. 1-3.
- Dyck, Timothy, "XML Spy Tops as XML Editor, eWeek, vol. 19, No. 47, Nov. 2002", p. 48.
- Enter Key, Retrieved from the Internet at http://svsystems.webopedia.com/TERM/Enter/keV.html on, Dec. 20, 2006, 1 page.
- Esposito, Dino "Cutting Edge No. 8", Microsoft Internet Developer, (Jan. 18, 2000), 13 pages.
- European Office Action, Application Serial No. 06111546.5, (Oct. 15, 2008), 5 pages.
- European Search Report, European Application No. 10012887.5, (Jul. 4, 2011), 12 pages.
- Excel Developer Tip, Determining the Data Type of a Cell, (available at http://iwalk.com/ss/excel/tips/tip62.htm), (May 13, 1998), 1 page.
- Final Office Action in U.S. Appl. No. 10/988,720, (Oct. 14, 2008), 17 pgs.
- Final Office Action, U.S. Appl. No. 11/036,910, (May 26, 2010), 10 pages.
- Final Office Action, U.S. Appl. No. 11/107,347, (Mar. 22, 2010), 11 pages.
- Final Office Action, U.S. Appl. No. 11/170,521, (Sep. 8, 2009), 12 pages.
- Final Office Action, U.S. Appl. No. 09/599,086, (Mar. 6, 2008), 48 pages.
- Final Office Action, U.S. Appl. No. 09/599,086, (May 10, 2007), 41 pages.
- Final Office Action, U.S. Appl. No. 09/599,086, (May 25, 2004), 23 pages.
- Final Office Action, U.S. Appl. No. 09/599,086, (Jul. 5, 2006), 34 pages.
- Final Office Action, U.S. Appl. No. 09/599,086, (Aug. 8, 2005), 27 pages.
- Final Office Action, U.S. Appl. No. 09/599,299, (Apr. 20, 2004), 23 pages.
- Final Office Action, U.S. Appl. No. 09/599,812, (Aug. 12, 2003), 38 pages.
- Final Office Action, U.S. Appl. No. 09/599,813, (Feb. 8, 2005), 27 pages.
- Final Office Action, U.S. Appl. No. 09/599,813, (May 5, 2006), 46 pages.
- Final Office Action, U.S. Appl. No. 10/178,291, (Dec. 19, 2005), 21 pages.
- Final Office Action, U.S. Appl. No. 10/955,666, (Oct. 14, 2009), 25 pages.
- Final Office Action, U.S. Appl. No. 10/402,640, (Aug. 28, 2009), 17 pages.
- Final Office Action, U.S. Appl. No. 10/402,640, (Sep. 10, 2007), 16 pages.
- Final Office Action, U.S. Appl. No. 10/632,297, (Sep. 8, 2006), 31 pages.
- Final Office Action, U.S. Appl. No. 10/723,188 (Nov. 3, 2006), 34 pages.
- Final Office Action, U.S. Appl. No. 10/723,188, (Jan. 9, 2009), 20 pages.
- Final Office Action, U.S. Appl. No. 10/723,863, (Sep. 19, 2007), 34 pages.
- Final Office Action, U.S. Appl. No. 10/770,240, (Apr. 13, 2011), 17 pages.
- Final Office Action, U.S. Appl. No. 10/770,240, (Jun. 26, 2009), 15 pages.
- Final Office Action, U.S. Appl. No. 10/770,240, (Jun. 29, 2007), 28 pages.
- Final Office Action, U.S. Appl. No. 10/846,428, (Mar. 3, 2008), 23 pages.
- Final Office Action, U.S. Appl. No. 10/857,689, (Jan. 6, 2009), 23 pages.
- Final Office Action, U.S. Appl. No. 10/897,647, (Mar. 6, 2008), 25 pages.
- Final Office Action, U.S. Appl. No. 10/897,647, (Jul. 14, 2009), 36 pages.
- Final Office Action, U.S. Appl. No. 10/898,656, (Nov. 15, 2007), 16 pages.
- Final Office Action, U.S. Appl. No. 10/898,657, (Jan. 3, 2008), 21 pages.

(56)

**References Cited**

## OTHER PUBLICATIONS

- Final Office Action, U.S. Appl. No. 10/916,692, (Nov. 16, 2009), 10 pages.
- Final Office Action, U.S. Appl. No. 10/938,476, (Jun. 20, 2011), 19 pages.
- Final Office Action, U.S. Appl. No. 10/942,528, (Sep. 17, 2009), 27 pages.
- Final Office Action, U.S. Appl. No. 10/955,087, (May 16, 2008), 14 pages.
- Final Office Action, U.S. Appl. No. 10/955,666, (Oct. 31, 2008), 25 pages.
- Final Office Action, U.S. Appl. No. 10/955,666, (Aug. 30, 2007), 20 pages.
- Final Office Action, U.S. Appl. No. 10/976,451, (Jul. 2, 2009), 13 pages.
- Final Office Action, U.S. Appl. No. 10/976,451, (Jul. 27, 2010), 12 pages.
- Final Office Action, U.S. Appl. No. 10/977,198, (Sep. 3, 2008), 13 pages.
- Final Office Action, U.S. Appl. No. 10/977,198, (Oct. 11, 2007), 11 pages.
- Final Office Action, U.S. Appl. No. 10/988,718, (Jan. 30, 2008), 15 pages.
- Final Office Action, U.S. Appl. No. 10/988,718, (Dec. 22, 2008), 17 pages.
- Final Office Action, U.S. Appl. No. 10/988,732, (Nov. 13, 2009), 33 pages.
- Final Office Action, U.S. Appl. No. 10/988,732, (Dec. 10, 2008), 30 pages.
- Final Office Action, U.S. Appl. No. 11/012,472, (Mar. 23, 2010), 11 page.
- Final Office Action, U.S. Appl. No. 11/036,910, (Jun. 1, 2009), 8 pages.
- Final Office Action, U.S. Appl. No. 11/044,106, (Apr. 13, 2009), 20 pages.
- Final Office Action, U.S. Appl. No. 11/056,500, (Apr. 16, 2009), 9 pages.
- Final Office Action, U.S. Appl. No. 11/072,087, (Nov. 16, 2009), 9 pages.
- Final Office Action, U.S. Appl. No. 11/107,347, (Apr. 2, 2009), 11 pages.
- Final Office Action, U.S. Appl. No. 11/170,521, (Jun. 29, 2010), 13 pages.
- Final Office Action, U.S. Appl. No. 11/203,818, (Apr. 14, 2009), 25 pages.
- Final Office Action, U.S. Appl. No. 11/203,937, (May 7, 2009), 8 pages.
- Final Office Action, U.S. Appl. No. 11/218,149, (Nov. 16, 2009), 18 pages.
- Final Office Action, U.S. Appl. No. 11/218,149, (May 19, 2010), 17 pages.
- Final Office Action, U.S. Appl. No. 11/226,044, (Apr. 20, 2009), 19 pages.
- Final Office Action, U.S. Appl. No. 11/227,550, (Jan. 19, 2010), 12 pages.
- Final Office Action, U.S. Appl. No. 11/227,550, (Aug. 19, 2010), 12 pages.
- Final Office Action, U.S. Appl. No. 11/234 767, (Jan. 26, 2010), 23 pages.
- Final Office Action, U.S. Appl. No. 11/234,767, (Jun. 10, 2009), 23 pages.
- Final Office Action, U.S. Appl. No. 11/295,178, (Dec. 24, 2009), 38 pages.
- Final Office Action, U.S. Appl. No. 11/295,178, (Jul. 30, 2010), 43 pages.
- Final Office Action, U.S. Appl. No. 11/557,931, (Feb. 26, 2010), 8 pages.
- Final Office Action, U.S. Appl. No. 11/567,140, (Aug. 19, 2010), 11 pages.
- Final Office Action, U.S. Appl. No. 12/028,651, (Jul. 26, 2011), 9 pages.
- Final Office Action, U.S. Appl. No. 12/061,613, (Aug. 30, 2012), 14 pages.
- Final Office Action, U.S. Appl. No. 12/126,532, (Oct. 14, 2011), 25 pages.
- Final Office Action, U.S. Appl. No. 12/694,836, (Aug. 29, 2012), 27 pages.
- Final Office Action, U.S. Appl. No. 12/694,836, (Sep. 16, 2013), 35 pages.
- Final Office Action, U.S. Appl. No. 13/159,239, (Dec. 11, 2013), 38 pages.
- Final Office Action, U.S. Appl. No. 10/977,198, (Aug. 19, 2009), 15 pages.
- Final Office Action, U.S. Appl. No. 12/722,414, Dec. 4, 2013, 23 pgs.
- Foreign Decision of Grant, Russian Application No. 2006103267, (Aug. 13, 2010), 18 pages.
- Foreign Decision of Grant, Russian Application No. 2006105526, (Nov. 8, 2010), 16 pages.
- Foreign Notice of Allowance, CA Application No. 2,800,037, Aug. 25, 2014, 1 Page.
- Foreign Notice of Allowance, Canadian Application No. 2412611, (Sep. 19, 2011), 1 page.
- Foreign Notice of Allowance, Canadian Application No. 2533147, Mar. 11, 2013, 1 page.
- Foreign Notice of Allowance, Japanese Application No. 2002-504581, (Sep. 14, 2011), 6 pages.
- Foreign Notice of Allowance, JP Application No. 2002-503701, (Jul. 6, 2012), 6 Pages.
- Foreign Notice of Allowance, Mexican Application No. PNa/2005/012067, (Nov. 13, 2009), 3 pages.
- Foreign Notice of Allowance, TW Application No. 95103951, (Nov. 6, 2013), 4 pages.
- Foreign Office Action, Mexican Patent Application No. PNa/2006/002493, (Sep. 14, 2009), 5 pages.
- Foreign Office Action, JP Application Serial No. 2002-503702, Final Notice of Rejection, (Jun. 5, 2009), 212 pages.
- Foreign Office Action, Chinese Application Serial No. 200610003709.2, (Jan. 9, 2009), 8 pgs.
- Foreign Office Action, Chinese Application Serial No. 200610051544.X, (Dec. 4, 2009), 9 pages.
- Foreign Office Action, Canadian Application Serial No. 2412611, (Feb. 9, 2009), 6 pages.
- Foreign Office Action, Australian Patent Application No. 2006200285, (May 20, 2010), 2 pgs.
- Foreign Office Action, BR Application No. PI0111797-1, Feb. 11, 2014, 7 pages.
- Foreign Office Action, Canadian Application No. 2800037, (Sep. 30, 2013), 2 pages.
- Foreign Office Action, Canadian Application No. 2408313, (Oct. 26, 2010), 5 pages.
- Foreign Office Action, Canadian Application No. 2408527, (Sep. 27, 2011), 3 pages.
- Foreign Office Action, Canadian Application No. 2412611, (Oct. 26, 2010), 2 pages.
- Foreign Office Action, Canadian Application No. 2533147, Jan. 25, 2013, 2 pages.
- Foreign Office Action, Chinese Application No. 200610051554.X, (Jun. 25, 2010), 10 pages.
- Foreign Office Action, Chinese Application No. 200610051554.X, (Jul. 10, 2009), 18 pages.
- Foreign Office Action, Chinese Application No. 200680018421.0, (Jun. 24, 2010), 11 pgs.
- Foreign Office Action, Chinese Application No. 200680018421.0, (Sep. 3, 2010), 9 pgs.
- Foreign Office Action, Chinese Application No. 200680021415.0, (Jun. 8, 2010), 10 pgs.
- Foreign Office Action, CN Application No. 01813162.x, (Feb. 16, 2007), 4 pages.
- Foreign Office Action, CN Application No. 01813162.x, (May 9, 2008), 3 pages.
- Foreign Office Action, CN Application No. 01813162.x, (Oct. 12, 2007), 7 pages.

(56)

**References Cited**

## OTHER PUBLICATIONS

- Foreign Office Action, CN Application No. 201110365026.2, (Oct. 21, 2013), 18 pages.
- Foreign Office Action, CN Application No. 201110365026.2, Jun. 5, 2014, 18 pages.
- Foreign Office Action, EP Application No. 01935324.2, Sep. 10, 2014, 6 pages.
- Foreign Office Action, EP Application No. 01937375.2, (Sep. 5, 2006), 4 pages.
- Foreign Office Action, EP Application No. 01939034.3 (Nov. 5, 2007), 3 pages.
- Foreign Office Action, EP Application No. 01935325.9, (Jun. 20, 2011), 5 pgs.
- Foreign Office Action, EP Application No. 05112241.4, (Dec. 23, 2010), 6 pgs.
- Foreign Office Action, European Application No. 01935325.9, (Jul. 20, 2010), 6 pgs.
- Foreign Office Action, European Application No. 06101267.0, (Apr. 24, 2013), 7 pgs.
- Foreign Office Action, European Patent Application No. 01939034.3, (Nov. 5, 2007), 3 pages.
- Foreign Office Action, European Patent Application No. 01939368.5, (Feb. 25, 2010), 3 pages.
- Foreign Office Action, Japanese Application No. 2002-503700, (May 10, 2011), 5 pages.
- Foreign Office Action, Japanese Application No. 2002-503700, (Aug. 30, 2011), 4 pages.
- Foreign Office Action, Japanese Application No. 2002-503701, (Mar. 16, 2012), 3 pages.
- Foreign Office Action, Japanese Application No. 2002-503701, (May 31, 2011), 10 pages.
- Foreign Office Action, Japanese Application No. 2002-504575, (Dec. 14, 2010), 4 pages.
- Foreign Office Action, Japanese Application No. 2002-504581, (May 27, 2011), 6 pages.
- Foreign Office Action, Japanese Application No. 2002-504581, (Dec. 17, 2010), 24 pages.
- Foreign Office Action, Japanese Application No. 2002-530701, (Aug. 10, 2010), 11 pages.
- Foreign Office Action, Japanese Application No. 2006-060050, (Aug. 26, 2011), 4 pages.
- Foreign Office Action, Japanese Application No. 2006-071589, (Mar. 29, 2011), 9 pgs.
- Foreign Office Action, Korean Application No. 10-2006-0012016, (Oct. 30, 2012), 6 pages.
- Foreign Office Action, Korean Application No. 10-2012-0054230, (Aug. 19, 2012), 9 pages.
- Foreign Office Action, Malaysian Application No. PI 200060743, (Jun. 8, 2012), 3 pages.
- Foreign Office Action, Russian Application No. 2006103267, (Apr. 20, 2010), 10 pgs.
- Foreign Office Action, Russian Application No. 2006105526, (Apr. 15, 2010), 10 pgs.
- Foreign Office Action, Russian Application No. 2006105526, (Aug. 24, 2010), 5 pages.
- Foreign Office Action, Taiwan Application No. 095103951, (Nov. 8, 2012), 15 pages.
- Gill, Kathy E., "Blogging, RSS and the Information Landscape: A Look at Online News", In Proceedings of WWW 2005, 7 pages.
- Grosso, et al., "XML Fragment Interchange", W3C, (Feb. 2001), 1-28.
- Halberg, Bruce et al., "Using Microsoft Excel 97", (1997), 191-201, 213-219.
- Halberg, et al., "Using Microsoft Excel 97", Que Corporation, (1997), pp. 1-9, 18-25, 85-89, 98-101, 106-113, 124-127, 144-147, 190-201, 209-210, 218-227, 581-590, 632-633, 650-655, 712-714.
- Hall, Ricard S., "Agent-based Software Configuration and Development", Retrieved from <http://www.cs.colorado.edu/users/rickhali/documents/ThesisFinal.pdf> on Nov. 7, 2003, Thesis of the University of Colorado, (Dec. 31, 1999), 182 pages.
- Hall, Richard S., "Evaluating Software Deployment Languages and Schema", In Proceedings of International Conference on Software Maintenance, (Nov. 1998), 9 pages.
- Hall, Richard S., et al., "Specifying the Deployable Software Description Format in XML", CU-SERL-207-99, Software Engineering Research Laboratory, University of Colorado at Boulder, (Mar. 31, 1999), 17 pages.
- Hammersley, Ben "Content Syndication with RSS", Chapter 9: Using Feeds; Chapter 10: Directories, Web Aggregators, and Desktop Readers, O'Reilly books, (2007), 14 pages.
- Hammersley, Ben "Developing Feeds with RSS and Atom", O'Reilly books, O'Reilly Media, Inc., (Apr. 2005), 10 pages.
- Han, Richard et al., "Websplitter: A Unified XML Framework for Multi-Device Collaborative Web Browsing", IBM Thomas J. Watson Research Center, (2000), 1-10.
- Hardy, Matthew R., et al., "Mapping and Displaying Structural Transformations between XML and PDF", Proceedings of the 2002 ACM Symposium on Document Engineering 2002, ACM Press, pp. 95-102.
- Haukeland, Jan-Henrick, "Tsbiff-tildeslash biff—version 1.2.1", <http://web.archive.org/web/19990912001527/http://www.tildeslash.com/tsbiff/>, (Jun. 1999), 2 pgs.
- Herzberg, Amir et al., "Protecting (even) Naive Web Users, or: Preventing Spoofing and Establishing Credentials of Web Sites", Bar Ilan University, Available at: [www.cs.bu.ac.il/~herzea/papers/ecommerce/trusted\\_credentials\\_area.pdf](http://www.cs.bu.ac.il/~herzea/papers/ecommerce/trusted_credentials_area.pdf), (Jul. 18, 2004), 26 pages.
- Herzner, et al., "CDAM-Compound Document Access and Management. An Object-Oriented Approach", MultiMedia Systems Interaction and Applications, Chapter 3, (1992), pp. 17-36.
- Hoffman, Michael "Architecture of Microsoft Office InfoPath 2003", Microsoft Office InfoPath 2003 Technical Articles, Retrieved from the Internet at [http://msdn2.microsoft.com/en-us/library/aa219024\(office.11,d=printer\).aspx](http://msdn2.microsoft.com/en-us/library/aa219024(office.11,d=printer).aspx) on Jan. 21, 2007, (Jun. 2003), 18 pgs.
- Honkala, Mikko et al., "Multimodal Interaction with XForms", ICWE '06, (2006), pp. 201-208.
- How to create a template that makes it easy for users to 'fill in the blank' without doing any programming, Retrieved from <http://word.mvQs.org/FAQs/Customization/FillInTheBlanks.htm>, (Apr. 2004), 2 pgs.
- Howlett, Scott "A New Function for SQL Server 2000", MSDN Magazine, No. 1, (Apr. 18, 2000), 11 pages.
- HP Blade Sever BH Series Operating System Guide, Hewlett-Packard, (Jul. 2002). pp. 1-69.
- Hu, et al., "A Programmable Editor for Developing Structured Documents based on Bidirectional Transformations", ACM, (Aug. 2004): 178-179.
- Huier, Zhang et al., "Design and Implementation of RSS-based Science and Technology Information Syndication System", Library of Chinese Academy of Sciences, (Jul. 2005), pp. 1-15.
- Hwang, Kai et al., "Micro-Firewalls for Dynamic Network Security with Distributed Intrusion Detection", IEEE Intl. Symposium on Network Computing and Applications, 2001, pp. 68-79.
- Ide, et al., "Outline of the International Standard Linguistic Annotation Framework", Proceedings of the ACL 2003 workshop on Linguistic Annotation, (Jul. 2003), 6 pages.
- Intention to Grant, European Patent Application No. 01935325.9, (Dec. 7, 2012), 7 pages.
- International Search Report, Application No. PCT/US01/15226 (Apr. 3, 2003), 4 pages.
- International Search Report, Application No. PCT/US01/15576, (Feb. 24, 2003), 2 pages.
- Issue Notification, U.S. Appl. No. 10/955,087, (Mar. 18, 2009), 1 page.
- Issue Notification, U.S. Appl. No. 10/988,718 (Aug. 12, 2009), 1 page.
- Issue Notification, U.S. Appl. No. 11/095,254, (Feb. 10, 2010), 1 page.
- Issue Notification, U.S. Appl. No. 11/276,585 (Jan. 21, 2009), 1 page.
- Japanese Notice of Allowance in Application 2006-060050, mailed Dec. 6, 2011, 6 pgs.



(56)

**References Cited**

## OTHER PUBLICATIONS

Kaiya, Haruniko et al., "Specifying Runtime Environments and Functionalities of Downloadable Components under the Sandbox Model", Int'l Symposium on Principles of Software Evolution, 2000, pp. 138-142.

Kanemoto, HI Rotaka et al., "An Efficiently Updatable Index Scheme for Structured Documents", (1998), pp. 991-996.

Kaori, Iwantani et al., "Perfect Manual of Clarisworks 4.0 for Macintosh", 1st Edition, Japan, (Jul. 22, 1997), pp. 153-167.

Kath, Randy "Managing Virtual Memory in Win32", Microsoft Developer Network Technology Group, Retrieved Apr. 17, 2002 from <http://msdn.microsoft.com/library/en-us/dngenlib/html/msdnvirtmm.asp?frame=true>, (Jan. 20, 1993), 9 pages.

Kay, Michael "XSL Transformations (XSLT) Version 2.0", <http://www.w3.org/TR/2005/WD-xslt2-20050404>, (04/2005), 1-374.

Kim, Sang-Kyun et al., "Immediate and Partial Validation Mechanism for the Conflict Resolution of Update Operations in XML Databases", WAIM 2002, LNCS 2419, 2002, Springer-Verlag Berlin Heidelberg, (2002), pp. 387-396.

Klarlund, Nils "DSD: A Schema Language for XML", ACM, FSMP Portland Oregon (2000), pp. 101-111.

Kobayashi, et al., "An update on BTRON-specification OS Development", 0-8186-2475-2/91, IEEE 1991, pp. 132-140.

Komatsu, Net al., "A Proposal on Digital Watermark in Document Image Communication and it's Applications to Realizing a Signature", Electronics and Communication in Japan, Part I: Communications, vol. 73, No. 5, (May 1990), pp. 22-33.

Leblond, et al., "PC Magazine Guid to Quattro Pro for Windows", Ziff-Davis Press, (1993), pp. 9-11, 42-61.

Lehtonen, Miro et al., "A Dynamic User Interface for Document Assembly", Department of Computer Science, University of Helsinki, (Nov. 2002), pp. 134-141.

Lotus Notes Release 5, Step by Step, Lotus Development Corporation, (1999), 224 pages.

Mansfield, "Excel 97 for Busy People", Osborne/Mcgraw-Hill, (1997), pp. 48-50.

Manual of Patent Office Practice, Computer-Implemented Inventions, Chapter 16.09.02, Data Structures, (Oct. 2010), 3 pages.

McCright, J.S. "New Tool kit to Link Groove with Microsoft SharePoint", eWeek, Enterprise News & Reviews, Ziff Davis Media Inc., (Jul. 29, 2002), 1 page.

Mehta, Manish et al., "SLIQ: A Fast Scalable Classifier for Data Mining", available at <http://vwww.dbis.informatik.hu-berlin.de/dbisold/lehre/WS0405/KDD/paper/MAR96.pdf>, (Mar. 1996), 15 Pages.

Mengel, A et al., "MATE Dialogue Annotation Guidelines", <http://www.ims.unistuttgart.de/projekte/mate/mdag> (Jan. 8, 2000), 64 pages.

Microsoft Computer Dictionary 5th Edition, Entry for "Stack," Microsoft Press, ISBN 0-7356-1495-4, (May 1, 2002), p. 495.

*Microsoft Computer Dictionary*, Microsoft Press, 5<sup>th</sup> Edition, Jun. 1, 2002, p. 149.

Microsoft Visual Basic 5.0 Programmer's Guide, Microsoft Press, (1997), pp. 42-43, 54-58, 578-579.

Microsoft Word 2000 Screenshots, (2000), pp. 11-17.

Microsoft Word 2000, Screenshots, (1999), pp. 1-5.

Moats, R. "A URN Namespace for IETF Documents", RFC 2648, (Aug. 1999), pp. 1-30.

Moats, R. "URN Syntax", RFC 2141, (May 1997), pp. 1-8.

Musgrave, S., "Networking Technology—Impact and Opportunities", Survey and Statistical Computing 1996, Proceedings of the Second ASC International Conference, London, UK, (Sep. 1996), pp. 369-378.

Nelson, Joe "Client-side Form Validation Using JavaScript", Developer Advisory, (Sep. 21, 2001), pp. 1-9.

Nelson, Mark, "Validation with MSXML and XML Schema", Windows Developer Magazine, (Jan. 11, 2002), 5 pages.

Netscape Communicator 4.61 for OS/2 Warp, Netscape Communication Corporation, Software 1999, The Whole software release & Netscape—Version 4.61 {en}—010615, Netscape Screenshot, (Oct. 2, 2002).

Netscape Window, Netscape Screenshot, (Oct. 2, 2002), 1 page.

Non Final Office Action, U.S. Appl. No. 11/170,521, (Jan. 21, 2009), 86 pages.

Non Final Office Action, U.S. Appl. No. 09/599,086, (Jan. 30, 2006), 33 pages.

Non Final Office Action, U.S. Appl. No. 09/599,086, (Oct. 28, 2003), 21 pages.

Non Final Office Action, U.S. Appl. No. 09/599,086, (Oct. 31, 2007), 48 pages.

Non Final Office Action, U.S. Appl. No. 09/599,086, (Nov. 13, 2006) 33 pages.

Non Final Office Action, U.S. Appl. No. 09/599,086, (Nov. 14, 2008), 55 pages.

Non Final Office Action, U.S. Appl. No. 09/599,086, (Mar. 3, 2005), 25 pages.

Non Final Office Action, U.S. Appl. No. 09/599,809, (May 13, 2009), 17 pages.

Non Final Office Action, U.S. Appl. No. 10/178,291, (Nov. 26, 2004), 21 pages.

Non Final Office Action, U.S. Appl. No. 10/178,291, (Apr. 29, 2004), 14 pages.

Non Final Office Action, U.S. Appl. No. 10/178,291, (Jun. 27, 2005), 22 pages.

Non Final Office Action, U.S. Appl. No. 10/402,640, (Sep. 8, 2008), 16 pages.

Non Final Office Action, U.S. Appl. No. 10/402,640, (Oct. 6, 2006), 15 pgs.

Non Final Office Action, U.S. Appl. No. 10/402,640, (Feb. 12, 2008), 16 pgs.

Non Final Office Action, U.S. Appl. No. 10/402,640, (Apr. 25, 2007), 16 pgs.

Non Final Office Action, U.S. Appl. No. 10/857,689, (Jun. 11, 2009), 21 pages.

Non Final Office Action, U.S. Appl. No. 10/876,433, (Apr. 24, 2009), 25 pages.

Non Final Office Action, U.S. Appl. No. 10/897,647, (Nov. 14, 2008), 28 pages.

Non Final Office Action, U.S. Appl. No. 10/897,647, (Sep. 6, 2007), 21 pages.

Non Final Office Action, U.S. Appl. No. 10/898,656, (Apr. 18, 2008), 17 pages.

Non Final Office Action, U.S. Appl. No. 10/898,656, (Jul. 13, 2007), 13 pages.

Non Final Office Action, U.S. Appl. No. 10/898,657, (Jul. 18, 2007), 18 pages.

Non Final Office Action, U.S. Appl. No. 10/898,657, (Sep. 8, 2008), 24 pages.

Non Final Office Action, U.S. Appl. No. 10/916,692, (Apr. 30, 2009), 14 pages.

Non Final Office Action, U.S. Appl. No. 10/939,588, (Feb. 18, 2009), 30 pages.

Non Final Office Action, U.S. Appl. No. 10/942,528, (Mar. 6, 2009), 31 pages.

Non Final Office Action, U.S. Appl. No. 10/955,087, (Nov. 19, 2007), 22 pgs.

Non Final Office Action, U.S. Appl. No. 10/955,665, (Apr. 2, 2009), 16 pages.

Non Final Office Action, U.S. Appl. No. 10/955,666, (May 7, 2009), 25 pages.

Non Final Office Action, U.S. Appl. No. 10/955,666, (Dec. 26, 2006), 21 pages.

Non Final Office Action, U.S. Appl. No. 10/955,666, (Feb. 4, 2008), 21 pages.

Non Final Office Action, U.S. Appl. No. 10/976,451, (Feb. 23, 2009), 39 pages.

Non Final Office Action, U.S. Appl. No. 10/977,198, (Jan. 10, 2008), 11 pages.

Non Final Office Action, U.S. Appl. No. 10/977,198, (Feb. 2, 2009), 15 pages.

(56)

**References Cited**

## OTHER PUBLICATIONS

Non Final Office Action, U.S. Appl. No. 10/977,198, (Mar. 9, 2007), 10 pages.

Non Final Office Action, U.S. Appl. No. 10/988,718, (Jan. 25, 2007), 49 pages.

Non Final Office Action, U.S. Appl. No. 10/988,718, (Jul. 21, 2008), 19 pages.

Non Final Office Action, U.S. Appl. No. 10/988,718, (Jul. 26, 2007), 22 pgs.

Non Final Office Action, U.S. Appl. No. 10/988,720, (Jan. 28, 2008), 19 pages.

Non Final Office Action, U.S. Appl. No. 10/990,152, (May 28, 2009), 16 pgs.

Non Final Office Action, U.S. Appl. No. 11/095,254, (Jun. 8, 2009), 8 pages.

Non final Office Action, U.S. Appl. No. 11/234,767, (Feb. 26, 2009), 23 pages.

Non Final Office Action, U.S. Appl. No. 11/295,178, (May 27, 2009), 110 pgs.

Non-Final Office Action in U.S. Appl. No. 10/990,152, (Jun. 16, 2008), 14 pgs.

Non-Final Office Action in U.S. Appl. No. 12/061,613, (Jun. 17, 2013), 15 pgs.

Non-Final Office Action in U.S. Appl. No. 13/159,239, (May 23, 2013), 34 pgs.

Non-Final Office Action, U.S. Appl. No. 10/402,640, (Dec. 30, 2009), 16 pages.

Non-Final Office Action, U.S. Appl. No. 09/599,299, (Oct. 28, 2003), 32 pages.

Non-Final Office Action, U.S. Appl. No. 09/599,299, (Aug. 12, 2004), 13 pages.

Non-Final Office Action, U.S. Appl. No. 09/599,812, (Feb. 27, 2003), 20 pages.

Non-Final Office Action, U.S. Appl. No. 09/599,812, (Feb. 5, 2004), 35 pages.

Non-Final Office Action, U.S. Appl. No. 09/599,813, (Jan. 24, 2006), 22 pages.

Non-Final Office Action, U.S. Appl. No. 09/599,813, (Feb. 18, 2004), 23 pages.

Non-Final Office Action, U.S. Appl. No. 09/599,813, (Aug. 10, 2005), 25 pages.

Non-Final Office Action, U.S. Appl. No. 09/599,813, (Aug. 19, 2004), 18 pages.

Non-Final Office Action, U.S. Appl. No. 10/011,150, (May 19, 2005), 7 pages.

Non-Final Office Action, U.S. Appl. No. 10/402,640, (Apr. 30, 2010), 4 pages.

Non-Final Office Action, U.S. Appl. No. 10/632,297, (Mar. 20, 2006), 23 pages.

Non-Final Office Action, U.S. Appl. No. 10/632,297, (May 25, 2007), 22 pages.

Non-Final Office Action, U.S. Appl. No. 10/723,188, (Apr. 16, 2008), 16 pages.

Non-Final Office Action, U.S. Appl. No. 10/723,188, (Jun. 14, 2006), 25 pages.

Non-Final Office Action, U.S. Appl. No. 10/723,863, (Feb. 8, 2007), 30 Pages.

Non-Final Office Action, U.S. Appl. No. 10/723,863, (Aug. 23, 2006), 16 Pages.

Non-Final Office Action, U.S. Appl. No. 10/723,863, (Nov. 6, 2007), 7 Pages.

Non-Final Office Action, U.S. Appl. No. 10/770,240, (Oct. 29, 2010), 14 pages.

Non-Final Office Action, U.S. Appl. No. 10/770,240, (May 13, 2010), 15 pages.

Non-Final Office Action, U.S. Appl. No. 10/770,240, (Sep. 13, 2013), 15 pages.

Non-Final Office Action, U.S. Appl. No. 10/846,428, (Oct. 15, 2008), 23 pages.

Non-Final Office Action, U.S. Appl. No. 10/846,428, (Jul. 19, 2007), 19 pages.

Non-Final Office Action, U.S. Appl. No. 10/854,961, (Nov. 15, 2006), 22 pgs.

Non-Final Office Action, U.S. Appl. No. 10/916,692, (Apr. 5, 2010), 6 pages.

Non-Final Office Action, U.S. Appl. No. 10/939,588, (Aug. 27, 2009), 28 pgs.

Non-Final Office Action, U.S. Appl. No. 10/953,933, (Jul. 9, 2007), 26 pages.

Non-Final Office Action, U.S. Appl. No. 10/955,665, (Sep. 11, 2008), 17 pgs.

Non-Final Office Action, U.S. Appl. No. 10/976,451, (Oct. 29, 2009), 15 pgs.

Non-Final Office Action, U.S. Appl. No. 10/976,451, (Nov. 10, 2010), 10 pages.

Non-Final Office Action, U.S. Appl. No. 10/976,451, (Apr. 9, 2010), 11 pages.

Non-Final Office Action, U.S. Appl. No. 10/988,732, (Apr. 1, 2008), 28 pages.

Non-Final Office Action, U.S. Appl. No. 10/988,732, (May 26, 2010), 37 pgs.

Non-Final Office Action, U.S. Appl. No. 10/988,732, (Jun. 11, 2009), 31 pgs.

Non-Final Office Action, U.S. Appl. No. 11/012,472, (Oct. 6, 2009), 9 pages.

Non-Final Office Action, U.S. Appl. No. 11/012,472, (Jul. 1, 2010), 10 pages.

Non-Final Office Action, U.S. Appl. No. 11/036,910, (Oct. 2, 2008), 8 pages.

Non-Final Office Action, U.S. Appl. No. 11/036,910, (Nov. 13, 2009), 9 pgs.

Non-Final Office Action, U.S. Appl. No. 11/036,910, (Aug. 19, 2010), 9 pages.

Non-Final Office Action, U.S. Appl. No. 11/044,106, (Sep. 24, 2009), 17 pgs.

Non-Final Office Action, U.S. Appl. No. 11/056,439, (May 23, 2007), 5 pages.

Non-Final Office Action, U.S. Appl. No. 11/056,500, (Sep. 4, 2008), 7 pages.

Non-Final Office Action, U.S. Appl. No. 11/107,347, (Sep. 17, 2009), 9 pgs.

Non-Final Office Action, U.S. Appl. No. 11/107,347, (Jul. 9, 2010), 16 pages.

Non-Final Office Action, U.S. Appl. No. 11/170,521, (Dec. 17, 2009), 11 pages.

Non-Final Office Action, U.S. Appl. No. 11/170,521, (Aug. 3, 2011), 16 pages.

Non-Final Office Action, U.S. Appl. No. 11/218,149, (Jan. 14, 2010), 15 Pages.

Non-Final Office Action, U.S. Appl. No. 11/218,149, (Sep. 20, 2010), 15 pages.

Non-Final Office Action, U.S. Appl. No. 11/227,550, (Mar. 10, 2010), 12 pages.

Non-Final Office Action, U.S. Appl. No. 11/234,767, (Nov. 26, 2010), 28 pages.

Non-Final Office Action, U.S. Appl. No. 11/295,178, (May 26, 2010), 45 pages.

Non-Final Office Action, U.S. Appl. No. 11/557,931, (Oct. 20, 2009), 27 pgs.

Non-Final Office Action, U.S. Appl. No. 11/567,140, (May 18, 2010), 9 pages.

Non-Final Office Action, U.S. Appl. No. 11/567,149, (Sep. 8, 2009), 6 pgs.

Non-Final Office Action, U.S. Appl. No. 12/021,894, (Dec. 31, 2009), 10 pages.

Non-Final Office Action, U.S. Appl. No. 12/061,613, (Mar. 16, 2012), 12 pages.

Non-Final Office Action, U.S. Appl. No. 12/061,613, (Sep. 28, 2010), 9 pages.

Non-Final Office Action, U.S. Appl. No. 12/126,532, (Sep. 27, 2013), 19 Pages.

(56)

**References Cited**

## OTHER PUBLICATIONS

Non-Final Office Action, U.S. Appl. No. 12/694,836, (Mar. 9, 2012), 30 pages

Non-Final Office Action, U.S. Appl. No. 12/722,414, (Aug. 15, 2012), 27 pages.

Non-Final Office Action, U.S. Appl. No. 12/722,414, (May 21, 2013), 20 pages.

Non-Final Office Action, U.S. Appl. No. 13/159,239, Apr. 25, 2014, 38 pages.

Non-Final Office Action, U.S. Appl. No. 13/161,419, (Aug. 15, 2012), 7 pages.

Non-Final Office Action, U.S. Appl. No. 11/234,767, (Aug. 12, 2009), 24 pgs.

Non-Final Office Action, U.S. Appl. No. 11/227,550, (Aug. 3, 2009), 10 pgs.

Noore, Afzel "A Secure Conditional Access System using Digital Signature and Encryption", International Conference on Consumer Electronics, (Jun. 2003), pp. 220-221.

Noriko, Matsushita "Step-up Training of Clarisworks (tabulation), Successful Use of Spreadsheet and Tabulation", Mac People, vol. 4, No. 19, (10/10/98), pp. 138-139.

Notice of Allowance, U.S. Appl. No. 09/599,086, (Aug. 17, 2009), 59 pages.

Notice of Allowance, U.S. Appl. No. 09/599,299, (Nov. 30, 2004), 7 pages.

Notice of Allowance, U.S. Appl. No. 09/599,812, (Aug. 3, 2004), 12 pages.

Notice of Allowance, U.S. Appl. No. 09/599,813, (Sep. 19, 2006), 9 pages.

Notice of Allowance, U.S. Appl. No. 10/011,150, (Dec. 16, 2005), 4 pages.

Notice of Allowance, U.S. Appl. No. 10/178,291, (Feb. 6, 2006), 7 pages.

Notice of Allowance, U.S. Appl. No. 10/402,640, (Jun. 15, 2010), 6 pages.

Notice of Allowance, U.S. Appl. No. 10/404,312, (Jan. 12, 2009), 8 pages.

Notice of Allowance, U.S. Appl. No. 10/632,297, (Nov. 14, 2007), 7 pages.

Notice of Allowance, U.S. Appl. No. 10/723,863, (Jun. 30, 2008), 9 pages.

Notice of Allowance, U.S. Appl. No. 10/770,240, Mar. 21, 2014, 10 Pages.

Notice of Allowance, U.S. Appl. No. 10/846,428, (Apr. 29, 2009), 7 pages.

Notice of Allowance, U.S. Appl. No. 10/854,961, (Jun. 14, 2007), 12 pages.

Notice of Allowance, U.S. Appl. No. 10/897,647, (Jan. 19, 2010), 13 pages.

Notice of Allowance, U.S. Appl. No. 10/898,656, (Jan. 2, 2009), 10 pages.

Notice of Allowance, U.S. Appl. No. 10/898,657, (Jun. 11, 2009), 20 pages.

Notice of Allowance, U.S. Appl. No. 10/916,692, (Jun. 14, 2010), 6 pages.

Notice of Allowance, U.S. Appl. No. 10/942,528, (Dec. 3, 2009), 8 pages.

Notice of Allowance, U.S. Appl. No. 10/953,933, (Mar. 14, 2008), 8 pages.

Notice of Allowance, U.S. Appl. No. 10/955,087, (Dec. 11, 2008), 10 pages.

Notice of Allowance, U.S. Appl. No. 10/955,665, (Nov. 3, 2009), 8 pages.

Notice of Allowance, U.S. Appl. No. 10/955,665, (Dec. 30, 2009), 2 pages.

Notice of Allowance, U.S. Appl. No. 10/988,720, (Sep. 17, 2009), 18 pages.

Notice of Allowance, U.S. Appl. No. 10/990,152, (Dec. 21, 2009), 6 pages.

Notice of Allowance, U.S. Appl. No. 11/036,910, (Dec. 7, 2010), 7 pages.

Notice of Allowance, U.S. Appl. No. 11/044,106, (Mar. 15, 2010), 7 pages.

Notice of Allowance, U.S. Appl. No. 11/056,439, (Feb. 5, 2008), 8 pages.

Notice of Allowance, U.S. Appl. No. 11/056,439, (Sep. 18, 2007), 12 pages.

Notice of Allowance, U.S. Appl. No. 11/056,500, (Dec. 2, 2009), 15 pages.

Notice of Allowance, U.S. Appl. No. 11/072,087, (Feb. 23, 2010), 4 pages.

Notice of Allowance, U.S. Appl. No. 11/095,254, (Nov. 18, 2009), 8 pages.

Notice of Allowance, U.S. Appl. No. 11/103,836, (Oct. 18, 2007), 6 pages.

Notice of Allowance, U.S. Appl. No. 11/167,514, (Mar. 11, 2009), 6 pages.

Notice of Allowance, U.S. Appl. No. 11/170,521, (Jan. 19, 2012), 8 pages.

Notice of Allowance, U.S. Appl. No. 11/203,937, (Aug. 3, 2009), 7 pages.

Notice of Allowance, U.S. Appl. No. 11/203,937, (Aug. 31, 2009), 2 pages.

Notice of Allowance, U.S. Appl. No. 11/203,937, Supplemental, (Sep. 15, 2009), 2 pages.

Notice of Allowance, U.S. Appl. No. 11/557,931, (May 5, 2010), 7 pages.

Notice of Allowance, U.S. Appl. No. 11/567,140, (Oct. 11, 2011), 12 pages.

Notice of Allowance, U.S. Appl. No. 11/872,703, (Jan. 27, 2010), 19 pages.

Notice of Allowance, U.S. Appl. No. 11/872,703, (May 14, 2010), 18 pages.

Notice of Allowance, U.S. Appl. No. 11/927,296, (Aug. 8, 2011), 7 pages.

Notice of Allowance, U.S. Appl. No. 12/021,894, (Oct. 29, 2010), 9 pgs.

Notice of Allowance, U.S. Appl. No. 12/061,613, Aug. 7, 2014, 11 pages.

Notice of Allowance, U.S. Appl. No. 12/249,973, (Sep. 28, 2011), 9 pages.

Notice of Allowance, U.S. Appl. No. 13/161,419, (Dec. 7, 2012), 6 pages.

Notice of Re-Examination, Chinese Application Serial No. 01813138.7, (Mar. 11, 2009), 27 pgs.

OLE Open Doc and Network, Retrieved from <http://www.pcwebopedia.com> on May 9, 2006, Webopedia entries, (May 16, 1998), 7 pages.

OMG XML Metadata Interchange (XMI) Specification, Retrieved from: <http://www.omg.org/cgi-bin/doc?formal/02-01-01.pdf> Version 1.2, (Jan. 2002), 268 pgs.

Pacheco, Xavier et al., "Delphi 5 Developers Guide", Sams Publishing. Chapter 31, Section: Data Streaming, (1999), 4 pgs.

PCT Search Report, PCT Application No. PCT/US01/15581, (Jan. 29, 2003), 3 pgs.

Peterson, B "Unix Variants", Unix Review, vol. 10, No. 4, (Apr. 1992), pp. 29-31.

Pike, et al., "Plan 9 From Bell Labs", AT&T Bell Laboratories, UKUUG, Summer 1990, 11 pages.

Pike, et al., "The Use of Name Spaces in Plan 9", Operating Systems Review, vol. 27, No. 2, (Apr. 1993), pp. 72-76.

Prevelakis, Vassilis et al., "Sand boxing Applications", FREEN IX Track: 2001 USENIX Annual Technical Conference, pp. 119-126.

Prosis, Jeff "Programming Microsoft Net", retrieved from: <http://academic.safaribooksonline.com/print?xmlid=0-7356-1376-1/IDAVO3T> on Mar. 3, 2011, Microsoft Press, (May 15, 2002), 24 pages.

Rado, Dave "How to create a template that makes it easy for users to 'fill in the blanks' without doing any programming.", Retrieved from <http://word.mvps.org/FAQs/Customization/FillInTheBlanks.htm>, (Apr. 30, 2004), 2 pages.

(56)

## References Cited

## OTHER PUBLICATIONS

- Raggett, "HTML Tables", Retrieved from <http://www.isedu.homuns.edu.vn/WebLib/books/Web/Tel/html3-tables.htm/> on Aug. 6, 2006, W3C Internet Draft, (Jul. 7, 1995), pp. 1-12.
- Raman, T. V., et al., "XForms 1.0", (Dec. 2001), Section 1-12.2.3 & Appendices A-G.
- Rapaport, L., "Get More From SharePoint", Transform Magazine, vol. 11, No. 3, (Mar. 2002), pp. 13-15.
- Wong, et al., "Managing and Querying Multi-Version XML Data with Update Logging", DocEng '02 Copyright 2002, ACM 1-58113-597-7/02/0011, (Nov. 8-9, 2002), pp. 74-81.
- Moore, et al., "Collection-based persistent digital archives", U.S. Appl. No. 60/191,662, filed Mar. 23, 2000, 133 pgs.
- Rees, Michael J., "Evolving the Browser Towards a Standard User Interface Architecture", School of Information Technology, Bond University, Australia, (2001), pp. 1-7.
- Reilly, Douglas J., "Programming Microsoft Web Forms", retrieved from: <http://academic.safaribooksonline.com/print?xmlid=0735621799/systemdotwebdotuidotweb> on Mar. 3, 2011, Microsoft Press, (Nov. 2, 2005), 52 pages.
- Resizing Controls Dynamically, Microsoft Visual Basic 5.0 Programmer's Guide 1997, (1997), pp. 578-579.
- Restriction Requirement, U.S. Appl. No. 10/011,150, (Dec. 15, 2004), 5 pages.
- Restriction Requirement, U.S. Appl. No. 10/402,640, (Aug. 29, 2006), 5 pgs.
- Restriction Requirement, U.S. Appl. No. No. 11/012,472, (Jun. 9, 2009), 7 pages.
- Restriction Requirement, U.S. Appl. No. 11/227,550, (Apr. 2, 2009), 8 pages.
- Rogge, Boris et al., "Validating MPEG-21 Encapsulated Functional Metadata", IEEE 2002, ISBN 0-7803-7304-9/02, (2002), pp. 209-212.
- Sato, T. et al., "XFIG Version 3.2 Patch level 2 Users Manual Edition 1.0", Available at <http://itinf2.vub.ac.be/~dvermeir/manuals/xfig/lib/X11/xfig/html/index.html>, (Jul. 2, 1998), 37 pages.
- Schmalstieg, Dieter et al., "Using Transparent Props for Interaction with the Virtual Table," Proceedings of the 1999 symposium on Interactive 3D graphics., available at <http://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.35.8236>, (Apr. 26, 1999), 7 pages.
- Schmid, M. et al., "Protecting Data from Malicious Software", 18th Annual Security Applications Conference, (2002), pp. 199-208.
- Sebastiani, F., "A Tutorial on Automated Text Categorisation", In Analia Amandi and Ricardo Zunino, editors, Proceedings of ASAI-99, 1st Argentinean Symposium on Artificial Intelligence, Buenos Aires, AR, (1999), pp. 7-35.
- Simpson, "WordPerfect 6 for Windows Instant Reference", SYBEX, Alameda, CA, US, ISBN: 978-0-78-211383-9, Jan. 1994, 14 pgs.
- Singh, Darshan "Microsoft InfoPath 2003 by Example", Retrieved from the Internet at <http://www.perfectxml.com/InfoPath.asp> on Jan. 21, 2007, (Apr. 20, 2003), 19 pgs.
- SmartUpdate Developer's Guide, Retrieved from <http://developer.netscape.com:80/docs/manuals/communicator/jarman/index.htm> on Dec. 8, 2000, Netscape Communications Corp, (Mar. 11, 1999), 83 pages.
- Sollins, et al., "Functional Requirements for Uniform Resource Names", RFC 1737, (Dec. 1994), pp. 1-7.
- Stack Algorithm for Extracting Subtree from Serialized Tree, IBM Technical Disclosure Bulletin, TBD-ACC-NO, NN94033, Mar. 1, 1994, 3 pages.
- Staneck, W "Internal and External Media", Electronic Publishing Unleashed, Chapter 22, (1995), pp. 510-542.
- Store and Organize Related Project Files in a Binder, Getting results with Microsoft Office, (1990), pp. 109-112.
- Streamlining Content Creation, Ixia Soft, Jun. 6, 2002, pp. 1-16.
- STYLUSSTUDIO, "StylusStudio: XPath Tools", 2004-2007, StylusStudio, 1-14.
- Summons to Attend Oral Proceedings, European Patent Application No. 01935325.9, (Sep. 7, 2012), 9 pages.
- Sun, Q et al., "A Robust and Secure Media Signature Scheme for JPEG Images", Proceeding of 2002 IEEE Workshop on Multimedia Signal Processing, (Dec. 2002), pp. 296-299.
- Supplemental Notice of Allowance, U.S. Appl. No. 10/955,665, (Feb. 4, 2010), 2 pgs.
- Supplemental Notice of Allowance, U.S. Appl. No. 10/955,665, (Nov. 27, 2009), 3 pgs.
- Supplemental Notice of Allowance, U.S. Appl. No. 10/955,665, (Mar. 5, 2010), 2 pgs.
- Supplemental Notice of Allowance, U.S. Appl. No. 10/990,152, (Apr. 19, 2010), 2 pages.
- Supplemental Notice of Allowance, U.S. Appl. No. 11/044,106, (May 13, 2010), 6 pgs.
- Supplemental Notice of Allowance, U.S. Appl. No. 11/044,106, (May 19, 2010), 5 pgs.
- Supplemental Notice of Allowance, U.S. Appl. No. 11/072,087, (Apr. 19, 2010), 2 pages.
- Supplemental Notice of Allowance, U.S. Appl. No. No. 13/161,419, Feb. 25, 2013, 2 pages.
- Supplemental Notice of Allowance, U.S. Appl. No. No. 13/161,419, Mar. 25, 2013, 3 pages.
- Supplementary European Search Report, Application No. 04779161.1, (Jul. 14, 2011), 4 pages.
- Sutanthavibul, Supoj et al., "XFIG version 3.2 Patchlevel2 (Jul. 2, 1998) Users Manual (Edition 1.0)", Retrieved from [www.ice.mtu.edu/online/docs/sfig3321](http://www.ice.mtu.edu/online/docs/sfig3321) on Jan. 28, 2003, Internet Document XP002229137,(007/02/98), 63 pgs.
- Taiwan Search Report, Taiwan Application No. 095103951, (Nov. 8, 2012), 1 page.
- TEI: P4 Guidelines, TEI Consortium, (Mar. 2002), 340 pages.
- Text Encoding Initiative, TEI Consortium, (Mar. 2002), 1 page.
- The History of Notes and Domino, developerWorks Technical Resource Portal, Retrieved from: <http://www.ibm.com/developerworks/lotus/library/ls-NDHistory/> on Jul. 9, 2010, (Nov. 14, 2007), 19 pages.
- Tomimori, Hiroyuki et al., "An Efficient and Flexible Access Control Framework for Java Programs in Mobile Terminals", Proceeding of 22nd Int'l Conference on Distributed Computing Systems Workshops, (2002), pp. 777-782.
- Trupin, J "The Visual Programmer", Microsoft Systems Journal, (Apr. 1996), pp. 103-105.
- U.S. Appl. No. 60/209,713, Kutay et al., filed Jun. 5, 2000.
- Udell, Jon "InfoPath and XForms", Retrieved from the Internet at <http://weblog.infoworld.com/udell/2003/02/26.html>, (Feb. 26, 2003).
- US Amendment mailed Nov. 19, 2012, in U.S. Appl. No. 10/976,451, (10 pages).
- US Notice of Allowance mailed Feb. 4, 2013, in U.S. Appl. No. 10/976,451, (10 pages).
- U.S. Appl. No. 10/395,505, Notice of Allowance mailed Aug. 24, 2007, 2 pgs.
- U.S. Appl. No. 10/632,297, Advisory Action mailed Dec. 29, 2006, 3 pgs.
- U.S. Appl. No. 10/632,297, Amendment and Response filed Dec. 7, 2006, 29 pgs.
- U.S. Appl. No. 10/632,297, Amendment and Response filed Mar. 8, 2007, 22 pgs.
- U.S. Appl. No. 10/632,297, Amendment and Response filed Jun. 20, 2006, 23 pgs.
- U.S. Appl. No. 10/632,297, Amendment and Response filed Sep. 14, 2007, 15 pgs.
- U.S. Appl. No. 10/632,297, Final Office Action mailed Sep. 8, 2006, 32 pgs.
- U.S. Appl. No. 10/632,297, Notice of Allowance mailed Nov. 14, 2007, 7 pgs.
- U.S. Appl. No. 10/632,297, Office Action mailed Mar. 20, 2006, 24 pgs.
- U.S. Appl. No. 10/632,297, Office Action mailed May 25, 2007, 23 pgs.
- U.S. Appl. No. 10/723,188, Advisory Action mailed Feb. 21, 2007, 5 pgs.
- U.S. Appl. No. 10/723,188, Amendment filed Oct. 15, 2008, 29 pgs.
- U.S. Appl. No. 10/723,188, Amendment filed Feb. 2, 2007, 34 pgs.

(56)

**References Cited**

## OTHER PUBLICATIONS

- U.S. Appl. No. 10/723,188, Amendment filed May 8, 2009, 24 pgs.  
 U.S. Appl. No. 10/723,188, Amendment filed Aug. 21, 2006, 30 pgs.  
 U.S. Appl. No. 10/723,188, Office Action mailed Nov. 3, 2006, 34 pgs.  
 U.S. Appl. No. 10/723,188, Office Action mailed Apr. 16, 2008, 17 pgs.  
 U.S. Appl. No. 10/723,188, Office Action mailed Jun. 14, 2006, 64 pgs.  
 U.S. Appl. No. 10/854,961, Amendment filed Mar. 27, 2007, 36 pgs.  
 U.S. Appl. No. 10/857,689, Amendment filed Oct. 10, 2008, 8 pgs.  
 U.S. Appl. No. 10/857,689, Amendment filed Nov. 2, 2007, 9 pgs.  
 U.S. Appl. No. 10/857,689, Amendment filed Feb. 5, 2010, 9 pgs.  
 U.S. Appl. No. 10/857,689, Amendment filed Apr. 15, 2008, 11 pgs.  
 U.S. Appl. No. 10/857,689, Amendment filed Apr. 2, 2009, 8 pgs.  
 U.S. Appl. No. 10/857,689, Amendment filed Aug. 19, 2009, 9 pgs.  
 U.S. Appl. No. 10/857,689, Notice of Allowance mailed May 14, 2010, 9 pgs.  
 U.S. Appl. No. 10/857,689, Office Action mailed Jan. 15, 2008, 16 pgs.  
 U.S. Appl. No. 10/857,689, Office Action mailed Dec. 17, 2009, 20 pgs.  
 U.S. Appl. No. 10/857,689, Office Action mailed Jun. 13, 2007, 24 pgs.  
 U.S. Appl. No. 10/857,689, Office Action mailed Jul. 18, 2008, 19 pgs.  
 U.S. Appl. No. 10/876,433, Amendment filed Feb. 11, 2009, 10 pgs.  
 U.S. Appl. No. 10/876,433, Amendment filed Jul. 29, 2008, 10 pgs.  
 U.S. Appl. No. 10/876,433, Amendment filed Jul. 6, 2009, 10 pgs.  
 U.S. Appl. No. 10/876,433, Notice of Allowance mailed Nov. 10, 2009, 13 pgs.  
 U.S. Appl. No. 10/876,433, Office Action mailed Nov. 14, 2008, 32 pgs.  
 U.S. Appl. No. 10/876,433, Office Action mailed May 12, 2008, 27 pgs.  
 U.S. Appl. No. 10/955,087, Amendment filed Feb. 11, 2008, 14 pgs.  
 U.S. Appl. No. 10/955,087, Amendment filed Sep. 16, 2008, 21 pgs.  
 U.S. Appl. No. 10/955,665, Amendment filed Jan. 12, 2009, 23 pgs.  
 U.S. Appl. No. 10/955,665, Amendment filed Jul. 2, 2009, 10 pgs.  
 U.S. Appl. No. 10/955,666, Amendment filed Nov. 13, 2007, 21 pgs.  
 U.S. Appl. No. 10/955,666, Amendment filed Mar. 2, 2009, 26 pgs.  
 U.S. Appl. No. 10/955,666, Amendment filed Jun. 21, 2007, 26 pgs.  
 U.S. Appl. No. 10/955,666, Amendment filed Jul. 22, 2009, 32 pgs.  
 U.S. Appl. No. 10/955,666, Amendment filed Jul. 25, 2008, 23 pgs.  
 U.S. Appl. No. 10/955,666, Final Office Action mailed Oct. 14, 2009, 25 pgs.  
 U.S. Appl. No. 10/976,451, Amendment filed Jan. 12, 2009, 5 pgs.  
 U.S. Appl. No. 10/976,451, Amendment filed Oct. 25, 2010, 8 pgs.  
 U.S. Appl. No. 10/976,451, Amendment filed Dec. 16, 2009, 7 pgs.  
 U.S. Appl. No. 10/976,451, Amendment filed Feb. 16, 2011, 7 pgs.  
 U.S. Appl. No. 10/976,451, Amendment filed May 26, 2009, 6 pgs.  
 U.S. Appl. No. 10/976,451, Amendment filed May 5, 2010, 7 pgs.  
 U.S. Appl. No. 10/976,451, Amendment filed Jun. 13, 2011, 7 pgs.  
 U.S. Appl. No. 10/976,451, Amendment filed Jul. 17, 2008, 5 pgs.  
 U.S. Appl. No. 10/976,451, Amendment filed Aug. 26, 2009, 7 pgs.  
 U.S. Appl. No. 10/976,451, Final Office Action mailed Apr. 6, 2011, 10 pgs.  
 U.S. Appl. No. 10/976,451, Non-Final Office Action mailed Jul. 23, 2012, 9 pgs.  
 U.S. Appl. No. 10/976,451, Notice of Allowance mailed May 22, 2013, 2 pgs.  
 U.S. Appl. No. 10/976,451, Notice of Allowance mailed Jun. 18, 2013, 2 pgs.  
 U.S. Appl. No. 10/976,451, Office Action mailed Nov. 17, 2008, 10 pgs.  
 U.S. Appl. No. 10/976,451, Office Action mailed Mar. 20, 2008, 10 pgs.  
 U.S. Appl. No. 10/977,198, Amendment filed Oct. 31, 2007, 10 pgs.  
 U.S. Appl. No. 10/977,198, Amendment filed Nov. 21, 2008, 18 pgs.  
 U.S. Appl. No. 10/977,198, Amendment filed May 30, 2008, 13 pgs.  
 U.S. Appl. No. 10/977,198, Amendment filed Jun. 2, 2009, 14 pgs.  
 U.S. Appl. No. 10/977,198, Amendment filed Aug. 9, 2007, 11 pgs.  
 U.S. Appl. No. 10/988,718, Amendment filed Oct. 14, 2008, 12 pgs.  
 U.S. Appl. No. 10/988,718, Amendment filed Nov. 26, 2007, 10 pgs.  
 U.S. Appl. No. 10/988,718, Amendment filed Mar. 13, 2009, 11 pgs.  
 U.S. Appl. No. 10/988,718, Amendment filed Apr. 14, 2009, 6 pgs.  
 U.S. Appl. No. 10/988,718, Amendment filed Apr. 25, 2007, 11 pgs.  
 U.S. Appl. No. 10/988,718, Amendment filed Apr. 30, 2008, 8 pgs.  
 U.S. Appl. No. 10/988,718, Notice of Allowance mailed Apr. 9, 2009, 13 pgs.  
 U.S. Appl. No. 10/988,732, Amendment filed Apr. 10, 2009, 20 pgs.  
 U.S. Appl. No. 10/988,732, Amendment filed Apr. 13, 2010, 15 pgs.  
 U.S. Appl. No. 10/988,732, Amendment filed Aug. 26, 2010, 31 pgs.  
 U.S. Appl. No. 10/988,732, Amendment filed Sep. 3, 2009, 18 pgs.  
 U.S. Appl. No. 10/988,732, Amendment filed Sep. 30, 2008, 18 pgs.  
 U.S. Appl. No. 10/988,732, Final Office Action mailed Nov. 12, 2010, 39 pgs.  
 U.S. Appl. No. 11/012,472, Amendment filed Jan. 4, 2010, 14 pgs.  
 U.S. Appl. No. 11/012,472, Amendment filed Jun. 3, 2010, 9 pgs.  
 U.S. Appl. No. 11/012,472, Amendment filed Sep. 30, 2010, 9 pgs.  
 U.S. Appl. No. 11/012,472, Notice of Allowance mailed Nov. 24, 2010, 6 pgs.  
 U.S. Appl. No. 11/036,910, Advisory Action mailed Sep. 10, 2009, 3 pgs.  
 U.S. Appl. No. 11/036,910, Amendment filed Oct. 1, 2009, 18 pgs.  
 U.S. Appl. No. 11/036,910, Amendment filed Feb. 1, 2010, 11 pgs.  
 U.S. Appl. No. 11/036,910, Amendment filed Mar. 2, 2009, 14 pgs.  
 U.S. Appl. No. 11/036,910, Amendment filed Jul. 22, 2010, 28 pgs.  
 U.S. Appl. No. 11/036,910, Amendment filed Aug. 24, 2009, 16 pgs.  
 U.S. Appl. No. 11/036,910, Amendment filed Sep. 14, 2010, 26 pgs.  
 U.S. Appl. No. 11/036,910, Notice of Allowance mailed Jan. 5, 2011, 2 pgs.  
 U.S. Appl. No. 11/036,910, Office Action mailed Oct. 2, 2008, 8 pgs.  
 U.S. Appl. No. 12/028,651, Amendment and Response filed May 3, 2011, 11 pgs.  
 U.S. Appl. No. 12/028,651, Amendment and Response filed Jun. 1, 2012, 3 pgs.  
 U.S. Appl. No. 12/028,651, Amendment and Response filed Sep. 26, 2011, 8 pgs.  
 U.S. Appl. No. 12/028,651, Notice of Allowance mailed Jan. 3, 2013, 7 pgs.  
 U.S. Appl. No. 12/028,651, Notice of Allowance mailed Oct. 7, 2011, 10 pgs.  
 U.S. Appl. No. 12/028,651, Notice of Allowance mailed Nov. 8, 2013, 9 pgs.  
 U.S. Appl. No. 12/028,651, Notice of Allowance mailed Feb. 20, 2014, 8 pgs.  
 U.S. Appl. No. 12/028,651, Notice of Allowance mailed Mar. 6, 2012, 8 pgs.  
 U.S. Appl. No. 12/028,651, Notice of Allowance mailed Apr. 19, 2013, 8 pgs.  
 U.S. Appl. No. 12/028,651, Notice of Allowance mailed Jul. 24, 2014, 7 pgs.  
 U.S. Appl. No. 12/028,651, Notice of Allowance mailed Aug. 27, 2013, 8 pgs.  
 U.S. Appl. No. 12/028,651, Notice of Allowance mailed Aug. 8, 2012, 7 pgs.  
 U.S. Appl. No. 12/028,651, Office Action mailed Jan. 3, 2011, 17 pgs.  
 U.S. Appl. No. 12/028,651, Office Action mailed Jul. 26, 2011, 9 pgs.  
 U.S. Appl. No. 13/915,364, Amendment and Response filed Dec. 17, 2013, 10 pgs.  
 U.S. Appl. No. 13/915,364, Amendment and Response filed Mar. 27, 2014, 12 pgs.  
 U.S. Appl. No. 13/915,364, Office Action mailed Jan. 28, 2014, 21 pgs.  
 U.S. Appl. No. 13/915,364, Office Action mailed Sep. 17, 2013, 20 pgs.  
 U.S. Appl. No. 60/203,081, filed May 9, 2000.  
 Usdin, Tommie et al., "XML: Not a Silver Bullet, But a Great Pipe Wrench", Standard View vol. 6, No. 3, (Sep. 1998), pp. 125-132.  
 Van Hoff, Arthur et al., "The Open Software Description Format", Retrieved from [www.w3.org/TR/NOTE-OSD](http://www.w3.org/TR/NOTE-OSD) on Nov. 7, 2003 (Aug. 13, 1997), 11 pages.

(56)

**References Cited**

## OTHER PUBLICATIONS

Varlamis, Iraklis et al., "Bridging XML-Schema and relational database. A System for generating and manipulating relational databases using valid XML documents", DocEng 01, ACM 1-58113-432-0/01/0011, (Nov. 9-10, 2001), pp. 105-114.

Vasters, Clemens F., "BizTalk Server 2000 A Beginner's Guide", Osborne/McGraw-Hill,(2001), 1-2, 359-402.

Verisign Inc., "Licensing VeriSign Certificates: Securing Multiple Web Server and Domain Configurations", White Paper, Available at <vwww.msctrustgate.com/pdf/licensing.pdf>, (Nov. 2, 2001), 15 pages.

Villard, et al., "An Incremental XSL T Transformation Processor for XML Document Manipulation", <http://www2002.org/CDROM/refereed/321>, Printed on May 18, 2007 ,(May 2002), 25 pages.

Watt, Andrew "Microsoft Office Infopath 2003 Kick Start", (Published by Sams) Print ISBN-10:0-672-32623-X (Mar. 24, 2004), 1-57.

Webopedia, "Definition of Network", Retrieved from: <<http://www.webopedia.com/TERM/n/network.html>>, 2 pages.

Webopedia, "Definition of OLE", Retrieved from: <<http://www.webopedia.com/TERM/O/OLE.html>>, 3 pages.

Webopedia, "Definition of OpenDoc", Retrieved from: <<http://www.webopedia.com/TERM/O/OpenDoc.html>>, 3 pages.

Whitehill Composer Software product, Retrieved from [www.xml.com/\[2ub/\[2/221](http://www.xml.com/[2ub/[2/221) on Apr. 8, 2004, Whitehill Technologies, Inc., 2 pages.

Williams, Sara et al., "The Component Object Model: A Technical Overview", Microsoft Corp, (Oct. 1994), pp. 1-14.

XForms 1.0, W3C, (Jul. 16, 2001), 179 pgs.

XML Forms Architecture (XFA), Retrieved from <http://xml.coverpages.org/xf.html> on Aug. 17, 2006, Cover Pages Technology Reports, (Jun. 16, 2000), 4 pages.

XmlSpy, "XmlSpy 2004 Enterprise Edition Manual", Altova,(May 17, 2004),1-25,220-225.

Yasuji, Fukuhara "Clarisworks, Introduction to Business Document Construction, No. 4, Estimate", NIKKEI MAC, No. 14, (May 17, 1994), pp. 197-204.

Zaki, Mohammed J., et al., "Parallel Classification for Data Mining on Shared-Memory Multiprocessors", ACM, (Mar. 1999), pp. 1-8.

Zdonik, S., "Object Management System Concepts", ACM, (1984), pp. 13-19.

Zdonik, Stanley B., "Object Management System Concepts", Supporting Integrated Office Workstation Applications, Doctoral Thesis, Massachusetts Institute of Technology, (1983), 262 pages.

Final Office Action, U.S. Appl. No. 12/126,532, Feb. 2, 2015, 28 pages.

Non-Final Office Action, U.S. Appl. No. 12/722,414, Feb. 27, 2015, 23 pages.

Non-Final Office Action, U.S. Appl. No. 13/051,741, Mar. 12, 2015, 11 pages.

Non-Final Office Action, U.S. Appl. No. 13/159,239, Apr. 2, 2015, 9 pages.

Ellis, et al., "Buttons vs. Menus: An Exploratory Study of Pull-Down Menu Selection as Compared to Button Bars", Publisher: Department of Computer Science, University of Maryland, College Park, Jun. 1, 1995, 20 pages.

Kingston, "CorelDRAW 7: Getting Started with CorelDraw", Published by Sheffield Hallam University, Corporate Information Systems Pertinent pp. 3, 21, Aug. 1999, 5 pages.

U.S. Appl. No. 13/915,364, Office Action mailed Jul. 29, 2015, 29 pgs.

U.S. Appl. No. 13/915,364, Amendment and Response filed Aug. 14, 2015, 12 pgs.

U.S. Appl. No. 13/915,399, Office Action mailed Jun. 19, 2015, 14 pgs.

U.S. Appl. No. 13/915,399, Amendment and Response filed Jul. 24, 2015, 9 pgs.

Foreign Office Action, EP Application No. 01939034.3, Aug. 31, 2015, 5 pages.

Foreign Office Action, EP Application No. 06111546.5, Jul. 13, 2015, 6 pages.


Notice of Allowance, U.S. Appl. No. 13/051,741, filed Aug. 28, 2015, 13 pages.

Notice of Allowance, U.S. Appl. No. 13/159,239, filed Jul. 29, 2015, 7 pages.

Notice of Allowance, U.S. Appl. No. 13/867,334, filed Sep. 1, 2015, 7 pages.

Notice of Allowance, U.S. Appl. No. 14/530,237, filed Sep. 14, 2015, 5 pages.

\* cited by examiner



*Fig. 1*  
*Prior Art*




Fig. 2






Fig. 3




Fig. 4

222




Fig. 5





Fig. 6



*Fig. 7*





Fig. 8






Fig. 10






Fig. 11





Fig. 12

1200



## 1

## TRANSLATION FILE

## RELATED APPLICATIONS

This application is a continuation of and claims priority to U.S. patent application Ser. No. 12/028,651, the disclosure of which application was filed on Feb. 8, 2008, which was a continuation of U.S. patent application Ser. No. 10/632,297, which application was filed on Aug. 1, 2003.

## BACKGROUND

FIG. 1 shows a typical apparatus 100 for processing documents containing structured data expressed using the Extensible Markup Language (XML). The apparatus 100 includes an Extensible Stylesheet Language (XSL) processor 102 that translates an XML document 104 into a transformed document 106. The transformed document 106 can comprise another XML document, or a document expressed in a presentation-oriented markup language, such as Hypertext Markup Language (HTML). XML provides tags that represent the subject matter contained in a document. In contrast, presentation-oriented languages, such as Hypertext Markup Language (HTML), provide tags that convey the visual appearance of a document. Accordingly, these technologies complement each other; XML allows information to be efficiently transferred and processed, while HTML allows information to be presented for display.

XSLT itself uses the syntax of XML. The XSLT processor 102 performs its translation function by making reference to one or more style sheets 108. The style sheets 108 contain a collection of rules for transforming elements in the input XML document 104 into the transformed document 106. To perform this function, XSLT relies heavily on XPath functionality. XPath is a general-purpose query notation for addressing and filtering the elements and text of XML documents. XPath expressions can address parts of an XML document, and can manipulate strings, numbers, and Booleans, etc. In the context of the XSLT processor 102, XPath expressions can be used to find a portion of the XML document 104 that matches a prescribed match pattern, and then perform some translation operation on that portion using a rule provided in the style sheets 108. XML, XSL, and XPath are described at length in their governing specifications provided by the World Wide Web Consortium (W3C).

The translation function provided by the XSLT processor 102 is strictly one-way. In other words, the XSLT processor 102 efficiently translates the structured data in the XML document 104 into the transformed document 106. But conventional XSLT does not also provide a mechanism for translating the transformed document 106 back into the XML document 104 from which it is derived. More specifically, it can generally be said that a collection of elements in the transformed document 106 are derived from or based on one or more elements in the XML document 104; however, there is generally no way of discovering this nexus once the XML document 104 has been translated into the transformed document 106. This situation is akin to the scenario in which a file containing source code expressed in human readable form is transformed into executable code using a compiler. It may be impossible to determine the source code simply by examining the resultant executable code. The one-way nature of the translation of the XML document 104 into the transformed document 106 is represented in FIG. 1 by the arrow 110.

The one-way nature of the translation 110 performed by the XSLT processor 102 introduces difficulties in applications that demand two-way interaction between the XML docu-

## 2

ment 104 and the transformed document 106. For instance, an HTML document may include a collection of fields for receiving data entered by an editing user. If this HTML document is based on an underlying XML document, it would be desirable to provide a mechanism for routing the user's input back to the source XML document. As explained above, bare XSLT does not provide the intelligence to provide this functionality.

A such, there is an exemplary need in the art for a data processing application that provides mapping between structured data and a visual surface used to display the structured data.

## SUMMARY

According to one exemplary implementation, a method is described for mapping between parts of an input document and associated parts of an output document. The input document pertains to a first kind of document (such as XML), and the output document pertains to a second kind of document (such as HTML). The method includes: (a) providing a translation file (such as XSLT) that converts documents of the first kind to documents of the second kind; (b) in a first phase, modifying the translation file to include mapping functionality that can provide information regarding relationships between parts of documents of the first kind and associated parts of documents of the second kind, the first phase producing a modified translation file; and (c) in a second phase, using the modified translation file to convert the input document into the output document. Step (c) can include: (c1) activating the mapping functionality; and (c2) using the mapping functionality to provide references in the output document that associate parts of the output document with parts of the input document.

Related apparatus and computer readable media are also described herein.

## BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows a known technique for transforming an XML document into another document, such as an HTML document.

FIG. 2 shows an exemplary data processing application that includes mapping between structured data and a visual surface.

FIG. 3 shows an exemplary solution file used in conjunction with a solution module shown in FIG. 2.

FIG. 4 shows an exemplary mapping module used in the data processing application of FIG. 2.

FIG. 5 shows an example of the annotation of an XSLT excerpt with mapping functions, and the subsequent execution of those mapping functions.

FIG. 6 illustrates an exemplar mapping between nodes of a visual surface and nodes of associated structured data.

FIG. 7 shows an entity relationship diagram that illustrates phases 1 and 2 of an annotation procedure used in the mapping module of FIG. 4.

FIG. 8 shows an entity relationship diagram that illustrates coupling between structured data and an associated visual surface, and the use of that coupling to enable editing operations.

FIG. 9 shows an exemplary apparatus for implementing the data processing application shown in FIG. 2.

FIG. 10 shows an exemplary user interface (UI) for designing an electronic form.

FIG. 11 shows an exemplary user interface (UI) for editing the electronic form created in the user interface of FIG. 10.

FIG. 12 shows an exemplary procedure for generating annotations in an electronic form that provide mapping back to underlying data, and for subsequently editing the electronic form having those annotations.

FIG. 13 shows an exemplary computing environment for implementing the data processing application shown in FIG. 2.

The same numbers are used throughout the disclosure and figures to reference like components and features. Series 100 numbers refer to features originally found in FIG. 1, series 200 numbers refer to features originally found in FIG. 2, series 300 numbers refer to features originally found in FIG. 3, and so on.

## DETAILED DESCRIPTION

This disclosure pertains to the rendering and editing of information based on structured input data. To provide a concrete framework for discussion, this disclosure will specifically describe the transformation of hierarchically organized data expressed in a markup language into an electronic form that can be visually rendered and edited by an end user. Exemplary electronic forms can include a timesheet, work order, travel log, and so on. However, the concepts described herein also have application to other data processing applications besides electronic forms processing.

This disclosure is organized as follows. Section A of this disclosure describes an exemplary design strategy used to provide mapping between structured data and a visual surface. Section B describes an exemplary implementation of the design strategy discussed in Section A. Section C describes an exemplary method of operation of the implementation described in Section B. And Section D describes an exemplary computing environment that can be used to provide the implementation described in Section B.

### A. Exemplary Design Strategy

#### Overview of Design Strategy

FIG. 2 shows an overview of a data processing application 200 for rendering structured documents. This data processing application 200 is exemplary. The mapping mechanism described herein can be implemented in many different kinds of systems and environments besides the data processing application 200 shown in FIG. 2.

By way of overview, the data processing application 200 processes structured data 202 expressed in a markup language, transforms this structured data 202 using a solution module 204 to produce transformed information, and presents a rendering of a visual surface 206 on an output device based on the transformed information. An editing user 208 interacts with the visual surface 206, as indicated by arrow 210, using, for instance keyboard 212, mouse device 214, or some other input device. The visual surface 206 can constitute the presentation of an electronic form having data entry fields associated with the structured data 202. In this case, the editing user 208's interaction 210 can involve the editing user 208 filling information into the data entry fields of the electronic form, such as by entering information into various text boxes, check boxes, etc.

Each of the above-described principal features—structured data 202, solution module 204, and visual surface 206—will be described in greater detail below.

To begin with, the structured data 202 can be represented in the Extensible Markup Language (XML). XML is a subset of the Standard Generalized Markup Language (SGML) that enables developers to create customized tags that describe the

meaning of data, as opposed to the presentation of data. An XML document is composed of XML elements, each of which includes a start tag (such as <author>), an end to (such as </author>), and information between the two tags (which is referred to as the content of the elements). An element may include a name-value pair (referred to as an attribute) related by an equal sign that modifies certain features of the element (such as MONTH="May"). The elements in an XML document have a hierarchical relationship to each other that can be represented as a data tree 216. The elements in the data tree 216 are also commonly referred to as "nodes." A so-called XML schema (not illustrated in FIG. 2) provides a formal specification that defines the types of elements and the organization of elements that should appear in an XML document in order for that document to be considered so-called well formed.

The solution module 204 includes a transformation module 218. The purpose of the transformation module 218 is to transform the structured data 202 into the visual surface 206. The transformation module 218 can perform this task using so-called style sheets, such as style sheets provided by Extensible Stylesheet Language Transformation (XSLT). XSLT transforms the structured data 202 into a format appropriate for presentation, such as the Hypertext Markup language (HTML), Extensible Hypertext Markup Language (XHTML), Dynamic HTML (DHTML), etc. In other words, documents expressed in XML include tags that are particularly tailored to convey the meaning of the data in the documents. The XSLT conversion converts the XML documents into another markup language in which the tags pertain to the visual presentation of the information contained in the documents. (To facilitate discussion, the following description assumes the use of HTML to render the documents; however, other presentation-oriented markup languages can be used to render the documents.) Because HTML is a markup language, it can be conceptualized as a view tree 220 that includes a hierarchical organization of nodes, as in the case of data tree 216. The reader is referred to the World Wide Web Consortium's specifications for background information regarding XML and XSLT.

A mapping module 222 enables nodes in the view tree 220 to be mapped to corresponding nodes in the data tree 216. Further, the mapping module 222 enables nodes in the data tree 216 to be mapped to corresponding nodes in the view tree 220. The mapping of nodes in the view tree 220 to nodes in the data tree 216 allows the solution module 204 to correlate editing operations performed on the visual surface 206 with corresponding nodes in the underlying structured data 202. This allows the solution module 204 to store information entered by the editing user 208 at appropriate locations within the structured data 202 during an editing session. FIG. 2 represents the above-described two-way mapping using arrows 224 and 226. More specifically, arrow 224 represents the mapping of information in the view tree 220 back to associated information in the data tree 216. Arrow 226 represents mapping of information in the data tree 216 to information in the view tree 220. The present discussion particularly addresses the mapping represented by arrow 224.

By way of broad overview, the mapping module 222 provides mapping between the visual surface 206 and the structured data 202 by adding annotations to the view tree 220 used to render the visual surface 206. These annotations serve as references which point back to specific locations in the data tree 216. FIG. 2 represents the annotation of the visual surface 206 by showing an annotated HTML document 228 being output from the solution module 204.

The visual surface **206** itself has an appearance that is determined by both the information contained in the structured data **202** as well as the effects of the XSLT transformation provided by the transformation functionality **218**. Generally, in the case of electronic forms, the visual surface **206** typically includes a hierarchical structure which is related to the hierarchical structure in the structured data **202**. For instance, an exemplary electronic form **230** includes multiple sections pertaining to different topics that reflect the topics in the structured data **202**. (However, it is not necessary to have a one-to-one direct correspondence between the organization of the structured data **202** and the organization of the visual surface **206**; in other words, the transformation of the structured data **202** to the visual surface **206** is generally considered non-isomorphic). Each section in the exemplary electronic form **230** can include one or more data entry fields for received input from the editing user **208**, such as data entry field **232**. The data entry fields are also referred to herein as “editing controls.” Different graphical components can be used to implement the editing controls, including text boxes, drop-down list boxes, lists boxes, option buttons (also referred to as radio buttons), check boxes, and so on. FIGS. **10** and **11**, to be described in turn, provide an example of the visual appearance of an electronic form as it is being designed and edited, respectively.

Path **234** generally represents the routing of information entered via the electronic form **230** back to the structured data **202**. In another words, the data entry fields in the electronic form **230** (such as data entry field **232**) are associated with respective nodes in the data tree **216**. Entry of information via electronic form **230** will therefore prompt the solution module **204** to route such information to appropriate storage locations in the data tree **216**. Again, the linking between the electronic form **230** and the structured data **202** is provided by the mapping module **222**.

The functionality provided by the solution module **204** is defined, in part, by a solution file, such as exemplary solution file **236** stored in storage **238**. The solution file **236** essentially constitutes an electronic form template, providing all of the semantic information required to transform the structured data **202** into the visual surface **206**. Different XML documents may have been created by, or otherwise refer to, different electronic form templates. Accordingly, different XML documents may have different solution files associated therewith. Various techniques can be used to retrieve a solution file that is associated with a particular XML document. For instance, an appropriate solution file can be retrieved based on URN (Uniform Resource Name) or URL (Uniform Resource Locator) information contained in the header of an input XML document. That header information links the input document to a corresponding solution file. A storage **240** represents an archive for storing one or more XML documents created by, or otherwise associated with, respective solution files.

FIG. **3** shows an exemplary composition of the solution file **236**. As shown there, the solution file **236** contains a collection of files (**302**, **304**, **306**, **308**, and **310**) that together provide semantic information used, in part, to implement the solution module **204**. This collection of files can be packaged together. In one exemplary implementation, this collection of files is referred to using an extension **.xsn**. A form definition file **302**, also called a manifest file, forms the centerpiece of the collection. The form definition file **302** contains information about all of the other files in the solution module **204**. This file **302** is assigned the exemplary extension **.xsf**. A schema file **304** is used to constrain and validate the structured data **202**. This file is assigned the exemplary extension

**.xsd**. View files **306** provide presentation logic files that are used to present, view, and transform the structured data **202**. These files therefore implement the transformation module **218** discussed in connection with FIG. **2**. The view files **306** can include multiple files corresponding to multiple possible views (i.e., visual surfaces **206**) that the editing user **208** can select from. The view files **306** are assigned the exemplary extension **.xsl**. A default data file **308** contains default data that can be displayed in a view for fields that have not been explicitly defined by the editing user **208**. This file **308** is assigned the exemplary extension **.xml**. Finally, business logic files **310** provide programming code used to implement specific editing behavior, data validation, event handlers, control of data flow, and other features. Such programs can be written in any kind of language, such as the scripting language provided by JScript® or VBSCRIPT scripting language. In this case, these files are assigned the exemplary extensions **.js** or **.vb** (for JScript® and VBSCRIPT scripting languages, respectively).

#### The Mapping Module

FIG. **4** shows an exemplary composition of the mapping module **222** introduced in FIG. **2**. The mapping module **222** receives the structured data **202** and adds annotations to it to produce the annotated HTML document **228** (or other kind of annotated transformed document). The mapping module **222** performs this task in two phases: phase 1 and phase 2. In phase 1, the mapping module **222** takes arbitrary XSLT information for other kind of transformation instructions) and adds mapping functions to it. These mapping functions are inserted at particular locations within the XSLT information. These mapping functions provide functionality that, when activated, generate references to specific locations within the structured data **202**. However, in the first phase itself, the mapping module **222** simply inserts these mapping functions within the XSLT information; that is in this phase, the mapping module **222** does not execute the functions to return the actual references that point to appropriate parts of the structured data **202**. In the second phase, the mapping module **222** executes the mapping functions to provide actual values for the references.

The first phase is performed on the XSLT information itself, outside the context of the processing of any specific XML document. More specifically the first phase can be performed once, for instance, after an electronic form has been newly created or modified. This has the effect of modifying the XSLT information associated with the newly created or modified electronic form by adding mapping functions to it. The second phase, by contrast, is performed each time a particular XML document is rendered. In the second phase, the mapping functions within the XSLT information are executed with respect to a particular XML document, to thereby produce an output HTML document (or other kind of output document) that has references inserted throughout it that point back to various locations in the particular XML document. Thus, to summarize, the first phase is performed once upon the creation or modification of the XSLT information, whereas the second phase is performed each time a particular XML document is rendered. The second phase can also be referred to as the “runtime” phase, as it is performed when a particular XML document is rendered. Additional aspects of the above-described functionality will be described with reference to the logic illustrated in FIG. **4**.

To begin with the first phase acts on so-called arbitrary XSLT information **402**. The XSLT information **402** is arbitrary in the sense that it is not prepared specifically with the annotation mechanism described above in mind; in other words, the XSLT information **402** can constitute any kind of

XSLT information produced by any process in any environment. The arbitrary XSLT information **402** can serve a conventional role of converting an XML document **404** into an HTML document **406** (or other kind of the document). The resultant HTML document **406** would not contain any pointer annotations, and hence would not have the capability of napping a resultant visual surface back to the originating XML document **404**.

Phase 1 of the mapping module **222** takes this arbitrary XSLT information **402** and adds mapping functions to it. An annotation module **408** performs this role. The output of the annotation module **408** represents annotated XSLT information **410** having the mapping functions added thereto. The annotated XSLT information **410** can be stored in a storage (for example, a cache storage **412**) for later use in phase 2 (the runtime portion of the procedure).

In one implementation, the mapping functions added by the annotation module **408** can be implemented as so-called XSLT extension functions. More specifically, XSLT provides a collection of tools to accomplish certain tasks. However, the range of functions that can be performed with unsupplemented XSLT is limited; XSLT cannot perform some tasks very well, and cannot perform other tasks at all. Extension functions constitute references within the XSLT information that act as triggers to call some extended functionality to execute tasks not provided within XSLT itself. In the instant case, the extension functions perform the task of adding references to the XSLT information that point back to respective locations in the structured data **202**. To repeat, however, these mapping functions are not executed in phase 1; rather, in phase 1, they are merely inserted in the XSLT information **402** at appropriate locations.

Different strategies can be used to govern where to insert the mapping functions within the XSLT information **402**. These strategies may differ from one processing environment to the next, because different processing environments may involve the processing of different types of documents having different characteristics. In the present case, an electronic form often has a nested structure. For instance, a section of the electronic form may contain a subsection, and that subsection may have its own respective subsection(s). Any of these sections and subsections can have data entry fields included therein. For example, an electronic form can include a table that defines a primary section. That table, in turn, can include plural subsections (e.g., rows), and each row can contain plural data entry fields. In this context, a so-called outer mapping can be used to identify a certain section or subsection in the electronic form. A so-called inner mapping can be used to specifically identify a data entry field within that section or subsection. The inner mappings thus provide the specific bindings between the data entry fields in the electronic form and the respective nodes of the structured data **202** associated with the data entry fields. The outer mappings provide information regarding the scope (e.g., extent) of a section or subsection that may include one or more inner mapping data entry points. In the context of the above example pertaining to the rendering of a table in the electronic form, outer mappings can be used to demarcate the table itself, as well as individual rows within the table. Inner mappings can be used to identify data entry fields within the table.

Still more specifically, the annotation module **408** can add outer mappings in the XSLT information **402** at locations representative of context changes. There are two ways to change context in XSLT: (1) using an “apply-templates” instruction; and (2) using a “for-each” instruction. The “apply-templates” instruction causes the output flow of the XSLT processing to move to a new template, which is evalu-

ated in the new context. To mark these context changes, the annotation module **408** annotates all direct children of template nodes with mapping function calls requesting the respective IDs of the current context. For the “for-each” instruction, the annotation module **408** causes the output flow to move to the child of the “for-each” node. In this case, the annotation module **408** annotates all direct children of the “for-each” nodes with mapping function calls to the respective IDs of the current context. Generally, as is well known, the “apply-template” instruction applies a template rule deemed most suitable for processing a current node and its children. The “for each” instruction performs specified actions for a collection of nodes that satisfy a selection expression.

The annotation module **408** can add inner mappings in those cases where XSLT pulls the contents of XML nodes of the data tree **216** directly into the view tree **220**. This content can be mapped directly from the view tree **220** back to the XML nodes in the data tree **216** from which they were pulled. More specifically, XSLT pulls out content using the value of and “copy-of” instructions used in XSLT. The annotation module **408** marks these content grabs by adding mapping function calls requesting the IDs of the respective XML nodes in the data tree **216** being referenced. Annotations are not generated if the mapping is ambiguous. This could happen if the “value-of” instruction refers to more than one XML node in the data tree **216**. Generally, as is well known, the “copy-of” instruction of XSLT copies all aspects (attributes, tags, children, etc.) of identified nodes into a result tree. The “value-of” instruction in XSLT converts the identified nodes to a string and adds this string to the result tree.

The annotation module **408** automatically adds the outer and inner mappings based on the above-described guidelines (that is, by adding mapping functions where the above-described XSLT instructions occur). This automatic annotation may not be sufficient for all situations. To address these cases, XSLT authors can “manually” modify the XSLT to include mapping functions at locations selected by the XSLT authors.

Phase 2 of the mapping procedure involves executing the mapping functions added in phase 1 to return specific references to nodes in the data tree **216**. A runtime XSLT module **414** performs this function to yield instantiated annotated XSLT information **416** having specific references added thereto. The ultimate output of the runtime XSLT module **414** is the annotated HTML document **228** (or a document expressed in some other structured format). More specifically, the extension functions added in phase 1 provide XPath references to namespaced functions. When the XSLT information **402** is processed at runtime, the runtime XSLT module **414** reads the name paced functions and calls then passing a node list as a parameter. The runtime XSLT module **414** analyzes this node list, ensures that it is unambiguous (e.g., that it contains only one node), and returns identifiers for these nodes. The runtime XSLT module **414** writes these identifiers to a result tree, thus building the HTML document **228** having mapping references added thereto.

FIG. 5 provides an example of the operation of the mapping module **222** shown in FIG. 4. Excerpt **502** represents an original excerpt of XSLT information, corresponding to the arbitrary XSLT information **402** shown in FIG. 4. Excerpt **504** represents the original XSLT information **402** with mapping functions added thereto, thus forming the annotated XSLT information **410** shown in FIG. 4. And excerpt **506** represents the XSLT information **402** having the mapping functions executed at runtime, thus forming the instantiated annotated XSLT **416** shown in FIG. 4. Functions **508** and **510** represent inner and output mapping functions, respectively,

added to the XSLT information **402** in phase 1. Annotations **512** and **514** represent inner and output mapping references, respectively, added to the XSLT information **402** in phase 2 in response to the execution of the mapping functions in excerpt **504**.

FIG. **6** shows a high-level exemplary depiction of the mapping between the nodes of the view tree **220** and the nodes of the data tree **216**. For instance, the view tree **220** contains exemplary ID references **602**, **604**, **606**, and **608** added to respective nodes. For instance, exemplary ID reference **602** is associated with node **610**. This ID reference **602** points back to a node **612** in the data tree **216**. In other words, this reference **602** indicates that the node **612** in the data tree **216** contributed to the formation of node **610** in the view tree **220** through the transformative effects of the XSLT applied to the data tree **216**. Node **610** in the view tree **220** may be associated with a data entry field in an electronic form. If this is the case, then knowledge of the linking between node **610** in the view tree **220** and node **612** in the data tree **216** allows the solution module **204** to route data entered into the electronic form via this data entry field to an appropriate location in the structured input data **202** for storage thereat.

FIG. **7** shows an entity relationship diagram **700** that illustrates the conceptual relationship between the generic mapping provided by phase 1 and the instantiated mapping provided by phase 2. (In this diagram, the “crow’s feet” connector notation represents a one-to-many and many-to-one type of relationship between entities, as per convention.) That is, entity **702** represents the mapping functions added to the XSLT information in phase 1 of the mapping procedure. The mapping functions in this phase provide general rules for applying mapping functions to specified types of XML nodes in a general group of possible XML documents. However, within this group, individual XML documents can vary in different ways. Hence, conceptually, the mapping functions provided in phase 1 apply to any XML document on a relatively general or abstract level. Entity **704**, on the other hand, represents the application of the annotated XSLT to a specific XML document. This happens in phase 2 of the mapping procedure. In phase 2, the mapping functions are executed to return specific pointers in the context of the processing of a specific XML document, to ultimately generate an annotated HTML document. Accordingly, entity **704** represents a particular instance of the general range of possibilities represented by entity **702**.

#### Structural Editing Using Mapping

FIG. **8** shows an entity relationship diagram **800** that illustrates the coupling between the data and visual aspects of the data processing application **200**. This diagram also illustrates structural editing functionality used to edit the structured data **202**. That is, the structural editing provides a mechanism that allows input received through the visual presentation of the electronic form to produce corresponding changes in the structured data **202**. The structural editing therefore employs the above-described mapping functionality as an integral part thereof.

To begin with, the left-hand side of the entity relationship diagram **800** of FIG. **8** pertains to data handling aspects of the data processing application **200**, and is referred to herein simply as data-side **802**. The right-hand side **804** pertains to view handling aspects of the data processing application **200** associated with the visual surface **206**, and is referred to herein simply as view-side **804**. By way of overview, the view-side **804** shows functionality for selecting a particular part of the visual surface **206**. In the context of an electronic forms application, this may represent the selection of a particular field in the electronic form by the editing user **208**.

Changes to the selected field of the electronic form may prompt the data processing application **200** to make corresponding changes in the structured data **202** which is mapped to the selected field. The data-side **802** shows functionality for identifying the particular nodes in the structured data **202** (e.g., XML data) that are mapped to the selected field. In summary, the view-side **804** selects a part of the visual surface **206** (e.g., expressed in HTML) and the data-side **802** finds the XML nodes corresponding to the selected part of the visual surface **206**.

More specifically, ViewNode entity **806** represents a node in the visual surface **206** (e.g., a node in the view tree **220**), and XmlDataNode entity **808** represents a node in the structured data **202** (e.g., a node in the data tree **216**). The loop at the top of ViewNode entity **806** represents that a collection of nodes in the view-side **804** forms a hierarchical tree (e.g., the view tree **220**). The loop at the top of the XmlDataNode **808** entity likewise means that a collection nodes in the data-side **802** forms another hierarchical tree (e.g., the data tree **216**). A horizontal line **810** that couples the ViewNode entity **806** to the XmlDataNode entity **808** indicates that the view tree **220** is mapped to the data tree **216**. This same concept is conveyed by arrows **224** and **226** shown in FIG. **2**.

The functionality for selecting a part of the visual surface **206** includes ViewRange entity **812** and ViewPointer entity **814**. The ViewRange entity **812** refers to a tool used to select and identify content in the visual surface **206** to be edited. The ViewPointer entity **814** defines endpoints in a range associated with the ViewRange entity **812**. A View entity **816** conceptually represents an aggregation of all aspects of the view-side **804**; that is, the View entity **816** defines the visual surface **306** as an aggregation of all of the entities shown in the view-side **804**.

The entities in the data-side **802** identify the XML nodes that are mapped to the part of the visual surface **206** selected by the ViewRange entity **812** and the ViewPointer entity **814**. Generally, the XML editing mechanism operates by: (1) determining a part of the view-side **804** selected by the editing user **208** (defining a “selected part”); (2) determining an associated part of the structured data **202** in the data-side **802** that is linked to the selected part in the view-side **804** (defining an “associated part”); (3) determining whether any editing rules apply to the associated part in the data-side **802** by matching pattern information in the associated part to rules contained in the forms definition file **302** of FIG. **3**; and (4) if there are rules that pertain to the associated part, applying those rules to the editing operation involving the selected part of the view-side **804**. Generally, the rules can specify the behavior of the editing operation, such as what parts of the view **816** and associated structured data are selectable, editable, etc. The rules can also specify whether certain behavioral features apply to the editing operation, such as proofing, spelling correction, auto-completion, data validation, and so on. Since the behavior of the view-side **804** is determined by performing matching of patterns within the structured data **202**, this technique of editing can be viewed as “data-side matching.”

A more detailed explanation of the above-described data-side matching is provided as follows. By way of introduction, an electronic form presented in the view-side **804** includes a collection of “editing controls,” or simply “controls.” These editing controls allow the editing user **208** to enter information into the electronic form using different techniques depending on the nature of the editing controls. Exemplary editing controls include text boxes, rich text boxes, etc. So-called “editing components” represent functionality associated with respective editing controls. The editing components



## 11

specify how the structured data **202** can be edited in response to the editing user **208**'s manipulation of the editing controls. In one exemplary implementation, the creation of an editing control also prompts the creation of a corresponding editing component that specifies how this editing control interacts with the structured data. For example, an xcollection editing component is associated with repeating section and repeating table editing controls, an XOptional editing component is associated with an optional section editing control, an xTextList editing component is associated with a plain list, bulleted list of numbered list editing controls, an xField editing component is associated with a rich text box and text box editing controls, and an xImage editing component is associated with a picture editing control.

An xsf:EditWith entity **818** specifies the behavior of an editing control as determined by its editing component. More specifically, this entity **818** specifies that the editing control uses a given editing component and it provides the corresponding parameters to the editing component to determine its exact behavior. An xsf:XmlToEdit entity **820** defines the location of the editing control within the view-side **804**, as determined by XML mapping. In brief, the xsf:EditWith entity **818** defines "what to do," and the "xsf:XmlToEdit" entity **820** defines "where to do it."

Consider, for example, the following XML document.

---

```

<root>
  <issues>
    <issue author = "Pete">
      <title> HTML versa XML tables </title>
      </description>
      <textItem>some text goes here</textItem>
      <textItem>more text goes here</textItem>
      </description>
      <workItems>
        <workItem description = "create visuals"
          effort = "2"/>
        <workItem description = "create visuals"
          effort = "2"/>
      </workItems>
      <notes>type here</notes>
    </issue>
  </issues>
</root>

```

---

The following exemplary editing functionality provided in the forms definition file **302** employs the xTextList editing component to edit "textItem" XML nodes associated with the above-identified XML document.

---

```

<xsf:xmlToEdit item = "description/textItem">
  <xsf:editWith component = "xTextList" type = "formatted"/>
</xsf:xmlToEdit>

```

---

The following exemplary editing functionality provided in the forms definition file **402** employs the xCollection editing component to edit "workItem" XML nodes associated with the above-identified XML document.

---

```

<xsf:xmlToEdit anme = "workItem" Item = "workItems/workItem"
  container = "workItems">
  <xsf:editWith component = "xCollection">
    <xsf:fragmentToInsert>
      <xsf:chooseFragment>
        <workItem description = "create visuals"
          effort = "2"></workItem>
      </xsf:chooseFragment>
    </xsf:fragmentToInsert>
  </xsf:editWith>
</xsf:xmlToEdit>

```

---

## 12

-continued

---

```

</xsf:fragmentToInsert>
</xsf:editWith>
<xsf:/xmlToEdit>

```

---

As noted in the above examples, the editing component xCollection has attributes "container" and "item" associated therewith, whereas the editing component xTextList has only attribute "item" associated therewith. The two lines emanating from the top of the xsf:XmlToEdit entity **820** represents the item and collection attributes. The container attribute corresponds to an XPath match pattern which determines the context in which the editing control will be selectable and its actions enabled. If the current context (e.g., view selection or insertion point in the view-side **804** is within some HTML element which maps back to an XML node which satisfies this container match pattern, then the editing control is enabled. More specifically, an exemplary procedure for finding the container XML node is as follows: (i) Start from the current selection within the visual surface **206**; and (ii) Continue up the HTML ancestors, and seek an HTML node that maps to an XML node satisfying the container XPath match pattern. If found, a container HTML node and corresponding container XML node are there by provided. In one exemplary implementation, it does not suffice for the container XML node to exist. Actions are enabled only when the current selection in the view-side **804** is within an HTML element which maps to the container XML node. The item attribute is also an XPath match pattern. It specifies the XML nodes to be edited using editing components indicated in the contained <editWith> elements. The item attribute is used to identify an XML node in a manner similar to that stated above with respect to the container attribute.

The fragmentToInsert parameter in the above-identified example of the xCollection editing component specifies the XML fragment which is to be inserted into the source XML. This parameter is set using a fragmentToInsert element, which is a child of the editWith element. Further, the fragmentToInsert element contains one or more chooseFragment child elements, which specify a choice between different versions of the fragment. The fragment itself is specified inline, within the chooseFragment elements.

Finally, an XPath entity **822** and XPathMatch entity **824** represent the above-described use of XPath functionality and pattern matching to identify the XmlDataNode entity **808** associated with the part of the visual surface selected in the view-side **804**.

## B. Exemplary Apparatus for Implementing Mapping

FIG. 9 shows an overview of an exemplary apparatus **900** for implementing the data processing application **200** shown in FIG. 1. The apparatus **900** includes a computer **902** that contains one or more processing units **904** and memory **906**. Among other information, the memory **906** can store an operating system **908** and the above-described data processing application **200**, identified in FIG. 9 as a forms application **910**. The forms application **910** can include data files **912** for storing the structured XML data **202**, and solution module **914**. As noted above, a solution module **914** comprises logic that specifies the appearance and behavior of the visual surface **206** (as was described in connection with FIG. 2). The logic provided by solution module **914** is, in turn, determined by a solution file (such as a solution file **236** composed of the files shown in FIG. 5). The computer **902** is coupled to a collection of input devices **916**, including the keyboard **212**,

mouse device **214**, as well as other input devices **918**. The computer **902** is also coupled to a display device **920**.

In one exemplary implementation, the forms application **910** includes a design mode and an editing mode. The design mode presents design UI **922** on the display device **920** for interaction with a designing user **924**. The editing mode presents editing UI **926** on the display device **920** for interaction with the editing user **208**. In the design mode, the forms application **910** creates an electronic form **928**, or modifies the structure of the electronic form **928** in a way that affects its basic schema. In other words, the design operation produces the solution file **236** that furnishes the electronic form **928**. In the editing mode, the editing user **208** uses the electronic form **928** for its intended purpose—that is, by entering information into the electronic form **928** for a business-related purpose or other purpose.

In the design mode, the forms application **910** can be configured to depict the electronic form **928** under development using a split-screen display technique. More specifically, a forms view portion **930** of the design UI **922** is devoted to a depiction of the normal appearance of the electronic form **928**. A data source view portion **932** of the visual surface is devoted to displaying a hierarchical tree **934** that conveys the organization of data fields in the electronic form **928**.

FIG. **10** shows an exemplary design UI **922** that illustrates the allocation of the visual surface **206** into the forms view portion **930** and the data source view portion **932**. As described above, the forms view portion **930** contains a depiction of the normal appearance of the form **928**—in this case, exemplary form **1002**. The exemplary electronic form **1002** shown in FIG. **9** includes a plurality text box entry fields (e.g., fields **1004**, **1006**, **1008**, **1010**, **1012**, and **1014**). The data source view portion **932** includes the hierarchical tree **934** showing the nested layout of the text fields (**1004-1014**) presented in the form **1002**.

The forms application **910** provides multiple techniques for creating the electronic form **1002**. According to one technique, the electronic form **1002** can be created from scratch by building the electronic form **1002** from successively selected editing controls. The exemplary electronic form **1002** shown in FIG. **10** is entirely constructed using the text entry boxes (**1004-1014**), but other electronic forms can include other kinds of entry fields (i.e. editing controls), such as drop-down list boxes, list boxes, option button, check boxes, and so on. In another technique, the electronic form **1002** can be created based on any pre-existing .xsd schema document loaded into the forms application **910**. The .xsd schema is an XML file that defines the structure and content type of the XML files that are associated with it. In another technique, the electronic form **1002** can be created based on an XML document. The forms application **910** will then create a schema based on the information in the input XML file. In another technique, the electronic form **1002** can be created based on a database schema. In this case, the forms application **910** will extract the schema of the data and convert that record set to XML representation. Still other techniques can be used to create electronic forms.

Once a form has been created, its design (and associated schema) can be further modified. For example, the forms application **910** allows the designing user **924** to modify existing editing controls used in the electronic form **1002**, or add additional editing controls. For instance, the UI panel **1016** allows the designing user **924** to modify the editing control associated with the company data field **1006**. Selecting a particular control type—for example a check box—will prompt the forms application **910** to substitute the control

type previously used to receive company related information with the newly selected control type. There are many other ways to modify the electronic form **1002**.

The creation of the form **1002** also creates an associated solution file. The solution file effectively forms a template that can be archived and subsequently used in a business (or other environment). FIG. **11** demonstrates an exemplary use of the form **1002**. More specifically, this figure shows the presentation of the electronic form **1002** in the editing mode of operation of the forms application **910**. In this case, the editing user **208** is filing text into the text entry fields in the UI presentation **926**. For instance, the editing user **208** is currently entering text **1102** into the text field **1010**. The editing user **208** can select a particular part of the electronic form **1002** in a conventional manner, such as by pointing to and clicking on a particular field in the electronic form **1002** using the mouse device **214**.

As described in Section A of this disclosure, data entry fields (**1004-1014**) in the electronic form **1002** are mapped to underlying structured data **202**—in this case, XML document **1104**. This mapping is achieved via annotations added to the HTML document used to render the electronic form **1002**. More specifically, the annotations act as references which point to particular parts of the XML document **1104** associated with the data entry fields (**1004-1014**) in the electronic form **1002**. Through this mechanism, the data entered by the editing user **208** is routed back to the XML document **1104** and stored in its data structure at appropriate locations. This mapping functionality is represented in FIG. **11** by the arrow **1106**.

### C. Exemplary Method of Operation

FIG. **12** shows an exemplary procedure **1200** for creating and editing an electronic form. The procedure **1200** can be implemented in software or firmware, or a combination of software and firmware.

Phase 1 of the procedure **1200** includes steps **1202**, **1204**, and **1206**. Step **1202** involves receiving XSLT information. This step **1202** might correspond to receiving an XSLT file created in response to the creation or modification of an electronic form, or from some other source. The XSLT information is arbitrary in the sense that it does not need to be developed specifically to accommodate the annotation functionality which is subsequently applied to it. An exemplary technique for creating an XSLT file in the context of electronic forms processing is described in commonly assigned U.S. patent application Ser. No. 10/395,506, filed on Mar. 24, 2003, entitled “System and Method for Designing Electronic Forms,” naming Christina Fortini, Jean D. Paoli, Laurent Mollicone, Bulusu Krishna Mohan, and Alessandro Catorcini, which is incorporated herein by reference in its entirety. Step **1204** involves automatically annotating the arbitrary XSLT by adding mapping functions to it. As described above, these mapping functions can constitute extension functions added to the XSLT information at inner and out mapping locations. Step **1206** involves caching the annotated XSLT for later retrieval and use. The XSLT author can also manually add mapping functions to the XSLT information to supplement the automatic annotations added to the XSLT information.

Phase 2 of the procedure **1200** involves steps **1208**, **1210**, and **1212**. Step **1208** entails receiving an XML document to be processed using the annotated XSLT information. The XML document can be considered arbitrary, like the XSLT information, in the sense that it does not have to be structured to accommodate the annotation procedure that is subse-

quently applied to it; any XML document will suffice. Step 1210 entails executing the mapping functions in the annotated XSLT information to return specific reference values that point back to the structured data 202. Step 1212 entails out-

putting an annotated HTML document (or some other markup language document) for display. The HTML document is annotated by including references that point back to respective locations within the structured input data 202. Following display of the annotated HTML document, the editing user 208 can edit the displayed electronic form. Steps 1214, 1216, and 1218 pertain to this editing operation. In step 1214, the forms application 910 receives the editing user 208's commands to execute an editing operation. These commands may be the result of the user pointing to a particular part of the visual surface 206 using the mouse device 214 and then inputting data into data entry fields using the keyboard 212. Other ways of editing the electronic form can be used. Step 1216 involves muting the editing user 208's input back to the source XML document for storage at appropriate locations in the structured XML data. To perform this routing, the above-described mapping annotations are used to link selected parts of the visual surface with associated parts of the XML source data. Finally, in step 1218, the procedure 1200 involves updating the visual surface 206 to reflect the user's editing operations with respect to the visual surface 206. An exemplary technique for performing step 1218 is described in commonly assigned application Ser. No. 10/404,312, filed on Mar. 31, 2003, entitled "System and Method for Incrementally Transforming and Rendering Hierarchical Data Files," naming Prakash Sikchi, Dragos Barac, Ranjan Aggarwal, and Steven J. Mooney as inventors, and incorporated herein by reference in its entirety.

#### D. Exemplary Computer Environment

FIG. 13 illustrates one example of a computing environment 1300 within which the above-described forms application 910 can be either fully or partially implemented. The computing environment 1300 includes the general purpose computer 902 and display device 920 discussed in the context of FIG. 9. However, the computing environment 1300 can include other kinds of computer and network architecture. For example, although not shown, the computer environment 1300 can include hand-held or laptop devices, set top boxes, programmable consumer electronics, mainframe computers, gaming consoles, etc. Further, FIG. 13 shows elements of the computer environment 1300 grouped together to facilitate discussion. However, the computing environment 1300 can employ distributed processing configuration. In a distributed computing environment, computing resources can be physically dispersed throughout the environment.

Exemplary computer 902 includes one or more processors or processing units 904, a system memory 906, and a bus 1302. The bus 1302 connects various system components together. For instance, the bus 1302 connects the processor 904 to the system memory 906. The bus 1302 can be implemented using any kind of bus structure or combination of bus structures, including a memory bus or memory controller, a peripheral bus, an accelerated graphics port, and a processor or local bus using any of a variety of bus architectures. For example, such architectures can include an Industry Standard Architecture (ISA) bus, a Micro Channel Architecture (MCA) bus, an Enhanced ISA (EISA) bus, a Video Electronics Standards Association (VESA) local bus, and a Peripheral Component Interconnects (PCI) bus also known as a Mezzanine bus.

Computer 902 can also include a variety of computer readable media, including a variety of types of volatile and non-volatile media, each of which can be removable or non-removable. For example, system memory 906 includes computer readable media in the form of volatile memory, such as random access memory (RAM) 1304, and non-volatile memory, such as read only memory (ROM) 1306. ROM 1306 includes an input/output system (BIOS) 1308 that contains the basic routines that help to transfer information between elements within computer 902, such as during start-up. RAM 1304 typically contains data and/or program modules in a form that can be quickly accessed by processing unit 904.

Other kinds of computer storage media include a hard disk drive 1310 for reading from and writing to a non-removable, non-volatile magnetic media, a magnetic disk drive 1312 for reading from and writing to a removable, non-volatile magnetic disk 1314 (e.g., a "floppy disk"), and an optical disk drive 1316 for reading from and/or writing to a removable, non-volatile optical disk 1318 such as a CD-ROM, DVD-ROM, or other optical media. The hard disk drive 1310, magnetic disk drive 1312, and optical disk drive 1316 are each connected to the system bus 1302 by one or more data media interfaces 1320. Alternatively, the hard disk drive 1310, magnetic disk drive 1312, and optical disk drive 1316 can be connected to the system bus 1302 by a SCSI interface (not shown), or other coupling mechanism. Although not shown, the computer 902 can include other types of computer readable media, such as magnetic cassettes or other magnetic storage devices, flash memory cards, CD-ROM, digital versatile disks (DVD) or other optical storage, electrically erasable programmable read-only memory (EEPROM), etc.

Generally, the above-identified computer readable media provide non-volatile storage of computer readable instructions, data structures, program modules, and other data for use by computer 902. For instance, the readable media can store the operating system 908, one or more application programs 1322 (such as the forms application 910), other program modules 1324, and program data 1326.

The computer environment 1300 can include a variety of input devices. For instance, the computer environment 1300 includes the keyboard 212 and a pointing device 214 (e.g., a "mouse") for entering commands and information into computer 902. The computer environment 1300 can include other input devices (not illustrated), such as a microphone, joystick, game pad, satellite dish, serial port, scanner, card reading devices, digital or video camera, etc. Input/output interfaces 1328 couple the input devices to the processing unit 904. More generally, input devices can be coupled to the computer 902 through any kind of interface and bus structures, such as a parallel port, serial port, game port, universal serial bus (USB) port, etc.

The computer environment 1300 also includes the display device 920. A video adapter 1330 couples the display device 920 to the bus 1302. In addition to the display device 920, the computer environment 1300 can include other output peripheral devices, such as speakers (not shown), a printer (not shown), etc.

Computer 902 can operate in a networked environment using logical connections to one or more remote computers, such as a remote computing device 1332. The remote computing device 1332 can comprise any kind of computer equipment, including a general purpose personal computer, portable computer, a server, a router, a network computer, a peer device or other common network node, etc. Remote computing device 1332 can include all of the features discussed above with respect to computer 902, or some subset thereof.

Any type of network can be used to couple the computer 902 with remote computing device 1332, such as a local area network (LAN) 1334, or a wide area network (WAN) 1336 (such as the Internet). When implemented in a LAN network-  
ing environment, the computer 902 connects to local network 1334 via a network interface or adapter 1338. When imple-  
mented in a WAN networking environment, the computer 902  
can connect to the WAN 1336 via a modem 1340 or other  
connection strategy. The modem 1340 can be located internal  
or external to computer 902, and can be connected to the bus  
1302 via serial I/O interfaces 1342 other appropriate coupling  
mechanism. Although not illustrated, the computing environ-  
ment 1300 can provide wireless communication functionality  
for connecting computer 902 with remote computing device  
1332 (e.g., via modulated radio signals, modulated infrared  
signals, etc.).

In a networked environment, the computer 902 can draw  
from program modules stored in a remote memory storage  
device 1344. Generally, the depiction of program modules as  
discrete blocks in FIG. 13 serves only to facilitate discussion;  
in actuality, the programs modules can be distributed over the  
computing environment 1300, and this distribution can  
change in a dynamic fashion as the modules are executed by  
the processing unit 904.

Wherever physically stored, one or more memory modules  
906, 1314, 1318, 1344, etc. can be provided to store the forms  
application 910 programming code.

Although the invention has been described in language  
specific to structural features and/or methodological acts, it is  
to be understood that the invention defined in the appended  
claims is not necessarily limited to the specific features or acts  
described. Rather, the specific features and acts are disclosed  
as exemplary forms of implementing the claimed invention.

What is claimed is:

1. A system comprising:  
a memory; and  
at least one processor operatively connected with the  
memory, the processor executing operations that com-  
prise:  
receiving an indication that an editing control has been  
created that is used to control data entry into an elec-  
tronic document,  
creating an editing component based on the received  
indication, wherein the editing component comprises  
first data that identifies the editing component and  
second data that specifies how a structured data ele-  
ment is editable in response to manipulation of the  
editing control in the electronic document, and  
displaying the first data and the second data of the cre-  
ated editing component in a markup language docu-  
ment that corresponds with the electronic document.
2. The system of claim 1, wherein the created editing  
control is selected from the group consisting of a table editing  
control, a plain list editing control, a bulleted list editing  
control, a numbered list editing control, a rich text box editing  
control, and a text box editing control.
3. The system of claim 2, wherein the editing control is a  
table editing control, and wherein the editing component is an  
xCollection editing component.
4. The system of claim 1, wherein the created editing  
component edits an XML node associated with an XML  
document.
5. The system of claim 4, wherein the XML node is the  
parent node of the structured data element.
6. The system of claim 1, wherein the structured data  
element is displayed in the markup language document.

7. The system of claim 6, wherein the electronic document  
is an HTML document.

8. A computer-implemented method for mapping struc-  
tured data to a visual presentation, the computer-imple-  
mented method comprising:

receiving an indication that an editing control has been  
created that is used to control data entry into an elec-  
tronic document;

creating an editing component based on the received indi-  
cation, wherein the editing component comprises first  
data that identifies the editing component and second  
data that specifies how a structured data element is edit-  
able in response to manipulation of the editing control in  
the electronic document; and

in response to received input for manipulation of the edit-  
ing control, using a markup language document to deter-  
mine how the editing control is editable in the electronic  
document, wherein the second data is presented in the  
markup language document.

9. The computer-implemented method of claim 8, wherein  
the created editing control is selected from the group consist-  
ing of a table editing control, a plain list editing control, a  
bulleted list editing control, a numbered list editing control, a  
rich text box editing control, and a text box editing control.

10. The computer implemented method of claim 9,  
wherein the editing control is a table editing control, and  
wherein the editing component is an xCollection editing com-  
ponent.

11. The computer implemented method of claim 8,  
wherein the created editing component edits a node associ-  
ated with an XML document.

12. The computer-implemented method of claim 11,  
wherein the node is part of the structured data element.

13. The computer-implemented method of claim 8,  
wherein the structured data element is displayed in the elec-  
tronic document.

14. The computer-implemented method of claim 8,  
wherein the electronic document is an HTML document.

15. A computer storage device housing instructions that,  
when executed, are capable of performing a method compris-  
ing:

receiving an indication that an editing control has been  
created that is used to control data entry into an elec-  
tronic document;

creating an editing component based on the received indi-  
cation, wherein the editing component comprises first  
data that identifies the editing component and second  
data that specifies how a structured data element is edit-  
able in response to manipulation of the editing control in  
the electronic document; and

displaying the first data and the second data of the created  
editing component in a markup language document that  
corresponds with the electronic document.

16. The computer storage device of claim 15, wherein the  
created editing control is selected from the group consisting  
of a table editing control, a plain list editing control, a bulleted  
list editing control, a numbered list editing control, a rich text  
box editing control, and a text box editing control.

17. The computer storage device of claim 16, wherein the  
editing control is a table editing control, and wherein the  
editing component is an xCollection editing component.

18. The computer implemented method of claim 15,  
wherein the created editing component edits a node associ-  
ated with an XML document.

19. The computer-implemented method of claim 18,  
wherein the node is part of the structured data element.

20. The computer-implemented method of claim 15, wherein the structured data element is displayed in an HTML document.

\* \* \* \* \*