



US009421158B2

(12) **United States Patent**
Knappe et al.

(10) **Patent No.:** **US 9,421,158 B2**
(45) **Date of Patent:** **Aug. 23, 2016**

(54) **AGENT AND METHOD FOR THE TEMPORARY DEFORMATION OF KERATIN FIBRES**

(2013.01); *A61K 8/8152* (2013.01); *A61K 8/8176* (2013.01); *A61K 8/922* (2013.01); *A61K 8/927* (2013.01); *A61Q 5/06* (2013.01); *A61Q 19/00* (2013.01)

(71) Applicant: **Henkel AG & Co. KGaA**, Duesseldorf (DE)

(58) **Field of Classification Search**
None
See application file for complete search history.

(72) Inventors: **Thorsten Knappe**, Schenefeld (DE);
Marcus Noll, Norderstedt (DE)

(56) **References Cited**

(73) Assignee: **Henkel AG & Co. KGaA**, Dusseldorf (DE)

U.S. PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

7,056,346 B1 * 6/2006 Maubru A61Q 5/065
534/683
8,790,628 B2 7/2014 Schweinsberg et al.
2004/0241105 A1 * 12/2004 Riedel A61K 8/046
424/47
2006/0051311 A1 3/2006 Walter et al.
2013/0108572 A1 5/2013 Balcke et al.

(21) Appl. No.: **14/620,265**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Feb. 12, 2015**

DE 102010063842 A1 6/2012

(65) **Prior Publication Data**

US 2015/0150777 A1 Jun. 4, 2015

Related U.S. Application Data

(63) Continuation of application No. PCT/EP2013/064580, filed on Jul. 10, 2013.

OTHER PUBLICATIONS

PCT International Search Report (PCT/EP2013/064580) dated Jul. 16, 2014.
Database GNPD [Online] Mintel, "FishGlue Matt Styling Gel", XP002727218, Database accession No. 1504937, Nov. 2010.

(30) **Foreign Application Priority Data**

Aug. 13, 2012 (DE) 10 2012 214 380

* cited by examiner

Primary Examiner — Susan Tran

(74) *Attorney, Agent, or Firm* — P. Scott Smith

(51) **Int. Cl.**

A61K 8/72 (2006.01)
A61K 8/73 (2006.01)
A61K 8/81 (2006.01)
A61Q 5/06 (2006.01)
A61K 8/92 (2006.01)
A61Q 19/00 (2006.01)

(57) **ABSTRACT**

Cosmetic preparations based on hydrophobically modified (meth)acrylic acid copolymers and hydrophobically modified polysaccharides are described, together with related methods of use thereof for the temporary shaping of keratin-containing fibers, in particular human hair.

(52) **U.S. Cl.**

CPC *A61K 8/8147* (2013.01); *A61K 8/732*

15 Claims, No Drawings

1

**AGENT AND METHOD FOR THE
TEMPORARY DEFORMATION OF KERATIN
FIBRES**

FIELD OF THE INVENTION

The present invention generally relates to the use of cosmetic agents for the temporary shaping of keratinic fibers, in particular human hair. The invention also provides specific agents for the temporary shaping of keratinic fibers.

BACKGROUND OF THE INVENTION

Styling agents for the shaping of keratin-containing fibers have long been known and are used in various embodiments to construct, refresh and set hairstyles which for many hair types can only be achieved by the use of active fixing agents. Both hair treatment agents serving to permanently shape the hair and those used for its temporary shaping have an important role to play here.

Agents for temporary shaping are available in various presentation forms, wherein among the propellant-free agents hair waxes and hair gels in particular are widespread. From a consumer perspective these agents differ from one another in particular also in terms of the product feel. The feel of a hair cosmetic is generally not the chance result of a combination of specific active agents; rather, along with other sensory properties such as appearance and odor, it is an essential means of supporting the product or brand proposition and is thus an important factor in the commercial success of the product.

The problem of the present patent application was therefore to provide cosmetic agents for the temporary shaping of keratinic fibers, having a novel feel and good cosmetic properties. In particular, the feel of the cosmetic agents should differ from the gels and waxes hitherto available on the market.

It was determined that these problems can be solved by a combination of hydrophobically modified (meth)acrylic acid copolymers and hydrophobically modified polysaccharides. Hair cosmetics agents based on this combination of active agents are characterized not only by a unique feel but also by good fixing properties, for example a high degree of hold combined with low stickiness, high flexibility and good moisture resistance—in particular resistance to perspiration and water. The combination of hydrophobically modified (meth)acrylic acid copolymers and hydrophobically modified polysaccharides is also suitable for producing compositions having a stable viscosity.

Cosmetic or dermatological light stabilizing preparations, which in addition to further ingredients contain an acrylates/C10-30 alkyl acrylate crosspolymer and an aluminum starch octenylsuccinate, are described in the German laid-open patent application DE 10 2010 063 842 A1 (Beiersdorf).

Furthermore, other desirable features and characteristics of the present invention will become apparent from the subsequent detailed description of the invention and the appended claims, taken in conjunction with the accompanying drawings and this background of the invention.

BRIEF SUMMARY OF THE INVENTION

Use of a cosmetic composition, containing at least one hydrophobically modified (meth)acrylic acid copolymer and at least one hydrophobically modified polysaccharide for the temporary shaping of keratin-containing fibers, in particular human hair.

2

A cosmetic composition, containing at least one hydrophobically modified (meth)acrylic acid copolymer, at least one hydrophobically modified polysaccharide, and at least one wax.

DETAILED DESCRIPTION OF THE
INVENTION

The following detailed description of the invention is merely exemplary in nature and is not intended to limit the invention or the application and uses of the invention. Furthermore, there is no intention to be bound by any theory presented in the preceding background of the invention or the following detailed description of the invention.

The present application firstly provides the use of a cosmetic composition, containing

a) at least one hydrophobically modified (meth)acrylic acid copolymer;

b) at least one hydrophobically modified polysaccharide;

for the temporary shaping of keratin-containing fibers, in particular human hair.

The agents used according to the invention are characterized by a rubber-like consistency. This consistency makes the agents easy to dispense and apply.

The use according to the invention is preferably achieved in that the keratinic fibers are treated with one of the cosmetic compositions described above and temporarily fixed in their shape. The treatment of the keratinic fibers with the cosmetic composition preferably takes place by applying the cosmetic composition to the fingers or to the palms of the hand and then shaping the keratinic fibers with the fingers or palms, as a result of which at least some of the cosmetic composition is transferred from the fingers or the palms to the keratinic fibers.

The use of a cosmetic composition containing

a) at least one hydrophobically modified (meth)acrylic acid copolymer;

b) at least one hydrophobically modified polysaccharide;

for the temporary shaping and remodeling of keratin-containing fibers, in particular human hair, is particularly preferred.

A first essential constituent of cosmetic compositions used according to the invention is the hydrophobically modified (meth)acrylic acid copolymer a). The proportion by weight of the copolymer a) in the total weight of the cosmetic composition is preferably 0.05 to 5.0 wt. %, particularly preferably 0.1 to 4.0 wt. % and in particular 0.2 to 2.0 wt. %. Preferred copolymers a) have a thickening effect.

Copolymers which are derived from

at least one monomer (A1) from the group of unsaturated carboxylic acids and unsaturated carboxylic acid esters, and

at least one monomer (A2) from the group of unsaturated hydrophobically modified monomers are preferably used as hydrophobically modified (meth)acrylic acid copolymers a).

Preferred copolymers A are based on at least one monomer (A1) from the group of acrylic acid, methacrylic acid, C₁-C₆ alkyl acrylic acid esters, C₁-C₆ alkyl methacrylic acid esters. The acrylic acid esters and methacrylic acid esters are preferably esters of the individual acids with non-tertiary alkyl alcohols having alkyl residues of 1 to 12 carbon atoms, in particular 2 to 4 carbon atoms. Suitable monomers which can be mentioned are for example ethyl acrylate, ethyl methacrylate, propyl acrylate, propyl methacrylate, n-butyl acrylate, n-butyl methacrylate, isobutyl acrylate, 2-methyl-

3

butyl acrylate, 2-ethylhexyl acrylate, n-octyl acrylate, isoocetyl acrylate, isooctyl methacrylate, isononyl acrylate and isodecyl acrylate.

The group of hydrophobically modified monomers (A2) refers to monomers having a hydrophobic substructure. Preferred monomers (A2) for their part are derived from the following two structural units:

an unsaturated acid, preferably acrylic acid, methacrylic acid or itaconic acid;

a C₈₋₄₀ alkyl chain, preferably a C₁₀₋₃₀ alkyl chain.

These two substructures can optionally be supplemented by a third structural unit from the group of polyoxyalkylene groups, preferably polyethylene glycol groups, polypropylene glycol groups or polyethylene glycol/polypropylene glycol groups.

C₁₀₋₃₀ alkyl acrylates, C₁₀₋₃₀ alkyl PEG acrylates, C₁₀₋₃₀ alkyl PEG methacrylates or C₁₀₋₃₀ alkyl PEG itaconates, for example, are used as the monomer (A2). Preferred monomers (A2) are selected from C₁₀₋₃₀ alkyl acrylates, C₁₀₋₃₀ alkyl PEG 20-25 acrylates, C₁₀₋₃₀ alkyl PEG 20-25 methacrylates or C₁₀₋₃₀ alkyl PEG 20-25 itaconates. Particularly preferred monomers (A2) are selected from the group of C₁₀₋₃₀ alkyl acrylates, steareth-20 methacrylates, beheneth-25 methacrylates, steareth-20 itaconates, ceteth-20 itaconates, palmeth-25 acrylates or C₁₀₋₃₀ alkyl PEG-20 itaconates.

In summary, copolymers a) are preferred which are formed from

at least one monomer (A1) from the group of acrylic acid, methacrylic acid, C₁-C₆ alkyl acrylic acid esters, C₁-C₆ alkyl methacrylic acid esters,

at least one monomer (A2) from the group of C₁₀₋₃₀ alkyl acrylates, C₁₀₋₃₀ alkyl PEG acrylates, C₁₀₋₃₀ alkyl PEG methacrylates or C₁₀₋₃₀ alkyl PEG itaconates.

Copolymers a) which are formed from

at least one monomer (A1) from the group of acrylic acid, methacrylic acid, C₁-C₆ alkyl acrylic acid esters, C₁-C₆ alkyl methacrylic acid esters,

at least one monomer (A2) from the group of C₁₀₋₃₀ alkyl acrylates, steareth-20 methacrylates, beheneth-25 methacrylates, steareth-20 itaconates, ceteth-20 itaconates, palmeth-25 acrylates or C₁₀₋₃₀ alkyl PEG-20 itaconates are particularly preferred.

Further preferred hydrophobically modified (meth)acrylic acid copolymers a) are formed from at least one monomer (A3) from the group of unsaturated amine-group-containing monomers in addition to the aforementioned monomers (A1) and (A2).

Monomers from the group of acrylamide, methacrylamide, mono-(C₁-C₄) alkylamino (C₁-C₄) alkyl acrylate, di-(C₁-C₄) alkylamino (C₁-C₄) alkyl acrylate, mono-(C₁-C₄) alkylamino (C₁-C₄) alkyl methacrylate, di-(C₁-C₄) alkylamino (C₁-C₄) alkyl methacrylate are preferably used as the monomer (A3).

Examples of preferred monomers (A2) are 2-(N,N-dimethylamino)ethyl acrylate, 2-(N,N-dimethylamino)ethyl methacrylates, 2-(N,N-diethylamino)ethyl acrylates, 2-(N,N-diethylamino)ethyl methacrylates, 3-(N,N-dimethylamino)propyl acrylate, 3-(N,N-dimethylamino)propyl methacrylate, 2-(N',N-dimethylamino)neopentyl acrylate, N'-(3-N,N-dimethylamino)propyl acrylamide, N'-(3-N,N-dimethylamino)propyl methacrylamide.

Copolymers A are preferred which are formed from

at least one monomer (A1) from the group of acrylic acid, methacrylic acid, C₁-C₆ alkyl acrylic acid esters, C₁-C₆ alkyl methacrylic acid esters,

4

at least one monomer (A2) from the group of C₁₀₋₃₀ alkyl PEG 20 itaconates,

at least one monomer (A3) from the group of acrylamide, methacrylamide, mono-(C₁-C₄) alkylamino (C₁-C₄) alkyl acrylate, di-(C₁-C₄) alkylamino (C₁-C₄) alkyl acrylate, mono-(C₁-C₄) alkylamino (C₁-C₄) alkyl methacrylate, di-(C₁-C₄) alkylamino (C₁-C₄) alkyl methacrylate.

Copolymers a) which are particularly preferably used are crosslinked. Crosslinking improves the tactile properties of the agents used according to the invention. In addition, the hair-fixing effect of these agents, in particular when used in small amounts, is improved.

In summary, cosmetic compositions which are preferably used according to the invention are characterized in that the copolymer a) is selected from the group of compounds having the INCI names Acrylates/C₁₀₋₃₀ Alkyl Acrylate Crosspolymer, Acrylates/Steareth-20 Methacrylate Crosspolymer, Acrylates/Steareth-20 Methacrylate Copolymer, Acrylates/Beheneth-25 Methacrylate Copolymer, Acrylates/Steareth-20 Itaconate Copolymer, Acrylates/Ceteth-20 Itaconate Copolymer, Acrylates/Palmeth-25 Acrylate Copolymer, Acrylates/Aminoacrylates/C₁₀₋₃₀ Alkyl PEG-20 Itaconate Copolymer. Corresponding polymers are available for example under the trade names Ultrez® 21, Pemulen® TR1, Aculyn® 22, Aculyn® 28, Aculyn® 88, Structure® 2001, Structure® 3001, Synthalen® W2000 and Structure® Plus. The copolymer a) is particularly preferably selected from the group of compounds having the INCI name Acrylates/C₁₀₋₃₀ Alkyl Acrylate Crosspolymer.

As the second essential constituent the cosmetic compositions used according to the invention contain at least one hydrophobically modified polysaccharide b). The proportion by weight of the polysaccharide b) in the total weight of the cosmetic composition is preferably 0.1 to 8.0 wt. %, particularly preferably 0.5 to 6.0 wt. % and in particular 1.0 to 4.0 wt. %. Preferred polysaccharides b) do not have a thickening effect.

Preferred hydrophobically modified polysaccharides have saturated or unsaturated alkyl residues and/or saturated or unsaturated arylalkyl residues with six to thirty carbon atoms. Particularly preferred hydrophobically modified polysaccharides are characterized by saturated or unsaturated C₆₋₃₀ alkyl residues, preferably by saturated or unsaturated C₈₋₁₈ alkyl residues, in particular by unsaturated C₈₋₁₈ alkyl residues. Corresponding hydrophobically modified polysaccharides are obtainable for example by etherification or esterification of the hydroxyl groups of polysaccharides. Starch ethers or starch esters are formed in this way, for example.

In a first preferred embodiment the polysaccharide b) is selected from the group of starch ethers. Starch ethers by way of example are obtained by the etherification of starch with tetramethylol acetylenediurea.

It is particularly preferable, however, for the polysaccharide b) to be selected from the group of starch esters. The group of starch esters comprises in particular also the sodium and/or aluminum salts of low-substituted semi-esters of starch, for example sodium starch octenylsuccinates or aluminum starch octenylsuccinates, which are obtainable for example by reacting starch with octenylsuccinic anhydride. Cosmetic compositions which are particularly preferably used are characterized in that the polysaccharide b) is selected from the group of starch octenylsuccinates, in particular from the compounds having

the INCI name Sodium Starch Octenylsuccinate, but preferably from the group having the INCI name Aluminum Starch Octenylsuccinate.

The starch esters have proved to be superior to the starch ethers in terms of their cosmetic and tactile properties.

For the use according to the invention it has proved advantageous to maintain certain weight ratios between the copolymer a) and the polysaccharide b). It is therefore preferable according to the invention for the weight ratio of the copolymer a) to the polysaccharide b) to be 2:1 to 1:30, preferably 1:1 to 1:20 and in particular 1:2 to 1:10.

In addition to the copolymers a) and polysaccharides b) described above, the cosmetic compositions used according to the invention can contain further active agents, auxiliary substances and care substances.

A first group of active agents that are preferably used are waxes. Preferred waxes have a melting point in the range from 40° C. to 90° C., particularly preferably in the range from 50° C. to 85° C. and in particular in the range from 50° C. to 75° C. The proportion by weight of waxes relative to the total weight of the cosmetic preparation is preferably 0.1 to 10 wt. %, particularly preferably 0.2 to 8.0 wt. % and in particular 0.5 to 5.0 wt. %.

In principle, all waxes which melt in the cited temperature range and are physiologically acceptable can be used. Particularly preferred waxes according to the invention are beeswax (cera alba), carnauba wax, candelilla wax, montan wax, microcrystalline waxes (microcrystalline paraffins) and cetyl palmitate.

The teaching according to the invention also encompasses the combined use of several waxes. Thus an addition of small amounts of carnauba wax can be used to increase the melting and dropping point of another wax and to reduce its stickiness. In addition, a range of wax blends, optionally mixed with further additives, is commercially available.

Examples of blends which are preferably used according to the invention are those available under the names "Spezialwachs 7686 OE" (a blend of cetyl palmitate, beeswax, microcrystalline wax and polyethylene, with a melting range from 73-75° C.; manufacturer: Kahl & Co), Polywax® GP 200 (a blend of stearyl alcohol and polyethylene glycol stearate with a melting point of 47-51° C.; manufacturer: Croda) and "Weichceresin® FL 400" (a vaseline/vaseline oil/wax blend with a melting point of 50-54° C.; manufacturer: Parafliuid Mineralölgesellschaft).

In a special embodiment of the invention "liquid waxes", such as jojoba oil for example, can also be used in addition to the compounds which are conventionally defined as waxes.

In summary, cosmetic compositions are preferably used in particular which, relative to their total weight, contain 0.1 to 10 wt. %, preferably 0.2 to 8.0 wt. % and in particular 0.5 to 5.0 wt. % of at least one wax, preferably at least one wax from the group of beeswax and carnauba wax. The addition of wax to the cosmetic preparations used according to the invention was able to bring about an unexpected increase in volume of the temporarily shaped keratinic fibers.

The present application also provides a cosmetic composition, containing

- a) at least one hydrophobically modified (meth)acrylic acid copolymer;
- b) at least one hydrophobically modified polysaccharide;
- c) at least one wax.

The preferred features of cosmetic compositions according to the invention correspond with the necessary changes to the preferred features of the agents used in the context of the use according to the invention.

The group of film-forming polymers forms a further preferred constituent of cosmetic compositions used according to the invention. These film-forming polymers are not identical to the hydrophobically modified (meth)acrylic acid copolymer a) described above. The proportion by weight of the film-forming polymer in the total weight of the cosmetic composition is by preference 0.1 to 8.0 wt. %, preferably 0.5 to 6.0 wt. % and in particular 1.0 to 4.0 wt. %.

Non-ionic polymers are particularly preferably used as film-forming polymers. Suitable non-ionic polymers are for example:

vinylpyrrolidone/vinyl ester copolymers, such as are sold for example under the trademark Luviskol® (BASF). Luviskol® VA 64 and Luviskol® VA 73, both of which are vinylpyrrolidone/vinyl acetate copolymers, are preferred non-ionic polymers.

cellulose ethers, such as hydroxypropyl cellulose, hydroxyethyl cellulose and methylhydroxypropyl cellulose, such as are sold for example under the trademarks Culminal® and Benecel® (AQUALON). shellac.

polyvinylpyrrolidones, such as are sold for example under the name Luviskol®(BASF).

siloxanes. These siloxanes can be both water-soluble and water-insoluble. Both volatile and non-volatile siloxanes are suitable, wherein compounds whose boiling point under normal pressure is above 200° C. are understood to be non-volatile siloxanes. Preferred siloxanes are polydialkyl siloxanes, such as for example polydimethyl siloxane, polyalkylaryl siloxanes, such as for example polyphenylmethyl siloxane, ethoxylated polydialkyl siloxanes as well as polydialkyl siloxanes containing amine and/or hydroxyl groups.

glycoside-substituted silicones.

Polyvinylpyrrolidones (INCI name: PVP) are preferred in particular according to the invention.

Protein hydrolysates and/or derivatives thereof can be used as the care substance. Protein hydrolysates are mixtures of products which are obtained by acidically, basically or enzymatically catalyzed breakdown of proteins. According to the invention the term protein hydrolysates is also understood to include total hydrolysates and individual amino acids and derivatives thereof as well as mixtures of different amino acids. The molecular weight of the protein hydrolysates for use according to the invention is between 75, the molecular weight for glycine, and 200,000; the molecular weight is preferably 75 to 50,000 and particularly preferably 75 to 20,000 daltons.

A further group of care substances are the vitamins, provitamins, vitamin precursors and/or derivatives thereof. Those vitamins, provitamins and vitamin precursors that are conventionally assigned to groups A, B, C, E, F and H are preferred according to the invention.

Further care substances are glycerol, propylene glycol, panthenol and sorbitol.

Plant extracts and also mono- or oligosaccharides and/or lipids can be used as the care substance.

Oil bodies form a further group of care substances. The natural and synthetic cosmetic oil bodies include for example vegetable oils, liquid paraffin oils, isoparaffin oils and synthetic hydrocarbons along with di-n-alkyl ethers having in total between 12 and 36 C atoms, in particular 12 to 24 C atoms. Oil bodies from the group of silicone oils are moreover preferred. The group of silicone oils includes in particular dimethicones, which also include cyclomethicones, amino-functional silicones and dimethiconols. The

dimethicones can be both linear and branched and also cyclic or cyclic and branched. Suitable silicone oils or silicone gums are in particular dialkyl and alkylaryl siloxanes, such as for example dimethyl polysiloxane and methyl phenyl polysiloxane, and the alkoxyated, quaternized or also anionic derivatives thereof. Cyclic and linear polydialkyl siloxanes, the alkoxyated and/or aminated derivatives thereof, dihydroxypolydimethyl siloxanes and polyphenyl alkyl siloxanes are preferred.

Ester oils, in other words esters of C₆-C₃₀ fatty acids with C₂-C₃₀ fatty alcohols, preferably monoesters of fatty acids with alcohols having 2 to 24 C atoms, such as for example isopropyl myristate (Rilanit® IPM), isononanoic acid C₁₆₋₁₈ alkyl ester (Cetiol® SN), 2-ethylhexyl palmitate (Cegesoft® 24), stearic acid 2-ethylhexyl ester (Cetiol® 868), cetyl oleate, glycerol tricaprilate, coconut fatty alcohol caprylate/caprylate (Cetiol® LC), n-butyl stearate, oleyl erucate (Cetiol® J 600), isopropyl palmitate (Rilanit® IPP), oleyl oleate

(Cetiol®), lauric acid hexyl ester (Cetiol® A), di-n-butyl adipate (Cetiol® B), myristyl myristate (Cetiol® MM), cetearyl isononanoate (Cetiol® SN), oleic acid decyl ester (Cetiol® V), are further preferred caring oil bodies.

Furthermore, dicarboxylic acid esters, symmetrical, asymmetrical or cyclic esters of carbonic acid with fatty alcohols, tri-fatty acid esters of saturated and/or unsaturated linear and/or branched fatty acids with glycerol or fatty acid partial glycerides, which are understood to be monoglycerides, diglycerides and technical mixtures thereof, are suitable as care substances.

The water content of cosmetic compositions that are preferably used is 30 to 80 wt. %, preferably 40 to 70 wt. % and in particular 45 to 65 wt. %.

The composition of a number of cosmetic agents that are used can be taken from the tables below (amounts in wt. % relative to the total weight of the cosmetic agent unless otherwise specified).

	Formula 1	Formula 2	Formula 3	Formula 4	Formula 5
Hydrophobically modified (meth)acrylic acid copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 6	Formula 7	Formula 8	Formula 9	Formula 10
Hydrophobically modified (meth)acrylic acid copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 11	Formula 12	Formula 13	Formula 14	Formula 15
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 16	Formula 17	Formula 18	Formula 19	Formula 20
Acrylates/Stearth-20 Methacrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 21	Formula 22	Formula 23	Formula 24	Formula 25
Acrylates/Stearth-20 Methacrylate Copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Misc	to 100	to 100	to 100	to 100	to 100

-continued

	Formula 26	Formula 27	Formula 28	Formula 29	Formula 30
Acrylates/Beheneth-25 Methacrylate Copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 31	Formula 32	Formula 33	Formula 34	Formula 35
Acrylates/Steareth-20 Itaconate Copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 36	Formula 37	Formula 38	Formula 39	Formula 40
Acrylates/Ceteth-20 Itaconate Copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 41	Formula 42	Formula 43	Formula 44	Formula 45
Acrylates/Palmeth-25 Acrylate Copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 46	Formula 47	Formula 48	Formula 49	Formula 50
Acrylates/Aminoacrylates/ C ₁₀₋₃₀ Alkyl PEG-20 Itaconate Copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 51	Formula 52	Formula 53	Formula 54	Formula 55
Hydrophobically modified (meth)acrylic acid copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch Octenylsuccinate	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 56	Formula 57	Formula 58	Formula 59	Formula 60
Hydrophobically modified (meth)acrylic acid copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch Octenylsuccinate	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100

-continued

	Formula 61	Formula 62	Formula 63	Formula 64	Formula 65
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Wax	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 66	Formula 67	Formula 68	Formula 69	Formula 70
Hydrophobically modified (meth)acrylic acid copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Octenylsuccinate	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Wax	to 100	to 100	to 100	to 100	to 100
Misc					
	Formula 71	Formula 72	Formula 73	Formula 74	Formula 75
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Octenylsuccinate	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Wax	to 100	to 100	to 100	to 100	to 100
Misc					
	Formula 76	Formula 77	Formula 78	Formula 79	Formula 80
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Beeswax	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 81	Formula 82	Formula 83	Formula 84	Formula 85
Hydrophobically modified (meth)acrylic acid copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Octenylsuccinate	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Beeswax	to 100	to 100	to 100	to 100	to 100
Misc					
	Formula 86	Formula 87	Formula 88	Formula 89	Formula 90
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Octenylsuccinate	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Beeswax	to 100	to 100	to 100	to 100	to 100
Misc					
	Formula 91	Formula 92	Formula 93	Formula 94	Formula 95
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2

-continued

Film-forming polymer*	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 96	Formula 97	Formula 98	Formula 99	Formula 100
Hydrophobically modified (meth)acrylic acid copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Octenylsuccinate					
Film-forming polymer*	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 101	Formula 102	Formula 103	Formula 104	Formula 105
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Octenylsuccinate					
Film-forming polymer*	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 106	Formula 107	Formula 108	Formula 109	Formula 110
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Polyvinylpyrrolidone	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 111	Formula 112	Formula 113	Formula 114	Formula 115
Hydrophobically modified (meth)acrylic acid copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Octenylsuccinate					
Polyvinylpyrrolidone	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 116	Formula 117	Formula 118	Formula 119	Formula 120
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Octenylsuccinate					
Polyvinylpyrrolidone	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 121	Formula 122	Formula 123	Formula 124	Formula 125
Hydrophobically modified (meth)acrylic acid copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Wax	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 126	Formula 127	Formula 128	Formula 129	Formula 130
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3

-continued

Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Wax	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 131	Formula 132	Formula 133	Formula 134	Formula 135
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch Octenylsuccinate	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Wax	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 136	Formula 137	Formula 138	Formula 139	Formula 140
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch Octenylsuccinate	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Beeswax	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 141	Formula 142	Formula 143	Formula 144	Formula 145
Hydrophobically modified (meth)acrylic acid copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Film-forming polymer*	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 146	Formula 147	Formula 148	Formula 149	Formula 150
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Film-forming polymer*	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 151	Formula 152	Formula 153	Formula 154	Formula 155
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch Octenylsuccinate	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Film-forming polymer*	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 156	Formula 157	Formula 158	Formula 159	Formula 160
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch Octenylsuccinate	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Polyvinylpyrrolidone	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8

-continued

Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 161	Formula 162	Formula 163	Formula 164	Formula 165
Hydrophobically modified (meth)acrylic acid copolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Wax	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Film-forming polymer*	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 161	Formula 162	Formula 163	Formula 164	Formula 165
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Hydrophobically modified polysaccharide	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Wax	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Film-forming polymer*	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 166	Formula 167	Formula 168	Formula 169	Formula 170
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch Octenylsuccinate	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Wax	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Film-forming polymer*	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 171	Formula 172	Formula 173	Formula 174	Formula 175
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch Octenylsuccinate	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Beeswax	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Film-forming polymer*	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 176	Formula 177	Formula 178	Formula 179	Formula 180
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch Octenylsuccinate	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Wax	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7
Polyvinylpyrrolidone	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100
	Formula 181	Formula 182	Formula 183	Formula 184	Formula 185
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.05 to 5.0	0.1 to 4.0	0.2 to 2.0	0.6	0.3
Aluminum Starch Octenylsuccinate	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	2.7	1.2
Beeswax	0.1 to 10	0.2 to 8.0	0.5 to 5.0	3.0	8.7

-continued

Polyvinylpyrrolidone	0.1 to 8.0	0.5 to 6.0	1.0 to 4.0	1.2	3.8
Water	30 to 80	40 to 70	45 to 65	62	33
Misc	to 100	to 100	to 100	to 100	to 100

*not a hydrophobically modified (meth)acrylic acid copolymer

While at least one exemplary embodiment has been presented in the foregoing detailed description of the invention, it should be appreciated that a vast number of variations exist. It should also be appreciated that the exemplary embodiment or exemplary embodiments are only examples, and are not intended to limit the scope, applicability, or configuration of the invention in any way. Rather, the foregoing detailed description will provide those skilled in the art with a convenient road map for implementing an exemplary embodiment of the invention, it being understood that various changes may be made in the function and arrangement of elements described in an exemplary embodiment without departing from the scope of the invention as set forth in the appended claims and their legal equivalents.

What is claimed is:

1. A method for temporary shaping of keratin-containing fibers, comprising:

applying to the keratin-containing fibers a cosmetic composition comprising

a) at least one hydrophobically modified (meth)acrylic acid copolymer;

b) at least one hydrophobically modified polysaccharide; and

c) at least one wax;

wherein at least one wax is selected from the group consisting of beeswax and carnauba wax;

wherein the wax is present in an amount 0.1 wt % to 10 wt % based on the total weight of the cosmetic composition; and

wherein the hydrophobically modified (meth)acrylic copolymer is present in an amount of 0.05 wt % to 5.0 wt % based on the total weight of the cosmetic composition.

2. The method of claim 1, wherein the hydrophobically modified (meth)acrylic acid copolymer is crosslinked.

3. The method of claim 1, wherein the hydrophobically modified (meth)acrylic acid copolymer is a compound having the INCI name acrylates/C10-30 alkyl acrylate crosspolymer.

4. The method of claim 1, wherein the hydrophobically modified (meth)acrylic copolymer is present in an amount of 0.1 wt % to 4.0 wt % based on the total weight of the cosmetic composition.

5. The method of claim 1, wherein the hydrophobically modified (meth)acrylic copolymer is present in an amount of 0.2 wt % to 2.0 wt % based on the total weight of the cosmetic composition.

6. The method of claim 1, wherein the at least one hydrophobically modified polysaccharide includes a starch ester.

7. The method of claim 1, wherein the hydrophobically modified polysaccharide is a starch octenylsuccinates.

8. The method of claim 7, wherein the starch octenylsuccinate is aluminum starch octenylsuccinate.

9. The method of claim 1, wherein the hydrophobically modified polysaccharide is present in an amount of 0.1 wt % to 8.0 wt % based on the total weight of the cosmetic composition.

10. The method of claim 1, wherein the hydrophobically modified polysaccharide is present in an amount of 0.5 wt % to 6.0 wt % based on the total weight of the cosmetic composition.

11. The method of claim 1, wherein the hydrophobically modified polysaccharide is present in an amount of 1.0 wt % to 4.0 wt % based on the total weight of the cosmetic composition.

12. The method according to claim 1, wherein the wax is present in an amount 0.2 wt % to 8.0 wt % based on the total weight of the cosmetic composition.

13. The method according to claim 1, wherein the cosmetic composition further comprises, based on the total weight of the cosmetic composition, 0.1 wt % to 8.0 wt % of at least one film-forming polymer that is different from the hydrophobically modified (meth)acrylic acid copolymer.

14. The method according to claim 13, wherein the at least one film-forming polymer that is different from the hydrophobically modified (meth)acrylic acid copolymer is a polyvinylpyrrolidone.

15. The method according to claim 13, wherein the at least one film-forming polymer that is different from the hydrophobically modified (meth)acrylic acid copolymer is present in an amount 0.5 to 6.0 wt % based on the total weight of the cosmetic composition.

* * * * *