



US009564007B2

(12) **United States Patent**
Dicillo et al.

(10) **Patent No.:** **US 9,564,007 B2**
(45) **Date of Patent:** **Feb. 7, 2017**

(54) **WAGERING GAME CONTENT BASED ON LOCATIONS OF PLAYER CHECK-IN**

(56) **References Cited**

(71) Applicant: **WMS Gaming, Inc.**, Waukegan, IL (US)
(72) Inventors: **Michael V. Dicillo**, Norridge, IL (US); **Dave Savage**, Chicago, IL (US); **Jamie W. Vann**, Chicago, IL (US); **Matthew J. Ward**, Northbrook, IL (US)
(73) Assignee: **BALLY GAMING, INC.**, Las Vegas, NV (US)
(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 157 days.

U.S. PATENT DOCUMENTS

4,339,798 A	7/1982	Hedges et al.
4,455,025 A	6/1984	Itkis
4,527,798 A	7/1985	Siekierski et al.
4,624,459 A	11/1986	Kaufman
4,624,462 A	11/1986	Itkis
4,805,907 A	2/1989	Hagiwara
4,837,728 A	6/1989	Barrie et al.
4,842,278 A	6/1989	Markowicz
4,856,787 A	8/1989	Itkis
4,948,134 A	8/1990	Suttle et al.
5,102,138 A	4/1992	Johnson
5,116,055 A	5/1992	Tracy
5,249,800 A	10/1993	Hilgendorf et al.
5,275,400 A	1/1994	Weingardt et al.
5,280,909 A	1/1994	Tracy
5,299,803 A	4/1994	Halaby
5,344,144 A	9/1994	Canon

(Continued)

(21) Appl. No.: **13/786,128**

(22) Filed: **Mar. 5, 2013**

(65) **Prior Publication Data**

US 2013/0324220 A1 Dec. 5, 2013

OTHER PUBLICATIONS

U.S. Appl. No. 13/776,871, filed Feb. 26, 2013, Guinn, Andrew C.

(Continued)

Related U.S. Application Data

(60) Provisional application No. 61/655,328, filed on Jun. 4, 2013.

(51) **Int. Cl.**
G07F 17/32 (2006.01)

(52) **U.S. Cl.**
CPC **G07F 17/3244** (2013.01); **G07F 17/3218** (2013.01); **G07F 17/3237** (2013.01); **G07F 17/3255** (2013.01)

(58) **Field of Classification Search**
CPC . G07F 17/323; G07F 17/3239; G07F 17/3255
See application file for complete search history.

Primary Examiner — James S McClellan


Assistant Examiner — Kevin Carter

(74) *Attorney, Agent, or Firm* — DeLizio Law, PLLC

(57) **ABSTRACT**

A computer-implemented method comprises replacing, by one or more processors, original wagering game content with modified wagering game content based on a wagering game player's check-ins at one or more physical locations. The method also includes presenting, on an electronic display device, a wagering game with the modified wagering game content in place of the original wagering game content.

24 Claims, 13 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,359,528 A	10/1994	Haendel et al.	6,139,013 A	10/2000	Pierce et al.
5,365,451 A	11/1994	Wang et al.	6,142,872 A	11/2000	Walker et al.
5,377,973 A	1/1995	Jones et al.	6,146,273 A	11/2000	Olsen
5,393,057 A	2/1995	Marnell, II	6,149,522 A	11/2000	Alcorn et al.
5,397,133 A	3/1995	Penzias	6,154,172 A	11/2000	Piccionelli et al.
5,470,079 A	11/1995	LeStrange et al.	6,155,925 A	12/2000	Giobbi et al.
5,489,103 A	2/1996	Okamoto	6,158,741 A	12/2000	Koelling
5,524,888 A	6/1996	Heidel	6,159,097 A	12/2000	Gura
5,544,892 A	8/1996	Breeding	6,164,651 A	12/2000	Webb
5,564,700 A	10/1996	Celona	6,168,523 B1	1/2001	Piechowiak et al.
5,580,063 A	12/1996	Edwards	6,183,362 B1	2/2001	Boushy
5,580,309 A	12/1996	Piechowiak	6,183,366 B1	2/2001	Goldberg et al.
5,586,937 A	12/1996	Menashe	6,203,010 B1	3/2001	Jorasch et al.
5,611,730 A	3/1997	Weiss	6,204,560 B1	3/2001	Daetwyler et al.
5,612,875 A	3/1997	Haendel et al.	6,206,374 B1	3/2001	Jones
5,618,232 A	4/1997	Martin	6,206,782 B1	3/2001	Walker et al.
5,643,086 A	7/1997	Alcorn et al.	6,210,274 B1	4/2001	Carlson
5,645,486 A	7/1997	Nago et al.	6,210,275 B1	4/2001	Olsen
5,655,961 A	8/1997	Acres et al.	6,210,277 B1	4/2001	Stefan
5,674,128 A	10/1997	Holch et al.	6,217,448 B1	4/2001	Olsen
5,707,286 A	1/1998	Carlson	6,220,593 B1	4/2001	Pierce
5,759,102 A	6/1998	Pease et al.	6,224,482 B1	5/2001	Bennett
5,762,552 A	6/1998	Vuong et al.	6,224,484 B1	5/2001	Okuda et al.
5,766,076 A	6/1998	Pease et al.	6,231,445 B1	5/2001	Acres
5,770,533 A	6/1998	Franchi	6,253,129 B1	6/2001	Jenkins
5,774,872 A	6/1998	Golden et al.	6,254,483 B1	7/2001	Acres
RE35,864 E	7/1998	Weingardt	6,264,557 B1	7/2001	Schneier et al.
5,779,283 A	7/1998	Kimura et al.	6,264,561 B1	7/2001	Saffari et al.
5,779,549 A	7/1998	Walker et al.	6,270,410 B1	8/2001	DeMar et al.
5,797,794 A	8/1998	Angell	6,272,223 B1	8/2001	Carlson
5,800,268 A	9/1998	Molnick	6,273,821 B1	8/2001	Moriguchi
5,816,918 A	10/1998	Kelly et al.	6,286,003 B1	9/2001	Muta
5,823,874 A	10/1998	Adams	6,308,953 B1	10/2001	Nagano
5,823,879 A	10/1998	Goldberg et al.	6,309,299 B1	10/2001	Weiss
5,830,063 A	11/1998	Byrne	6,312,332 B1	11/2001	Walker et al.
5,830,069 A	11/1998	Soltész et al.	6,315,660 B1	11/2001	DeMar et al.
5,833,536 A	11/1998	Davids et al.	6,319,125 B1	11/2001	Acres
5,842,698 A	12/1998	Brown	6,319,127 B1	11/2001	Walker et al.
5,848,932 A	12/1998	Adams	6,334,104 B1	12/2001	Hirai
5,851,011 A	12/1998	Lott	6,336,859 B2	1/2002	Jones et al.
5,851,149 A	12/1998	Xidos et al.	6,336,862 B1	1/2002	Byrne
5,855,515 A	1/1999	Pease et al.	6,345,824 B1	2/2002	Selitzky
5,875,433 A	2/1999	Francisco et al.	6,346,048 B1	2/2002	Ogawa et al.
5,876,284 A	3/1999	Acres et al.	6,358,149 B1	3/2002	Schneider et al.
5,885,158 A	3/1999	Torango et al.	6,361,441 B1	3/2002	Walker et al.
5,909,486 A	6/1999	Walker et al.	6,364,768 B1	4/2002	Acres et al.
5,921,865 A	7/1999	Scagnelli et al.	6,375,567 B1	4/2002	Acres
5,928,291 A	7/1999	Jenkins et al.	6,375,568 B1	4/2002	Roffman et al.
5,941,773 A	8/1999	Harlick	6,402,618 B1	6/2002	Reed et al.
5,971,271 A	10/1999	Wynn et al.	6,406,371 B1	6/2002	Baba et al.
5,971,849 A	10/1999	Falciglia	6,409,602 B1	6/2002	Wiltshire et al.
5,997,400 A	12/1999	Seelig et al.	6,416,408 B2	7/2002	Tracy et al.
6,001,016 A	12/1999	Walker et al.	6,416,409 B1	7/2002	Jordan
6,004,205 A	12/1999	Lauretta et al.	6,422,940 B1	7/2002	Walker et al.
6,007,427 A	12/1999	Wiener et al.	6,431,983 B2	8/2002	Acres
6,012,982 A	1/2000	Piechowiak et al.	6,434,398 B1	8/2002	Inselberg
6,012,983 A	1/2000	Walker et al.	6,435,968 B1	8/2002	Torango
6,012,984 A	1/2000	Roseman	6,439,995 B1	8/2002	Hughes-Baird et al.
6,016,479 A	1/2000	Taricani, Jr.	6,454,650 B1	9/2002	Aronin
6,026,433 A	2/2000	D'Arlach et al.	6,482,089 B2	11/2002	DeMar et al.
6,039,648 A	3/2000	Guinn et al.	6,488,580 B1	12/2002	Robb
6,047,963 A	4/2000	Pierce et al.	6,488,585 B1	12/2002	Wells et al.
6,077,162 A	6/2000	Weiss	6,503,146 B2	1/2003	Walker et al.
6,078,899 A	6/2000	Fancisco et al.	6,506,117 B2	1/2003	DeMar et al.
6,089,977 A	7/2000	Bennett	6,508,707 B2	1/2003	DeMar et al.
6,089,980 A	7/2000	Gauselmann	6,508,709 B1	1/2003	Karmarkar
6,102,474 A	8/2000	Daley	6,508,710 B1	1/2003	Paravia et al.
6,102,798 A	8/2000	Bennett	6,517,073 B1	2/2003	Vancura
6,102,799 A	8/2000	Stupak	6,517,433 B2	2/2003	Loose et al.
6,104,815 A	8/2000	Alcorn et al.	6,520,855 B2	2/2003	DeMar et al.
6,110,043 A	8/2000	Olsen	6,523,124 B1	2/2003	Lunsford et al.
6,117,011 A	9/2000	Lvov	6,527,638 B1	3/2003	Walker et al.
6,117,013 A	9/2000	Eiba	6,560,639 B1	5/2003	Dan et al.
6,135,884 A	10/2000	Hedrick et al.	6,589,115 B2	7/2003	Walker et al.
6,135,887 A	10/2000	Pease et al.	6,592,460 B2	7/2003	Torango
			6,599,186 B1	7/2003	Walker et al.
			6,599,188 B2	7/2003	Hirsch et al.
			6,599,193 B2	7/2003	Baerlocher et al.
			6,628,939 B2	9/2003	Paulsen

(56)

References Cited

U.S. PATENT DOCUMENTS

6,648,753 B1	11/2003	Tracy et al.	2002/0002073 A1	1/2002	Montgomery et al.
6,648,762 B2	11/2003	Walker et al.	2002/0006822 A1	1/2002	Krintzman
6,652,378 B2	11/2003	Cannon et al.	2002/0025845 A1	2/2002	Cannon
6,665,715 B1	12/2003	Houri	2002/0032049 A1	3/2002	Walker et al.
6,676,522 B2	1/2004	Rowe et al.	2002/0037767 A1	3/2002	Ebin
6,682,421 B1	1/2004	Rowe et al.	2002/0068631 A1	6/2002	Raverdy et al.
6,692,354 B2	2/2004	Tracy et al.	2002/0073043 A1	6/2002	Herman et al.
6,712,695 B2	3/2004	Mothwurf et al.	2002/0086729 A1	7/2002	Emmerson et al.
6,712,699 B2	3/2004	Walker et al.	2002/0087876 A1	7/2002	Larose
6,733,390 B2	5/2004	Walker et al.	2002/0098888 A1	7/2002	Rowe et al.
6,749,510 B2	6/2004	Giobbi	2002/0107072 A1	8/2002	Giobbi
6,755,741 B1	6/2004	Rafaelli	2002/0116615 A1	8/2002	Nguyen et al.
6,761,637 B2	7/2004	Weston et al.	2002/0128057 A1*	9/2002	Walker et al. 463/20
6,790,141 B2	9/2004	Muir	2002/0138594 A1	9/2002	Rowe
6,800,029 B2	10/2004	Rowe et al.	2002/0142846 A1	10/2002	Paulsen
6,805,634 B1	10/2004	Wells et al.	2002/0147047 A1	10/2002	Letovsky et al.
6,837,788 B2	1/2005	Cannon	2002/0147049 A1	10/2002	Carter, Sr.
6,837,793 B2	1/2005	McClintic	2002/0151345 A1	10/2002	Byrne
6,843,725 B2	1/2005	Nelson	2002/0151349 A1	10/2002	Joshi
6,846,238 B2	1/2005	Wells	2002/0151363 A1	10/2002	Letovsky et al.
6,860,810 B2	3/2005	Cannon et al.	2002/0155874 A1	10/2002	Byrne
6,869,361 B2	3/2005	Sharpless et al.	2002/0155887 A1	10/2002	Criss-Puszkiewicz et al.
6,887,151 B2	5/2005	Leen et al.	2002/0163778 A1	11/2002	Hazzard et al.
6,923,724 B2	8/2005	Williams	2002/0183105 A1	12/2002	Cannon et al.
6,935,952 B2	8/2005	Walker et al.	2002/0183107 A1	12/2002	Wolfe
6,955,604 B1	10/2005	Graves et al.	2003/0006931 A1	1/2003	Mages
6,971,956 B2	12/2005	Rowe et al.	2003/0008703 A1	1/2003	Gauselmann
6,986,055 B2	1/2006	Carlson	2003/0027618 A1	2/2003	Byrne
7,008,319 B2	3/2006	Montgomery et al.	2003/0028567 A1	2/2003	Carlson
7,083,520 B2	8/2006	Rowe	2003/0032474 A1	2/2003	Kaminkow
7,097,562 B2	8/2006	Gagner	2003/0032485 A1	2/2003	Cockerille
7,169,041 B2	1/2007	Tessmer et al.	2003/0036430 A1	2/2003	Cannon
7,175,527 B2	2/2007	Bryant	2003/0045337 A1	3/2003	Byrne
7,192,351 B2	3/2007	Rozkin et al.	2003/0050106 A1	3/2003	Lyfoung
7,260,834 B1	8/2007	Carlson	2003/0054868 A1	3/2003	Paulsen et al.
7,311,598 B2	12/2007	Kaminkow et al.	2003/0054878 A1	3/2003	Benoy et al.
7,311,604 B2	12/2007	Kaminkow et al.	2003/0060258 A1	3/2003	Coleman et al.
7,331,868 B2	2/2008	Beaulieu et al.	2003/0064771 A1	4/2003	Morrow et al.
7,347,775 B2	3/2008	Roemer	2003/0064776 A1	4/2003	Byrne
7,427,236 B2	9/2008	Kaminkow et al.	2003/0064805 A1	4/2003	Wells
7,448,949 B2	11/2008	Kaminkow et al.	2003/0064807 A1	4/2003	Walker et al.
7,476,153 B2	1/2009	Walker et al.	2003/0092485 A1	5/2003	Seelig et al.
7,487,112 B2	2/2009	Barnes, Jr.	2003/0100361 A1	5/2003	Sharpless et al.
7,510,474 B2	3/2009	Carter, Sr.	2003/0104865 A1	6/2003	Itkis et al.
7,534,169 B2	5/2009	Amaitis et al.	2003/0114220 A1	6/2003	McClintic
7,549,576 B2	6/2009	Alderucci et al.	2003/0119581 A1	6/2003	Cannon et al.
7,637,810 B2	12/2009	Amaitis et al.	2003/0130026 A1	7/2003	Breckner et al.
7,662,040 B2	2/2010	Englman et al.	2003/0139190 A1	7/2003	Steelberg et al.
7,666,092 B2	2/2010	Kaminkow et al.	2003/0148804 A1	8/2003	Ikeya et al.
7,722,466 B2	5/2010	Rothschild	2003/0148807 A1	8/2003	Acres
7,775,873 B2	8/2010	Aoki et al.	2003/0148808 A1	8/2003	Price
7,780,531 B2	8/2010	Englman et al.	2003/0162589 A1	8/2003	Nguyen et al.
7,833,094 B2	11/2010	Englman et al.	2003/0181231 A1	9/2003	Vancura et al.
7,854,654 B2	12/2010	Baerlocher et al.	2003/0186733 A1	10/2003	Wolf et al.
7,892,093 B2	2/2011	Kniestadt	2003/0195043 A1	10/2003	Shinners et al.
7,931,530 B2	4/2011	Anderson et al.	2003/0195841 A1	10/2003	Ginsberg et al.
7,963,847 B2	6/2011	Baerlocher	2003/0216166 A1	11/2003	Baerlocher et al.
7,980,954 B2	7/2011	Gagner et al.	2003/0222402 A1	12/2003	Olive
8,152,634 B2	4/2012	Gagner et al.	2003/0224852 A1	12/2003	Walker et al.
8,162,750 B2	4/2012	Gagner et al.	2003/0224855 A1	12/2003	Cunningham
8,216,048 B2	7/2012	Cowan et al.	2003/0228899 A1	12/2003	Evans
8,229,458 B2*	7/2012	Busch 455/456.1	2003/0232651 A1	12/2003	Huard et al.
8,262,456 B2	9/2012	Englman et al.	2003/0236116 A1	12/2003	Marks et al.
8,282,465 B2	10/2012	Giobbi	2004/0009808 A1	1/2004	Gauselmann
8,282,490 B2	10/2012	Arezina et al.	2004/0009811 A1	1/2004	Torango
8,287,383 B1	10/2012	Etter et al.	2004/0030654 A1	2/2004	Walker et al.
8,287,384 B2	10/2012	Auterio et al.	2004/0038741 A1	2/2004	Gauselmann
8,292,731 B2	10/2012	Collette et al.	2004/0048644 A1	3/2004	Gerrard et al.
8,292,743 B1	10/2012	Etter et al.	2004/0053657 A1	3/2004	Fiden et al.
8,303,402 B2	11/2012	Aoki et al.	2004/0087370 A1	5/2004	Tarantino
8,409,014 B2	4/2013	Gagner et al.	2004/0102243 A1	5/2004	Olsen
8,449,387 B2	5/2013	Englman et al.	2004/0106448 A1	6/2004	Gauselmann
8,772,509 B2	7/2014	Lindsley et al.	2004/0137987 A1	7/2004	Nguyen et al.
2001/0004606 A1	6/2001	Tracy et al.	2004/0140989 A1	7/2004	Papageorge
2001/0044339 A1	11/2001	Cordero et al.	2004/0162124 A1	8/2004	Barton
			2004/0193431 A1	9/2004	Campbell
			2004/0204226 A1	10/2004	Foster et al.
			2004/0204235 A1	10/2004	Walker et al.
			2004/0209660 A1	10/2004	Carlson et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0224769 A1 11/2004 Hansen et al.
 2004/0235552 A1 11/2004 Gauselmann
 2004/0242297 A1 12/2004 Walker et al.
 2004/0242303 A1 12/2004 Walker et al.
 2004/0248651 A1 12/2004 Gagner
 2005/0003883 A1 1/2005 Muir et al.
 2005/0009600 A1 1/2005 Rowe et al.
 2005/0014554 A1 1/2005 Walker et al.
 2005/0020340 A1 1/2005 Cannon
 2005/0026674 A1 2/2005 Wolf et al.
 2005/0026697 A1 2/2005 Balahura et al.
 2005/0037708 A1 2/2005 Torvinen
 2005/0055113 A1 3/2005 Gauselmann
 2005/0124406 A1 6/2005 Cannon
 2005/0130728 A1 6/2005 Nguyen et al.
 2005/0130730 A1 6/2005 Lind et al.
 2005/0153768 A1* 7/2005 Paulsen 463/16
 2005/0187020 A1 8/2005 Amaitis et al.
 2005/0192086 A1 9/2005 Walker et al.
 2005/0193209 A1 9/2005 Saunders et al.
 2005/0197190 A1 9/2005 Amaitis et al.
 2005/0227770 A1 10/2005 Papulov
 2005/0282605 A1 12/2005 Englman et al.
 2006/0019734 A1 1/2006 Roemer
 2006/0019744 A1 1/2006 Roemer
 2006/0019745 A1 1/2006 Benbrahim
 2006/0035707 A1 2/2006 Nguyen et al.
 2006/0040732 A1 2/2006 Baerlocher et al.
 2006/0079318 A1 4/2006 Aoki et al.
 2006/0079319 A1 4/2006 Aoki et al.
 2006/0084486 A1 4/2006 Belger et al.
 2006/0121971 A1 6/2006 Slomiany et al.
 2006/0135243 A1 6/2006 Englman et al.
 2006/0160625 A1 7/2006 Englman et al.
 2006/0165235 A1 7/2006 Carlson
 2006/0189382 A1 8/2006 Muir et al.
 2006/0223611 A1 10/2006 Baerlocher et al.
 2007/0021198 A1 1/2007 Muir et al.
 2007/0054739 A1 3/2007 Amaitis et al.
 2007/0060305 A1 3/2007 Amaitis et al.
 2007/0060306 A1 3/2007 Amaitis et al.
 2007/0060355 A1 3/2007 Amaitis et al.
 2007/0060358 A1 3/2007 Amaitis et al.
 2007/0066401 A1 3/2007 Amaitis et al.
 2007/0066402 A1 3/2007 Amaitis et al.
 2007/0077981 A1* 4/2007 Hungate et al. 463/16
 2007/0117623 A1* 5/2007 Nelson et al. 463/29
 2007/0243928 A1* 10/2007 Iddings 463/26
 2007/0275779 A1 11/2007 Amaitis et al.
 2007/0281782 A1 12/2007 Amaitis et al.
 2007/0281785 A1 12/2007 Amaitis et al.
 2007/0281792 A1 12/2007 Amaitis et al.
 2008/0020847 A1 1/2008 Kniestadt et al.
 2008/0045341 A1 2/2008 Englman
 2008/0070702 A1 3/2008 Kaminkow et al.
 2008/0076512 A1 3/2008 Aida
 2008/0076572 A1 3/2008 Nguyen et al.
 2008/0081690 A1 4/2008 Baerlocher et al.
 2008/0113771 A1 5/2008 Baerlocher et al.

2008/0139290 A1 6/2008 Kniestadt et al.
 2008/0139306 A1 6/2008 Lutnick et al.
 2008/0153564 A1 6/2008 Baerlocher et al.
 2008/0167106 A1* 7/2008 Lutnick et al. 463/16
 2008/0300046 A1 12/2008 Gagner et al.
 2008/0311994 A1 12/2008 Amaitis et al.
 2009/0029780 A1* 1/2009 Amaitis et al. 463/43
 2009/0093298 A1 4/2009 Michel
 2009/0124366 A1 5/2009 Aoki et al.
 2009/0162245 A1 6/2009 Rasmussen
 2009/0170596 A1 7/2009 Gagner et al.
 2009/0170597 A1 7/2009 Bone et al.
 2009/0176559 A1 7/2009 Buchholz et al.
 2009/0197684 A1* 8/2009 Arezina et al. 463/42
 2009/0203448 A1 8/2009 Lupo et al.
 2009/0247285 A1 10/2009 Gagner
 2009/0280910 A1 11/2009 Gagner et al.
 2009/0305765 A1 12/2009 Walker et al.
 2010/0016075 A1 1/2010 Thomas
 2010/0137047 A1 6/2010 Englman et al.
 2010/0137053 A1 6/2010 Blair et al.
 2010/0197385 A1 8/2010 Aoki et al.
 2010/0279665 A1 11/2010 Hardin et al.
 2010/0291991 A1 11/2010 Baerlocher et al.
 2010/0304843 A1 12/2010 Aoki et al.
 2010/0311496 A1 12/2010 Taylor et al.
 2011/0053683 A1 3/2011 Aoki et al.
 2011/0105233 A1 5/2011 Aoki
 2011/0112892 A1 5/2011 Tarantino
 2011/0143834 A1 6/2011 Guinn et al.
 2011/0250960 A1 10/2011 Nguyen
 2011/0306400 A1 12/2011 Nguyen
 2011/0312410 A1 12/2011 Aoki et al.
 2012/0004018 A1 1/2012 Reeves, III
 2012/0046096 A1 2/2012 Morrison et al.
 2012/0214571 A1 8/2012 Oakes et al.
 2012/0276990 A1 11/2012 Arezina et al.
 2012/0315978 A1* 12/2012 LeMay et al. 463/25
 2013/0005447 A1 1/2013 Lutnick et al.
 2013/0006773 A1 1/2013 Lutnick et al.
 2013/0072280 A1 3/2013 Yacenda
 2013/0073473 A1* 3/2013 Heath 705/319
 2013/0116028 A1 5/2013 Aoki et al.
 2013/0217473 A1 8/2013 Oakes et al.
 2013/0237304 A1 9/2013 Oakes et al.
 2013/0324219 A1 12/2013 Vann

OTHER PUBLICATIONS

U.S. Appl. No. 13/777,474, filed Feb. 26, 2013, Vann, Jamie W.
 "U.S. Appl. No. 13/777,474 Office Action", Nov. 27, 2013, 19 Pages.
 "U.S. Appl. No. 13/777,474 Final Office Action", Nov. 5, 2014, 8 pages.
 "U.S. Appl. No. 13/777,474 Final Office Action", Apr. 3, 2014, 11 Pages.
 "U.S. Appl. No. 13/777,474 Office Action", Apr. 2, 2015, 16 Pages.
 "U.S. Appl. No. 13/777,474 Office Action", Jul. 29, 2014, 7 Pages.
 "U.S. Appl. No. 13/777,474 Final Office Action", Nov. 18, 2015, 15 Pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4

500




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

WAGERING GAME CONTENT BASED ON LOCATIONS OF PLAYER CHECK-IN

LIMITED COPYRIGHT WAIVER

A portion of the disclosure of this patent document contains material which is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent disclosure, as it appears in the Patent and Trademark Office patent files or records, but otherwise reserves all copyright rights whatsoever. Copyright 2013, WMS Gaming, Inc.

FIELD

Embodiments of the inventive subject matter relate generally to wagering game systems, and more particularly to wagering game systems including modified wagering game content based on locations of player check-in.

BACKGROUND

Wagering game machines, such as slot machines, video poker machines and the like, have been a cornerstone of the gaming industry for several years. Generally, the popularity of such machines depends on the likelihood (or perceived likelihood) of winning money at the machine and the intrinsic entertainment value of the machine relative to other available gaming options. Where the available gaming options include a number of competing wagering game machines and the expectation of winning at each machine is roughly the same (or believed to be the same), players are likely to be attracted to the most entertaining and exciting machines. Shrewd operators consequently strive to employ the most entertaining and exciting machines, features, and enhancements available because such machines attract frequent play and hence increase profitability to the operator. Therefore, there is a continuing need for wagering game machine manufacturers to continuously develop new games and gaming enhancements that will attract frequent play.

BRIEF DESCRIPTION OF THE FIGURES

Embodiments of the invention are illustrated in the Figures of the accompanying drawings in which:

FIG. 1 depicts a system that provides modified wagering game content for wagering games based on physical locations where the wagering game player has checked-in, according to some embodiments.

FIG. 2 depicts a screenshot of a mobile application for a mobile device, according to some embodiments.

FIGS. 3-4 depict a mobile device executing a mobile application, according to some embodiments.

FIG. 5 depicts a screenshot of a wagering game for describing the check-in feature, according to some embodiments.

FIG. 6 depicts a screenshot of a base-game screen for a wagering game that includes modified wagering game content, according to some embodiments.

FIG. 7 depicts a screenshot of a screen of a wagering game for describing modified wagering game content, according to some embodiments.

FIG. 8 depicts a flowchart of operations for tracking physical locations where the wagering game player has checked in, according to some embodiments.

FIG. 9 depicts a flowchart of operations for including modified wagering game content for wagering games based

on physical locations where the wagering game player has checked-in, according to some embodiments.

FIG. 10 depicts a block diagram illustrating a wagering game machine architecture, according to some embodiments.

FIG. 11 depicts a block diagram illustrating a wagering game network, according to some embodiments.

FIG. 12 depicts a perspective view of a wagering game machine, according to some embodiments.

FIG. 13 depicts an image of a base-game screen for a wagering game machine, according to some embodiments.

DESCRIPTION OF THE EMBODIMENTS

This description of the embodiments is divided into six sections. The first section provides an introduction to some embodiments, while the second section provides a system environment. The third section describes example operations performed by some embodiments. The fourth section describes an example wagering game machine architecture and network environment. The fifth section describes an example wagering game machine and the sixth section presents some general comments.

Introduction

This section provides an introduction to some embodiments. In some embodiments, wagering game content is modified based on physical locations where a wagering game player has checked-in. For example, the wagering game player can check-in at different physical locations (e.g., different retail stores) using a mobile application on their mobile device (e.g., mobile phone) before playing the wagering game.

These physical locations may or may not be associated with wagering game activity. For example, these physical locations can include coffee shops, restaurants, public parks, cities, various landmarks in a city, wagering game establishments, specific machines in wagering game establishments, etc. As part of a check-in process, the mobile device can transmit an identification of the wagering game player and the player's physical location to a remote server using, for example, wireless communications. Later, when the wagering game player is at a wagering game machine (or other device for playing a wagering game), wagering game content can be modified based on the physical locations that the player visited.

An example process for providing modified content to wagering game machines may work as follows. After the player has logged into the wagering game machine, the wagering game machine can transmit the player's identification to a wagering game server. In response, the remote server can provide, to the wagering game machine, physical locations that the player has visited. Additionally, the remote server can provide the modified wagering game content to the wagering game machine (if the modified wagering game content is not already stored in the wagering game machine).

The wagering game player can then play the wagering game based on the modified wagering game content. The modified wagering game content can affect aspects of the game's presentation (e.g., images, video, audio, etc.). For example, if the wagering game is a slots game, one or more of the reel symbols can be modified to represent the physical locations visited by the player. For example, the physical locations can be associated with a business entity, a government entity, a geographic location, etc. In such configurations, the modified wagering game content can be graphics

or images that represent the associated business entity, government entity, geographic location, etc. Additionally, the modified wagering game content can affect play of the wagering game. For example, the expected value (EV) (i.e., the theoretical average payout) of the wagering game can be increased based on the modified wagering game content. To illustrate this for slots games, bonuses can be added, reel symbols can be changed from a non-wild symbol to a wild symbol, etc. As a result, the modified content can increase a wagering game's EV. In addition to slots games, other types of wagering games can include dice games, card games, spinning wheel games, etc. In some embodiments, the modified wagering game content can affect items other than the wagering game itself. For example, the modified wagering game content can include the graphics for the button panels, the background of the game, different animations in the main or secondary displays, etc. Some embodiments are applicable to both online wagering games (e.g., internet-based wagering game websites) and wagering games on wagering game machines at brick-and-mortar wagering game establishments. Additionally, the wagering games can be played online via a mobile device. For example, the mobile device that is used for checking-in can also be used for playing the online wagering games. Also, wagering can include wagering of real money, "fun" money, or anything else of real or perceived value on an event with an uncertain outcome.

System Environment

FIG. 1 depicts a system that provides modified wagering game content for wagering games based on physical locations where the wagering game player has checked-in, according to some embodiments. A system 100 can modify wagering game content based on physical locations where a wagering game player has checked-in. For example, the wagering game player can check-in at different physical locations (e.g., different retail stores) using a mobile application on their mobile devices prior to playing the wagering game.

FIG. 1 shows a wagering game establishment 104. The system 100 includes a check-in server 102, wagering game machines 114-116, and a wagering game server 118. These components are connected via a computer network. In FIG. 1, the wagering game machine 114 presents the wagering game in the wagering game establishment 104. However, the wagering game can be presented on any type of device (including devices outside wagering game establishments, as described above).

FIG. 1 also shows physical locations 110-112. While shown as buildings in FIG. 1, the physical locations can be any location where a wagering game player checks-in. For example, the physical locations can include coffee shops, restaurants, public parks, cities, various landmarks in a city, wagering game establishments, specific machines in wagering game establishments, etc. As shown in FIG. 1, a wagering game player 106 has a mobile device 108. Also in this example, the wagering game player 106 is shown moving to different physical locations and finally to the wagering game machine 114.

Initially, the wagering game player 106 is near the physical location 110. Also, the wagering game player 106 checks-in using an application on their mobile device 108. An example of such a mobile application on a mobile device is illustrated in FIGS. 3-4, which are described in more detail below. The mobile application can provide a list of physical locations near the wagering game player 106, based on the

Global Positioning System (GPS) coordinates provided by the mobile device 108. The wagering game player 106 can then select a physical location (among a list of physical locations) for checking-in. In FIG. 1, the wagering game player 106 selects the physical location 110 from a list of physical locations displayed on the mobile device 108. In response to the selection, the mobile device 108 wirelessly transmits a check-in transmission 120 to the check-in server 102. The check-in transmission 120 can include the identification of the physical location 110 and the identification of the wagering game player 106.

After checking in at location 110, the wagering game player 106 moves near the physical location 112. Using the mobile application on the mobile device 108, the wagering game player 106 checks-in at the physical location 112. The wagering game player 106 selects the physical location 112 from a list of physical locations displayed on the mobile device 108. In response to the selection, the mobile device 108 wirelessly transmits a check-in transmission 122 to the check-in server 102. The check-in transmission 122 can include the identification of the physical location 112 and the identification of the wagering game player 106. While FIG. 1 shows the player 106 checking-in at two physical locations, the player can check-in at any number of physical locations, and can also check-in at the same physical location multiple times.

After receiving the physical locations and player identification, the check-in server 102 transmits this data to the wagering game server 118—shown as a transmission 124. In some embodiments, the check-in server 102 can provide this data periodically and/or upon demand by the wagering game server 118. For example, the wagering game server 118 can request this data for a particular wagering game player after the player has logged into a wagering game machine at the wagering game establishment 104.

As shown, the wagering game player 106 next moves to play the wagering game machine 114. The wagering game player 106 may log into a player account at the wagering game machine 114. The system can modify wagering game content used for presenting a wagering game on the wagering game machine 114 based on player's identification and physical locations where the player checked-in. In some embodiments, the wagering game server 118 can transmit the modified wagering game content to the wagering game machine 114. Alternatively, the wagering game module in the wagering game machine 114 can retrieve the modified wagering game content from local machine-readable media therein.

The modified wagering game content can affect different aspects of the presentation layer (e.g., images, video, audio, etc.). For example, if the wagering game is a slots game, one or more of the reel symbols can be modified to represent the physical locations visited by the player. For example, the physical locations can be associated with a business entity, a government entity, a geographic location, etc. In such configurations, the modified wagering game content can be graphics or images that represent the associated business entity, government entity, geographic location, etc. Additionally, the modified wagering game content can affect play of the wagering game. For example, the expected value of the wagering game can be increased based on the modified wagering game content. For slots games, bonuses can be added, reel symbols can be changed from a non-wild symbol to a wild symbol, etc.

In some embodiments, one or more check-ins at a particular physical location can trigger, in the wagering game, a bonus associated with that location. For example, after the

player has checked-in ten times at a coffee shop, the wagering game presents a bonus game having content associated with the coffee shop. The new bonus game can be configured to affect or not affect the existing overall expected value (EV) of the wagering game. For example, this new bonus can replace an existing bonus in the wagering game and have the same EV as the existing bonus, thereby not affecting the overall EV of the wagering game. Alternatively, this new bonus and its associated EV can be added to the wagering game, thereby increasing the overall EV.

In some embodiments, an entity associated with a physical location can be a sponsor of modified wagering game content (e.g., a bonus). That is, the sponsor may provide value to wagering game providers (e.g. casinos) to pay for increases in EV (if any), and for the gaming content that promotes the sponsor's physical location (e.g. a retail store). In return, the sponsor receives the advertising value associated with the modified wagering game content. For example, the sponsor's corporate logo, product graphics, etc. may be added to the wagering game to promote the sponsor. In some embodiments, as part of a sponsored bonus, the sponsor can provide a non-cash award, such as a coupon. For example, the coupons can provide free or discounted items at a particular coffee shop. This award can be in lieu of or in addition to a monetary result for a bonus game.

In some embodiments, the amount of modified wagering game content added to a wagering game is based on the number of check-ins by a player at a particular physical location. For example, in a slot game, a reel symbol is replaced for each time a player checks-in at a location. The replacement symbols can include images associated with the location, sponsor, etc. Also, there can be a maximum number of these reel symbols that are replaced. For example, a maximum of one symbol per reel can be modified to represent the physical location. Therefore, if there are five reels, a maximum of five reel symbols can be modified (one for each reel) to represent the physical location, in response to five different check-ins by the player at the location.

In some embodiments, a mobile device is not required for check-in at a physical location. For example, a player loyalty program can provide player account login information at different locations (e.g., different wagering game machines at wagering game establishments). Also, the player's physical location can be determined based on the network address (e.g., Media Access Control (MAC) address) of the wagering game machine where the player is logged in. The network address can be cross-referenced with a database of network addresses for the different wagering game machines. This cross-reference can determine the player's location. To illustrate, a player check-in is considered complete after the player logs into their player account and wagers at a wagering game machine. These check-ins at different wagering game machines can then provide for modified wagering game content for a wagering game (at these machines or other wagering game machines).

In some embodiments, the wagering game is a slots game. For a slots game, a pay table defines a hierarchy of payouts for winning combinations of the reel symbols (from low to high). For example, a winning combination of matching cherry reel symbols would be a lowest payout; a winning combination of matching orange reel symbols would be a second lowest payout; a winning combination of matching 7's would be a higher payout, etc. In some embodiments, the number of player check-ins to a physical location modifies the symbol hierarchy for the reel symbols in the slots game. This modification can be through replacement or watermarking of an existing reel symbol. To illustrate, if the player has

checked-in at the physical location **112** in a range of 1 to 5 times, the reel symbol having the lowest payout in the symbol hierarchy is replaced or watermarked with images representing the physical location **112**. If the player has checked-in at the physical location **112** in a range of 6 to 20 times, the reel symbol having the second lowest payout in the symbol hierarchy is replaced or watermarked with images representing the physical location **112**. If the player has checked-in at the physical location **112** in a range of 21 to 50 times, the reel symbol having the third lowest payout in the symbol hierarchy is replaced or watermarked with images representing the physical location **112**. This progression can continue to the top of the symbol hierarchy. At the top of the hierarchy, the winning combination based on reel symbols representing the physical location **112** can trigger a bonus game in the wagering game. An existing bonus game is replaced by a bonus game representing the physical location **112** (e.g., different indicia presenting the physical location **112**, payouts defined relative to gift cards, coupons, etc. for the physical location **112**, etc.). These ranges of check-ins can be defined to enable the replacement or watermarking of the different reel symbols within the hierarchy. As described above, in some embodiments, if the player achieves a winning combination of reel symbols representing the physical location or wins in the bonus game representing the physical location, the player can win prizes (e.g., coupons for the business entity). These prizes can be in lieu of or in addition to the traditional monetary payout associated with the reel symbol that was replaced.

Players may have checked-in at different physical locations (e.g., locations for two different business entities) that can modify the wagering game content. In some embodiments, the player can select which of the multiple physical locations are to be represented in the wagering game based on the modified wagering game content. In such embodiments, check-ins at only one but not both physical locations modify the wagering game content. However in some other example embodiments, check-ins at any number of different physical locations modify the wagering game content.

In some embodiments, the wagering game player may be required to check-in at multiple physical locations to access particular modified wagering game content. For example, the wagering game player may be required to check-in at the top 10 landmarks for a city to access modified wagering game content related to the city (e.g., a reel symbol that represents the city). In some embodiments, repeated check-ins at the same physical location enable the wagering game player to receive a leadership badge for that location (e.g., mayorship, governorship, presidencies, etc.). The modified wagering game content can relate to this leadership. For example, the modified wagering game content can include a reel symbol that includes an image indicative of the leadership earned.

In some embodiments, as the number of check-ins for a particular physical location varies (e.g., increases) the modified wagering game content also varies. For example, assume that the modified wagering game content includes a reel symbol. If the number of check-ins exceeds a defined value, the reel symbol is converted into a wild symbol or into a symbol that covers multiple spots on the reel.

FIG. 2 depicts a screenshot of a mobile application for a mobile device, according to some embodiments. FIG. 2 depicts a screenshot **200** that can be presented on a mobile device's display device after a wagering game player initiates the mobile application. The screenshot **200** includes a global map with a number of push pins (push pins **202-218**). In some embodiments, instead of a global map, the map can

be a regional map (e.g., map of the United States) that provides a Graphical User Interface (GUI) indicating where the wagering game player has actually checked-in. Accordingly, the push pins **202-218** can represent the physical locations where the wagering game player has checked in.

FIGS. **3-4** depict a mobile device executing a mobile application, according to some embodiments. FIG. **3** depicts a mobile device **300** with a screen displaying a mobile application prior to a check-in by the wagering game player. FIG. **4** depicts the mobile device **300** after the check-in.

The mobile device **300** includes a screen **302** for displaying a visual output for the mobile application used for player check-in (as described above). The display of the mobile application includes a map **304** to enable the wagering game player to see where they are currently located. The map **304** displays a current location **308** of the mobile device **300**. The display of the mobile application also includes a check-in button **306**. After the wagering game player has arrived at a physical location on the map **304** where they want to check-in, they can select the check-in button **306**. In response, the mobile application can provide a list of possible physical locations relative to the current GPS coordinates for the mobile device **300** (as described above). The wagering game player can select a physical location for checking-in based on the list.

FIG. **4** depicts the mobile device **300** after the wagering game player has selected the physical location for checking-in. In response, a graphic **402** is overlaid on the map **304** that notifies the wagering game player that they have unlocked a new reel symbol for a wagering game based on their check-in. In this example as shown by the graphic **402**, the physical location is a coffee shop in Chicago. The graphic **402** also notifies the wagering game player that they are progressing to achieving a “Barista badge” for the coffee shop based on repeated check-ins.

FIG. **5** depicts a screenshot of a wagering game for describing the check-in feature, according to some embodiments. A screenshot **500** is displayed to notify the wagering game player of the ability to modify the wagering game content for the wagering game and some advantages of doing so. In particular, the screenshot **500** notifies the wagering game player that check-ins unlock new reel symbols and the wagering game players are required to login to their player account at the wagering game to play these symbols. The screenshot **500** also displays a notification that the wagering game player can earn more awards by getting 10 symbols of a kind. The screenshot **500** displays a notification that the wagering game player can earn special badges as part of checking-in at multiple locations for unique trips (e.g., Route 66). The screenshot **500** also displays a notification that the wagering game player can earn mayorships, governorships, and presidencies for a physical location based on repeated check-ins at the physical location. Also, as noted above, the modified wagering game content can include these special badges for unique trips, mayorships, governorships, and presidencies.

FIG. **6** depicts a screenshot of a base-game screen for a wagering game that includes modified wagering game content, according to some embodiments. A screenshot **600** includes a number of reel symbols that are examples of modified wagering game content. The screenshot **600** displays five different reels (reels **602-610**). The reel **602** displays reel symbols **620-624**. The reel **604** displays reel symbols **626-630**. The reel **606** displays reel symbols **632-636**. The reel **608** displays reel symbols **638-640**. The reel **610** displays reel symbols **642-646**. The reel symbols **620-646** represent different physical locations (including busi-

ness entities, government entities, cities, etc.). In this example, all of the reel symbols shown include modified wagering game content for different physical locations. As described above, one to any number of physical locations can be represented by modified wagering game content based on player check-in. Also in some embodiments, not all of the reel symbols are replaced as modified wagering game content. Rather, only a portion of the reel symbols are new such that the new reel symbols are integrated with existing reel symbols on the reels.

The reel symbols **620** and **638** include a display of a coffee cup that represents a coffee shop. The reel symbol **622** includes a display of a graphic that represents the city of Seattle, Wash. The reel symbols **624** and **634** include a display of a hot dog that represents a restaurant that serves hot dogs. The reel symbols **626** and **638** include a display of a beer mug that represents a bar serving alcohol. The reel symbol **628** includes a display of a movie ticket that represents a movie theatre. The reel symbol **630** includes a display of a passport that represents that the wagering game player checked-in at a number of physical locations. For example, the passport can represent that the wagering game player has checked in at five different landmarks in Europe. The reel symbol **632** includes a display of an airplane that represents an airline terminal. The reel symbol **640** includes a display of a graphic for a ticket for admission to a circus that represents a circus. Of particularly note, the reel symbol **640** occupies two different reel locations for the reel **608**. The wagering game player can unlock such a symbol based on multiple visits to this same physical location (as described above). The reel symbol **642** includes a display of a graphic for the Chicago Transit Authority (CTA). This reel symbol can represent that the wagering game player has checked at least N (e.g., 20) different times at different CTA locations. The reel symbol **644** includes a display of a grocery cart that presents a grocery store. The reel symbol **646** includes a display of a graphic for a particular subway stop near Yankee stadium that represents that particular subway stop.

FIG. **7** depicts a screenshot of a screen of a wagering game for describing modified wagering game content, according to some embodiments. A screenshot **700** is displayed at the wagering game to notify the wagering game player that a reel symbol has been converted from a non-wild reel symbol (reel symbol **702**) to a wild reel symbol (reel symbol **704**). As shown, the reel symbols **702-704** represent a sushi restaurant. In this example, the wagering game player can obtain the reel symbol **702** after a check-in at the sushi restaurant. After the wagering game player has checked-in at sushi restaurant more than X (e.g., 10) number of times, the reel symbol **702** is changed to the reel symbol **704** (non-wild to wild). This screenshot **700** can be shown at the wagering game after the wagering game player has logged in.

Example Operations

This section describes operations associated with some embodiments. In the discussion below, the flowcharts will be described with reference to the block diagrams presented above. However, in some embodiments, the operations can be performed by logic not described in the block diagrams.

In certain embodiments, the operations can be performed by executing instructions residing on machine-readable storage device, while in other embodiments, the operations can be performed by hardware and/or other logic (e.g., firmware). In some embodiments, the operations can be per-

formed in series, while in other embodiments, one or more of the operations can be performed in parallel. Moreover, some embodiments can perform less than all the operations shown in any flowchart.

FIG. 8 depicts a flowchart of operations for tracking physical locations where the wagering game player has checked in, according to some embodiments. The operations of a flowchart 800 are described in reference to FIG. 1. In this example, the operations of the flowchart 800 are performed by the check-in server 102. The operations of the flowchart 800 begin at block 802.

At block 802, a check-in server receives, from a mobile application on a mobile device of a wagering game player, check-in(s) at physical location(s). With reference to FIG. 1, the check-in server 102 receives the check-in transmissions 120-122 from the mobile device 108 of the wagering game player 106, in response to the wagering game player 106 checking-in at the physical locations 110-112. Operations of the flowchart 800 continue at block 804.

At block 804, the check-in server stores the identification of the wagering game player and identification of the physical location(s). With reference to FIG. 1, the check-in server 102 can store this data in machine-readable storage media therein. Operations of the flowchart 800 continue at block 806.

At block 806, the check-in server transmits the identification of the wagering game player and identification of the physical location(s) to a wagering game server. With reference to FIG. 1, the check-in server 102 can transmit this data to the wagering game server 118. In some embodiments, the check-in server 102 can provide this data periodically and/or upon demand by the wagering game server 118. For example, the wagering game server 118 can request this data for a particular wagering game player after the player has logged into a wagering game machine at the wagering game establishment 104. Operations of the flowchart 800 are complete.

FIG. 9 depicts a flowchart of operations for including modified wagering game content for wagering games based on physical locations where the wagering game player has checked-in, according to some embodiments. The operations of a flowchart 900 are described in reference to FIG. 1. In this example, the operations of the flowchart 900 are performed by the wagering game server 118. The operations of the flowchart 900 begin at block 902.

At block 902, the wagering game server receives, from a wagering game machine, notification that the identified wagering game player is to play a wagering game thereon. With reference to FIG. 1, the wagering game player 106 provides some type of identification of themselves. For example, the wagering game player 106 can provide their identification by logging into their player account at the wagering game machine 114. In response, the wagering game machine 114 can transmit notification of the identification of the wagering game player 106 to the wagering game server 118. Operations of the flowchart 900 continue at block 904.

At block 904, the wagering game server determines that the wagering game player has checked-in at one or more physical locations and that modified wagering game content should be presented at the wagering game machine based on the check-ins. For example, check-ins at only some physical locations can modify wagering game content. Accordingly, the wagering game server 118 determines whether the recorded check-ins for the wagering game player allow for modification of the wagering game content. Also, there can be an option of whether to replace the original wagering

game content with modified wagering game content. For example, the wagering game player can be given the option to replace the original wagering game content with modified wagering game content. Operations of the flowchart 900 continue at block 906.

At block 906, a determination is made of whether the modified wagering game content is stored at the wagering game machine. For example, some or all of the modified wagering game content (e.g., replacement images for reel symbols, replacement bonus games, etc.) for the identified physical locations can be stored in machine-readable storage media in the wagering game machine 114. The wagering game server 118 can make this determination. If there is any modified wagering game content (for the identified physical location(s) stored at the wagering game machine, operations of the flowchart 900 continue at block 908. Otherwise, operations of the flowchart 900 continue at block 910.

At block 908, the wagering game server transmits an instruction to the wagering game machine to use the modified wagering game content that is stored locally in a media in the wagering game machine. With reference to FIG. 1, the wagering game server 118 transmits this instruction to the wagering game machine 114. Operations of the flowchart 900 continue at block 910.

At block 910, a determination is made (for the identified physical location(s)) of whether any modified wagering game content needs to be downloaded. The wagering game server 118 can make this determination. In particular in some embodiments, modified wagering game content is transmitted from the wagering game server 118 if the modified wagering game content is not stored in machine-readable storage media in the wagering game machine 114. If any modified wagering game content needs to be transmitted from the wagering game server, operations of the flowchart 900 continue at block 912. Otherwise, operations of the flowchart 900 continue at block 914.

At block 912, the wagering game server transmits to the wagering game machine the modified wagering game content that needed to be provided. With reference to FIG. 1, the wagering game server 118 transmits the modified wagering game content to the wagering game machine 114—see the transmission 126. Accordingly as described, some or all of the modified wagering game content is transmitted from the wagering game server 118 (depending on what is stored in machine-readable storage media in the wagering game machine 114). Operations of the flowchart 900 continue at block 914.

At block 914, the wagering game server transmits a result for presentation of the wagering game. For example, the wagering game server can provide the random result for a slots game. Also, the wagering game machine can present the wagering game based on the modified wagering game content. Operations of the flowchart 900 are complete.

Wagering Game Machine Architecture and Network Environment

This section describes an example wagering game architecture and network environment of some embodiments.

Wagering Game Machine Architecture

FIG. 10 depicts a block diagram illustrating a wagering game machine architecture, according to some embodiments. The gaming terminal 1010 includes a central processing unit (CPU) 1030 connected to a main memory 1032. The CPU 1030 may include any suitable processor(s), such

11

as those made by Intel and AMD. By way of example, the CPU **1030** includes a plurality of microprocessors including a master processor, a slave processor, and a secondary or parallel processor. CPU **1030**, as used herein, comprises any combination of hardware, software, or firmware disposed in or outside of the gaming terminal **1010** that is configured to communicate with or control the transfer of data between the gaming terminal **1010** and a bus, another computer, processor, device, service, or network. The CPU **1030** comprises one or more controllers or processors and such one or more controllers or processors need not be disposed proximal to one another and may be located in different devices or in different locations. The CPU **1030** is operable to execute all of the various gaming methods and other processes disclosed herein. The main memory **1028** includes a wagering game module **1032**. In one embodiment, the wagering game module **1032** may present wagering games, such as video poker, video black jack, video slots, video lottery, etc., in whole or part. In some embodiments, the wagering game module performs operations for presenting wagering games based on modified wagering game content (as described above).

The CPU **1030** is also connected to an input/output (I/O) bus **1036**, which can include any suitable bus technologies, such as an AGTL+ frontside bus and a PCI backside bus. The I/O bus **1036** is connected to various input devices **1038**, output devices **1040**, and input/output devices **1042**. The I/O bus **1036** is also connected to storage unit **1044** and external system interface **1046**, which is connected to external system(s) **1048** (e.g., wagering game networks).

The external system **1048** includes, in various aspects, a gaming network, other gaming terminals, a gaming server, a remote controller, communications hardware, or a variety of other interfaced systems or components, in any combination. In yet other aspects, the external system **1048** may comprise a player's portable electronic device (e.g., cellular phone, electronic wallet, etc.) and the external system interface **1046** is configured to facilitate wireless communication and data transfer between the portable electronic device and the CPU **1030**, such as by a near-field communication path operating via magnetic-field induction or a frequency-hopping spread spectrum RF signals (e.g., Bluetooth, etc.).

The gaming terminal **1010** optionally communicates with the external system **48** such that the terminal operates as a thin, thick, or intermediate client. In general, a wagering game includes an RNG for generating a random number, game logic for determining the outcome based on the randomly generated number, and game assets (e.g., art, sound, etc.) for presenting the determined outcome to a player in an audio-visual manner. The RNG, game logic, and game assets are contained within the gaming terminal **10** ("thick client" gaming terminal), the external system **1048** ("thin client" gaming terminal), or are distributed therebetween in any suitable manner ("intermediate client" gaming terminal).

Any component of the gaming terminal architecture may include hardware, firmware, or tangible machine-readable storage devices including instructions for performing the operations described herein. Machine-readable storage devices include any mechanism that stores information and provides the information in a form readable by a machine (e.g., gaming terminal, computer, etc.). For example, machine-readable storage devices include semiconductor read only memory (ROM), semiconductor random access

12

memory (RAM), magnetic disk storage media, optical storage media, flash memory, etc.

Wagering Game Network

FIG. **11** depicts a block diagram illustrating a wagering game network, according to some embodiments. As shown in FIG. **11**, the wagering game network **1100** includes a plurality of casinos **1112** connected to a communications network **1114**.

Each casino **1112** includes a local area network **1116**, which includes an access point **1104**, a wagering game server **1106**, and wagering game machines **1102**. The access point **1104** provides wireless communication links **1110** and wired communication links **1108**. The wired and wireless communication links can employ any suitable connection technology, such as Bluetooth, 802.11, Ethernet, public switched telephone networks, SONET, etc. In some embodiments, the wagering game server **1106** can serve wagering games and distribute content to devices located in other casinos **1112** or at other locations on the communications network **1114**.

The wagering game machines **1102** described herein can take any suitable form, such as floor standing models, handheld mobile units, bartop models, workstation-type console models, etc. Further, the wagering game machines **1102** can be primarily dedicated for use in conducting wagering games, or can include non-dedicated devices, such as mobile phones, personal digital assistants, personal computers, etc. In one embodiment, the wagering game network **1100** can include other network devices, such as accounting servers, wide area progressive servers, player tracking servers, and/or other devices suitable for use in connection with embodiments of the invention.

In some embodiments, wagering game machines **1102** and wagering game servers **1106** work together such that a wagering game machine **1102** can be operated as a thin, thick, or intermediate client. For example, one or more elements of game play may be controlled by the wagering game machine **1102** (client) or the wagering game server **1106** (server). Game play elements can include executable game code, lookup tables, configuration files, game outcome, audio or visual representations of the game, game assets or the like. In a thin-client example, the wagering game server **1106** can perform functions such as determining game outcome or managing assets, while the wagering game machine **1102** can present a graphical representation of such outcome or asset modification to the user (e.g., player). In a thick-client example, the wagering game machines **1102** can determine game outcomes and communicate the outcomes to the wagering game server **1106** for recording or managing a player's account. In some embodiments, the wagering game machines **1102** can have handheld devices and can be part of communal event (as described above).

In some embodiments, either the wagering game machines **1102** (client) or the wagering game server **1106** can provide functionality that is not directly related to game play. For example, account transactions and account rules may be managed centrally (e.g., by the wagering game server **1106**) or locally (e.g., by the wagering game machine **1102**). Other functionality not directly related to game play may include power management, presentation of advertising, software or firmware updates, system quality or security checks, etc.

In some embodiments, the wagering game server **1106** can host online wagering games, such as by hosting one or more online wagering game websites. Players can sign-on to

13

such websites and play wagering games via web browsers, client applications, etc. In some embodiments, online gaming functionality is performed by an online gaming server (not shown), where the online gaming server does not determine results for the wagering game machines **1102**.

Any of the wagering game network components (e.g., the wagering game machines **1102**) can include hardware and machine-readable media including instructions for performing the operations described herein.

Example Wagering Game Machine

FIG. **12** depicts a perspective view of a wagering game machine, according to some embodiments. Referring to FIG. **12**, there is shown a gaming terminal **10** similar to those used in gaming establishments, such as casinos. With regard to the present invention, the gaming terminal **10** may be any type of gaming terminal and may have varying structures and methods of operation. For example, in some aspects, the gaming terminal **10** is an electromechanical gaming terminal configured to play mechanical slots, whereas in other aspects, the gaming terminal is an electronic gaming terminal configured to play a video casino game, such as slots, keno, poker, blackjack, roulette, craps, etc. The gaming terminal **10** may take any suitable form, such as floor-standing models as shown, handheld mobile units, bartop models, workstation-type console models, etc. Further, the gaming terminal **10** may be primarily dedicated for use in conducting wagering games, or may include non-dedicated devices, such as mobile phones, personal digital assistants, personal computers, etc. Exemplary types of gaming terminals are disclosed in U.S. Pat. No. 6,517,433 and Patent Application Publication Nos. US2010/0062196 and US2010/0234099, which are incorporated herein by reference in their entireties.

The gaming terminal **10** illustrated in FIG. **12** comprises a cabinet **11** that may house various input devices, output devices, and input/output devices. By way of example, the gaming terminal **10** includes a primary display area **12**, a secondary display area **14**, and one or more audio speakers **16**. The primary display area **12** or the secondary display area **14** may be a mechanical-reel display, a video display, or a combination thereof in which a transmissive video display is disposed in front of the mechanical-reel display to portray a video image superimposed upon the mechanical-reel display. The display areas may variously display information associated with wagering games, non-wagering games, community games, progressives, advertisements, services, premium entertainment, text messaging, emails, alerts, announcements, broadcast information, subscription information, etc. appropriate to the particular mode(s) of operation of the gaming terminal **10**. The gaming terminal **10** includes a touch screen(s) **18** mounted over the primary or secondary areas, buttons **20** on a button panel, bill validator **22**, information reader/writer(s) **24**, and player-accessible port(s) **26** (e.g., audio output jack for headphones, video headset jack, USB port, wireless transmitter/receiver, etc.). It should be understood that numerous other peripheral devices and other elements exist and are readily utilizable in any number of combinations to create various forms of a gaming terminal in accord with the present concepts.

Input devices, such as the touch screen **18**, buttons **20**, a mouse, a joystick, a gesture-sensing device, a voice-recognition device, and a virtual input device, accept player input(s) and transform the player input(s) to electronic data signals indicative of the player input(s), which correspond to an enabled feature for such input(s) at a time of activation

14

(e.g., pressing a “Max Bet” button or soft key to indicate a player’s desire to place a maximum wager to play the wagering game). The input(s), once transformed into electronic data signals, are output to a CPU for processing. The electronic data signals are selected from a group consisting essentially of an electrical current, an electrical voltage, an electrical charge, an optical signal, an optical element, a magnetic signal, and a magnetic element.

FIG. **13** depicts an image of a base-game screen for a wagering game machine, according to some embodiments. Referring to FIG. **13**, there is illustrated an image of a basic-game screen **50** adapted to be displayed on the primary display area **12** or the secondary display area **14**. The basic-game screen **50** portrays a plurality of simulated symbol-bearing reels **52**. Alternatively or additionally, the basic-game screen **50** portrays a plurality of mechanical reels or other video or mechanical presentation consistent with the game format and theme. The basic-game screen **50** also advantageously displays one or more game-session credit meters **54** and various touch screen buttons **56** adapted to be actuated by a player. A player can operate or interact with the wagering game using these touch screen buttons or other input devices such as the buttons **20** shown in FIG. **12**. The CPU operate(s) to execute a wagering game program causing the primary display area **12** or the secondary display area **14** to display the wagering game.

In response to receiving a wager, the reels **52** are rotated and stopped to place symbols on the reels in visual association with paylines such as paylines **58**. The wagering game evaluates the displayed array of symbols on the stopped reels and provides immediate awards and bonus features in accordance with a pay table. The pay table may, for example, include “line pays” or “scatter pays.” Line pays occur when a predetermined type and number of symbols appear along an activated payline, typically in a particular order such as left to right, right to left, top to bottom, bottom to top, etc. Scatter pays occur when a predetermined type and number of symbols appear anywhere in the displayed array without regard to position or paylines. Similarly, the wagering game may trigger bonus features based on one or more bonus triggering symbols appearing along an activated payline (i.e., “line trigger”) or anywhere in the displayed array (i.e., “scatter trigger”). The wagering game may also provide mystery awards and features independent of the symbols appearing in the displayed array.

In accord with various methods of conducting a wagering game on a gaming system in accord with the present concepts, the wagering game includes a game sequence in which a player makes a wager and a wagering game outcome is provided or displayed in response to the wager being received or detected. The wagering game outcome is then revealed to the player in due course following initiation of the wagering game. The method comprises the acts of conducting the wagering game using a gaming apparatus, following receipt of an input from the player to initiate the wagering game. The gaming terminal **10** then communicates the wagering game outcome to the player via one or more output devices (e.g., primary display **12** or secondary display **14**) through the display of information such as, but not limited to, text, graphics, static images, moving images, etc., or any combination thereof. In accord with the method of conducting the wagering game, the CPU transforms a physical player input, such as a player’s pressing of a “Spin Reels” touch key, into an electronic data signal indicative of an instruction relating to the wagering game (e.g., an electronic data signal bearing data on a wager amount).

In the aforementioned method, for each data signal, the CPU (e.g., CPU **1030**) is configured to process the electronic data signal, to interpret the data signal (e.g., data signals corresponding to a wager input), and to cause further actions associated with the interpretation of the signal in accord with computer instructions relating to such further actions executed by the controller. As one example, the CPU causes the recording of a digital representation of the wager in one or more storage media (e.g., storage unit **1044**), the CPU, in accord with associated computer instructions, causing the changing of a state of the storage media from a first state to a second state. This change in state is, for example, effected by changing a magnetization pattern on a magnetically coated surface of a magnetic storage media or changing a magnetic state of a ferromagnetic surface of a magneto-optical disc storage media, a change in state of transistors or capacitors in a volatile or a non-volatile semiconductor memory (e.g., DRAM), etc. The noted second state of the data storage media comprises storage in the storage media of data representing the electronic data signal from the CPU (e.g., the wager in the present example). As another example, the CPU further, in accord with the execution of the instructions relating to the wagering game, causes the primary display, other display device, or other output device (e.g., speakers, lights, communication device, etc.) to change from a first state to at least a second state, wherein the second state of the primary display comprises a visual representation of the physical player input (e.g., an acknowledgement to a player), information relating to the physical player input (e.g., an indication of the wager amount), a game sequence, an outcome of the game sequence, or any combination thereof, wherein the game sequence in accord with the present concepts comprises acts described herein. The aforementioned executing of computer instructions relating to the wagering game is further conducted in accord with a random outcome (e.g., determined by a RNG) that is used by the CPU to determine the outcome of the game sequence, using a game logic for determining the outcome based on the randomly generated number. In at least some aspects, the CPU is configured to determine an outcome of the game sequence at least partially in response to the random parameter.

General

This detailed description refers to specific examples in the drawings and illustrations. These examples are described in sufficient detail to enable those skilled in the art to practice the inventive subject matter. These examples also serve to illustrate how the inventive subject matter can be applied to various purposes or embodiments. Other embodiments are included within the inventive subject matter, as logical, mechanical, electrical, and other changes can be made to the example embodiments described herein. Features of various embodiments described herein, however essential to the example embodiments in which they are incorporated, do not limit the inventive subject matter as a whole, and any reference to the invention, its elements, operation, and application are not limiting as a whole, but serve only to define these example embodiments. This detailed description does not, therefore, limit embodiments of the invention, which are defined only by the appended claims. Each of the embodiments described herein are contemplated as falling within the inventive subject matter, which is set forth in the following claims.

The invention claimed is:

1. A method of operating a gaming system, said method comprising:
 - receiving a check-in request initiated by a mobile device, wherein the check-in request indicates, via a global positioning device, a physical location near the mobile device at a time of a check-in and an identification of a wagering game player associated with the mobile device, wherein the physical location is external to a wagering game establishment;
 - detecting, via at least one of one or more electronic input devices of a wagering game machine, a physical item associated with a monetary value that establishes a credit balance, wherein the wagering game machine includes the one or more electronic input devices, an electronic display device, and one or more controllers;
 - replacing, by one or more processors after the wagering game player is logged into a player account at the wagering game machine, original wagering game content with modified wagering game content in response to receiving the first check-in request, the modified wagering game content modifying an outcome of a wagering game, wherein the modified wagering game content is associated with an attribute of the physical location;
 - initiating the wagering game in response to an input indicative of a wager covered by the credit balance;
 - presenting, on the electronic display device of the wagering game machine, the wagering game with the modified wagering game content in place of the original wagering game content; and
 - receiving, via at least one of the one or more electronic input devices, a cashout input that initiates a payout from the credit balance.
2. The method of claim 1, wherein the modified wagering game content indicates the physical location.
3. The method of claim 1, further comprising:
 - receiving, over a computer network, the modified wagering game content at the wagering game machine.
4. The method of claim 1, wherein the physical location is associated with a business entity, and wherein a portion of the modified wagering game content is sponsored by the business entity.
5. The method of claim 4, wherein the portion of the modified wagering game content comprises a game result that includes an award of monetary value provided by the business entity.
6. The method of claim 1, wherein the modified wagering game content varies based on a number of check-in requests initiated by the mobile device near the physical location.
7. The method of claim 1, wherein prior to the replacing, presenting, on the electronic display device of the wagering game machine, the wagering game with the original wagering game content.
8. A wagering game machine comprising:
 - one or more electronic input devices;
 - at least one electronic display device;
 - one or more controllers;
 - at least one processor; and
 - at least one memory device configured to store instructions that, when executed by the at least one processor, cause the wagering game machine to:
 - receive a first check-in request initiated by a mobile device, wherein the first check-in request indicates, via a global positioning device, a first physical location near the mobile device at a first time of a first check-in and an identification of a wagering game player associated with the mobile device,

17

wherein the physical location is external to a wagering game establishment, and wherein the wagering game machine is inside the wagering game establishment;

detect, via at least one of the one or more electronic input devices, a physical item associated with a monetary value that establishes a credit balance;

replace, after the wagering game player is logged into a player account at the wagering game machine, original wagering game content with modified wagering game content in response to the check-in request being received, the modified wagering game content modifying an outcome of a wagering game, wherein the modified wagering game content is associated with an attribute of the physical location;

initiate the wagering game in response to an input indicative of a wager covered by the credit balance;

present, on the at least one electronic display device, the wagering game with the modified wagering game content in place of the original wagering game content; and

receive, via at least one of the one or more electronic input devices, a cashout input that initiates a payout from the credit balance.

9. The wagering game machine of claim 8, wherein the modified wagering game content indicates the physical location.

10. The wagering game machine of claim 8, wherein the instructions further cause the wagering game machine to receive, over a computer network, the modified wagering game content.

11. The wagering game machine of claim 8, wherein the physical location is associated with a business entity, and wherein a portion of the modified wagering game content is sponsored by the business entity.

12. The wagering game machine of claim 11, wherein the portion of the modified wagering game content comprises a game result that includes an award of monetary value provided by the business entity, wherein modifying the outcome of the wagering game comprises modifying a value of a symbol from a pay table for the wagering game in response to receiving the check-in request, and wherein the modifying the value of the symbol comprises selecting a symbol from the pay table whose modification would cause the game result to provide at least the award of monetary value provided by the business entity.

13. The wagering game machine of claim 8, wherein the modified wagering game content varies based on a number of check-in requests initiated by the mobile device near the physical location.

14. The wagering game machine of claim 8, wherein the instructions further cause the wagering game machine to present, on the at least one electronic display device, the wagering game with the original wagering game content prior to replacing the original wagering game content.

15. One or more non-transitory machine-readable storage media including instructions which, when executed by one or more processors of a wagering game machine, cause the one or more processors to perform operations comprising:

receiving a check-in request initiated by a mobile device, wherein the check-in request indicates, via global positioning device, a physical location near the mobile device at a time of check-in and an identification of a wagering game player associated with the mobile device, wherein the physical location is external to a wagering game establishment, wherein the wagering game machine is inside the wagering game establish-

18

ment, and wherein the wagering game machine includes one or more electronic input devices, at least one electronic display device, and one or more controllers;

detecting, via at least one of the one or more electronic input devices, a physical item associated with a monetary value that establishes a credit balance;

replacing after the wagering game player is logged into a player account at the wagering game machine, original wagering game content with modified wagering game content in response to receiving the check-in request, the modified wagering game content modifying an outcome of a wagering game, wherein the modified wagering game content is associated with an attribute of the physical location;

initiating the wagering game in response to an input indicative of a wager covered by the credit balance;

presenting on the at least one electronic display device, the wagering game with the modified wagering game content in place of the original wagering game content; and

receiving, via at least one of the one or more electronic input devices, a cashout input that initiates a payout from the credit balance.

16. The one or more non-transitory machine-readable storage media of claim 15, wherein the operations for presenting the wagering game include operations for outputting a result of the wagering game, wherein the result includes an award of monetary value provided by a business entity.

17. The one or more non-transitory machine-readable storage media of claim 15, wherein the wagering game comprises a slots game having reel symbols, and wherein the operations for replacing the original wagering game content includes operations comprising replacing at least one of the reel symbols with a modified reel symbol.

18. The one or more non-transitory machine-readable storage media of claim 17, wherein the operations for replacing the at least one of the reel symbols with the modified reel symbol includes operations comprising:

replacing a first one of the at least one of the reel symbols associated with a first payout value in response to a first number of check-ins by the wagering game player at the physical location; and

replacing a second one of the at least one of the reel symbols associated with a second payout value that is higher than the first payout value in response to a second number of check-ins by the wagering game player at the physical location, the second number of check-ins being greater than the first number of check-ins.

19. The one or more non-transitory machine-readable storage media of claim 15, wherein prior to the operations for replacing, the one or more processors are configured to perform operations for presenting, on the at least one electronic display device of the wagering game machine, the wagering game with the original wagering game content.

20. The method of claim 1, further comprising:

receiving a second check-in request at a second physical location by the wagering game player using the mobile device, wherein the second check-in comprises the identification of the wagering game player and the second physical location near where the mobile device is located at a second time of a second check-in, wherein the second physical location is external to the wagering game establishment;

19

replacing, after receiving the check-in request and the second check-in request and after the wagering game player is logged into the player account at the wagering game machine, the original wagering game content with a second modified wagering game content based on the check-in and the second check-in, wherein the second modified wagering game content is different from the modified wagering game content; and presenting, on the at least one electronic display device of the wagering game machine, the wagering game with the second modified wagering game content in place of the original wagering game content.

21. The wagering game machine of claim **8**, wherein the instructions further cause the wagering game machine to: replace, after the check-in request and a second check-in request are received and after the wagering game player is logged into the player account at the wagering game machine, the original wagering game content with a second modified wagering game content, wherein the second check-in request is initiated by the wagering game player at a second physical location, wherein the second modified wagering game content is different from the modified wagering game content; and present, on the at least one electronic display device, the wagering game with the second modified wagering game content in place of the original wagering game content.

22. The one or more non-transitory machine-readable storage media of claim **15**, the instructions further causing the one or more processors to perform operations comprising:

20

receiving a second check-in request at a second physical location by the wagering game player using the mobile device, wherein the second check-in request comprises the identification of the wagering game player and the second physical location near where the mobile device is located at a second time of a second check-in, wherein the second physical location is external to the wagering game establishment;

replacing, after receiving the first check-in request and the second check-in request and after the wagering game player is logged into the player account at the wagering game machine, the original wagering game content with a second modified wagering game content based on the check-in and the second check-in, wherein the second modified wagering game content is different from the modified wagering game content; and presenting, on the at least one electronic display device of the wagering game machine, the wagering game with the second modified wagering game content in place of the original wagering game content.

23. The method of claim **1** wherein the modifying the outcome of the wagering game comprises modifying a value of a symbol from a pay table for the wagering game in response to receiving the check-in request.

24. The method of claim **23**, wherein the replacing the original wagering game content with the modified wagering game content is in response to determining that the check-in request has been received a threshold number of times from one or more geographic locations associated with a business entity.

* * * * *