

US009582575B2

(12) **United States Patent**
Freisthler et al.

(10) **Patent No.:** **US 9,582,575 B2**
(45) **Date of Patent:** **Feb. 28, 2017**

(54) **SYSTEMS AND METHODS FOR LINKING ITEMS TO A MATTER**

(56) **References Cited**

(75) Inventors: **Andrew Freisthler**, Panama City Beach, FL (US); **Martin R. Kilmer**, Waynesboro, VA (US); **Mark David Wasson**, Seattle, WA (US); **E. Scott Wetzel**, Seattle, WA (US)

(73) Assignee: **LexisNexis, a division of Reed Elsevier Inc.**, Miamisburg, OH (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1454 days.

(21) Appl. No.: **13/104,154**

(22) Filed: **May 10, 2011**

(65) **Prior Publication Data**
US 2012/0011427 A1 Jan. 12, 2012

Related U.S. Application Data

(60) Provisional application No. 61/363,027, filed on Jul. 9, 2010.

(51) **Int. Cl.**
G06F 17/30 (2006.01)

(52) **U.S. Cl.**
CPC .. **G06F 17/30728** (2013.01); **G06F 17/30014** (2013.01)

(58) **Field of Classification Search**
CPC G06F 17/30014; G06F 17/2235
USPC 715/205, 206, 208; 707/726, 830
See application file for complete search history.

U.S. PATENT DOCUMENTS

5,771,378 A	6/1998	Holt et al.
5,794,236 A	8/1998	Mehrle
5,819,260 A	10/1998	Lu et al.
5,926,811 A	7/1999	Miller et al.
6,122,647 A	9/2000	Horowitz et al.
6,138,129 A	10/2000	Combs
6,154,213 A	11/2000	Rennison et al.
6,295,542 B1	9/2001	Corbin
6,370,551 B1	4/2002	Golovchinsky et al.
6,772,139 B1	8/2004	Smith, III
7,043,489 B1	5/2006	Kelley
7,054,858 B2	5/2006	Sutherland
7,065,514 B2	6/2006	Yang-Stephens et al.
7,272,594 B1	9/2007	Lynch et al.
7,275,061 B1	9/2007	Kon et al.
7,308,643 B1	12/2007	Zhu et al.

(Continued)

Primary Examiner — Scott Baderman


Assistant Examiner — Seung Jung

(74) Attorney, Agent, or Firm — Dinsmore & Shohl LLP

(57) **ABSTRACT**

Disclosed herein are systems and methods for linking items into common matters. Some embodiments of the systems and/or methods may retrieve an electronic document from a source, determine whether the electronic document is associated with a predetermined first matter, and in response to determining that the electronic document is associated with the predetermined first matter, link the electronic document to the predetermined first matter. Similarly, in some embodiments, the systems and methods may further create a second matter and may link the electronic document to the second matter, such that accessing the electronic document can provide other documents linked to the second matter, receive a request for the electronic document, and in response to receiving the request for the electronic document, provide a user option to provide access to the other documents linked to the predetermined first matter.

20 Claims, 16 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,412,463	B2	8/2008	Mitchell et al.	
7,426,687	B1	9/2008	Schultz et al.	
7,447,713	B1	11/2008	Berkheimer	
7,451,135	B2	11/2008	Goldman et al.	
7,499,934	B2	3/2009	Zhang et al.	
7,509,306	B2	3/2009	Boettiger	
7,814,102	B2	10/2010	Miller	
8,090,705	B1 *	1/2012	Panse	707/708
2003/0074351	A1 *	4/2003	van Stegeren et al.	707/3
2007/0168249	A1	7/2007	Echard	
2008/0201632	A1 *	8/2008	Hong et al.	715/230
2008/0228535	A1	9/2008	Hanes	
2009/0144246	A1 *	6/2009	Kemp	707/3

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

SYSTEMS AND METHODS FOR LINKING ITEMS TO A MATTER

CROSS REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of priority under 35 U.S.C. §119(e) of U.S. Provisional Application Ser. No. 61/363,027 filed on Jul. 9, 2010, the content of which is relied upon and incorporated herein by reference in its entirety.

BACKGROUND

Field

Embodiments provided herein generally relate to linking electronic items into matters, and particularly to linking electronic legal documents and other legal and non-legal electronic data.

Technical Background

As electronic systems retrieve and store electronic documents for searching, many electronic documents pertaining to an event (such as a legal matter) may be obtained from a plurality of different sources. Additionally, as each of the sources may organize and/or label their documents differently, the electronic systems that retrieve these documents may be unable to associate documents from different sources to the common event. Accordingly, when attempting to organize the documents for later indexing, there may be no indicated relation of the documents. Thus, a user who attempts to locate all documents in the event may be forced to independently search for each document.

More specifically, many current electronic research systems may be configured to acquire electronic versions of legal documents from a plurality of sources. While one document may be retrieved from a court reporter, other documents may be received via public access to court electronic records (PACER) and/or from other sources. Consequently, the documents retrieved may be formatted in such a way that one cannot easily determine whether the documents are part of a common legal matter or whether they are unrelated. As such, in many current solutions, if an end-user of the electronic research system is searching for a complaint and a brief associated with that legal dispute, the search may become cumbersome due to the fact that two independent searches must be performed.

SUMMARY

As disclosed herein, embodiments of a method for linking items to a matter may include retrieving an electronic document from a source, determining whether the electronic document is associated with a predetermined first matter, and in response to determining that the electronic document is associated with the predetermined first matter, linking the electronic document to the predetermined first matter, such that accessing the electronic document will provide access to other documents linked to the predetermined first matter. Similarly, in some embodiments, the method further includes, in response to determining that the electronic document is not associated with the predetermined first matter, creating a second matter and linking the electronic document to the second matter, such that accessing the electronic document will provide other documents linked to the second matter, receiving a request for the electronic document, and in response to receiving the request for the

electronic document, providing a user option to provide access to the other documents linked to the predetermined first matter.

In another embodiment, a system may include a computing device that includes a memory component that stores a content master that causes the computing device to retrieve an electronic document from a source and a linking component that causes the computing device to determine whether the electronic document is associated with a predetermined first matter. The linking component may additionally, in response to determining that the electronic document is associated with the predetermined first matter, link the electronic document to the predetermined first matter, such that accessing the electronic document will provide access to other documents linked to the predetermined first matter, and in response to determining that the electronic document is not associated with the predetermined first matter, create a second matter and link the electronic document to the second matter, such that accessing the electronic document will provide other documents linked to the second matter. In some embodiments, the memory component further stores search logic that causes the computing device to receive a request for the electronic document and, in response to receiving the request for the electronic document, provide a user option to provide access to the other documents linked to the predetermined first matter.

In another embodiment, a non-transitory computer-readable medium may store a program that, when executed by a computing device, causes the computing device to retrieve an electronic document from a source, determine whether the electronic document is associated with a predetermined first matter, and in response to determining that the electronic document is associated with the predetermined first matter, link the electronic document to the predetermined first matter, such that accessing the electronic document will provide access to other documents linked to the predetermined first matter. Similarly, in some embodiments, the program further causes the computing device to create a second matter and linking the electronic document to the second matter, such that accessing the electronic document will provide other documents linked to the second matter, receive a request for the electronic document, and in response to receiving the request for the electronic document, provide a user option to provide access to the other documents linked to the predetermined first matter.

These and additional features provided by the embodiments described herein will be more fully understood in view of the following detailed description, in conjunction with the drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

The embodiments set forth in the drawings are illustrative and exemplary in nature and not intended to limit the subject matter defined by the claims. The following detailed description of the illustrative embodiments can be understood when read in conjunction with the following drawings, where like structure is indicated with like reference numerals and in which:

FIG. 1 depicts a computing environment for linking items to a matter, according to one or more embodiments shown and described herein;

FIG. 2 depicts a remote computing device for linking items to a matter, according to one or more embodiments shown and described herein;

3

FIG. 3 depicts an embodiment of the system enterprise logic, according to one or more embodiments shown and described herein;

FIG. 4 depicts another embodiment of the system enterprise logic, further illustrating components of the legal matter linking master component, according to one or more embodiments shown and described herein;

FIG. 5 depicts the system enterprise logic, further illustrating components within a web application of the legal matter linking master, according to one or more embodiments shown and described herein;

FIG. 6 depicts another embodiment of the system enterprise logic, further illustrating components of the legal matter linking distribution component, according to one or more embodiments shown and described herein;

FIG. 7 depicts components of the docket number normalization handlers, according to one or more embodiments shown and described herein;

FIG. 8 depicts the extraction and auto-matching handlers, according to one or more embodiments shown and described herein;

FIG. 9 depicts components of the legal master report handlers, according to one or more embodiments shown and described herein;

FIG. 10 depicts components of the legal matter linking distribution component, according to one or more embodiments shown and described herein;

FIG. 11 depicts an editorial interaction, according to one or more embodiments shown and described herein;

FIG. 12 depicts data logging and analysis, according to one or more embodiments shown and described herein;

FIG. 13 depicts a network site interaction, according to one or more embodiments shown and described herein;

FIG. 14 depicts a legal matter data model, according to one or more embodiments shown and described herein;

FIG. 15 depicts a user interface for providing data to an end-user, according to one or more embodiments shown and described herein; and

FIG. 16 depicts a process that may be utilized for linking items to a matter, according to one or more embodiments shown and described herein.

DETAILED DESCRIPTION

Embodiments disclosed herein include systems and methods for linking items into legal matters. For example, one embodiment may be configured to determine first information related to a first legal document and second information related to a second legal document. The first information and the second information may include docket numbers and/or other identifiers. Additionally, the first information and the second information may be compared to each other and/or a repository of legal matters to determine a likelihood that the legal documents pertain to a common legal matter. If there is a likelihood that the legal documents pertain to the common legal matter, a relationship may be created between the two legal documents, such that when an end-user utilizes an electronic research system to locate the first document, the second document may be identified as also pertaining to the common legal matter and may be available to the end-user for review. Additional documents may also be determined and linked to the common legal matter.

Similarly, some embodiments may be configured to utilize a threshold system for determining whether a particular electronic document corresponds to a matter. As an example, various data may be extracted from the electronic document, such as party name, court docket number, judge name,

4

document type, etc. Each of the extracted pieces of data may be weighted and an analysis may be performed on the extracted data to determine which of the extracted data corresponds to a predetermined matter, such as a legal matter. Based on the weighting and amount of extracted data that corresponds to the legal matter, a comparison to a threshold may be performed to determine whether the legal document should be included in the legal matter, not included in the legal matter, or should be subject to further analysis.

Referring now to the drawings, FIG. 1 depicts a computing environment for linking items to a matter, according to one or more embodiments shown and described herein. As illustrated, a network 100 may be coupled to a user computing device 102a, a remote computing device 102b, and an administrator computing device 102c. The network 100 may include a wide area network and/or a local area network and thus may be wired and/or wireless. The user computing device 102a may include any portable and/or non-portable computing devices, such as personal computers, laptop computers, personal digital assistants (PDAs), mobile phones, etc.

Similarly, the remote computing device 102b may include a server and/or other computing device for providing information to the user computing device 102a via a request to the searching logic 144a. In some embodiments, the remote computing device 102b may be configured to provide an online research tool, such as a legal research website, individual research tool, business tool, etc. As discussed in more detail below, the remote computing device 102b may include a memory component 140 that stores searching logic 144a and system enterprise logic 144b to provide this functionality. The searching logic 144a may include software, hardware, and/or firmware for providing searching capabilities to users, such as at the user computing device 102a. Similarly, the system enterprise logic 144b may include software, hardware, and/or firmware for linking items to a matter, as described in more detail below.

Additionally, the remote computing device 102b may provide information to the administrator computing device 102c for maintenance, monitoring, and/or other administrative actions. The administrator computing device 102c may be configured as a personal computer, server, PDA, mobile phone, etc.

It should be understood that while the user computing device 102a, the remote computing device 102b, and the administrator computing device 102c are represented in FIG. 1 each as a single component, this is merely an example. More specifically, in some embodiments, there may be numerous different components that provide the described functionality. However, for illustration purposes, single components are shown in FIG. 1 and described herein.

FIG. 2 depicts the remote computing device 102b for linking items to a matter, according to one or more embodiments shown and described herein. In the illustrated embodiment, the user computing device 102a includes a processor 230, input/output hardware 232, network interface hardware 234, a data storage component 236 (which stores legal documents 238a, linking data 238b, and/or other data), and the memory component 140. The memory component 140 may be configured as volatile and/or nonvolatile memory and as such, may include random access memory (including SRAM, DRAM, and/or other types of RAM), flash memory, secure digital (SD) memory, registers, compact discs (CD), digital versatile discs (DVD), and/or other types of non-transitory computer-readable mediums.

Depending on the particular embodiment, these non-transitory computer-readable mediums may reside within the remote computing device **102b** and/or external to the remote computing device **102b**.

Additionally, the memory component **140** may store operating logic **242**, the searching logic **144a**, and the system enterprise logic **144b**. The searching logic **144a** and the system enterprise logic **144b** may each include a plurality of different pieces of logic, each of which may be embodied as a computer program, firmware, and/or hardware, as an example. A local interface **246** is also included in FIG. 2 and may be implemented as a bus or other interface to facilitate communication among the components of the user computing device **102a**.

The processor **230** may include any processing component operable to receive and execute instructions (such as from the data storage component **236** and/or the memory component **140**). The input/output hardware **232** may include and/or be configured to interface with a monitor, positioning system, keyboard, mouse, printer, image capture device, microphone, speaker, gyroscope, compass, and/or other device for receiving, sending, and/or presenting data. The network interface hardware **234** may include and/or be configured for communicating with any wired or wireless networking hardware, including an antenna, a modem, LAN port, wireless fidelity (Wi-Fi) card, WiMax card, mobile communications hardware, and/or other hardware for communicating with other networks and/or devices. From this connection, communication may be facilitated between the user computing device **102a** and other computing devices.

The operating logic **242** may include an operating system and/or other software for managing components of the user computing device **102a**. Similarly, as discussed above, the searching logic **144a** may reside in the memory component **140** and may be configured to cause the processor **230** to provide one or more search functions. As an example, the searching logic **144a** may provide legal searching capabilities for court opinions, briefs, motions, and/or other legal documents. Similarly, the system enterprise logic **144b** may be utilized to link the legal (and/or other) documents to a common matter to provide more efficient searching. As an example, the system enterprise logic **144b** may be configured to determine whether legal documents relate to a particular litigation. If so, those legal documents may be linked together such that a user searching for that litigation will be able to easily find all documents available for that litigation. Other functionality is also included and described in more detail, below.

It should be understood that the components illustrated in FIG. 2 are merely exemplary and are not intended to limit the scope of this disclosure. While the components in FIG. 2 are illustrated as residing within the remote computing device **102b**, this is merely an example. In some embodiments, one or more of the components may reside external to the remote computing device **102b**. It should also be understood that, while the remote computing device **102b** in FIG. 2 is illustrated as a single device, this is also merely an example. In some embodiments, the searching logic **144a** and the system enterprise logic **144b** may reside on different devices.

Additionally, while the remote computing device **102b** is illustrated with the searching logic **144a** and the system enterprise logic **144b** as separate logical components, this is also an example. In some embodiments, a single piece of logic may cause the remote computing device **102b** to provide the described functionality.

FIG. 3 depicts an embodiment of the system enterprise logic **144b**, according to one or more embodiments shown and described herein. As illustrated in FIG. 3, the system enterprise logic **144b** may be configured to facilitate operation of one or more levels of infrastructure, including master level **344a**, a shared service level **344b**, and an application level **344c**. At the master level, an alcit master component **302** and a content master component **304** may be included. The alcit master component **302** may be configured to store citation information that indicates relationships among courts in the court system. The content master component **304** may be configured to retrieve and/or store one or more legal documents, such as cases, verdicts, pleadings, jury instructions, transcripts, dockets, motions, briefs, and/or other legal and non-legal data.

Also included in the system enterprise logic **144b** is a legal matter linking (LML) master component **306**. The LML master component **306** may be configured to receive the documents from the content master component **304**, as well as data from the alcit master component **302**, to determine commonalities between the received documents. From the determined commonalities, the LML master component **306** can cause the remote computing device **102b** (FIGS. 1 and 2) to create a new (or supplement an existing) legal matter by which to link legal documents. Also coupled to the LML master component **306** is a legal matter linking (LML) editorial interface **308**, which may be configured to provide an editor or other administrator with one or more options for changing parameters for linking legal documents. These options may include the ability to correct previously determined links among legal documents and/or legal matters, as well as change weightings, thresholds, and/or other parameters. Similarly, system management instrumentation component **310a** may also be coupled to the LML master component **306** and may be configured for providing other administrative options.

In the shared service level **344b** and coupled to the LML master component **306** is a legal matter linking (LML) distribution component **312**. The LML distribution component **312** may be configured to cause the remote computing device **102b** to receive data from the LML master component **306**, as well as document data from a content search and retrieval component **314** to associate the content with the relationships determined by the LML master component **306**. This relationship may be transmitted on the application level **344c** to be provided to a user on a network site **316**.

Also included in the shared service level **344b** is system management instrumentation component **310b** that is coupled to the LML distribution component **312**. The system management instrumentation component **310b** may have similar functionality as the system management instrumentation component **310a**. Also included is an internet web service (IWS) component **318** for providing internet access to an alcit server **320**. The alcit server **320** is also a software component and is configured to provide access to citation information, which is then provided through the IWS component **318**, to the content master component **304**.

FIG. 4 depicts another embodiment of the system enterprise logic **144b**, further illustrating components of the legal matter linking master component, according to one or more embodiments shown and described herein. As illustrated, the logic depicted in FIG. 4 is similar to the logic of FIG. 3, with the exception that the LML master component **306** in FIG. 4 is expanded to illustrate a web application **402** and a controller **404**. In operation, the web application **402** may include any network application that acts as a web framework component that contains business logic and returns

hypertext transfer protocol (HTTP) and/or other network responses. Similarly, the controller **404** may be configured as a web (or other network) software framework component that handles HTTP (or other network protocols), as well as routing and other functions.

FIG. **5** depicts the system enterprise logic **144b**, further illustrating components within the web application **402** of the LML master component **306**, according to one or more embodiments shown and described herein. More specifically, within the web application **402** of the LML master component **306**, the system enterprise logic **144b** includes a storage manager **502**, which is coupled to docket number normalization handlers **504**, legal matter master report handlers **506**, and extraction and auto-matching handlers **508**. Embodiments of the storage manager **502** are configured to manage internal storage for the network framework. The docket number normalization handlers **504** may be configured for handling, scanning, and normalization of an identifier, such as a document number, as well as managing rules associated with the scanning and normalization process.

The legal matter master report handlers **506** may be configured to handle searching, browsing, retrieving, modifying, and publishing legal matter resources. More specifically, the legal matter master report handlers **506** may be configured to cause the remote computing device **102b** to allow searching of legal matters against metadata, such as citations. The legal matter master report handlers **506** may be configured to cause the remote computing device **102b** to produce matters as stored in the LML master component **306**. The legal matter master report handlers **506** may be configured to cause the remote computing device **102b** to provide modifications to master relationships, allow for creation and/or modification of linking relationships, and manage creation and management of files for a publish interface.

Similarly, the extraction and auto-matching handlers **508** may be configured to cause the remote computing device **102b** to handle extraction of items from documents, link documents together based on generated values, as well as handle internal data storage relationships associated with the creation of new table entries. Further, the extraction and auto-matching handlers **508** may be configured to cause the remote computing device **102b** to acquire data from content sources and send meta-documents to queue. Similarly, the extraction and auto-matching handlers **508** may be configured to cause the remote computing device **102b** to normalize data to a predetermined format, create hash keys, identify legal matters with reliability match, and send these results to queue, as well as combine legal matters with alcit information.

FIG. **6** depicts another embodiment of the system enterprise logic **144b**, further illustrating components of the LML distribution component **312**, according to one or more embodiments shown and described herein. More specifically, FIG. **6** depicts a storage manager **602** and a legal matter report distribution handlers **604** within the LML distribution component **312**. The legal matter report distribution handlers **604** may be configured to cause the remote computing device **102b** to handle searching, browsing, and retrieving of legal matters combined with other master data. Similarly, the legal matter report distribution handlers **604** may be configured to allow for searching of legal matters against stored metadata, such as citations. The legal matter report distribution handlers **604** may be configured to cause the remote computing device **102b** to produce matters with purpose copy information, as well as manage read and

process publish files from masters. A controller **606** is also included and may provide similar functionality as the controller **404**, from FIG. **4**.

FIG. **7** depicts components of the docket number normalization handlers **504**, according to one or more embodiments shown and described herein. As illustrated in FIG. **7**, within the docket number normalization handlers **504** (FIG. **5**) are a case number by code reports **702**, a normalized case number reports **704**, and a case number management component **706**. The code reports **702** may be configured as a user interface of reports that is provided to an administrator and provides an encoding of a specific court. The normalized case number reports **704** may be configured as a user interface that provides the normalized case numbers to an administrator. More specifically, as discussed in more detail below, upon determining a docket number, the system enterprise logic **144b** can cause the remote computing device **102b** to normalize the docket number, such that all docket numbers conform to a common format. Accordingly, the normalized case number reports **704** may provide an interface relaying this information. The case number management component **706** may be configured to cause the remote computing device **102b** to manage the docket numbers. The case number management component **706** may be configured as a user interface; however, this is not a requirement.

FIG. **8** depicts the extraction and auto-matching handlers **508**, according to one or more embodiments shown and described herein. As illustrated in FIG. **8**, within the web application **402** and extraction and auto-matching handlers **508** (FIG. **5**) of the LML master component **306** are a data acquisition component **802**, a linking component **804**, and a post-linking component **806**, which may be configured with the functionality described with regard to the extraction and auto-matching handlers **508**. As discussed in more detail below, the extraction and auto matching handlers may cause the remote computing device **102b** to link one or more electronic documents (such as electronic legal document) to common matters. To provide this functionality, the data acquisition component **802** may be configured to cause the remote computing device **102b** acquire data about the document. The linking component **804** may cause the remote computing device **102b** to link a document to a previously determined matter. The post-linking component **806** may be configured to cause the remote computing device **102b** to retrieve a case law history related to the document, update the storage manager **502**, and/or perform other actions.

FIG. **9** depicts components of the legal matter master report handlers **506**, according to one or more embodiments shown and described herein. As illustrated in FIG. **9**, the legal matter master report handlers **506** (FIG. **3**) may include a search component **902**, a master reports **904**, a history reports **906**, a link manager component **908**, and a publish manager component **910**. The search component **902** may be configured as a user interface that provides searching capabilities. Similarly, the matter reports **904** may include a user interface that provides the administrator with information regarding the determined matters. The link manager **908** may be configured as a user interface for providing creation and/or edit options for links to an administrator. The publish manager component **910** may be configured as a user interface for providing the administrator options for managing the publication of the alterations made the administrator.

FIG. **10** depicts components of the LML distribution component **312**, according to one or more embodiments shown and described herein. As illustrated in FIG. **10**, the

LML distribution component **312** may include the storage manager **602** (FIG. **6**), a purpose copy manager **1002**, a search component **1004** and a master reports **1006**. The purpose copy manager **1002** may be configured to cause the remote computing device **102b** to manage distribution of the links to the network site. More specifically, the purpose copy manager **1002** may copy information for providing to the network site. The search component **1004** may cause the remote computing device **102b** to provide searching functionality with regard to searching of the documents. The matter reports **1006** may cause the remote computing device **102b** to provide a user interface that provides information related to the matters and the documents to which the matters are assigned.

FIG. **11** depicts an editorial interaction, according to one or more embodiments shown and described herein. As illustrated in FIG. **11**, an administrator may cause the LML editorial interface **308** (FIG. **3**) may send a representative state transfer (REST) request **1150** to the legal matter master report handlers **506** (FIG. **5**). The legal matter master report handlers **506** may cause the remote computing device **102b** to send a structured query language (SQL) request **1152** to the storage manager **502** (FIG. **5**). This allows the administrator to initiate a change to a link between a document and a matter. Additionally, the legal matter master report handlers **506** may cause the remote computing especially **102b** to facilitate installation and logging **1154** with the system management instrumentation component **310a** (FIG. **3**).

FIG. **12** depicts a data logging and analysis, according to one or more embodiments shown and described herein. As illustrated in FIG. **12**, the data acquisition component **802** (FIG. **8**) of the extraction and auto-matching handlers **508** (FIG. **5**) can send an SQL get configuration request **1250** to the storage manager **502**. The SQL get configuration request **1250** may include a request for instructions. In response, the storage manager **502** may return the requested configuration information. The data acquisition component **802** may also send a get content request **1252** to the content search and retrieval component **314** (FIG. **3**), based on the received configuration information. The get content request **1252** includes a request for a document and may depend on the information received from the SQL get configuration request **1250**. Additionally, the get content request **1252** may include a request to extract predetermined data (e.g., as identified in the configuration information) from the retrieved document. The data acquisition component **802** may also send a normalized docket number value request **1254** to the docket number normalization handlers **504**. More specifically, once the document is retrieved, a docket number for that document may be determined. The data acquisition component **802** can then normalize the fields **1256** to create a uniform docket number across all documents. The data acquisition component **802** may additionally send meta-documents **1258** to the linking component **804** of the extraction and auto-matching handlers **508**. The linking component **804** can create at least one hash pair **1260** associated with the meta-documents to increase speed. The linking component **804** may additionally identify **1262** related legal matters associated with those meta-documents, and send **1264** the meta-documents to the post-linking component **806** of the extraction and auto-matching handlers **508**. The post-linking component **806** can access **1266** case law history from the IWS component **318**, which obtains **1268** the case law history from the alcit server **320** (FIG. **3**). The post-linking component **806** can additionally fold **1270** legal matters and request **1272** an update of legal matters from the storage manager **502** (FIG. **5**). The data acquisition component **802**,

the linking component **804**, and the post-linking component **806** can then perform instrumentation and logging **1276**, **1278** with the system management instrumentation component **310a**.

FIG. **13** depicts a network site interaction, according to one or more embodiments shown and described herein. As illustrated in FIG. **13**, the network site **316** (FIG. **6**) can send a search request **1350** to the search component **902** (FIG. **9**) of the legal matter report distribution handlers **604** (FIG. **6**). The search request **1350** may be for a search initiated by a user. In response, the search component **902** can send **1352** an SQL request to the storage manager **602** (FIG. **4**) to determine electronic documents that are related to search. The search component **902** can also perform instrumentation and logging **1354** with the system management instrumentation component **310b** (FIG. **6**). Additionally, the network site **316** can send **1356** a resource request to the matter reports **904** (FIG. **9**) of the legal matter report distribution handlers **604**. The resource request may include a request for one or more of the documents retrieved in the search request **1350**. The legal matter report distribution handlers **604** can then send **1358** an SQL request to the storage manager **602** to retrieve the requested electronic documents. Additionally, the matter reports **904** can send **1360** an X-query to the content search and retrieval component **314** (FIG. **6**) and perform instrumentation and logging **1362** with the system management instrumentation component **310b** (FIG. **6**).

FIG. **14** depicts a legal matter data model, according to one or more embodiments shown and described herein. More specifically, FIG. **14** defines criteria that may be utilized in linking documents to legal matters. As illustrated in FIG. **14**, a document repository may be organized according to document name, custom name, description, host, username for accessing the repository, password for accessing the repository, access protocol, uniform resource locator (URL), data location, and/or environment (block **1450**), and can be used to acquire legal documents. Additionally, document access instructions may be determined and utilized (block **1454**). More specifically, the name, input type, expression, and description for accessing the repository may be determined and utilized to access the repository. Further, a document type may be determined (block **1456**). The document type may include the nature of legal document that has been accessed. Additionally, at block **1458**, an inclusion key may be utilized to indicate weighting for each type of information utilized in determining the legal matter associated with the legal document. Similarly, at block **1460**, a document element can be determined, including a name, description, access type, access instructions, and normalizer. Together, the definitions for document repositories, document access instructions, document types, document elements, and inclusion keys allow for the harvesting of data items and keys for linking to be created. As legal matters are altered by the system, legal matter history items (block **1462**) may be determined.

The legal matter for the legal document can be determined and a slug, title, description, and creation date may be identified and documented (block **1472**). This may be determined from an inclusion hash at block **1470**. The legal matter maintains relations to the inclusion hash values (block **1470**), the legal matter history items (block **1462**), the determined courts (block **1468**), the legal matter documents (block **1464**), and the legal matter documents (block **1466**), which are related to this particular legal matter.

FIG. **15** depicts a user interface for providing data to an end-user, according to one or more embodiments shown and described herein. As illustrated in FIG. **15**, the user interface

11

1500 may include a plurality of windows **1502a** and **1502b**. The window **1502a** may be provided to an end-user in response to the end-user search a legal matter or document. In addition to providing the requested legal document, the interface may also provide other documents associated with the same legal matter, as illustrated in window **1502b**. Included in the legal matter of FIG. **15** are prior and subsequent proceedings, filings, and transcripts. Additionally, each category of legal document may have specific documents that pertain to those categories. By selecting a legal document in window **1502b**, the end-user may be provided with the selected document in window **1502a**, while the related legal documents in the legal matter may still be provided in window **1502b**.

FIG. **16** depicts a process that may be utilized for linking items to a matter, according to one or more embodiments shown and described herein. As illustrated in block **1630**, an electronic document may be received from a source or plurality of sources. More specifically, the remote computing device **102b** (FIGS. **1** and **2**) may retrieve a legal document from a court database and/or other source. At block **1632**, the remote computing device **102b** can determine whether the retrieved electronic document is associated with a legal matter. As discussed above, depending on the embodiment, this determination can be made solely from a docket number and/or from a compilation of data retrieved from the electronic document, which is weighted and then compared to a threshold weight. Regardless, at block **1634**, in response to determining that the electronic document is associated with the predetermined first matter, the remote computing device **102b** can link the electronic document to the predetermined first matter, such that accessing the first document will provide access to other documents linked to the first matter. At block **1636**, in response to determining that the electronic document is not associated with the predetermined first matter, the remote computing device **102b** may create a second matter and link the electronic document to the second matter, such that accessing the electronic document will provide other documents linked to the second matter. At block **1638**, the remote computing device **102b** can receive a request for the first document. At block **1640**, in response to receiving the request for the first document, the remote computing device **102b** can provide a user option for access to the other documents linked to the first matter.

As discussed above, embodiments disclosed herein provide systems and methods for linking items to a matter. More specifically, some embodiments may electronically retrieve legal documents from public records and cause those legal documents to be linked to a legal matter, such as a litigation. By linking the legal documents to a legal matter, a user may perform a search for the legal matter and may also have access to other legal documents in that legal matter without having to perform additional searching. Other features and embodiments are also described.

While particular embodiments have been illustrated and described herein, it should be understood that various other changes and modifications may be made without departing from the spirit and scope of the claimed subject matter. Moreover, although various aspects of the claimed subject matter have been described herein, such aspects need not be utilized in combination. It is therefore intended that the appended claims cover all such changes and modifications that are within the scope of the claimed subject matter.

What is claimed is:

1. A method for linking items into a matter comprising: retrieving an electronic document from a source;

12

determining whether the electronic document is associated with a predetermined matter;

in response to determining that the electronic document is associated with the predetermined matter, linking the electronic document to the predetermined matter, such that accessing the electronic document will provide access to other documents linked to the predetermined matter;

in response to determining that the electronic document is not associated with the predetermined first matter, create a second matter and link the electronic document to the second matter, such that accessing the electronic document will provide other documents linked to the second matter;

receiving a request for the electronic document; and
in response to receiving the request for the electronic document, providing a user option to provide access to the other documents linked to the predetermined matter.

2. The method of claim **1**, further comprising: determining an identifier of the electronic document; and normalizing the identifier to a predetermined format.

3. The method of claim **2**, further comprising creating at least one hash pair from the identifier.

4. The method of claim **1**, further comprising providing the electronic document in a user interface.

5. The method of claim **1**, further comprising determining the source from which to retrieve the electronic document, the source being determined from a plurality of sources, wherein retrieving the electronic document includes requesting content, based on the source that was determined.

6. The method of claim **1**, wherein the electronic document comprises an identifier, wherein determining whether the electronic document is associated with the predetermined matter comprises normalizing the identifier and normalizing a field within the identifier.

7. The method of claim **1**, wherein determining whether the electronic document is associated with a predetermined first matter includes analyzing at least one of the following: a docket number on the electronic document and a compilation of data retrieved from the electronic document.

8. A system for linking items into a matter comprising: a computing device that comprises a memory component that stores at least the following:

content master that causes the computing device to retrieve an electronic document from a source;

a linking component that causes the computing device to perform at least the following:

determine whether the electronic document is associated with a predetermined first matter;

in response to determining that the electronic document is associated with the predetermined first matter, link the electronic document to the predetermined first matter, such that accessing the electronic document will provide access to other documents linked to the predetermined first matter; and

in response to determining that the electronic document is not associated with the predetermined first matter, create a second matter and link the electronic document to the second matter, such that accessing the electronic document will provide other documents linked to the second matter; and

search logic that causes the computing device to receive a request for the electronic document and, in response to receiving the request for the electronic document, provide a user option to provide access to the other documents linked to the predetermined first matter.

13

9. The system of claim 8, wherein the computing device further stores a data acquisition component that causes the computing device to determine an identifier of the electronic document and normalize the identifier to a predetermined format.

10. The system of claim 9, wherein the linking component further causes the computing device to create at least one hash pair from the identifier.

11. The system of claim 8, wherein the computing device further stores a web application that causes the computing device to provide the electronic document in a user interface.

12. The system of claim 8, wherein the computing device further stores a data acquisition component that causes the computing device to determine the source from which to retrieve the electronic document, the source being determined from a plurality of sources, wherein retrieving the electronic document includes requesting content, based on the source that was determined.

13. The system of claim 8, wherein the electronic document comprises an identifier and wherein determining whether the electronic document is associated with the predetermined first matter comprises normalizing the identifier and normalizing a field within the identifier.

14. The system of claim 8, wherein the computing device further stores a post-linking component that causes the computing device to update a storage manager to reflect changes in the predetermined first matter and the second matter.

15. A non-transitory computer-readable medium for linking items into a matter that stores a program that, when executed by a computing device, causes the computing device to perform at least the following:

- retrieve an electronic document from a source;
- determine whether the electronic document is associated with a predetermined first matter;
- in response to determining that the electronic document is associated with the predetermined first matter, link the electronic document to the predetermined first matter,

14

such that accessing the electronic document will provide access to other documents linked to the predetermined first matter;

in response to determining that the electronic document is not associated with the predetermined first matter, create a second matter and linking the electronic document to the second matter, such that accessing the electronic document will provide other documents linked to the second matter;

receive a request for the electronic document; and
in response to receiving the request for the electronic document, provide a user option to provide access to the other documents linked to the predetermined first matter.

16. The non-transitory computer-readable medium of claim 15, wherein the program further causes the computing device to perform at least the following:

- determine an identifier of the electronic document; and
- normalize the identifier to a predetermined format.

17. The non-transitory computer-readable medium of claim 16, wherein the program further causes the computing device to create at least one hash pair from the identifier.

18. The non-transitory computer-readable medium of claim 15, wherein the program further causes the computing device to provide the electronic document in a user interface.

19. The non-transitory computer-readable medium of claim 15, wherein the program further causes the computing device to determine the source from which to retrieve the electronic document, the source being determined from a plurality of sources, wherein retrieving the electronic document includes requesting content, based on the source that was determined.

20. The non-transitory computer-readable medium of claim 15, wherein the electronic document comprises an identifier, wherein determining whether the electronic document is associated with the predetermined first matter comprises normalizing the identifier and normalizing a field within the identifier.

* * * * *