

US009602968B2

(12) **United States Patent**
Hines et al.

(10) **Patent No.:** **US 9,602,968 B2**
(45) **Date of Patent:** **Mar. 21, 2017**

(54) **AREA WATCHER FOR WIRELESS NETWORK**

(71) Applicant: **TELECOMMUNICATION SYSTEMS, INC.**, Annapolis, MD (US)

(72) Inventors: **Gordon Hines**, Kirkland, WA (US);
Mario G. Tapia, Seattle, WA (US);
Will Cousins, Seattle, WA (US)

(73) Assignee: **Telecommunication Systems, Inc.**, Annapolis, MD (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **14/470,409**

(22) Filed: **Aug. 27, 2014**

(65) **Prior Publication Data**

US 2014/0364145 A1 Dec. 11, 2014

Related U.S. Application Data

(60) Continuation of application No. 11/360,579, filed on Feb. 24, 2006, now Pat. No. 9,154,906, which is a (Continued)

(51) **Int. Cl.**
H04W 24/00 (2009.01)
H04W 4/02 (2009.01)
(Continued)

(52) **U.S. Cl.**
CPC **H04W 4/021** (2013.01); **H04L 67/18** (2013.01); **H04W 4/02** (2013.01); **H04W 4/14** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC **H04W 4/02**; **H04W 8/08**; **H04W 64/00**
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,103,073 A 7/1914 O'Connell
4,445,118 A 4/1984 Taylor et al.

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO 99/21380 4/1999
WO WO 00/40036 7/2000

(Continued)

OTHER PUBLICATIONS

European Search Report for corresponding EP 06 82 7172 , completed Dec. 15, 2009 by Officer Jorg Bohmert.

(Continued)


Primary Examiner — Huy C Ho

(74) *Attorney, Agent, or Firm* — Tarolli, Sundheim, Covell & Tummino LLP

(57) **ABSTRACT**

Dynamic and current information is provided regarding a wireless device's entry into or exit from a geographically defined "watched" area. An area watcher application monitors preconfigured wireless devices entry/exit into preconfigured watched areas. The watched areas may watch for any/all subscribers, or for select, preconfigured subscribers listed in an appropriate table or database. Provision of location information is triggered by a wireless subscriber's entry, exit or changing between designated 'watched' areas or locations. Continuous polling may be used, or the mobile device itself or network element may be triggered to push its own location upon notification of its entry into or out of watched areas from an area watcher. A third party may be notified when a wireless user enters an area surrounding their retail store, and be sent a message such as "sale inside", or "Your rentals are overdue", on their wireless device.

20 Claims, 7 Drawing Sheets



Related U.S. Application Data				
	division of application No. 10/318,171, filed on Dec. 13, 2002, now Pat. No. 7,321,773.	5,432,841 A	7/1995	Rimer
		5,434,789 A	7/1995	Fraker et al.
		5,454,024 A	9/1995	Lebowitz
		5,461,390 A	10/1995	Hoshen
		5,470,233 A	11/1995	Fruchterman et al.
(60)	Provisional application No. 60/367,710, filed on Mar. 28, 2002.	5,479,408 A	12/1995	Will
		5,479,482 A	12/1995	Grimes
		5,485,161 A	1/1996	Vaughn
(51)	Int. Cl.	5,485,163 A	1/1996	Singer et al.
	<i>H04W 4/14</i> (2009.01)	5,488,563 A	1/1996	Chazelle et al.
	<i>H04W 64/00</i> (2009.01)	5,494,091 A	2/1996	Freeman et al.
	<i>H04L 29/08</i> (2006.01)	5,497,149 A	3/1996	Fast
(52)	U.S. Cl.	5,508,931 A	4/1996	Snider
	CPC <i>H04W 64/00</i> (2013.01); <i>H04W 64/006</i> (2013.01)	5,513,243 A	4/1996	Kage
		5,515,287 A	5/1996	Hakoyama et al.
(58)	Field of Classification Search	5,519,403 A	5/1996	Bickley et al.
	USPC 455/456.3	5,530,655 A	6/1996	Lokhoff et al.
	See application file for complete search history.	5,530,914 A	6/1996	McPheters
		5,532,690 A	7/1996	Hertel
		5,535,434 A	7/1996	Siddoway et al.
		5,539,398 A	7/1996	Hall et al.
		5,539,829 A	7/1996	Lokhoff et al.
(56)	References Cited	5,543,776 A	8/1996	L'Esperance et al.
	U.S. PATENT DOCUMENTS	5,552,772 A	9/1996	Janky et al.
		5,555,286 A	9/1996	Tendler
		5,568,119 A	10/1996	Schipper et al.
		5,574,648 A	11/1996	Pilley
		5,579,372 A	11/1996	Astrom
		5,588,009 A	12/1996	Will
		5,592,535 A	1/1997	Klotz
		5,604,486 A	2/1997	Lauro et al.
		5,606,313 A	2/1997	Allen et al.
		5,606,618 A	2/1997	Lokhoff et al.
		5,606,850 A	3/1997	Nakamura
		5,610,815 A	3/1997	Gudat et al.
		5,614,890 A	3/1997	Fox
		5,615,116 A	3/1997	Gudat et al.
		5,621,793 A	4/1997	Bednarek et al.
		5,628,051 A	5/1997	Salin
		5,633,912 A	5/1997	Tsoi
		5,636,276 A	6/1997	Brugger
		5,661,755 A	8/1997	Van De Kerkhof et al.
		5,682,600 A	10/1997	Salin
		5,699,053 A	12/1997	Jonsson
		5,704,029 A	12/1997	Wright, Jr.
		5,721,781 A	2/1998	Deo et al.
		5,740,534 A	4/1998	Ayerst et al.
		5,761,618 A	6/1998	Lynch et al.
		5,765,152 A	6/1998	Erickson
		5,767,795 A	6/1998	Schaphorst
		5,768,509 A	6/1998	Gunluk
		5,771,353 A	6/1998	Eggleston et al.
		5,774,533 A	6/1998	Patel
		5,774,670 A	6/1998	Montulli
		5,778,304 A *	7/1998	Grube et al. 455/456.4
		5,787,357 A	7/1998	Salin
		5,794,142 A	8/1998	Vanttila et al.
		5,797,096 A	8/1998	Lupien et al.
		5,802,492 A	9/1998	DeLorme et al.
		5,806,000 A	9/1998	Vo et al.
		5,809,415 A	9/1998	Rossmann
		5,812,087 A	9/1998	Krasner
		5,822,700 A	10/1998	Hult et al.
		5,828,740 A	10/1998	Khuc et al.
		5,835,907 A	11/1998	Newman
		5,841,396 A	11/1998	Krasner
		5,857,201 A	1/1999	Wright, Jr. et al.
		5,864,667 A	1/1999	Barkan
		5,874,914 A	2/1999	Krasner
		5,896,369 A	4/1999	Warsta et al.
		5,920,821 A	7/1999	Seazholtz et al.
		5,922,074 A	7/1999	Richard et al.
		5,930,250 A	7/1999	Klok et al.
		5,930,701 A	7/1999	Skog
		5,943,399 A	8/1999	Bannister et al.
		5,945,944 A	8/1999	Krasner
		5,946,629 A	8/1999	Sawyer et al.
		5,946,630 A	8/1999	Willars et al.
		5,950,130 A	9/1999	Coursey

(56)

References Cited

U.S. PATENT DOCUMENTS

5,953,398	A	9/1999	Hill	6,324,542	B1	11/2001	Wright, Jr. et al.
5,960,362	A	9/1999	Grob et al.	6,327,473	B1	12/2001	Soliman et al.
5,974,054	A	10/1999	Couts et al.	6,327,479	B1	12/2001	Mikkola
5,976,685	A	11/1999	Kelly et al.	6,330,454	B1	12/2001	Verdonk
5,983,099	A	11/1999	Yao et al.	6,333,919	B2	12/2001	Gaffney
5,987,323	A	11/1999	Huotari	6,360,093	B1	3/2002	Ross et al.
5,999,124	A	12/1999	Sheynblat	6,367,019	B1	4/2002	Ansell et al.
6,014,602	A	1/2000	Kithil et al.	6,370,389	B1	4/2002	Isomursu et al.
6,032,051	A	2/2000	Hall et al.	6,377,209	B1	4/2002	Krasner
6,035,025	A	3/2000	Hanson	6,377,810	B1	4/2002	Geiger et al.
6,049,710	A	4/2000	Nilsson	6,397,208	B1	5/2002	Lee
6,052,081	A	4/2000	Krasner	6,400,314	B1	6/2002	Krasner
6,058,300	A	5/2000	Hanson	6,400,958	B1	6/2002	Isomursu et al.
6,058,338	A	5/2000	Agashe et al.	6,411,254	B1	6/2002	Moeglein et al.
6,061,018	A	5/2000	Sheynblat	6,421,002	B2	7/2002	Krasner
6,061,346	A	5/2000	Nordman	6,427,001	B1	7/2002	Contractor et al.
6,064,336	A	5/2000	Krasner	6,433,734	B1	8/2002	Krasner
6,064,875	A	5/2000	Morgan	6,434,381	B1	8/2002	Moore et al.
6,070,067	A	5/2000	Nguyen et al.	6,449,473	B1	9/2002	Raivisto
6,075,982	A	6/2000	Donovan et al.	6,449,476	B1	9/2002	Hutchison, IV et al.
6,081,508	A	6/2000	West et al.	6,456,852	B2	9/2002	Bar et al.
6,085,320	A	7/2000	Kaliski, Jr.	6,477,150	B1	11/2002	Maggenti et al.
6,101,378	A	8/2000	Barabash et al.	6,504,491	B1	1/2003	Christians
6,104,931	A	8/2000	Havinis et al.	6,505,049	B1	1/2003	Dorenbosch
6,108,533	A	8/2000	Brohoff	6,510,387	B2	1/2003	Fuchs et al.
6,122,503	A	9/2000	Daly	6,512,922	B1	1/2003	Burg et al.
6,122,520	A	9/2000	Want et al.	6,512,930	B2	1/2003	Sandegren
6,124,810	A	9/2000	Segal et al.	6,515,623	B2	2/2003	Johnson
6,131,067	A	10/2000	Girerd et al.	6,519,466	B2	2/2003	Pande et al.
6,133,874	A	10/2000	Krasner et al.	6,522,682	B1	2/2003	Kohli et al.
6,134,316	A	10/2000	Kallioniemi et al.	6,526,026	B1	2/2003	Menon
6,134,483	A	10/2000	Vayanos et al.	6,529,500	B1	3/2003	Pandharipande
6,138,003	A	10/2000	Kingdon et al.	6,529,829	B2	3/2003	Turetzky et al.
6,148,197	A	11/2000	Bridges et al.	6,531,982	B1	3/2003	White et al.
6,148,198	A	11/2000	Anderson et al.	6,538,757	B1	3/2003	Sansone
6,149,353	A	11/2000	Nilsson	6,539,200	B1	3/2003	Schiff
6,169,891	B1	1/2001	Gorham et al.	6,539,232	B2	3/2003	Hendrey et al.
6,173,181	B1	1/2001	Losh	6,539,304	B1	3/2003	Chansarkar
6,178,505	B1	1/2001	Schneider et al.	6,542,464	B1	4/2003	Takeda et al.
6,178,506	B1	1/2001	Quick, Jr.	6,542,743	B1	4/2003	Soliman
6,181,935	B1	1/2001	Gossman et al.	6,549,776	B1	4/2003	Joong
6,181,939	B1	1/2001	Ahvenainen	6,549,844	B1	4/2003	Egberts
6,185,427	B1	2/2001	Krasner et al.	6,553,236	B1	4/2003	Dunko et al.
6,188,354	B1	2/2001	Soliman et al.	6,556,832	B1	4/2003	Soliman
6,188,752	B1	2/2001	Lesley	6,560,534	B2	5/2003	Abraham et al.
6,188,909	B1	2/2001	Alanara et al.	6,564,261	B1	5/2003	Gudjonsson et al.
6,189,098	B1	2/2001	Kaliski, Jr.	6,570,530	B2	5/2003	Gaal et al.
6,198,431	B1	3/2001	Gibson	6,571,095	B1	5/2003	Koodli
6,199,045	B1	3/2001	Giniger et al.	6,574,558	B2	6/2003	Kohli
6,199,113	B1	3/2001	Alegre et al.	6,584,552	B1	6/2003	Nishimura et al.
6,205,330	B1	3/2001	Winbladh	6,587,691	B1	7/2003	Granstam et al.
6,208,854	B1	3/2001	Roberts et al.	6,594,500	B2	7/2003	Bender et al.
6,215,441	B1	4/2001	Moeglein et al.	6,597,311	B2	7/2003	Sheynblat et al.
6,219,557	B1	4/2001	Havinis	6,600,927	B2	7/2003	Hamilton et al.
6,223,046	B1	4/2001	Hamill-Keays et al.	6,606,554	B2	8/2003	Edge
6,226,529	B1	5/2001	Bruno et al.	6,609,495	B1	8/2003	Cornell et al.
6,239,742	B1	5/2001	Krasner	6,611,757	B2	8/2003	Brodie
6,247,135	B1	6/2001	Feague	6,618,593	B1	9/2003	Drutman et al.
6,248,873	B1	6/2001	Bilginturan et al.	6,618,670	B1	9/2003	Chansarkar
6,249,680	B1	6/2001	Wax et al.	6,621,452	B2	9/2003	Knockeart et al.
6,249,873	B1	6/2001	Richard et al.	6,621,810	B1	9/2003	Leung
6,253,074	B1	6/2001	Carlsson et al.	6,628,233	B2	9/2003	Knockeart et al.
6,260,147	B1	7/2001	Quick, Jr.	6,633,255	B2	10/2003	Krasner
6,266,614	B1	7/2001	Alumbaugh	6,640,184	B1	10/2003	Rabe
6,275,692	B1	8/2001	Skog	6,661,372	B1	12/2003	Girerd et al.
6,275,849	B1	8/2001	Ludwig	6,665,539	B2	12/2003	Sih et al.
6,278,701	B1	8/2001	Ayyagari et al.	6,665,541	B1	12/2003	Krasner et al.
6,289,373	B1	9/2001	Dezunno	6,671,620	B1	12/2003	Garin et al.
6,307,504	B1	10/2001	Sheynblat	6,677,894	B2	1/2004	Sheynblat et al.
6,308,269	B2	10/2001	Proidl	6,680,694	B1	1/2004	Knockeart et al.
6,313,786	B1	11/2001	Sheynblat et al.	6,680,695	B2	1/2004	Turetzky et al.
6,317,594	B1	11/2001	Gossman et al.	6,687,504	B1	2/2004	Raith
6,321,091	B1	11/2001	Holland	6,691,019	B2	2/2004	Seeley et al.
6,321,092	B1	11/2001	Fitch et al.	6,694,258	B2	2/2004	Johnson et al.
6,321,257	B1	11/2001	Kotola et al.	6,694,351	B1	2/2004	Shaffer et al.
				6,697,629	B1	2/2004	Grilli et al.
				6,698,195	B1	3/2004	Hellinger
				6,701,144	B2	3/2004	Kirbas et al.
				6,703,971	B2	3/2004	Pande et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,703,972 B2	3/2004	van Diggelen	6,900,758 B1	5/2005	Mann et al.
6,704,651 B2	3/2004	van Diggelen	6,903,684 B1	6/2005	Simic et al.
6,707,421 B1	3/2004	Drury et al.	6,904,029 B2	6/2005	Fors et al.
6,711,408 B1 *	3/2004	Raith H04W 36/32 340/988	6,907,224 B2	6/2005	Younis
6,714,793 B1	3/2004	Carey et al.	6,907,238 B2	6/2005	Leung
6,718,174 B2	4/2004	Vayanos	6,912,230 B1	6/2005	Salkini et al.
6,720,915 B2	4/2004	Sheynblat	6,912,395 B2	6/2005	Benes et al.
6,721,578 B2	4/2004	Minear et al.	6,912,545 B1	6/2005	Lundy et al.
6,721,871 B2	4/2004	Piispanen et al.	6,915,208 B2	7/2005	Garin et al.
6,725,159 B2	4/2004	Krasner	6,917,331 B2	7/2005	Gronemeyer
6,728,701 B1	4/2004	Stoica	6,930,634 B2	8/2005	Peng et al.
6,731,940 B1	5/2004	Nagendran	6,937,187 B2	8/2005	van Diggelen et al.
6,734,821 B2	5/2004	van Diggelen	6,937,872 B2	8/2005	Krasner
6,738,013 B2	5/2004	Orler et al.	6,940,826 B1	9/2005	Simard et al.
6,738,800 B1	5/2004	Aquilon et al.	6,940,950 B2	9/2005	Dickinson et al.
6,741,842 B2	5/2004	Goldberg et al.	6,941,144 B2	9/2005	Stein
6,744,856 B2	6/2004	Karnik et al.	6,944,540 B2	9/2005	King et al.
6,744,858 B1	6/2004	Ryan et al.	6,947,772 B2	9/2005	Minear et al.
6,745,038 B2	6/2004	Callaway, Jr. et al.	6,950,058 B1	9/2005	Davis et al.
6,747,596 B2	6/2004	Orler et al.	6,957,068 B2	10/2005	Hutchison et al.
6,748,195 B1	6/2004	Phillips	6,961,562 B2	11/2005	Ross
6,751,464 B1	6/2004	Burg et al.	6,963,557 B2	11/2005	Knox
6,756,938 B2	6/2004	Zhao et al.	6,965,754 B2	11/2005	King
6,757,544 B2	6/2004	Rangarajan et al.	6,965,767 B2	11/2005	Maggenti et al.
6,771,742 B2	8/2004	McCalmont et al.	6,968,044 B2	11/2005	Beason et al.
6,771,971 B2	8/2004	Smith	6,970,917 B1	11/2005	Kushwaha et al.
6,772,340 B1	8/2004	Peinado et al.	6,973,320 B2	12/2005	Brown et al.
6,775,255 B1	8/2004	Roy	6,975,266 B2	12/2005	Abraham et al.
6,775,267 B1	8/2004	Kung et al.	6,978,453 B2	12/2005	Rao et al.
6,775,534 B2	8/2004	Lindgren et al.	6,980,816 B2	12/2005	Rohles et al.
6,775,655 B1	8/2004	Peinado et al.	6,985,747 B2	1/2006	Chithambaram
6,775,802 B2	8/2004	Gaal	6,993,355 B1	1/2006	Pershan
6,778,136 B2	8/2004	Gronemeyer	6,996,720 B1	2/2006	DeMello et al.
6,778,885 B2	8/2004	Agashe et al.	6,999,782 B2	2/2006	Shaughnessy et al.
6,781,963 B2	8/2004	Crockett et al.	7,016,717 B2	3/2006	Demos et al.
6,788,249 B1	9/2004	Farmer et al.	7,024,321 B1	4/2006	Deninger et al.
6,795,444 B1	9/2004	Vo et al.	7,024,393 B1	4/2006	Peinado et al.
6,795,699 B1	9/2004	McCraw et al.	7,027,667 B1	4/2006	Sakaida
6,799,049 B1	9/2004	Zellner et al.	7,047,411 B1	5/2006	DeMello et al.
6,799,050 B1	9/2004	Krasner	7,065,507 B2	6/2006	Mohammed et al.
6,801,159 B2	10/2004	Swope et al.	7,072,667 B2	7/2006	Olrik et al.
6,807,534 B1	10/2004	Erickson	7,079,857 B2	7/2006	Maggenti et al.
6,810,323 B1	10/2004	Bullock et al.	7,103,018 B1	9/2006	Hansen et al.
6,813,264 B2	11/2004	Vassilovski	7,103,574 B1	9/2006	Peinado et al.
6,813,560 B2	11/2004	van Diggelen et al.	7,106,717 B2	9/2006	Rousseau et al.
6,816,111 B2	11/2004	Krasner	7,136,466 B1	11/2006	Gao
6,816,710 B2	11/2004	Krasner	7,136,838 B1	11/2006	Peinado et al.
6,816,719 B1	11/2004	Heinonen et al.	7,145,900 B2	12/2006	Nix et al.
6,816,734 B2	11/2004	Wong et al.	7,151,946 B2	12/2006	Maggenti et al.
6,820,269 B2	11/2004	Baucke et al.	7,177,397 B2	2/2007	McCalmont et al.
6,829,475 B1	12/2004	Lee et al.	7,177,398 B2	2/2007	Meer et al.
6,832,373 B2	12/2004	O'Neill	7,177,399 B2	2/2007	Dawson et al.
6,839,020 B2	1/2005	Geier et al.	7,200,380 B2	4/2007	Havlark et al.
6,839,021 B2	1/2005	Sheynblat et al.	7,209,758 B1	4/2007	Moll et al.
6,839,417 B2	1/2005	Weisman et al.	7,209,969 B2	4/2007	Lahti et al.
6,842,715 B1	1/2005	Gaal	7,218,940 B2	5/2007	Niemenmaa et al.
6,847,618 B2	1/2005	Laursen et al.	7,245,900 B1	7/2007	Lamb et al.
6,847,822 B1	1/2005	Dennison et al.	7,246,187 B1	7/2007	Ezra et al.
6,853,916 B2	2/2005	Fuchs et al.	7,260,186 B2	8/2007	Zhu et al.
6,861,980 B1	3/2005	Rowitch et al.	7,260,384 B2	8/2007	Bales et al.
6,865,171 B1	3/2005	Nilsson	7,269,428 B1	9/2007	Wallenius et al.
6,865,395 B2	3/2005	Riley	7,302,582 B2	11/2007	Snapp et al.
6,867,733 B2	3/2005	Sandhu et al.	7,321,773 B2	1/2008	Hines et al.
6,867,734 B2	3/2005	Voor et al.	7,330,899 B2	2/2008	Wong
6,873,854 B2	3/2005	Crockett et al.	7,333,480 B1	2/2008	Clarke et al.
6,876,734 B1	4/2005	Summers et al.	7,369,508 B2	5/2008	Parantainen et al.
6,882,850 B2	4/2005	McConnell et al.	7,369,530 B2	5/2008	Keagy
6,885,874 B2	4/2005	Grube et al.	7,382,773 B2	6/2008	Schoeneberger et al.
6,885,940 B2	4/2005	Brodie et al.	7,392,240 B2	6/2008	Scriffignano et al.
6,888,497 B2	5/2005	King et al.	7,394,896 B2	7/2008	Norton
6,888,932 B2	5/2005	Snip et al.	7,403,939 B1	7/2008	Viridy
6,895,238 B2	5/2005	Newell et al.	7,412,049 B1	8/2008	Koch
6,895,249 B2	5/2005	Gaal	7,424,293 B2	9/2008	Zhu
6,898,633 B1	5/2005	Lyndersay et al.	7,426,380 B2	9/2008	Hines et al.
			7,428,571 B2	9/2008	Ichimura
			7,436,785 B1	10/2008	McMullen et al.
			7,440,442 B2	10/2008	Grabelsky et al.
			7,453,990 B2	11/2008	Welenson et al.
			7,495,608 B1	2/2009	Chen et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

7,573,982 B2	8/2009	Breen et al.	2004/0002326 A1	1/2004	Maher
7,623,447 B1	11/2009	Faccin et al.	2004/0018689 A1	1/2004	Kim
7,711,094 B1	5/2010	Olshansky et al.	2004/0032485 A1	2/2004	Stephen, Jr.
7,747,258 B2	6/2010	Farmer	2004/0043775 A1	3/2004	Kennedy et al.
7,764,961 B2	7/2010	Zhu et al.	2004/0044623 A1	3/2004	Wake et al.
7,783,297 B2	8/2010	Ishii	2004/0047461 A1	3/2004	Weisman et al.
7,787,611 B1	8/2010	Kotelly et al.	2004/0068724 A1	4/2004	Gardner, III et al.
7,790,989 B2	9/2010	Delakowitz	2004/0076277 A1	4/2004	Kuusinen et al.
7,792,989 B2	9/2010	Toebes et al.	2004/0098497 A1	5/2004	Banet et al.
7,802,886 B2	9/2010	Kawai	2004/0132465 A1	7/2004	Mattila et al.
7,890,122 B2	2/2011	Walsh	2004/0143852 A1	7/2004	Meyers
8,005,683 B2	8/2011	Tessel et al.	2004/0184584 A1	9/2004	McCalmont et al.
8,027,658 B2	9/2011	Suryanarayana et al.	2004/0185875 A1	9/2004	Diacakis et al.
RE42,927 E	11/2011	Want et al.	2004/0190497 A1	9/2004	Knox
8,060,389 B2	11/2011	Johnson	2004/0192271 A1	9/2004	Eisner et al.
8,308,570 B2	11/2012	Fiedler	2004/0198332 A1	10/2004	Lundsgaard
2001/0021646 A1	9/2001	Antonucci et al.	2004/0198386 A1	10/2004	Dupray
2001/0040886 A1	11/2001	Jimenez et al.	2004/0198396 A1	10/2004	Fransioli
2002/0037735 A1	3/2002	Maggenti et al.	2004/0205151 A1	10/2004	Sprigg et al.
2002/0040272 A1	4/2002	Nagasaka et al.	2004/0229632 A1	11/2004	Flynn et al.
2002/0052214 A1	5/2002	Maggenti et al.	2004/0242238 A1	12/2004	Wang et al.
2002/0061760 A1	5/2002	Maggenti et al.	2004/0267445 A1	12/2004	De Luca et al.
2002/0069529 A1	6/2002	Wieres	2005/0020242 A1	1/2005	Holland et al.
2002/0077083 A1	6/2002	Zellner et al.	2005/0028034 A1	2/2005	Gantman et al.
2002/0077084 A1	6/2002	Zellner et al.	2005/0039178 A1	2/2005	Marolia et al.
2002/0077118 A1*	6/2002	Zellner et al. 455/456	2005/0041578 A1	2/2005	Huotari et al.
2002/0077897 A1	6/2002	Zellner et al.	2005/0043037 A1	2/2005	Ioppe et al.
2002/0085538 A1	7/2002	Leung	2005/0053209 A1	3/2005	D'Evelyn et al.
2002/0086676 A1	7/2002	Hendrey et al.	2005/0063519 A1	3/2005	James
2002/0098832 A1	7/2002	Fleischer et al.	2005/0074107 A1	4/2005	Renner et al.
2002/0102996 A1	8/2002	Jenkins	2005/0078612 A1	4/2005	Lang
2002/0102999 A1	8/2002	Maggenti et al.	2005/0083891 A1	4/2005	Chuang
2002/0111172 A1	8/2002	DeWolf et al.	2005/0083911 A1	4/2005	Grabelsky et al.
2002/0112047 A1	8/2002	Kushwaha et al.	2005/0086467 A1	4/2005	Asokan et al.
2002/0118650 A1	8/2002	Jagadeesan et al.	2005/0090236 A1	4/2005	Schwinke et al.
2002/0119521 A1	8/2002	Palli et al.	2005/0101335 A1	5/2005	Kelly et al.
2002/0123327 A1	9/2002	Vataja	2005/0107673 A1	5/2005	Ball
2002/0126656 A1	9/2002	Park	2005/0112030 A1	5/2005	Gaus
2002/0138650 A1	9/2002	Yamamoto et al.	2005/0119012 A1	6/2005	Merheb et al.
2002/0158777 A1	10/2002	Flick	2005/0125376 A1	6/2005	Curtis et al.
2002/0161633 A1*	10/2002	Jacob et al. 705/14	2005/0134504 A1	6/2005	Harwood et al.
2002/0173317 A1	11/2002	Nykanen et al.	2005/0135569 A1	6/2005	Dickinson et al.
2002/0191595 A1	12/2002	Mar et al.	2005/0136885 A1	6/2005	Kaltsukis
2003/0007886 A1	1/2003	Hwa et al.	2005/0169248 A1	8/2005	Truesdale et al.
2003/0009277 A1	1/2003	Fan et al.	2005/0174991 A1	8/2005	Keagy
2003/0009602 A1	1/2003	Jacobs et al.	2005/0192822 A1	9/2005	Hartenstein et al.
2003/0013449 A1	1/2003	Hose et al.	2005/0201529 A1	9/2005	Nelson et al.
2003/0016804 A1	1/2003	Sheha et al.	2005/0209995 A1	9/2005	Aksu et al.
2003/0026245 A1	2/2003	Ejzak	2005/0213716 A1	9/2005	Zhu et al.
2003/0037163 A1	2/2003	Kitada et al.	2005/0232252 A1	10/2005	Hoover
2003/0044654 A1	3/2003	Holt	2005/0238156 A1	10/2005	Turner
2003/0065788 A1	4/2003	Salomaki	2005/0255857 A1	11/2005	Kim et al.
2003/0072318 A1	4/2003	Lam et al.	2005/0259675 A1	11/2005	Tuohino et al.
2003/0078064 A1	4/2003	Chan	2005/0265318 A1	12/2005	Khartabil et al.
2003/0081557 A1	5/2003	Mettala et al.	2005/0271029 A1	12/2005	Iffland
2003/0086539 A1	5/2003	McCalmont et al.	2005/0282518 A1	12/2005	D'Evelyn et al.
2003/0101329 A1	5/2003	Lahti et al.	2005/0287979 A1	12/2005	Rollender
2003/0103484 A1	6/2003	Oommen et al.	2005/0289097 A1	12/2005	Trossen et al.
2003/0108176 A1	6/2003	Kung et al.	2006/0008065 A1	1/2006	Longman et al.
2003/0109245 A1	6/2003	McCalmont et al.	2006/0010200 A1	1/2006	Mousseau et al.
2003/0119521 A1	6/2003	Tipnis et al.	2006/0023747 A1	2/2006	Koren et al.
2003/0119528 A1	6/2003	Pew et al.	2006/0026288 A1	2/2006	Acharya et al.
2003/0125042 A1*	7/2003	Olrik H04W 4/02 455/456.1	2006/0038753 A1	2/2006	Lee et al.
2003/0137961 A1	7/2003	Tsirsis et al.	2006/0053225 A1	3/2006	Poikselka et al.
2003/0153340 A1	8/2003	Crockett et al.	2006/0068753 A1	3/2006	Karpen et al.
2003/0153341 A1	8/2003	Crockett et al.	2006/0077911 A1	4/2006	Shaffer et al.
2003/0153342 A1	8/2003	Crockett et al.	2006/0078094 A1	4/2006	Breen et al.
2003/0153343 A1	8/2003	Crockett et al.	2006/0079330 A1	4/2006	Dvorak et al.
2003/0161298 A1	8/2003	Bergman et al.	2006/0088152 A1	4/2006	Green et al.
2003/0181160 A1	9/2003	Hirsch	2006/0120517 A1	6/2006	Moon et al.
2003/0186709 A1	10/2003	Rhodes et al.	2006/0128395 A1	6/2006	Muhonen
2003/0196105 A1	10/2003	Fineberg	2006/0135177 A1	6/2006	Winterbottom et al.
2003/0204640 A1	10/2003	Sahinoja et al.	2006/0154710 A1	7/2006	Serafat
2003/0223381 A1	12/2003	Schroderus	2006/0188083 A1	8/2006	Breen et al.
			2006/0193447 A1	8/2006	Schwartz
			2006/0212558 A1	9/2006	Sahinoja et al.
			2006/0234639 A1	10/2006	Kushwaha et al.
			2006/0239205 A1	10/2006	Warrant et al.
			2006/0250987 A1	11/2006	White et al.

(56)

References Cited

FOREIGN PATENT DOCUMENTS

U.S. PATENT DOCUMENTS

2006/0281437 A1 12/2006 Cook
 2006/0293024 A1 12/2006 Benco et al.
 2006/0293066 A1 12/2006 Edge et al.
 2007/0003024 A1 1/2007 Olivier et al.
 2007/0019614 A1 1/2007 Hoffmann
 2007/0021601 A1 1/2007 Doucette-Stamm et al.
 2007/0022011 A1 1/2007 Altberg et al.
 2007/0026854 A1 2/2007 Nath et al.
 2007/0026871 A1 2/2007 Wager
 2007/0027997 A1 2/2007 Polk
 2007/0030539 A1 2/2007 Nath et al.
 2007/0036139 A1 2/2007 Patel et al.
 2007/0041513 A1 2/2007 Gende
 2007/0049288 A1 3/2007 Lamprecht et al.
 2007/0060097 A1 3/2007 Edge et al.
 2007/0081635 A1 4/2007 Croak et al.
 2007/0115941 A1 5/2007 Patel et al.
 2007/0149213 A1 6/2007 Lamba et al.
 2007/0160036 A1 7/2007 Smith
 2007/0162228 A1 7/2007 Mitchell
 2007/0201623 A1 8/2007 Hines et al.
 2007/0202851 A1 8/2007 Hines et al.
 2007/0206568 A1 9/2007 Silver et al.
 2007/0206613 A1 9/2007 Silver et al.
 2007/0242660 A1 10/2007 Xu
 2007/0263610 A1 11/2007 Mitchell
 2007/0270164 A1 11/2007 Maier et al.
 2008/0037715 A1 2/2008 Prozeniuk et al.
 2008/0059304 A1 3/2008 Kimsey
 2008/0063153 A1 3/2008 Krivorot et al.
 2008/0065775 A1 3/2008 Polk
 2008/0117859 A1 5/2008 Shahidi et al.
 2008/0146343 A1 6/2008 Sullivan et al.
 2008/0186164 A1 8/2008 Emigh et al.
 2008/0214202 A1 9/2008 Toomey
 2008/0249967 A1 10/2008 Flinn et al.
 2009/0323636 A1 12/2009 Dillon et al.
 2010/0218664 A1 9/2010 Toledano et al.
 2011/0171977 A1* 7/2011 Putkiranta 455/456.3
 2011/0273568 A1 11/2011 Lagassey
 2012/0001750 A1 1/2012 Monroe
 2012/0189107 A1 7/2012 Dickinson et al.
 2013/0072308 A1 3/2013 Peck et al.
 2013/0079152 A1 3/2013 Hall

WO WO 01/45342 6/2001
 WO WO 02/057869 7/2002
 WO WO 2004/025941 A2 3/2004
 WO WO 2005/051033 A1 6/2005
 WO WO 2007/027166 A3 3/2007

OTHER PUBLICATIONS

PCT International Search Report for corresponding PCT/US2011/001990, completed Apr. 11, 2012 by Officer Blaine R. Copenheaver.
 PCT International Search Report for corresponding PCT/US2011/001971, completed Feb. 6, 2013 by Officer Lee W. Young.
 International Search Report in PCT/US2007/23243 dated Apr. 2, 2008.
 Qualcomm CDMA Technologies, LBS Control Plane/User Plane Overview—80-VD378-1NP B, 2006, pp. 1-36.
 Mike McMullen, Sprint, LBS Roaming Summit, Sep. 19, 2006.
 Bhalla et al., TELUS, Technology Strategy—LBS Roaming Summit, Sep. 19, 2006.
 Alfredo Aguirre, IUSACELL, First and Only Carrier in Mexico with a 3G CDMA Network, 2007.
 Andrew Yeow, BCE, LBS Roaming Summit, Sep. 19, 2006, pp. 1-8.
 Nars Haran, U.S. Cellular Packet Data—Roaming and LVS Overview, Nov. 2, 2007, pp. 1-15.
 Intrado MSAG Prep for E911 Program and Documentation. Intrado Inc., Longmont, CO. Sep. 14, 2006, Accessed: Nov. 8, 2011. Idaho PSAP Standards Communications Commission, http://idahodispatch.com/index.php?option=com_documan&task=doc_downloaded&gid=3&itemid=7.
 Qualcomm CDMA Technologies, LBS Control Plane Roaming—80-VD377-1NP A, 2006, pp. 1-10.
 Intrado Inc., Qwest Detailed SR/ALI to MPC/GMLC Interface Specification for TCP/IP Implementation of TIA/EIA.J-STD-036 E2 with Phase I Location Description Addition, Intrado Informed Response; Apr. 2004; Issue 1.11; pp. 1-57.
 Yilin Zhao, Efficient and Reliable Data Transmission for Cellular and GPS based Mayday Systems. Nov. 1997, IEEE, IEEE Conference on Intelligent Transportation System, 1997, ITSC 97, 555-559.
 Location Based Services V2 Roaming Support (non-proprietary), 80-V8470-2NP A, dated Jan. 27, 2005, pp. 1-56.
 Le-Pond Chin, Jyh-Hong Wen, Ting-Way Liu, The Study of the Interconnection of GSM Mobile Communication System Over IP based Network, May 6, 2001, IEEE, Vehicular Technology Conference, vol. 3, pp. 2219-2223.

* cited by examiner




FIG. 1




FIG. 2






FIG. 3



Area Watch triggered by polling User Equipment

FIG. 4



**When a watched UE enters a defined area,
the location server or UE trigger a message to report the UE location to the Location.**

FIG. 5





FIG. 6



When a watched UE leaves a defined area, the location server or UE trigger a message to report the UE location to the Location.

FIG. 7

1

AREA WATCHER FOR WIRELESS NETWORK

RELATED APPLICATION

This application is a continuation of U.S. patent application Ser. No. 11/360,579, filed 24 Feb. 2006; which is a divisional application of Ser. No. 10/318,171, filed Dec. 13, 2002; which claims the benefit of provisional application Ser. No. 60/367,710, filed Mar. 28, 2002, all of which are incorporated herein in their entirety.

BACKGROUND OF THE INVENTION

Field of the Invention

This invention relates generally to wireless and long distance carriers, Internet service providers (ISPs), and information content delivery services/providers and long distance carriers. More particularly, it relates to location services for the wireless industry.

Background of Related Art

The Location Interoperability Forum (LIF), the Wireless Application Protocol (WAP) Forum, and 3.sup.rd Generation Partnership Project (3GPP) have attempted to define an area trigger via Application Protocol Interfaces (APIs) specific to these groups.

The problem with the above solutions is that they are not well defined or do not implement schemes that would permit functionality to support area watching features such as are provided by the present invention.

SUMMARY OF THE INVENTION

In accordance with the principles of the present invention, a subscriber feature for a wireless system comprises a database associating a particular wireless device with at least one geographic area. An area watcher outputs a trigger message upon the particular wireless device's entry into or exit from the at least one geographic area.

A method of providing a message to a wireless device upon their entry or exit from a pre-defined geographic area in accordance with another aspect of the present invention comprises establishing a watched geographic area. Location information regarding wireless devices is monitored, and an area watch message is triggered upon detection of a particular wireless device's entry into the watched geographic area.

BRIEF DESCRIPTION OF THE DRAWINGS

Features and advantages of the present invention will become apparent to those skilled in the art from the following description with reference to the drawings, in which:

FIG. 1 shows a wireless network tour guide application resident in an SCP of a carrier's wireless intelligent network, in accordance with the principles of the present invention.

FIG. 2 depicts various embodiments of a location determiner shown in FIG. 1.

FIG. 3 depicts an established Area Watch and a relevant watched UE/MS device, in accordance with the principles of the present invention.

FIG. 4 shows an Area Watch event triggered by polling user equipment, in accordance with one aspect of the present invention.

FIG. 5 shows when a watched UE enters a defined area, the location server of UE triggers a message to report the UE location to the Location, in accordance with the principles of the present invention.

2

FIG. 6 shows an Area Watch event triggered by UE/MS software or RAN equipment, in accordance with another aspect of the present invention.

FIG. 7 shows when a watched UE leaves a defined area, the location server or UE triggers a message to report the UE location to the Location, in accordance with the principles of the present invention.

DETAILED DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS

The present invention provides an architecture and method in a wireless messaging and/or telephonic system for providing information regarding when a wireless network device (e.g., a wireless phone) enters and/or leaves a geographically defined area that is being "watched" by an area watcher application. The area watcher application commissions and intertwines location based wireless services in a service provider's network with a message system to automatically provide to a requesting third party information regarding a subscriber's dynamic proximity to a watched area.

An area watcher is a monitoring service that delivers mobile device location information triggered by a wireless subscriber's entry, exit or changing between designated 'watched' areas or locations.

Exemplary techniques of watching a designated area or location include, e.g., 1) continuous polling of the mobile device under the direction of an area watcher application program; 2) a software feature in the mobile device itself pushes its location to an area watcher application program; or 3) devices in the radio network determine a location of the mobile device subject to an area watch application, and pushes the location to an element under the direction of the area watch application.

Definitions of the particular 'areas' being watched are important to the successful implementation of an area watcher. In the disclosed embodiments, geographical codes are used to define the various watched area(s), e.g., postal code, principality, state, and/or country. Alternatively, the watched areas may be defined by their relationship to elements of a particular telecommunication network, e.g., within a particular cell site area, within a particular location area (e.g., a group of cell site areas), within a mobile switching center (MSC) area (i.e., within a group of location areas), and within the Public Land Mobile Network (i.e., within a group of MSC Areas).

An updating service may optionally be implemented wherein the watched area(s) for a particular mobile device may be modified.

The area watcher feature may be preconfigured and left ongoing, or may be a polled type request by a third party requesting confirmation of the presence of a particular wireless user in a particular geographic area.

Area watcher services have many uses. For instance, using an area watcher service that notifies a third party when a wireless user enters an area surrounding their retail store. The retailer might then provide a timely short message to the wireless user relating to sales or promotions occurring at the retail store when they are proximate to it. As another example, a video rental store might send a "reminder" message "Your rentals are overdue", on their wireless device as they walk by the store. Services might remind customers of appointments, or even send directions to a particular floor or office in a building when the client comes close to the

building. The services might even be just geographic in nature, e.g., special events being held nearby. The possibilities are endless.

The area watch service may allow soliciting by third parties, or it may allow soliciting only once permitted by the wireless user (e.g., to let them know of promotions at a particular store or mall whenever they become proximate to it).

FIG. 1 shows a wireless area watcher application **100** for a wireless network application resident in a service control point (SCP) **170** of a carrier's wireless intelligent network **119**, in accordance with the principles of the present invention. While shown resident in an SCP **170**, an area watcher application **100** may be resident in any one (or more) suitable element(s) of a wireless carrier's network, in accordance with the principles of the present invention.

As shown in FIG. 1, an SCP **170** of a carrier's wireless intelligent network **119** is adapted to include a wireless area watcher application **100**. The wireless area watcher **100** communicates with a location management system **160**, a location determiner **130**, and a speed determiner **140**, all in the wireless carrier's network. The wireless network **119** of the disclosed embodiment further includes a Short Message Service Center (SMSC) **150**, Message Servicing Center (MSC) with Visitors Location Register (VLR) **190** and Home Location Register (HLR) **180**. The wireless area watcher **100** in accordance with the principles of the present invention utilizes location information determined by a location determiner **130** to determine a proximate location of a wireless user, and then uses that location information to determine if the wireless user is within an area being watched.

FIG. 2 depicts various examples of location determiners **130** shown in FIG. 1 that may be utilized by the present invention.

In particular, as shown in FIG. 2, the location determiner **130** and location management system **160** perform the location management functions of determining subscriber location. Exemplary techniques implemented in the location determiner **130** are call/sector ID **131**, angle of arrival (AOA) **132**, time difference of arrival (TDOA) **133**, time of arrival (TOA) **134**, all of which are otherwise known in the art. The present invention is entirely separate from the particular type of location detection used. Any suitable type of location determination may be used in conjunction with an area watcher.

Returning to FIG. 1, location information is determined by the location determiner **130** at the wireless network, though location may alternatively be determined in the wireless device itself (e.g., using a Global Positioning Satellite (GPS) system) and provided to the wireless area watcher **100**, which in turn compares the wireless user ID and location information to entries in a watched area database **105**.

Speed information may optionally be determined by the location management system of the wireless network **119**, to augment the area watcher services. For instance, the slower the speed of the wireless user (e.g., indicating a pedestrian rather than a motorist), perhaps the more likely they are to be affected by information about a promotion occurring therein.

The speed determiner **140** may determine speed of a wireless device (e.g., walking tour, driving tour, flying tour, etc.) inferentially. The speed may be used, e.g., to determine relevance of the proximity of the wireless subscriber. For instance, if a wireless subscriber is passing by a retail store

while driving at full speed on an Interstate highway, a message related to the retail store may be more nuisance than benefit.

A location and time history may be maintained by the location management system **160** with respect to particular subscribers being watched by the wireless area watcher **100**.

A generalized determination of speed may be sufficient for many applications, e.g., whether the wireless device acts as if it is consistent with a walking subscriber, driving subscriber, biking subscriber, flying subscriber, etc. The wireless subscriber being watched by the wireless area watcher **100** may alternatively be prompted by the wireless area watcher **100** and/or location management system **160** to manually (or audibly) input a particular mode of transportation, generally indicate whether their speed is less than or greater than a given speed, e.g., less than 5 miles/hour (e.g., walking) or more than 5 miles/hour (e.g., biking, driving, etc.) Of course, the wireless subscriber may also be prompted for location information, which may be input manually, though the present invention is focused more on the advantages that an automated implementation of the area watcher provides.

Voice recognition may be implemented in the carrier's wireless network **119** (e.g., accessible to the SCP **170**) to simplify a user's input of relevant information, e.g., in navigating through an appropriate user interface menu. For instance, a user can speak the name or other identifying feature of areas that they would like to be "watched" in.

FIG. 3 depicts an established area watch feature for at least one particular watched UE/MS device, in accordance with the principles of the present invention.

As shown in FIG. 3, a watched area **120** is defined in any suitable and appropriate manner, e.g., by geographical related boundaries, or by telecommunication network defined boundaries. Exemplary geographical related boundaries include, e.g., by street, by postal code, by principality, and even by state or country. Exemplary telecommunication network defined boundaries include, e.g., by cell site, by location area, by mobile switching center (MSC) area, or by public land mobile network area.

The watched area **120** monitors if/when a watched device **125** enters the boundaries of the watched area **120**. While the boundaries are ideally accurately defined, specific perimeters may be fuzzy due to the nature of radio communications. Nevertheless, the boundaries will be as accurate as the specific location technology being used. For instance, if the watched device includes a Global Positioning Satellite (GPS) system for location information, the boundaries of the watched area will be extremely accurate. On the other hand, if radio communication type location technology such as angle of arrival and/cell sector is used the exact location of the boundaries of the watched area **120** may be somewhat fuzzier.

FIG. 4 shows an Area Watch event triggered by polling user equipment, in accordance with one aspect of the present invention. Elements involved in the events shown in FIG. 4 include a location services client (LCS) client **402**, a location server (LS) **404**, a home location register (HLR) **406**, an MSC/packet data node **408**, a radio access network (RAN) **410**, and user equipment or mobile subscriber (UE/MS) **412**.

The disclosed network elements **402-412** are by way of example only. Of course, other elements in a wireless network may be implemented within the scope of the present invention.

As shown in step **1** of FIG. 4, a location services (LCS) client **402** sends a message and sets up an area to watch to a relevant location server **404**.

5

In step 2, once the area watch feature is setup, messages are sent to the user equipment/mobile subscriber 412 to update the network with current and live location information regarding the mobile subscriber 412, e.g., by MSC location, cell site location, etc.

In step 3, once the location update is made, the location server 404 requests routing information, and location information such as MSC and perhaps cell site information, to the home location register (HLR) 406.

In step 4, the response to the request made in step 3 is sent.

In step 5, location is requested to either the MSC or packet data node 408 for precise location information, e.g., GPS location information, location information provided using triangulation methods, etc.

In step 6, the location request is forwarded to the radio access network (RAN) 410 if needed.

In step 7, a response to the location request is sent to the location server 404.

Steps 2-7 are repeatedly performed in the exemplary embodiment, e.g., at a designated intervals, to monitor for specific mobile subscribers such that the relevant mobile subscriber 412 will be detected upon entering or leaving a particular watched area 120.

In step 8, if the location reported to the location server 404 determines that the mobile subscriber 412 has entered or left a watched area 120, a message is sent to the relevant LCS client 402 (e.g., the LCS client that originally established the area watch feature for that watched area 120, for that mobile subscriber 125, which that mobile subscriber 125 just entered).

FIG. 5 shows when a watched mobile subscriber 125 enters a particular defined watched area 120, the location server 404 of the mobile subscriber 125 triggers a message to report its location, in accordance with the principles of the present invention.

FIG. 6 shows a Area Watch triggered by mobile subscriber software or radio access network equipment, in accordance with the principles of the present invention.

In particular, as shown in step 1 of FIG. 6, a location services client 402 sends a message and sets up an area to watch to the location server 404.

In step 2, once the area watch feature is established and set up, messages are sent to the MSC/packet data node 408 or mobile subscriber 125 to establish a watch for that particular subscriber, in that particular watched area 120.

Software on the mobile subscriber 125 or MSC/packet data node 408 monitor the location of the mobile subscriber 125 until the software determines that the mobile subscriber 125 has entered or left the relevant watched area 120.

In step 3, if the area watcher module determines that any watched mobile subscriber 125 has entered or left this (or other) watched area 120, accurate location information regarding that mobile subscriber 125 is sent to the LCS client 402 that set up the area watch feature in the first place.

Then finally, in step 4, the location information regarding the watched mobile subscriber 125 is forwarded to the relevant LCS client 402 (e.g., the LCS client 402 that originally established the watch for that mobile subscriber 125 in that watched area 120).

FIG. 7 shows that when a watched mobile subscriber 125 leaves a defined watched area, the location server 404 or mobile subscriber 125 triggers a message to report the location of that mobile subscriber 125 to the location server 404, in accordance with the principles of the present invention.

Thus, in accordance with the principles of the present invention, a watched device 125 may report location peri-

6

odically, or in response to repeated or periodic triggers (e.g., polling). The location may be reported, triggering a watched area event, as a result of an action performed by the mobile subscriber wireless device 125, or by its entering or leaving a designated watched area 120.

An area watcher in accordance with the principles of the present invention has particular application for use with vendors of location services (e.g., with GMLS and MPC).

An area watcher in accordance with the principles of the present invention may be implemented with any desirable level of privacy protections, including levels that restrict transmission of location information for those particular subscribers that opt-out of the service, or who otherwise desire that their location information not be provided to third parties. For instance, existence in the watched area may be reported without disclosure of the exact location of the particular mobile subscriber 125.

In accordance with the present invention, information may or may not be provided with respect to when the wireless user 125 exits the area being watched 120, depending upon the particular needs of the wireless carrier. Elimination of "exit" messages would reduce network loading. Alternatively, polling or other occasional updates may be implemented to confirm the continued presence of the mobile subscriber 125 in a particular area 120 being watched. Upon the absence of a confirmation message when expected, the wireless user 125 can then be presumed by the requesting third party to have exited the watched area 120.

Moreover, to assure the privacy of wireless users, accurate location information may be blocked from transmission to the requesting third party. If such a feature is desired, only the affirmative "present" type information, or "not present" information may be provided to the requesting third party. This would indicate merely that the mobile subscriber 125 is somewhere in the watched area 120, but does not want to provide the third party with exact location information.

While the invention has been described with reference to the exemplary embodiments thereof, those skilled in the art will be able to make various modifications to the described embodiments of the invention without departing from the true spirit and scope of the invention.

What is claimed:

1. A wireless device executing an area watcher, the area watcher being configured to:

receive a request to watch a location of the wireless device relative to a geographic area defined by a boundary; detect a privacy protection associated with the wireless device, wherein the privacy protection blocks location information characterizing an exact location of the wireless device from transmission to a third party; provide, in response to detecting the privacy protection, an indication of a presence of the wireless device within the geographic area to a network node of the third party, wherein the indication conforms to rules set in the privacy protection and includes data characterizing a type of travel employed by the wireless device that is based on a speed of the wireless device; and receive a message from the third party in response to providing the indication.

2. The wireless device of claim 1, wherein the geographic area is defined by a zip code.

3. The wireless device of claim 1, wherein the geographic area is defined by boundaries of the reach of a particular cell site.

4. The wireless device of claim 1, wherein the geographic area is defined by proximity to a particular retail establishment.

7

5. The wireless device of claim 1, wherein the area watcher is further configured to provide a request to associate the wireless device with the geographic area.

6. The wireless device of claim 1, wherein the message characterizes a retail offer.

7. The wireless device of claim 1, wherein the message from the third party is selected based on data characterizing the type of travel employed by the wireless device.

8. A method comprising:

receiving a boundary of a geographic area to be watched; detecting, at a wireless device, at least one of entry and exit of the geographic area;

determining, at an area watcher of the wireless device, a type of travel employed by the wireless device based on a speed of the wireless device;

identifying, by the area watcher of the wireless device, a privacy protection associated with the wireless device, wherein the privacy protection blocks location information characterizing an exact location of the wireless device from transmission to a third party;

providing, from the wireless device in response to the identifying, an indication of a presence of the wireless device within the geographic area to a network node of the third party, wherein the indication conforms to rules set in the privacy protection and includes data characterizing a type of travel employed by the wireless device; and

receiving a message from the third part in response to the network node receiving the indication.

9. The method of claim 8, wherein the message relates to unsolicited retail information.

10. The method of claim 8, wherein the detecting is based on a position for the wireless device received from a global positioning system.

11. The method of claim 8, further comprising blocking, at the wireless device, a transmission of the location information.

12. The method of claim 8, wherein the message from the third party is selected based on data characterizing the type of travel employed by the wireless device.

13. A non-transitory machine readable medium having machine readable instructions, the machine readable instructions being configured to:

8

monitor a location of a wireless device relative to a geographic area;

determine a speed of the wireless device;

determine a type of travel of the wireless device based on the speed of the wireless device;

determine that the wireless device has at least one of entered and exited the geographic area;

detect execution of a level of privacy protection that is configured to prevent information characterizing an exact location for the wireless device from being transmitted to a third party;

transmit an indication of a presence of the wireless device being within the geographic area to a network node of the third party in response to the determining and the detecting, wherein the indication conforms to rules set in the privacy protection, wherein the indication of the presence identifies a type of travel employed by the wireless device; and

receive a message from the third party in response to transmitting the indication.

14. The medium of claim 13, wherein machine readable instructions are further configured to provide a request to associate the wireless device with the geographic area.

15. The medium of claim 13, wherein the machine readable instructions are further configured to receive a boundary for the geographic area.

16. The medium of claim 13, wherein the monitoring comprises receiving a poll request for location information for the wireless device.

17. The medium of claim 13, wherein the geographic area is defined by a zip code.

18. The medium of claim 13, wherein the geographic area is defined by proximity to a particular retail establishment.

19. The medium of claim 13, wherein the machine readable instructions are further configured to send a request to a global positioning system for the location information for the wireless device.

20. The medium of claim 13, wherein the message is selected based on data characterizing the type of travel employed by the wireless device.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 9,602,968 B2
APPLICATION NO. : 14/470409
DATED : March 21, 2017
INVENTOR(S) : Gordon Hines et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Claims

Column 7, Line 28 Claim 8, reads "third part" should read --third party--

Signed and Sealed this
Thirtieth Day of May, 2017



Michelle K. Lee
Director of the United States Patent and Trademark Office