

US009602968B2

### (12) United States Patent

Hines et al.

(10) Patent No.: US 9,602,968 B2

(45) Date of Patent: Mar. 21, 2017

### (54) AREA WATCHER FOR WIRELESS NETWORK

(71) Applicant: TELECOMMUNICATION

SYSTEMS, INC., Annapolis, MD (US)

(72) Inventors: **Gordon Hines**, Kirkland, WA (US); **Mario G. Tapia**, Seattle, WA (US);

Will Cousins, Seattle, WA (US)

(73) Assignee: Telecommunication Systems, Inc.,

Annapolis, MD (US)

(\*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 14/470,409

(22) Filed: Aug. 27, 2014

#### (65) Prior Publication Data

US 2014/0364145 A1 Dec. 11, 2014

### Related U.S. Application Data

(60) Continuation of application No. 11/360,579, filed on Feb. 24, 2006, now Pat. No. 9,154,906, which is a (Continued)

(51) Int. Cl.

*H04W 24/00* (2009.01) *H04W 4/02* (2009.01)

(Continued)

(52) **U.S. Cl.** 

CPC ...... *H04W 4/021* (2013.01); *H04L 67/18* (2013.01); *H04W 4/02* (2013.01); *H04W 4/14* (2013.01);

(Continued)

(58) Field of Classification Search

CPC ...... H04W 4/02; H04W 8/08; H04W 64/00 (Continued)

### (56) References Cited

#### U.S. PATENT DOCUMENTS

1,103,073 A 7/1914 O'Connell 4,445,118 A 4/1984 Taylor et al. (Continued)

#### FOREIGN PATENT DOCUMENTS

WO WO 99/21380 4/1999 WO WO 00/40036 7/2000 (Continued)

### OTHER PUBLICATIONS

European Search Report for corresponding EP 06 82 7172, completed Dec. 15, 2009 by Officer Jorg Bohmert.


(Continued)

Primary Examiner — Huy C Ho (74) Attorney, Agent, or Firm — Tarolli, Sundheim, Covell & Tummino LLP

### (57) ABSTRACT

Dynamic and current information is provided regarding a wireless device's entry into or exit from a geographically defined "watched" area. An area watcher application monitors preconfigured wireless devices entry/exit into preconfigured watched areas. The watched areas may watch for any/all subscribers, or for select, preconfigured subscribers listed in an appropriate table or database. Provision of location information is triggered by a wireless subscriber's entry, exit or changing between designated 'watched' areas or locations. Continuous polling may be used, or the mobile device itself or network element may be triggered to push its own location upon notification of its entry into or out of watched areas from an area watcher. A third party may be notified when a wireless user enters an area surrounding their retail store, and be sent a message such as "sale inside", or "Your rentals are overdue", on their wireless device.

### 20 Claims, 7 Drawing Sheets



	Related U.S. A	Application Data	5,432,841	A	7/1995	Rimer
	division of application	n No. 10/318,171, filed on Dec.	5,434,789 5,454,024			Fraker et al. Lebowitz
	13, 2002, now Pat. N		5,461,390		10/1995	
			5,470,233 5,479,408		11/1995 12/1995	Fruchterman et al.
(60)		n No. 60/367,710, filed on Mar.	5,479,408		12/1995	
	28, 2002.		5,485,161			Vaughn Singar et al
(51)	Int. Cl.		5,485,163 5,488,563			Singer et al. Chazelle et al.
` /	H04W 4/14	(2009.01)	5,494,091	A		Freeman et al.
	H04W 64/00	(2009.01)	5,497,149 5,508,931		3/1996 4/1996	
(50)	H04L 29/08	(2006.01)	5,513,243	A	4/1996	Kage
(52)	U.S. Cl.	54/00 (2013.01); H04W 64/006	5,515,287 5,519,403			Hakoyama et al. Bickley et al.
		(2013.01), 110477 04.000	5,530,655	A	6/1996	Lokhoff et al.
(58)	Field of Classification	n Search	5,530,914 5,532,690		6/1996 7/1996	McPheters Hertel
			5,535,434	A	7/1996	Siddoway et al.
	See application file for	or complete search history.	5,539,398 5,539,829			Hall et al. Lokhoff et al.
(56)	Refere	nces Cited	5,543,776	A	8/1996	L'Esperance et al.
()			5,552,772 5,555,286			Janky et al. Tendler
	U.S. PATENT	DOCUMENTS	5,568,119	A	10/1996	Schipper et al.
	4,494,119 A 1/1985	Wimbush	5,574,648 5,579,372		11/1996 11/1996	•
		Martinez Kamil	5,588,009	A	12/1996	Will
		Davis	5,592,535 5,604,486			Klotz Lauro et al.
		Davis	5,606,313		2/1997	Allen et al.
		Sheffer Carroll et al.	5,606,618 5,606,850			Lokhoff et al. Nakamura
		Theile et al.	5,610,815			Gudat et al.
		Scribner et al. Darnell et al.	5,614,890 5,615,116		3/1997 3/1997	Fox Gudat et al.
		Sheffer	5,621,793			Bednarek et al.
	5,068,656 A 11/1991 5,068,891 A 11/1991	Sutherland Marshall	5,628,051 5,633,912		5/1997 5/1997	
	5,070,329 A 12/1991		5,636,276			Brugger
	5,081,667 A 1/1992 5,119,104 A 6/1992		5,661,755 5,682,600		8/1997 10/1997	Van De Kerkhof et al.
	5,144,283 A 9/1992	Arens et al.	5,699,053			
	5,161,180 A 11/1992 5,166,972 A 11/1992	Chavous Smith	5,704,029 5,721,781			Wright, Jr. Deo et al.
		Wagai et al.	5,740,534			Ayerst et al.
	5,193,215 A 3/1993 5,208,756 A 5/1993	Song	5,761,618 5,765,152			Lynch et al.
	5,214,789 A 5/1993	George	5,765,152 5,767,795			Erickson Schaphorst
	5,218,367 A 6/1993 5,223,844 A 6/1993	Sheffer et al. Mansell et al.	5,768,509			Gunluk Egglegten et al
		Koster et al.	5,771,353 5,774,533			Eggleston et al. Patel
	· · · · · · · · · · · · · · · · · · ·	Hartmann Carroll et al.	5,774,670			
	5,283,570 A 2/1994	DeLuca et al.	5,778,304 5,787,357		7/1998	Grube et al 455/456.4 Salin
	5,289,527 A 2/1994 5,293,642 A 3/1994	Tiedemann, Jr. Lo	5,794,142			Vanttila et al.
	, ,	Wortham	5,797,096 5,802,492			Lupien et al. DeLorme et al.
	, , ,	Kuznicki et al. Izidon et al.	5,806,000			Vo et al.
	5,327,529 A 7/1994	Fults et al.	5,809,415 5,812,087			Rossmann Krasner
		Simms et al. Karimullah	, ,			Hult et al.
	5,347,568 A 9/1994	Moody et al.	5,835,907			Khuc et al. Newman
		Lahtinen Class et al.	5,841,396			
	5,363,425 A 11/1994	Mufti et al.	5,864,667			Wright, Jr. et al. Barkan
	5,374,936 A	reng Nakagoshi et al.	5,874,914			Krasner
	5,381,338 A 1/1995	Wysocki et al.	5,896,369 5,920,821			Warsta et al. Seazholtz et al.
		Heller et al. Grimes	5,922,074	A	7/1999	Richard et al.
	5,390,339 A 2/1995	Bruckert et al.	5,930,250 5,930,701		7/1999 7/1999	Klok et al. Skog
	5,394,158 A 2/1995 5,396,227 A 3/1995	Chia Carroll et al.	5,943,399			Bannister et al.
	5,398,190 A 3/1995	Wortham	5,945,944			Krasner
	5,406,614 A		5,946,629 5,946,630			Sawyer et al. Willars et al.
		Westergren et al.	5,950,130			Coursey

## US 9,602,968 B2 Page 3

(56)		Referen	ces Cited				Wright, Jr. et al.
	U.S.	PATENT	DOCUMENTS	6,327,479		12/2001	Soliman et al. Mikkola
				6,330,454		12/2001	
	5,953,398 A	9/1999	Hill	6,333,919		12/2001	2
	5,960,362 A		Grob et al.	6,360,093 6,367,019			Ross et al. Ansell et al.
	5,974,054 A 5,976,685 A		Couts et al. Kelly et al.	6,370,389			Isomursu et al.
	5,983,099 A		Yao et al.	6,377,209			Krasner
	5,987,323 A	11/1999		6,377,810			Geiger et al.
	•		Sheynblat	6,397,208		5/2002	
	6,014,602 A			6,400,314 6,400,958			Krasner Isomursu et al.
	6,032,051 A 6,035,025 A		Hall et al. Hanson	6,411,254			Moeglein et al.
	6,049,710 A		Nilsson	6,421,002			Krasner
	6,052,081 A		Krasner	6,427,001			Contractor et al.
	6,058,300 A		Hanson	6,433,734			Krasner Magne et al
	6,058,338 A		Agashe et al.	6,434,381 6,449,473			Moore et al. Raivisto
	6,061,018 A 6,061,346 A		Sheynblat Nordman	6,449,476			Hutchison, IV et al
	6,064,336 A		Krasner	6,456,852	B2		Bar et al.
	6,064,875 A		Morgan	6,477,150			Maggenti et al.
	6,070,067 A		Nguyen et al.	6,504,491			Christians
	6,075,982 A		Donovan et al.	6,505,049 6,510,387			Dorenbosch Fuchs et al.
	6,081,508 A 6,085,320 A		West et al. Kaliski, Jr.	6,512,922			Burg et al.
	6,101,378 A		Barabash et al.	6,512,930			Sandegren
	6,104,931 A		Havinis et al.	6,515,623			Johnson
	6,108,533 A		Brohoff	6,519,466			Pande et al.
	6,122,503 A	9/2000	_	6,522,682 6,526,026		2/2003	Kohli et al. Menon
	6,122,520 A 6,124,810 A		Want et al. Segal et al.	6,529,500			Pandharipande
	6,131,067 A		Girerd et al.	6,529,829	B2		Turetzky et al.
	6,133,874 A		Krasner et al.	6,531,982			White et al.
	6,134,316 A		Kallioniemi et al.	6,538,757			Sansone
	6,134,483 A		Vayanos et al.	6,539,200 6,539,232		3/2003 3/2003	Hendrey et al.
	6,138,003 A 6,148,197 A		Kingdon et al. Bridges et al.	6,539,304			Chansarkar
	6,148,198 A		Anderson et al.	6,542,464			Takeda et al.
	,	11/2000	Nilsson	6,542,743			Soliman
	, ,		Gorham et al.	6,549,776 6,549,844		4/2003 4/2003	Joong Egberts
	6,173,181 B1	1/2001		6,553,236			Dunko et al.
	6,178,505 B1 6,178,506 B1		Schneider et al. Quick, Jr.	6,556,832			Soliman
	6,181,935 B1		Gossman et al.	6,560,534			Abraham et al.
	6,181,939 B1		Ahvenainen	6,564,261			Gudjonsson et al.
	6,185,427 B1		Krasner et al.	6,570,530 6,571,095		5/2003	Gaal et al. Koodli
	6,188,354 B1 6,188,752 B1		Soliman et al. Lesley	6,574,558		6/2003	
	6,188,909 B1		Alanara et al.	6,584,552	B1	6/2003	Nishimura et al.
	6,189,098 B1		Kaliski, Jr.	6,587,691			Granstam et al.
	6,198,431 B1		Gibson	6,594,500 6,597,311			Bender et al. Sheynblat et al.
	6,199,045 B1		Giniger et al.	6,600,927			Hamilton et al.
	6,199,113 B1 6,205,330 B1		Alegre et al. Winbladh	6,606,554		8/2003	
	6,208,854 B1		Roberts et al.	6,609,495			Cornell et al.
	6,215,441 B1		Moeglein et al.	6,611,757		8/2003	_
	6,219,557 B1		Havinis	6,618,593 6,618,670			Drutman et al. Chansarkar
	6,223,046 B1 6,226,529 B1		Hamill-Keays et al. Bruno et al.	6,621,452			Knockeart et al.
	6,239,742 B1		Krasner	6,621,810	B1	9/2003	Leung
	6,247,135 B1		Feague	6,628,233			Knockeart et al.
	6,248,873 B1		Bilginturan et al.	6,633,255 6,640,184		10/2003 10/2003	
	6,249,680 B1		Wax et al.	/ /			Girerd et al.
	6,249,873 B1 6,253,074 B1		Richard et al. Carlsson et al.	6,665,539			Sih et al.
	6,260,147 B1		Quick, Jr.	6,665,541	B1	12/2003	Krasner et al.
	6,266,614 B1		Àlumbaugh	6,671,620			Garin et al.
	6,275,692 B1	8/2001	~	6,677,894			Sheynblat et al.
	6,275,849 B1		Ludwig	6,680,694 6,680,695			Knockeart et al. Turetzky et al.
	6,278,701 B1 6,289,373 B1		Ayyagari et al. Dezonno	6,687,504		2/2004	•
	6,307,504 B1		Sheynblat	6,691,019			Seeley et al.
	6,308,269 B2	10/2001		6,694,258			Johnson et al.
	6,313,786 B1		Sheynblat et al.	6,694,351			Shaffer et al.
	6,317,594 B1		Gossman et al.	6,697,629			Grilli et al.
	, ,	11/2001		6,698,195			Hellinger
	6,321,092 B1			6,701,144 6,703,971			Kirbas et al. Pande et al.
	6,321,257 B1	11/2001	ixotota et al.	0,703,371	IJΖ	J/ZUU4	rande et al.

## US 9,602,968 B2 Page 4

(56)	References Cited			,	),758 3,684			Mann et al. Simic et al.		
		U.S. I	PATENT	DOCUMENTS		,	1,029			Fors et al.
						,	7,224		6/2005	
	6,703,972			van Diggelen		,	7,238 2,230		6/2005 6/2005	Leung Salkini et al.
	6,704,651 6,707,421			van Diggelen Drury et al.		/	2,395			Benes et al.
	6,711,408			Raith	H04W 36/32	,	2,545			Lundy et al.
	6.514.502	D.1	2/2004	C . 1	340/988	•	5,208 7,331			Garin et al. Gronemeyer
	6,714,793 6,718,174			Carey et al. Vayanos		· ·	,634		8/2005	Peng et al.
	6,720,915			Sheynblat		•	7,187			van Diggelen et al.
	6,721,578			Minear et al.		•	7,872 9,826			Krasner Simard et al.
	6,721,871 6,725,159			Piispanen et al. Krasner		,	,950			Dickinson et al.
	6,728,701		4/2004			,	1,144		9/2005	
	6,731,940			Nagendran		/	1,540 7,772			King et al. Minear et al.
	6,734,821 6,738,013			van Diggelen Orler et al.		,	,058		9/2005	Davis et al.
	6,738,800			Aquilon et al.		,	7,068			Hutchison et al.
	6,741,842			Goldberg et al.		,	1,562 3,557		11/2005 11/2005	
	6,744,856 6,744,858			Karnik et al. Ryan et al.		6,965	5,754	B2	11/2005	King
	6,745,038			Callaway, Jr. et al.		,	5,767			Maggenti et al.
	6,747,596			Orler et al.		,	3,044 ),917			Beason et al. Kushwaha et al.
	6,748,195 6,751,464			Phillips Burg et al.		6,973	3,320	B2	12/2005	Brown et al.
	6,756,938	B2	6/2004	Zhao et al.		,	5,266			Abraham et al.
	6,757,544 6,771,742			Rangarajan et al. McCalmont et al.		,	3,453 ),816			Rao et al. Rohles et al.
	6,771,971		8/2004			6,985	,747	B2	1/2006	Chithambaram
	6,772,340	B1		Peinado et al.		,	3,355 5,720			Pershan DeMello et al.
	6,775,255 6,775,267		8/2004 8/2004	Roy Kung et al.		/	),782			Shaughnessy et al.
	6,775,534			Lindgren et al.		,	5,717			Demos et al.
	6,775,655			Peinado et al.		,	1,321 1,393			Deninger et al. Peinado et al.
	6,775,802 6,778,136		8/2004 8/2004	Gaal Gronemeyer		,	7,667			Sakaida Sakaida
	6,778,885			Agashe et al.		· · · · · · · · · · · · · · · · · · ·	7,411			DeMello et al.
	6,781,963			Crockett et al.		,	5,507 2,667			Mohammed et al. Olrik et al.
	6,788,249 6,795,444			Farmer et al. Vo et al.		,	,857			Maggenti et al.
	6,795,699	B1	9/2004	McCraw et al.		,	3,018 3,574			Hansen et al. Peinado et al.
	6,799,049 6,799,050			Zellner et al. Krasner		,	5,717			Rousseau et al.
	6,801,159			Swope et al.		,	5,466		11/2006	
	6,807,534			Erickson		,	5,838 5,900			Peinado et al. Nix et al.
	6,810,323 6,813,264			Bullock et al. Vassilovski		,	,946			Maggenti et al.
	6,813,560			van Diggelen et al.		,	7,397			McCalmont et al.
	6,816,111		11/2004			,	7,398 7,399			Meer et al. Dawson et al.
	6,816,710 6,816,719		11/2004 11/2004	Heinonen et al.		7,200	,380	B2	4/2007	Havlark et al.
	6,816,734	B2	11/2004	Wong et al.		,	),758 ),969			Moll et al. Lahti et al.
	6,820,269 6,829,475			Baucke et al. Lee et al.		,	3,940			Niemenmaa et al.
	6,832,373		12/2004			/	,900			Lamb et al.
	6,839,020			Geier et al.		/	5,187 ),186			Ezra et al. Zhu et al.
	6,839,021 6,839,417			Sheynblat et al. Weisman et al.		,	),384			Bales et al.
	6,842,715		1/2005			,	),428			Wallenius et al.
	6,847,618			Laursen et al.		,	2,582 1,773			Snapp et al. Hines et al.
	6,847,822 6,853,916			Dennison et al. Fuchs et al.		7,330	,899	B2	2/2008	
	6,861,980	B1		Rowitch et al.		,	3,480 9,508			Clarke et al. Parantainen et al.
	6,865,171 6,865,395		3/2005 3/2005	Nilsson		,	),530		5/2008	
	6,867,733			Sandhu et al.		,	2,773		6/2008	Schoeneberger et al.
	6,867,734			Voor et al.		,	2,240 1,896		6/2008 7/2008	Scriffignano et al.
	6,873,854 6,876,734			Crockett et al. Summers et al.		,	3,939		7/2008	
	6,882,850			McConnell et al.		7,412	2,049	B1	8/2008	Koch
	6,885,874			Grube et al.		,	1,293		9/2008	
	6,885,940 6,888,497			Brodie et al. King et al.		,	5,380 3,571			Hines et al. Ichimura
	6,888,932	B2	5/2005	Snip et al.		7,436	5,785	В1	10/2008	McMullen et al.
	6,895,238			Newell et al.		/	),442			Grabelsky et al.
	6,895,249 6,898,633		5/2005 5/2005	Gaal Lyndersay et al.		•	3,990 5,608			Welenson et al. Chen et al.
	0,000,000	1/1	5/2003	Lymatical of an.		7,772	,,,,,,,,,	~1	2,2007	Chen et al.

## US 9,602,968 B2 Page 5

(56)	Referer	ices Cited	2004/0002326 A1		Maher
U.S.	PATENT	DOCUMENTS	2004/0018689 A1 2004/0032485 A1		Stephen, Jr.
7 572 092 D2	<u>8/2000</u>	Droom at al	2004/0043775 A1 2004/0044623 A1		Kennedy et al. Wake et al.
7,573,982 B2 7,623,447 B1		Breen et al. Faccin et al.	2004/0047461 A1		Weisman et al.
7,711,094 B1		Olshansky et al.	2004/0068724 A1		Gardner, III et al.
7,747,258 B2	6/2010	Farmer	2004/0076277 A1		Kuusinen et al.
7,764,961 B2		Zhu et al.	2004/0098497 A1 2004/0132465 A1		Banet et al. Mattila et al.
7,783,297 B2 7,787,611 B1	8/2010 8/2010	Kotelly et al.	2004/0143852 A1	-	Meyers
7,790,989 B2		Delakowitz	2004/0184584 A1	9/2004	McCalmont et al.
7,792,989 B2		Toebes et al.	2004/0185875 A1		Diacakis et al.
7,802,886 B2		Kawai	2004/0190497 A1 2004/0192271 A1	9/2004 9/2004	Eisner et al.
7,890,122 B2 8,005,683 B2	2/2011 8/2011	waisn Tessel et al.	2004/0198332 A1		Lundsgaard
8,027,658 B2		Suryanarayana et al.	2004/0198386 A1	10/2004	1 7
RE42,927 E	11/2011	Want et al.	2004/0198396 A1		Fransioli
8,060,389 B2		Johnson	2004/0205151 A1 2004/0229632 A1		Sprigg et al. Flynn et al.
8,308,570 B2 2001/0021646 A1	9/2001	Antonucci et al.	2004/0242238 A1		Wang et al.
2001/0021010 A1		Jimenez et al.	2004/0267445 A1	12/2004	De Luca et al.
2002/0037735 A1		Maggenti et al.	2005/0020242 A1		Holland et al.
2002/0040272 A1		Nagasaka et al.	2005/0028034 A1 2005/0039178 A1		Gantman et al. Marolia et al.
2002/0052214 A1 2002/0061760 A1		Maggenti et al. Maggenti et al.	2005/0035178 A1		Huotari et al.
2002/0069529 A1		Wieres	2005/0043037 A1		Ioppe et al.
2002/0077083 A1	6/2002	Zellner et al.	2005/0053209 A1		D'Evelyn et al.
2002/0077084 A1		Zellner et al.	2005/0063519 A1 2005/0074107 A1	3/2005 4/2005	Renner et al.
2002/0077118 A1* 2002/0077897 A1		Zellner et al 455/456 Zellner et al.	2005/0074107 A1 2005/0078612 A1	4/2005	
2002/007/657 A1 2002/0085538 A1		Leung	2005/0083891 A1	4/2005	Chuang
2002/0086676 A1		Hendrey et al.	2005/0083911 A1		Grabelsky et al.
2002/0098832 A1		Fleischer et al.	2005/0086467 A1 2005/0090236 A1		Asokan et al. Schwinke et al.
2002/0102996 A1 2002/0102999 A1		Jenkins Maggenti et al.	2005/0090230 A1		Kelly et al.
2002/0102555 A1		DeWolf et al.	2005/0107673 A1	5/2005	
2002/0112047 A1		Kushwaha et al.	2005/0112030 A1	5/2005	
2002/0118650 A1		Jagadeesan et al.	2005/0119012 A1 2005/0125376 A1		Merheb et al. Curtis et al.
2002/0119521 A1 2002/0123327 A1		Palli et al. Vataja	2005/0125576 711 2005/0134504 A1		Harwood et al.
2002/0125527 AT	9/2002		2005/0135569 A1		Dickinson et al.
2002/0138650 A1		Yamamoto et al.	2005/0136885 A1		Kaltsukis
2002/0158777 A1	10/2002		2005/0169248 A1 2005/0174991 A1		Truesdale et al. Keagy
2002/0161633 A1* 2002/0173317 A1		Jacob et al 705/14 Nykanen et al.	2005/0192822 A1		Hartenstein et al.
2002/0191595 A1		Mar et al.	2005/0201529 A1		Nelson et al.
2003/0007886 A1		Hwa et al.	2005/0209995 A1 2005/0213716 A1		Aksu et al. Zhu et al.
2003/0009277 A1 2003/0009602 A1		Fan et al. Jacobs et al.	2005/0213710 A1 2005/0232252 A1		Hoover
2003/0009002 A1 2003/0013449 A1		Hose et al.	2005/0238156 A1		
2003/0016804 A1		Sheha et al.			Kim et al.
2003/0026245 A1	2/2003	3	2005/0259675 A1 2005/0265318 A1		Tuohino et al. Khartabil et al.
2003/0037163 A1 2003/0044654 A1	3/2003	Kitada et al.	2005/0205510 A1	12/2005	
2003/0044034 A1		Salomaki	2005/0282518 A1	12/2005	D'Evelyn et al.
2003/0072318 A1		Lam et al.	2005/0287979 A1 2005/0289097 A1		Rollender Trasser et al
2003/0078064 A1	4/2003		2005/0289097 A1 2006/0008065 A1		Trossen et al. Longman et al.
2003/0081557 A1 2003/0086539 A1		Mettala et al. McCalmont et al.	2006/0010200 A1		Mousseau et al.
2003/0000339 A1		Lahti et al.	2006/0023747 A1		Koren et al.
2003/0103484 A1		Oommen et al.	2006/0026288 A1		Acharya et al.
2003/0108176 A1		Kung et al.	2006/0038753 A1 2006/0053225 A1		Lee et al. Poikselka et al.
2003/0109245 A1 2003/0119521 A1		McCalmont et al. Tipnis et al.	2006/0068753 A1		Karpen et al.
2003/0119528 A1		Pew et al.	2006/0077911 A1		Shaffer et al.
2003/0125042 A1*	7/2003	Olrik H04W 4/02	2006/0078094 A1 2006/0079330 A1		Breen et al. Dvorak et al.
2003/0137961 A1	7/2002	Tsirtsis et al.	2006/00/9330 A1 2006/0088152 A1		Green et al.
2003/013/961 A1 2003/0153340 A1		Crockett et al.	2006/0120517 A1		Moon et al.
2003/0153341 A1		Crockett et al.	2006/0128395 A1		Muhonen
2003/0153342 A1		Crockett et al.	2006/0135177 A1		Winterbottom et al.
2003/0153343 A1 2003/0161298 A1		Crockett et al. Bergman et al.	2006/0154710 A1 2006/0188083 A1		Serafat Breen et al.
2003/0101298 A1 2003/0181160 A1		Hirsch	2006/0188083 A1 2006/0193447 A1		Schwartz
2003/0186709 A1		Rhodes et al.	2006/0212558 A1		Sahinoja et al.
2003/0196105 A1		Fineberg	2006/0234639 A1	10/2006	Kushwaha et al.
2003/0204640 A1			2006/0239205 A1		
2003/0223381 A1	12/2003	Schröderus	2006/0250987 A1	11/2006	white et al.

#### **References Cited** FOREIGN PATENT DOCUMENTS (56)U.S. PATENT DOCUMENTS WO 6/2001 WO 01/45342 WO WO 02/057869 7/2002 WO 2004/025941 A2 3/2004 WO 2006/0281437 A1 12/2006 Cook WO WO 2005/051033 A1 6/2005 2006/0293024 A1 12/2006 Benco et al. WO WO 2007/027166 A3 3/2007 12/2006 Edge et al. 2006/0293066 A1 Olivier et al. 2007/0003024 A1 1/2007 1/2007 Hoffmann 2007/0019614 A1 OTHER PUBLICATIONS 2007/0021601 A1 1/2007 Doucette-Stamm et al. 2007/0022011 A1 1/2007 Altberg et al. PCT International Search Report for corresponding PCT/US2011/ 2007/0026854 A1 2/2007 Nath et al. 001990, completed Apr. 11, 2012 by Officer Blaine R. Copenheaver. 2/2007 2007/0026871 A1 Wager PCT International Search Report for corresponding PCT/US2011/ 2/2007 Polk 2007/0027997 A1 001971, completed Feb. 6, 2013 by Officer Lee W. Young. 2/2007 Nath et al. 2007/0030539 A1 International Search Report in PCT/US2007/23243 dated Apr. 2, 2007/0036139 A1 2/2007 Patel et al. 2008. 2007/0041513 A1 2/2007 Gende Qualcom CDMA Technologies, LBS Control Plane/User Plane 3/2007 Lamprecht et al. 2007/0049288 A1 Overview—80-VD378-1NP B, 206, pp. 1-36. 3/2007 Edge et al. 2007/0060097 A1 Mike McMullen, Sprint, LBS Roaming Summit, Sep. 19, 2006. 2007/0081635 A1 4/2007 Croak et al. Bhalla et al., TELUS, Technology Strategy—LBS Roaming Sum-2007/0115941 A1 5/2007 Patel et al. mit, Sep. 19, 2006. 2007/0149213 A1 6/2007 Lamba et al. Alfredo Aguirre, IUSACELL, First and Only Carrier in Mexico 2007/0160036 A1 7/2007 Smith with a 3G CDMA Network, 2007. 2007/0162228 A1 7/2007 Mitchell Andrew Yeow, BCE, LBS Roaming Summit, Sep. 19, 2006, pp. 1-8. 2007/0201623 A1 8/2007 Hines et al. Nars Haran, U.S. Cellular Packet Data—Roaming and LVS Over-8/2007 Hines et al. 2007/0202851 A1 view, Nov. 2, 2007, pp. 1-15. 2007/0206568 A1 9/2007 Silver et al. Intrado MSAG Prep for E911 Program and Documentation. Intrado 2007/0206613 A1 9/2007 Silver et al. Inc., Longmont, CO. Sep. 14, 2006, Accessed: Nov. 8, 2011. Idaho Commission, PSAP Standards Communications 2007/0242660 A1 10/2007 Xu idahodispatch.com/index.php?option=com\_documan&task=doc\_ 2007/0263610 A1 11/2007 Mitchell downloaded&gid=3&itemid=7. 11/2007 Maier et al. 2007/0270164 A1 Qualcom CDMA Technologies, LBS Control Plane Roaming—80-2/2008 Prozeniuk et al. 2008/0037715 A1 VD377-1NP A, 2006, pp. 1-10. 3/2008 Kimsey 2008/0059304 A1 Intrado Inc., Qwest Detailed SR/ALI to MPC/GMLC Interface 3/2008 Krivorot et al. 2008/0063153 A1 Specification for TCP/IP Implementation of TIA/EIA.J-STD-036 3/2008 Polk 2008/0065775 A1 E2 with Phase I Location Description Addition, Intrado Informed 5/2008 Shahidi et al. 2008/0117859 A1 Response; Apr. 2004; Issue 1.11; pp. 1-57. 2008/0146343 A1 6/2008 Sullivan et al. Yilin Zhao, Efficient and Reliable Data Transmission for Cellular 8/2008 Emigh et al. 2008/0186164 A1 and GPS based Mayday Systems. Nov. 1997, IEEE, IEEE Confer-9/2008 Toomey 2008/0214202 A1 ence on Intelligent Transportation System, 1997, ITSC 97, 555-559. 2008/0249967 A1 10/2008 Flinn et al. Location Based Services V2 Roaming Support (non-proprietary), 12/2009 Dillon et al. 2009/0323636 A1 80-V8470-2NP A, dated Jan. 27, 2005, pp. 1-56. 9/2010 Toledano et al. 2010/0218664 A1 Le-Pond Chin, Jyh-Hong Wen, Ting-Way Liu, The Study of the 7/2011 Putkiranta ...... 455/456.3 2011/0171977 A1\* Interconnection of GSM Mobile Communication System Over IP 11/2011 Lagassey 2011/0273568 A1 based Network, May 6, 2001, IEEE, Vehicular Technology Confer-1/2012 Monroe 2012/0001750 A1 ence, vol. 3, pp. 2219-2223. 7/2012 Dickinson et al. 2012/0189107 A1 3/2013 Peck et al. 2013/0072308 A1

2013/0079152 A1

3/2013 Hall

<sup>\*</sup> cited by examiner




FIG. 1




FIG. 2






FIG. 3



L C



When a watched UE enters a defined area, the location server or UE trigger a message to report the UE location to the Location.

FIG. 5





FIG. 6



When a watched UE leaves a defined area, the location server or UE trigger a message to report the UE location to the Location.

1

### AREA WATCHER FOR WIRELESS NETWORK

#### RELATED APPLICATION

This application is a continuation of U.S. patent application Ser. No. 11/360,579, filed 24 Feb. 2006; which is a divisional application of Ser. No. 10/318,171, filed Dec. 13, 2002; which claims the benefit of provisional application Ser. No. 60/367,710, filed Mar. 28, 2002, all of which are incorporated herein in their entirety.

### BACKGROUND OF THE INVENTION

Field of the Invention

This invention relates generally to wireless and long <sup>15</sup> distance carriers, Internet service providers (ISPs), and information content delivery services/providers and long distance carriers. More particularly, it relates to location services for the wireless industry.

Background of Related Art

The Location Interoperability Forum (LIF), the Wireless Application Protocol (WAP) Forum, and 3.sup.rd Generation Partnership Project (3GPP) have attempted to define an area trigger via Application Protocol Interfaces (APIs) specific to these groups.

The problem with the above solutions is that they are not well defined or do not implement schemes that would permit functionality to support area watching features such as are provided by the present invention.

### SUMMARY OF THE INVENTION

In accordance with the principles of the present invention, a subscriber feature for a wireless system comprises a database associating a particular wireless device with at least one geographic area. An area watcher outputs a trigger message upon the particular wireless device's entry into or exit from the at least one geographic area.

A method of providing a message to a wireless device upon their entry or exit from a pre-defined geographic area 40 in accordance with another aspect of the present invention comprises establishing a watched geographic area. Location information regarding wireless devices is monitored, and an area watch message is triggered upon detection of a particular wireless device's entry into the watched geographic 45 area.

### BRIEF DESCRIPTION OF THE DRAWINGS

Features and advantages of the present invention will 50 become apparent to those skilled in the art from the following description with reference to the drawings, in which:

- FIG. 1 shows a wireless network tour guide application resident in an SCP of a carrier's wireless intelligent network, in accordance with the principles of the present invention.
- FIG. 2 depicts various embodiments of a location determiner shown in FIG. 1.
- FIG. 3 depicts an established Area Watch and a relevant watched UE/MS device, in accordance with the principles of the present invention.
- FIG. 4 shows an Area Watch event triggered by polling user equipment, in accordance with one aspect of the present invention.
- FIG. **5** shows when a watched UE enters a defined area, the location server of UE triggers a message to report the UE 65 location to the Location, in accordance with the principles of the present invention.

2

FIG. 6 shows an Area Watch event triggered by UE/MS software or RAN equipment, in accordance with another aspect of the present invention.

FIG. 7 shows when a watched UE leaves a defined area, the location server or UE triggers a message to report the UE location to the Location, in accordance with the principles of the present invention.

### DETAILED DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS

The present invention provides an architecture and method in a wireless messaging and/or telephonic system for providing information regarding when a wireless network device (e.g., a wireless phone) enters and/or leaves a geographically defined area that is being "watched" by an area watcher application. The area watcher application commissions and intertwines location based wireless services in a service provider's network with a message system to automatically provide to a requesting third party information regarding a subscriber's dynamic proximity to a watched area.

An area watcher is a monitoring service that delivers mobile device location information triggered by a wireless subscriber's entry, exit or changing between designated 'watched' areas or locations.

Exemplary techniques of watching a designated area or location include, e.g., 1) continuous polling of the mobile device under the direction of an area watcher application program; 2) a software feature in the mobile device itself pushes its location to an area watcher application program; or 3) devices in the radio network determine a location of the mobile device subject to an area watch application, and pushes the location to an element under the direction of the area watch application.

Definitions of the particular 'areas' being watched are important to the successful implementation of an area watcher. In the disclosed embodiments, geographical codes are used to define the various watched area(s), e.g., postal code, principality, state, and/or country. Alternatively, the watched areas may be defined by their relationship to elements of a particular telecommunication network, e.g., within a particular cell site area, within a particular location area (e.g., a group of cell site areas), within a mobile switching center (MSC) area (i.e., within a group of location areas), and within the Public Land Mobile Network (i.e., within a group of MSC Areas).

An updating service may optionally be implemented wherein the watched area(s) for a particular mobile device may be modified.

The area watcher feature may be preconfigured and left ongoing, or may be a polled type request by a third party requesting confirmation of the presence of a particular wireless user in a particular geographic area.

Area watcher services have many uses. For instance, using an area watcher service that notifies a third party when a wireless user enters an area surrounding their retail store.

The retailer might then provide a timely short message to the wireless user relating to sales or promotions occurring at the retail store when they are proximate to it. As another example, a video rental store might send a "reminder" message "Your rentals are overdue", on their wireless device as they walk by the store. Services might remind customers of appointments, or even send directions to a particular floor or office in a building when the client comes close to the

building. The services might even be just geographic in nature, e.g., special events being held nearby. The possibilities are endless.

The area watch service may allow soliciting by third parties, or it may allow soliciting only once permitted by the wireless user (e.g., to let them know of promotions at a particular store or mall whenever they become proximate to it).

FIG. 1 shows a wireless area watcher application 100 for a wireless network application resident in a service control point (SCP) 170 of a carrier's wireless intelligent network 119, in accordance with the principles of the present invention. While shown resident in an SCP 170, an area watcher suitable element(s) of a wireless carrier's network, in accordance with the principles of the present invention.

As shown in FIG. 1, an SCP 170 of a carrier's wireless intelligent network 119 is adapted to include a wireless area watcher application 100. The wireless area watcher 100  $_{20}$ communicates with a location management system 160, a location determiner 130, and a speed determiner 140, all in the wireless carrier's network. The wireless network 119 of the disclosed embodiment further includes a Short Message Service Center (SMSC) 150, Message Servicing Center 25 (MSC) with Visitors Location Register (VLR) 190 and Home Location Register (HLR) 180. The wireless area watcher 100 in accordance with the principles of the present invention utilizes location information determined by a location determiner 130 to determine a proximate location of 30 a wireless user, and then uses that location information to determine if the wireless user is within an area being watched.

FIG. 2 depicts various examples of location determiners invention.

In particular, as shown in FIG. 2, the location determiner 130 and location management system 160 perform the location management functions of determining subscriber location. Exemplary techniques implemented in the location 40 determiner 130 are call/sector ID 131, angle of arrival (AOA) 132, time difference of arrival (TDOA) 130, time of arrival (TOA) 134, all of which are otherwise known in the art. The present invention is entirely separate from the particular type of location detection used. Any suitable type 45 of location determination may be used in conjunction with an area watcher.

Returning to FIG. 1, location information is determined by the location determiner 130 at the wireless network, though location may alternatively be determined in the 50 wireless device itself (e.g., using a Global Positioning Satellite (GPS) system) and provided to the wireless area watcher 100, which in turn compares the wireless user ID and location information to entries in a watched area database 105.

Speed information may optionally be determined by the location management system of the wireless network 119, to augment the area watcher services. For instance, the slower the speed of the wireless user (e.g., indicating a pedestrian rather than a motorist), perhaps the more likely they are to 60 be affected by information about a promotion occurring therein.

The speed determiner 140 may determine speed of a wireless device (e.g., walking tour, driving tour, flying tour, etc.) inferentially. The speed may be used, e.g., to determine 65 relevance of the proximity of the wireless subscriber. For instance, if a wireless subscriber is passing by a retail store

while driving at full speed on an Interstate highway, a message related to the retail store may be more nuisance than benefit.

A location and time history may be maintained by the location management system 160 with respect to particular subscribers being watched by the wireless area watcher 100.

A generalized determination of speed may be sufficient for many applications, e.g., whether the wireless device acts as if it is consistent with a walking subscriber, driving subscriber, biking subscriber, flying subscriber, etc. The wireless subscriber being watched by the wireless area watcher 100 may alternatively be prompted by the wireless area watcher 100 and/or location management system 160 to manually (or audibly) input a particular mode of transporapplication 100 may be resident in any one (or more) 15 tation, generally indicate whether their speed is less than or greater than a given speed, e.g., less than 5 miles/hour (e.g., walking) or more than 5 miles/hour (e.g., biking, driving, etc.) Of course, the wireless subscriber may also be prompted for location information, which may be input manually, though the present invention is focused more on the advantages that an automated implementation of the area watcher provides.

> Voice recognition may be implemented in the carrier's wireless network 119 (e.g., accessible to the SCP 170) to simplify a user's input of relevant information, e.g., in navigating through an appropriate user interface menu. For instance, a user can speak the name or other identifying feature of areas that they would like to be "watched" in.

FIG. 3 depicts an established area watch feature for at least one particular watched UE/MS device, in accordance with the principles of the present invention.

As shown in FIG. 3, a watched area 120 is defined in any suitable and appropriate manner, e.g., by geographical related boundaries, or by telecommunication network 130 shown in FIG. 1 that may be utilized by the present 35 defined boundaries. Exemplary geographical related boundaries include, e.g., by street, by postal code, by principality, and even by state or country. Exemplary telecommunication network defined boundaries include, e.g., by cell site, by location area, by mobile switching center (MSC) area, or by public land mobile network area.

> The watched area 120 monitors if/when a watched device 125 enters the boundaries of the watched area 120. While the boundaries are ideally accurately defined, specific perimeters may be fuzzy due to the nature of radio communications. Nevertheless, the boundaries will be as accurate as the specific location technology being used. For instance, if the watched device includes a Global Positioning Satellite (GPS) system for location information, the boundaries of the watched area will be extremely accurate. On the other hand, if radio communication type location technology such as angle of arrival and/cell sector is used the exact location of the boundaries of the watched area 120 may be somewhat fuzzier.

FIG. 4 shows an Area Watch event triggered by polling user equipment, in accordance with one aspect of the present invention. Elements involved in the events shown in FIG. 4 include a location services client (LCS) client 402, a location server (LS) 404, a home location register (HLR) 406, an MSC/packet data node 408, a radio access network (RAN) 410, and user equipment or mobile subscriber (UE/MS) 412.

The disclosed network elements 402-412 are by way of example only. Of course, other elements in a wireless network may be implemented within the scope of the present invention.

As shown in step 1 of FIG. 4, a location services (LCS) client 402 sends a message and sets up an area to watch to a relevant location server 404.

In step 2, once the area watch feature is setup, messages are sent to the user equipment/mobile subscriber 412 to update the network with current and live location information regarding the mobile subscriber 412, e.g., by MSC location, cell site location, etc.

In step 3, once the location update is made, the location server 404 requests routing information, and location information such as MSC and perhaps cell site information, to the home location register (HLR) 406.

In step 4, the response to the request made in step 3 is sent. In step 5, location is requested to either the MSC or packet data node 408 for precise location information, e.g., GPS location information, location information provided using triangulation methods, etc.

access network (RAN) 410 if needed.

In step 7, a response to the location request is sent to the location server 404.

Steps 2-7 are repeatedly performed in the exemplary embodiment, e.g., at a designated intervals, to monitor for 20 specific mobile subscribers such that the relevant mobile subscriber 412 will be detected upon entering or leaving a particular watched area 120.

In step 8, if the location reported to the location server 404 determines that the mobile subscriber **412** has entered or left 25 a watched area 120, a message is sent to the relevant LCS client 402 (e.g., the LCS client that originally established the area watch feature for that watched area 120, for that mobile subscriber 125, which that mobile subscriber 125 just entered).

FIG. 5 shows when a watched mobile subscriber 125 enters a particular defined watched area 120, the location server 404 of the mobile subscriber 125 triggers a message to report its location, in accordance with the principles of the present invention.

FIG. 6 shows a Area Watch triggered by mobile subscriber software or radio access network equipment, in accordance with the principles of the present invention.

In particular, as shown in step 1 of FIG. 6, a location services client 402 sends a message and sets up an area to 40 watch to the location server 404.

In step 2, once the area watch feature is established and set up, messages are sent to the MSC/packet data node 408 or mobile subscriber 125 to establish a watch for that particular subscriber, in that particular watched area 120. 45

Software on the mobile subscriber 125 or MSC/packet data node 408 monitor the location of the mobile subscriber **125** until the software determines that the mobile subscriber 125 has entered or left the relevant watched area 120.

In step 3, if the area watcher module determines that any 50 watched mobile subscriber 125 has entered or left this (or other) watched area 120, accurate location information regarding that mobile subscriber 125 is sent to the LCS client 402 that set up the area watch feature in the first place.

Then finally, in step 4, the location information regarding 55 the watched mobile subscriber 125 is forwarded to the relevant LCS client 402 (e.g., the LCS client 402 that originally established the watch for that mobile subscriber 125 in that watched area 120).

FIG. 7 shows that when a watched mobile subscriber **125** 60 leaves a defined watched area, the location server 404 or mobile subscriber 125 triggers a message to report the location of that mobile subscriber 125 to the location server 404, in accordance with the principles of the present invention.

Thus, in accordance with the principles of the present invention, a watched device 125 may report location peri-

odically, or in response to repeated or periodic triggers (e.g., polling). The location may be reported, triggering a watched area event, as a result of an action performed by the mobile subscriber wireless device 125, or by its entering or leaving a designated watched area 120.

An area watcher in accordance with the principles of the present invention has particular application for use with vendors of location services (e.g., with GMLS and MPC).

An area watcher in accordance with the principles of the present invention may be implemented with any desirable level of privacy protections, including levels that restrict transmission of location information for those particular subscribers that opt-out of the service, or who otherwise desire that their location information not be provided to third In step 6, the location request is forwarded to the radio 15 parties. For instance, existence in the watched area may be reported without disclosure of the exact location of the particular mobile subscriber 125.

> In accordance with the present invention, information may or may not be provided with respect to when the wireless user 125 exits the area being watched 120, depending upon the particular needs of the wireless carrier. Elimination of "exit" messages would reduce network loading. Alternatively, polling or other occasional updates may be implemented to confirm the continued presence of the mobile subscriber 125 in a particular area 120 being watched. Upon the absence of a confirmation message when expected, the wireless user 125 can then be presumed by the requesting third party to have exited the watched area 120.

Moreover, to assure the privacy of wireless users, accurate location information may be blocked from transmission to the requesting third party. If such a feature is desired, only the affirmative "present" type information, or "not present" information may be provided to the requesting third party. This would indicate merely that the mobile subscriber 125 is somewhere in the watched area 120, but does not want to provide the third party with exact location information.

While the invention has been described with reference to the exemplary embodiments thereof, those skilled in the art will be able to make various modifications to the described embodiments of the invention without departing from the true spirit and scope of the invention.

What is claimed:

1. A wireless device executing an area watcher, the area watcher being configure to:

receive a request to watch a location of the wireless device relative to a geographic area defined by a boundary; detect a privacy protection associated with the wireless device, wherein the privacy protection blocks location information characterizing an exact location of the wireless device from transmission to a third party;

provide, in response to detecting the privacy protection, an indication of a presence of the wireless device within the geographic area to a network node of the third party, wherein the indication conforms to rules set in the privacy protection and includes data characterizing a type of travel employed by the wireless device that is based on a speed of the wireless device; and

receive a message from the third party in response to providing the indication.

- 2. The wireless device of claim 1, wherein the geographic area is defined by a zip code.
- 3. The wireless device of claim 1, wherein the geographic area is defined by boundaries of the reach of a particular cell site.
- 4. The wireless device of claim 1, wherein the geographic area is defined by proximity to a particular retail establishment.

7

- 5. The wireless device of claim 1, wherein the area watcher is further configured to provide a request to associate the wireless device with the geographic area.
- 6. The wireless device of claim 1, wherein the message characterizes a retail offer.
- 7. The wireless device of claim 1, wherein the message from the third party is selected based on data characterizing the type of travel employed by the wireless device.
  - 8. A method comprising:

receiving a boundary of a geographic area to be watched; detecting, at a wireless device, at least one of entry and exit of the geographic area;

determining, at an area watcher of the wireless device, a type of travel employed by the wireless device based on a speed of the wireless device;

identifying, by the area watcher of the wireless device, a privacy protection associated with the wireless device, wherein the privacy protection blocks location information characterizing an exact location of the wireless device from transmission to a third party;

providing, from the wireless device in response to the <sup>20</sup> identifying, an indication of a presence of the wireless device within the geographic area to a network node of the third party, wherein the indication conforms to rules set in the privacy protection and includes data characterizing a type of travel employed by the wireless <sup>25</sup> device; and

receiving a message from the third part in response to the network node receiving the indication.

- 9. The method of claim 8, wherein the message relates to unsolicited retail information.
- 10. The method of claim 8, wherein the detecting is based on a position for the wireless device received from a global positioning system.
- 11. The method of claim 8, further comprising blocking, at the wireless device, a transmission of the location information.
- 12. The method of claim 8, wherein the message from the third party is selected based on data characterizing the type of travel employed by the wireless device.
- 13. A non-transitory machine readable medium having 40 machine readable instructions, the machine readable instructions being configured to:

8

monitor a location of a wireless device relative to a geographic area;

determine a speed of the wireless device;

determine a type of travel of the wireless device based on the speed of the wireless device;

determine that the wireless device has at least one of entered and exited the geographic area;

detect execution of a level of privacy protection that is configured to prevent information characterizing an exact location for the wireless device from being transmitted to a third party;

transmit an indication of a presence of the wireless device being within the geographic area to a network node of the third party in response to the determining and the detecting, wherein the indication conforms to rules set in the privacy protection, wherein the indication of the presence identifies a type of travel employed by the wireless device; and

receive a message from the third party in response to transmitting the indication.

- 14. The medium of claim 13, wherein machine readable instructions are further configured to provide a request to associate the wireless device with the geographic area.
- 15. The medium of claim 13, wherein the machine readable instructions are further configured to receive a boundary for the geographic area.
- 16. The medium of claim 13, wherein the monitoring comprises receiving a poll request for location information for the wireless device.
  - 17. The medium of claim 13, wherein the geographic area is defined by a zip code.
  - 18. The medium of claim 13, wherein the geographic area is defined by proximity to a particular retail establishment.
  - 19. The medium of claim 13, wherein the machine readable instructions are further configured to send a request to a global positioning system for the location information for the wireless device.
  - 20. The medium of claim 13, wherein the message is selected based on data characterizing the type of travel employed by the wireless device.

\* \* \* \*

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 9,602,968 B2

APPLICATION NO. : 14/470409

DATED : March 21, 2017

INVENTOR(S) : Gordon Hines et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Claims

Column 7, Line 28 Claim 8, reads "third part" should read --third party--

Signed and Sealed this Thirtieth Day of May, 2017

Michelle K. Lee

Michelle K. Lee

Director of the United States Patent and Trademark Office