

US009695220B2

(12) **United States Patent**  
**Vandenberghe et al.**

(10) **Patent No.:** **US 9,695,220 B2**  
(45) **Date of Patent:** **Jul. 4, 2017**

(54) **METHODS OF PREDICTING ANCESTRAL VIRUS SEQUENCES AND USES THEREOF**

2039/525 (2013.01); A61K 2039/6075 (2013.01); C12N 2750/14121 (2013.01); C12N 2750/14122 (2013.01); C12N 2750/14141 (2013.01); C12N 2750/14142 (2013.01); C12N 2750/14143 (2013.01); C12N 2750/14171 (2013.01)

(71) Applicants: **Massachusetts Eye & Ear Infirmary**, Boston, MA (US); **Schepens Eye Research Institute**, Boston, MA (US)

(72) Inventors: **Luk H. Vandenberghe**, Weston, MA (US); **Eric Zinn**, Brighton, MA (US)

(58) **Field of Classification Search**  
None  
See application file for complete search history.

(73) Assignees: **Massachusetts Eye & Ear Infirmary**, Boston, MA (US); **Schepens Eye Research Institute**, Boston, MA (US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

7,906,111 B2 \* 3/2011 Wilson ..... C07K 14/005 424/199.1

(21) Appl. No.: **15/095,856**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Apr. 11, 2016**

WO WO 2006110689 A2 \* 10/2006 ..... A61K 48/0091

(65) **Prior Publication Data**

US 2016/0215024 A1 Jul. 28, 2016

**Related U.S. Application Data**

(63) Continuation-in-part of application No. PCT/US2014/060163, filed on Oct. 10, 2014.

(60) Provisional application No. 61/889,827, filed on Oct. 11, 2013.

OTHER PUBLICATIONS

Adachi et al., "MOLPHY: Programs for Molecular Phylogenetics based on Maximum Likelihood," Tokyo Institute of Statistical Mathematics, 1996, ed.

(Continued)

*Primary Examiner* — Janet L Andres

*Assistant Examiner* — M. Franco Salvoza

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.

(51) **Int. Cl.**

A61K 39/235 (2006.01)  
A61K 39/00 (2006.01)  
C07K 14/005 (2006.01)  
C07K 14/00 (2006.01)  
C12N 15/86 (2006.01)  
C12N 7/00 (2006.01)


(57) **ABSTRACT**

Methods are described for predicting ancestral sequences for viruses or portions thereof. Also described are predicted ancestral sequences for adeno-associated virus (AAV) capsid polypeptides. The disclosure also provides methods of gene transfer and methods of vaccinating subjects by administering a target antigen operably linked to the AAV capsid polypeptides.

(52) **U.S. Cl.**

CPC ..... C07K 14/005 (2013.01); A61K 39/00 (2013.01); C07K 14/00 (2013.01); C12N 7/00 (2013.01); C12N 15/86 (2013.01); A61K

**9 Claims, 23 Drawing Sheets**



(56)

## References Cited

## OTHER PUBLICATIONS

Altschul et al., "Gapped BLAST and PSI-BLAST: A new generation of protein database search programs," *Nucleic Acids Res.*, 1997, 25:3389-3402.

Anisimova et al., "Approximate likelihood-ratio test for branches: A fast, accurate, and powerful alternative," *Systematic Biology*, 2006, 55:539-52.

Balazs et al., "Antibody-based protection against HIV infection by vectored immunoprophylaxis," *Nature*, 2012, 481:81-4.

Balazs et al., "Broad protection against influenza infection by vectored immunoprophylaxis in mice," *Nat. Biotechnol.*, 2013, 31:647-52.

Boutin et al., 2010, "Prevalence of serum IgG and neutralizing factors against AAV types 1, 2, 5, 6, 8 and 9 in the healthy population: implications for gene therapy using AAV vectors," *Hum. Gene Ther.*, 21:704-12.

Calcedo et al., "Worldwide Epidemiology of Neutralizing Antibodies to Adeno-Associated Viruses," *J. Infect. Dis.*, 2009, 199:381-90.

Cao et al., 1994, *J. Mol. Evol.*, 39:519-27.

Darriba et al., "ProTest3: Fast selection of best-fit models of protein evolution," *Bioinformatics*, 2011, 27(8):1164-5.

Dayhoff et al., "A model of Evolutionary Change in Proteins," 1978, pp. 345-352.

Deal et al., "Vectored antibody gene delivery protects against plasmodium falciparum sporozoite challenge in mice," *PNAS USA*, 2014, 111:12528-32.

Edgar, "MUSCLE: A multipole sequence alignment method with reduced time and space complexity," *BMC Bioinform.*, 2004, 5:113.

Fisher et al., "Recombinant adeno-associated virus for muscle directed gene therapy," 1997, *Nature Med.*, 3:306-12.

Gascuel, "BioNJ: An improved version of the NJ algorithm based on a simple model of sequence data," *Mol. Biol. Evol.*, 1997, 14:685-95.

Guindon et al., "A simple, fast, and accurate algorithm to estimate large phylogenies by maximum likelihood," *Systematic Biology*, 2003, 52:696-704.

Henikoff et al., "Amino acid substitution matrices from protein blocks," *PNAS USA*, 1992, 89:10915-9.

Jones et al., "The rapid generation of mutation data matrices from protein sequences," 1992, *Comp. Appl. Biosci.*, 8:275-82.

Katoh et al., "MAFFT version 5: Improvement in accuracy of multiple sequence alignment," *Nuc. Acids Res.*, 2005, 33:511-8.

Lassmann et al., "Kalign, Kalignvu and Mumsa: Web servers for multiple sequence alignment," *Nuc. Acids Res.*, 2006, 34:W596-99.

Limberis et al., "Intranasal antibody gene transfer in mice and ferrets elicits broad protection against pandemic influenza," *Sci. Transl. Med.*, 2013, 5:187ra72.

Loytynoja et al., "An Algorithm for progressive multiple alignment of sequences with insertions," *PNAS USA*, 2005, 102:10557-62.

Loytynoja et al., "Phylogeny-Aware Gap Placement Prevents Errors in Sequence Alignment and Evolutionary Analysis," *Science*, 2008, 320:1632-5.

Manning et al., "Transient immunosuppression allows transgene expression following readministration of adeno-associated viral vectors," 1998, *Human Gene Ther.*, 9:477-85.

Mao et al., "Persistent Suppression of Ocular Neovascularization with intravitreal administration of AA Vrh.10 coding for Bevacizumab," *Hum. Gene Ther.*, 2011, 22:1525-35.

Paul et al., "Determination of hepatitis E virus seroprevalence by using recombinant fusion proteins and synthetic peptides," 1994, *J. Infect. Dis.*, 169:801-6.

Reeves, "Heterogeneity in the substitution process of amino acid sites of proteins coded for by mitochondrial DNA," 1992, *J. Mol. Evol.*, 35:17-31.

Sakhria et al., "Co-Circulation of Toscana Virus and Punique Virus in Northern Tunisia: A microneutralisation-based seroprevalence study," *PLOS Negl. Trop. Dis.*, 2013, 7:e2429.

Sauerbrei et al., "Seroprevalence of herpes simplex virus type 1 and type 2 in Thuringia, Germany, 1999 to 2006," *Euro Surveill.*, 2011, 16(44):3).

Schneider et al., "Empirical codon substitution matrix," *BMC Bioinform.*, 2005, 6:134.

Schwarz, "Estimating the Dimension of a Model," *Ann. Statist.* 1978, 6:461-4.

Watanabe et al., "AA Vrh 10-mediated genetic delivery of bevacizumab to the pleura to provide local anti-VEGF to suppress growth of metastatic lung tumors," *Gene Ther.*, 2010, 17:1042-51.

Whelan et al., "A general empirical model of protein evolution derived from multiple protein families using a maximum-likelihood approach," *Mol. Biol. Evol.*, 2001, 18:691-9.

Xu et al., "Seroprevalence of herpes simplex virus types 1 and 2 in pregnant women in the United States," *Am. J. Obstet. Gynecol.*, 2007, 196:43.e1-6.

Yang, "Maximum-likelihood estimation of phylogeny from DNA sequences when substitution rates differ over sites," *Mol. Biol. Evol.*, 1993, 10:1396-1401.

Yang, "PAML: A program package for phylogenetic analysis by maximum likelihood," *Comp. Applic. BioSci.*, 1997, 13:555-6.

\* cited by examiner




FIG. 1



○	E	I	K	A	T	N	P	V	A	T	E	R	F	G	T	V	A	V	N	F	Q
○	E	I	K	A	T	N	P	V	A	T	E	R	F	G	T	V	A	V	N	L	Q
○	E	I	R	T	T	N	P	V	A	T	E	Q	Y	G	S	V	S	T	N	L	Q
○	E	I	R	T	T	N	P	V	A	T	E	Q	Y	G	T	V	A	N	N	L	Q

FIG. 2A




FIG. 2B

○	E	I	K	A	T	N	P	V	A	T	E	R	F	G	T	V	A	V	N	L	Q
○	E	I	R	T	T	N	P	V	A	T	E	Q	Y	G	T	V	A	T	N	L	Q
○	E	I	K	T	T	N	P	V	A	T	E	Q	Y	G	T	V	A	T	N	L	Q

FIG. 2C




FIG. 2D




FIG. 3




FIG. 3 (Cont.)





```

L0065      410      420      430      440      450      460      470      480      490      500
S...L...R...T...G...N...N...F...Q...F...S...Y...T...F...E...D...V...F...H...S...S...Y...A...H...S...Q...S...L...D...R...L...M...N...P...L...I...D...Q...Y...L...Y...L...S...R...T...Q...T...S...G...T...A...G...N...R...I...L...Q...F...S...Q...A...G...P...S...M...A...N...Q...A...K...N...W...L...P...G...C...Y...R...Q...Q...R...V...S...K...I...T...N...Q...N...N...S...N
L0027      E...
L0033      E...
L0036      E...
L0044      E...
L0059      E...
L0060      E...
L0062      E...

L0065      510      520      530      540      550      560      570      580      590      600
F...A...W...T...G...A...T...K...Y...H...L...N...G...R...D...S...L...V...N...P...G...P...A...M...A...T...H...K...D...E...D...K...F...F...P...M...S...G...V...L...I...F...G...K...Q...G...A...G...N...S...N...V...D...L...D...N...V...M...I...T...N...E...E...I...K...T...N...P...V...A...T...E...E...Y...G...T...V...A...T...N...L...Q...S...A...N...F...A...P...A...T...G...I...V...N...S...Q...Q
L0027      Q...
L0033      S...
L0036      S...
L0044      Q...
L0059      S...
L0060      S...
L0062      S...

L0065      610      620      630      640      650      660      670      680      690      700
A...L...P...G...M...V...W...Q...D...R...D...V...Y...L...Q...P...I...W...A...K...I...P...H...T...D...G...H...F...P...S...P...L...M...G...G...F...G...L...K...H...P...P...Q...I...L...I...K...N...T...E...V...P...A...N...P...E...T...T...F...S...P...A...K...F...A...S...I...T...Q...Y...S...T...G...Q...V...S...V...E...I...E...W...E...L...Q...E...N...S...K...R...W...N...F...E...I...Q
L0027      N...
L0033      N...
L0036      N...
L0044      E...
L0059      E...
L0060      E...
L0062      E...

L0065      710      720      730
Y...T...S...N...Y...N...K...S...T...N...V...D...F...A...V...D...T...N...G...V...Y...S...E...P...R...P...I...G...T...R...Y...L...T...R...N...L...*
L0027      *
L0033      *
L0036      *
L0044      *
L0059      *
L0060      *
L0062      *

```

FIG. 4 (Cont.)



```

10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100
L0065 M A A D G Y L P D W L E D N L S E G I R E W W D L K F G A P K P K A N Q Q K O D D G R G L V L E G Y K Y L G F E N G L D K G E P V N A A D A A A L E H D K A Y D Q Q L K A G D N P Y L R Y N H A D A E F
L0027
L0033
L0036
L0060
L0062
L0044
L0059
AAV8 A . . . . . A . . . . . Q . . . . . Q . . . . .
AAV9 A . . . . . A . . . . . H . N A . . . . . G . . . . . K . . . . .
AAV6
AAV1
AAV2 T . . . . . Q . K . . . . . P . P . P A E R H K . S . . . . . E . . . . . R . D S . . . . . K . . . . .
AAV3 A . . . . . A . . . . . V . Q . . . . . H . N R . . . . . G . . . . . E . . . . . E . . . . . K . . . . .
AAV3B A . . . . . A . . . . . V . Q . . . . . H . N R . . . . . G . . . . . E . . . . . E . . . . . K . . . . .
AAV7

```

```

110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200
Q E R L Q E D T S F G G N L G R A V F Q A K R R V L E P L G L V E G A K T A P G K R R V E Q S P Q - E P D S S S G I G K K G Q Q F A R K R L N F G Q T G D S E S V P D P Q P L G E P P A A P S G V G
L0065
L0027
L0033
L0036
L0060
L0062
L0044
L0059
AAV8 K . . . . . L . . . . . A . . . . . P . R S . . . . . T . . . . . S . A . . . . . K . . . . . I . . . . .
AAV9 T . . . . . F . . . . . A . . . . . T . . . . . T . . . . . T . . . . . T . . . . . T . A A . . . . .
AAV6 K . . . . . P V . . . . . H . V . . . . . T . A . . . . . T . . . . . T . . . . . T . A A . . . . .
AAV1 I . . . . . A . . . . . G A D . . . . . V . S . K . . . . . V . S . K . . . . . Q . . . . . L . . . . .
AAV2 I . . . . . I . . . . . A . . . . . D . . . . . P . R S . . . . . T . . . . . T . S L . . . . .
AAV3B I . . . . . I . . . . . A . . . . . A . . . . . P . R S . . . . . T . . . . . T . S L . . . . .
AAV7

```

FIG. 5A









```

610      620      630      640      650      660      670      680      690      700
SQA...LPGMVWQDRD...VYLG...PIWAKIP...HFDG...H...F...P...S...P...L...M...G...F...G...L...K...H...P...P...Q...I...L...I...K...N...T...P...P...A...N...P...P...T...T...E...S...P...A...K...F...A...S...F...I...T...Q...Y...S...T...G...Q...V...S...V...E...I...E...W...E...L...Q...K...E...N...S...K...R...W...N...P
L0065
L0027
L0033
L0036
L0060
L0062
L0044
L0059
AAV8
AAV9
AAV6
AAV1
AAV2
AAV3
AAV3B
AAV7

```

```

710      720      730
EIQ...Y...T...S...N...Y...K...S...T...N...V...D...F...A...V...D...T...N...G...V...Y...S...E...F...R...F...I...G...T...R...Y...L...T...R...N...I
L0065
L0027
L0033
L0036
L0060
L0062
L0044
L0059
AAV8
AAV9
AAV6
AAV1
AAV2
AAV3

```

FIG. 5B (Cont.)






FIG. 6






FIG. 7



VP1 seq. Δ	AAV5	AAV2	AAV8	rh10	Anc80L65	Anc80Lib
AAV5	ID	43.0%	42.6%	43.0%	40.5%	39.9-40.5%
AAV2	320	ID	17.1%	15.9%	12.2%	12.0-12.8%
AAV8	317	127	ID	6.5%	9.1%	8.7-10.1%
rh10	320	118	48	ID	8.6%	7.8-8.9%
L0065	301	91	68	64		0-1.5%
Anc80Lib	297-302	89-95	65-75	58-66	0-11	ID

FIG. 8






FIG. 9A




FIG. 9C




FIG. 9B




FIG. 9D







FIG. 10A



Anc80-L0065

AAV2/8

AAV2/2




FIG. 10C

in vivo  
(C57Bl/6)

in vitro  
(Human)  
HEK293



	Anc81	Anc127	Anc83	Anc84	Anc110	Anc113	AAV3	AAV1	AAV2
L0065	ID	97.2%	94.0%	92.1%	94.0%	90.7%	90.5%	89.5%	87.9%
Anc81	ID	95.5%	95.6%	93.9%	95.1%	92.1%	88.6%	88.3%	86.7%
Anc126	ID	93.6%	92.0%	90.7%	92.5%	89.1%	91.9%	91.5%	89.2%
Anc127	ID	97.4%	90.7%	89.7%	90.7%	88.3%	94.4%	89.4%	90.7%
Anc82	ID	91.7%	98.2%	96.2%	97.4%	94.7%	86.8%	86.4%	85.2%
Anc83	ID	97.8%	97.8%	95.6%	96.0%	91.7%	86.1%	85.3%	84.8%
Anc84	ID	93.7%	93.7%	94.5%	94.5%	91.3%	85.5%	85.0%	84.1%
Anc110	ID	92.5%	92.5%	90.5%	92.5%	88.2%	86.3%	86.5%	85.6%
AAV8	ID	89.7%	89.7%	87.8%	87.8%	96.4%	85.3%	84.0%	82.9%
Anc113	ID	96.4%	84.2%	85.9%	84.2%	85.0%	86.7%	83.8%	83.3%
AAV7	ID	86.4%	83.2%	82.4%	86.4%	87.3%	83.7%	82.3%	81.8%
AAV3	ID	83.2%	82.4%	81.9%	83.2%	82.4%	81.9%	81.8%	81.8%
AAV1	ID	81.9%	81.9%	81.9%	81.9%	81.9%	81.9%	81.9%	81.9%
AAV2	ID	81.9%	81.9%	81.9%	81.9%	81.9%	81.9%	81.9%	81.9%
AAV9	ID	81.9%	81.9%	81.9%	81.9%	81.9%	81.9%	81.9%	81.9%

FIG. 11A



	Anc81	Anc127	Anc83	Anc84	Anc110	AAV3	Anc113	AAV7	AAV2	AAV1	AAV9
L0065	Anc126	Anc82	Anc83	Anc84	Anc110	AAV3	Anc113	AAV7	AAV2	AAV1	AAV9
L0065	ID	94.3%	92.1%	90.2%	92.1%	88.5%	90.6%	92.1%	88.7%	86.8%	84.1%
Anc81	94.7%	96.6%	94.3%	92.7%	93.6%	90.4%	88.4%	93.4%	89.7%	85.2%	84.4%
Anc126	ID	91.5%	89.7%	88.7%	89.9%	86.7%	92.6%	89.9%	86.5%	89.5%	83.3%
Anc127	ID	90.2%	88.7%	88.0%	88.5%	86.3%	94.9%	88.2%	85.2%	87.6%	83.1%
Anc82	ID	97.7%	95.7%	97.0%	93.8%	86.1%	90.6%	87.1%	85.6%	82.8%	86.3%
Anc83	ID	97.7%	97.7%	94.7%	95.5%	85.0%	89.3%	86.3%	84.8%	81.4%	85.6%
Anc84	ID	93.4%	84.8%	88.4%	88.4%	84.8%	88.4%	85.8%	84.4%	81.6%	84.6%
Anc110	ID	91.4%	85.0%	88.0%	85.0%	85.0%	88.0%	85.6%	85.7%	82.4%	87.8%
AAV8	ID	84.5%	86.7%	84.5%	82.4%	82.4%	86.7%	84.5%	82.4%	80.1%	83.5%
AAV3	ID	85.4%	85.4%	82.8%	88.9%	85.7%	85.4%	82.8%	88.9%	85.7%	80.9%
Anc113	ID	95.8%	95.8%	84.1%	83.5%	80.5%	ID	95.8%	84.1%	83.5%	80.5%
AAV7	ID	82.4%	82.4%	81.8%	81.8%	78.9%	ID	82.4%	81.8%	81.8%	78.9%
AAV2	ID	83.3%	83.3%	81.4%	81.4%	81.4%	ID	83.3%	81.4%	81.4%	81.4%
AAV1	ID	79.6%	79.6%	79.6%	79.6%	79.6%	ID	79.6%	79.6%	79.6%	79.6%
AAV9	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID

FIG. 11B




FIG. 12



Viral Production Relative to AAV8 (%)	
Anc80-L0065	21.75%
Anc81	54.14%
Anc82	100.99%
Anc83	76.86%
Anc84	91.20%
Anc110	118.97%
Anc113	183.10%
Anc126	2.71%
Anc127	25.34%
AAV2	32.56%
Neg	0.27%

FIG. 13






FIG. 14






FIG. 15



Viral Infectivity Relative to AAV8 (%)	
Anc80-L0065	850.83%
Anc81	102.26%
Anc82	28.31%
Anc83	47.36%
Anc84	68.78%
Anc110	24.56%
Anc113	117.12%
Anc127	113.78%
AAV2	5225.61%
Neg	0.35%

FIG. 16



	AAV8	AAV2	Anc80- L0065	Anc81	Anc82	Anc83	Anc84	Anc110	Anc113	Anc126	Anc127
Infectivity	=	+++	+++	=	-	-	-	--	=	ND	=
Production	=	-	--	-	=	=	=	=	++	--	-

Key

- +++ : > 225%
- ++ : 175% - 224.5%
- + : 125 - 174.9%
- = : 75% - 124.9%
- : 25-74.9%
- : 0-24.9%
- ND : Not Determined

FIG. 17



## 1

**METHODS OF PREDICTING ANCESTRAL  
VIRUS SEQUENCES AND USES THEREOF****CROSS REFERENCE TO RELATED  
APPLICATIONS**

This application is a Continuation-In-Part of International Application No. PCT/US2014/060163 filed Oct. 10, 2014, which claims the benefit of priority under 35 U.S.C. 119(e) to U.S. Application No. 61/889,827 filed Oct. 11, 2013.

**TECHNICAL FIELD**

This disclosure generally relates to viruses.

**BACKGROUND**

Circumventing and avoiding a neutralizing or toxic immune response against a gene therapy vector is a major challenge with all gene transfer vector types. Gene transfer to date is most efficiently achieved using vectors based on viruses circulating in humans and animals, e.g., adenovirus and adeno-associated virus (AAV). However, if subjects have been naturally infected with a virus, a subsequent treatment with a vector based on that virus leads to increased safety risks and decreased efficiency of gene transfer due to cellular and humoral immune responses. Capsid antigens are primarily responsible for the innate and/or adaptive immunity toward virus particles, however, viral gene-encoded polypeptides also can be immunogenic.

**SUMMARY**

This disclosure describes methods of predicting and synthesizing ancestral viral sequences or portions thereof, and also describes virus particles containing such ancestral viral sequences. The methods described herein were applied to adeno-associated virus (AAV); thus, this disclosure describes predicted ancestral AAV sequences and AAV virus particles containing such ancestral AAV sequences. This disclosure also describes the reduced seroprevalance exhibited by virus particles containing ancestral sequences relative to virus particles containing contemporary sequences.

In one aspect, this disclosure includes adeno-associated virus (AAV) capsid polypeptides, e.g., synthetic and/or artificial AAV capsid polypeptides, having an amino acid sequence selected from the group consisting of SEQ ID NOs: 1, 3, 5, 7, 9, 11, 13, 15 and 17. In some implementations, the AAV capsid polypeptides or virus particles comprising the AAV capsid polypeptides exhibit a lower seroprevalence than do an AAV2 capsid polypeptide or a virus particle comprising an AAV2 capsid polypeptide, and the AAV capsid polypeptides or virus particles comprising the AAV capsid polypeptides exhibit about the same or a lower seroprevalence than do an AAV8 capsid polypeptide or a virus particle comprising an AAV8 capsid polypeptide. In some embodiments, the AAV capsid polypeptides or virus particles comprising the AAV capsid polypeptides are neutralized to a lesser extent by human serum than is an AAV2 capsid polypeptide or a virus particle comprising an AAV2 capsid polypeptide, and the AAV capsid polypeptides or virus particles comprising the AAV capsid polypeptides are neutralized to a similar or lesser extent by human serum as is an AAV8 capsid polypeptide or a virus particle comprising an AAV8 capsid polypeptide. In some embodiments, the AAV capsid polypeptides are purified. The AAV capsid polypeptides provided herein can be encoded by a nucleic

## 2

acid sequence selected from the group consisting of SEQ ID NOs: 2, 4, 6, 8, 10, 12, 14, 16, and 18.

In one aspect, the disclosure provides nucleic acid molecules, e.g., synthetic and/or artificial nucleic acid molecules, encoding an adeno-associated virus (AAV) capsid polypeptide having a nucleic acid sequence selected from the group consisting of SEQ ID NOs: 2, 4, 6, 8, 10, 12, 14, 16, and 18. Also provided are vectors that includes such a nucleic acid, and a host cell that includes such a vector.

In another aspect, the disclosure provides purified virus particles that include an AAV capsid polypeptide described herein. In some embodiments, the virus particles include a transgene.

In other aspects, the disclosure provides adeno-associated virus (AAV) capsid polypeptides, e.g., synthetic and/or artificial AAV capsid polypeptides, having at least 95% (e.g., 97, 98, 99, or 100%) sequence identity to an amino acid sequence selected from the group consisting of SEQ ID NOs: 19, 20, 21, 22, 23, 24, 25 and 26. In some embodiments, the AAV capsid polypeptides or virus particles comprising the AAV capsid polypeptide exhibit a lower seroprevalence than does an AAV2 capsid polypeptide or a virus particle comprising an AAV2 capsid polypeptide, and the AAV capsid polypeptide or a virus particle comprising the AAV capsid polypeptide exhibit about the same or a lower seroprevalence than does an AAV8 capsid polypeptide or a virus particle comprising an AAV8 capsid polypeptide. In some embodiments, the AAV capsid polypeptides or virus particles comprising the AAV capsid polypeptide are neutralized to a lesser extent by human serum than is an AAV2 capsid polypeptide or a virus particle comprising an AAV2 capsid polypeptide, and the AAV capsid polypeptide or a virus particle comprising the AAV capsid polypeptide is neutralized to a similar or lesser extent by human serum as is an AAV8 capsid polypeptide or a virus particle comprising an AAV8 capsid polypeptide. In some embodiments, the AAV capsid polypeptides are purified.

In another aspect, the AAV capsid polypeptides described herein can be encoded by nucleic acid sequences as described herein. In one implementation, the disclosure provides nucleic acid molecules encoding an adeno-associated virus (AAV) capsid polypeptide, wherein the nucleic acid molecules have at least 95% (e.g., 97, 98, 99, or 100%) sequence identity to a nucleic acid sequence as shown herein. The disclosure also provides vectors including such nucleic acid molecules, as are host cells that include such a vector.

In one aspect, the disclosure provides virus particles that include at least one of the AAV capsid polypeptides described herein. In some embodiments, the virus particles include a transgene.

In certain aspects, the disclosure provides methods of administering a virus particle as described herein to a subject in need of gene transfer or vaccination. In some embodiments, the virus particles exhibit less seroprevalence than does an AAV2 virus particle. In some embodiments, the virus particles exhibit about the same or less seroprevalence than does an AAV8 virus particle. In some embodiments, the virus particles are neutralized to a lesser extent by human serum than is an AAV2 virus particle, and the AAV virus particles are neutralized to a similar or lesser extent by human serum than is an AAV8 virus particle.

In one aspect, the disclosure provides methods of administering a target antigen operably linked to an AAV capsid polypeptide as described herein to a subject in need of vaccination. In some embodiments, the AAV capsid polypeptides exhibit less seroprevalence than does an AAV2



capsid polypeptide. In some embodiments, the AAV capsid polypeptide exhibits about the same or less seroprevalence than does an AAV8 capsid polypeptide. In some embodiments, the AAV capsid polypeptides are neutralized to a lesser extent by human serum than is an AAV2 capsid polypeptide, and the AAV capsid polypeptide is neutralized to a similar or lesser extent by human serum than is an AAV8 capsid polypeptide.

In another aspect, the disclosure provides *in silico* methods of predicting a sequence of an ancestral virus or portion thereof. Such methods typically include providing nucleotide or amino acid sequences from a plurality of contemporary viruses or portions thereof aligning the sequences using a multiple sequence alignment (MSA) algorithm; modeling evolution to obtain a predicted ancestral phylogeny of the plurality of contemporary viruses or portions thereof; estimating, at a phylogenetic node of the predicted ancestral phylogeny, the evolutionary probability of a particular nucleotide or amino acid residue at each position of the sequence; and predicting, based on the estimated probability at each position, a sequence of an ancestral virus or portion thereof.

In some embodiments, one or more, or all, of the steps are performed using a computer processor. In some embodiments, the MSA algorithm uses phylogenetic information to predict if a gap in the alignment is a result of a deletion or an insertion. In some embodiments, the MSA algorithm is a Probabilistic Alignment Kit (PRANK). In some embodiments, the model used for modeling evolution is selected using Akaike Information Criterion (AIC). In some embodiments, the predicted ancestral phylogeny is obtained using a JTT model with a Gamma distribution model (“+G”) and a frequency calculation of  $\pi$  (“+F”). In some embodiments, the modeling the evolution step is performed using a JTT+G+F model. In some embodiments, the methods include synthesizing, based on the predicted sequence, the ancestral virus or portion thereof. In some embodiments, the methods include assembling the ancestral virus or portion thereof into an ancestral virus particle.

In some embodiments, the methods also include screening the ancestral virus particle for at least one of the following: (a) replication; (b) gene transfer properties; (c) receptor binding; or (d) seroprevalence. In some embodiments, the ancestral virus particles exhibit less seroprevalence than does a virus particle assembled from at least one of the plurality of contemporary viruses or portions thereof. In some embodiments, the ancestral virus particle is neutralized to a lesser extent by human serum than is a virus particle assembled from at least one of the plurality of contemporary viruses or portions thereof. In some embodiments, the plurality of contemporary viruses or portions thereof belong to a family selected from the group consisting of adenovirus (AV), human immunodeficiency virus (HIV), retrovirus, lentivirus, herpes simplex virus (HSV), vaccinia virus, pox virus, influenza virus, respiratory syncytial virus, parainfluenza virus, and foamy virus.

Thus, the present disclosure provides ancestral viruses or portions thereof that exhibit reduced susceptibility to pre-existing immunity in current day human populations than do contemporary viruses or portions thereof. Generally, the reduced susceptibility to pre-existing immunity exhibited by the ancestral viruses or portions thereof in current day human populations is reflected as a reduced susceptibility to neutralizing antibodies.

Unless otherwise defined, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which the

methods and compositions of matter belong. Although methods and materials similar or equivalent to those described herein can be used in the practice or testing of the methods and compositions of matter, suitable methods and materials are described below. In addition, the materials, methods, and examples are illustrative only and not intended to be limiting. All publications, patent applications, patents, and other references mentioned herein are incorporated by reference in their entirety.

#### DESCRIPTION OF DRAWINGS

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawings will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a schematic showing the relationships between ancestral/contemporary viral infections and ancestral/contemporary host immune response.

FIGS. 2A to 2D are a series of schematics showing an example of an ancestral reconstruction procedure. Data shown are excerpted from a full dataset and represent residues 564-584 (AAV2-VP1 numbering; SEQ ID NOs: 37-43 (top to bottom)).

FIG. 3 illustrates a phylogenetic tree of AAV contemporary sequences generated using the methods described herein.

FIG. 4 illustrates an alignment of ancestral AAV VP1 polypeptides (SEQ ID NOs: 23, 19, 24, 25, 26, 20, 21 and 22, top to bottom).

FIGS. 5A and 5B together illustrate an alignment of functional ancestral AAV VP1 polypeptides and contemporary AAV VP1 polypeptides (SEQ ID NOs: 23, 19, 24, 25, 21, 22, 26, 20, 27, 28, 29, 30, 31, 32, 33 and 34, top to bottom).

FIG. 6 is an electrophoretic gel demonstrating that ancestral AAV VP1 sequences are transcribed and alternately spliced in a manner similar to that for contemporary AAV VP1 sequences.

FIG. 7 is a graph showing the luciferase activity in HEK293 cells transduced with ancestral AAV vectors.

FIG. 8 is a graph showing the sequence comparison (% up from diagonal, # of aa differences below) between the Anc80 library and Anc80L65.

FIGS. 9A-D are images of experimental results demonstrating that Anc80L65 is capable of assembling and yielding particles of high titer. Panel A shows that Anc80L65 is able to produce vector yields equivalent to AAV2; Panel B is a TEM image of virus particles that include Anc80L65; Panel C shows that virus particles that include Anc80L65 are able to produce AAV cap VP1, 2 and 3 proteins based on SDS-PAGE gel under denaturing conditions; and Panel D shows a Western blot of Anc80L65 using the AAV capsid antibody, B1.

FIGS. 10A-C are images of experimental results demonstrating that Anc80L65 is able to infect cells *in vitro* on HEK293 cells using GFP as readout (Panel A) or luciferase (Panel B) versus AAV2 and/or AAV8 controls and also is efficient at targeting liver following an IV injection of AAV encoding a nuclear LacZ transgene (top row, Panel C: liver), following direct IM injection of an AAV encoding GFP (middle row, Panel C: muscle), and following sub-retinal injection with AAV encoding GFP (bottom row, Panel C: retina).

FIGS. 11A and 11B are sequence identity matrices produced using MAFFT that show the amino acid sequences of the VP1 proteins of ancestral vectors aligned with those of



representative extant AAVs (FIG. 11A), and the amino acid sequences of the VP3 proteins of ancestral vectors aligned with those of representative extant AAVs (FIG. 11B).

FIG. 12 is a graph that demonstrates that AAV vectors were produced in triplicate in small scale (6-well dishes). Crude viruses were assessed via qPCR to determine the absolute production of each vector.

FIG. 13 is a table showing the titers of each vector, averaged and compared, to those of AAV8.

FIG. 14 are photographs that show the results of experiments in which 1.9E3 GC/cell of each vector was added to HEK293 cells (except for Anc126, in which case MOIs of 2.5E2-3.1E2 GC/cell were achieved). Sixty hours later, infectivity was assessed using fluorescence microscopy.

FIG. 15 is a graph showing the results of experiments in which the same cells from FIG. 16 were lysed and assayed for luciferase expression. As in FIG. 14, Anc126 was not titer controlled with the other vectors, but rather ranged from an MOI of 2.5E2-3.1E2 GC/cell.

FIG. 16 is a table showing the luminescence of cells transduced by each vector, which were averaged and compared to those of AAV8.

FIG. 17 is a chart that provides a summary of in vitro experiments to determine the relative production and infectivity of the ancestral AAV vectors described herein.

#### DETAILED DESCRIPTION

Gene transfer, either for experimental or therapeutic purposes, relies upon a vector or vector system to shuttle genetic information into target cells. The vector or vector system is considered the major determinant of efficiency, specificity, host response, pharmacology, and longevity of the gene transfer reaction. Currently, the most efficient and effective way to accomplish gene transfer is through the use of vectors or vector systems based on viruses that have been made replication-defective.

Seroprevalence studies, however, indicate that significant proportions of worldwide human populations have been pre-exposed (e.g., by natural infection) to a large number of the viruses currently used in gene transfer and, therefore, harbor pre-existing immunity. Neutralizing antibodies toward the viral vector in these pre-exposed individuals are known to limit, sometimes significantly, the extent of gene transfer or even re-direct the virus away from the target. See, for example, Calcedo et al. (2009, *J. Infect. Dis.*, 199:381-90) and Boutin et al. (2010, *Human Gene Ther.*, 21:704-12). Thus, the present disclosure is based on the recognition that ancestral viruses or portions thereof exhibit reduced susceptibility to pre-existing immunity (e.g., reduced susceptibility to neutralizing antibodies) in current day human populations than do contemporary viruses or portions thereof.

FIG. 1 is a schematic showing the relationships between ancestral and contemporary viral infections and ancestral and contemporary host immune response. FIG. 1 shows how ancestral AAVs can be refractory to contemporary pre-existing immunity. A contemporary, extant virus (Vc) is presumed to have evolved from an ancestral species (Vanc), primarily under evolutionary pressures of host immunity through mechanisms of immune escape.

Each of these species, Vanc and Vc, have the ability to induce adaptive immunity including B and T cell immunity (Ianc and Ic, respectively). It was hypothesized, and confirmed herein, that immunity induced by contemporary viruses does not necessarily cross-react with an ancestral viral species, which can be substantially different in terms of epitope composition than the extant virus.

This disclosure provides methods of predicting the sequence of an ancestral virus or a portion thereof. One or more of the ancestral virus sequences predicted using the methods described herein can be generated and assembled into a virus particle. As demonstrated herein, virus particles assembled from predicted ancestral viral sequences can exhibit less, sometimes significantly less, seroprevalence than current-day, contemporary virus particles. Thus, the ancestral virus sequences disclosed herein are suitable for use in vectors or vector systems for gene transfer.

#### Methods of Predicting and Synthesizing an Ancestral Viral Sequence

To predict an ancestral viral sequence, nucleotide or amino acid sequences first are compiled from a plurality of contemporary viruses or portions thereof. While the methods described herein were exemplified using adeno-associated virus (AAV) capsid sequences, the same methods can be applied to other sequences from AAV (e.g., the entire genome, rep sequences, ITR sequences) or to any other virus or portion thereof. Viruses other than AAV include, without limitation, adenovirus (AV), human immunodeficiency virus (HIV), retrovirus, lentivirus, herpes simplex virus (HSV), measles, vaccinia virus, pox virus, influenza virus, respiratory syncytial virus, parainfluenza virus, foamy virus, or any other virus to which pre-existing immunity is considered a problem.

Sequences from as few as two contemporary viruses or portions thereof can be used, however, it is understood that a larger number of sequences of contemporary viruses or portions thereof is desirable so as to include as much of the landscape of modern day sequence diversity as possible, but also because a larger number of sequences can increase the predictive capabilities of the algorithms described and used. For example, sequences from 10 or more contemporary viruses or portions thereof can be used, sequences from 50 or more contemporary viruses or portions thereof can be used, or sequences from 100 or more contemporary viruses or portions thereof can be used.

Such sequences can be obtained, for example, from any number of public databases including, without limitation, GenBank, UniProt, EMBL, International Nucleotide Sequence Database Collaboration (INSDC), or European Nucleotide Archive. Additionally or alternatively, such sequences can be obtained from a database that is specific to a particular organism (e.g., HIV database). The contemporary sequences can correspond to the entire genome, or only a portion of the genome can be used such as, without limitation, sequences that encode one or more components of the viral capsid, the replication protein, or the ITR sequences.

Next, the contemporary sequences are aligned using a multiple sequence alignment (MSA) algorithm. FIG. 2A is a schematic showing an alignment of multiple sequences. MSA algorithms are well known in the art and generally are designed to be applied to different size datasets and different inputs (e.g., nucleic acid or protein), and to align the sequences in a particular manner (e.g., dynamic programming, progressive, heuristic) and apply different scoring schemes in the alignment (e.g., matrix-based or consistency-based, e.g., minimum entropy, sum of pairs, similarity matrix, gap scores). Well known MSA algorithms include, for example, ClustalW (Thompson et al., 1994, *Nuc. Acids Res.*, 22:4673-90), Kalign (Lassmann et al., 2006, *Nuc. Acids Res.*, 34:W596-99), MAFFT (Katoh et al., 2005, *Nuc. Acids Res.*, 33:511-8), MUSCLE (Edgar, 2004, *BMC Bioinform.*, 5:113), and T-Coffee (Notredame et al., 2000, *J. Mol. Biol.*, 302:205-17).



As described herein, one of the main features when selecting a MSA algorithm for use in the methods described herein is the manner in which the algorithm treats a gap in the alignment. Gaps in a sequence alignment can be assigned a penalty value that is either dependent or independent on the size of the gap. In the present methods, it is preferred that the MSA algorithm used in the methods described herein apply phylogenetic information to predict whether a gap in the alignment is a result of a deletion or an insertion as opposed to a biased, non-phylogenetic treatment of gaps due to, e.g., insertions and/or deletions. A suitable method of treating gaps in alignments and evolutionary analysis is described in Loytynoja and Goldman, 2008, *Science*, 320:1632-5, and commercially available algorithms that apply gaps in alignments in a manner that is suitable for use in the methods described herein is a Probabilistic Alignment Kit (PRANK; Goldman Group Software; Loytynoja and Goldman, 2005, *PNAS USA*, 102:10557-62), and variations of the PRANK algorithm.

An evolutionary model is then applied to the resulting alignment to obtain a predicted ancestral phylogeny (see FIG. 2B). There are a number of evolutionary models available in the art, each of which apply slightly different matrices of replacement rates for amino acids. Without limitation, algorithms for applying models of evolution include the Dayhoff models (e.g., PAM120, PAM160, PAM250; Dayhoff et al., 1978, In *Atlas of Protein Sequence and Structure* (ed. Dayhoff), pp. 345-52, National Biomedical Research Foundation, Wash. D.C.), the JTT model (Jones et al., 1992, *Comp. Appl. Biosci.*, 8:275-82), the WAG model (Whelan and Goldman, 2001, *Mol. Biol. Evol.*, 18:691-9), and the Blosum models (e.g., Blosum45, Blosum62, Blosum80; Henikoff and Henikoff, 1992, *PNAS USA*, 89:10915-9).

In addition, the constraints that structure and function impose on an evolutionary model can themselves be modeled, for example, by considering that some positions are invariant (“+I”; Reeves, 1992, *J. Mol. Evol.*, 35:17-31), that some positions undergo different rates of change (“+G”; Yang, 1993, *Mol. Biol. Evol.*, 10:1396-1401), and/or that equilibrium frequencies of nucleotides or amino acids are the same as those in the alignment (“+F”; Cao et al., 1994, *J. Mol. Evol.*, 39:519-27).

The fitness of one or more models of evolution can be evaluated using the Aikake Information Criterion (AIC; Akaike, 1973, In *Second International Symposium on Information Theory*, Petrov and Csaki, eds., pp 267-81, Budapest, Akademiai Kiado), the Bayesian Information Criterion (BIC; Schwarz, 1978, *Ann. Statist.* 6:461-4), or variations or combinations thereof. In addition, AIC, BIC, or variations or combinations thereof can be used to evaluate the relative importance of including one or more parameters (e.g., the constraints discussed above) in the evolutionary model.

As explained in the Example section below, ProTest3 (Darriba et al., 2011, *Bioinformatics*, 27(8):1164-5) can be used to determine, based on the lowest AIC, that a JTT+G+F algorithm was the most suitable model for AAV evolution. It would be understood by a skilled artisan that a JTT+G+F algorithm also may be used to predict ancestral viral sequences other than AAV capsid polypeptides, however, it also would be understood by a skilled artisan that, depending on the dataset and the fitness score, a different model of evolution may be more suitable.

Once a model of evolution has been selected and its fitness determined, a phylogenetic tree of the virus sequences or portions thereof can be constructed. Constructing phylogenetic trees is known in the art and typically

employs maximum likelihood methods such as those implemented by PhyML (Guindon and Gascuel, 2003, *Systematic Biology*, 52:696-704)), MOLPHY (Adachi and Hasegawa, 1996, ed. Tokyo Institute of Statistical Mathematics), BioNJ (Gascuel, 1997, *Mol. Biol. Evol.*, 14:685-95), or PHYLIP (Felsenstein, 1973, *Systematic Biology*, 22:240-9). A skilled artisan would understand that a balance between computational complexity and the goodness of fit is desirable in a model of amino acid substitutions.

If desired, the phylogenetic tree can be assessed for significance. A number of statistical methods are available and routinely used to evaluate the significance of a model including, without limitation, bootstrap, jackknife, cross-validation, permutation tests, or combinations or variations thereof. Significance also can be evaluated using, for example, an approximate likelihood-ratio test (aLRT; Anisimova and Gascuel, 2006, *Systematic Biology*, 55:539-52)).

At any phylogenetic node of the phylogeny (e.g., an interior phylogenetic node), the sequence can be reconstructed by estimating the evolutionary probability of a particular nucleotide or amino acid residue at each position of the sequence (FIG. 2C). A phylogenetic node refers to an intermediate evolutionary branch point within the predicted ancestral phylogeny. As used herein, “evolutionary probability” refers to the probability of the presence of a particular nucleotide or amino acid at a particular position based on an evolutionary model as opposed to a model that does not take into account, for example, an evolutionary shift in the codon usage. Exemplary models that take into account the evolutionary probability of a particular nucleotide or amino acid residue at a particular position can be estimated using, for example, any number of maximum likelihood methods including, without limitation, Phylogenetic Analysis by Maximum Likelihood (PAML; Yang, 1997, *Comp. Applic. BioSci.*, 13:555-6) or Phylogenetic Analysis Using Parsimony (PAUP; Sinauer Assoc., Inc., Sunderland, Mass.).

Based on the estimated evolutionary probability of a particular nucleotide or amino acid residue at each position, the predicted sequence of an ancestral virus or portion thereof can be assembled to form a complete or partial synthetic nucleic acid or polypeptide sequence. If desired, the likelihood that any residue was in a given state at a given node along the node can be calculated, and any position along the sequence having a calculated posterior probability beneath a particular threshold can be identified (FIG. 2D). In this manner, an ancestral scaffold sequence can be generated, which can include variations at those positions having a probability below the particular threshold.

If the ancestral sequence that is predicted using the methods herein is a nucleic acid sequence, the sequence then can be codon optimized so that it can be efficiently translated into an amino acid sequence. Codon usage tables for different organisms are known in the art. Optionally, however, a codon usage table can be designed based on one or more contemporary sequences that has homology (e.g., at least 90% sequence identity) to the ancestral scaffold sequence, and an ancestral sequence as described herein can be codon optimized toward mammalian (e.g., human) codon usage.

Any or all of the steps outlined herein for predicting an ancestral viral sequence can be performed or simulated on a computer (e.g., in silico) using a processor or a microprocessor.



## Ancestral Adeno-Associated Virus (AAV) Scaffold Sequences

The methods described herein were applied to adeno-associated virus (AAV) using contemporary capsid sequences (described in detail in the Examples below). AAV is widely considered as a therapeutic gene transfer vector and a genetic vaccine vehicle, but exhibits a high seroprevalence in human populations. Using the methods described herein, a phylogenetic tree was assembled using contemporary AAV sequences (see FIGS. 3A-3C) and predicted ancestral scaffold sequences were obtained at the designated phylogenetic node (Table 1). As used herein, an ancestral scaffold sequence refers to a sequence that is constructed using the methods described herein (e.g., using evolutionary probabilities and evolutionary modeling) and is not known to have existed in nature. As used herein, the ancestral scaffold sequences are different from consensus sequences, which are typically constructed using the frequency of nucleotides or amino acid residues at a particular position.

TABLE 1

Node	Polypeptide (SEQ ID NO)	Nucleic Acid (SEQ ID NO)
Anc80	1	2
Anc81	3	4
Anc82	5	6
Anc83	7	8
Anc84	9	10
Anc94	11	12
Anc113	13	14
Anc126	15	16
Anc127	17	18

The scaffold sequence of the Anc80 polypeptide is shown in SEQ ID NO:1, which is encoded by the scaffold sequence of the Anc80 nucleic acid shown in SEQ ID NO:2. The scaffold sequence of Anc80 contains 11 positions at which either of two residues were probable. Therefore, the Anc80 scaffold sequence represents 2048 ( $2^{11}$ ) different sequences.

To demonstrate the effectiveness of the methods described herein for predicting the ancestral sequence of a virus or portion thereof, a library of the 2048 predicted ancestral sequences at the AAV Anc80 node was generated and, as described herein, demonstrated to form viable virus particles exhibiting less seroprevalence, in some instances, significantly less seroprevalence, than virus particles assembled with contemporary capsid polypeptides.

## Methods of Making Ancestral Virus Particles

After the predicted ancestral sequence of a virus or portion thereof has been obtained, the actual nucleic acid molecule and/or polypeptide(s) can be generated, e.g., synthesized. Methods of generating an artificial nucleic acid molecule or polypeptide based on a sequence obtained, for example, *in silico*, are known in the art and include, for example, chemical synthesis or recombinant cloning. Additional methods for generating nucleic acid molecules or polypeptides are known in the art and are discussed in more detail below.

Once an ancestral polypeptide has been produced, or once an ancestral nucleic acid molecule has been generated and expressed to produce an ancestral polypeptide, the ancestral polypeptide can be assembled into an ancestral virus particle using, for example, a packaging host cell. The components of a virus particle (e.g., rep sequences, cap sequences, inverted terminal repeat (ITR) sequences) can be introduced, transiently or stably, into a packaging host cell using one or more vectors as described herein. One or more of the

components of a virus particle can be based on a predicted ancestral sequence as described herein, while the remaining components can be based on contemporary sequences. In some instances, the entire virus particle can be based on predicted ancestral sequences.

Such ancestral virus particles can be purified using routine methods. As used herein, "purified" virus particles refer to virus particles that are removed from components in the mixture in which they were made such as, but not limited to, viral components (e.g., rep sequences, cap sequences), packaging host cells, and partially- or incompletely-assembled virus particles.

Once assembled, the ancestral virus particles can be screened for, e.g., the ability to replicate; gene transfer properties; receptor binding ability; and/or seroprevalence in a population (e.g., a human population). Determining whether a virus particle can replicate is routine in the art and typically includes infecting a host cell with an amount of virus particles and determining if the virus particles increase in number over time. Determining whether a virus particle is capable of performing gene transfer also is routine in the art and typically includes infecting host cells with virus particles containing a transgene (e.g., a detectable transgene such as a reporter gene, discussed in more detail below).

Following infection and clearance of the virus, the host cells can be evaluated for the presence or absence of the transgene. Determining whether a virus particle binds to its receptor is routine in the art, and such methods can be performed *in vitro* or *in vivo*.

Determining the seroprevalence of a virus particle is routinely performed in the art and typically includes using an immunoassay to determine the prevalence of one or more antibodies in samples (e.g., blood samples) from a particular population of individuals. Seroprevalence is understood in the art to refer to the proportion of subjects in a population that is seropositive (i.e., has been exposed to a particular pathogen or immunogen), and is calculated as the number of subjects in a population who produce an antibody against a particular pathogen or immunogen divided by the total number of individuals in the population examined. Immunoassays are well known in the art and include, without limitation, an immunodot, Western blot, enzyme immunoassays (EIA), enzyme-linked immunosorbent assay (ELISA), or radioimmunoassay (RIA). As indicated herein, ancestral virus particles exhibit less seroprevalence than do contemporary virus particles (i.e., virus particles assembled using contemporary virus sequences or portions thereof). Simply by way of example, see Xu et al. (2007, *Am. J. Obstet. Gynecol.*, 196:43.e1-6); Paul et al. (1994, *J. Infect. Dis.*, 169:801-6); Sauerbrei et al. (2011, *Eurosurv.*, 16(44):3); and Sakhria et al. (2013, *PLoS Negl. Trop. Dis.*, 7:e2429), each of which determined seroprevalence for a particular antibody in a given population.

As described herein, ancestral virus particles are neutralized by a person's, e.g., patient's, immune system to a lesser extent than are contemporary virus particles. Several methods to determine the extent of neutralizing antibodies in a serum sample are available.

For example, a neutralizing antibody assay measures the titer at which an experimental sample contains an antibody concentration that neutralizes infection by 50% or more as compared to a control sample without antibody. See, also, Fisher et al. (1997, *Nature Med.*, 3:306-12) and Manning et al. (1998, *Human Gene Ther.*, 9:477-85).

With respect to the ancestral AAV capsid polypeptides exemplified herein, the seroprevalence and/or extent of neutralization can be compared, for example, to an AAV8



capsid polypeptide or virus particle that includes an AAV8 capsid polypeptide, or an AAV2 capsid polypeptide or virus particle that includes an AAV2 capsid polypeptide. It is generally understood in the art that AAV8 capsid polypeptides or virus particles exhibit a seroprevalance, and a resulting neutralization, in the human population that is considered low, while AAV2 capsid polypeptide or virus particles exhibit a seroprevalance, and a resulting neutralization, in the human population that is considered high. Obviously, the particular seroprevalance will depend upon the population examined as well as the immunological methods used, but there are reports that AAV8 exhibits a seroprevalance of about 22% up to about 38%, while AAV2 exhibits a seroprevalance of about 43.5% up to about 72%. See, for example, Boutin et al., 2010, "Prevalence of serum IgG and neutralizing factors against AAV types 1, 2, 5, 6, 8 and 9 in the healthy population: implications for gene therapy using AAV vectors," *Hum. Gene Ther.*, 21:704-12. See, also, Calcedo et al., 2009, *J. Infect. Dis.*, 199:381-90. Predicted Adeno-Associated Virus (AAV) Ancestral Nucleic Acid and Polypeptide Sequences

A number of different clones from the library encoding predicted ancestral capsid polypeptides from the Anc80 node were sequenced, and the amino acid sequences of representative AAV predicted ancestral capsid polypeptides are shown in SEQ ID NO: 19 (Anc80L27); SEQ ID NO: 20 (Anc80L59); SEQ ID NO: 21 (Anc80L60); SEQ ID NO: 22 (Anc80L62); SEQ ID NO: 23 (Anc80L65); SEQ ID NO: 24 (Anc80L33); SEQ ID NO: 25 (Anc80L36); and SEQ ID NO: 26 (Anc80L44). Those skilled in the art would appreciate that the nucleic acid sequence encoding each amino acid sequence can readily be determined.

In addition to the predicted ancestral capsid polypeptides having the sequences shown in SEQ ID NOs: 19, 20, 21, 22, 23, 24, 25 or 26, polypeptides are provided that have at least 95% sequence identity (e.g., at least 96%, at least 97%, at least 98%, at least 99% or 100% sequence identity) to the predicted ancestral capsid polypeptides having the sequences shown in SEQ ID NOs: 19, 20, 21, 22, 23, 24, 25, or 26. Similarly, nucleic acid molecules are provided that have at least 95% sequence identity (e.g., at least 96%, at least 97%, at least 98%, at least 99% or 100% sequence identity) to the nucleic acid molecules encoding the ancestral capsid polypeptides (i.e., having at least 95% sequence identity).

In calculating percent sequence identity, two sequences are aligned and the number of identical matches of nucleotides or amino acid residues between the two sequences is determined. The number of identical matches is divided by the length of the aligned region (i.e., the number of aligned nucleotides or amino acid residues) and multiplied by 100 to arrive at a percent sequence identity value. It will be appreciated that the length of the aligned region can be a portion of one or both sequences up to the full-length size of the shortest sequence. It also will be appreciated that a single sequence can align with more than one other sequence and hence, can have different percent sequence identity values over each aligned region.

The alignment of two or more sequences to determine percent sequence identity can be performed using the algorithm described by Altschul et al. (1997, *Nucleic Acids Res.*, 25:3389-3402) as incorporated into BLAST (basic local alignment search tool) programs, available at [ncbi.nlm.nih.gov](http://ncbi.nlm.nih.gov) on the World Wide Web. BLAST searches can be performed to determine percent sequence identity between a sequence (nucleic acid or amino acid) and any other sequence or portion thereof aligned using the Altschul et al.

algorithm. BLASTN is the program used to align and compare the identity between nucleic acid sequences, while BLASTP is the program used to align and compare the identity between amino acid sequences. When utilizing BLAST programs to calculate the percent identity between a sequence and another sequence, the default parameters of the respective programs generally are used.

Representative alignments are shown in FIGS. 4A and 4B and FIGS. 5A and 5B. FIGS. 4A and 4B show an alignment of ancestral AAV VP1 capsid polypeptides, designated Anc80L65 (SEQ ID NO: 23), Anc80L27 (SEQ ID NO: 19), Anc80L33 (SEQ ID NO: 24), Anc80L36 (SEQ ID NO: 25), Anc80L44 (SEQ ID NO: 26), Anc80L59 (SEQ ID NO: 20), Anc80L60 (SEQ ID NO: 21), and Anc80L62 (SEQ ID NO: 22). The alignment shown in FIGS. 4A and 4B confirms the predicted variation at each of the 11 sites, and a single non-synonymous mutation at position 609E of Anc80L60 (SEQ ID NO: 21), which may be a cloning artifact. FIGS. 5A and 5B shows an alignment between ancestral AAV VP1 capsid polypeptides (Anc80L65 (SEQ ID NO: 23), Anc80L27 (SEQ ID NO: 19), Anc80L33 (SEQ ID NO: 24), Anc80L36 (SEQ ID NO: 25), Anc80L60 (SEQ ID NO: 21), Anc80L62 (SEQ ID NO: 22), Anc80L44 (SEQ ID NO: 26), and Anc80L59 (SEQ ID NO: 20)) and contemporary AAV VP1 capsid polypeptides (AAV8 (SEQ ID NO: 27), AAV9 (SEQ ID NO: 28), AAV6 (SEQ ID NO: 29), AAV1 (SEQ ID NO: 30), AAV2 (SEQ ID NO: 31), AAV3 (SEQ ID NO: 32), AAV3B (SEQ ID NO: 33), and AAV7 (SEQ ID NO: 34)). The alignment in FIGS. 5A and 5B shows that the ancestral AAV sequences have between about 85% and 91% sequence identity to contemporary AAV sequences.

Vectors containing nucleic acid molecules that encode polypeptides also are provided. Vectors, including expression vectors, are commercially available or can be produced by recombinant technology. A vector containing a nucleic acid molecule can have one or more elements for expression operably linked to such a nucleic acid molecule, and further can include sequences such as those encoding a selectable marker (e.g., an antibiotic resistance gene), and/or those that can be used in purification of a polypeptide (e.g., 6xHis tag). Elements for expression include nucleic acid sequences that direct and regulate expression of nucleic acid coding sequences. One example of an expression element is a promoter sequence. Expression elements also can include one or more of introns, enhancer sequences, response elements, or inducible elements that modulate expression of a nucleic acid molecule. Expression elements can be of bacterial, yeast, insect, mammalian, or viral origin and vectors can contain a combination of expression elements from different origins. As used herein, operably linked means that elements for expression are positioned in a vector relative to a coding sequence in such a way as to direct or regulate expression of the coding sequence.

A nucleic acid molecule, e.g., a nucleic acid molecule in a vector (e.g., an expression vector, a viral vector) can be introduced into a host cell. The term "host cell" refers not only to the particular cell(s) into which the nucleic acid molecule has been introduced, but also to the progeny or potential progeny of such a cell. Many suitable host cells are known to those skilled in the art; host cells can be prokaryotic cells (e.g., *E. coli*) or eukaryotic cells (e.g., yeast cells, insect cells, plant cells, mammalian cells). Representative host cells can include, without limitation, A549, WEHI, 3T3, 10T1/2, BHK, MDCK, COS 1, COS 7, BSC 1, BSC 40, BMT 10, VERO, WI38, HeLa, 293 cells, Saos, C2C12, L cells, HT1080, HepG2 and primary fibroblast, hepatocyte and myoblast cells derived from mammals including human,



monkey, mouse, rat, rabbit, and hamster. Methods for introducing nucleic acid molecules into host cells are well known in the art and include, without limitation, calcium phosphate precipitation, electroporation, heat shock, lipofection, microinjection, and viral-mediated nucleic acid transfer (e.g., transduction).

With respect to polypeptides, "purified" refers to a polypeptide (i.e., a peptide or a polypeptide) that has been separated or purified from cellular components that naturally accompany it. Typically, the polypeptide is considered "purified" when it is at least 70% (e.g., at least 75%, 80%, 85%, 90%, 95%, or 99%) by dry weight, free from the polypeptides and naturally occurring molecules with which it is naturally associated. Since a polypeptide that is chemically synthesized is, by nature, separated from the components that naturally accompany it, a synthetic polypeptide is considered "purified," but further can be removed from the components used to synthesize the polypeptide (e.g., amino acid residues). With respect to nucleic acid molecules, "isolated" refers to a nucleic acid molecule that is separated from other nucleic acid molecules that are usually associated with it in the genome. In addition, an isolated nucleic acid molecule can include an engineered nucleic acid molecule such as a recombinant or a synthetic nucleic acid molecule.

Polypeptides can be obtained (e.g., purified) from natural sources (e.g., a biological sample) by known methods such as DEAE ion exchange, gel filtration, and/or hydroxyapatite chromatography. A purified polypeptide also can be obtained, for example, by expressing a nucleic acid molecule in an expression vector or by chemical synthesis. The extent of purity of a polypeptide can be measured using any appropriate method, e.g., column chromatography, polyacrylamide gel electrophoresis, or HPLC analysis. Similarly, nucleic acid molecules can be obtained (e.g., isolated) using routine methods such as, without limitation, recombinant nucleic acid technology (e.g., restriction enzyme digestion and ligation) or the polymerase chain reaction (PCR; see, for example, PCR Primer: A Laboratory Manual, Dieffenbach & Dveksler, Eds., Cold Spring Harbor Laboratory Press, 1995). In addition, isolated nucleic acid molecules can be chemically synthesized.

#### Methods of Using Ancestral Viruses or Portions Thereof

An ancestral virus or portion thereof as described herein, particularly those that exhibit reduced seroprevalence relative to contemporary viruses or portions thereof, can be used in a number of research and/or therapeutic applications. For example, an ancestral virus or portion thereof as described herein can be used in human or animal medicine for gene therapy (e.g., in a vector or vector system for gene transfer) or for vaccination (e.g., for antigen presentation). More specifically, an ancestral virus or portion thereof as described herein can be used for gene addition, gene augmentation, genetic delivery of a polypeptide therapeutic, genetic vaccination, gene silencing, genome editing, gene therapy, RNAi delivery, cDNA delivery, mRNA delivery, miRNA delivery, miRNA sponging, genetic immunization, optogenetic gene therapy, transgenesis, DNA vaccination, or DNA immunization.

A host cell can be transduced or infected with an ancestral virus or portion thereof in vitro (e.g., growing in culture) or in vivo (e.g., in a subject). Host cells that can be transduced or infected with an ancestral virus or portion thereof in vitro are described herein; host cells that can be transduced or infected with an ancestral virus or portion thereof in vivo include, without limitation, brain, liver, muscle, lung, eye (e.g., retina, retinal pigment epithelium), kidney, heart, gonads (e.g., testes, uterus, ovaries), skin, nasal passages,

digestive system, pancreas, islet cells, neurons, lymphocytes, ear (e.g., inner ear), hair follicles, and/or glands (e.g., thyroid).

An ancestral virus or portion thereof as described herein can be modified to include a transgene (in cis or trans with other viral sequences). A transgene can be, for example, a reporter gene (e.g., beta-lactamase, beta-galactosidase (LacZ), alkaline phosphatase, thymidine kinase, green fluorescent polypeptide (GFP), chloramphenicol acetyltransferase (CAT), or luciferase, or fusion polypeptides that include an antigen tag domain such as hemagglutinin or Myc) or a therapeutic gene (e.g., genes encoding hormones or receptors thereof, growth factors or receptors thereof, differentiation factors or receptors thereof, immune system regulators (e.g., cytokines and interleukins) or receptors thereof, enzymes, RNAs (e.g., inhibitory RNAs or catalytic RNAs), or target antigens (e.g., oncogenic antigens, auto-immune antigens)).

The particular transgene will depend, at least in part, on the particular disease or deficiency being treated. Simply by way of example, gene transfer or gene therapy can be applied to the treatment of hemophilia, retinitis pigmentosa, cystic fibrosis, leber congenital amaurosis, lysosomal storage disorders, inborn errors of metabolism (e.g., inborn errors of amino acid metabolism including phenylketonuria, inborn errors of organic acid metabolism including propionic academia, inborn errors of fatty acid metabolism including medium-chain acyl-CoA dehydrogenase deficiency (MCAD)), cancer, achromatopsia, cone-rod dystrophies, macular degenerations (e.g., age-related macular degeneration), lipopolypeptide lipase deficiency, familial hypercholesterolemia, spinal muscular atrophy, Duchenne's muscular dystrophy, Alzheimer's disease, Parkinson's disease, obesity, inflammatory bowel disorder, diabetes, congestive heart failure, hypercholesterolemia, hearing loss, coronary heart disease, familial renal amyloidosis, Marfan's syndrome, fatal familial insomnia, Creutzfeldt-Jakob disease, sickle-cell disease, Huntington's disease, fronto-temporal lobar degeneration, Usher syndrome, lactose intolerance, lipid storage disorders (e.g., Niemann-Pick disease, type C), Batten disease, choroideremia, glycogen storage disease type II (Pompe disease), ataxia telangiectasia (Louis-Bar syndrome), congenital hypothyroidism, severe combined immunodeficiency (SCID), and/or amyotrophic lateral sclerosis (ALS).

A transgene also can be, for example, an immunogen that is useful for immunizing a subject (e.g., a human, an animal (e.g., a companion animal, a farm animal, an endangered animal). For example, immunogens can be obtained from an organism (e.g., a pathogenic organism) or an immunogenic portion or component thereof (e.g., a toxin polypeptide or a by-product thereof). By way of example, pathogenic organisms from which immunogenic polypeptides can be obtained include viruses (e.g., picornavirus, enteroviruses, orthomyxovirus, reovirus, retrovirus), prokaryotes (e.g., *Pneumococci*, *Staphylococci*, *Listeria*, *Pseudomonas*), and eukaryotes (e.g., amebiasis, malaria, leishmaniasis, nematodes). It would be understood that the methods described herein and compositions produced by such methods are not to be limited by any particular transgene.

An ancestral virus or portion thereof, usually suspended in a physiologically compatible carrier, can be administered to a subject (e.g., a human or non-human mammal). Suitable carriers include saline, which may be formulated with a variety of buffering solutions (e.g., phosphate buffered saline), lactose, sucrose, calcium phosphate, gelatin, dextran, agar, pectin, and water. The ancestral virus or portion



thereof is administered in sufficient amounts to transduce or infect the cells and to provide sufficient levels of gene transfer and expression to provide a therapeutic benefit without undue adverse effects. Conventional and pharmaceutically acceptable routes of administration include, but are not limited to, direct delivery to an organ such as, for example, the liver or lung, orally, intranasally, intratracheally, by inhalation, intravenously, intramuscularly, intraocularly, subcutaneously, intradermally, transmucosally, or by other routes of administration. Routes of administration can be combined, if desired.

The dose of the ancestral virus or portion thereof administered to a subject will depend primarily on factors such as the condition being treated, and the age, weight, and health of the subject. For example, a therapeutically effective dosage of an ancestral virus or portion thereof to be administered to a human subject generally is in the range of from about 0.1 ml to about 10 ml of a solution containing concentrations of from about  $1 \times 10^1$  to  $1 \times 10^{12}$  genome copies (GCs) of ancestral viruses (e.g., about  $1 \times 10^3$  to  $1 \times 10^9$  GCs). Transduction and/or expression of a transgene can be monitored at various time points following administration by DNA, RNA, or protein assays. In some instances, the levels of expression of the transgene can be monitored to determine the frequency and/or amount of dosage. Dosage regimens similar to those described for therapeutic purposes also may be utilized for immunization.

The methods described herein also can be used to model forward evolution, so as to modify or ablate one or more immunogenic domains of a virus or portion thereof.

In accordance with the present invention, there may be employed conventional molecular biology, microbiology, biochemical, and recombinant DNA techniques within the skill of the art. Such techniques are explained fully in the literature. The invention will be further described in the following examples, which do not limit the scope of the methods and compositions of matter described in the claims.

## EXAMPLES

### Example 1

#### Computational Prediction of Ancestral Sequences

A set of 75 different amino acid sequences of AAV capsids was obtained from a number of public databases including GenBank, and the sequences were aligned using the PRANK-MSA algorithm, version 121002, with the option “-F”.

ProtTest3 (see, for example, Darriba et al., 2011, *Bioinformatics*, 27(8):1164-5; available at [darwin.uvigo.es/software/prottest3](http://darwin.uvigo.es/software/prottest3) on the World Wide Web) was used to evaluate different models of polypeptide evolution (e.g., those included in ProTest3, namely, JTT, LG, WAG, VT, CpRev, RtRev, Dayhoff, DCMut, FLU, Blosum62, VT, HIVb, MtArt, MtMam) under different conditions (e.g., those included in ProTest3, namely, “+I”, “+F”, “+G”, and combinations thereof). The JTT model (Jones et al., 1992, *Comp. Appl. Biosci.*, 8:275-82) with +G and +F (Yang, 1993, *Mol. Biol. Evol.*, 10:1396-1401; and Cao et al., 1994, *J. Mol. Evol.*, 39:519-27) was selected based on its Aikake Information Criterion (AIC; Hirotugu, 1974, *IEEE Transactions on Automatic Control*, 19:716-23) score as implemented in ProTest3.

A phylogeny of AAV evolution was constructed using PhyML (Guindon and Gascuel, 2003, *Systematic Biology*, 52:696-704). See FIG. 3. The tree was generated using the

JTT+F substitution model with 4 discrete substitution categories and an estimated Gamma shape parameter. The resultant trees were improved via Nearest Neighbor Interchange (NNI) and Subtree Pruning and Re-Grafting (SPR), and assessed for significance via bootstrap and approximate likelihood-ratio test (aLRT; Anisimova and Gascuel, 2006, *Systematic Biology*, 55:539-52) using the “SH-Like” variant.

The phylogenic tree constructed above was then used to estimate the ancestral states of the AAV capsid at every node interior to the phylogeny. The ancestral capsid sequences were reconstructed using maximum likelihood principles through the Phylogenetic Analysis by Maximum Likelihood (PAML) software (Yang, 1997, *Comp. Applic. BioSci.*, 13:555-6; available at [abacus.gene.ucl.ac.uk/software/paml.html](http://abacus.gene.ucl.ac.uk/software/paml.html) on the World Wide Web) wrapped in Lazarus (Sourceforge at [sf.net](http://sf.net)). More specifically, the Lazarus/PAML reconstruction was set to generate an amino acid reconstruction using the JTT+F substitution model using 4 gamma-distributed categories. AAV5 was used as an outgroup. Finally, the “I” option was added to place indels (i.e., coded binarily and placed via Maximum Parsimony using Fitch’s algorithm) after the PAML reconstruction was done.

Because the reconstruction was done in a maximum-likelihood fashion, the likelihood that any residue was in a given position at a given node can be calculated. To do this, an additional script was written to identify all positions along the sequence with a calculated posterior probability beneath a certain threshold. A threshold of 0.3 was selected, meaning that any amino acid with a calculated posterior probability of greater than 0.3 was included in the synthesis of the library. These residues were selected to be variants of interest in the library.

To finalize the sequence, an additional utility had to be coded to select codons. A script was written to derive codons similar to those of another AAV sequence (AVVRh10, which has about 92% sequence identity to the Anc80 scaffold sequence) and apply a novel algorithm to substitute codons where there were sequence mismatches based on a codon-substitution matrix. The novel algorithm is shown below:

Given: amino acid sequence, Pt, with corresponding nucleotide sequence, Nt, where Nt codes for Pt; and protein sequence, Pi, where Pi exhibits strong homology to Pt.

Align Pi with Pt using Needleman-Wunsch using the Blosum62 table for scoring. Generate a new nucleotide sequence, Ni, by stepping through the protein alignment, using the corresponding codon from Nt,

where the amino acid in Pt exactly matches that in Pi, the “best scoring” codon from the Codon-PAM matrix (Schneider et al., 2005, *BMC Bioinform.*, 6:134) where there is a substitution,

a gap where there exists a gap in Pi aligned against an amino-acid in Pt, and

the most frequently occurring nucleotide in the Nt (coding for a given amino acid) where there exists an amino-acid in Pi aligned against a gap in Pt.

In addition, two single nucleotide changes were made to ablate transcription of assembly-activating protein (AAP), which is encoded out of frame within the AAV capsid gene in the wild type AAV. Since the coding of AAP (contemporary or ancestral) was not a part of this reconstruction, the expression of AAP was ablated by making a synonymous mutation in the cap sequence, and the AAP sequence was provided in trans during viral production.



## 17

## Example 2

## Expression of Ancestral AAV VP1 Sequences

Experiments were performed to determine whether predicted ancestral AAV capsid sequences can be used to make viral vectors.

A number of the predicted ancestral AAV capsid sequences were cloned. The library of ancestral capsids was transferred to a rep-cap expression plasmid to enable viral particle formation in transient transfection. To maintain appropriate expression levels and splicing of VP1, VP2, and VP3, library cap genes were cloned by cutting HindIII, located 5' of cap in the rep coding sequence, and SpeI, which was engineered between the cap stop codon and the polyadenylation signal. Consequently, to clone the ancestral capsids into a more conventional "REP/CAP" construct, the passaging-plasmid was digested with HindIII and SpeI, gel purified, and ligated into a similarly digested rep/cap plasmid.

The expressed polypeptides were resolved on a 10% SDS gel. As shown in FIG. 6, the capsid polypeptides were appropriately expressed and spliced into VP1, VP2, and VP3 from a number of ancestral AAV sequences (Anc80L44, Anc80L27, and Anc80L65) as well as from a contemporary AAV sequence, AAV2/8.

## Example 3

## Viral Titration

AAV was produced in HEK293 cells via transient co-transfection of plasmids encoding all elements required for viral particle assembly. Briefly, HEK293 cells were grown to 90% confluency and transfected with (a) the viral genome plasmid encoding the luciferase transgene (expressed by the CMV promoter) flanked by AAV2 ITRs, (b) the AAV packaging plasmid encoding AAV2 rep and the synthesized capsid proteins disclosed herein, (c) AAV2-AAP expressing capsid, and (d) adenoviral helper genes needed for AAV packaging and assembly. Cells were incubated at 37° C. for 2 days, and cells and media were harvested and collected.

The cell-media suspension was lysed by 3 consecutive freeze-thaw cycles. Next, the lysate was cleared by centrifugation and treated with an enzyme under conditions to perform exhaustive DNA digestion, here BENZONASE™, to digest any DNA present outside of the virus particle. The AAV preparation was diluted to fall within the linear measurement range of a control DNA template, in this case linearized plasmid with identical TAQMAN™ primer and probe binding sequence as compared to the vector genome. TAQMAN™ PCR was performed with primers and probe annealing to the viral vector genome of choice. Titer was calculated based on the TAQMAN™ measurement in genome copies (GC) per milliliter (ml) as shown in Table 2 below.

TABLE 2

Titers (GC/ml)	Small scale #1	Small scale #2
AAV2/2	$1.12 \times 10^9$	$1.99 \times 10^9$
AAV2/8	$4.17 \times 10^{10}$	$5.91 \times 10^{10}$
Anc80L27	$8.01 \times 10^8$	$1.74 \times 10^9$
Anc80L44	$1.52 \times 10^9$	$1.43 \times 10^9$
Anc80L65	$1.42 \times 10^9$	$2.05 \times 10^9$
No capsid control	$5.23 \times 10^5$	$7.25 \times 10^5$

## 18

Small scale vector production results on ancestrally reconstructed AAV capsid particles demonstrated yields that were similar to AAV2, but reduced relative to AAV8, both of which are vector preparations based on contemporary AAVs.

## Example 4

## In Vitro Viral Transduction

In vitro viral transductions were performed to evaluate the ability of viruses containing the predicted ancestral AAV sequences to infect cells.

Following high throughput vector production using the Anc80 library of sequences, HEK293 cells were transduced with each viral vector. In addition to an Anc80 sequence, each viral vector contained a luciferase transgene. Luciferase was measured by quantification of bioluminescence in a 96 well plate reader following addition of luciferin substrate to the transduced cells or cell lysate. Following quantification, a heat map of luciferase expression in four concatenated 96-well plates was produced (excluding a column of controls in each plate). Due to the large number of insertions, deletions, and transitions associated with the process of high throughput vector production, many of the vectors were non-functional. For purposes herein, only viruses that were functional in this assay (i.e., able to transduce HEK293 cells and express the transgene) were evaluated further.

HEK293 cells were transduced, at equal multiplicity of infection (MOI) of  $1 \times 10^4$  genome copies (GC) per cell, with two contemporary AAV vectors (AAV2/2 and AAV2/8) and three predicted ancestral AAV vectors (Anc80L27, Anc80L44, and Anc80L65). Each vector contained either a luciferase-encoding transgene or an eGFP-encoding transgene. Cells were imaged 60 hours later using the GFP channel of an AMG EvosFl Optical Microscope. FIG. 7 shows the luciferase expression following the in vitro transduction. Each of the ancestral AAV viruses demonstrated efficient transduction of HEK293 cells.

## Example 5

## In Vivo Retinal Transduction

Retinal transductions were performed to determine whether or not the ancestral AAV vectors are able to target murine retinal cells in vivo.

Murine eyes were transduced with  $2 \times 10^8$  genome copies (GC) of three different ancestral AAVs (Anc80L27, Anc80L44, and Anc80L65) and a contemporary AAV (AAV2/8), all of which included an eGFP-encoding transgene. For transductions, each AAV vector was surgically delivered below the retina by generating a space between the photoreceptor and retinal pigment epithelium layer through delivery of a vector bolus with an injection device. The vector bolus was left in the sub-retinal space and the sub-retinal detachment resolved over time. GFP expression was monitored non-invasively by fundus photography of the retina of the animal following pupil dilation with TROPICAMIDE™. All of the presented retinas demonstrated varying degrees of successful targeting of ancestral AAVs to the retina.

Retinal histology also was performed and visualized under fluorescent microscopy to identify the transduced cell type(s). Histology was performed on a murine retina transduced with the Anc80L65 ancestral AAV vector as described above. Anc80L65-mediated eGFP expression was evident in



the outer nuclear layer (ONL), the inner segments (IS), and the retinal pigment epithelium (RPE), indicating that the ancestral Anc80L65 vector targets murine photoreceptors and retinal pigment epithelial cells.

#### Example 6

##### Neutralizing Antibody Assay

Neutralizing antibody assays were performed to evaluate whether or not an ancestral AAV virus is more resistant to antibody-neutralization than a contemporary AAV virus. Neutralizing antibody assays measure the antibody concentration (or the titer at which an experimental sample contains an antibody concentration) that neutralizes an infection by 50% or more as compared to a control in the absence of the antibody.

Serum samples or IVIG stock solution (200 mg/ml) were serially diluted by 2-fold, and undiluted and diluted samples were co-incubated with an ancestral AAV virus, Anc80L65, and a contemporary AAV virus, AAV2/8, at a MOI of  $10^4$  for about 30 minutes at 37° C. Each virus included a luciferase transgene. The admixed vector and an antibody sample then were transduced into HEK293 cells. For these experiments, the antibody sample used was intravenous immunoglobulin (IVIG), pooled IgGs extracted from the plasma of over one thousand blood donors (sold commercially, for example, as GAMMAGARD™ (Baxter Healthcare; Deerfield, IL) or GAMUNEX™ (Grifols; Los Angeles, Calif.)). 48 hours following initiation of transduction, cells were assayed by bioluminescence to detect luciferase. Neutralizing antibody titer was determined by identifying the dilution of sample for which 50% or more neutralization (transduction of sample/ transduction of control virus in absence of sample) was reached.

#### Example 7

##### Characterization of Anc80

Based on the methods described herein, the most probable Anc80 sequence (as determined through posterior probability) was obtained and designated Anc80L1 (SEQ ID NO:35 shows the nucleic acid sequence of the Anc80L1 capsid and SEQ ID NO:36 shows the amino acid sequence of the Anc80L1 VP1 polypeptide). The Anc80 probabilistic library also was synthesized using the sequences described herein by a commercial company and sub-cloned into expression vectors.

The Anc80 library was clonally evaluated for vector yield and infectivity in combined assays. Out of this screening, Anc80L65 (SEQ ID NO:23), as well as several other variants, were further characterized.

The Anc80 library and Anc80L65 were compared in terms of sequence difference (FIG. 8; % up from diagonal, # of amino acid differences below). Using NCBI-BLAST, the closest publically available sequence to Anc80L65 is rh10 (GenBank Accession No. AAO88201.1).

FIG. 9 shows that Anc80L65 produced vector yields equivalent to AAV2 (Panel A), generated virus particles under Transmission Electrosopy (TEM) (Panel B), and biochemically produced the AAV cap and the VP1, 2 and 3 proteins based on SDS page under denaturing conditions (Panel C) and Western Blotting using the AAV capsid antibody, B1 (Panel D). These experiments are described in more detail in the following paragraphs.

Briefly, AAV2/8, AAV2/2, AAV2/Anc80L27, AAV2/Anc80L44, and AAV2/Anc80L65 vectors were produced in small scale containing a reporter construct comprised of eGFP and firefly luciferase under a CMV promoter were produced in small scale. Titers of these small scale preparations of viruses were then obtained via qPCR. Based on these experiments, Anc80L27, Anc80L44, and Anc80L65 vectors were found to produce viral levels comparable to that of AAV2 (FIG. 9A).

To confirm that the Anc80L65 capsid proteins assembled into intact virus-like-particles of the proper size and conformation, micrographs were obtained using transmission electron microscopy (TEM). A large scale, purified preparation of Anc80-L065 was loaded onto polyvinyl formal (Formvar®) coated copper grids and was then stained with uranyl acetate. Micrographs revealed intact, hexagonal particles with diameters between 20 and 25 nm (FIG. 9B).

In order to determine whether the synthetic ancestral capsid genes were properly processed (i.e. spliced and expressed), large-scale purified preparations of AAV2/8, AAV2/2, and AAV2/Anc80L65 vectors were loaded onto an SDS-PAGE gel (1E10 GC/well) under denaturing conditions. Bands representing viral capsid proteins VP1, VP2, and VP3 were clearly present for each vector preparation (FIG. 9C). Western blotting with the AAV capsid antibody B1 further confirmed that these bands represented the predicted proteins (FIG. 9D).

In addition, FIG. 10 shows that Anc80L65 infected mammalian tissue and cells in vitro on HEK293 cells at MOI  $10E4$  GC/cell using GFP as readout (Panel A) or luciferase (Panel B) versus AAV2 and/or AAV8 controls. Anc80L65 also was efficient at targeting liver following an IV injection of the indicated AAV encoding a nuclear LacZ transgene (top row, Panel C), following direct intramuscular (IM) injection of the indicated AAV encoding GFP (middle row, Panel C), and following subretinal injection with the indicated AAV encoding GFP (bottom row, Panel C). These experiments are described in more detail in the following paragraphs.

To obtain a relative measure of the infectivity of ancestral virions, crude preparations of AAV2/2, AAV2/8, AAV2/Anc80L65, AAV2/Anc80L44, AAV2/Anc80L27, AAV2/Anc80L121, AAV2/Anc80L122, AAV2/Anc80L123, AAV2/Anc80L124, and AAV2/Anc80L125 containing a bi-cistronic reporter construct that includes an eGFP and firefly luciferase sequences under control of a CMV promoter were produced. 96-well plates confluent with HEK293 cells were then subjected to transduction with each vector at an MOI of  $1E4$  GC/cell (titers obtained via qPCR as above). 48 hours later, fluorescent microscopy confirmed the presence of GFP in transduced cells (FIG. 10A). Cells were then assayed for the presence of luciferase (FIG. 10B), which determined that expression of luciferase in cells transduced with Anc80-derived vectors was in-between that of cells transduced with AAV8 (lower level of transduction) and AAV2 (higher level of transduction).

To assess the relative efficiency of gene transfer in an in vivo context, purified high-titer preparations of AAV2/2, AAV2/8, and AAV2/Anc80L65 were obtained.  $3.9E10$  GC of each vector, encapsidating a transgene encoding nuclear LacZ under control of a TBG promoter, were injected into C57BL/6 mice (3 mice per condition) via IP injection following general anesthetization. 28 days post-injection, mice were sacrificed and tissues were collected. Livers were sectioned via standard histological techniques and stained



## 21

for beta-galactosidase. Sections were then imaged under a microscope and representative images are shown in FIG. 10C, top row.

Vectors of the same serotypes were then obtained containing a bicistronic transgene encoding eGFP and hA1AT under control of a pCASI promoter. To assess the ability of Anc80L65 to transduce murine skeletal muscle, 1E10 GC of each vector was injected into skeletal muscle of C57BL/6 mice (5 mice per condition) following general anesthetization. 28 days post-injection, mice were sacrificed, tissues were cryosectioned, and the presence of eGFP was assessed using fluorescent confocal microscopy (blue is DAPI, green is eGFP). Representative images are shown in FIG. 10C, middle row. These experiments demonstrated that Anc80L65 vectors were capable of transducing murine skeletal muscle via intramuscular injection.

Vectors of the same serotypes were obtained, this time encapsidating constructs encoding only an eGFP transgene under control of a CMV promoter. 2E9 particles were injected sub-retinally into C57BL/6 mice following general anesthetization. 28 days post-injection, mice were sacrificed and the eyes were collected, cryosectioned, and the presence of eGFP was assessed using fluorescent confocal microscopy (blue is DAPI, green is eGFP). Representative images are shown in FIG. 10C, bottom row. These experiments demonstrate that Anc80L65 vectors are able to transduce murine retina at a level that is comparable to AAV8 vectors.

Briefly, purified, high titer preparations of AAV2/8, AAV2/2, AAV2/rh32.33, and AAV2/Anc80L65 viral vectors encapsidating a bicistronic transgene that includes eGFP and firefly luciferase under control of a CMV promoter were obtained. These vectors were then either incubated with two-fold serial dilutions of IVIG (10 mg, 5 mg, 2.5 mg, etc.) or incubated without IVIG (1E9 GC per condition). Following incubation, vectors were used to transduce HEK293 cells at an MOI of 1E4 per well (one dilution per well).

## Example 8

## Generation of Additional Ancestral AAV Capsids

The most probable ancestral AAV capsid sequences (as determined through posterior probability) were then synthesized through a commercial lab (Gen9) and provided as linear dsDNA. These amino acid sequences were then compared to those of extant AAVs in order to ascertain the degree to which they differ (FIG. 11). Each ancestral VP1 protein differs from those of selected representative extant AAVs by between 3.6% and 9.3% (FIG. 11A), while the ancestral VP3 proteins differ by between 4.2 and 9.4% (FIG. 11B). These capsids were each subcloned into AAV production plasmids (pAAVector2/Empty) via restriction enzyme digestion (HindIII & SpeI) and T4 ligation. These clones were confirmed via restriction digestion and Sanger sequencing, and medium scale preparations of plasmid DNA were then produced.

Each of these plasmids were then used to produce AAV vectors containing a reporter gene encoding both eGFP and firefly luciferase. These vectors were produced in triplicate in small scale as previously described. Crude preparations of the virus were then titered via qPCR and were found to produce between 2.71% and 183.1% viral particles relative to AAV8 (FIGS. 12 and 13). These titers were then used to set up a titer controlled experiment to assess relative infectivity. Anc126 was not titer controlled due to its significantly depressed production, and consequently, the data regarding the infectivity of Anc126 cannot be accurately compared to

## 22

the infectivity of the other viruses in the experiment. The other vectors were used to transduce HEK293 cells at a multiplicity of infection (MOI) of 1.9E3 GC/cell.

60 hours post transduction, cells were assessed for GFP expression via fluorescence microscopy. eGFP positive cells were detected under each of the conditions except for the negative control (FIG. 14). This indicates that each of the ancestral sequences that were predicted, synthesized, and cloned is capable of producing viable, infectious virus particles.

To get an idea of the relative levels of infectivity, luciferase assays also were performed on the same cells. The results indicate that each of the ancestral vectors is capable of transducing HEK293 cells between 28.3% and 850.8% relative to AAV8 (FIGS. 15 and 16). It is noted that Anc126 was excluded from the analysis of relative transduction since it was not titer-controlled.

In summary, eight novel ancestral AAV capsid genes were synthesized and used in the production of functional viral vectors along with AAV8, AAV2, and the previously described Anc80L65 vectors. Production and infectivity were assessed in vitro and a summary of those findings is shown in FIG. 17.

## Example 9

## Vectored Immunoprophylaxis

In vectored immunoprophylaxis, gene therapy vehicles (such as AAV) are used to deliver transgenes encoding broadly neutralizing antibodies against infectious agents. See, for example, Balazs et al. (2013, *Nat. Biotechnol.*, 31:647-52); Limberis et al. (2013, *Sci. Transl. Med.*, 5:187ra72); Balazs et al. (2012, *Nature*, 481:81-4); and Deal et al. (2014, *PNAS USA*, 111:12528-32). One advantage of this treatment is that the host produces the antibodies in their own cells, meaning that a single administration has the potential to confer a lifetime of protection against etiologic agents.

## Example 10

## Drug Delivery Vehicles

LUCENTIS® (ranibizumab) and AVASTIN® (bevacizumab) are both anti-angiogenesis agents based on the same humanized mouse monoclonal antibodies against vascular endothelial growth factor A (VEGF-A). Although bevacizumab is a full antibody and ranibizumab is a fragment (Fab), they both act to treat wet age-related macular degeneration through the same mechanism—by antagonizing VEGF. See, for example, Mao et al. (2011, *Hum. Gene Ther.*, 22:1525-35); Xie et al. (2014, *Gynecol. Oncol.*, doi: 10.1016/j.ygyno.2014.07.105); and Watanabe et al. (2010, *Gene Ther.*, 17:1042-51). Because both of these molecules are proteins, they can be encoded by DNA and produced in cells transduced with vectors containing a transgene, and are small enough to be packaged into AAV vectors.

## Other Embodiments

It is to be understood that, while the methods and compositions of matter have been described herein in conjunction with a number of different aspects, the foregoing description of the various aspects is intended to illustrate and not limit the scope of the methods and compositions of



matter. Other aspects, advantages, and modifications are within the scope of the following claims.

Disclosed are methods and compositions that can be used for, can be used in conjunction with, can be used in preparation for, or are products of the disclosed methods and compositions. These and other materials are disclosed herein, and it is understood that combinations, subsets, interactions, groups, etc. of these methods and compositions are disclosed. That is, while specific reference to each various individual and collective combinations and permu-

tations of these compositions and methods may not be explicitly disclosed, each is specifically contemplated and described herein. For example, if a particular composition of matter or a particular method is disclosed and discussed and a number of compositions or methods are discussed, each and every combination and permutation of the compositions and the methods are specifically contemplated unless specifically indicated to the contrary. Likewise, any subset or combination of these is also specifically contemplated and disclosed.

---

 SEQUENCE LISTING
 

---

```

<160> NUMBER OF SEQ ID NOS: 44

<210> SEQ ID NO 1
<211> LENGTH: 736
<212> TYPE: PRT
<213> ORGANISM: Adeno-associated virus
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (168)..(168)
<223> OTHER INFORMATION: /replace="Arg"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (204)..(204)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (266)..(266)
<223> OTHER INFORMATION: /replace="Gly"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (311)..(311)
<223> OTHER INFORMATION: /replace="Lys"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (411)..(411)
<223> OTHER INFORMATION: /replace="Gln"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (460)..(460)
<223> OTHER INFORMATION: /replace="Glu"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (493)..(493)
<223> OTHER INFORMATION: /replace="Thr"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (562)..(562)
<223> OTHER INFORMATION: /replace="Asn"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (576)..(576)
<223> OTHER INFORMATION: /replace="Glu"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (587)..(587)
<223> OTHER INFORMATION: /replace="Ala"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (609)..(609)
<223> OTHER INFORMATION: /replace="Asp"
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(736)
<223> OTHER INFORMATION: /note="Variant residues given in the sequence
      have no preference with respect to those in the annotations
      for variant positions"

<400> SEQUENCE: 1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1           5           10           15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20           25           30
  
```







-continued

450	455	460
Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Lys Asn Trp Leu Pro 465	470	475
Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Ala Asn Gln Asn 485	490	495
Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn 500	505	510
Gly Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Thr His Lys 515	520	525
Asp Asp Glu Asp Lys Phe Phe Pro Met Ser Gly Val Leu Ile Phe Gly 530	535	540
Lys Gln Gly Ala Gly Asn Ser Asn Val Asp Leu Asp Asn Val Met Ile 545	550	555
Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln 565	570	575
Tyr Gly Thr Val Ala Thr Asn Leu Gln Ser Ser Asn Thr Ala Pro Ala 580	585	590
Thr Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln 595	600	605
Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His 610	615	620
Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu 625	630	635
Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala 645	650	655
Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr 660	665	670
Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln 675	680	685
Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn 690	695	700
Tyr Asn Lys Ser Thr Asn Val Asp Phe Ala Val Asp Thr Asn Gly Val 705	710	715
Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu 725	730	735

<210> SEQ ID NO 2  
 <211> LENGTH: 2208  
 <212> TYPE: DNA  
 <213> ORGANISM: Adeno-associated virus  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (502)..(504)  
 <223> OTHER INFORMATION: /replace="aaa"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (610)..(612)  
 <223> OTHER INFORMATION: /replace="agc"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (796)..(798)  
 <223> OTHER INFORMATION: /replace="ggc"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (931)..(933)  
 <223> OTHER INFORMATION: /replace="aag"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1231)..(1233)  
 <223> OTHER INFORMATION: /replace="cag"  
 <220> FEATURE:



-continued

---

```

<221> NAME/KEY: variation
<222> LOCATION: (1378)..(1380)
<223> OTHER INFORMATION: /replace="gag"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1477)..(1479)
<223> OTHER INFORMATION: /replace="acc"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1684)..(1686)
<223> OTHER INFORMATION: /replace="aac"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1726)..(1728)
<223> OTHER INFORMATION: /replace="gag"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1759)..(1761)
<223> OTHER INFORMATION: /replace="gcc"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1825)..(1827)
<223> OTHER INFORMATION: /replace="gac"
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(2208)
<223> OTHER INFORMATION: /note="Variation nucleotides given in the
sequence have no preference with respect to those in the
annotations for variation positions"

<400> SEQUENCE: 2

atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc      60
gagtgggtggg acttgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac      120
gacggccggg gtctggtgct tcctggctac aagtacctcg gacccttcaa cggactcgac      180
aaggggggagc cegtcaacgc ggcggacgca gcggccctcg agcacgacaa ggcctacgac      240
cagcagctca aagcgggtga caatccgtac ctgcggtata accacgccga cgcgagttt      300
caggagcgtc tgcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttcag      360
gccaagaagc gggttctcga acctctcggg ctggttgagg aaggcgctaa gacggctcct      420
ggaaagaaga gaccggtaga gcaatcacc caggaaccag actcctcttc gggcatcggc      480
aagaaaggcc agcagcccgc gaagaagaga ctcaactttg ggcagacagg cgactcagag      540
tcagtgcccg accctcaacc actcggagaa cccccgcag ccccctctgg tgtgggatct      600
aatacaatgg cagcaggcgg tggcgctcca atggcagaca ataacgaagg cgccgacgga      660
gtgggtaacg cctcaggaaa ttggcattgc gattccacat ggctgggcca cagagtcac      720
accaccagca cccgaacctg ggccctcccc acctacaaca accaccteta caagcaaate      780
tccagccaat cgggagcaag caccaacgac aacacctact tcggctacag caccctctgg      840
gggtattttg actttaacag attccactgc cacttctcac cacgtgactg gcagcgactc      900
atcaacaaca actggggatt cgggccaag agactcaact tcaagctctt caacatccag      960
gtcaaggagg tcacgacgaa tgatggcacc acgaccatcg ccaataacct taccagcacg     1020
gttcaggctt tacggactc ggaataccag ctcccgtacg tctcggctc tgccgaccag     1080
ggctgctcgc ctccgttccc ggccgacgtc ttcatgattc ctcagtacgg gtacctgact     1140
ctgaacaatg gcagtcaggc cgtgggcccgt tcctccttct actgcctgga gtactttcct     1200
tctcaaatgc tgagaacggg caacaacttt gaggtcagct acacgtttga ggacgtgcct     1260
tttcacagca gctacgcgca cagccaaagc ctggaccggc tgatgaacct cctcatcgac     1320
cagtacctgt actacctgtc tcggactcag accacgagtg gtaccgcagg aaatcggacg     1380
ttgcaatfff ctcaggccgg gcctagtagc atggcgaatc aggcacaaaa ctggctaccc     1440

```



-continued

---

```

gggcctgct accggcagca acgctctcc aagacagcga atcaaaataa caacagcaac 1500
tttgctgga cgggtgccac caagtatcat ctgaatggca gagactctct ggtaaattccc 1560
ggtcccgcta tggcaacca caaggacgac gaagacaaat tttttccgat gagcggagtc 1620
ttaatatttg ggaaacaggg agctggaaat agcaacgtgg accttgaaa cggtatgata 1680
accagtgagg aagaaattaa aaccaccaac ccagtggcca cagaacagta cggcaccgtg 1740
gccactaacc tgcaatcgtc aaacaccgct cctgctacag ggaccgtcaa cagtcaagga 1800
gccttacctg gcatggctc gcagaaccgg gacgtgtacc tgcagggtcc tatctgggcc 1860
aagattcctc acacggacgg acactttcat cctcgcgcg tgatgggagg ctttggactg 1920
aaacacccgc ctctcagat cctgattaag aatacacctg ttcccgcgaa tctccaact 1980
accttcagtc cagctaagtt tgcgtcgttc atcacgcagt acagcaccgg acaggtcagc 2040
gtggaaattg aatgggagct gcagaaagaa aacagcaaac gctggaacc agagattcaa 2100
tacacttcca actacaacia atctacaaat gtggactttg ctggtgacac aaatggcggt 2160
tattctgagc ctgcceccat cggcaccgt tacctcacc gtaatctg 2208

```

```

<210> SEQ ID NO 3
<211> LENGTH: 737
<212> TYPE: PRT
<213> ORGANISM: Adeno-associated virus
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (157)..(157)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (168)..(168)
<223> OTHER INFORMATION: /replace="Arg"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (262)..(262)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (263)..(263)
<223> OTHER INFORMATION: /replace="His"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (312)..(312)
<223> OTHER INFORMATION: /replace="Lys"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (412)..(412)
<223> OTHER INFORMATION: /replace="Gln"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (460)..(460)
<223> OTHER INFORMATION: /replace="Gln"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (461)..(461)
<223> OTHER INFORMATION: /replace="Glu"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (552)..(552)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (556)..(556)
<223> OTHER INFORMATION: /replace="Tyr"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (557)..(557)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (563)..(563)

```



-continued

---

```

<223> OTHER INFORMATION: /replace="Asn"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (580)..(580)
<223> OTHER INFORMATION: /replace="Ile"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (588)..(588)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (664)..(664)
<223> OTHER INFORMATION: /replace="Thr"
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(737)
<223> OTHER INFORMATION: /note="Variant residues given in the sequence
      have no preference with respect to those in the annotations
      for variant positions"

<400> SEQUENCE: 3

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1          5          10          15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20          25          30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35          40          45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50          55          60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65          70          75          80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
 85          90          95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100          105          110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115          120          125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130          135          140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Thr Gly Ile Gly
145          150          155          160

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165          170          175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180          185          190

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ala Gly Gly Gly
195          200          205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
210          215          220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225          230          235          240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245          250          255

Tyr Lys Gln Ile Ser Asn Ser Gln Ser Gly Gly Ser Thr Asn Asp Asn
260          265          270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
275          280          285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
290          295          300

```



-continued

---

Asn	Trp	Gly	Phe	Arg	Pro	Lys	Arg	Leu	Asn	Phe	Lys	Leu	Phe	Asn	Ile
305					310					315					320
Gln	Val	Lys	Glu	Val	Thr	Thr	Asn	Asp	Gly	Thr	Thr	Thr	Ile	Ala	Asn
				325					330					335	
Asn	Leu	Thr	Ser	Thr	Val	Gln	Val	Phe	Thr	Asp	Ser	Glu	Tyr	Gln	Leu
			340					345					350		
Pro	Tyr	Val	Leu	Gly	Ser	Ala	His	Gln	Gly	Cys	Leu	Pro	Pro	Phe	Pro
		355					360					365			
Ala	Asp	Val	Phe	Met	Ile	Pro	Gln	Tyr	Gly	Tyr	Leu	Thr	Leu	Asn	Asn
	370					375					380				
Gly	Ser	Gln	Ala	Val	Gly	Arg	Ser	Ser	Phe	Tyr	Cys	Leu	Glu	Tyr	Phe
385					390					395					400
Pro	Ser	Gln	Met	Leu	Arg	Thr	Gly	Asn	Asn	Phe	Glu	Phe	Ser	Tyr	Thr
			405						410					415	
Phe	Glu	Asp	Val	Pro	Phe	His	Ser	Ser	Tyr	Ala	His	Ser	Gln	Ser	Leu
			420					425					430		
Asp	Arg	Leu	Met	Asn	Pro	Leu	Ile	Asp	Gln	Tyr	Leu	Tyr	Tyr	Leu	Ser
		435					440					445			
Arg	Thr	Gln	Thr	Thr	Gly	Gly	Thr	Ala	Gly	Asn	Arg	Thr	Leu	Gln	Phe
	450					455					460				
Ser	Gln	Ala	Gly	Pro	Ser	Ser	Met	Ala	Asn	Gln	Ala	Lys	Asn	Trp	Leu
465					470					475					480
Pro	Gly	Pro	Cys	Tyr	Arg	Gln	Gln	Arg	Val	Ser	Lys	Thr	Thr	Asn	Gln
			485						490					495	
Asn	Asn	Asn	Ser	Asn	Phe	Ala	Trp	Thr	Gly	Ala	Thr	Lys	Tyr	His	Leu
			500					505					510		
Asn	Gly	Arg	Asp	Ser	Leu	Val	Asn	Pro	Gly	Val	Ala	Met	Ala	Thr	His
		515					520					525			
Lys	Asp	Asp	Glu	Asp	Arg	Phe	Phe	Pro	Ser	Ser	Gly	Val	Leu	Ile	Phe
	530					535					540				
Gly	Lys	Gln	Gly	Ala	Gly	Asn	Asp	Asn	Val	Asp	Leu	Asp	Asn	Val	Met
545					550					555					560
Ile	Thr	Ser	Glu	Glu	Glu	Ile	Lys	Thr	Thr	Asn	Pro	Val	Ala	Thr	Glu
				565					570					575	
Glu	Tyr	Gly	Val	Val	Ala	Thr	Asn	Leu	Gln	Ser	Ala	Asn	Thr	Ala	Pro
			580					585					590		
Gln	Thr	Gly	Thr	Val	Asn	Ser	Gln	Gly	Ala	Leu	Pro	Gly	Met	Val	Trp
		595					600						605		
Gln	Asn	Arg	Asp	Val	Tyr	Leu	Gln	Gly	Pro	Ile	Trp	Ala	Lys	Ile	Pro
	610					615						620			
His	Thr	Asp	Gly	Asn	Phe	His	Pro	Ser	Pro	Leu	Met	Gly	Gly	Phe	Gly
625					630					635					640
Leu	Lys	His	Pro	Pro	Pro	Gln	Ile	Leu	Ile	Lys	Asn	Thr	Pro	Val	Pro
				645					650					655	
Ala	Asn	Pro	Pro	Thr	Thr	Phe	Ser	Pro	Ala	Lys	Phe	Ala	Ser	Phe	Ile
			660					665					670		
Thr	Gln	Tyr	Ser	Thr	Gly	Gln	Val	Ser	Val	Glu	Ile	Glu	Trp	Glu	Leu
			675				680					685			
Gln	Lys	Glu	Asn	Ser	Lys	Arg	Trp	Asn	Pro	Glu	Ile	Gln	Tyr	Thr	Ser
	690					695					700				
Asn	Tyr	Asn	Lys	Ser	Thr	Asn	Val	Asp	Phe	Ala	Val	Asp	Thr	Glu	Gly
705					710					715					720
Val	Tyr	Ser	Glu	Pro	Arg	Pro	Ile	Gly	Thr	Arg	Tyr	Leu	Thr	Arg	Asn



-continued

---

725                      730                      735

Leu

<210> SEQ ID NO 4  
 <211> LENGTH: 2211  
 <212> TYPE: DNA  
 <213> ORGANISM: Adeno-associated virus  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (469)..(471)  
 <223> OTHER INFORMATION: /replace="agc"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (502)..(504)  
 <223> OTHER INFORMATION: /replace="aag"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (784)..(786)  
 <223> OTHER INFORMATION: /replace="agt"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (787)..(789)  
 <223> OTHER INFORMATION: /replace="cac"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (934)..(936)  
 <223> OTHER INFORMATION: /replace="aag"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1234)..(1236)  
 <223> OTHER INFORMATION: /replace="cag"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1378)..(1380)  
 <223> OTHER INFORMATION: /replace="cag"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1381)..(1383)  
 <223> OTHER INFORMATION: /replace="gag"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1654)..(1656)  
 <223> OTHER INFORMATION: /replace="agc"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1666)..(1668)  
 <223> OTHER INFORMATION: /replace="tac"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1669)..(1671)  
 <223> OTHER INFORMATION: /replace="agc"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1687)..(1689)  
 <223> OTHER INFORMATION: /replace="aac"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1738)..(1740)  
 <223> OTHER INFORMATION: /replace="atc"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1762)..(1764)  
 <223> OTHER INFORMATION: /replace="agc"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1990)..(1992)  
 <223> OTHER INFORMATION: /replace="acc"  
 <220> FEATURE:  
 <221> NAME/KEY: misc\_feature  
 <222> LOCATION: (1)..(2211)  
 <223> OTHER INFORMATION: /note="Variation nucleotides given in the  
 sequence have no preference with respect to those in the  
 annotations for variation positions"

<400> SEQUENCE: 4

atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc



-continued

---

```

gagtgggtggg acttgaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac 120
gacggccggg gtctggtgct tcttggttac aagtacctcg gacccttcaa cggactcgac 180
aagggggagc ccgtaacgc ggcggacgca gcggccctcg agcacgaca ggcctacgac 240
cagcagctca aagcgggtga caatccgtac ctgcggtata accacgccga cgccgagttt 300
caggagcgtc tgcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag 360
gccaagaagc gggttctcga acctctcggg ctggttgagg aaggcgctaa gacggctcct 420
ggaaagaaga gaccggtaga gcaatcacc caggaaccag actcctctac gggcatcggc 480
aagaaaggcc agcagcccgc gaaaaagaga ctcaactttg ggcagactgg cgactcagag 540
tcagtgcccg accctcaacc actcggagaa cccccgcag cccctctgg tgtgggatct 600
aatacaatgg ctgcaggcgg tggcgctcca atggcagaca ataacgaagg cgccgacgga 660
gtgggtaatg cctcaggaaa ttggcattgc gattccacat ggctgggcca cagagtcac 720
accaccagca cccgaacctg ggcctcccc acctacaaca accacctcta caagcaaatc 780
tccaacagcc aatcgggagg aagcaccaac gacaacacct actteggcta cagcaccccc 840
tgggggtatt ttgacttaa cagattccac tgccacttct caccacgtga ctggcagcga 900
ctcatcaaca acaactgggg attccggccc aagagactca acttcaagct cttcaacatc 960
caggtcaagg aggtcacgac gaatgatggc accacgacca tcgccaataa ccttaccagc 1020
acggttcagg tctttacgga ctcggaatac cagctcccgt acgtcctcgg ctctgcgcac 1080
cagggtgcc tgctccgtt cccggcggac gtcttcatga ttctcagta cgggtacctg 1140
actctgaaca atggcagtca ggcctggggc cgttctcct tctactgct ggagtacttt 1200
ccttctcaaa tgctgagaac gggcaacaac tttgagttca gctacacgtt tgaggacgtg 1260
ccttttcaca gcagctacgc gcacagccaa agcctggacc ggctgatgaa cccctcatc 1320
gaccagtacc tgtactacct gtctcggact cagaccacgg gaggtaccgc aggaaatcgg 1380
acgttgcaat tttctcaggc cgggcctagt agcatggcga atcaggcca aactgggcta 1440
cccggccct gctaccggca gcaacgcgtc tccaagaca cgaatcaaaa taacaacagc 1500
aactttgctt ggaccggtgc caccaagtat catctgaatg gcagagactc tctggtaaat 1560
cccgtgtcgt ctatggcaac ccacaaggac gacgaagacc gattttttcc gtccagcggga 1620
gtcttaatat ttgggaaaca gggagctgga aatgacaacg tggaccttga caacgttatg 1680
ataaccagtg aggaagaaat taaaaccacc aaccagtggt ccacagaaga gtacggcgtg 1740
gtggccacta acctgcaatc ggcaaacacc gtcctcaaa cagggaccgt caacagtcaa 1800
ggagccttac ctggcatggt ctggcagaac cgggacgtgt acctgcaggg tcctatctgg 1860
gccaagattc ctcacacgga cggaaacttt catccctcgc cgctgatggg aggttttggg 1920
ctgaaacacc cgcctcctca gatcctgatt aagaatacac ctgttcccgc gaatcctcca 1980
actaccttca gtccagctaa gtttgcgteg ttcatcacgc agtacagcac cggacaggtc 2040
agcgtggaaa ttgaatggga gctgcagaaa gaaaacagca aacgctggaa cccagagatt 2100
caatacactt ccaactaca caaatctaca aatgtggact ttgctgttga cacagaaggc 2160
gtttattctg agcctcggcc catcggcacc cgttacctca cccgtaatct g 2211

```

&lt;210&gt; SEQ ID NO 5

&lt;211&gt; LENGTH: 738

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Adeno-associated virus

&lt;220&gt; FEATURE:



-continued

---

```

<221> NAME/KEY: VARIANT
<222> LOCATION: (158)..(158)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (169)..(169)
<223> OTHER INFORMATION: /replace="Arg"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (564)..(564)
<223> OTHER INFORMATION: /replace="Asn"
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(738)
<223> OTHER INFORMATION: /note="Variant residues given in the sequence
      have no preference with respect to those in the annotations
      for variant positions"

<400> SEQUENCE: 5

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1          5          10          15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20          25          30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35          40          45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50          55          60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65          70          75          80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85          90          95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100         105         110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115         120         125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130         135         140

Pro Val Glu Gln Ser Pro Gln Arg Glu Pro Asp Ser Ser Thr Gly Ile
145         150         155         160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165         170         175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro
180         185         190

Pro Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ala Gly Gly
195         200         205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn
210         215         220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225         230         235         240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245         250         255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260         265         270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275         280         285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290         295         300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305         310         315         320

```



-continued

---

Ile Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335  
 Asn Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350  
 Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
 355 360 365  
 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380  
 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400  
 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr  
 405 410 415  
 Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430  
 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445  
 Ser Arg Thr Gln Thr Thr Gly Gly Thr Ala Gly Thr Gln Thr Leu Gln  
 450 455 460  
 Phe Ser Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Lys Asn Trp  
 465 470 475 480  
 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn  
 485 490 495  
 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510  
 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525  
 His Lys Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile  
 530 535 540  
 Phe Gly Lys Gln Gly Ala Gly Asn Asp Asn Val Asp Tyr Ser Asn Val  
 545 550 555 560  
 Met Ile Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575  
 Glu Glu Tyr Gly Val Val Ala Thr Asn Leu Gln Ser Ala Asn Thr Ala  
 580 585 590  
 Pro Gln Thr Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605  
 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620  
 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640  
 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val  
 645 650 655  
 Pro Ala Asp Pro Pro Thr Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe  
 660 665 670  
 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685  
 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700  
 Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu  
 705 710 715 720  
 Gly Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
 725 730 735



-continued

Asn Leu

```

<210> SEQ ID NO 6
<211> LENGTH: 2214
<212> TYPE: DNA
<213> ORGANISM: Adeno-associated virus
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (472)..(474)
<223> OTHER INFORMATION: /replace="agc"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (505)..(507)
<223> OTHER INFORMATION: /replace="aga"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1690)..(1692)
<223> OTHER INFORMATION: /replace="aac"
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(2214)
<223> OTHER INFORMATION: /note="Variation nucleotides given in the
sequence have no preference with respect to those in the
annotations for variation positions"

<400> SEQUENCE: 6
atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc 60
gagtgggtggg acctgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac 120
gacggccggg gtctggtgct tccctggctac aagtacctcg gaccctcaa cggactcgac 180
aaggggggagc cgtcaacgc ggccggacgca gcggccctcg agcacgaca ggccctacgac 240
cagcagctca aagcgggtga caatccgtac ctgcggtata atcacgccga cgccgagttt 300
caggagcgtc tgcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag 360
gccaaagaagc gggttctcga acctctcggt ctggttgagg aaggcgctaa gacggctcct 420
ggaaagaaga gaccggtaga gcagtcacca cagcgtgagc ccgactcctc cacgggcatc 480
ggcaagaaag gccagcagcc cgccaaaaag agactcaatt tcggtcagac tggcgactca 540
gagtcagtcc ccgacctca acctctcgga gaacctccag cagcgcctc tggtgtggga 600
tctaatacaa tggctgcagg cgggtggcgca ccaatggcag acaataacga aggtgccgac 660
ggagtgggta attcctcggg aaattggcat tgcgattcca catggctggg cgacagagtc 720
atcaccacca gcacctgaac ctgggccctg cccacctaca acaaccacct ctacaagcaa 780
atctccaacg ggacctcggg aggcagcacc aacgacaaca cctactttgg ctacagcacc 840
ccctgggggt attttgactt taacagattc cactgccact tctcaccag tgactggcag 900
cgactcatca acaacaactg gggattccgg cccaagagac tcaacttcaa gctcttcaac 960
atccaggtea aagaggcac gacgaatgaa ggcaccaaga ccatcgcaa taacctcacc 1020
agcaccgtcc aggtgtttac ggactcggaa taccagctgc cgtacgtcct cggtctgccc 1080
caccagggct gcctgcctcc gttcccggcg gacgtcttca tgattcctca gtacggctac 1140
ctgactctca acaacggtag tcaggccgtg ggacgttcc ctttctactg cctggagtac 1200
ttcccctctc agatgctgag aacgggcaac aactttcaat tcagctacac tttcgaggac 1260
gtgcctttcc acagcagcta cgccacagc cagagtttgg acaggctgat gaatcctctc 1320
atcgaccagt acctgtacta cctgtcaaga accagacta cgggaggcac agcgggaacc 1380
cagacgttgc agttttctca ggccgggect agcagcatgg cgaatcaggc caaaaactgg 1440
ctgcctggac cctgctacag acagcagcgc gtctccacga caacgaatca aaacaacaac 1500
agcaactttg cctggactgg tgccaccaag tatcatctga acggcagaga ctctctggtg 1560

```



-continued

```

aatccgggcg tcgccatggc aaccacaag gacgacgagg accgcttctt cccatccagc 1620
ggcgtcctca tatttgcaa gcagggagct ggaaatgaca acgtggacta tagcaacgtg 1680
atgataacca gcgaggaaga aatcaagacc accaaccocg tggccacaga agagtatggc 1740
gtggtggcta ctaacctaca gtcggcaaac accgctcctc aaacggggac cgtcaacagc 1800
cagggagcct tacctggcat ggtctggcag aaccgggacg tgtacctgca gggctctatt 1860
tgggccaaga ttcctcacac agatggcaac tttcacccgt ctctttaat gggcggcttt 1920
ggacttaaac atccgctcc tcagatcctc atcaaaaaca ctctgttcc tgcggatcct 1980
ccaacaacgt tcaaccaggc caagctgaat tctttcatca cgcagtacag caccggacaa 2040
gtcagcgtgg agatcgagtg ggagctgcag aaggagaaca gcaagcgtg gaaccagag 2100
atcagata cttccaacta ctacaaatct acaaatgtgg actttgctgt taatactgag 2160
ggtgtttact ctgagcctcg cccattggc actcgttacc tcaccgtaa tctg 2214

```

```

<210> SEQ ID NO 7
<211> LENGTH: 738
<212> TYPE: PRT
<213> ORGANISM: Adeno-associated virus
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (158)..(158)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (169)..(169)
<223> OTHER INFORMATION: /replace="Lys"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (315)..(315)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (413)..(413)
<223> OTHER INFORMATION: /replace="Glu"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (472)..(472)
<223> OTHER INFORMATION: /replace="Thr" or "Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (534)..(534)
<223> OTHER INFORMATION: /replace="Glu"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (542)..(542)
<223> OTHER INFORMATION: /replace="Val"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (595)..(595)
<223> OTHER INFORMATION: /replace="Val"
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(738)
<223> OTHER INFORMATION: /note="Variant residues given in the sequence
have no preference with respect to those in the annotations
for variant positions"

```

<400> SEQUENCE: 7

```

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1           5           10           15

```

```

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20           25           30

```

```

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35           40           45

```

```

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro

```



-continued

50	55	60
Val Asn Ala Ala Asp 65	Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp 70	75 80
Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala 85	90	95
Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly 100	105	110
Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro 115	120	125
Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg 130	135	140
Pro Val Glu Gln Ser Pro Gln Arg Glu Pro Asp Ser Ser Thr Gly Ile 145	150	155 160
Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln 165	170	175
Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro 180	185	190
Pro Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ala Gly Gly 195	200	205
Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser 210	215	220
Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val 225	230	235 240
Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His 245	250	255
Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp 260	265	270
Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn 275	280	285
Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn 290	295	300
Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn 305	310	315 320
Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala 325	330	335
Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln 340	345	350
Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe 355	360	365
Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn 370	375	380
Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr 385	390	395 400
Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr 405	410	415
Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser 420	425	430
Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu 435	440	445
Ser Arg Thr Gln Thr Thr Gly Gly Thr Ala Gly Thr Gln Thr Leu Gln 450	455	460
Phe Ser Gln Ala Gly Pro Ser Asn Met Ala Asn Gln Ala Lys Asn Trp 465	470	475 480



-continued

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Ser  
 485 490 495  
 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510  
 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525  
 His Lys Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Ile Leu Ile  
 530 535 540  
 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Asn Val  
 545 550 555 560  
 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575  
 Glu Glu Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Thr Ala  
 580 585 590  
 Pro Gln Ile Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605  
 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620  
 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640  
 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val  
 645 650 655  
 Pro Ala Asp Pro Pro Thr Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe  
 660 665 670  
 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685  
 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700  
 Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu  
 705 710 715 720  
 Gly Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
 725 730 735

Asn Leu

<210> SEQ ID NO 8  
 <211> LENGTH: 2214  
 <212> TYPE: DNA  
 <213> ORGANISM: Adeno-associated virus  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (472)..(474)  
 <223> OTHER INFORMATION: /replace="agc"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (505)..(507)  
 <223> OTHER INFORMATION: /replace="aag"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (943)..(945)  
 <223> OTHER INFORMATION: /replace="agc"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1237)..(1239)  
 <223> OTHER INFORMATION: /replace="gaa"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1414)..(1416)  
 <223> OTHER INFORMATION: /replace="aac" or "agc"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1600)..(1602)



-continued

---

```

<223> OTHER INFORMATION: /replace="gag"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1624)..(1626)
<223> OTHER INFORMATION: /replace="gtc"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1783)..(1785)
<223> OTHER INFORMATION: /replace="gta"
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(2214)
<223> OTHER INFORMATION: /note="Variation nucleotides given in the
sequence have no preference with respect to those in the
annotations for variation positions"

<400> SEQUENCE: 8

atggctgccg atggttatct tccagattgg ctgaggaca acctctctga gggcattcgc      60
gagtgggtggg acctgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac      120
gacggccggg gtctggtgct tcttggttac aagtacctcg gacccttcaa cggactcgac      180
aagggggagc cgtcaacgc ggcggacgca gcggccctcg agcacgaca ggcctacgac      240
cagcagctca aagcgggtga caatccgtac ctgcggtata atcacgccga cgccgagttt      300
caggagcgtc tgcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag      360
gccaaagaagc gggttctcga acctctcggg ctggttgagg aaggcgctaa gacggctcct      420
ggaaagaaga gaccggtaga gcagtcacca cagcgtgagc ccgactcctc cacgggcatc      480
ggcaagaaag gccagcagcc cgccagaaag agactcaatt tcggtcagac tggcgactca      540
gagtcagtcc ccgacctca acctctcggg gaacctccag cagcgccctc tgggtgaggga      600
tctaatacaa tggctgcagg cgggtggcga ccaatggcag acaataacga aggtgccgac      660
ggagtgggta gttcctcggg aaattggcat tgcgattcca catggctggg cgacagagtc      720
atcaccacca gcacccgaac ctggggccctg cccacctaca acaaccacct ctacaagcaa      780
atctccaacg ggacctcggg aggcagcacc aacgacaaca cctactttgg ctacagcacc      840
ccctgggggt attttgactt taacagattc cactgccact tctcaccagc tgactggcag      900
cgactcatca acaacaactg gggattccgg cccaagagac tcaacttcaa gctcttcaac      960
atccagggtca aagaggcac gcagaatgaa ggcaccaaga ccatcgcaa taacctcacc     1020
agcaccatcc aggtggttac ggactcggaa taccagctgc cgtacgtcct cggtctgccc     1080
caccagggct gcctgcctcc gttcccgcg gacgtcttca tgattcctca gtacggctac     1140
ctgactctca acaacggtag tcaggccgtg ggacgttctt ctttctactg cctggagtac     1200
ttcccctctc agatgctgag aacgggcaac aactttcaat tcagctacac tttcgaggac     1260
gtgcctttcc acagcagcta cgcgcacagc cagagtttgg acaggctgat gaatcctctc     1320
atcgaccagt acctgtacta cctgtcaaga acccagacta cgggaggcac agcgggaacc     1380
cagacgttgc agttttctca ggccgggcct agcaacatgg cgaatcaggc caaaaactgg     1440
ctgcctggac cctgctacag acagcagcgc gtctccacga caacgtcgca aaacaacaac     1500
agcaactttg cctggactgg tgccaccaag tatcatctga acggcagaga ctctctggtg     1560
aatccgggcg tcgccatggc aaccacaag gacgacgagg accgcttctt cccatccagc     1620
ggcatcctca tatttgcaa gcaggagct ggaaaagaca acgtggacta tagcaacgtg     1680
atgctaacca gcgaggaaga aatcaagacc accaaccocg tggccacaga agagtatggc     1740
gtggtggctg ataacctaca gcagcaaac accgctcctc aatagggac cgtcaacagc     1800
caggagcct tacctggcat ggtctggcag aaccgggacg tgtacctgca ggtcctatt     1860

```



-continued

---

```

tgggccaaga ttcctcacac agatggcaac tttcaccggt ctctttaat gggcggcttt 1920
ggacttaaac atccgctcc tcagatcctc atcaaaaaca ctctgttcc tgccgaccc 1980
ccaacaacgt tcaaccaggc caagctgaat tctttcatca cgcagtagag caccggacaa 2040
gtcagcgtgg agatcgagtg ggagctgcag aaggagaaca gcaagcgtg gaaccagag 2100
attcagtata cttccaacta ctacaaatct acaaatgtgg actttgctgt taatactgag 2160
ggtgtttact ctgagcctcg cccattggc actcgttacc tcaccgtaa tctg 2214

```

```

<210> SEQ ID NO 9
<211> LENGTH: 738
<212> TYPE: PRT
<213> ORGANISM: Adeno-associated virus
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (169)..(169)
<223> OTHER INFORMATION: /replace="Lys"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (315)..(315)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (534)..(534)
<223> OTHER INFORMATION: /replace="Glu"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (542)..(542)
<223> OTHER INFORMATION: /replace="Val"
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(738)
<223> OTHER INFORMATION: /note="Variant residues given in the sequence
have no preference with respect to those in the annotations
for variant positions"

```

```

<400> SEQUENCE: 9

```

```

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1           5           10           15
Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20           25           30
Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35           40           45
Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50           55           60
Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65           70           75           80
Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85           90           95
Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100          105          110
Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115          120          125
Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130          135          140
Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145          150          155          160
Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165          170          175
Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180          185          190

```



-continued

---

Pro	Ala	Ala	Pro	Ser	Gly	Val	Gly	Ser	Gly	Thr	Met	Ala	Ala	Gly	Gly
		195					200					205			
Gly	Ala	Pro	Met	Ala	Asp	Asn	Asn	Glu	Gly	Ala	Asp	Gly	Val	Gly	Ser
	210					215					220				
Ser	Ser	Gly	Asn	Trp	His	Cys	Asp	Ser	Thr	Trp	Leu	Gly	Asp	Arg	Val
225					230					235					240
Ile	Thr	Thr	Ser	Thr	Arg	Thr	Trp	Ala	Leu	Pro	Thr	Tyr	Asn	Asn	His
				245					250					255	
Leu	Tyr	Lys	Gln	Ile	Ser	Asn	Gly	Thr	Ser	Gly	Gly	Ser	Thr	Asn	Asp
			260					265					270		
Asn	Thr	Tyr	Phe	Gly	Tyr	Ser	Thr	Pro	Trp	Gly	Tyr	Phe	Asp	Phe	Asn
		275					280					285			
Arg	Phe	His	Cys	His	Phe	Ser	Pro	Arg	Asp	Trp	Gln	Arg	Leu	Ile	Asn
	290					295					300				
Asn	Asn	Trp	Gly	Phe	Arg	Pro	Lys	Arg	Leu	Asn	Phe	Lys	Leu	Phe	Asn
305					310					315					320
Ile	Gln	Val	Lys	Glu	Val	Thr	Gln	Asn	Glu	Gly	Thr	Lys	Thr	Ile	Ala
				325					330					335	
Asn	Asn	Leu	Thr	Ser	Thr	Ile	Gln	Val	Phe	Thr	Asp	Ser	Glu	Tyr	Gln
			340					345					350		
Leu	Pro	Tyr	Val	Leu	Gly	Ser	Ala	His	Gln	Gly	Cys	Leu	Pro	Pro	Phe
		355					360					365			
Pro	Ala	Asp	Val	Phe	Met	Ile	Pro	Gln	Tyr	Gly	Tyr	Leu	Thr	Leu	Asn
	370					375					380				
Asn	Gly	Ser	Gln	Ala	Val	Gly	Arg	Ser	Ser	Phe	Tyr	Cys	Leu	Glu	Tyr
385					390					395					400
Phe	Pro	Ser	Gln	Met	Leu	Arg	Thr	Gly	Asn	Asn	Phe	Glu	Phe	Ser	Tyr
				405					410					415	
Thr	Phe	Glu	Asp	Val	Pro	Phe	His	Ser	Ser	Tyr	Ala	His	Ser	Gln	Ser
			420					425					430		
Leu	Asp	Arg	Leu	Met	Asn	Pro	Leu	Ile	Asp	Gln	Tyr	Leu	Tyr	Tyr	Leu
	435						440					445			
Ser	Arg	Thr	Gln	Ser	Thr	Gly	Gly	Thr	Ala	Gly	Thr	Gln	Gln	Leu	Leu
	450					455					460				
Phe	Ser	Gln	Ala	Gly	Pro	Ser	Asn	Met	Ser	Ala	Gln	Ala	Lys	Asn	Trp
465					470					475					480
Leu	Pro	Gly	Pro	Cys	Tyr	Arg	Gln	Gln	Arg	Val	Ser	Thr	Thr	Leu	Ser
				485					490					495	
Gln	Asn	Asn	Asn	Ser	Asn	Phe	Ala	Trp	Thr	Gly	Ala	Thr	Lys	Tyr	His
			500					505					510		
Leu	Asn	Gly	Arg	Asp	Ser	Leu	Val	Asn	Pro	Gly	Val	Ala	Met	Ala	Thr
		515					520					525			
His	Lys	Asp	Asp	Glu	Asp	Arg	Phe	Phe	Pro	Ser	Ser	Gly	Ile	Leu	Met
	530					535					540				
Phe	Gly	Lys	Gln	Gly	Ala	Gly	Lys	Asp	Asn	Val	Asp	Tyr	Ser	Asn	Val
545					550					555					560
Met	Leu	Thr	Ser	Glu	Glu	Glu	Ile	Lys	Thr	Thr	Asn	Pro	Val	Ala	Thr
				565					570					575	
Glu	Gln	Tyr	Gly	Val	Val	Ala	Asp	Asn	Leu	Gln	Gln	Gln	Asn	Thr	Ala
			580					585					590		
Pro	Ile	Val	Gly	Ala	Val	Asn	Ser	Gln	Gly	Ala	Leu	Pro	Gly	Met	Val
		595					600					605			
Trp	Gln	Asn	Arg	Asp	Val	Tyr	Leu	Gln	Gly	Pro	Ile	Trp	Ala	Lys	Ile



-continued

610	615	620
Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe 625	630	635 640
Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val 645	650	655
Pro Ala Asp Pro Pro Thr Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe 660	665	670
Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu 675	680	685
Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr 690	695	700
Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu 705	710	715 720
Gly Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg 725	730	735

Asn Leu

<210> SEQ ID NO 10  
 <211> LENGTH: 2214  
 <212> TYPE: DNA  
 <213> ORGANISM: Adeno-associated virus  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (505)..(507)  
 <223> OTHER INFORMATION: /replace="aaa"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (943)..(945)  
 <223> OTHER INFORMATION: /replace="agc"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1600)..(1602)  
 <223> OTHER INFORMATION: /replace="gag"  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1624)..(1626)  
 <223> OTHER INFORMATION: /replace="gtc"  
 <220> FEATURE:  
 <221> NAME/KEY: misc\_feature  
 <222> LOCATION: (1)..(2214)  
 <223> OTHER INFORMATION: /note="Variation nucleotides given in the  
 sequence have no preference with respect to those in the  
 annotations for variation positions"

<400> SEQUENCE: 10

```

atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc      60
gagtgggtggg acctgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac      120
gacggccggg gtctggtgct tcttggttac aagtacctcg gacccttcaa cggactcgac      180
aaggggggagc cgtcaacgc ggcggacgca gcggccctcg agcacgacaa ggccctacgac      240
cagcagctca aagcgggtga caatccgtac ctgcggtata atcacgccga cgccgagttt      300
caggagcgtc tgcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag      360
gccagaagc gggttctcga acctctcggt ctggttgagg aaggcgctaa gacggctcct      420
ggaaagaaga gaccggtaga gccgtcacca cagcgttccc ccgactcctc cacgggcatc      480
ggcaagaaag gccagcagcc cgccagaaag agactcaatt tcggtcagac tggcgactca      540
gagtcagtc ccgacctca acctatcgga gaacctccag cagegcctc tgggtgsgga      600
tctggtacaa tggctgcagg cgggtggcga ccaatggcag acaataacga aggtgcccag      660
ggagtgggta gttcctcggg aaattggcat tgcgattcca catggctggg cgacagagtc      720
    
```



-continued

```

atcaccacca gcacccgaac ctgggccctg cccacctaca acaaccacct ctacaagcaa 780
atctccaacg ggacctcggg aggcagcacc aacgacaaca cctactttgg ctacagcacc 840
ccctgggggt attttgactt taacagattc cactgccact tctcaccacg tgactggcag 900
cgactcatca acaacaactg gggattccgg cccaagagac tcaacttcaa gctcttcaac 960
atccagggtca aagaggtcac gcagaatgaa ggaccaaga ccatcgccaa taacctcacc 1020
agcaccatcc aggtgtttac ggactcggaa taccagctgc cgtacgtcct cggctctgcc 1080
caccagggtt gcctgctcc gttcccggcg gacgtcttca tgattctca gtacggctac 1140
ctgactctca acaacggtag tcaggccgtg ggacgttctt ccttctactg cctggagtac 1200
ttcccctctc agatgctgag aacgggcaac aactttgagt tcagctacac ttctgaggac 1260
gtgcctttcc acagcagcta cgcgcacagc cagagtttgg acaggctgat gaatcctctc 1320
atcgaccagt acctgtacta cctgtcaaga acccagtcta cgggaggcac agcgggaacc 1380
cagcagttgc tgttttctca ggccgggctt agcaacatgt cggctcaggc caaaaactgg 1440
ctgcctggac cctgctacag acagcagcgc gtctccacga cactgtcgc aaacaacaac 1500
agcaactttg cctggactgg tgccaccaag tatcatctga acggcagaga ctctctggtg 1560
aatccggggc tgcctatggc aaccacaag gacgacgagg accgcttctt cccatccagc 1620
ggcatcctca tgtttggcaa gcagggagct ggaaaagaca acgtggacta tagcaacgtg 1680
atgctaacca gcgaggaaga aatcaagacc accaaccocg tggccacaga acagtatggc 1740
gtggtggctg ataacctaca gcagcaaac accgctccta ttgtgggggc cgtcaacagc 1800
cagggagcct tacctggcat ggtctggcag aaccgggacg tgtacctgca gggctctatt 1860
tggccaaga ttctcacac agatggcaac tttcaccogt ctctttaat gggcggttt 1920
ggacttaaac atccgctcc tcagatctc atcaaaaaca ctctgttcc tgcggtcct 1980
ccaacaacgt tcaaccaggc caagctgaat tctttcatca cgcagtacag caccggacaa 2040
gtcagcgtgg agatcgagtg ggagctgcag aaggagaaca gcaagcgtg gaaccagag 2100
atcagtata cttccaacta ctacaaatct acaaatgtgg actttgctgt taatactgag 2160
ggtgtttact ctgagcctcg cccattggc actcgttacc tcaccgtaa tctg 2214

```

```

<210> SEQ ID NO 11
<211> LENGTH: 738
<212> TYPE: PRT
<213> ORGANISM: Adeno-associated virus
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (471)..(471)
<223> OTHER INFORMATION: /replace="Asn"
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(738)
<223> OTHER INFORMATION: /note="Variant residues given in the sequence
have no preference with respect to those in the annotations
for variant positions"

```

```

<400> SEQUENCE: 11

```

```

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1           5           10           15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20           25           30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35           40           45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50           55           60

```



-continued

---

Val	Asn	Ala	Ala	Asp	Ala	Ala	Ala	Leu	Glu	His	Asp	Lys	Ala	Tyr	Asp	65	70	75	80
Gln	Gln	Leu	Lys	Ala	Gly	Asp	Asn	Pro	Tyr	Leu	Arg	Tyr	Asn	His	Ala	85	90	95	
Asp	Ala	Glu	Phe	Gln	Glu	Arg	Leu	Gln	Glu	Asp	Thr	Ser	Phe	Gly	Gly	100	105	110	
Asn	Leu	Gly	Arg	Ala	Val	Phe	Gln	Ala	Lys	Lys	Arg	Val	Leu	Glu	Pro	115	120	125	
Leu	Gly	Leu	Val	Glu	Glu	Gly	Ala	Lys	Thr	Ala	Pro	Gly	Lys	Lys	Arg	130	135	140	
Pro	Val	Glu	Pro	Ser	Pro	Gln	Arg	Ser	Pro	Asp	Ser	Ser	Thr	Gly	Ile	145	150	155	160
Gly	Lys	Lys	Gly	Gln	Gln	Pro	Ala	Lys	Lys	Arg	Leu	Asn	Phe	Gly	Gln	165	170	175	
Thr	Gly	Asp	Ser	Glu	Ser	Val	Pro	Asp	Pro	Gln	Pro	Ile	Gly	Glu	Pro	180	185	190	
Pro	Ala	Gly	Pro	Ser	Gly	Leu	Gly	Ser	Gly	Thr	Met	Ala	Ala	Gly	Gly	195	200	205	
Gly	Ala	Pro	Met	Ala	Asp	Asn	Asn	Glu	Gly	Ala	Asp	Gly	Val	Gly	Ser	210	215	220	
Ser	Ser	Gly	Asn	Trp	His	Cys	Asp	Ser	Thr	Trp	Leu	Gly	Asp	Arg	Val	225	230	235	240
Ile	Thr	Thr	Ser	Thr	Arg	Thr	Trp	Ala	Leu	Pro	Thr	Tyr	Asn	Asn	His	245	250	255	
Leu	Tyr	Lys	Gln	Ile	Ser	Asn	Gly	Thr	Ser	Gly	Gly	Ser	Thr	Asn	Asp	260	265	270	
Asn	Thr	Tyr	Phe	Gly	Tyr	Ser	Thr	Pro	Trp	Gly	Tyr	Phe	Asp	Phe	Asn	275	280	285	
Arg	Phe	His	Cys	His	Phe	Ser	Pro	Arg	Asp	Trp	Gln	Arg	Leu	Ile	Asn	290	295	300	
Asn	Asn	Trp	Gly	Phe	Arg	Pro	Lys	Arg	Leu	Asn	Phe	Lys	Leu	Phe	Asn	305	310	315	320
Ile	Gln	Val	Lys	Glu	Val	Thr	Gln	Asn	Glu	Gly	Thr	Lys	Thr	Ile	Ala	325	330	335	
Asn	Asn	Leu	Thr	Ser	Thr	Ile	Gln	Val	Phe	Thr	Asp	Ser	Glu	Tyr	Gln	340	345	350	
Leu	Pro	Tyr	Val	Leu	Gly	Ser	Ala	His	Gln	Gly	Cys	Leu	Pro	Pro	Phe	355	360	365	
Pro	Ala	Asp	Val	Phe	Met	Ile	Pro	Gln	Tyr	Gly	Tyr	Leu	Thr	Leu	Asn	370	375	380	
Asn	Gly	Ser	Gln	Ala	Val	Gly	Arg	Ser	Ser	Phe	Tyr	Cys	Leu	Glu	Tyr	385	390	395	400
Phe	Pro	Ser	Gln	Met	Leu	Arg	Thr	Gly	Asn	Asn	Phe	Glu	Phe	Ser	Tyr	405	410	415	
Thr	Phe	Glu	Asp	Val	Pro	Phe	His	Ser	Ser	Tyr	Ala	His	Ser	Gln	Ser	420	425	430	
Leu	Asp	Arg	Leu	Met	Asn	Pro	Leu	Ile	Asp	Gln	Tyr	Leu	Tyr	Tyr	Leu	435	440	445	
Ser	Arg	Thr	Gln	Ser	Thr	Gly	Gly	Thr	Ala	Gly	Thr	Gln	Gln	Leu	Leu	450	455	460	
Phe	Ser	Gln	Ala	Gly	Pro	Ser	Asn	Met	Ser	Ala	Gln	Ala	Lys	Asn	Trp	465	470	475	480



-continued

Leu	Pro	Gly	Pro	Cys	Tyr	Arg	Gln	Gln	Arg	Val	Ser	Thr	Thr	Leu	Ser
				485					490					495	
Gln	Asn	Asn	Asn	Ser	Asn	Phe	Ala	Trp	Thr	Gly	Ala	Thr	Lys	Tyr	His
			500					505					510		
Leu	Asn	Gly	Arg	Asp	Ser	Leu	Val	Asn	Pro	Gly	Val	Ala	Met	Ala	Thr
		515					520					525			
His	Lys	Asp	Asp	Glu	Glu	Arg	Phe	Phe	Pro	Ser	Ser	Gly	Val	Leu	Met
	530					535					540				
Phe	Gly	Lys	Gln	Gly	Ala	Gly	Lys	Asp	Asn	Val	Asp	Tyr	Ser	Ser	Val
545					550					555					560
Met	Leu	Thr	Ser	Glu	Glu	Glu	Ile	Lys	Thr	Thr	Asn	Pro	Val	Ala	Thr
				565					570						575
Glu	Gln	Tyr	Gly	Val	Val	Ala	Asp	Asn	Leu	Gln	Gln	Gln	Asn	Thr	Ala
			580					585					590		
Pro	Ile	Val	Gly	Ala	Val	Asn	Ser	Gln	Gly	Ala	Leu	Pro	Gly	Met	Val
		595					600						605		
Trp	Gln	Asn	Arg	Asp	Val	Tyr	Leu	Gln	Gly	Pro	Ile	Trp	Ala	Lys	Ile
	610					615						620			
Pro	His	Thr	Asp	Gly	Asn	Phe	His	Pro	Ser	Pro	Leu	Met	Gly	Gly	Phe
625					630					635					640
Gly	Leu	Lys	His	Pro	Pro	Pro	Gln	Ile	Leu	Ile	Lys	Asn	Thr	Pro	Val
				645					650					655	
Pro	Ala	Asp	Pro	Pro	Thr	Thr	Phe	Ser	Gln	Ala	Lys	Leu	Ala	Ser	Phe
			660					665					670		
Ile	Thr	Gln	Tyr	Ser	Thr	Gly	Gln	Val	Ser	Val	Glu	Ile	Glu	Trp	Glu
		675					680						685		
Leu	Gln	Lys	Glu	Asn	Ser	Lys	Arg	Trp	Asn	Pro	Glu	Ile	Gln	Tyr	Thr
	690					695					700				
Ser	Asn	Tyr	Tyr	Lys	Ser	Thr	Asn	Val	Asp	Phe	Ala	Val	Asn	Thr	Glu
705					710					715					720
Gly	Thr	Tyr	Ser	Glu	Pro	Arg	Pro	Ile	Gly	Thr	Arg	Tyr	Leu	Thr	Arg
				725					730					735	

Asn Leu

<210> SEQ ID NO 12  
 <211> LENGTH: 2214  
 <212> TYPE: DNA  
 <213> ORGANISM: Adeno-associated virus  
 <220> FEATURE:  
 <221> NAME/KEY: variation  
 <222> LOCATION: (1411)..(1413)  
 <223> OTHER INFORMATION: /replace="aat"  
 <220> FEATURE:  
 <221> NAME/KEY: misc\_feature  
 <222> LOCATION: (1)..(2214)  
 <223> OTHER INFORMATION: /note="Variation nucleotides given in the  
 sequence have no preference with respect to those in the  
 annotations for variation positions"

&lt;400&gt; SEQUENCE: 12

atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc	60
gagtgggtggg acttgaacc tggagccccg aaacccaag ccaaccagca aaagcaggac	120
gacggccggg gtctggtgct tctggctac aagtacctcg gacccttcaa cggactcgac	180
aagggggagc cgtcaacgc ggcggacgca gcgccctcg agcagacaa ggcctacgac	240
cagcagctca aagcgggtga caatccgtac ctgcggtata accacgccga cgccgagttt	300
caggagcgtc tgcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag	360



-continued

---

```

gccaagaagc gggttctcga acctctcggg ctggttgagg aaggcgctaa gacggctcct 420
ggaaagaaga gaccggtaga gccatcacc cagcgttctc cagactctc tacgggcatc 480
ggcaagaaag gccagcagcc cgcgaaaaag agactcaact ttgggcagac tggcgactca 540
gagtcagtgc ccgacctca accaatcgga gaaccccccg caggccctc tggctctggga 600
tctggtacaa tggctgcagg cgggtggcgt ccaatggcag acaataacga aggcgcccag 660
ggagtgggta gttcctcagg aaattggcat tgcgattcca catggctggg cgacagagtc 720
atcaccacca gcaccggaac ctgggccctc cccactaca acaaccacct ctacaagcaa 780
atctccaacg ggacttcggg aggaagcacc aacgacaaca cctacttcgg ctacagcacc 840
ccctgggggt attttgactt taacagattc cactgccact tctcaccag tgactggcag 900
cgactcatca acaacaactg gggattccgg cccaagagac tcaactcaa gctcttcaac 960
atccaggta aggaggtcac gcagaatgaa ggaccaaga ccatcgcaa taaccttacc 1020
agcacgattc aggtctttac ggactcggaa taccagctcc cgtacgtcct cggctctgcg 1080
caccagggtt gcctgcctcc gttcccggcg gacgtcttca tgattcctca gtacgggtac 1140
ctgactctga acaatggcag tcaggccgtg ggcggttct ccttctactg cctggagtac 1200
tttcttctc aaatgctgag aacgggcaac aactttgagt tcagctacac gtttgaggac 1260
gtgccttttc acagcagcta cgcgcacagc caaagcctgg accggctgat gaacccccctc 1320
atcgaccagt acctgtacta cctgtctcgg actcagtcca cgggaggtac cgcaggaact 1380
cagcagttgc tattttctca ggccgggct agtaacatgt cggctcaggc caaaaactgg 1440
ctaccggggc cctgctaccg gcagcaacgc gtctccacga cactgtcga aaataacaac 1500
agcaactttg cctggaccgg tgccaccaag tatcatctga atggcagaga ctctctggta 1560
aatcccgggtg tcgctatggc aaccacaag gacgacgaag agcgatttt tccgtccagc 1620
ggagtcttaa tgtttgggaa acagggagct ggaaaagaca acgtggacta tagcagcgtt 1680
atgctaacca gtgaggaaga aattaaacc accaaccagc tggccacaga acagtacggc 1740
gtggtggccg ataacctgca acagcaaac accgctccta ttgtaggggc cgtcaacagt 1800
caaggagcct tacctggcat ggtctggcag aaccgggacg tgtacctgca gggctctatc 1860
tgggccaaga ttctcacac ggacggaaac tttcatcctc cgccgctgat gggaggcttt 1920
ggactgaaac acccgctcctc tcagatcctg attaagaata cacctgttcc cgcgatcct 1980
ccaactacct tcagtcaagc taagctggcg tcgttcatca cgcagtacag caccggacag 2040
gtcagcgtgg aaattgaatg ggagctgcag aaagaaaaca gcaaacgctg gaaccagag 2100
attcaataca cttccaacta ctacaaatct acaaatgtgg actttgctgt taacacagaa 2160
ggcacttatt ctgagcctcg ccccatcggc acccgttacc tcaccgtaa tctg 2214

```

```

<210> SEQ ID NO 13
<211> LENGTH: 737
<212> TYPE: PRT
<213> ORGANISM: Adeno-associated virus
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (148)..(148)
<223> OTHER INFORMATION: /replace="Gln"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (169)..(169)
<223> OTHER INFORMATION: /replace="Arg"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (314)..(314)

```



-continued

---

```

<223> OTHER INFORMATION: /replace="Asn"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (466)..(466)
<223> OTHER INFORMATION: /replace="His"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (563)..(563)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (580)..(580)
<223> OTHER INFORMATION: /replace="Ile"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (588)..(588)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(737)
<223> OTHER INFORMATION: /note="Variant residues given in the sequence
      have no preference with respect to those in the annotations
      for variant positions"

<400> SEQUENCE: 13

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1          5          10          15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
          20          25          30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
          35          40          45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50          55          60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65          70          75          80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
          85          90          95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100         105         110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115         120         125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130         135         140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145         150         155         160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165         170         175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro
180         185         190

Pro Ala Ala Pro Ser Gly Val Gly Ser Gly Thr Met Ala Ala Gly Gly
195         200         205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn
210         215         220

Ala Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225         230         235         240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245         250         255

Leu Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn
260         265         270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
275         280         285

```



-continued

---

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn  
 290 295 300

Asn Trp Gly Phe Arg Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile  
 305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn  
 325 330 335

Asn Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu  
 340 345 350

Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro  
 355 360 365

Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn  
 370 375 380

Gly Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe  
 385 390 395 400

Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr  
 405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu  
 420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala  
 435 440 445

Arg Thr Gln Ser Thr Thr Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln  
 450 455 460

Phe Tyr Gln Ala Gly Pro Ser Thr Met Ala Glu Gln Ala Lys Asn Trp  
 465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Leu Asp  
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510

Leu Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525

His Lys Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile  
 530 535 540

Phe Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu  
 545 550 555 560

Met Thr Asn Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu  
 565 570 575

Glu Tyr Gly Val Val Ser Ser Asn Leu Gln Ser Ala Asn Thr Ala Pro  
 580 585 590

Gln Thr Gln Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp  
 595 600 605

Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro  
 610 615 620

His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly  
 625 630 635 640

Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro  
 645 650 655

Ala Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile  
 660 665 670

Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu  
 675 680 685

Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser  
 690 695 700



-continued

Asn Tyr Asp Lys Ser Thr Asn Val Asp Phe Ala Val Asp Ser Glu Gly  
705 710 715 720

Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn  
725 730 735

Leu

<210> SEQ ID NO 14  
<211> LENGTH: 2211  
<212> TYPE: DNA  
<213> ORGANISM: Adeno-associated virus  
<220> FEATURE:  
<221> NAME/KEY: variation  
<222> LOCATION: (442)..(444)  
<223> OTHER INFORMATION: /replace="cag"  
<220> FEATURE:  
<221> NAME/KEY: variation  
<222> LOCATION: (505)..(507)  
<223> OTHER INFORMATION: /replace="aga"  
<220> FEATURE:  
<221> NAME/KEY: variation  
<222> LOCATION: (940)..(942)  
<223> OTHER INFORMATION: /replace="aac"  
<220> FEATURE:  
<221> NAME/KEY: variation  
<222> LOCATION: (1396)..(1398)  
<223> OTHER INFORMATION: /replace="cac"  
<220> FEATURE:  
<221> NAME/KEY: variation  
<222> LOCATION: (1687)..(1689)  
<223> OTHER INFORMATION: /replace="agt"  
<220> FEATURE:  
<221> NAME/KEY: variation  
<222> LOCATION: (1738)..(1740)  
<223> OTHER INFORMATION: /replace="ata"  
<220> FEATURE:  
<221> NAME/KEY: variation  
<222> LOCATION: (1762)..(1764)  
<223> OTHER INFORMATION: /replace="tct"  
<220> FEATURE:  
<221> NAME/KEY: misc\_feature  
<222> LOCATION: (1)..(2211)  
<223> OTHER INFORMATION: /note="Variation nucleotides given in the  
sequence have no preference with respect to those in the  
annotations for variation positions"

&lt;400&gt; SEQUENCE: 14

```

atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc      60
gagtgggtggg acctgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac      120
gacggccggg gtctggtgct tcctggctac aagtacctcg gacccttcaa cggactcgac      180
aaggggggagc cgtcaacgc ggcggacgca gcggccctcg agcacgaca ggcctacgac      240
cagcagctca aagcgggtga caatccgtac ctgcggtata accacgccga cgccgagttt      300
caggagcgtc tgcaagaaga tacgtcattt gggggcaacc tcgggcgagc agtcttccag      360
gccaagaagc gggttctcga acctctcggg ctggttgagg aaggcgctaa gacggctcct      420
ggaaagaaga gaccggtaga gccgtcacct cagcgttccc ccgactcctc caccggcatc      480
ggcaagaagc gccagcagcc cgccaaaag agactcaatt tcggtcagac tggcgactca      540
gagtcagtcc ccgaccctca acctctcgga gaacctccag cagcgccttc tgggtgtggga      600
tctggtacaa tggctgcagg cgggtggcgca ccaatggcag acaataacga aggtgccgac      660
ggagtgggta atgcctcagg aaattggcat tgcgattoca catggctggg cgacagagtc      720
attaccacca gcaccgaac ctgggcccctg cccacctaca acaaccacct ctacaagcaa      780
atctccagtc aaagtgcagg tagtaccaac gacaacacct acttcggcta cagcaccccc      840
tgggggtatt ttgactttaa cagattccac tgccacttct caccacgtga ctggcagcga      900

```



-continued

```

ctcatcaaca acaactgggg attccggccc aagaagctgc ggttcaagct cttcaacatc 960
caggtcaagg aggtcacgac gaatgacggc gttacgacca tcgctaataa ccttaccagc 1020
acggttcagg tattctcggc ctcggaatac cagctgccgt acgtcctcgg ctctgcgcac 1080
cagggctgcc tgectccgtt cccggcggac gtcttcatga ttectcagta cggctacctg 1140
actctcaaca atggcagtca gtctgtggga cgttctcct tctactgcct ggagtacttc 1200
ccctctcaga tgctgagaac gggcaacaac tttgagttca gctacacctt cgaggacgtg 1260
cctttccaca gcagctacgc acacagccag agcctggacc ggctgatgaa tcccctcatc 1320
gaccagtact tgtactacct ggccagaaca cagagtacca caggaggcac agctggcaat 1380
cgggaactgc agttttacca ggccgggcct tcaactatgg ccgaacaagc caagaattgg 1440
ttacctggac cttgctaccg gcaacaaaga gtctccaaaa cgctggatca aaacaacaac 1500
agcaactttg cttggactgg tgccaccaa tatcacctga acggcagaaa ctggttggtt 1560
aatcccggcg tcgcatggc aactcacaag gacgacgagg accgcttttt cccatccagc 1620
ggagtctcga tttttggaaa aactggagca gtaacaaaa ctacattgga aaatgtgtta 1680
atgacaaatg aagaagaaat taaaactact aatcctgtag ccacggaaga atacggggta 1740
gtcagcagca acttacaatc ggctaatact gcaccccaga cacaaactgt caacagccag 1800
ggagccttac ctggcatggt ctggcagaac cgggacgtgt acctgcaggg tcccatctgg 1860
gccaagattc ctcacacgga tggcaacttt caccctctc ctttgatggg cggctttgga 1920
cttaaacatc cgctcctca gatcctgatc aagaacactc ccgttcccgc taatcctccg 1980
gaggtgttta ctctgccaa gtttgcttcg ttcacacac agtacagcac cggacaagtc 2040
agcgtggaaa tcgagtggga gctgcagaag gaaaacagca agcgtggaa cccggagatt 2100
cagtacacct ccaactatga taagtcgact aatgtggact ttgccgttga cagcgagggt 2160
gtttactctg agcctcggcc tattggcact cgttacctca cccgtaatct g 2211

```

```

<210> SEQ ID NO 15
<211> LENGTH: 735
<212> TYPE: PRT
<213> ORGANISM: Adeno-associated virus
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (162)..(162)
<223> OTHER INFORMATION: /replace="Thr"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (168)..(168)
<223> OTHER INFORMATION: /replace="Arg"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (224)..(224)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (310)..(310)
<223> OTHER INFORMATION: /replace="Lys"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (410)..(410)
<223> OTHER INFORMATION: /replace="Gln"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (446)..(446)
<223> OTHER INFORMATION: /replace="Asn"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (461)..(461)
<223> OTHER INFORMATION: /replace="Leu"
<220> FEATURE:

```



-continued

---

```

<221> NAME/KEY: VARIANT
<222> LOCATION: (471)..(471)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (708)..(708)
<223> OTHER INFORMATION: /replace="Thr"
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(735)
<223> OTHER INFORMATION: /note="Variant residues given in the sequence
      have no preference with respect to those in the annotations
      for variant positions"

<400> SEQUENCE: 15

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1          5          10          15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20          25          30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35          40          45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50          55          60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65          70          75          80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
 85          90          95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100         105         110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
 115         120         125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
 130         135         140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
 145         150         155         160

Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
 165         170         175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
 180         185         190

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
 195         200         205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
 210         215         220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
 225         230         235         240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
 245         250         255

Tyr Lys Gln Ile Ser Ser Gln Ser Gly Ala Ser Asn Asp Asn His Tyr
 260         265         270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
 275         280         285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
 290         295         300

Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
 305         310         315         320

Lys Glu Val Thr Thr Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
 325         330         335

```



-continued

Thr	Ser	Thr	Val	Gln	Val	Phe	Thr	Asp	Ser	Glu	Tyr	Gln	Leu	Pro	Tyr
			340					345					350		
Val	Leu	Gly	Ser	Ala	His	Gln	Gly	Cys	Leu	Pro	Pro	Phe	Pro	Ala	Asp
		355					360					365			
Val	Phe	Met	Ile	Pro	Gln	Tyr	Gly	Tyr	Leu	Thr	Leu	Asn	Asn	Gly	Ser
	370					375					380				
Gln	Ala	Val	Gly	Arg	Ser	Ser	Phe	Tyr	Cys	Leu	Glu	Tyr	Phe	Pro	Ser
385					390					395					400
Gln	Met	Leu	Arg	Thr	Gly	Asn	Asn	Phe	Thr	Phe	Ser	Tyr	Thr	Phe	Glu
				405					410					415	
Asp	Val	Pro	Phe	His	Ser	Ser	Tyr	Ala	His	Ser	Gln	Ser	Leu	Asp	Arg
			420					425					430		
Leu	Met	Asn	Pro	Leu	Ile	Asp	Gln	Tyr	Leu	Tyr	Tyr	Leu	Ser	Arg	Thr
		435					440					445			
Gln	Thr	Thr	Ser	Gly	Thr	Ala	Gln	Asn	Arg	Glu	Leu	Gln	Phe	Ser	Gln
	450					455					460				
Ala	Gly	Pro	Ser	Ser	Met	Ala	Asn	Gln	Ala	Lys	Asn	Trp	Leu	Pro	Gly
465					470					475					480
Pro	Cys	Tyr	Arg	Gln	Gln	Arg	Val	Ser	Lys	Thr	Ala	Asn	Asp	Asn	Asn
				485					490					495	
Asn	Ser	Asn	Phe	Ala	Trp	Thr	Gly	Ala	Thr	Lys	Tyr	His	Leu	Asn	Gly
			500					505					510		
Arg	Asp	Ser	Leu	Val	Asn	Pro	Gly	Pro	Ala	Met	Ala	Ser	His	Lys	Asp
		515					520					525			
Asp	Glu	Asp	Lys	Phe	Phe	Pro	Met	Ser	Gly	Val	Leu	Ile	Phe	Gly	Lys
	530					535					540				
Gln	Gly	Ala	Gly	Ala	Ser	Asn	Val	Asp	Leu	Asp	Asn	Val	Met	Ile	Thr
545					550					555					560
Asp	Glu	Glu	Glu	Ile	Lys	Thr	Thr	Asn	Pro	Val	Ala	Thr	Glu	Gln	Tyr
				565				570						575	
Gly	Thr	Val	Ala	Thr	Asn	Leu	Gln	Ser	Ser	Asn	Thr	Ala	Pro	Ala	Thr
			580					585					590		
Gly	Thr	Val	Asn	Ser	Gln	Gly	Ala	Leu	Pro	Gly	Met	Val	Trp	Gln	Asp
		595					600					605			
Arg	Asp	Val	Tyr	Leu	Gln	Gly	Pro	Ile	Trp	Ala	Lys	Ile	Pro	His	Thr
	610					615					620				
Asp	Gly	His	Phe	His	Pro	Ser	Pro	Leu	Met	Gly	Gly	Phe	Gly	Leu	Lys
625					630					635					640
His	Pro	Pro	Pro	Gln	Ile	Leu	Ile	Lys	Asn	Thr	Pro	Val	Pro	Ala	Asn
				645					650					655	
Pro	Pro	Thr	Thr	Phe	Ser	Pro	Ala	Lys	Phe	Ala	Ser	Phe	Ile	Thr	Gln
			660					665					670		
Tyr	Ser	Thr	Gly	Gln	Val	Ser	Val	Glu	Ile	Glu	Trp	Glu	Leu	Gln	Lys
		675					680					685			
Glu	Asn	Ser	Lys	Arg	Trp	Asn	Pro	Glu	Ile	Gln	Tyr	Thr	Ser	Asn	Tyr
	690					695					700				
Asn	Lys	Ser	Ala	Asn	Val	Asp	Phe	Thr	Val	Asp	Thr	Asn	Gly	Val	Tyr
705					710					715					720
Ser	Glu	Pro	Arg	Pro	Ile	Gly	Thr	Arg	Tyr	Leu	Thr	Arg	Asn	Leu	
				725					730					735	

&lt;210&gt; SEQ ID NO 16

&lt;211&gt; LENGTH: 2205

&lt;212&gt; TYPE: DNA



-continued

---

```

<213> ORGANISM: Adeno-associated virus
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (484)..(486)
<223> OTHER INFORMATION: /replace="aca"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (502)..(504)
<223> OTHER INFORMATION: /replace="aga"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (670)..(672)
<223> OTHER INFORMATION: /replace="tcc"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (928)..(930)
<223> OTHER INFORMATION: /replace="aaa"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1228)..(1230)
<223> OTHER INFORMATION: /replace="cag"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1336)..(1338)
<223> OTHER INFORMATION: /replace="aac"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1381)..(1383)
<223> OTHER INFORMATION: /replace="ctg"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1411)..(1413)
<223> OTHER INFORMATION: /replace="tct"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (2122)..(2124)
<223> OTHER INFORMATION: /replace="acc"
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(2205)
<223> OTHER INFORMATION: /note="Variation nucleotides given in the
sequence have no preference with respect to those in the
annotations for variation positions"

<400> SEQUENCE: 16

atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc      60
gagtgggtggg acttgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac      120
gacggccggg gtctggtgct tcttggttac aagtacctcg gacccttcaa cggactcgac      180
aaggggggagc cgtcaacgc ggcggatgca gcggccctcg agcacgaca ggccctacgac      240
cagcagctca aagcgggtga caatccgtac ctgcggtata accacgccga cgccgagttt      300
caggagcgtc tgcaagaaga tacgtctttt gggggcaacc tcgggagagc agtcttccag      360
gccaagaaga gggttctcga acctcttggt ctggttgagg aaggtgctaa gacggctcct      420
ggaaagaaac gtccggtaga gcagtcgcca caagagccag actcctcctc gggcattggc      480
aagtcaggcc agcagcccgc taaaaagaga ctcaattttg gtcagactgg cgactcagag      540
tcagtccccg acccacaacc tctcggagaa cctccagcag cccctctgg tgtgggatct      600
aatacaatgg cttcaggcgg tggcgcacca atggcagaca ataacgaag cgccgacgga      660
gtgggtaatg cctcaggaaa ttggcattgc gattccacat ggctgggcca cagagtcac      720
accaccagca cccgaacatg ggccttgccc acctataaca accacctcta caagcaaatc      780
tccagtcaat caggggccag caacgacaac cactacttcg gctacagcac cccctggggg      840
tattttgatt tcaacagatt ccaactgcat ttctcaccac gtgactggca ggcactcatc      900
aacaacaatt ggggattccg gcccaagaga ctcaacttca agctcttcaa catccaagtc      960
aaggaggtca cgacgaatga tggcaccacg accatcgcta ataaccttac cagcaccggt      1020

```



-continued

```

caagtcttca cggactcggg gtaccagttg ccgtacgtcc tcggctctgc gcaccagggc 1080
tgcctccctc cgttcccggc ggacgtgttc atgattccgc agtacggeta cctaacgctc 1140
aacaatggca gccaggcagt gggacgggtca tccttttact gcctggaata tttcccatcg 1200
cagatgctga gaacgggcaa taactttacc ttcagctaca ccttegagga cgtgcctttc 1260
cacagcagct acgcgcacag ccagagcctg gaccggctga tgaatcctct catcgaccag 1320
tacctgtatt acctgagcag aactcagact acgtccggaa ctgcccacaaa cagggagttg 1380
cagtttagcc aggcgggtcc atctagcatg gctaatacagg ccaaaaactg gctacctgga 1440
ccctgttacc ggcagcagcg cgtttctaaa acagcaaatg acaacaacaa cagcaacttt 1500
gcctggactg gtgctacaaa atatcacctt aatgggcgtg attctttagt caaccctggc 1560
cctgctatgg cctcacacaa agacgacgaa gacaagttct tcccatgag cgggtgtcttg 1620
atTTTTGGAA agcagggcgc cggagcttca aacgttgatt tggacaatgt catgatcaca 1680
gacgaagagg aatcaaac cactaacccc gtggccaccg aacaatatgg gactgtggca 1740
accaatctcc agagcagcaa cacagcccct gcgaccggaa ctgtgaattc tcagggagcc 1800
ttacctggaa tgggtgtggca agacagagac gtatacctgc agggctctat ttgggcaaaa 1860
attcctcaca cggatggaca ctttcaccgc tctcctctca tgggcggtt tggacttaag 1920
caccgcctc ctcagatcct catcaaaaac acgcctgttc ctgcgaatcc tccgacaacg 1980
ttttcgctg caaagtttgc ttcattcatc acccagtatt ccacaggaca agtgagcgtg 2040
gagattgaat gggagctgca gaaagaaaac agcaaacgct ggaatcccga aatacagtat 2100
acatctaact ataataaatc tgccaacggt gatttactg tggacaccaa tggagtttat 2160
agtgagcctc gccccattgg caccggttac ctacccgta acctg 2205

```

```

<210> SEQ ID NO 17
<211> LENGTH: 735
<212> TYPE: PRT
<213> ORGANISM: Adeno-associated virus
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (42)..(42)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (168)..(168)
<223> OTHER INFORMATION: /replace="Lys"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (310)..(310)
<223> OTHER INFORMATION: /replace="Arg"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (410)..(410)
<223> OTHER INFORMATION: /replace="Gln"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (446)..(446)
<223> OTHER INFORMATION: /replace="Arg"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (461)..(461)
<223> OTHER INFORMATION: /replace="Leu"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (471)..(471)
<223> OTHER INFORMATION: /replace="Ser"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (475)..(475)
<223> OTHER INFORMATION: /replace="Arg"
<220> FEATURE:

```



-continued

---

```

<221> NAME/KEY: VARIANT
<222> LOCATION: (504)..(504)
<223> OTHER INFORMATION: /replace="Ala"
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (539)..(539)
<223> OTHER INFORMATION: /replace="Asn"
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(735)
<223> OTHER INFORMATION: /note="Variant residues given in the sequence
      have no preference with respect to those in the annotations
      for variant positions"

<400> SEQUENCE: 17

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1          5          10          15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Gln Pro
20          25          30

Lys Ala Asn Gln Gln His Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35          40          45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50          55          60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65          70          75          80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85          90          95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100         105         110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115        120        125

Leu Gly Leu Val Glu Glu Ala Ala Lys Thr Ala Pro Gly Lys Lys Arg
130        135        140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145        150        155        160

Lys Ser Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr
165        170        175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180        185        190

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
195        200        205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210        215        220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225        230        235        240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245        250        255

Tyr Lys Gln Ile Ser Ser Gln Ser Gly Ala Ser Asn Asp Asn His Tyr
260        265        270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275        280        285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290        295        300

Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
305        310        315        320

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325        330        335

```



-continued

Thr	Ser	Thr	Val	Gln	Val	Phe	Thr	Asp	Ser	Glu	Tyr	Gln	Leu	Pro	Tyr
			340					345					350		
Val	Leu	Gly	Ser	Ala	His	Gln	Gly	Cys	Leu	Pro	Pro	Phe	Pro	Ala	Asp
		355					360					365			
Val	Phe	Met	Ile	Pro	Gln	Tyr	Gly	Tyr	Leu	Thr	Leu	Asn	Asn	Gly	Ser
	370					375					380				
Gln	Ala	Val	Gly	Arg	Ser	Ser	Phe	Tyr	Cys	Leu	Glu	Tyr	Phe	Pro	Ser
385					390					395					400
Gln	Met	Leu	Arg	Thr	Gly	Asn	Asn	Phe	Thr	Phe	Ser	Tyr	Thr	Phe	Glu
				405					410					415	
Asp	Val	Pro	Phe	His	Ser	Ser	Tyr	Ala	His	Ser	Gln	Ser	Leu	Asp	Arg
			420					425					430		
Leu	Met	Asn	Pro	Leu	Ile	Asp	Gln	Tyr	Leu	Tyr	Tyr	Leu	Ser	Arg	Thr
		435					440					445			
Gln	Thr	Thr	Ser	Gly	Thr	Thr	Gln	Gln	Ser	Arg	Leu	Gln	Phe	Ser	Gln
	450					455					460				
Ala	Gly	Pro	Ser	Ser	Met	Ala	Gln	Gln	Ala	Lys	Asn	Trp	Leu	Pro	Gly
465					470					475					480
Pro	Cys	Tyr	Arg	Gln	Gln	Arg	Val	Ser	Lys	Thr	Ala	Asn	Asp	Asn	Asn
				485					490					495	
Asn	Ser	Asn	Phe	Ala	Trp	Thr	Gly	Ala	Thr	Lys	Tyr	His	Leu	Asn	Gly
			500					505					510		
Arg	Asp	Ser	Leu	Val	Asn	Pro	Gly	Pro	Ala	Met	Ala	Ser	His	Lys	Asp
		515					520					525			
Asp	Glu	Glu	Lys	Phe	Phe	Pro	Met	His	Gly	Val	Leu	Ile	Phe	Gly	Lys
	530					535					540				
Gln	Gly	Thr	Gly	Ala	Ser	Asn	Val	Asp	Leu	Asp	Asn	Val	Met	Ile	Thr
545					550					555					560
Asp	Glu	Glu	Glu	Ile	Arg	Thr	Thr	Asn	Pro	Val	Ala	Thr	Glu	Gln	Tyr
				565				570						575	
Gly	Thr	Val	Ala	Thr	Asn	Leu	Gln	Ser	Ser	Asn	Thr	Ala	Pro	Ala	Thr
			580					585					590		
Gly	Thr	Val	Asn	Ser	Gln	Gly	Ala	Leu	Pro	Gly	Met	Val	Trp	Gln	Asp
		595					600					605			
Arg	Asp	Val	Tyr	Leu	Gln	Gly	Pro	Ile	Trp	Ala	Lys	Ile	Pro	His	Thr
	610					615					620				
Asp	Gly	His	Phe	His	Pro	Ser	Pro	Leu	Met	Gly	Gly	Phe	Gly	Leu	Lys
625					630					635					640
His	Pro	Pro	Pro	Gln	Ile	Leu	Ile	Lys	Asn	Thr	Pro	Val	Pro	Ala	Asn
				645					650					655	
Pro	Pro	Thr	Thr	Phe	Ser	Pro	Ala	Lys	Phe	Ala	Ser	Phe	Ile	Thr	Gln
			660					665					670		
Tyr	Ser	Thr	Gly	Gln	Val	Ser	Val	Glu	Ile	Glu	Trp	Glu	Leu	Gln	Lys
		675					680					685			
Glu	Asn	Ser	Lys	Arg	Trp	Asn	Pro	Glu	Ile	Gln	Tyr	Thr	Ser	Asn	Tyr
	690					695					700				
Asn	Lys	Ser	Val	Asn	Val	Asp	Phe	Thr	Val	Asp	Thr	Asn	Gly	Val	Tyr
705					710					715					720
Ser	Glu	Pro	Arg	Pro	Ile	Gly	Thr	Arg	Tyr	Leu	Thr	Arg	Asn	Leu	
				725					730					735	

&lt;210&gt; SEQ ID NO 18

&lt;211&gt; LENGTH: 2205

&lt;212&gt; TYPE: DNA

-continued

---

```

<213> ORGANISM: Adeno-associated virus
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (124)..(126)
<223> OTHER INFORMATION: /replace="agt"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (502)..(504)
<223> OTHER INFORMATION: /replace="aaa"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (928)..(930)
<223> OTHER INFORMATION: /replace="aga"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1228)..(1230)
<223> OTHER INFORMATION: /replace="cag"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1336)..(1338)
<223> OTHER INFORMATION: /replace="aga"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1381)..(1383)
<223> OTHER INFORMATION: /replace="ctc"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1411)..(1413)
<223> OTHER INFORMATION: /replace="tct"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1423)..(1425)
<223> OTHER INFORMATION: /replace="aga"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1510)..(1512)
<223> OTHER INFORMATION: /replace="gcg"
<220> FEATURE:
<221> NAME/KEY: variation
<222> LOCATION: (1615)..(1617)
<223> OTHER INFORMATION: /replace="gac"
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(2205)
<223> OTHER INFORMATION: /note="Variation nucleotides given in the
sequence have no preference with respect to those in the
annotations for variation positions"

<400> SEQUENCE: 18

atggctgctg acggttatct tccagattgg ctcgaggaca acctttctga aggcattcgt    60
gagtgggtggg atctgaaacc tggagcccct caacccaaag cgaaccaaca acaccaggac    120
gacggtcggg gtcttgtgct tccgggttac aaatacctcg gaccctttaa cggactcgac    180
aaaggagagc cggtcacga ggcggacgcg gcagccctcg aacacgaca agcttacgac    240
cagcagctca aggccggtga caacccttac ctcaagtaca accacgccga cgccgagttt    300
caggagcgtc ttcaagaaga tacgtctttt gggggcaacc ttggcagagc agtcttcag    360
gccaaaaga gggtccttga gcctcttggg ctggttgagg aagcagctaa aacggctcct    420
ggaaagaaga ggcctgtaga acagtctcct caggaaccgg actcatcatc tggattggc    480
aatcggggc aacagcctgc cagaaaaaga ctaaatttcg gtcagactgg agactcagag    540
tcagtcccag accctcaacc tctcggagaa ccaccagcag cccctcagg tgtgggatct    600
aatacaatgg cttcaggcgg tggcgacca atggcagaca ataacgagg tgccgatgga    660
gtgggtaatt cctcaggaaa ttggcattgc gattccacat ggctgggca cagagtcac    720
accaccagca ccagaacctg ggccctgccc acttacaaca accatcteta caagcaaate    780
tccagccaat caggagcttc aaacgacaac cactactttg gctacagcac cccttggggg    840
tattttgact ttaacagatt ccaactgccac ttctcaccac gtgactggca ggcactcatt    900

```



-continued

```

aacaacaact ggggattccg gccaagaaa ctcaacttca agctcttcaa catccaagtt 960
aaagaggcca cgcagaacga tggcagcagc actattgcca ataaccttac cagcagcggtt 1020
caagtgttta cggactcggg gtatcagctc ccgtacgtgc tcgggtcggc gcaccaaggc 1080
tgtctcccgc cgtttccagc ggacgtcttc atgatccctc agtatggata cctcaccttg 1140
aacaacggaa gtcaagcggg gggacgctca tccttttact gcctggagta cttcccttcg 1200
cagatgctaa ggactggaaa taacttcaca ttcagctata ccttcgagga tgtacctttt 1260
cacagcagct acgctcacag ccagagtttg gatcgcttga tgaatcctct tattgatcag 1320
tatctgtact acctgagcag aacgcaaca acctctggaa caaccaaca atcacggctg 1380
caatttagcc aggctgggccc ttcgtctatg gctcagcagg ccaaaaattg gctacctggg 1440
ccttgctacc ggcaacagag agtttcaaag actgctaacg acaacaaca cagtaacttt 1500
gcttggacag gggccaccaa atatcatctc aatggccggc actcgtctgt gaatccagga 1560
ccagctatgg ccagtcacaa ggacgatgaa gaaaaatttt tccctatgca cggcgttcta 1620
atatttggca aacaaggac aggggcaagt aacgtagatt tagataatgt aatgattacg 1680
gatgaagaag agattcgtac caccaatcct gtggcaacag agcagtatgg aactgtggca 1740
actaacttgc agagctcaaa tacagctccc gcgactggaa ctgtcaatag tcagggggcc 1800
ttacctggca tgggtgtggc agatcgtgac gtgtaccttc aaggacctat ctgggcaaag 1860
attcctcaca cggatggaca ctttcatcct tctcctctga tgggaggctt tggactgaaa 1920
catccgctc ctcaaatctt gatcaaaaat actccggtag cggcaaatcc tccgacgact 1980
ttcagcccgg ccaagtttgc ttcatttatc actcagtact ccaactggaca ggtcagcgtg 2040
gaaattgagt gggagctaca gaaagaaaac agcaaacggt ggaatccaga gattcagtag 2100
acttccaact acaacaagtc tgtaaatgtg gactttactg tagacactaa tgggtgtttat 2160
agtgaacctc gccctattgg aaccgggtat ctcacacgaa acttg 2205

```

&lt;210&gt; SEQ ID NO 19

&lt;211&gt; LENGTH: 736

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Adeno-associated virus

&lt;400&gt; SEQUENCE: 19

```

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1           5           10          15
Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20          25          30
Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35          40          45
Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50          55          60
Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65          70          75          80
Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85          90          95
Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100         105         110
Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115        120        125
Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130        135        140

```





-continued

---

Thr Asn Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln  
 565 570 575  
 Tyr Gly Thr Val Ala Thr Asn Leu Gln Ser Ala Asn Thr Ala Pro Ala  
 580 585 590  
 Thr Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
 595 600 605  
 Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620  
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640  
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655  
 Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr  
 660 665 670  
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685  
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700  
 Tyr Asn Lys Ser Thr Asn Val Asp Phe Ala Val Asp Thr Asn Gly Val  
 705 710 715 720  
 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

<210> SEQ ID NO 20  
 <211> LENGTH: 736  
 <212> TYPE: PRT  
 <213> ORGANISM: Adeno-associated virus

<400> SEQUENCE: 20

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125  
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140  
 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly  
 145 150 155 160  
 Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175  
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro  
 180 185 190  
 Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly  
 195 200 205

-continued

---

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala  
 210 215 220  
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 225 230 235 240  
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255  
 Tyr Lys Gln Ile Ser Ser Gln Ser Gly Ala Ser Thr Asn Asp Asn Thr  
 260 265 270  
 Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe  
 275 280 285  
 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn  
 290 295 300  
 Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln  
 305 310 315 320  
 Val Lys Glu Val Thr Thr Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn  
 325 330 335  
 Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro  
 340 345 350  
 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala  
 355 360 365  
 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly  
 370 375 380  
 Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro  
 385 390 395 400  
 Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr Phe  
 405 410 415  
 Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp  
 420 425 430  
 Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg  
 435 440 445  
 Thr Gln Thr Thr Ser Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe Ser  
 450 455 460  
 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Lys Asn Trp Leu Pro  
 465 470 475 480  
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Thr Asn Gln Asn  
 485 490 495  
 Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn  
 500 505 510  
 Gly Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Thr His Lys  
 515 520 525  
 Asp Asp Glu Asp Lys Phe Phe Pro Met Ser Gly Val Leu Ile Phe Gly  
 530 535 540  
 Lys Gln Gly Ala Gly Asn Ser Asn Val Asp Leu Asp Asn Val Met Ile  
 545 550 555 560  
 Thr Asn Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Glu  
 565 570 575  
 Tyr Gly Thr Val Ala Thr Asn Leu Gln Ser Ala Asn Thr Ala Pro Ala  
 580 585 590  
 Thr Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
 595 600 605  
 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620



-continued

---

Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640  
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655  
 Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr  
 660 665 670  
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685  
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700  
 Tyr Asn Lys Ser Thr Asn Val Asp Phe Ala Val Asp Thr Asn Gly Val  
 705 710 715 720  
 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

<210> SEQ ID NO 21  
 <211> LENGTH: 736  
 <212> TYPE: PRT  
 <213> ORGANISM: Adeno-associated virus

<400> SEQUENCE: 21

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125  
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140  
 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly  
 145 150 155 160  
 Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175  
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro  
 180 185 190  
 Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ala Gly Gly Gly  
 195 200 205  
 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala  
 210 215 220  
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 225 230 235 240  
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255  
 Tyr Lys Gln Ile Ser Ser Gln Ser Gly Gly Ser Thr Asn Asp Asn Thr  
 260 265 270

-continued

---

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe  
 275 280 285  
 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn  
 290 295 300  
 Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln  
 305 310 315 320  
 Val Lys Glu Val Thr Thr Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn  
 325 330 335  
 Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro  
 340 345 350  
 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala  
 355 360 365  
 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly  
 370 375 380  
 Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro  
 385 390 395 400  
 Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe  
 405 410 415  
 Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp  
 420 425 430  
 Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg  
 435 440 445  
 Thr Gln Thr Thr Ser Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe Ser  
 450 455 460  
 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Lys Asn Trp Leu Pro  
 465 470 475 480  
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Thr Asn Gln Asn  
 485 490 495  
 Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn  
 500 505 510  
 Gly Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Thr His Lys  
 515 520 525  
 Asp Asp Glu Asp Lys Phe Phe Pro Met Ser Gly Val Leu Ile Phe Gly  
 530 535 540  
 Lys Gln Gly Ala Gly Asn Ser Asn Val Asp Leu Asp Asn Val Met Ile  
 545 550 555 560  
 Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Glu  
 565 570 575  
 Tyr Gly Thr Val Ala Thr Asn Leu Gln Ser Ser Asn Thr Ala Pro Ala  
 580 585 590  
 Thr Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
 595 600 605  
 Glu Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620  
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640  
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655  
 Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr  
 660 665 670  
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685



-continued

---

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
690 695 700

Tyr Asn Lys Ser Thr Asn Val Asp Phe Ala Val Asp Thr Asn Gly Val  
705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
725 730 735

<210> SEQ ID NO 22  
 <211> LENGTH: 736  
 <212> TYPE: PRT  
 <213> ORGANISM: Adeno-associated virus

<400> SEQUENCE: 22

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly  
145 150 155 160

Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr  
165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro  
180 185 190

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly  
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala  
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
245 250 255

Tyr Lys Gln Ile Ser Ser Gln Ser Gly Gly Ser Thr Asn Asp Asn Thr  
260 265 270

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe  
275 280 285

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn  
290 295 300

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln  
305 310 315 320

Val Lys Glu Val Thr Thr Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn  
325 330 335

-continued

---

Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro  
 340 345 350  
 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala  
 355 360 365  
 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly  
 370 375 380  
 Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro  
 385 390 395 400  
 Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe  
 405 410 415  
 Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp  
 420 425 430  
 Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg  
 435 440 445  
 Thr Gln Thr Thr Ser Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe Ser  
 450 455 460  
 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Lys Asn Trp Leu Pro  
 465 470 475 480  
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Thr Asn Gln Asn  
 485 490 495  
 Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn  
 500 505 510  
 Gly Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Thr His Lys  
 515 520 525  
 Asp Asp Glu Asp Lys Phe Phe Pro Met Ser Gly Val Leu Ile Phe Gly  
 530 535 540  
 Lys Gln Gly Ala Gly Asn Ser Asn Val Asp Leu Asp Asn Val Met Ile  
 545 550 555 560  
 Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Glu  
 565 570 575  
 Tyr Gly Thr Val Ala Thr Asn Leu Gln Ser Ala Asn Thr Ala Pro Ala  
 580 585 590  
 Thr Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
 595 600 605  
 Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620  
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640  
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655  
 Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr  
 660 665 670  
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685  
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700  
 Tyr Asn Lys Ser Thr Asn Val Asp Phe Ala Val Asp Thr Asn Gly Val  
 705 710 715 720  
 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

&lt;210&gt; SEQ ID NO 23

&lt;211&gt; LENGTH: 736



-continued

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Adeno-associated virus

&lt;400&gt; SEQUENCE: 23

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125  
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140  
 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly  
 145 150 155 160  
 Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175  
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro  
 180 185 190  
 Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ala Gly Gly Gly  
 195 200 205  
 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala  
 210 215 220  
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 225 230 235 240  
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255  
 Tyr Lys Gln Ile Ser Ser Gln Ser Gly Gly Ser Thr Asn Asp Asn Thr  
 260 265 270  
 Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe  
 275 280 285  
 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn  
 290 295 300  
 Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln  
 305 310 315 320  
 Val Lys Glu Val Thr Thr Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn  
 325 330 335  
 Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro  
 340 345 350  
 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala  
 355 360 365  
 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly  
 370 375 380  
 Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro  
 385 390 395 400

-continued

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr Phe  
 405 410 415  
 Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp  
 420 425 430  
 Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg  
 435 440 445  
 Thr Gln Thr Thr Ser Gly Thr Ala Gly Asn Arg Thr Leu Gln Phe Ser  
 450 455 460  
 Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Lys Asn Trp Leu Pro  
 465 470 475 480  
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Thr Asn Gln Asn  
 485 490 495  
 Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn  
 500 505 510  
 Gly Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Thr His Lys  
 515 520 525  
 Asp Asp Glu Asp Lys Phe Phe Pro Met Ser Gly Val Leu Ile Phe Gly  
 530 535 540  
 Lys Gln Gly Ala Gly Asn Ser Asn Val Asp Leu Asp Asn Val Met Ile  
 545 550 555 560  
 Thr Asn Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Glu  
 565 570 575  
 Tyr Gly Thr Val Ala Thr Asn Leu Gln Ser Ala Asn Thr Ala Pro Ala  
 580 585 590  
 Thr Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
 595 600 605  
 Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620  
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640  
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655  
 Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr  
 660 665 670  
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685  
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700  
 Tyr Asn Lys Ser Thr Asn Val Asp Phe Ala Val Asp Thr Asn Gly Val  
 705 710 715 720  
 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

&lt;210&gt; SEQ ID NO 24

&lt;211&gt; LENGTH: 736

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Adeno-associated virus

&lt;400&gt; SEQUENCE: 24

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro





-continued

Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Lys Asn Trp Leu Pro  
 465 470 475 480  
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Ala Asn Gln Asn  
 485 490 495  
 Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn  
 500 505 510  
 Gly Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Thr His Lys  
 515 520 525  
 Asp Asp Glu Asp Lys Phe Phe Pro Met Ser Gly Val Leu Ile Phe Gly  
 530 535 540  
 Lys Gln Gly Ala Gly Asn Ser Asn Val Asp Leu Asp Asn Val Met Ile  
 545 550 555 560  
 Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln  
 565 570 575  
 Tyr Gly Thr Val Ala Thr Asn Leu Gln Ser Ser Asn Thr Ala Pro Ala  
 580 585 590  
 Thr Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
 595 600 605  
 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620  
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640  
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655  
 Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr  
 660 665 670  
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685  
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700  
 Tyr Asn Lys Ser Thr Asn Val Asp Phe Ala Val Asp Thr Asn Gly Val  
 705 710 715 720  
 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

&lt;210&gt; SEQ ID NO 25

&lt;211&gt; LENGTH: 736

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Adeno-associated virus

&lt;400&gt; SEQUENCE: 25

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly



-continued

100					105					110					
Asn	Leu	Gly	Arg	Ala	Val	Phe	Gln	Ala	Lys	Lys	Arg	Val	Leu	Glu	Pro
		115					120					125			
Leu	Gly	Leu	Val	Glu	Glu	Gly	Ala	Lys	Thr	Ala	Pro	Gly	Lys	Lys	Arg
	130					135					140				
Pro	Val	Glu	Gln	Ser	Pro	Gln	Glu	Pro	Asp	Ser	Ser	Ser	Gly	Ile	Gly
145					150					155					160
Lys	Lys	Gly	Gln	Gln	Pro	Ala	Lys	Lys	Arg	Leu	Asn	Phe	Gly	Gln	Thr
				165					170					175	
Gly	Asp	Ser	Glu	Ser	Val	Pro	Asp	Pro	Gln	Pro	Leu	Gly	Glu	Pro	Pro
			180					185					190		
Ala	Ala	Pro	Ser	Gly	Val	Gly	Ser	Asn	Thr	Met	Ala	Ser	Gly	Gly	Gly
		195					200					205			
Ala	Pro	Met	Ala	Asp	Asn	Asn	Glu	Gly	Ala	Asp	Gly	Val	Gly	Asn	Ala
	210					215					220				
Ser	Gly	Asn	Trp	His	Cys	Asp	Ser	Thr	Trp	Leu	Gly	Asp	Arg	Val	Ile
225					230					235					240
Thr	Thr	Ser	Thr	Arg	Thr	Trp	Ala	Leu	Pro	Thr	Tyr	Asn	Asn	His	Leu
				245					250					255	
Tyr	Lys	Gln	Ile	Ser	Ser	Gln	Ser	Gly	Gly	Ser	Thr	Asn	Asp	Asn	Thr
			260					265					270		
Tyr	Phe	Gly	Tyr	Ser	Thr	Pro	Trp	Gly	Tyr	Phe	Asp	Phe	Asn	Arg	Phe
		275					280					285			
His	Cys	His	Phe	Ser	Pro	Arg	Asp	Trp	Gln	Arg	Leu	Ile	Asn	Asn	Asn
	290					295					300				
Trp	Gly	Phe	Arg	Pro	Lys	Lys	Leu	Asn	Phe	Lys	Leu	Phe	Asn	Ile	Gln
305					310					315					320
Val	Lys	Glu	Val	Thr	Thr	Asn	Asp	Gly	Thr	Thr	Thr	Ile	Ala	Asn	Asn
				325					330					335	
Leu	Thr	Ser	Thr	Val	Gln	Val	Phe	Thr	Asp	Ser	Glu	Tyr	Gln	Leu	Pro
			340					345					350		
Tyr	Val	Leu	Gly	Ser	Ala	His	Gln	Gly	Cys	Leu	Pro	Pro	Phe	Pro	Ala
		355					360						365		
Asp	Val	Phe	Met	Ile	Pro	Gln	Tyr	Gly	Tyr	Leu	Thr	Leu	Asn	Asn	Gly
	370					375					380				
Ser	Gln	Ala	Val	Gly	Arg	Ser	Ser	Phe	Tyr	Cys	Leu	Glu	Tyr	Phe	Pro
385					390					395					400
Ser	Gln	Met	Leu	Arg	Thr	Gly	Asn	Asn	Phe	Glu	Phe	Ser	Tyr	Thr	Phe
			405						410					415	
Glu	Asp	Val	Pro	Phe	His	Ser	Ser	Tyr	Ala	His	Ser	Gln	Ser	Leu	Asp
			420					425					430		
Arg	Leu	Met	Asn	Pro	Leu	Ile	Asp	Gln	Tyr	Leu	Tyr	Tyr	Leu	Ser	Arg
		435					440						445		
Thr	Gln	Thr	Thr	Ser	Gly	Thr	Ala	Gly	Asn	Arg	Thr	Leu	Gln	Phe	Ser
						455						460			
Gln	Ala	Gly	Pro	Ser	Ser	Met	Ala	Asn	Gln	Ala	Lys	Asn	Trp	Leu	Pro
465						470				475					480
Gly	Pro	Cys	Tyr	Arg	Gln	Gln	Arg	Val	Ser	Lys	Thr	Ala	Asn	Gln	Asn
				485					490					495	
Asn	Asn	Ser	Asn	Phe	Ala	Trp	Thr	Gly	Ala	Thr	Lys	Tyr	His	Leu	Asn
			500					505					510		
Gly	Arg	Asp	Ser	Leu	Val	Asn	Pro	Gly	Pro	Ala	Met	Ala	Thr	His	Lys
		515					520					525			

-continued

Asp Asp Glu Asp Lys Phe Phe Pro Met Ser Gly Val Leu Ile Phe Gly  
 530 535 540  
 Lys Gln Gly Ala Gly Asn Ser Asn Val Asp Leu Asp Asn Val Met Ile  
 545 550 555 560  
 Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Glu  
 565 570 575  
 Tyr Gly Thr Val Ala Thr Asn Leu Gln Ser Ser Asn Thr Ala Pro Ala  
 580 585 590  
 Thr Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
 595 600 605  
 Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620  
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640  
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655  
 Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr  
 660 665 670  
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685  
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700  
 Tyr Asn Lys Ser Thr Asn Val Asp Phe Ala Val Asp Thr Asn Gly Val  
 705 710 715 720  
 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

&lt;210&gt; SEQ ID NO 26

&lt;211&gt; LENGTH: 736

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Adeno-associated virus

&lt;400&gt; SEQUENCE: 26

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125  
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140  
 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly  
 145 150 155 160  
 Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr



-continued

165					170					175					
Gly	Asp	Ser	Glu	Ser	Val	Pro	Asp	Pro	Gln	Pro	Leu	Gly	Glu	Pro	Pro
			180					185					190		
Ala	Ala	Pro	Ser	Gly	Val	Gly	Ser	Asn	Thr	Met	Ala	Ser	Gly	Gly	Gly
		195					200					205			
Ala	Pro	Met	Ala	Asp	Asn	Asn	Glu	Gly	Ala	Asp	Gly	Val	Gly	Asn	Ala
	210					215				220					
Ser	Gly	Asn	Trp	His	Cys	Asp	Ser	Thr	Trp	Leu	Gly	Asp	Arg	Val	Ile
225					230					235					240
Thr	Thr	Ser	Thr	Arg	Thr	Trp	Ala	Leu	Pro	Thr	Tyr	Asn	Asn	His	Leu
				245					250					255	
Tyr	Lys	Gln	Ile	Ser	Ser	Gln	Ser	Gly	Gly	Ser	Thr	Asn	Asp	Asn	Thr
			260					265					270		
Tyr	Phe	Gly	Tyr	Ser	Thr	Pro	Trp	Gly	Tyr	Phe	Asp	Phe	Asn	Arg	Phe
		275					280					285			
His	Cys	His	Phe	Ser	Pro	Arg	Asp	Trp	Gln	Arg	Leu	Ile	Asn	Asn	Asn
	290					295					300				
Trp	Gly	Phe	Arg	Pro	Lys	Lys	Leu	Asn	Phe	Lys	Leu	Phe	Asn	Ile	Gln
305					310					315					320
Val	Lys	Glu	Val	Thr	Thr	Asn	Asp	Gly	Thr	Thr	Thr	Ile	Ala	Asn	Asn
				325					330					335	
Leu	Thr	Ser	Thr	Val	Gln	Val	Phe	Thr	Asp	Ser	Glu	Tyr	Gln	Leu	Pro
			340					345					350		
Tyr	Val	Leu	Gly	Ser	Ala	His	Gln	Gly	Cys	Leu	Pro	Pro	Phe	Pro	Ala
		355					360					365			
Asp	Val	Phe	Met	Ile	Pro	Gln	Tyr	Gly	Tyr	Leu	Thr	Leu	Asn	Asn	Gly
	370					375					380				
Ser	Gln	Ala	Val	Gly	Arg	Ser	Ser	Phe	Tyr	Cys	Leu	Glu	Tyr	Phe	Pro
385					390					395					400
Ser	Gln	Met	Leu	Arg	Thr	Gly	Asn	Asn	Phe	Gln	Phe	Ser	Tyr	Thr	Phe
			405						410					415	
Glu	Asp	Val	Pro	Phe	His	Ser	Ser	Tyr	Ala	His	Ser	Gln	Ser	Leu	Asp
		420						425					430		
Arg	Leu	Met	Asn	Pro	Leu	Ile	Asp	Gln	Tyr	Leu	Tyr	Tyr	Leu	Ser	Arg
		435					440					445			
Thr	Gln	Thr	Thr	Ser	Gly	Thr	Ala	Gly	Asn	Arg	Glu	Leu	Gln	Phe	Ser
		450				455					460				
Gln	Ala	Gly	Pro	Ser	Ser	Met	Ala	Asn	Gln	Ala	Lys	Asn	Trp	Leu	Pro
465					470					475					480
Gly	Pro	Cys	Tyr	Arg	Gln	Gln	Arg	Val	Ser	Lys	Thr	Thr	Asn	Gln	Asn
				485					490					495	
Asn	Asn	Ser	Asn	Phe	Ala	Trp	Thr	Gly	Ala	Thr	Lys	Tyr	His	Leu	Asn
			500					505					510		
Gly	Arg	Asp	Ser	Leu	Val	Asn	Pro	Gly	Pro	Ala	Met	Ala	Thr	His	Lys
		515					520					525			
Asp	Asp	Glu	Asp	Lys	Phe	Phe	Pro	Met	Ser	Gly	Val	Leu	Ile	Phe	Gly
	530					535					540				
Lys	Gln	Gly	Ala	Gly	Asn	Ser	Asn	Val	Asp	Leu	Asp	Asn	Val	Met	Ile
545					550					555					560
Thr	Asn	Glu	Glu	Glu	Ile	Lys	Thr	Thr	Asn	Pro	Val	Ala	Thr	Glu	Gln
				565					570					575	
Tyr	Gly	Thr	Val	Ala	Thr	Asn	Leu	Gln	Ser	Ala	Asn	Thr	Ala	Pro	Ala
			580					585					590		

-continued

Thr Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
 595 600 605  
 Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620  
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640  
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655  
 Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr  
 660 665 670  
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685  
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700  
 Tyr Asn Lys Ser Thr Asn Val Asp Phe Ala Val Asp Thr Asn Gly Val  
 705 710 715 720  
 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

<210> SEQ ID NO 27  
 <211> LENGTH: 738  
 <212> TYPE: PRT  
 <213> ORGANISM: Adeno-associated virus

<400> SEQUENCE: 27

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
 Gln Gln Leu Gln Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125  
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140  
 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
 145 150 155 160  
 Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln  
 165 170 175  
 Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro  
 180 185 190  
 Pro Ala Ala Pro Ser Gly Val Gly Pro Asn Thr Met Ala Ala Gly Gly  
 195 200 205  
 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser  
 210 215 220  
 Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val



-continued

225	230	235	240
Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His	245	250	255
Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ala Thr Asn Asp	260	265	270
Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn	275	280	285
Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn	290	295	300
Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Ser Phe Lys Leu Phe Asn	305	310	315
Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala	325	330	335
Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln	340	345	350
Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe	355	360	365
Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn	370	375	380
Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr	385	390	395
Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Thr Tyr	405	410	415
Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser	420	425	430
Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu	435	440	445
Ser Arg Thr Gln Thr Thr Gly Gly Thr Ala Asn Thr Gln Thr Leu Gly	450	455	460
Phe Ser Gln Gly Gly Pro Asn Thr Met Ala Asn Gln Ala Lys Asn Trp	465	470	475
Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Gly	485	490	495
Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Ala Gly Thr Lys Tyr His	500	505	510
Leu Asn Gly Arg Asn Ser Leu Ala Asn Pro Gly Ile Ala Met Ala Thr	515	520	525
His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Asn Gly Ile Leu Ile	530	535	540
Phe Gly Lys Gln Asn Ala Ala Arg Asp Asn Ala Asp Tyr Ser Asp Val	545	550	555
Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr	565	570	575
Glu Glu Tyr Gly Ile Val Ala Asp Asn Leu Gln Gln Gln Asn Thr Ala	580	585	590
Pro Gln Ile Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val	595	600	605
Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile	610	615	620
Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe	625	630	635
Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val	645	650	655

-continued

---

Pro Ala Asp Pro Pro Thr Thr Phe Asn Gln Ser Lys Leu Asn Ser Phe  
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Ser Val Asp Phe Ala Val Asn Thr Glu  
705 710 715 720

Gly Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
725 730 735

Asn Leu

<210> SEQ ID NO 28  
 <211> LENGTH: 736  
 <212> TYPE: PRT  
 <213> ORGANISM: Adeno-associated virus

&lt;400&gt; SEQUENCE: 28

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Gln Pro  
20 25 30

Lys Ala Asn Gln Gln His Gln Asp Asn Ala Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Lys Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Leu Leu Glu Pro  
115 120 125

Leu Gly Leu Val Glu Glu Ala Ala Lys Thr Ala Pro Gly Lys Lys Arg  
130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ala Gly Ile Gly  
145 150 155 160

Lys Ser Gly Ala Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
165 170 175

Gly Asp Thr Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro  
180 185 190

Ala Ala Pro Ser Gly Val Gly Ser Leu Thr Met Ala Ser Gly Gly Gly  
195 200 205

Ala Pro Val Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser Ser  
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Gln Trp Leu Gly Asp Arg Val Ile  
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
245 250 255

Tyr Lys Gln Ile Ser Asn Ser Thr Ser Gly Gly Ser Ser Asn Asp Asn  
260 265 270

Ala Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg  
275 280 285



-continued

---

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn  
 290 295 300

Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile  
 305 310 315 320

Gln Val Lys Glu Val Thr Asp Asn Asn Gly Val Lys Thr Ile Ala Asn  
 325 330 335

Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Asp Tyr Gln Leu  
 340 345 350

Pro Tyr Val Leu Gly Ser Ala His Glu Gly Cys Leu Pro Pro Phe Pro  
 355 360 365

Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asp  
 370 375 380

Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe  
 385 390 395 400

Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Glu  
 405 410 415

Phe Glu Asn Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu  
 420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser  
 435 440 445

Lys Thr Ile Asn Gly Ser Gly Gln Asn Gln Gln Thr Leu Lys Phe Ser  
 450 455 460

Val Ala Gly Pro Ser Asn Met Ala Val Gln Gly Arg Asn Tyr Ile Pro  
 465 470 475 480

Gly Pro Ser Tyr Arg Gln Gln Arg Val Ser Thr Thr Val Thr Gln Asn  
 485 490 495

Asn Asn Ser Glu Phe Ala Trp Pro Gly Ala Ser Ser Trp Ala Leu Asn  
 500 505 510

Gly Arg Asn Ser Leu Met Asn Pro Gly Pro Ala Met Ala Ser His Lys  
 515 520 525

Glu Gly Glu Asp Arg Phe Phe Pro Leu Ser Gly Ser Leu Ile Phe Gly  
 530 535 540

Lys Gln Gly Thr Gly Arg Asp Asn Val Asp Ala Asp Lys Val Met Ile  
 545 550 555 560

Thr Asn Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Ser  
 565 570 575

Tyr Gly Gln Val Ala Thr Asn His Gln Ser Ala Gln Ala Gln Ala Gln  
 580 585 590

Thr Gly Trp Val Gln Asn Gln Gly Ile Leu Pro Gly Met Val Trp Gln  
 595 600 605

Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Met  
 625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655

Asp Pro Pro Thr Ala Phe Asn Lys Asp Lys Leu Asn Ser Phe Ile Thr  
 660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700

-continued

Tyr Tyr Lys Ser Asn Asn Val Glu Phe Ala Val Asn Thr Glu Gly Val  
705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
725 730 735

<210> SEQ ID NO 29

<211> LENGTH: 736

<212> TYPE: PRT

<213> ORGANISM: Adeno-associated virus

<400> SEQUENCE: 29

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
115 120 125

Phe Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly  
145 150 155 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro  
180 185 190

Ala Thr Pro Ala Ala Val Gly Pro Thr Thr Met Ala Ser Gly Gly Gly  
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala  
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
245 250 255

Tyr Lys Gln Ile Ser Ser Ala Ser Thr Gly Ala Ser Asn Asp Asn His  
260 265 270

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe  
275 280 285

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn  
290 295 300

Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln  
305 310 315 320

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn  
325 330 335

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro  
340 345 350



-continued

---

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala  
 355 360 365  
 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly  
 370 375 380  
 Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro  
 385 390 395 400  
 Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe  
 405 410 415  
 Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp  
 420 425 430  
 Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg  
 435 440 445  
 Thr Gln Asn Gln Ser Gly Ser Ala Gln Asn Lys Asp Leu Leu Phe Ser  
 450 455 460  
 Arg Gly Ser Pro Ala Gly Met Ser Val Gln Pro Lys Asn Trp Leu Pro  
 465 470 475 480  
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Lys Thr Asp Asn  
 485 490 495  
 Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala Ser Lys Tyr Asn Leu Asn  
 500 505 510  
 Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr Ala Met Ala Ser His Lys  
 515 520 525  
 Asp Asp Lys Asp Lys Phe Phe Pro Met Ser Gly Val Met Ile Phe Gly  
 530 535 540  
 Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala Leu Asp Asn Val Met Ile  
 545 550 555 560  
 Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg  
 565 570 575  
 Phe Gly Thr Val Ala Val Asn Leu Gln Ser Ser Ser Thr Asp Pro Ala  
 580 585 590  
 Thr Gly Asp Val His Val Met Gly Ala Leu Pro Gly Met Val Trp Gln  
 595 600 605  
 Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620  
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640  
 Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655  
 Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys Phe Ala Ser Phe Ile Thr  
 660 665 670  
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685  
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Val Gln Tyr Thr Ser Asn  
 690 695 700  
 Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr Val Asp Asn Asn Gly Leu  
 705 710 715 720  
 Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Pro Leu  
 725 730 735

&lt;210&gt; SEQ ID NO 30

&lt;211&gt; LENGTH: 736

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Adeno-associated virus

-continued

&lt;400&gt; SEQUENCE: 30

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
 Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125  
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140  
 Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly  
 145 150 155 160  
 Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175  
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro  
 180 185 190  
 Ala Thr Pro Ala Ala Val Gly Pro Thr Thr Met Ala Ser Gly Gly Gly  
 195 200 205  
 Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala  
 210 215 220  
 Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile  
 225 230 235 240  
 Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu  
 245 250 255  
 Tyr Lys Gln Ile Ser Ser Ala Ser Thr Gly Ala Ser Asn Asp Asn His  
 260 265 270  
 Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe  
 275 280 285  
 His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn  
 290 295 300  
 Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln  
 305 310 315 320  
 Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn  
 325 330 335  
 Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro  
 340 345 350  
 Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala  
 355 360 365  
 Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly  
 370 375 380  
 Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro  
 385 390 395 400  
 Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe  
 405 410 415



-continued

Glu Glu Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp  
 420 425 430  
 Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg  
 435 440 445  
 Thr Gln Asn Gln Ser Gly Ser Ala Gln Asn Lys Asp Leu Leu Phe Ser  
 450 455 460  
 Arg Gly Ser Pro Ala Gly Met Ser Val Gln Pro Lys Asn Trp Leu Pro  
 465 470 475 480  
 Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Lys Thr Asp Asn  
 485 490 495  
 Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala Ser Lys Tyr Asn Leu Asn  
 500 505 510  
 Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr Ala Met Ala Ser His Lys  
 515 520 525  
 Asp Asp Glu Asp Lys Phe Phe Pro Met Ser Gly Val Met Ile Phe Gly  
 530 535 540  
 Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala Leu Asp Asn Val Met Ile  
 545 550 555 560  
 Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg  
 565 570 575  
 Phe Gly Thr Val Ala Val Asn Phe Gln Ser Ser Ser Thr Asp Pro Ala  
 580 585 590  
 Thr Gly Asp Val His Ala Met Gly Ala Leu Pro Gly Met Val Trp Gln  
 595 600 605  
 Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620  
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640  
 Lys Asn Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655  
 Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys Phe Ala Ser Phe Ile Thr  
 660 665 670  
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685  
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Val Gln Tyr Thr Ser Asn  
 690 695 700  
 Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr Val Asp Asn Asn Gly Leu  
 705 710 715 720  
 Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Pro Leu  
 725 730 735

&lt;210&gt; SEQ ID NO 31

&lt;211&gt; LENGTH: 735

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Adeno-associated virus

&lt;400&gt; SEQUENCE: 31

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro  
 20 25 30  
 Lys Pro Ala Glu Arg His Lys Asp Asp Ser Arg Gly Leu Val Leu Pro  
 35 40 45  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro

-continued

50	55	60
Val Asn Glu Ala Asp 65	Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp 70	75 80
Arg Gln Leu Asp Ser Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala 85	90	95
Asp Ala Glu Phe Gln Glu Arg Leu Lys Glu Asp Thr Ser Phe Gly Gly 100	105	110
Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro 115	120	125
Leu Gly Leu Val Glu Glu Pro Val Lys Thr Ala Pro Gly Lys Lys Arg 130	135	140
Pro Val Glu His Ser Pro Val Glu Pro Asp Ser Ser Ser Gly Thr Gly 145	150	155 160
Lys Ala Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr 165	170	175
Gly Asp Ala Asp Ser Val Pro Asp Pro Gln Pro Leu Gly Gln Pro Pro 180	185	190
Ala Ala Pro Ser Gly Leu Gly Thr Asn Thr Met Ala Thr Gly Ser Gly 195	200	205
Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser 210	215	220
Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile 225	230	235 240
Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu 245	250	255
Tyr Lys Gln Ile Ser Ser Gln Ser Gly Ala Ser Asn Asp Asn His Tyr 260	265	270
Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His 275	280	285
Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp 290	295	300
Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val 305	310	315 320
Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu 325	330	335
Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr 340	345	350
Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp 355	360	365
Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser 370	375	380
Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser 385	390	395 400
Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu 405	410	415
Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg 420	425	430
Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr 435	440	445
Asn Thr Pro Ser Gly Thr Thr Thr Gln Ser Arg Leu Gln Phe Ser Gln 450	455	460
Ala Gly Ala Ser Asp Ile Arg Asp Gln Ser Arg Asn Trp Leu Pro Gly 465	470	475 480



-continued

Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Ser Ala Asp Asn Asn  
 485 490 495  
 Asn Ser Glu Tyr Ser Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly  
 500 505 510  
 Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Ser His Lys Asp  
 515 520 525  
 Asp Glu Glu Lys Phe Phe Pro Gln Ser Gly Val Leu Ile Phe Gly Lys  
 530 535 540  
 Gln Gly Ser Glu Lys Thr Asn Val Asp Ile Glu Lys Val Met Ile Thr  
 545 550 555 560  
 Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr  
 565 570 575  
 Gly Ser Val Ser Thr Asn Leu Gln Arg Gly Asn Arg Gln Ala Ala Thr  
 580 585 590  
 Ala Asp Val Asn Thr Gln Gly Val Leu Pro Gly Met Val Trp Gln Asp  
 595 600 605  
 Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr  
 610 615 620  
 Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys  
 625 630 635 640  
 His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn  
 645 650 655  
 Pro Ser Thr Thr Phe Ser Ala Ala Lys Phe Ala Ser Phe Ile Thr Gln  
 660 665 670  
 Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys  
 675 680 685  
 Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr  
 690 695 700  
 Asn Lys Ser Val Asn Val Asp Phe Thr Val Asp Thr Asn Gly Val Tyr  
 705 710 715 720  
 Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

&lt;210&gt; SEQ ID NO 32

&lt;211&gt; LENGTH: 736

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Adeno-associated virus

&lt;400&gt; SEQUENCE: 32

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Val Pro Gln Pro  
 20 25 30  
 Lys Ala Asn Gln Gln His Gln Asp Asn Arg Arg Gly Leu Val Leu Pro  
 35 40 45  
 Gly Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Ile Leu Glu Pro

-continued

115				120				125							
Leu	Gly	Leu	Val	Glu	Glu	Ala	Ala	Lys	Thr	Ala	Pro	Gly	Lys	Lys	Gly
130						135					140				
Ala	Val	Asp	Gln	Ser	Pro	Gln	Glu	Pro	Asp	Ser	Ser	Ser	Gly	Val	Gly
145					150					155					160
Lys	Ser	Gly	Lys	Gln	Pro	Ala	Arg	Lys	Arg	Leu	Asn	Phe	Gly	Gln	Thr
				165					170					175	
Gly	Asp	Ser	Glu	Ser	Val	Pro	Asp	Pro	Gln	Pro	Leu	Gly	Glu	Pro	Pro
			180					185					190		
Ala	Ala	Pro	Thr	Ser	Leu	Gly	Ser	Asn	Thr	Met	Ala	Ser	Gly	Gly	Gly
		195					200					205			
Ala	Pro	Met	Ala	Asp	Asn	Asn	Glu	Gly	Ala	Asp	Gly	Val	Gly	Asn	Ser
	210					215					220				
Ser	Gly	Asn	Trp	His	Cys	Asp	Ser	Gln	Trp	Leu	Gly	Asp	Arg	Val	Ile
225					230					235					240
Thr	Thr	Ser	Thr	Arg	Thr	Trp	Ala	Leu	Pro	Thr	Tyr	Asn	Asn	His	Leu
				245					250					255	
Tyr	Lys	Gln	Ile	Ser	Ser	Gln	Ser	Gly	Ala	Ser	Asn	Asp	Asn	His	Tyr
			260					265					270		
Phe	Gly	Tyr	Ser	Thr	Pro	Trp	Gly	Tyr	Phe	Asp	Phe	Asn	Arg	Phe	His
		275					280					285			
Cys	His	Phe	Ser	Pro	Arg	Asp	Trp	Gln	Arg	Leu	Ile	Asn	Asn	Asn	Trp
	290					295					300				
Gly	Phe	Arg	Pro	Lys	Lys	Leu	Ser	Phe	Lys	Leu	Phe	Asn	Ile	Gln	Val
305					310					315					320
Arg	Gly	Val	Thr	Gln	Asn	Asp	Gly	Thr	Thr	Thr	Ile	Ala	Asn	Asn	Leu
				325					330					335	
Thr	Ser	Thr	Val	Gln	Val	Phe	Thr	Asp	Ser	Glu	Tyr	Gln	Leu	Pro	Tyr
			340					345					350		
Val	Leu	Gly	Ser	Ala	His	Gln	Gly	Cys	Leu	Pro	Pro	Phe	Pro	Ala	Asp
	355						360					365			
Val	Phe	Met	Val	Pro	Gln	Tyr	Gly	Tyr	Leu	Thr	Leu	Asn	Asn	Gly	Ser
	370					375					380				
Gln	Ala	Val	Gly	Arg	Ser	Ser	Phe	Tyr	Cys	Leu	Glu	Tyr	Phe	Pro	Ser
385					390					395					400
Gln	Met	Leu	Arg	Thr	Gly	Asn	Asn	Phe	Gln	Phe	Ser	Tyr	Thr	Phe	Glu
				405					410					415	
Asp	Val	Pro	Phe	His	Ser	Ser	Tyr	Ala	His	Ser	Gln	Ser	Leu	Asp	Arg
			420					425					430		
Leu	Met	Asn	Pro	Leu	Ile	Asp	Gln	Tyr	Leu	Tyr	Tyr	Leu	Asn	Arg	Thr
	435						440					445			
Gln	Gly	Thr	Thr	Ser	Gly	Thr	Thr	Asn	Gln	Ser	Arg	Leu	Leu	Phe	Ser
	450					455					460				
Gln	Ala	Gly	Pro	Gln	Ser	Met	Ser	Leu	Gln	Ala	Arg	Asn	Trp	Leu	Pro
465					470					475					480
Gly	Pro	Cys	Tyr	Arg	Gln	Gln	Arg	Leu	Ser	Lys	Thr	Ala	Asn	Asp	Asn
				485					490					495	
Asn	Asn	Ser	Asn	Phe	Pro	Trp	Thr	Ala	Ala	Ser	Lys	Tyr	His	Leu	Asn
			500					505					510		
Gly	Arg	Asp	Ser	Leu	Val	Asn	Pro	Gly	Pro	Ala	Met	Ala	Ser	His	Lys
		515					520					525			
Asp	Asp	Glu	Glu	Lys	Phe	Phe	Pro	Met	His	Gly	Asn	Leu	Ile	Phe	Gly
	530					535					540				



-continued

Lys Glu Gly Thr Thr Ala Ser Asn Ala Glu Leu Asp Asn Val Met Ile  
 545 550 555 560  
 Thr Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln  
 565 570 575  
 Tyr Gly Thr Val Ala Asn Asn Leu Gln Ser Ser Asn Thr Ala Pro Thr  
 580 585 590  
 Thr Gly Thr Val Asn His Gln Gly Ala Leu Pro Gly Met Val Trp Gln  
 595 600 605  
 Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620  
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640  
 Lys His Pro Pro Pro Gln Ile Met Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655  
 Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr  
 660 665 670  
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685  
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700  
 Tyr Asn Lys Ser Val Asn Val Asp Phe Thr Val Asp Thr Asn Gly Val  
 705 710 715 720  
 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

<210> SEQ ID NO 33  
 <211> LENGTH: 736  
 <212> TYPE: PRT  
 <213> ORGANISM: Adeno-associated virus

<400> SEQUENCE: 33

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Val Pro Gln Pro  
 20 25 30  
 Lys Ala Asn Gln Gln His Gln Asp Asn Arg Arg Gly Leu Val Leu Pro  
 35 40 45  
 Gly Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
 Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala  
 85 90 95  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Ile Leu Glu Pro  
 115 120 125  
 Leu Gly Leu Val Glu Glu Ala Ala Lys Thr Ala Pro Gly Lys Lys Arg  
 130 135 140  
 Pro Val Asp Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Val Gly  
 145 150 155 160  
 Lys Ser Gly Lys Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr  
 165 170 175  
 Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro

-continued

180				185				190							
Ala	Ala	Pro	Thr	Ser	Leu	Gly	Ser	Asn	Thr	Met	Ala	Ser	Gly	Gly	Gly
		195					200					205			
Ala	Pro	Met	Ala	Asp	Asn	Asn	Glu	Gly	Ala	Asp	Gly	Val	Gly	Asn	Ser
	210				215						220				
Ser	Gly	Asn	Trp	His	Cys	Asp	Ser	Gln	Trp	Leu	Gly	Asp	Arg	Val	Ile
225				230						235					240
Thr	Thr	Ser	Thr	Arg	Thr	Trp	Ala	Leu	Pro	Thr	Tyr	Asn	Asn	His	Leu
				245						250				255	
Tyr	Lys	Gln	Ile	Ser	Ser	Gln	Ser	Gly	Ala	Ser	Asn	Asp	Asn	His	Tyr
			260					265						270	
Phe	Gly	Tyr	Ser	Thr	Pro	Trp	Gly	Tyr	Phe	Asp	Phe	Asn	Arg	Phe	His
		275					280					285			
Cys	His	Phe	Ser	Pro	Arg	Asp	Trp	Gln	Arg	Leu	Ile	Asn	Asn	Asn	Trp
290						295					300				
Gly	Phe	Arg	Pro	Lys	Lys	Leu	Ser	Phe	Lys	Leu	Phe	Asn	Ile	Gln	Val
305					310					315					320
Lys	Glu	Val	Thr	Gln	Asn	Asp	Gly	Thr	Thr	Thr	Ile	Ala	Asn	Asn	Leu
				325					330					335	
Thr	Ser	Thr	Val	Gln	Val	Phe	Thr	Asp	Ser	Glu	Tyr	Gln	Leu	Pro	Tyr
			340					345					350		
Val	Leu	Gly	Ser	Ala	His	Gln	Gly	Cys	Leu	Pro	Pro	Phe	Pro	Ala	Asp
		355					360					365			
Val	Phe	Met	Val	Pro	Gln	Tyr	Gly	Tyr	Leu	Thr	Leu	Asn	Asn	Gly	Ser
		370				375					380				
Gln	Ala	Val	Gly	Arg	Ser	Ser	Phe	Tyr	Cys	Leu	Glu	Tyr	Phe	Pro	Ser
385					390					395					400
Gln	Met	Leu	Arg	Thr	Gly	Asn	Asn	Phe	Gln	Phe	Ser	Tyr	Thr	Phe	Glu
				405					410					415	
Asp	Val	Pro	Phe	His	Ser	Ser	Tyr	Ala	His	Ser	Gln	Ser	Leu	Asp	Arg
			420					425					430		
Leu	Met	Asn	Pro	Leu	Ile	Asp	Gln	Tyr	Leu	Tyr	Tyr	Leu	Asn	Arg	Thr
		435					440					445			
Gln	Gly	Thr	Thr	Ser	Gly	Thr	Thr	Asn	Gln	Ser	Arg	Leu	Leu	Phe	Ser
		450				455					460				
Gln	Ala	Gly	Pro	Gln	Ser	Met	Ser	Leu	Gln	Ala	Arg	Asn	Trp	Leu	Pro
465					470					475					480
Gly	Pro	Cys	Tyr	Arg	Gln	Gln	Arg	Leu	Ser	Lys	Thr	Ala	Asn	Asp	Asn
				485					490					495	
Asn	Asn	Ser	Asn	Phe	Pro	Trp	Thr	Ala	Ala	Ser	Lys	Tyr	His	Leu	Asn
			500					505					510		
Gly	Arg	Asp	Ser	Leu	Val	Asn	Pro	Gly	Pro	Ala	Met	Ala	Ser	His	Lys
		515					520					525			
Asp	Asp	Glu	Glu	Lys	Phe	Phe	Pro	Met	His	Gly	Asn	Leu	Ile	Phe	Gly
		530				535					540				
Lys	Glu	Gly	Thr	Thr	Ala	Ser	Asn	Ala	Glu	Leu	Asp	Asn	Val	Met	Ile
545					550					555					560
Thr	Asp	Glu	Glu	Glu	Ile	Arg	Thr	Thr	Asn	Pro	Val	Ala	Thr	Glu	Gln
				565					570					575	
Tyr	Gly	Thr	Val	Ala	Asn	Asn	Leu	Gln	Ser	Ser	Asn	Thr	Ala	Pro	Thr
			580					585					590		
Thr	Arg	Thr	Val	Asn	Asp	Gln	Gly	Ala	Leu	Pro	Gly	Met	Val	Trp	Gln
		595				600						605			



-continued

Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His  
 610 615 620  
 Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu  
 625 630 635 640  
 Lys His Pro Pro Pro Gln Ile Met Ile Lys Asn Thr Pro Val Pro Ala  
 645 650 655  
 Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr  
 660 665 670  
 Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln  
 675 680 685  
 Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn  
 690 695 700  
 Tyr Asn Lys Ser Val Asn Val Asp Phe Thr Val Asp Thr Asn Gly Val  
 705 710 715 720  
 Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu  
 725 730 735

<210> SEQ ID NO 34  
 <211> LENGTH: 737  
 <212> TYPE: PRT  
 <213> ORGANISM: Adeno-associated virus

<400> SEQUENCE: 34

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser  
 1 5 10 15  
 Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro  
 20 25 30  
 Lys Ala Asn Gln Gln Lys Gln Asp Asn Gly Arg Gly Leu Val Leu Pro  
 35 40 45  
 Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro  
 50 55 60  
 Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp  
 65 70 75 80  
 Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala  
 85 90 95  
 Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly  
 100 105 110  
 Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro  
 115 120 125  
 Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Ala Lys Lys Arg  
 130 135 140  
 Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile  
 145 150 155 160  
 Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln  
 165 170 175  
 Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro  
 180 185 190  
 Pro Ala Ala Pro Ser Ser Val Gly Ser Gly Thr Val Ala Ala Gly Gly  
 195 200 205  
 Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn  
 210 215 220  
 Ala Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val  
 225 230 235 240  
 Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His

-continued

245					250					255					
Leu	Tyr	Lys	Gln	Ile	Ser	Ser	Glu	Thr	Ala	Gly	Ser	Thr	Asn	Asp	Asn
			260					265					270		
Thr	Tyr	Phe	Gly	Tyr	Ser	Thr	Pro	Trp	Gly	Tyr	Phe	Asp	Phe	Asn	Arg
		275					280					285			
Phe	His	Cys	His	Phe	Ser	Pro	Arg	Asp	Trp	Gln	Arg	Leu	Ile	Asn	Asn
	290					295					300				
Asn	Trp	Gly	Phe	Arg	Pro	Lys	Lys	Leu	Arg	Phe	Lys	Leu	Phe	Asn	Ile
305						310					315				320
Gln	Val	Lys	Glu	Val	Thr	Thr	Asn	Asp	Gly	Val	Thr	Thr	Ile	Ala	Asn
				325					330					335	
Asn	Leu	Thr	Ser	Thr	Ile	Gln	Val	Phe	Ser	Asp	Ser	Glu	Tyr	Gln	Leu
			340					345					350		
Pro	Tyr	Val	Leu	Gly	Ser	Ala	His	Gln	Gly	Cys	Leu	Pro	Pro	Phe	Pro
		355					360					365			
Ala	Asp	Val	Phe	Met	Ile	Pro	Gln	Tyr	Gly	Tyr	Leu	Thr	Leu	Asn	Asn
	370					375					380				
Gly	Ser	Gln	Ser	Val	Gly	Arg	Ser	Ser	Phe	Tyr	Cys	Leu	Glu	Tyr	Phe
385						390					395				400
Pro	Ser	Gln	Met	Leu	Arg	Thr	Gly	Asn	Asn	Phe	Glu	Phe	Ser	Tyr	Ser
			405						410					415	
Phe	Glu	Asp	Val	Pro	Phe	His	Ser	Ser	Tyr	Ala	His	Ser	Gln	Ser	Leu
			420						425				430		
Asp	Arg	Leu	Met	Asn	Pro	Leu	Ile	Asp	Gln	Tyr	Leu	Tyr	Tyr	Leu	Ala
		435					440					445			
Arg	Thr	Gln	Ser	Asn	Pro	Gly	Gly	Thr	Ala	Gly	Asn	Arg	Glu	Leu	Gln
		450				455					460				
Phe	Tyr	Gln	Gly	Gly	Pro	Ser	Thr	Met	Ala	Glu	Gln	Ala	Lys	Asn	Trp
465						470					475				480
Leu	Pro	Gly	Pro	Cys	Phe	Arg	Gln	Gln	Arg	Val	Ser	Lys	Thr	Leu	Asp
				485					490					495	
Gln	Asn	Asn	Asn	Ser	Asn	Phe	Ala	Trp	Thr	Gly	Ala	Thr	Lys	Tyr	His
			500					505					510		
Leu	Asn	Gly	Arg	Asn	Ser	Leu	Val	Asn	Pro	Gly	Val	Ala	Met	Ala	Thr
		515					520					525			
His	Lys	Asp	Asp	Glu	Asp	Arg	Phe	Phe	Pro	Ser	Ser	Gly	Val	Leu	Ile
	530					535					540				
Phe	Gly	Lys	Thr	Gly	Ala	Thr	Asn	Lys	Thr	Thr	Leu	Glu	Asn	Val	Leu
545						550					555				560
Met	Thr	Asn	Glu	Glu	Glu	Ile	Arg	Pro	Thr	Asn	Pro	Val	Ala	Thr	Glu
				565					570					575	
Glu	Tyr	Gly	Ile	Val	Ser	Ser	Asn	Leu	Gln	Ala	Ala	Asn	Thr	Ala	Ala
			580					585					590		
Gln	Thr	Gln	Val	Val	Asn	Asn	Gln	Gly	Ala	Leu	Pro	Gly	Met	Val	Trp
		595					600					605			
Gln	Asn	Arg	Asp	Val	Tyr	Leu	Gln	Gly	Pro	Ile	Trp	Ala	Lys	Ile	Pro
	610					615					620				
His	Thr	Asp	Gly	Asn	Phe	His	Pro	Ser	Pro	Leu	Met	Gly	Gly	Phe	Gly
625						630					635				640
Leu	Lys	His	Pro	Pro	Pro	Gln	Ile	Leu	Ile	Lys	Asn	Thr	Pro	Val	Pro
				645					650					655	
Ala	Asn	Pro	Pro	Glu	Val	Phe	Thr	Pro	Ala	Lys	Phe	Ala	Ser	Phe	Ile
			660					665					670		



-continued

Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu  
 675 680  
 Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser  
 690 695 700  
 Asn Phe Glu Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly  
 705 710 715 720  
 Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn  
 725 730 735

Leu

<210> SEQ ID NO 35  
 <211> LENGTH: 2211  
 <212> TYPE: DNA  
 <213> ORGANISM: Adeno-associated virus

&lt;400&gt; SEQUENCE: 35

atggctgccg atggttatct tccagattgg ctgaggaca acctctctga gggcattcgc 60  
 gagtggtggg acttgaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac 120  
 gacggccggg gtctggtgct tcctggctac aagtacctcg gaccctcaa cggactcgac 180  
 aagggggagc cegtcaacgc ggcggacgca gcggccctcg agcacgacaa ggcctacgac 240  
 cagcagctca aagcgggtga caatccgtac ctgcggtata accacgccga cgccgagttt 300  
 caggagcgtc tgcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttcag 360  
 gccaagaagc gggttctcga acctctcggg ctggttgagg aaggcgctaa gacggctcct 420  
 ggaaagaaga gaccggtaga gcaatcacc caggaaccag actcctcttc gggcatcggc 480  
 aagaaaggcc agcagcccgc gaaaaagaga ctcaactttg ggcagacagg cgactcagag 540  
 tcagtgcccg accctcaacc actcggagaa cccccgcag ccccctctgg tgtgggatct 600  
 aatacaatgg ctgcaggcgg tggcgctcca atggcagaca ataacgaagg cgccgacgga 660  
 gtgggtaacg cctcaggaaa ttggcattgc gattccacat ggctgggcca cagagtcac 720  
 accaccagca cccgaacctg ggccctcccc acctacaaca accaccteta caagcaaatc 780  
 tccagccaat cgggagcaag caccaacgac aacacctact tcggctacag caccctctgg 840  
 gggtatcttg actttaacag attccactgc cacttctcac cacgtgactg gcagcgactc 900  
 atcaacaaca actggggatt cgggccaag agactcaact tcaagctctt caacatccag 960  
 gtcaaggagg tcacgacgaa tgatggcacc acgaccatcg ccaataacct taccagcacg 1020  
 gttcaggtct ttacggactc ggaataccag ctcccgtacg tcctcggctc tgcgcaccag 1080  
 ggctgcctgc ctccgttccc ggcggacgtc ttcattgatc ctacgtacgg gtacctgact 1140  
 ctgaacaatg gcagtcaggc cgtgggcccgt tcctccttct actgcctgga gtactttcct 1200  
 tctcaaatgc tgagaacggg caacaacttt gaggtcagct acacgtttga ggacgtgcct 1260  
 tttcacagca gctacgcgca cagccaaagc ctggaccggc tgatgaacct cctcatcgac 1320  
 cagtacctgt actacctgtc tcggactcag accacgagtg gtaccgcagg aaatcggacg 1380  
 ttgcaatctt ctacggccgg gcctagtagc atggcgaatc aggcacaaaa ctggctaccc 1440  
 gggccctgct accggcagca acgcgtctcc aagacagcga atcaaaataa caacagcaac 1500  
 tttgcctgga cgggtgccac caagtatcat ctgaatggca gagactctct ggtaaatccc 1560  
 ggtcccgcta tggcaaccca caaggacgac gaagacaaat ttttccgat gagcggagtc 1620  
 ttaatatttg ggaaacaggg agctggaaat agcaacgtgg accttgacaa cgttatgata 1680

-continued

---

```

accagtgagg aagaaattaa aaccaccaac ccagtggcca cagaacagta cggcacggtg 1740
gccactaacc tgcaatcgtc aaacaccgct cctgctacag ggaccgtcaa cagtcaagga 1800
gccttacctg gcatggtctg gcagaaccgg gacgtgtacc tgcagggtcc tatctgggcc 1860
aagattcctc acacggacgg acactttcat cctcgcgcgc tgatgggagg ctttggactg 1920
aaacacccgc ctctcagat cctgattaag aatacacctg ttcccgcgaa tctccaact 1980
accttcagtc cagctaagtt tgcgtcgttc atcacgcagt acagcaccgg acaggtcagc 2040
gtggaaattg aatgggagct gcagaaagaa aacagcaaac gctggaacct agagattcaa 2100
tacacttcca actacaacia atctacaaat gtggactttg ctggtgacac aaatggcggt 2160
tattctgagc ctgcgccat cggcacccgt tacctcaccg gtaatctgta a 2211

```

&lt;210&gt; SEQ ID NO 36

&lt;211&gt; LENGTH: 738

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Adeno-associated virus

&lt;400&gt; SEQUENCE: 36

```

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1           5           10           15
Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
          20           25           30
Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
          35           40           45
Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
          50           55           60
Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
          65           70           75           80
Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
          85           90           95
Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
          100          105          110
Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
          115          120          125
Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
          130          135          140
Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
          145          150          155          160
Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
          165          170          175
Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
          180          185          190
Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
          195          200          205
Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
          210          215          220
Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
          225          230          235          240
Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
          245          250          255
Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
          260          265          270
Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
          275          280          285

```



-continued

---

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn  
 290 295 300  
 Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn  
 305 310 315 320  
 Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala  
 325 330 335  
 Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln  
 340 345 350  
 Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe  
 355 360 365  
 Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn  
 370 375 380  
 Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr  
 385 390 395 400  
 Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr  
 405 410 415  
 Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser  
 420 425 430  
 Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu  
 435 440 445  
 Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu  
 450 455 460  
 Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp  
 465 470 475 480  
 Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser  
 485 490 495  
 Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His  
 500 505 510  
 Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr  
 515 520 525  
 His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met  
 530 535 540  
 Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val  
 545 550 555 560  
 Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr  
 565 570 575  
 Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala  
 580 585 590  
 Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val  
 595 600 605  
 Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile  
 610 615 620  
 Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe  
 625 630 635 640  
 Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val  
 645 650 655  
 Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe  
 660 665 670  
 Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu  
 675 680 685  
 Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr  
 690 695 700

-continued

---

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp  
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg  
725 730 735

Asn Leu

<210> SEQ ID NO 37  
<211> LENGTH: 21  
<212> TYPE: PRT  
<213> ORGANISM: Adeno-associated virus

<400> SEQUENCE: 37

Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg Phe Gly Thr Val  
1 5 10 15

Ala Val Asn Phe Gln  
20

<210> SEQ ID NO 38  
<211> LENGTH: 21  
<212> TYPE: PRT  
<213> ORGANISM: Adeno-associated virus

<400> SEQUENCE: 38

Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg Phe Gly Thr Val  
1 5 10 15

Ala Val Asn Leu Gln  
20

<210> SEQ ID NO 39  
<211> LENGTH: 21  
<212> TYPE: PRT  
<213> ORGANISM: Adeno-associated virus

<400> SEQUENCE: 39

Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Ser Val  
1 5 10 15

Ser Thr Asn Leu Gln  
20

<210> SEQ ID NO 40  
<211> LENGTH: 21  
<212> TYPE: PRT  
<213> ORGANISM: Adeno-associated virus

<400> SEQUENCE: 40

Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Thr Val  
1 5 10 15

Ala Asn Asn Leu Gln  
20

<210> SEQ ID NO 41  
<211> LENGTH: 21  
<212> TYPE: PRT  
<213> ORGANISM: Adeno-associated virus

<400> SEQUENCE: 41

Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Thr Val  
1 5 10 15

Ala Thr Asn Leu Gln  
20



-continued

<210> SEQ ID NO 42  
 <211> LENGTH: 21  
 <212> TYPE: PRT  
 <213> ORGANISM: Adeno-associated virus

<400> SEQUENCE: 42

Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Thr Val  
 1                   5                   10                   15  
 Ala Thr Asn Leu Gln  
                   20

<210> SEQ ID NO 43  
 <211> LENGTH: 21  
 <212> TYPE: PRT  
 <213> ORGANISM: Adeno-associated virus

<220> FEATURE:  
 <221> NAME/KEY: VARIANT  
 <222> LOCATION: (12)..(12)  
 <223> OTHER INFORMATION: /replace="Glu"  
 <220> FEATURE:  
 <221> NAME/KEY: misc\_feature  
 <222> LOCATION: (1)..(21)  
 <223> OTHER INFORMATION: /note="Variant residues given in the sequence  
 have no preference with respect to those in the annotations  
 for variant positions"

<400> SEQUENCE: 43

Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Thr Val  
 1                   5                   10                   15  
 Ala Thr Asn Leu Gln  
                   20

<210> SEQ ID NO 44  
 <211> LENGTH: 6  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence

<220> FEATURE:  
 <221> NAME/KEY: source  
 <223> OTHER INFORMATION: /note="Description of Artificial Sequence:  
 Synthetic 6xHis tag"

<400> SEQUENCE: 44

His His His His His His  
 1                   5

45

What is claimed is:

1. An adeno-associated virus (AAV) capsid polypeptide having the amino acid sequence shown in SEQ ID NO: 1.

2. The AAV capsid polypeptide of claim 1, wherein the AAV capsid polypeptide or a virus particle comprising the AAV capsid polypeptide:

exhibits a lower seroprevalence than does an AAV2 capsid polypeptide or a virus particle comprising an AAV2 capsid polypeptide, and wherein the AAV capsid polypeptide or a virus particle comprising the AAV capsid polypeptide exhibit about the same or a lower seroprevalence than does an AAV8 capsid polypeptide or a virus particle comprising an AAV8 capsid polypeptide; and/or

are neutralized to a lesser extent by human serum than is an AAV2 capsid polypeptide or a virus particle comprising an AAV2 capsid polypeptide, and wherein the AAV capsid polypeptide or a virus particle comprising the AAV capsid polypeptide is neutralized to a similar

or lesser extent by human serum than is an AAV8 capsid polypeptide or a virus particle comprising an AAV8 capsid polypeptide.

3. The AAV capsid polypeptide of claim 1, wherein the AAV capsid polypeptide is purified.

4. The AAV capsid polypeptide of claim 1, encoded by the nucleic acid sequence shown in SEQ ID NO: 2.

5. A nucleic acid molecule encoding an adeno-associated virus (AAV) capsid polypeptide having the nucleic acid sequence shown in SEQ ID NO: 2.

6. A vector comprising the nucleic acid molecule of claim 5.

7. An isolated host cell comprising the vector of claim 6.

8. A purified virus particle comprising the AAV capsid polypeptide of claim 1.

9. The purified virus particle of claim 8, further comprising a transgene.

\* \* \* \* \*