



US009852195B2

(12) **United States Patent**
Ma et al.

(10) **Patent No.:** **US 9,852,195 B2**
(45) **Date of Patent:** **Dec. 26, 2017**

(54) **SYSTEM AND METHOD FOR GENERATING
EVENT VISUALIZATIONS**

(71) Applicant: **Palantir Technologies Inc.**, Palo Alto,
CA (US)

(72) Inventors: **Jason Ma**, Palo Alto, CA (US); **Brian
Lee**, Sunnyvale, CA (US); **Evan
Minamoto**, Menlo Park, CA (US)

(73) Assignee: **PALANTIR TECHNOLOGIES INC.**,
Palo Alto, CA (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/397,562**

(22) Filed: **Jan. 3, 2017**

(65) **Prior Publication Data**

US 2017/0116294 A1 Apr. 27, 2017

Related U.S. Application Data

(63) Continuation of application No. 14/570,914, filed on
Dec. 15, 2014, now Pat. No. 9,626,088, which is a
(Continued)

(51) **Int. Cl.**

G06F 17/30 (2006.01)

G06T 11/20 (2006.01)

G06F 3/0484 (2013.01)

(52) **U.S. Cl.**

CPC **G06F 17/30554** (2013.01); **G06T 11/206**
(2013.01); **G06F 3/04842** (2013.01)

(58) **Field of Classification Search**

None

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,109,399 A 4/1992 Thompson

5,329,108 A 7/1994 Lamoure

(Continued)

FOREIGN PATENT DOCUMENTS

AU 2014250678 2/2016

DE 102014103482 9/2014

(Continued)

OTHER PUBLICATIONS

Ocull, Heather, "Timelines Everywhere: See and share your work
with ease in SharePoint and PWA," Office Blogs, published Sep. 7,
2012, in 8 pages.

(Continued)

Primary Examiner — James A Thompson


(74) *Attorney, Agent, or Firm* — Knobbe, Martens, Olson
& Bear, LLP

(57)

ABSTRACT

An event matrix may comprise labels and indicators corre-
sponding to objects and links of an ontology. The objects and
links may be determined from a plurality of data sources by
a data integration system. Some of the labels may corre-
spond to event objects, and may be arranged in a first spatial
dimension at least in part on the basis of dates associated
with said event objects. Other labels may correspond to
non-event objects, and may be arranged in a second spatial
dimension. Indicators may correspond to links between the
event and non-event objects. An indicator for a particular
link may be positioned with respect to the first and second
spatial dimensions in accordance with the locations of the
labels that correspond to the objects connected by the link.

20 Claims, 6 Drawing Sheets



Related U.S. Application Data

continuation of application No. 14/135,289, filed on Dec. 19, 2013, now Pat. No. 8,917,274.

- (60) Provisional application No. 61/798,581, filed on Mar. 15, 2013.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,632,009	A	5/1997	Rao et al.	7,634,717	B2	12/2009	Chamberlain et al.
5,670,987	A	9/1997	Doi et al.	7,640,173	B2	12/2009	Surpin et al.
5,781,704	A	7/1998	Rossmo	7,703,021	B1	4/2010	Flam
5,798,769	A	8/1998	Chiu et al.	7,706,817	B2	4/2010	Bamrah et al.
5,845,300	A	12/1998	Comer	7,712,049	B2	5/2010	Williams et al.
6,057,757	A	5/2000	Arrowsmith et al.	7,716,067	B2	5/2010	Surpin et al.
6,091,956	A	7/2000	Hollenberg	7,716,077	B1	5/2010	Mikurak
6,161,098	A	12/2000	Wallman	7,725,530	B2	5/2010	Sah et al.
6,167,405	A	12/2000	Rosensteel, Jr. et al.	7,725,547	B2	5/2010	Albertson et al.
6,219,053	B1	4/2001	Tachibana et al.	7,730,082	B2	6/2010	Sah et al.
6,232,971	B1	5/2001	Haynes	7,730,109	B2	6/2010	Rohrs et al.
6,247,019	B1	6/2001	Davies	7,770,100	B2	8/2010	Chamberlain et al.
6,279,018	B1	8/2001	Kudrolli et al.	7,805,457	B1	9/2010	Viola et al.
6,341,310	B1	1/2002	Leshem et al.	7,809,703	B2	10/2010	Balabhadrapatruni et al.
6,366,933	B1	4/2002	Ball et al.	7,818,658	B2	10/2010	Chen
6,369,835	B1	4/2002	Lin	7,870,493	B2	1/2011	Pall et al.
6,456,997	B1	9/2002	Shukla	7,894,984	B2	2/2011	Rasmussen et al.
6,549,944	B1	4/2003	Weinberg et al.	7,899,611	B2	3/2011	Downs et al.
6,560,620	B1	5/2003	Ching	7,917,376	B2	3/2011	Bellin et al.
6,581,068	B1	6/2003	Bensoussan et al.	7,920,963	B2	4/2011	Jouline et al.
6,594,672	B1	7/2003	Lampson et al.	7,933,862	B2	4/2011	Chamberlain et al.
6,631,496	B1	10/2003	Li et al.	7,941,321	B2	5/2011	Greenstein et al.
6,642,945	B1	11/2003	Sharpe	7,962,281	B2	6/2011	Rasmussen et al.
6,674,434	B1	1/2004	Chojnacki et al.	7,962,495	B2	6/2011	Jain et al.
6,714,936	B1	3/2004	Nevin, III	7,962,848	B2	6/2011	Bertram
6,775,675	B1	8/2004	Nwabueze et al.	7,970,240	B1	6/2011	Chao et al.
6,820,135	B1	11/2004	Dingman	7,971,150	B2	6/2011	Raskutti et al.
6,828,920	B2	12/2004	Owen et al.	7,984,374	B2	7/2011	Caro et al.
6,839,745	B1	1/2005	Dingari et al.	8,001,465	B2	8/2011	Kudrolli et al.
6,877,137	B1	4/2005	Rivette et al.	8,001,482	B2	8/2011	Bhattiprolu et al.
6,976,210	B1	12/2005	Silva et al.	8,010,545	B2	8/2011	Stefik et al.
6,980,984	B1	12/2005	Huffman et al.	8,015,487	B2	9/2011	Roy et al.
6,985,950	B1	1/2006	Hanson et al.	8,024,778	B2	9/2011	Cash et al.
7,036,085	B2	4/2006	Barros	8,036,632	B1	10/2011	Cona et al.
7,043,702	B2	5/2006	Chi et al.	8,082,172	B2	12/2011	Chao et al.
7,055,110	B2	5/2006	Kupka et al.	8,103,543	B1	1/2012	Zwicky
7,139,800	B2	11/2006	Bellotti et al.	8,134,457	B2	3/2012	Velipasalar et al.
7,158,878	B2	1/2007	Rasmussen et al.	8,145,703	B2	3/2012	Frishert et al.
7,162,475	B2	1/2007	Ackerman	8,185,819	B2	5/2012	Sah et al.
7,168,039	B2	1/2007	Bertram	8,196,184	B2	6/2012	Amirov et al.
7,171,427	B2	1/2007	Witowski et al.	8,214,361	B1	7/2012	Sandler et al.
7,269,786	B1	9/2007	Malloy et al.	8,214,764	B2	7/2012	Gemmell et al.
7,278,105	B1	10/2007	Kitts	8,225,201	B2	7/2012	Michael
7,290,698	B2	11/2007	Poslinski et al.	8,229,947	B2	7/2012	Fujinaga
7,333,998	B2	2/2008	Heckerman et al.	8,230,333	B2	7/2012	Decherd et al.
7,370,047	B2	5/2008	Gorman	8,271,461	B2	9/2012	Pike et al.
7,379,811	B2	5/2008	Rasmussen et al.	8,280,880	B1	10/2012	Aymeloglu et al.
7,379,903	B2	5/2008	Caballero et al.	8,290,926	B2	10/2012	Ozzie et al.
7,426,654	B2	9/2008	Adams et al.	8,290,942	B2	10/2012	Jones et al.
7,451,397	B2	11/2008	Weber et al.	8,301,464	B1	10/2012	Cave et al.
7,454,466	B2	11/2008	Bellotti et al.	8,301,904	B1	10/2012	Gryaznov
7,467,375	B2	12/2008	Tondreau et al.	8,312,367	B2	11/2012	Foster
7,487,139	B2	2/2009	Fraleigh et al.	8,312,546	B2	11/2012	Alme
7,502,786	B2	3/2009	Liu et al.	8,352,881	B2	1/2013	Champion et al.
7,525,422	B2	4/2009	Bishop et al.	8,368,695	B2	2/2013	Howell et al.
7,529,727	B2	5/2009	Arning et al.	8,397,171	B2	3/2013	Klassen et al.
7,529,734	B2	5/2009	Dirisala	8,412,707	B1	4/2013	Mianji
7,546,245	B2	6/2009	Surpin et al.	8,447,722	B1	5/2013	Ahuja et al.
7,558,677	B2	7/2009	Jones	8,452,790	B1	5/2013	Mianji
7,574,409	B2	8/2009	Patinkin	8,463,036	B1	6/2013	Ramesh et al.
7,574,428	B2	8/2009	Leiserowitz et al.	8,489,331	B2	7/2013	Kopf et al.
7,579,965	B2	8/2009	Bucholz	8,489,623	B2	7/2013	Jain et al.
7,596,285	B2	9/2009	Brown et al.	8,489,641	B1	7/2013	Seefeld et al.
7,614,006	B2	11/2009	Molander	8,498,984	B1	7/2013	Hwang et al.
7,617,232	B2	11/2009	Gabbert et al.	8,510,743	B2	8/2013	Hackborn et al.
7,620,628	B2	11/2009	Kapur et al.	8,514,082	B2	8/2013	Cova et al.
7,627,812	B2	12/2009	Chamberlain et al.	8,515,207	B2	8/2013	Chau
				8,554,579	B2	10/2013	Tribble et al.
				8,554,653	B2	10/2013	Falkenborg et al.
				8,554,709	B2	10/2013	Goodson et al.
				8,560,413	B1	10/2013	Quarterman
				8,577,911	B1	11/2013	Stepinski et al.
				8,589,273	B2	11/2013	Creeden et al.
				8,595,234	B2	11/2013	Siripuapu et al.
				8,620,641	B2	12/2013	Farnsworth et al.
				8,639,757	B1	1/2014	Zang et al.
				8,646,080	B2	2/2014	Williamson et al.
				8,676,857	B1	3/2014	Adams et al.
				8,689,108	B1	4/2014	Duffield et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

8,713,467 B1	4/2014	Goldenberg et al.	2005/0028094 A1	2/2005	Allyn
8,726,379 B1	5/2014	Stiansen et al.	2005/0039119 A1	2/2005	Parks et al.
8,739,278 B2	5/2014	Varghese	2005/0065811 A1	3/2005	Chu et al.
8,742,934 B1	6/2014	Sarpy et al.	2005/0078858 A1	4/2005	Yao et al.
8,744,890 B1	6/2014	Bernier	2005/0080769 A1	4/2005	Gemmell
8,745,516 B2	6/2014	Mason et al.	2005/0086207 A1	4/2005	Heuer et al.
8,781,169 B2	7/2014	Jackson et al.	2005/0125715 A1	6/2005	Franco et al.
8,787,939 B2	7/2014	Papakipos et al.	2005/0154628 A1	7/2005	Eckart et al.
8,788,407 B1	7/2014	Singh et al.	2005/0154769 A1	7/2005	Eckart et al.
8,799,799 B1	8/2014	Cervelli et al.	2005/0162523 A1	7/2005	Darrell et al.
8,812,960 B1	8/2014	Sun et al.	2005/0166144 A1	7/2005	Gross
8,830,322 B2	9/2014	Nerayoff et al.	2005/0180330 A1	8/2005	Shapiro
8,832,594 B1	9/2014	Thompson et al.	2005/0182793 A1	8/2005	Keenan et al.
8,868,486 B2	10/2014	Tamayo	2005/0183005 A1	8/2005	Denoue et al.
8,868,537 B1	10/2014	Colgrove et al.	2005/0210409 A1	9/2005	Jou
8,917,274 B2	12/2014	Ma et al.	2005/0246327 A1	11/2005	Yeung et al.
8,924,872 B1	12/2014	Bogomolov et al.	2005/0251786 A1	11/2005	Citron et al.
8,937,619 B2	1/2015	Sharma et al.	2006/0026120 A1	2/2006	Carolan et al.
8,938,686 B1	1/2015	Erenrich et al.	2006/0026170 A1	2/2006	Kreitler et al.
9,009,171 B1	4/2015	Grossman et al.	2006/0045470 A1	3/2006	Poslinski et al.
9,009,827 B1	4/2015	Albertson et al.	2006/0059139 A1	3/2006	Robinson
9,021,260 B1	4/2015	Falk et al.	2006/0074866 A1	4/2006	Chamberlain et al.
9,021,384 B1	4/2015	Beard et al.	2006/0074881 A1	4/2006	Vembu et al.
9,043,696 B1	5/2015	Meiklejohn et al.	2006/0080619 A1	4/2006	Carlson et al.
9,043,894 B1	5/2015	Dennison et al.	2006/0093222 A1	5/2006	Saffer et al.
9,069,842 B2	6/2015	Melby	2006/0129746 A1	6/2006	Porter
9,116,975 B2	8/2015	Shankar et al.	2006/0139375 A1	6/2006	Rasmussen et al.
9,146,954 B1	9/2015	Boe et al.	2006/0142949 A1	6/2006	Helt
9,202,249 B1	12/2015	Cohen et al.	2006/0143034 A1	6/2006	Rothermel
9,223,773 B2	12/2015	Isaacson	2006/0149596 A1	7/2006	Surpin et al.
9,229,952 B1	1/2016	Meacham et al.	2006/0184889 A1	8/2006	Molander
9,250,759 B1	2/2016	Commons	2006/0203337 A1	9/2006	White
9,256,664 B2	2/2016	Chakerian et al.	2006/0209085 A1	9/2006	Wong et al.
9,298,678 B2	3/2016	Chakerian et al.	2006/0218637 A1	9/2006	Thomas et al.
9,319,288 B2	4/2016	Somaiya et al.	2006/0241974 A1	10/2006	Chao et al.
9,367,872 B1	6/2016	Visbal et al.	2006/0242040 A1	10/2006	Rader
9,626,088 B2	4/2017	Ma et al.	2006/0242630 A1	10/2006	Koike et al.
9,646,396 B2	5/2017	Sharma et al.	2006/0271277 A1	11/2006	Hu et al.
2001/0021936 A1	9/2001	Bertram	2006/0279630 A1	12/2006	Aggarwal et al.
2002/0033848 A1	3/2002	Sciammarella et al.	2007/0011150 A1	1/2007	Frank
2002/0065708 A1	5/2002	Senay et al.	2007/0016363 A1	1/2007	Huang et al.
2002/0091707 A1	7/2002	Keller	2007/0038646 A1	2/2007	Thota
2002/0095658 A1	7/2002	Shulman	2007/0038962 A1	2/2007	Fuchs et al.
2002/0116120 A1	8/2002	Ruiz et al.	2007/0057966 A1	3/2007	Ohno et al.
2002/0130907 A1	9/2002	Chi et al.	2007/0078832 A1	4/2007	Ott et al.
2002/0174201 A1	11/2002	Ramer et al.	2007/0083541 A1	4/2007	Fraleigh et al.
2002/0194119 A1	12/2002	Wright et al.	2007/0094389 A1	4/2007	Nussey et al.
2003/0028560 A1	2/2003	Kudrolli et al.	2007/0150369 A1	6/2007	Zivin
2003/0036848 A1	2/2003	Sheha et al.	2007/0174760 A1	7/2007	Chamberlain et al.
2003/0039948 A1	2/2003	Donahue	2007/0192265 A1	8/2007	Chopin et al.
2003/0140106 A1	7/2003	Raguseo	2007/0198571 A1	8/2007	Ferguson et al.
2003/0144868 A1	7/2003	MacIntyre et al.	2007/0208497 A1	9/2007	Downs et al.
2003/0163352 A1	8/2003	Surpin et al.	2007/0208498 A1	9/2007	Barker et al.
2003/0172014 A1	9/2003	Quackenbush et al.	2007/0208736 A1	9/2007	Tanigawa et al.
2003/0200217 A1	10/2003	Ackerman	2007/0233709 A1	10/2007	Abnous
2003/0225755 A1	12/2003	Iwayama et al.	2007/0240062 A1	10/2007	Christena et al.
2003/0229848 A1	12/2003	Arend et al.	2007/0250784 A1	10/2007	Riley
2004/0032432 A1	2/2004	Baynger	2007/0266336 A1	11/2007	Nojima et al.
2004/0064256 A1	4/2004	Barinek et al.	2007/0294200 A1	12/2007	Au
2004/0085318 A1	5/2004	Hassler et al.	2007/0294643 A1	12/2007	Kyle
2004/0095349 A1	5/2004	Bito et al.	2008/0016216 A1	1/2008	Worley et al.
2004/0103124 A1	5/2004	Kupkova	2008/0040275 A1	2/2008	Paulsen et al.
2004/0111410 A1	6/2004	Burgoon et al.	2008/0040684 A1	2/2008	Crump
2004/0126840 A1	7/2004	Cheng et al.	2008/0051989 A1	2/2008	Welsh
2004/0143602 A1	7/2004	Ruiz et al.	2008/0052142 A1	2/2008	Bailey et al.
2004/0143796 A1	7/2004	Lerner et al.	2008/0077597 A1	3/2008	Butler
2004/0160309 A1	8/2004	Stilp	2008/0077642 A1	3/2008	Carbone et al.
2004/0163039 A1	8/2004	Gorman	2008/0082486 A1	4/2008	Lermant et al.
2004/0181554 A1	9/2004	Heckerman et al.	2008/0104019 A1	5/2008	Nath
2004/0193600 A1	9/2004	Kaasten et al.	2008/0126951 A1	5/2008	Sood et al.
2004/0205524 A1	10/2004	Richter et al.	2008/0148398 A1	6/2008	Mezack et al.
2004/0221223 A1	11/2004	Yu et al.	2008/0155440 A1	6/2008	Trevor et al.
2004/0260702 A1	12/2004	Cragun et al.	2008/0162616 A1	7/2008	Worley et al.
2004/0267746 A1	12/2004	Marcjan et al.	2008/0195417 A1	8/2008	Surpin et al.
2005/0027705 A1	2/2005	Sadri et al.	2008/0195608 A1	8/2008	Clover
			2008/0222295 A1	9/2008	Robinson et al.
			2008/0243711 A1	10/2008	Aymeloglu et al.
			2008/0249983 A1	10/2008	Meisels et al.
			2008/0255973 A1	10/2008	El Wade et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0263468 A1	10/2008	Cappione et al.	2010/0330801 A1	12/2010	Rouh
2008/0267107 A1	10/2008	Rosenberg	2011/0004498 A1	1/2011	Readshaw
2008/0276167 A1	11/2008	Michael	2011/0029526 A1	2/2011	Knight et al.
2008/0278311 A1	11/2008	Grange et al.	2011/0047159 A1	2/2011	Baid et al.
2008/0281819 A1	11/2008	Tenenbaum et al.	2011/0060753 A1	3/2011	Shaked et al.
2008/0288306 A1	11/2008	MacIntyre et al.	2011/0061013 A1	3/2011	Bilicki et al.
2008/0288475 A1	11/2008	Kim et al.	2011/0066933 A1	3/2011	Ludwig
2008/0294994 A1	11/2008	Kruger et al.	2011/0074811 A1	3/2011	Hanson et al.
2008/0301643 A1	12/2008	Appleton et al.	2011/0078055 A1	3/2011	Faribault et al.
2009/0002492 A1	1/2009	Velipasalar et al.	2011/0078173 A1	3/2011	Seligmann et al.
2009/0027418 A1	1/2009	Maru et al.	2011/0093327 A1	4/2011	Fordyce et al.
2009/0030915 A1	1/2009	Winter et al.	2011/0107196 A1	5/2011	Foster
2009/0055251 A1	2/2009	Shah et al.	2011/0113348 A1	5/2011	Twiss et al.
2009/0070162 A1	3/2009	Leonelli et al.	2011/0117878 A1	5/2011	Barash et al.
2009/0076845 A1	3/2009	Bellin et al.	2011/0119100 A1	5/2011	Ruhl et al.
2009/0088964 A1	4/2009	Schaaf et al.	2011/0131547 A1	6/2011	Elaasar
2009/0094166 A1	4/2009	Aymeloglu et al.	2011/0137766 A1	6/2011	Rasmussen et al.
2009/0119309 A1	5/2009	Gibson et al.	2011/0153384 A1	6/2011	Horne et al.
2009/0125359 A1	5/2009	Knapic	2011/0161096 A1	6/2011	Buehler et al.
2009/0125369 A1	5/2009	Kloosstra et al.	2011/0161137 A1	6/2011	Ubalde et al.
2009/0125459 A1	5/2009	Norton et al.	2011/0167105 A1	7/2011	Ramakrishnan et al.
2009/0132921 A1	5/2009	Hwangbo et al.	2011/0170799 A1	7/2011	Carrino et al.
2009/0132953 A1	5/2009	Reed et al.	2011/0173032 A1	7/2011	Payne et al.
2009/0143052 A1	6/2009	Bates et al.	2011/0181598 A1	7/2011	O'Neill et al.
2009/0144262 A1	6/2009	White et al.	2011/0185316 A1	7/2011	Reid et al.
2009/0144274 A1	6/2009	Fraleigh et al.	2011/0208724 A1	8/2011	Jones et al.
2009/0150854 A1	6/2009	Elaasar et al.	2011/0213655 A1	9/2011	Henkin
2009/0164934 A1	6/2009	Bhattiprolu et al.	2011/0218934 A1	9/2011	Elser
2009/0171939 A1	7/2009	Athsani et al.	2011/0219321 A1	9/2011	Gonzalez et al.
2009/0172511 A1	7/2009	Decherd et al.	2011/0219450 A1	9/2011	McDougal et al.
2009/0172821 A1	7/2009	Daira et al.	2011/0225198 A1	9/2011	Edwards et al.
2009/0177962 A1	7/2009	Gusmorino et al.	2011/0238495 A1	9/2011	Kang
2009/0179892 A1	7/2009	Tsuda et al.	2011/0238553 A1	9/2011	Raj et al.
2009/0187464 A1	7/2009	Bai et al.	2011/0251951 A1	10/2011	Kolkowitz
2009/0192957 A1	7/2009	Subramanian et al.	2011/0252351 A1	10/2011	Sikora et al.
2009/0222400 A1	9/2009	Kupershmidt et al.	2011/0258158 A1	10/2011	Resende et al.
2009/0222759 A1	9/2009	Drieschner	2011/0270705 A1	11/2011	Parker
2009/0222760 A1	9/2009	Halverson et al.	2011/0289397 A1	11/2011	Eastmond et al.
2009/0234720 A1	9/2009	George et al.	2011/0289407 A1	11/2011	Naik et al.
2009/0249244 A1	10/2009	Robinson et al.	2011/0289420 A1	11/2011	Morioka et al.
2009/0254970 A1	10/2009	Agarwal et al.	2011/0291851 A1	12/2011	Whisenant
2009/0281839 A1	11/2009	Lynn et al.	2011/0310005 A1	12/2011	Chen et al.
2009/0287470 A1	11/2009	Farnsworth et al.	2011/0314007 A1	12/2011	Dassa et al.
2009/0292626 A1	11/2009	Oxford	2012/0004904 A1	1/2012	Shin et al.
2009/0327208 A1	12/2009	Bittner et al.	2012/0019559 A1*	1/2012	Siler G06T 11/206 345/634
2010/0011282 A1	1/2010	Dollard et al.	2012/0036013 A1	2/2012	Neuhaus et al.
2010/0030722 A1	2/2010	Goodson et al.	2012/0036434 A1	2/2012	Oberstein
2010/0042922 A1	2/2010	Bradateanu et al.	2012/0050293 A1	3/2012	Carlhian et al.
2010/0057716 A1	3/2010	Stefik et al.	2012/0066296 A1	3/2012	Appleton et al.
2010/0070523 A1	3/2010	Delgo et al.	2012/0072825 A1	3/2012	Sherkin et al.
2010/0070842 A1	3/2010	Aymeloglu et al.	2012/0075324 A1	3/2012	Cardno et al.
2010/0070845 A1	3/2010	Facemire et al.	2012/0079363 A1	3/2012	Folting et al.
2010/0070897 A1	3/2010	Aymeloglu et al.	2012/0084118 A1	4/2012	Bai et al.
2010/0100963 A1	4/2010	Mahaffey	2012/0106801 A1	5/2012	Jackson
2010/0103124 A1	4/2010	Kruzeniski et al.	2012/0116828 A1	5/2012	Shannon
2010/0106752 A1	4/2010	Eckardt et al.	2012/0117082 A1	5/2012	Koperda et al.
2010/0114887 A1	5/2010	Conway et al.	2012/0131139 A1	5/2012	Siripurapu et al.
2010/0122152 A1	5/2010	Chamberlain et al.	2012/0131512 A1	5/2012	Takeuchi et al.
2010/0131457 A1	5/2010	Heimendinger	2012/0137235 A1	5/2012	TS et al.
2010/0162176 A1	6/2010	Dunton	2012/0144335 A1	6/2012	Abeln et al.
2010/0185691 A1	7/2010	Irmak et al.	2012/0159307 A1	6/2012	Chung et al.
2010/0191563 A1	7/2010	Schlaifer et al.	2012/0159362 A1	6/2012	Brown et al.
2010/0198684 A1	8/2010	Eraker et al.	2012/0159399 A1	6/2012	Bastide et al.
2010/0199225 A1	8/2010	Coleman et al.	2012/0170847 A1	7/2012	Tsukidate
2010/0228812 A1	9/2010	Uomini	2012/0173985 A1	7/2012	Peppel
2010/0250412 A1	9/2010	Wagner	2012/0180002 A1	7/2012	Campbell et al.
2010/0280857 A1	11/2010	Liu et al.	2012/0196557 A1	8/2012	Reich et al.
2010/0293174 A1	11/2010	Bennett et al.	2012/0196558 A1	8/2012	Reich et al.
2010/0306029 A1	12/2010	Jolley	2012/0197651 A1	8/2012	Robinson et al.
2010/0306713 A1	12/2010	Geisner et al.	2012/0203708 A1	8/2012	Psota et al.
2010/0313119 A1	12/2010	Baldwin et al.	2012/0208636 A1	8/2012	Feige
2010/0318924 A1	12/2010	Frankel et al.	2012/0221511 A1	8/2012	Gibson et al.
2010/0321399 A1	12/2010	Ellren et al.	2012/0221553 A1	8/2012	Wittmer et al.
2010/0325526 A1	12/2010	Ellis et al.	2012/0221580 A1	8/2012	Barney
2010/0325581 A1	12/2010	Finkelstein et al.	2012/0245976 A1	9/2012	Kumar et al.
			2012/0246148 A1	9/2012	Dror
			2012/0254129 A1	10/2012	Wheeler et al.
			2012/0284345 A1	11/2012	Costenaro et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0290879 A1

11/2012

Shibuya et al.

2012/0296907 A1

11/2012

Long et al.

2012/0311684 A1

12/2012

Paulsen et al.

2012/0323888 A1

12/2012

Osann, Jr.

2012/0330801 A1

12/2012

McDougal et al.

2012/0330973 A1

12/2012

Ghuneim et al.

2013/0006426 A1

1/2013

Healey et al.

2013/0006725 A1

1/2013

Simanek et al.

2013/0006916 A1

1/2013

McBride et al.

2013/0018796 A1

1/2013

Kolhatkar et al.

2013/0024268 A1

1/2013

Manickavelu

2013/0046635 A1

2/2013

Grigg et al.

2013/0046842 A1

2/2013

Muntz et al.

2013/0050217 A1

2/2013

Armitage

2013/0060786 A1

3/2013

Serrano et al.

2013/0061169 A1

3/2013

Pearcy et al.

2013/0073377 A1

3/2013

Heath

2013/0073454 A1

3/2013

Busch

2013/0078943 A1

3/2013

Biage et al.

2013/0086482 A1

4/2013

Parsons

2013/0097482 A1

4/2013

Marantz et al.

2013/0106860 A1 *

5/2013

De Pauw G06T 11/20
345/440

2013/0110822 A1

5/2013

Ikeda et al.

2013/0110877 A1

5/2013

Bonham et al.

2013/0111320 A1

5/2013

Campbell et al.

2013/0117011 A1

5/2013

Ahmed et al.

2013/0117651 A1

5/2013

Waldman et al.

2013/0150004 A1

6/2013

Rosen

2013/0151148 A1

6/2013

Parundekar et al.

2013/0151388 A1

6/2013

Falkenborg et al.

2013/0157234 A1

6/2013

Gulli et al.

2013/0166550 A1

6/2013

Buchmann et al.

2013/0169666 A1

7/2013

Pacheco et al.

2013/0176321 A1

7/2013

Mitchell et al.

2013/0179420 A1

7/2013

Park et al.

2013/0224696 A1

8/2013

Wolfe et al.

2013/0225212 A1

8/2013

Khan

2013/0226318 A1

8/2013

Procyk

2013/0226953 A1

8/2013

Markovich et al.

2013/0232045 A1

9/2013

Tai

2013/0238616 A1

9/2013

Rose et al.

2013/0246170 A1

9/2013

Gross et al.

2013/0251233 A1

9/2013

Yang et al.

2013/0262527 A1

10/2013

Hunter et al.

2013/0263019 A1

10/2013

Castellanos et al.

2013/0267207 A1

10/2013

Hao et al.

2013/0268520 A1

10/2013

Fisher et al.

2013/0276000 A1

10/2013

Neeman

2013/0279757 A1

10/2013

Kephart

2013/0282696 A1

10/2013

John et al.

2013/0290011 A1

10/2013

Lynn et al.

2013/0290825 A1

10/2013

Arndt et al.

2013/0297619 A1

11/2013

Chandrasekaran et al.

2013/0311375 A1

11/2013

Priebatsch

2013/0335419 A1

12/2013

Bondesen et al.

2014/0006938 A1

1/2014

Black et al.

2014/0019461 A1

1/2014

Bredenberg et al.

2014/0019936 A1

1/2014

Cohanoff

2014/0032506 A1

1/2014

Hoey et al.

2014/0033010 A1

1/2014

Richardt et al.

2014/0040371 A1

2/2014

Gurevich et al.

2014/0046934 A1

2/2014

Zhou et al.

2014/0047319 A1

2/2014

Eberlein

2014/0047357 A1

2/2014

Alfaro et al.

2014/0059038 A1

2/2014

McPherson et al.

2014/0059498 A1

2/2014

McCormack et al.

2014/0067611 A1

3/2014

Adachi et al.

2014/0068487 A1

3/2014

Steiger et al.

2014/0074855 A1

3/2014

Zhao et al.

2014/0095273 A1

4/2014

Tang et al.

2014/0095509 A1

4/2014

Patton

2014/0108068 A1

4/2014

Williams

2014/0108380 A1

4/2014

Gotz et al.

2014/0108985 A1

4/2014

Scott et al.

2014/0129261 A1

5/2014

Bothwell et al.

2014/0149436 A1

5/2014

Bahrami et al.

2014/0156527 A1

6/2014

Grigg et al.

2014/0157172 A1

6/2014

Peery et al.

2014/0164502 A1

6/2014

Khodorenko et al.

2014/0189536 A1 *

7/2014

Lange H04L 67/22
715/753

2014/0195515 A1

7/2014

Baker et al.

2014/0195887 A1

7/2014

Ellis et al.

2014/0214579 A1

7/2014

Shen et al.

2014/0222521 A1

8/2014

Chait

2014/0244388 A1

8/2014

Manouchehri et al.

2014/0258246 A1

9/2014

Lo Faro et al.

2014/0267294 A1

9/2014

Ma

2014/0267295 A1

9/2014

Sharma

2014/0279824 A1

9/2014

Tamayo

2014/0282177 A1

9/2014

Wang et al.

2014/0310266 A1

10/2014

Greenfield

2014/0316911 A1

10/2014

Gross

2014/0333651 A1

11/2014

Cervelli et al.

2014/0337772 A1

11/2014

Cervelli et al.

2014/0344230 A1

11/2014

Krause et al.

2014/0351070 A1

11/2014

Christner et al.

2015/0019394 A1

1/2015

Unser et al.

2015/0046870 A1

2/2015

Goldenberg et al.

2015/0073929 A1

3/2015

Psota et al.

2015/0081370 A1

3/2015

Lo et al.

2015/0089424 A1

3/2015

Duffield et al.

2015/0100897 A1

4/2015

Sun et al.

2015/0100907 A1

4/2015

Erenrich et al.

2015/0134371 A1

5/2015

Shivakumar et al.

2015/0134666 A1

5/2015

Gattiker et al.

2015/0169709 A1

6/2015

Kara et al.

2015/0169726 A1

6/2015

Kara et al.

2015/0170077 A1

6/2015

Kara et al.

2015/0178690 A1

6/2015

May et al.

2015/0178825 A1

6/2015

Huerta

2015/0178877 A1

6/2015

Bogomolov et al.

2015/0186821 A1

7/2015

Wang et al.

2015/0187036 A1

7/2015

Wang et al.

2015/0213631 A1

7/2015

Vander Broek

2015/0227295 A1

8/2015

Meiklejohn et al.

2015/0227847 A1

8/2015

Noel et al.

2015/0229532 A1

8/2015

Somaiya et al.

2015/0229546 A1

8/2015

Somaiya et al.

2015/0242401 A1

8/2015

Liu

2015/0254878 A1

9/2015

Sharma et al.

2015/0309719 A1

10/2015

Ma et al.

2015/0317342 A1

11/2015

Grossman et al.

2015/0324868 A1

11/2015

Kaftan et al.

2015/0341212 A1

11/2015

Hsiao et al.

2015/0347903 A1

12/2015

Saxena et al.

2015/0363478 A1

12/2015

Haynes

2015/0378996 A1

12/2015

Kesin et al.

2016/0004667 A1

1/2016

Chakerian et al.

2016/0006749 A1

1/2016

Cohen et al.

2016/0034545 A1

2/2016

Shankar et al.

2016/0098173 A1

4/2016

Slawinski et al.

2016/0162497 A1

6/2016

Cho et al.

2017/0109030 A1

4/2017

Mingione

2017/0109910 A1

4/2017

Sharma et al.

FOREIGN PATENT DOCUMENTS

DE

102014215621

2/2015

EP

1191463

3/2002

EP

1672527

6/2006

EP

2551799

1/2013

EP

2560134

2/2013

EP

2778977

9/2014

EP

2778983

9/2014

EP

2779082

9/2014

EP

2835745

2/2015

EP

2835770

2/2015

EP

2838039

2/2015

EP

2846241

3/2015

EP

2851852

3/2015

EP

2858014

4/2015

EP

2858018

4/2015

(56)

References Cited

FOREIGN PATENT DOCUMENTS

EP	2863326	4/2015
EP	2863346	4/2015
EP	2869211	5/2015
EP	2884439	6/2015
EP	2884440	6/2015
EP	2891992	7/2015
EP	2911078	8/2015
EP	2911100	8/2015
EP	2940603	11/2015
EP	2940609	11/2015
GB	2516155	1/2015
GB	2518745	4/2015
NL	2012778	11/2014
NL	2013306	2/2015
NZ	624557	12/2014
WO	WO 00/09529	2/2000
WO	WO 02/065353	8/2002
WO	WO 2005/104736	11/2005
WO	WO 2008/064207	5/2008
WO	WO 2009/061501	5/2009
WO	WO 2010/000014	1/2010
WO	WO 2010/030913	3/2010
WO	WO 2010/098958	9/2010
WO	WO 2013/010157	1/2013
WO	WO 2013/102892	7/2013

OTHER PUBLICATIONS

Notice of Allowance for U.S. Appl. No. 14/486,991 dated May 1, 2015.

Notice of Allowance for U.S. Appl. No. 14/948,009 dated May 6, 2016.

Notice of Allowance for U.S. Appl. No. 15/092,456 dated Jul. 14, 2017.

Notice of Allowance for U.S. Appl. No. 15/392,624 dated Jun. 1, 2017.

Official Communication for European Patent Application No. 15155846.7 dated May 19, 2016.

Official Communication for U.S. Appl. No. 13/831,791 dated Feb. 11, 2016.

Official Communication for U.S. Appl. No. 14/696,069 dated Jul. 3, 2017.

"A Word About Banks and the Laundering of Drug Money," Aug. 18, 2012, <http://www.golemxxiv.co.uk/2012/08/a-word-about-banks-and-the-laundering-of-drug-money/>.

"Money Laundering Risks and E-Gaming: A European Overview and Assessment," 2009, http://www.cf.ac.uk/socsi/resources/Levi_Final_Money_Laundering_Risks_egaming.pdf.

"Potential Money Laundering Warning Signs," snapshot taken 2003, <https://web.archive.org/web/20030816090055/http://finsolic.com/ANTI-MONEY%20LAUNDERING%20TRAINING%20GUIDES.pdf>.

"Refresh CSS Ellipsis When Resizing Container—Stack Overflow," Jul. 31, 2013, retrieved from internet <http://stackoverflow.com/questions/17964681/refresh-css-ellipsis-when-resizing-container>, retrieved on May 18, 2015.

"Using Whois Based Geolocation and Google Maps API for Support Cybercrime Investigations," <http://wseas.us/e-library/conferences/2013/Dubrovnik/TELECIRC/TELECIRC-32.pdf>.

Alur et al., "Chapter 2: IBM InfoSphere DataStage Stages," IBM InfoSphere DataStage Data Flow and Job Design, Jul. 1, 2008, pp. 35-137.

Celik, Tante, "CSS Basic User Interface Module Level 3 (CSS3 UI)," Section 8 Resizing and Overflow, Jan. 17, 2012, retrieved from Internet <http://www.w3.org/TR/2012/WD-css3-ui-20120117/#resizing-amp-overflow> retrieved on May 18, 2015.

Huang et al., "Systematic and Integrative Analysis of Large Gene Lists Using DAVID Bioinformatics Resources," Nature Protocols, 4.1, 2008, 44-57.

Janssen, Jan-Keno, "Wo bist'n du?—Googles Geodienst Latitude," Jan. 17, 2011, pp. 86-88, retrieved from the Internet on Jul. 30, 2015 <http://www.heise.de/artikel-archiv/ct/2011/03/086/@00250@/ct.11.03.086-088.pdf>.

Jelen, Bill, "Excel 2013 in Depth, Video Enhanced Edition," Jan. 25, 2013.

Map Builder, "Rapid Mashup Development Tool for Google and Yahoo Maps!" <<http://web.archive.org/web/20090626224734/http://www.mapbuilder.net/>> printed Jul. 20, 2012 in 2 pages.

Nolan et al., "MCARTA: A Malicious Code Automated Run-Time Analysis Framework," Homeland Security, 2012 IEEE Conference on Technologies for, Nov. 13, 2012, pp. 13-17.

Perdisci et al., "Behavioral Clustering of HTTP-Based Malware and Signature Generation Using Malicious Network Traces," USENIX, Mar. 18, 2010, pp. 1-14.

Psaltis, Andrew G., "Streaming Data—Designing the Real-Time Pipeline," Jan. 16, 2015, vol. MEAP VO3, pp. 0-12.

Quest, "Toad for ORACLE 11.6—Guide to Using Toad," Sep. 24, 2012, pp. 1-162.

Shi et al., "A Scalable Implementation of Malware Detection Based on Network Connection Behaviors," 2013 International Conference on Cyber-Enabled Distributed Computing and Knowledge Discovery, IEEE, Oct. 10, 2013, pp. 59-66.

Symantec Corporation, "E-Security Begins with Sound Security Policies," Announcement Symantec, Jun. 14, 2001.

Thompson, Mick, "Getting Started with GEO," Getting Started with GEO, Jul. 26, 2011.

Wikipedia, "Mobile Web," Jan. 23, 2015, retrieved from the Internet on Mar. 15, 2016 https://en.wikipedia.org/w/index.php?title=Mobile_Web&oldid=643800164.

Windley, Phillip J., "The Live Web: Building Event-Based Connections in the Cloud," Dec. 21, 2011, pp. 10, 216.

IBM—Data analysis—i2 Analyst's Notebook, <http://www-03.ibm.com/software/products/en/analysts-notebook>, as printed Feb. 16, 2017 in 2 pages.

Visual Analysis, "Overview of merging timeline charts and creating hybrid charts," available at <https://www.youtube.com/watch?v=dl6jzNtEVpA>, as published on Mar. 9, 2015.

IBM Analytics, "IBM i2 Intelligence Analysis Portfolio Overview," available at https://www.youtube.com/watch?v=EIFu_oUiaBY, as published on Sep. 24, 2015.

Visual Analysis, "Overview of importing data and creating timelines," available at <https://www.youtube.com/watch?v=SovxKrvkZZs>, as published on Mar. 9, 2015.

IBM Corporation, "IBM i2 Analyst's Notebook," Aug. 2015, in 4 pages.

IBM Corporation, "IBM i2 Analyst's Notebook Connector for Esri," May 2012, in 3 pages.

i2 A ChoicePoint Company, "i2 Analyst's Notebook 7 User Guide: Creating Charts" Jun. 2007, 373 pages.

Gatewaynews, "New Crime Fighting Tool 'Coplink'" available at <https://www.youtube.com/watch?v=GbU6E0grnTw>, as published on Mar. 8, 2008.

Coplink, "Incident Analyzer User Guide," created Nov. 5, 2010 (as indicated by the PDF file metadata), 14 pages.

Notice of Acceptance for Australian Patent Application No. 2014250678 dated Oct. 7, 2015.

Notice of Allowance for U.S. Appl. No. 12/556,318 dated Nov. 2, 2015.

Notice of Allowance for U.S. Appl. No. 14/570,914 dated Jan. 31, 2017.

Notice of Allowance for U.S. Appl. No. 14/923,364 dated May 6, 2016.

Official Communication for Australian Patent Application No. 2014202442 dated Mar. 19, 2015.

Official Communication for Great Britain Patent Application No. 1411984.6 dated Dec. 22, 2014.

Official Communication for Australian Patent Application No. 2014210604 dated Jun. 5, 2015.

Official Communication for Australian Patent Application No. 2014210614 dated Jun. 5, 2015.

Official Communication for Australian Patent Application No. 2014213553 dated May 7, 2015.

(56)

References Cited

OTHER PUBLICATIONS

Official Communication for Australian Patent Application No. 2014250678 dated Jun. 17, 2015.

Official Communication for European Patent Application No. 14180432.8 dated Jun. 23, 2015.

Official Communication for European Patent Application No. 14187739.9 dated Jul. 6, 2015.

Official Communication for European Patent Application No. 14191540.5 dated May 27, 2015.

Official Communication for European Patent Application No. 15155845.9 dated Oct. 6, 2015.

Official Communication for European Patent Application No. 15166137.8 dated Sep. 14, 2015.

Official Communication for European Patent Application No. 15175106.2 dated Nov. 5, 2015.

Official Communication for European Patent Application No. 15175151.8 dated Nov. 25, 2015.

Official Communication for European Patent Application No. 15183721.8 dated Nov. 23, 2015.

Official Communication for European Patent Application No. 16152984.7 dated Mar. 24, 2016.

Official Communication for Netherlands Patent Application No. 2012437 dated Sep. 18, 2015.

Official Communication for Netherlands Patent Application No. 2013306 dated Apr. 24, 2015.

Official Communication for U.S. Appl. No. 14/596,552 dated Oct. 5, 2016.

Official Communication for U.S. Appl. No. 12/556,318 dated Jul. 2, 2015.

Official Communication for U.S. Appl. No. 13/835,688 dated Jun. 17, 2015.

Official Communication for U.S. Appl. No. 13/839,026 dated Aug. 4, 2015.

Official Communication for U.S. Appl. No. 14/134,558 dated Oct. 7, 2015.

Official Communication for U.S. Appl. No. 14/135,289 dated Oct. 14, 2014.

Official Communication for U.S. Appl. No. 14/148,559 dated Jun. 16, 2014.

Official Communication for U.S. Appl. No. 14/148,559 dated Apr. 2, 2014.

Official Communication for U.S. Appl. No. 14/196,814 dated May 5, 2015.

Official Communication for U.S. Appl. No. 14/306,147 dated Jun. 3, 2016.

Official Communication for U.S. Appl. No. 14/490,612 dated Aug. 18, 2015.

Official Communication for U.S. Appl. No. 14/570,914 dated Sep. 16, 2016.

Official Communication for U.S. Appl. No. 14/570,914 dated Dec. 19, 2016.

Official Communication for U.S. Appl. No. 14/579,752 dated Aug. 19, 2015.

Official Communication for U.S. Appl. No. 14/579,752 dated May 26, 2015.

Official Communication for U.S. Appl. No. 14/631,633 dated Sep. 10, 2015.

Official Communication for U.S. Appl. No. 14/639,606 dated Oct. 16, 2015.

Official Communication for U.S. Appl. No. 14/639,606 dated May 18, 2015.

Official Communication for U.S. Appl. No. 14/639,606 dated Jul. 24, 2015.

Official Communication for U.S. Appl. No. 14/726,353 dated Sep. 10, 2015.

Official Communication for U.S. Appl. No. 14/813,749 dated Sep. 28, 2015.

Official Communication for U.S. Appl. No. 15/092,456 dated Mar. 21, 2017.

Official Communication for U.S. Appl. No. 15/392,624 dated Mar. 10, 2017.

Restriction Requirement for U.S. Appl. No. 13/839,026 dated Apr. 2, 2015.

“A First Look: Predicting Market Demand for Food Retail using a Huff Analysis,” TRF Policy Solutions, Jul. 2012, pp. 30.

“A Quick Guide to UniProtKB Swiss-Prot & TrEMBL,” Sep. 2011, pp. 2.

“The FASTA Program Package,” fasta-36.3.4, Mar. 25, 2011, pp. 29.

About 80 Minutes, “Palantir in a Number of Parts—Part 6—Graph,” Mar. 21, 2013, pp. 1-6, retrieved from the internet <http://about80minutes.blogspot.nl/2013/03/palantir-in-number-of-parts-part-6-graph.html> retrieved on Aug. 18, 2015.

Acklen, Laura, “Absolute Beginner’s Guide to Microsoft Word 2003,” Dec. 24, 2003, pp. 15-18, 34-41, 308-316.

Alfred, Rayner “Summarizing Relational Data Using Semi-Supervised Genetic Algorithm-Based Clustering Techniques”, Journal of Computer Science, 2010, vol. 6, No. 7, pp. 775-784.

Amnet, “5 Great Tools for Visualizing Your Twitter Followers,” posted Aug. 4, 2010, <http://www.amnetblog.com/component/content/article/115-5-grate-tools-for-visualizing-your-twitter-followers.html>.

Ananiev et al., “The New Modality API,” <http://web.archive.org/web/20061211011958/http://java.sun.com/developer/technicalArticles/J2SE/Desktop/javase6/modality/> Jan. 21, 2006, pp. 8.

Bluttman et al., “Excel Formulas and Functions for Dummies,” 2005, Wiley Publishing, Inc., pp. 280, 284-286.

Boyce, Jim, “Microsoft Outlook 2010 Inside Out,” Aug. 1, 2010, retrieved from the Internet https://capdtron.files.wordpress.com/2013/01/outlook-2010-inside_out.pdf.

Bugzilla@Mozilla, “Bug 18726—[feature] Long-click means of invoking contextual menus not supported,” http://bugzilla.mozilla.org/show_bug.cgi?id=18726 printed Jun. 13, 2013 in 11 pages.

Canese et al., “Chapter 2: PubMed: The Bibliographic Database,” The NCBI Handbook, Oct. 2002, pp. 1-10.

Chen et al., “Bringing Order to the Web: Automatically Categorizing Search Results,” CHI 2000, Proceedings of the SIGCHI conference on Human Factors in Computing Systems, Apr. 1-6, 2000, The Hague, The Netherlands, pp. 145-152.

Chung, Chin-Wan, “Dataplex: An Access to Heterogeneous Distributed Databases,” Communications of the ACM, Association for Computing Machinery, Inc., vol. 33, No. 1, Jan. 1, 1990, pp. 70-80.

Conner, Nancy, “Google Apps: The Missing Manual,” Sharing and Collaborating on Documents, May 1, 2008, pp. 93-97, 106-113 & 120-121.

Definition “Identify”, downloaded Jan. 22, 2015, 1 page.

Definition “Overlay”, downloaded Jan. 22, 2015, 1 page.

Delcher et al., “Identifying Bacterial Genes and Endosymbiont DNA with Glimmer,” Bioinformatics, vol. 23, No. 6, 2007, pp. 673-679.

Dramowicz, Ela, “Retail Trade Area Analysis Using the Huff Model,” Directions Magazine, Jul. 2, 2005 in 10 pages, <http://www.directionsmag.com/articles/retail-trade-area-analysis-using-the-huff-model/123411>.

Gesher, Ari, “Palantir Screenshots in the Wild: Swing Sightings,” The Palantir Blog, Sep. 11, 2007, pp. 1-12, retrieved from the Internet <https://www.palantir.com/2007/09/palantir-screenshots/> retrieved on Aug. 18, 2015.

GIS-NET 3 Public Department of Regional Planning. Planning & Zoning Information for Unincorporated LA County. Retrieved Oct. 2, 2013 from http://gis.planning.lacounty.gov/GIS-NET3_Public/Viewer.html.

Goswami, Gautam, “Quite ‘Writely’ Said!” One Brick at a Time, Aug. 21, 2005, pp. 7.

Griffith, Daniel A., “A Generalized Huff Model,” Geographical Analysis, Apr. 1982, vol. 14, No. 2, pp. 135-144.

Hansen et al., “Analyzing Social Media Networks with NodeXL: Insights from a Connected World”, Elsevier Science, Sep. 2010, Ch. 4 & 10, pp. 53-67 & 143-164.

(56)

References Cited

OTHER PUBLICATIONS

Hardesty, "Privacy Challenges: Analysis: It's Surprisingly Easy to Identify Individuals from Credit-Card Metadata," MIT News on Campus and Around the World, MIT News Office, Jan. 29, 2015, 3 pages.

Hibbert et al., "Prediction of Shopping Behavior Using a Huff Model Within a GIS Framework," Healthy Eating in Context, Mar. 18, 2011, pp. 16.

Hogue et al., "Thresher: Automating the Unwrapping of Semantic Content from the World Wide Web," 14th International Conference on World Wide Web, WWW 2005: Chiba, Japan, May 10-14, 2005, pp. 86-95.

Huff et al., "Calibrating the Huff Model Using ArcGIS Business Analyst," ESRI, Sep. 2008, pp. 33.

Huff, David L., "Parameter Estimation in the Huff Model," ESRI, ArcUser, Oct.-Dec. 2003, pp. 34-36.

International Search Report and Written Opinion in Application No. PCT/US2009/056703, dated Mar. 15, 2010.

Kahan et al., "Annotea: an Open RDF Infrastructure for Shared Web Annotations," Computer Networks, Elsevier Science Publishers B.V., vol. 39, No. 5, dated Aug. 5, 2002, pp. 589-608.

Keylines.com, "An Introduction to KeyLines and Network Visualization," Mar. 2014, <<http://keylines.com/wp-content/uploads/2014/03/KeyLines-White-Paper.pdf>> downloaded May 12, 2014 in 8 pages.

Keylines.com, "KeyLines Datasheet," Mar. 2014, <<http://keylines.com/wp-content/uploads/2014/03/KeyLines-datasheet.pdf>> downloaded May 12, 2014 in 2 pages.

Keylines.com, "Visualizing Threats: Improved Cyber Security Through Network Visualization," Apr. 2014, <<http://keylines.com/wp-content/uploads/2014/04/Visualizing-Threats1.pdf>> downloaded May 12, 2014 in 10 pages.

Kitts, Paul, "Chapter 14: Genome Assembly and Annotation Process," The NCBI Handbook, Oct. 2002, pp. 1-21.

Li et al., "Interactive Multimodal Visual Search on Mobile Device," IEEE Transactions on Multimedia, vol. 15, No. 3, Apr. 1, 2013, pp. 594-607.

Liu, Tianshun, "Combining GIS and the Huff Model to Analyze Suitable Locations for a New Asian Supermarket in the Minneapolis and St. Paul, Minnesota USA," Papers in Resource Analysis, 2012, vol. 14, pp. 8.

Madden, Tom, "Chapter 16: The BLAST Sequence Analysis Tool," The NCBI Handbook, Oct. 2002, pp. 1-15.

Manno et al., "Introducing Collaboration in Single-user Applications through the Centralized Control Architecture," 2010, pp. 10.

Manske, "File Saving Dialogs," <http://www.mozilla.org/editor/ui_specs/FileSaveDialogs.html>, Jan. 20, 1999, pp. 7.

Map of San Jose, CA. Retrieved Oct. 2, 2013 from <http://maps.yahoo.com>.

Map of San Jose, CA. Retrieved Oct. 2, 2013 from <http://maps.bing.com>.

Map of San Jose, CA. Retrieved Oct. 2, 2013 from <http://maps.google.com>.

Microsoft—Developer Network, "Getting Started with VBA in Word 2010," Apr. 2010, <<http://msdn.microsoft.com/en-us/library/ff604039%28v=office.14%29.aspx>> as printed Apr. 4, 2014 in 17 pages.

Microsoft Office—Visio, "About connecting shapes," <<http://office.microsoft.com/en-us/visio-help/about-connecting-shapes-HP085050369.aspx>> printed Aug. 4, 2011 in 6 pages.

Microsoft Office—Visio, "Add and glue connectors with the Connector tool," <<http://office.microsoft.com/en-us/visio-help/add-and-glue-connectors-with-the-connector-tool-HA010048532.aspx?CTT=1>> printed Aug. 4, 2011 in 1 page.

Mizrachi, Ilene, "Chapter 1: GenBank: The Nucleotide Sequence Database," The NCBI Handbook, Oct. 2002, pp. 1-14.

Nierman, "Evaluating Structural Similarity in XML Documents", 6 pages, 2002.

Olanoff, Drew, "Deep Dive with the New Google Maps for Desktop with Google Earth Integration, It's More than Just a Utility," May

15, 2013, pp. 1-6, retrieved from the internet: <http://web.archive.org/web/20130515230641/http://techcrunch.com/2013/05/15/deep-dive-with-the-new-google-maps-for-desktop-with-google-earth-integration-its-more-than-just-a-utility/>.

Palantir Technologies, "Palantir Labs—Timeline," Oct. 1, 2010, retrieved from the internet <https://www.youtube.com/watch?v=JCgDW5bru9M> retrieved on Aug. 19, 2015.

Palmas et al. "An Edge-Bundling Layout for Interactive Parallel Coordinates" 2014 IEEE Pacific Visualization Symposium, pp. 57-64.

Rouse, Margaret, "OLAP Cube," <<http://searchdatamanagement.techtarget.com/definition/OLAP-cube>>, Apr. 28, 2012, pp. 16.

Sigrist, et al., "PROSITE, a Protein Domain Database for Functional Characterization and Annotation," Nucleic Acids Research, 2010, vol. 38, pp. D161-D166.

Sirotkin et al., "Chapter 13: The Processing of Biological Sequence Data at NCBI," The NCBI Handbook, Oct. 2002, pp. 1-11.

Umagandhi et al., "Search Query Recommendations Using Hybrid User Profile with Query Logs," International Journal of Computer Applications, vol. 80, No. 10, Oct. 1, 2013, pp. 7-18.

Vose et al., "Help File for ModelRisk Version 5," 2007, Vose Software, pp. 349-353. [Uploaded in 2 Parts].

Wikipedia, "Federated Database System," Sep. 7, 2013, retrieved from the internet on Jan. 27, 2015 http://en.wikipedia.org/w/index.php?title=Federated_database_system&oldid=571954221.

Wright et al., "Palantir Technologies VAST 2010 Challenge Text Records—Investigations into Arms Dealing," Oct. 29, 2010, pp. 1-10, retrieved from the internet <http://hcil2.cs.umd.edu/newvarepository/VAST%20Challenge%202010/challenges/MC1%20-%20Investigations%20into%20Arms%20Dealing/entries/Palantir%20Technologies/> retrieved on Aug. 20, 2015.

Yang et al., "HTML Page Analysis Based on Visual Cues", A129, pp. 859-864, 2001.

Notice of Allowance for U.S. Appl. No. 13/247,987 dated Mar. 17, 2016.

Notice of Allowance for U.S. Appl. No. 14/102,394 dated Aug. 25, 2014.

Notice of Allowance for U.S. Appl. No. 14/108,187 dated Aug. 29, 2014.

Notice of Allowance for U.S. Appl. No. 14/135,289 dated Oct. 14, 2014.

Notice of Allowance for U.S. Appl. No. 14/148,568 dated Aug. 26, 2015.

Notice of Allowance for U.S. Appl. No. 14/192,767 dated Dec. 16, 2014.

Notice of Allowance for U.S. Appl. No. 14/192,767 dated Apr. 20, 2015.

Notice of Allowance for U.S. Appl. No. 14/225,084 dated May 4, 2015.

Notice of Allowance for U.S. Appl. No. 14/268,964 dated Dec. 3, 2014.

Notice of Allowance for U.S. Appl. No. 14/294,098 dated Dec. 29, 2014.

Notice of Allowance for U.S. Appl. No. 14/320,236 dated Jun. 29, 2016.

Notice of Allowance for U.S. Appl. No. 14/323,935 dated Oct. 1, 2015.

Notice of Allowance for U.S. Appl. No. 14/326,738 dated Nov. 18, 2015.

Notice of Allowance for U.S. Appl. No. 14/473,552 dated Jul. 24, 2015.

Notice of Allowance for U.S. Appl. No. 14/473,860 dated Feb. 27, 2015.

Notice of Allowance for U.S. Appl. No. 14/473,860 dated Jan. 5, 2015.

Notice of Allowance for U.S. Appl. No. 14/504,103 dated May 18, 2015.

Notice of Allowance for U.S. Appl. No. 14/596,552 dated Dec. 23, 2016.

Notice of Allowance for U.S. Appl. No. 14/616,080 dated Apr. 2, 2015.

Official Communication for Australian Patent Application No. 2014201511 dated Feb. 27, 2015.

(56)

References Cited

OTHER PUBLICATIONS

Official Communication for European Patent Application No. 14158861.6 dated Jun. 16, 2014.
 Official Communication for European Patent Application No. 14159464.8 dated Jul. 31, 2014.
 Official Communication for European Patent Application No. 14180142.3 dated Feb. 6, 2015.
 Official Communication for European Patent Application No. 14180281.9 dated Jan. 26, 2015.
 Official Communication for European Patent Application No. 14180321.3 dated Apr. 17, 2015.
 Official Communication for European Patent Application No. 14186225.0 dated Feb. 13, 2015.
 Official Communication for European Patent Application No. 14187996.5 dated Feb. 12, 2015.
 Official Communication for European Patent Application No. 14189344.6 dated Feb. 20, 2015.
 Official Communication for European Patent Application No. 14189347.9 dated Mar. 4, 2015.
 Official Communication for European Patent Application No. 14189802.3 dated May 11, 2015.
 Official Communication for European Patent Application No. 14197879.1 dated Apr. 28, 2015.
 Official Communication for European Patent Application No. 14197895.7 dated Apr. 28, 2015.
 Official Communication for European Patent Application No. 14197938.5 dated Apr. 28, 2015.
 Official Communication for European Patent Application No. 14199182.8 dated Mar. 13, 2015.
 Official Communication for European Patent Application No. 15155846.7 dated Jul. 8, 2015.
 Official Communication for European Patent Application No. 15165244.3 dated Aug. 27, 2015.
 Official Communication for Great Britain Patent Application No. 1404457.2 dated Aug. 14, 2014.
 Official Communication for Great Britain Patent Application No. 1404574.4 dated Dec. 18, 2014.
 Official Communication for Great Britain Patent Application No. 1408025.3 dated Nov. 6, 2014.
 Official Communication for Great Britain Patent Application No. 1413935.6 dated Jan. 27, 2015.
 Official Communication for New Zealand Patent Application No. 622513 dated Apr. 3, 2014.
 Official Communication for New Zealand Patent Application No. 622517 dated Apr. 3, 2014.
 Official Communication for New Zealand Patent Application No. 624557 dated May 14, 2014.
 Official Communication for New Zealand Patent Application No. 627962 dated Aug. 5, 2014.
 Official Communication for New Zealand Patent Application No. 628161 dated Aug. 25, 2014.
 Official Communication for New Zealand Patent Application No. 628263 dated Aug. 12, 2014.
 Official Communication for New Zealand Patent Application No. 628495 dated Aug. 19, 2014.
 Official Communication for New Zealand Patent Application No. 628585 dated Aug. 26, 2014.
 Official Communication for New Zealand Patent Application No. 628840 dated Aug. 28, 2014.
 Official Communication for U.S. Appl. No. 13/247,987 dated Apr. 2, 2015.
 Official Communication for U.S. Appl. No. 13/247,987 dated Sep. 22, 2015.
 Official Communication for U.S. Appl. No. 13/831,791 dated Mar. 4, 2015.
 Official Communication for U.S. Appl. No. 13/831,791 dated Aug. 6, 2015.
 Official Communication for U.S. Appl. No. 14/102,394 dated Mar. 27, 2014.

Official Communication for U.S. Appl. No. 14/108,187 dated Apr. 17, 2014.
 Official Communication for U.S. Appl. No. 14/108,187 dated Mar. 20, 2014.
 Official Communication for U.S. Appl. No. 14/135,289 dated Apr. 16, 2014.
 Official Communication for U.S. Appl. No. 14/135,289 dated Jul. 7, 2014.
 Official Communication for U.S. Appl. No. 14/148,568 dated Oct. 22, 2014.
 Official Communication for U.S. Appl. No. 14/148,568 dated Mar. 26, 2015.
 Official Communication for U.S. Appl. No. 14/148,568 dated Mar. 27, 2014.
 Official Communication for U.S. Appl. No. 14/192,767 dated Sep. 24, 2014.
 Official Communication for U.S. Appl. No. 14/192,767 dated May 6, 2014.
 Official Communication for U.S. Appl. No. 14/225,006 dated Sep. 10, 2014.
 Official Communication for U.S. Appl. No. 14/225,006 dated Sep. 2, 2015.
 Official Communication for U.S. Appl. No. 14/225,006 dated Dec. 21, 2015.
 Official Communication for U.S. Appl. No. 14/225,006 dated Feb. 27, 2015.
 Official Communication for U.S. Appl. No. 14/225,084 dated Sep. 11, 2015.
 Official Communication for U.S. Appl. No. 14/225,084 dated Sep. 2, 2014.
 Official Communication for U.S. Appl. No. 14/225,084 dated Feb. 20, 2015.
 Official Communication for U.S. Appl. No. 14/225,084 dated Feb. 26, 2016.
 Official Communication for U.S. Appl. No. 14/225,084 dated Jan. 4, 2016.
 Official Communication for U.S. Appl. No. 14/225,160 dated Feb. 11, 2015.
 Official Communication for U.S. Appl. No. 14/225,160 dated Aug. 12, 2015.
 Official Communication for U.S. Appl. No. 14/225,160 dated May 20, 2015.
 Official Communication for U.S. Appl. No. 14/225,160 dated Oct. 22, 2014.
 Official Communication for U.S. Appl. No. 14/225,160 dated Jan. 25, 2016.
 Official Communication for U.S. Appl. No. 14/225,160 dated Jul. 29, 2014.
 Official Communication for U.S. Appl. No. 14/268,964 dated Jul. 11, 2014.
 Official Communication for U.S. Appl. No. 14/268,964 dated Sep. 3, 2014.
 Official Communication for U.S. Appl. No. 14/289,596 dated Jul. 18, 2014.
 Official Communication for U.S. Appl. No. 14/289,596 dated Jan. 26, 2015.
 Official Communication for U.S. Appl. No. 14/289,596 dated Apr. 30, 2015.
 Official Communication for U.S. Appl. No. 14/289,596 dated Aug. 5, 2015.
 Official Communication for U.S. Appl. No. 14/289,599 dated Jul. 22, 2014.
 Official Communication for U.S. Appl. No. 14/289,599 dated May 29, 2015.
 Official Communication for U.S. Appl. No. 14/289,599 dated Sep. 4, 2015.
 Official Communication for U.S. Appl. No. 14/294,098 dated Aug. 15, 2014.
 Official Communication for U.S. Appl. No. 14/294,098 dated Nov. 6, 2014.
 Official Communication for U.S. Appl. No. 14/306,138 dated Sep. 14, 2015.

(56)

References Cited

OTHER PUBLICATIONS

Official Communication for U.S. Appl. No. 14/306,138 dated Mar. 17, 2016.
 Official Communication for U.S. Appl. No. 14/306,138 dated Feb. 18, 2015.
 Official Communication for U.S. Appl. No. 14/306,138 dated Sep. 23, 2014.
 Official Communication for U.S. Appl. No. 14/306,138 dated Dec. 24, 2015.
 Official Communication for U.S. Appl. No. 14/306,138 dated May 26, 2015.
 Official Communication for U.S. Appl. No. 14/306,138 dated Dec. 3, 2015.
 Official Communication for U.S. Appl. No. 14/306,147 dated Feb. 19, 2015.
 Official Communication for U.S. Appl. No. 14/306,147 dated Dec. 24, 2015.
 Official Communication for U.S. Appl. No. 14/306,147 dated Aug. 7, 2015.
 Official Communication for U.S. Appl. No. 14/306,147 dated Sep. 9, 2014.
 Official Communication for U.S. Appl. No. 14/306,154 dated Feb. 1, 2016.
 Official Communication for U.S. Appl. No. 14/306,154 dated Mar. 11, 2015.
 Official Communication for U.S. Appl. No. 14/306,154 dated May 15, 2015.
 Official Communication for U.S. Appl. No. 14/306,154 dated Nov. 16, 2015.
 Official Communication for U.S. Appl. No. 14/306,154 dated Mar. 17, 2016.
 Official Communication for U.S. Appl. No. 14/306,154 dated Jul. 6, 2015.
 Official Communication for U.S. Appl. No. 14/306,154 dated Sep. 9, 2014.
 Official Communication for U.S. Appl. No. 14/319,765 dated Feb. 1, 2016.
 Official Communication for U.S. Appl. No. 14/319,765 dated Sep. 10, 2015.
 Official Communication for U.S. Appl. No. 14/319,765 dated Jun. 16, 2015.

Official Communication for U.S. Appl. No. 14/319,765 dated Nov. 25, 2014.
 Official Communication for U.S. Appl. No. 14/319,765 dated Feb. 4, 2015.
 Official Communication for U.S. Appl. No. 14/323,935 dated Jun. 22, 2015.
 Official Communication for U.S. Appl. No. 14/323,935 dated Nov. 28, 2014.
 Official Communication for U.S. Appl. No. 14/323,935 dated Mar. 31, 2015.
 Official Communication for U.S. Appl. No. 14/326,738 dated Dec. 2, 2014.
 Official Communication for U.S. Appl. No. 14/326,738 dated Jul. 31, 2015.
 Official Communication for U.S. Appl. No. 14/326,738 dated Mar. 31, 2015.
 Official Communication for U.S. Appl. No. 14/473,552 dated Feb. 24, 2015.
 Official Communication for U.S. Appl. No. 14/473,860 dated Nov. 4, 2014.
 Official Communication for U.S. Appl. No. 14/486,991 dated Mar. 10, 2015.
 Official Communication for U.S. Appl. No. 14/504,103 dated Mar. 31, 2015.
 Official Communication for U.S. Appl. No. 14/504,103 dated Feb. 5, 2015.
 Official Communication for U.S. Appl. No. 14/596,552 dated Dec. 23, 2016.
 Official Communication for U.S. Appl. No. 14/596,552 dated Sep. 23, 2016.
 Official Communication for U.S. Appl. No. 14/645,304 dated Jan. 25, 2016.
 Official Communication for U.S. Appl. No. 14/874,690 dated Jun. 1, 2016.
 Official Communication for U.S. Appl. No. 14/874,690 dated Dec. 21, 2015.
 Official Communication for U.S. Appl. No. 14/948,009 dated Feb. 25, 2016.
 Official Communication for U.S. Appl. No. 15/092,456 dated Nov. 4, 2016.

* cited by examiner




FIG. 1

Database
System 210




FIG. 2






FIG. 3



**FIG. 5**




FIG. 6

1

**SYSTEM AND METHOD FOR GENERATING
EVENT VISUALIZATIONS****INCORPORATION BY REFERENCE TO ANY
PRIORITY APPLICATIONS**

Any and all applications for which a foreign or domestic priority claim is identified in the Application Data Sheet as filed with the present application are hereby incorporated by reference under 37 CFR 1.57.

This application is a continuation of U.S. patent application Ser. No. 14/570,914 entitled "SYSTEM AND METHOD FOR GENERATING EVENT VISUALIZATIONS," filed Dec. 15, 2014, which is a continuation of U.S. patent application Ser. No. 14/135,289 entitled "EVENT MATRIX BASED ON INTEGRATED DATA," filed Dec. 19, 2013, now U.S. Pat. No. 8,917,274, which claims benefit of U.S. Provisional Application No. 61/798,581 entitled "EVENT MATRIX BASED ON INTEGRATED DATA," filed Mar. 15, 2013. Each of these applications are hereby incorporated by reference herein in their entireties.

TECHNICAL FIELD

The present disclosure relates to systems and techniques for data integration, analysis, and visualization. More specifically, it relates to visualization of connections between events and persons, places, things, etc.

BACKGROUND

Computers enable the collection and storage of vast amounts of data in easily accessible databases. Patterns, connections, and other features of this data may provide valuable insights, but the volume of the information may present challenges for analysis. Visualizations may be used to overcome these challenges by representing aspects of the data in a visual manner, e.g., in a graph or diagram. Visualizations of a large data set may be substantially more intuitive and useful than, e.g., a textual representation of the underlying data or a set of statistics drawn from the data.

Like other aspects of large-scale data analysis, producing visualizations may be challenging when the input data is not uniformly structured. Inconsistent structure is particularly common in data drawn from many different sources, which people are increasingly interested in analyzing. Data integration platforms have been created to combine data from different sources for the purpose of analysis, but the visualization functionality they provide may be limited.

A visualization that is useful for drawing insights from one data set may not be useful for drawing insights from another data set. Therefore, some platforms may support a variety of different visualizations. Each type of visualization may have unique limitations. For example, certain visualizations may be useful for analyzing only a few specific kinds of data. Other visualizations may be useful for trained analysts following specific lines of inquiry, but may not be useful for lay persons needing an intuitive overview of relevant information. There is a need for visualizations that overcome these limits, with broad utility and intuitive readability.

SUMMARY

Embodiments described herein may be used to produce visualizations that depict connections between objects from

2

an integrated data set. A visualization of this sort may be organized chronologically, and may be referred to as an "event matrix."

In one embodiment, a system for generating visualizations of integrated data comprises at least one processor, and data storage comprising instructions executable by the processor. When executed, the instructions may cause the system to receive input data from a plurality of data sources and determine a set of objects from the input data based on an ontology comprising a plurality of object types. The system may store the objects in one or more databases. The system may also identify a first subset of the determined set of objects, wherein the first subset comprises event objects; identify a second subset of the determined set of objects, wherein the second subset of objects comprises non-event objects; and identify a set of links between objects in the first subset and objects in the second subset. In addition, the system may generate first labels corresponding to the objects in the first subset, second labels corresponding to the objects in the second subset, and indicators corresponding to links in the set of links. The system may arrange the first labels in a first spatial dimension, wherein an order of the arranged first labels is based at least in part on dates and/or times associated with the event objects in the first subset; arrange the second labels in a second spatial dimension; and present a visualization comprising the labels and the indicators. Within the visualization, each indicator may have a location corresponding in the first spatial dimension to a position of one of the first labels and corresponding in the second spatial dimension to a position of one of the second labels.

In another embodiment, a method for generating visualizations of integrated data comprises receiving input data from a plurality of sources and determining a set of objects from the input data based on an ontology comprising a plurality of object types. The method further comprises identifying a first subset of the determined set of objects (wherein at least some of the objects in the first subset are associated with dates), identifying a second subset of the determined set of objects, and identifying (by a computer system having at least one computer processor) a set of links between objects in the first subset and objects in the second subset. The method also comprises determining (by the computer system) first labels corresponding to the objects in the first subset and second labels corresponding to the objects in the second subset, and generating (by the computer system) a user interface. The user interface may comprise the first labels arranged in a first spatial dimension, based at least in part on dates associated with respective objects in the first subset. The user interface may also comprise the second labels arranged in a second spatial dimension. For each link in the set of links, the user interface may further comprise an indicator positioned at a location corresponding in the first spatial dimension to a first label associated with the respective link and corresponding in the second spatial dimension to a second label associated with the respective link. As noted above, this method may be performed using one or more computer processors.

In another embodiment, non-transitory computer storage may comprise instructions for causing a computer system to generate visualizations of integrated data, as follows. The storage may comprise instructions for receiving input data from a plurality of data sources and determining a set of objects from the input data based on an ontology comprising a plurality of object types. Further instructions may be included for identifying a first subset of the determined set of objects (wherein at least some of the objects of the first subset are associated with dates), identifying a second subset

of the determined set of objects, and identifying a set of links between objects in the first subset and objects in the second subset. Instructions may also be provided for determining first labels corresponding to the objects in the first subset, second labels corresponding to the objects in the second subset, and indicators corresponding to links in the set of links. In addition, instructions may be provided for arranging the first labels in a first spatial dimension and arranging the second labels in a second spatial dimension. The arrangement of the first labels may be based in part on the dates associated with the objects in the first subset. Finally, the computer storage may include instructions for presenting a visualization comprising the labels and the indicators, wherein each of the indicators has a location corresponding in the first spatial dimension to a position of one of the first labels and corresponding in the second spatial dimension to a position of one of the second labels.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a sample of an event matrix.

FIG. 2 illustrates one embodiment of a database system using an ontology.

FIG. 3 illustrates one embodiment of a system for creating data in a data store using a dynamic ontology.

FIG. 4 illustrates a sample user interface using relationships described in a data store using a dynamic ontology.

FIG. 5 illustrates one embodiment of a process for creating an event matrix.

FIG. 6 illustrates a computer system with which certain methods discussed herein may be implemented.

DETAILED DESCRIPTION OF SPECIFIC EMBODIMENTS

Overview

Data integration platforms may support data with widely varying form and content. Accordingly, visualizations that require overly specific inputs may have limited utility on such platforms. However, certain features may be common enough in integrated data sets that a visualization can rely on them without substantially constraining its usefulness.

Common features of integrated data sets include connections between various pieces of data. In general, integrated data sets are integrated for a reason. Specifically, data from multiple sources is likely to be integrated because a person believes that various pieces of the data are somehow related. In other words, the person believes that connections exist within the data. Such connections may be identified explicitly with the help of the integration platform.

In addition to connections, integrated data sets commonly include date and time information (referred to hereafter as “dates” for the sake of brevity). The prevalence of dates in integrated data sets may be a result of the fact that these data sets often record occurrences in the real world. Real-world occurrences necessarily happen on particular dates, and dates are easy to ascertain automatically at the time of an occurrence. Therefore, records of real-world occurrences, and the integrated data sets that contain such records, routinely include dates.

Dates also provide a useful basis for organization. They provide a frame of reference that all people are familiar with. As a result, a visualization that is organized chronologically accordingly to a sequence of dates may be simple to understand, even for people who lack specialized training or prior familiarity with the subject matter being visualized.

An event matrix is a visualization that may be organized chronologically and used to present connections between objects from an integrated data set. It may be generated from any set of data objects with dates and connections. Because of its organization and minimal input requirements, the event matrix is broadly useful and intuitively readable.

FIG. 1 depicts an example of an event matrix. The matrix includes rows and columns with labels corresponding to particular objects. For example, label **102** corresponds to a “flight” object, and label **104** corresponds to a “person” object. At the intersection of certain rows and columns, indicators may be provided to indicate that a connection exists between the object associated with the row and the object associated with the column. For example, indicator **106** indicates that a connection exists between the flight object designated by label **102** and the person object designated by label **104**. Of course, these data objects may correspond, respectively, to an actual flight and an actual person in the real world. Accordingly, the aforementioned connection may exist because the actual person (Person 3, as indicated by label **104**) took the actual flight (on Dec. 25, 2011, as indicated by label **102**).

The event matrix may be useful in part because it facilitates recognition of correlations and indirect connections between several objects. For example, while Person 1 and Person 2 are not directly connected in FIG. 1, they are indirectly connected through Person 3, who shared a phone call with Person 2 on Dec. 26, 2011, and shared a payment with Person 1 on Mar. 2, 2012. The event matrix makes it easy to identify indirect connections like this, simply by “connecting the dots,” where the dots are indicators of links between objects. Similarly, a correlation might be identified, e.g., where calls between a first person and a second person are consistently followed by payments between the second person and a third person. In a scenario like this, the same geometric pattern of indicators would repeat itself multiple times within the event matrix, making the correlation relatively easy to identify.

The connections that are represented by indicators in the event matrix may be stored as links within an integrated data set. As described below, these links may be part of an ontology that includes various link types. In some cases, the existence of a particular link may be specified explicitly within a source of input data. In other cases, the integration platform may be configured to infer the existence of particular links based on a set of rules, which may be customizable. The integration platform may also make inferences in order to determine when the same object is involved in multiple relationships across multiple data sources. For example, if a person listed in a database of payment records and a person listed in a database of flight records both share the same name and date of birth, the integration platform may infer that they are the same person. Then, if the integration platform creates a link for one of the payment records and a link for one of the flight records, it may associate both link objects with the same person object. This way, all links involving the same person (or other entity) may be consolidated, and among other things, displayed in the same area of the event matrix.

As depicted in FIG. 1, the objects corresponding to each column label may be event objects (“events”), and the objects corresponding to each row label may be non-event objects (“non-events”). Events are described in greater detail below, as are objects and object types more generally. Notably, events may be associated with specific dates or date ranges. As described earlier, dates provide an intuitive basis for organization, so the columns in an event matrix may be

organized chronologically according to the dates associated with the each event. In some cases, the dates associated with an event may be unknown or incorrect, so the order may be adjusted manually by a user. For example, a user may reorder events by dragging one or more of the columns to a new position relative to the other columns in the matrix, e.g., using a computer mouse or a touch-sensitive display screen. Similarly, a user may reorder non-events by dragging one or more rows.

The scope of the present disclosure is not limited to event matrices with any particular formatting or aesthetic features. Specifically, the formatting and aesthetic features of FIG. 1 are merely illustrative. For example, labels for different objects or object types may have different icons, as shown in FIG. 1. In some embodiments, however, some or all labels may not include any icons. Labels may be determined from properties, links, or other parts of an ontology. Labels may be customized and updated by a user. The user may also specify rules for generating labels based on information in the ontology, and rules may be applied selectively based on relevant criteria. For example, different rules may be provided for different object types. Additionally, while the link indicators discussed herein are depicted as circles, any other type of indicator may be used. Additionally, different types of indicators may be used to illustrate different correlations of event and non-event objects. Thus, a first association between a person and a call may be represented on an event matrix with a first indicator, while an association between a person and a flight may be associated with a second, different, indicator.

Indicators or indications of inter-object connections may vary, and need not bear any particular similarity to the indicators of FIG. 1. An event matrix may be flipped, rotated, scaled, or otherwise rearranged, e.g., so that events correspond to rows rather than columns. Accordingly, objects in the event matrix may be arranged in spatial dimensions other than those illustrated in FIG. 1. In addition to formatting and aesthetic features that are automatically generated, some aspects of an event matrix's appearance may be manually specified by a user. For example, a user may specify a particular background color for one or more rows, objects or property types, columns, time ranges, or cells, which may be useful for focusing a reader's attention. Labels, including both icons and text, may be specified manually as well.

Additional considerations and techniques relevant to the generation of event matrices are described below.

Definitions

In order to facilitate an understanding of the systems and methods discussed herein, a number of terms are defined below. The terms defined below, as well as other terms used herein, should be construed to include the provided definitions, the ordinary and customary meaning of the terms, and/or any other implied meaning for the respective terms. Thus, the definitions below do not limit the meaning of these terms, but only provide exemplary definitions.

Ontology: Stored information that provides a data model for storage of data in one or more databases. For example, the stored data may comprise definitions for object types and property types for data in a database, and how objects and properties may be related.

Database: A broad term for any data structure for storing and/or organizing data, including, but not limited to, relational databases (Oracle database, MySQL database, etc.), spreadsheets, XML files, and text file, among others.

Data Object or Object: A data container for information representing specific things in the world that have a number

of definable properties. For example, a data object can represent an entity such as a person, a place, an organization, a market instrument, or other noun. A data object can represent an event that happens at a point in time or for a duration. A data object can represent a document or other unstructured data source such as an e-mail message, a news report, or a written paper or article. Each data object may be associated with a unique identifier that uniquely identifies the data object. The object's attributes (e.g. metadata about the object) may be represented in one or more properties.

Object Type: Type of a data object (e.g., Person, Event, or Document). Object types may be defined by an ontology and may be modified or updated to include additional object types. An object definition (e.g., in an ontology) may include how the object is related to other objects, such as being a sub-object type of another object type (e.g. an agent may be a sub-object type of a person object type), and the properties the object type may have.

Properties: Attributes of a data object that represent individual data items. At a minimum, each property of a data object has a property type and a value or values.

Property Type: The type of data a property is, such as a string, an integer, or a double. Property types may include complex property types, such as a series data values associated with timed ticks (e.g. a time series), etc.

Property Value: The value associated with a property, which is of the type indicated in the property type associated with the property. A property may have multiple values.

Link: A connection between two data objects, based on, for example, a relationship, an event, and/or matching properties. Links may be directional, such as one representing a payment from person A to B, or bidirectional.

Link Set: Set of multiple links that are shared between two or more data objects.

Object Centric Data Model

To provide a framework for the following discussion of specific systems and methods described herein, an example database system 210 using an ontology 205 will now be described. This description is provided for the purpose of providing an example and is not intended to limit the techniques to the example data model, the example database system, or the example database system's use of an ontology to represent information.

In one embodiment, a body of data is conceptually structured according to an object-centric data model represented by ontology 205. The conceptual data model is independent of any particular database used for durably storing one or more database(s) 209 based on the ontology 205. For example, each object of the conceptual data model may correspond to one or more rows in a relational database or an entry in Lightweight Directory Access Protocol (LDAP) database, or any combination of one or more databases.

FIG. 2 illustrates an object-centric conceptual data model according to an embodiment. An ontology 205, as noted above, may include stored information providing a data model for storage of data in the database 209. The ontology 205 may be defined by one or more object types, which may each be associated with one or more property types. At the highest level of abstraction, data object 201 is a container for information representing things in the world. For example, data object 201 can represent an entity such as a person, a place, an organization, a market instrument, or other noun. Data object 201 can represent an event that happens at a point in time or for a duration. Data object 201 can represent a document or other unstructured data source such as an e-mail message, a news report, or a written paper or article.

Each data object **201** is associated with a unique identifier that uniquely identifies the data object within the database system.

Different types of data objects may have different property types. For example, a “Person” data object might have an “Eye Color” property type and an “Event” data object might have a “Date” property type. Each property **203** as represented by data in the database system **210** may have a property type defined by the ontology **205** used by the database **209**.

Objects may be instantiated in the database **209** in accordance with the corresponding object definition for the particular object in the ontology **205**. For example, a specific monetary payment (e.g., an object of type “event”) of US\$30.00 (e.g., a property of type “currency”) taking place on Mar. 27, 2009 (e.g., a property of type “date”) may be stored in the database **209** as an event object with associated currency and date properties as defined within the ontology **205**.

The data objects defined in the ontology **205** may support property multiplicity. In particular, a data object **201** may be allowed to have more than one property **203** of the same property type. For example, a “Person” data object might have multiple “Address” properties or multiple “Name” properties.

Each link **202** represents a connection between two data objects **201**. In one embodiment, the connection is either through a relationship, an event, or through matching properties. A relationship connection may be asymmetrical or symmetrical. For example, “Person” data object A may be connected to “Person” data object B by a “Child Of” relationship (where “Person” data object B has an asymmetric “Parent Of” relationship to “Person” data object A), a “Kin Of” symmetric relationship to “Person” data object C, and an asymmetric “Member Of” relationship to “Organization” data object X. The type of relationship between two data objects may vary depending on the types of the data objects. For example, “Person” data object A may have an “Appears In” relationship with “Document” data object Y or have a “Participate In” relationship with “Event” data object E. As an example of an event connection, two “Person” data objects may be connected by an “Airline Flight” data object representing a particular airline flight if they traveled together on that flight, or by a “Meeting” data object representing a particular meeting if they both attended that meeting. In one embodiment, when two data objects are connected by an event, they are also connected by relationships, in which each data object has a specific relationship to the event, such as, for example, an “Appears In” relationship.

As an example of a matching properties connection, two “Person” data objects representing a brother and a sister, may both have an “Address” property that indicates where they live. If the brother and the sister live in the same home, then their “Address” properties likely contain similar, if not identical property values. In one embodiment, a link between two data objects may be established based on similar or matching properties (e.g., property types and/or property values) of the data objects. These are just some examples of the types of connections that may be represented by a link and other types of connections may be represented; embodiments are not limited to any particular types of connections between data objects. For example, a document might contain references to two different objects. For example, a document may contain a reference to a payment (one object), and a person (a second object). A link

between these two objects may represent a connection between these two entities through their co-occurrence within the same document.

Each data object **201** can have multiple links with another data object **201** to form a link set **204**. For example, two “Person” data objects representing a husband and a wife could be linked through a “Spouse Of” relationship, a matching “Address” property, and one or more matching “Event” properties (e.g., a wedding). Each link **202** as represented by data in a database may have a link type defined by the database ontology used by the database.

FIG. 3 is a block diagram illustrating exemplary components and data that may be used in identifying and storing data according to an ontology. In this example, the ontology may be configured, and data in the data model populated, by a system of parsers and ontology configuration tools. In the embodiment of FIG. 3, input data **300** is provided to parser **302**. The input data may comprise data from one or more sources. For example, an institution may have one or more databases with information on credit card transactions, rental cars, and people. The databases may contain a variety of related information and attributes about each type of data, such as a “date” for a credit card transaction, an address for a person, and a date for when a rental car is rented. The parser **302** is able to read a variety of source input data types and determine which type of data it is reading.

In accordance with the discussion above, the example ontology **205** comprises stored information providing the data model of data stored in database **209**, and the ontology is defined by one or more object types **310**, one or more property types **316**, and one or more link types **330**. Based on information determined by the parser **302** or other mapping of source input information to object type, one or more data objects **201** may be instantiated in the database **209** based on respective determined object types **310**, and each of the objects **201** has one or more properties **203** that are instantiated based on property types **316**. Two data objects **201** may be connected by one or more links **202** that may be instantiated based on link types **330**. The property types **316** each may comprise one or more data types **318**, such as a string, number, etc. Property types **316** may be instantiated based on a base property type **320**. For example, a base property type **320** may be “Locations” and a property type **316** may be “Home.”

In an embodiment, a user of the system uses an object type editor **324** to create and/or modify the object types **310** and define attributes of the object types. In an embodiment, a user of the system uses a property type editor **326** to create and/or modify the property types **316** and define attributes of the property types. In an embodiment, a user of the system uses link type editor **328** to create the link types **330**. Alternatively, other programs, processes, or programmatic controls may be used to create link types and property types and define attributes, and using editors is not required.

In an embodiment, creating a property type **316** using the property type editor **326** involves defining at least one parser definition using a parser editor **322**. A parser definition comprises metadata that informs parser **302** how to parse input data **300** to determine whether values in the input data can be assigned to the property type **316** that is associated with the parser definition. In an embodiment, each parser definition may comprise a regular expression parser **304A** or a code module parser **304B**. In other embodiments, other kinds of parser definitions may be provided using scripts or other programmatic elements. Once defined, both a regular

expression parser **304A** and a code module parser **304B** can provide input to parser **302** to control parsing of input data **300**.

Using the data types defined in the ontology, input data **300** may be parsed by the parser **302** to determine which object type **310** should receive data from a record created from the input data, and which property types **316** should be assigned to data from individual field values in the input data. Based on object-property mapping **301**, the parser **302** selects one of the parser definitions that is associated with a property type in the input data. The parser parses an input data field using the selected parser definition, resulting in creating new or modified data **303**. The new or modified data **303** is added to the database **209** according to ontology **205** by storing values of the new or modified data in a property of the specified property type. As a result, input data **300** having varying format or syntax can be created in database **209**. The ontology **205** may be modified at any time using object type editor **324**, property type editor **326**, and link type editor **328**, or under program control without human use of an editor. Parser editor **322** enables creating multiple parser definitions that can successfully parse input data **300** having varying format or syntax and determine which property types should be used to transform input data **300** into new or modified input data **303**.

The properties, objects, and the links (e.g. relationships) between the objects can be visualized using a graphical user interface (GUI). For example, FIG. 4 displays a user interface showing a graph representation **403** of relationships (including relationships or links **404**, **405**, **406**, **407**, **408**) between the data objects (including data objects **411**, **412**, **413**, **414**, **415**, **416**) that are represented as nodes in the example of FIG. 4. In this embodiment, the data objects are person objects. In this example, the person nodes (associated with person data objects) may have relationships to other person nodes, for example, through payment objects. For example, relationship **404** is based on a payment associated with the individuals indicated in person data objects **411** and **413**. The link **404** represents these shared payments (for example, the individual associated with data object **411** may have paid the individual associated with data object **413** on three occasions). These relationships may be stored as links, or in some embodiments, as properties, where a relationship may be detected between the properties. In some cases, as stated above, the links may be directional. For example, a payment link may have a direction associated with the payment, where one person object is a receiver of a payment, and another person object is the payer of payment.

In addition to visually showing relationships between the data objects, the user interface may allow various other manipulations. For example, the objects within database **108** may be searched using a search interface **420** (e.g., text string matching of object properties), inspected (e.g., properties and associated data viewed), filtered (e.g., narrowing the universe of objects into sets and subsets by properties or relationships), and statistically aggregated (e.g., numerically summarized based on summarization criteria), among other operations and visualizations.

Example Method of Generating Event Matrix

As described earlier in this disclosure, an event matrix is a particularly useful and intuitive type of visualization for integrated data. An example of an event matrix was previously presented in FIG. 1. Turning now to FIG. 5, an example process is presented for generating an event matrix. This process may be implemented, e.g., by a data integration platform comprising a computer system that includes the data and components of FIG. 3. Additional disclosure related

to computer systems is provided below, with respect to FIG. 6. The process of FIG. 5 begins at block **502**, where input data is received. This input data may correspond to, e.g., input data **300** of FIG. 3. At block **504**, an ontology is applied to the input data, providing an integrated interface to facilitate further analysis. This ontology may correspond to, e.g., ontology **205** of FIGS. 2 and 3.

Continuing at block **506**, events and non-event objects are identified from the ontology. Objects from the ontology may be identified based on selection by a user, e.g., using the interface of FIG. 4. The interface may include a button, menu item, hotkey, or other means for the user to request generation of an event matrix based on the selected objects. In one example, selected objects may be dragged into a designated area to create a new event matrix, or they may be dragged into an existing matrix, which may be updated to include the selected items. Objects may also be identified automatically, in addition to or instead of being selected manually. For example, if a user presses a button to create an event matrix without selecting any objects, the event matrix may include all objects that are currently visible on the user's display, or all visible objects plus all objects that are linked to the visible objects. In certain embodiments, some of the selected objects may be excluded, e.g., based on criteria related to compatibility with an event matrix or with each other. For example, a selected object may be excluded if it is part of an object type that does not include date or time information, and if it is not connected to an object that includes date or time information.

At block **508**, links between events and other objects are identified. These links may correspond to, e.g., link **202** of FIGS. 2 and 3. A link may be determined from any association, connection, or relationship that is included explicitly or implicitly in the ontology. Some or all of the identified links may be created for the first time during the process of FIG. 5. Any means of establishing links between objects may be used.

At block **510**, an event matrix user interface, configured for display on an electronic display device and/or for printing on paper, is generated. In one embodiment, the user interface includes labels associated with each identified object and link indicators indicating links between objects. The labels and indicators may be arranged at least in part on the basis of dates and/or times associated with the events. If an event has no date or time information, it may appear at the end of the event matrix.

The arranged labels and indicators may be combined with various formatting, styling, and other aesthetic features in order to form a completed event matrix, such as the matrix of FIG. 1. In some embodiments, one or more rows, columns, cells, labels or indicators may be highlighted. Highlighting may be added automatically, based on customizable rules, or on an ad hoc basis. In one embodiment, a user may add an object to the event matrix by dragging it from graph representation **403** of FIG. 4. The completed event matrix may be displayed, printed, transmitted, or otherwise presented to one or more users and/or readers.

Implementation Mechanisms

According to one embodiment, the techniques described herein are implemented by one or more special-purpose computing devices. The special-purpose computing devices may be hard-wired to perform the techniques, or may include digital electronic devices such as one or more application-specific integrated circuits (ASICs) or field programmable gate arrays (FPGAs) that are persistently programmed to perform the techniques, or may include one or more general purpose hardware processors programmed to

perform the techniques pursuant to program instructions in firmware, memory, other storage, or a combination. Such special-purpose computing devices may also combine custom hard-wired logic, ASICs, or FPGAs with custom programming to accomplish the techniques. The special-purpose computing devices may be desktop computer systems, server computer systems, portable computer systems, handheld devices, networking devices or any other device or combination of devices that incorporate hard-wired and/or program logic to implement the techniques.

Computing device(s) are generally controlled and coordinated by operating system software, such as iOS, Android, Chrome OS, Windows XP, Windows Vista, Windows 7, Windows 8, Windows Server, Windows CE, Unix, Linux, SunOS, Solaris, iOS, Blackberry OS, VxWorks, or other compatible operating systems. In other embodiments, the computing device may be controlled by a proprietary operating system. Conventional operating systems control and schedule computer processes for execution, perform memory management, provide file system, networking, I/O services, and provide a user interface functionality, such as a graphical user interface ("GUI"), among other things.

For example, FIG. 6 is a block diagram that illustrates a computer system 600 upon which an embodiment may be implemented. Computer system 600 includes a bus 602 or other communication mechanism for communicating information, and a hardware processor, or multiple processors, 604 coupled with bus 602 for processing information. Hardware processor(s) 604 may be, for example, one or more general purpose microprocessors.

Computer system 600 also includes a main memory 606, such as a random access memory (RAM), cache and/or other dynamic storage devices, coupled to bus 602 for storing information and instructions to be executed by processor 604. Main memory 606 also may be used for storing temporary variables or other intermediate information during execution of instructions to be executed by processor 604. Such instructions, when stored in storage media accessible to processor 604, render computer system 600 into a special-purpose machine that is customized to perform the operations specified in the instructions.

Computer system 600 further includes a read only memory (ROM) 608 or other static storage device coupled to bus 602 for storing static information and instructions for processor 604. A storage device 610, such as a magnetic disk, optical disk, or USB thumb drive (Flash drive), etc., is provided and coupled to bus 602 for storing information and instructions.

Computer system 600 may be coupled via bus 602 to a display 612, such as a cathode ray tube (CRT) or LCD display (or touch screen), for displaying information to a computer user. An input device 614, including alphanumeric and other keys, is coupled to bus 602 for communicating information and command selections to processor 604. Another type of user input device is cursor control 616, such as a mouse, a trackball, or cursor direction keys for communicating direction information and command selections to processor 604 and for controlling cursor movement on display 612. This input device typically has two degrees of freedom in two axes, a first axis (e.g., x) and a second axis (e.g., y), that allows the device to specify positions in a plane. In some embodiments, the same direction information and command selections as cursor control may be implemented via receiving touches on a touch screen without a cursor.

Computing system 600 may include a user interface module to implement a GUI that may be stored in a mass

storage device as executable software codes that are executed by the computing device(s). This and other modules may include, by way of example, components, such as software components, object-oriented software components, class components and task components, processes, functions, attributes, procedures, subroutines, segments of program code, drivers, firmware, microcode, circuitry, data, databases, data structures, tables, arrays, and variables.

In general, the word "module," as used herein, refers to logic embodied in hardware or firmware, or to a collection of software instructions, possibly having entry and exit points, written in a programming language, such as, for example, Java, Lua, C or C++. A software module may be compiled and linked into an executable program, installed in a dynamic link library, or may be written in an interpreted programming language such as, for example, BASIC, Perl, or Python. It will be appreciated that software modules may be callable from other modules or from themselves, and/or may be invoked in response to detected events or interrupts. Software modules configured for execution on computing devices may be provided on a computer readable medium, such as a compact disc, digital video disc, flash drive, magnetic disc, or any other tangible medium, or as a digital download (and may be originally stored in a compressed or installable format that requires installation, decompression or decryption prior to execution). Such software code may be stored, partially or fully, on a memory device of the executing computing device, for execution by the computing device. Software instructions may be embedded in firmware, such as an EPROM. It will be further appreciated that hardware modules may be comprised of connected logic units, such as gates and flip-flops, and/or may be comprised of programmable units, such as programmable gate arrays or processors. The modules or computing device functionality described herein are preferably implemented as software modules, but may be represented in hardware or firmware. Generally, the modules described herein refer to logical modules that may be combined with other modules or divided into sub-modules despite their physical organization or storage

Computer system 600 may implement the techniques described herein using customized hard-wired logic, one or more ASICs or FPGAs, firmware and/or program logic which in combination with the computer system causes or programs computer system 600 to be a special-purpose machine. According to one embodiment, the techniques herein are performed by computer system 600 in response to processor(s) 604 executing one or more sequences of one or more instructions contained in main memory 606. Such instructions may be read into main memory 606 from another storage medium, such as storage device 610. Execution of the sequences of instructions contained in main memory 606 causes processor(s) 604 to perform the process steps described herein. In alternative embodiments, hard-wired circuitry may be used in place of or in combination with software instructions.

The term "non-transitory media," and similar terms, as used herein refers to any media that store data and/or instructions that cause a machine to operate in a specific fashion. Such non-transitory media may comprise non-volatile media and/or volatile media. Non-volatile media includes, for example, optical or magnetic disks, such as storage device 610. Volatile media includes dynamic memory, such as main memory 606. Common forms of non-transitory media include, for example, a floppy disk, a flexible disk, hard disk, solid state drive, magnetic tape, or any other magnetic data storage medium, a CD-ROM, any

13

other optical data storage medium, any physical medium with patterns of holes, a RAM, a PROM, and EPROM, a FLASH-EPROM, NVRAM, any other memory chip or cartridge, and networked versions of the same.

Non-transitory media is distinct from but may be used in conjunction with transmission media. Transmission media participates in transferring information between nontransitory media. For example, transmission media includes coaxial cables, copper wire and fiber optics, including the wires that comprise bus 602. Transmission media can also take the form of acoustic or light waves, such as those generated during radio-wave and infra-red data communications.

Various forms of media may be involved in carrying one or more sequences of one or more instructions to processor 604 for execution. For example, the instructions may initially be carried on a magnetic disk or solid state drive of a remote computer. The remote computer can load the instructions into its dynamic memory and send the instructions over a telephone line using a modem. A modem local to computer system 600 can receive the data on the telephone line and use an infra-red transmitter to convert the data to an infra-red signal. An infra-red detector can receive the data carried in the infra-red signal and appropriate circuitry can place the data on bus 602. Bus 602 carries the data to main memory 606, from which processor 604 retrieves and executes the instructions. The instructions received by main memory 606 may optionally be stored on storage device 610 either before or after execution by processor 604.

Computer system 600 also includes a communication interface 618 coupled to bus 602. Communication interface 618 provides a two-way data communication coupling to a network link 620 that is connected to a local network 622. For example, communication interface 618 may be an integrated services digital network (ISDN) card, cable modem, satellite modem, or a modem to provide a data communication connection to a corresponding type of telephone line. As another example, communication interface 618 may be a local area network (LAN) card to provide a data communication connection to a compatible LAN (or WAN component to communicated with a WAN). Wireless links may also be implemented. In any such implementation, communication interface 618 sends and receives electrical, electromagnetic or optical signals that carry digital data streams representing various types of information.

Network link 620 typically provides data communication through one or more networks to other data devices. For example, network link 620 may provide a connection through local network 622 to a host computer 624 or to data equipment operated by an Internet Service Provider (ISP) 626. ISP 626 in turn provides data communication services through the world wide packet data communication network now commonly referred to as the "Internet" 628. Local network 622 and Internet 628 both use electrical, electromagnetic or optical signals that carry digital data streams. The signals through the various networks and the signals on network link 620 and through communication interface 618, which carry the digital data to and from computer system 600, are example forms of transmission media.

Computer system 600 can send messages and receive data, including program code, through the network(s), network link 620 and communication interface 618. In the Internet example, a server 630 might transmit a requested code for an application program through Internet 628, ISP 626, local network 622 and communication interface 618.

14

The received code may be executed by processor 604 as it is received, and/or stored in storage device 610, or other non-volatile storage for later execution.

Each of the processes, methods, and algorithms described in the preceding sections may be embodied in, and fully or partially automated by, code modules executed by one or more computer systems or computer processors comprising computer hardware. The processes and algorithms may be implemented partially or wholly in application-specific circuitry.

The various features and processes described above may be used independently of one another, or may be combined in various ways. All possible combinations and subcombinations are intended to fall within the scope of this disclosure. In addition, certain method or process blocks may be omitted in some implementations. The methods and processes described herein are also not limited to any particular sequence, and the blocks or states relating thereto can be performed in other sequences that are appropriate. For example, described blocks or states may be performed in an order other than that specifically disclosed, or multiple blocks or states may be combined in a single block or state. The example blocks or states may be performed in serial, in parallel, or in some other manner. Blocks or states may be added to or removed from the disclosed example embodiments. The example systems and components described herein may be configured differently than described. For example, elements may be added to, removed from, or rearranged compared to the disclosed example embodiments.

Conditional language, such as, among others, "can," "could," "might," or "may," unless specifically stated otherwise, or otherwise understood within the context as used, is generally intended to convey that certain embodiments include, while other embodiments do not include, certain features, elements and/or steps. Thus, such conditional language is not generally intended to imply that features, elements and/or steps are in any way required for one or more embodiments or that one or more embodiments necessarily include logic for deciding, with or without user input or prompting, whether these features, elements and/or steps are included or are to be performed in any particular embodiment.

Any process descriptions, elements, or blocks in the flow diagrams described herein and/or depicted in the attached figures should be understood as potentially representing modules, segments, or portions of code which include one or more executable instructions for implementing specific logical functions or steps in the process. Alternate implementations are included within the scope of the embodiments described herein in which elements or functions may be deleted, executed out of order from that shown or discussed, including substantially concurrently or in reverse order, depending on the functionality involved, as would be understood by those skilled in the art.

It should be emphasized that many variations and modifications may be made to the above-described embodiments, the elements of which are to be understood as being among other acceptable examples. All such modifications and variations are intended to be included herein within the scope of this disclosure. The foregoing description details certain embodiments of the invention. It will be appreciated, however, that no matter how detailed the foregoing appears in text, the invention can be practiced in many ways. As is also stated above, it should be noted that the use of particular terminology when describing certain features or aspects of the invention should not be taken to imply that the termi-

15

nology is being re-defined herein to be restricted to including any specific characteristics of the features or aspects of the invention with which that terminology is associated. The scope of the invention should therefore be construed in accordance with the appended claims and any equivalents thereof.

What is claimed is:

1. A computer implemented method comprising:
by a computer system comprising one or more computer hardware processors and one or more storage devices,
parsing, according to a first parser definition, first data in a first format to generate first modified data different from the first data;
generating, from at least some of the first modified data, a first event;
parsing, according to a second parser definition, second data in a second format to generate a second event;
determining that the first event is linked with a first entity and a second entity based at least on a first property of the first event;
determining that the second event is linked with the second entity and a third entity based at least on a second property of the second event;
causing presentation of first labels in a first spatial dimension;
causing presentation of second labels in a second spatial dimension;
generating an output visualization comprising indicators, wherein generating the output visualization further comprises associating respective indicators with respective first labels and second labels as indicated by the determined first event linked with the first entity and the second entity, and the determined second event linked with the second entity and the third entity; and
causing presentation of the output visualization.
2. The computer implemented method of claim 1, wherein the first entity corresponds to a person, a place, or an organization.
3. The computer implemented method of claim 1, wherein parsing the first data further comprises identifying an object type based at least in part on a mapping, and wherein the first event comprises an object of the object type.
4. The computer implemented method of claim 1, further comprising:
receiving user input data comprising a user defined link type, wherein determining that the first event is linked with the first entity and the second entity is based at least on the user defined link type.
5. The computer implemented method of claim 1, further comprising:
generating a graph visualization comprising a first node corresponding to the first entity, a second node corresponding to the second entity, and a third node corresponding to the third entity, wherein generating the graph visualization further comprises:
linking the first node and the second node, and
linking the second node and the third node; and
causing presentation of the graph visualization.
6. The computer implemented method of claim 1, further comprising:
accessing, from a plurality of records, the first data stored in a data source, the data source comprising at least one of: a spreadsheet, a database, an XML file, or a text file.

16

7. A non-transitory computer storage medium storing computer executable instructions that when executed by at least one computer hardware processor perform operations comprising:

- parsing, according to a first parser definition, first data in a first format to generate first modified data different from the first data;
generating, from at least some of the first modified data, a first event;
- parsing, according to a second parser definition, second data in a second format to generate a second event;
determining that the first event is linked with a first entity and a second entity based at least on a first property of the first event;
- determining that the second event is linked with the second entity and a third entity based at least on a second property of the second event;
- causing presentation of first labels in a first spatial dimension;
- causing presentation of second labels in a second spatial dimension;
- generating an output visualization comprising indicators, wherein generating the output visualization further comprises associating respective indicators with respective first labels and second labels as indicated by the determined first event linked with the first entity and the second entity, and the determined second event linked with the second entity and the third entity; and
causing presentation of the output visualization.
8. The non-transitory computer storage medium of claim 7, wherein the first entity corresponds to a person, a place, or an organization.
9. The non-transitory computer storage medium of claim 7, wherein
parsing the first data further comprises identifying an object type based at least in part on a mapping, and
wherein the first event comprises an object of the object type.
10. The non-transitory computer storage medium of claim 7, wherein the operations further comprise:
receiving user input data comprising a user defined link type, wherein determining that the first event is linked with the first entity and the second entity is based at least on the user defined link type.
11. The non-transitory computer storage medium of claim 7, wherein the operations further comprise:
receiving user input data comprising a user defined object type and a user defined property type associated with the user defined object type, wherein at least one of the first event or the first entity comprises an object of the user defined object type, the object comprising the user defined property type.
12. The non-transitory computer storage medium of claim 7, wherein the operations further comprise:
generating a graph visualization comprising a first node corresponding to the first entity, a second node corresponding to the second entity, and a third node corresponding to the third entity, wherein generating the graph visualization further comprises:
linking the first node and the second node, and
linking the second node and the third node; and
causing presentation of the graph visualization.
13. The non-transitory computer storage medium of claim 7, wherein the operations further comprise:
accessing, from a plurality of records, the first data stored in a data source, the data source comprising at least one of: a spreadsheet, a database, an XML file, or a text file.

17

14. A system comprising:
 a plurality of databases comprising a first database and a
 second database, wherein first data of the first database
 is stored in a first format, the first format different from
 a second format of second data of the second database;
 at least one computer hardware processor; and
 data storage comprising instructions executable by the at
 least one computer hardware processor to cause the
 system to:
 parse, according to a first parser definition, the first data
 in the first format to generate first modified data
 different from the first data;
 generate, from at least some of the first modified data,
 the first event;
 parse, according to a second parser definition, the
 second data in the second format to generate a
 second event;
 determine that the first event is linked with a first entity
 and a second entity based at least on a first property
 of the first event;
 determine that the second event is linked with the
 second entity and a third entity based at least on a
 second property of the second event;
 cause presentation of first labels in a first spatial
 dimension;
 cause presentation of second labels in a second spatial
 dimension;
 generate an output visualization comprising indicators,
 wherein generating the output visualization further
 comprises associating respective indicators with
 respective first labels and second labels as indicated
 by the determined first event linked with the first
 entity and the second entity, and the determined
 second event linked with the second entity and the
 third entity; and
 cause presentation of the output visualization.
15. The system of claim 14, wherein the first entity
 corresponds to a person, a place, or an organization.

18

16. The system of claim 14, wherein
 parsing the first data further comprises identifying an
 object type based at least in part on a mapping, and
 wherein the first event comprises an object of the object
 type.
17. The system of claim 14, wherein the instructions
 executable by the at least one computer hardware processor
 further cause the system to:
 receive user input data comprising a user defined link
 type, wherein determining that the first event is linked
 with the first entity and the second entity is based at
 least on the user defined link type.
18. The system of claim 14, wherein the instructions
 executable by the at least one computer hardware processor
 further cause the system to:
 receive user input data comprising a user defined object
 type and a user defined property type associated with
 the user defined object type, wherein at least one of the
 first event or the first entity comprises an object of the
 user defined object type, the object comprising the user
 defined property type.
19. The system of claim 14, wherein the instructions
 executable by the at least one computer hardware processor
 further cause the system to:
 generate a graph visualization comprising a first node
 corresponding to the first entity, a second node corre-
 sponding to the second entity, and a third node corre-
 sponding to the third entity, wherein generating the
 graph visualization further comprises:
 linking the first node and the second node, and
 linking the second node and the third node; and
 cause presentation of the graph visualization.
20. The system of claim 14, wherein the instructions
 executable by the at least one computer hardware processor
 further cause the system to:
 cause presentation, in a user interface, of a graphical
 representation of at least one of: the first event, the
 second event, the first entity, the second entity, or the
 third entity; and
 receive user input comprising a selection of the graphical
 representation in the user interface.

* * * * *