



US009858570B2

(12) **United States Patent**
Godard et al.

(10) **Patent No.:** **US 9,858,570 B2**
(45) **Date of Patent:** **Jan. 2, 2018**

(54) **SYSTEMS AND METHODS FOR FACILITATING ACCOUNT VERIFICATION OVER A NETWORK**

(71) Applicant: **PayPal, Inc.**, San Jose, CA (US)

(72) Inventors: **Nolwenn Godard**, San Francisco, CA (US); **Ji Zhang**, Mountain View, CA (US); **Mehul Asher**, Mountain View, CA (US); **Maulshree Goyal**, San Jose, CA (US)

(73) Assignee: **PAYPAL, INC.**, San Jose, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 414 days.

(21) Appl. No.: **14/709,321**

(22) Filed: **May 11, 2015**

(65) **Prior Publication Data**
US 2015/0242849 A1 Aug. 27, 2015

Related U.S. Application Data

(63) Continuation of application No. 12/694,945, filed on Jan. 27, 2010, now abandoned.

(51) **Int. Cl.**
G07B 17/00 (2006.01)
G07F 19/00 (2006.01)
G06Q 40/00 (2012.01)
G06Q 20/00 (2012.01)
G06Q 30/00 (2012.01)
G06Q 20/38 (2012.01)
G06Q 20/40 (2012.01)
G06Q 30/06 (2012.01)
G06Q 20/10 (2012.01)

(52) **U.S. Cl.**
CPC **G06Q 20/385** (2013.01); **G06Q 20/10** (2013.01); **G06Q 20/40** (2013.01); **G06Q 30/06** (2013.01); **G06Q 40/12** (2013.12)

(58) **Field of Classification Search**
USPC 705/30
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,882,986 B1 * 4/2005 Heinemann G06Q 20/10 705/24
7,120,608 B1 * 10/2006 Gallagher G06Q 20/0855 705/64

(Continued)


Primary Examiner — Ashford S Hayles

(74) *Attorney, Agent, or Firm* — Haynes and Boone, LLP

(57) **ABSTRACT**

In accordance with embodiments of the present disclosure, systems and methods for facilitating electronic commerce over a network include generating a transfer code for a client, associating the transfer code to a client account related to the client, providing the transfer code to the client over the network, receiving a fund transfer request from a trusted entity on behalf of the client over the network, the fund transfer request including the transfer code, extracting information from the fund transfer request including the transfer code associated with the fund transfer request, accessing the client account related to the client, extracting information from the client account including the transfer code associated with the client account, and verifying the transfer code of the fund transfer request by determining whether the transfer code associated with the client account matches the transfer code extracted from the fund transfer request.

21 Claims, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,529,706 B2 * 5/2009 Kulasooriya G06Q 20/10
705/37
7,536,325 B2 * 5/2009 Randell G06Q 30/04
705/30
7,742,994 B1 * 6/2010 Gupta G06Q 20/367
705/64
7,844,546 B2 * 11/2010 Fleishman G06Q 20/40
705/39
7,991,658 B2 * 8/2011 Bond G06Q 30/0601
705/26.1
8,055,557 B2 * 11/2011 Sorbe G06Q 20/10
235/380
2002/0059146 A1 * 5/2002 Keech G06Q 20/02
705/64
2003/0070080 A1 * 4/2003 Rosen G06Q 20/02
713/187
2004/0068448 A1 * 4/2004 Kim G06Q 20/04
705/40
2004/0088258 A1 * 5/2004 McCoy G06Q 20/04
705/43
2005/0055296 A1 * 3/2005 Hattersley G06Q 40/02
705/35
2005/0149439 A1 * 7/2005 Suisa G06Q 20/04
705/44
2005/0182720 A1 * 8/2005 Willard G06Q 20/102
705/40
2005/0222963 A1 * 10/2005 Johnson G06Q 20/3674
705/67
2005/0246293 A1 * 11/2005 Ong G06Q 20/02
705/70
2006/0178943 A1 * 8/2006 Rollinson G06Q 30/0601
705/26.1
2006/0184428 A1 * 8/2006 Sines G06Q 20/382
705/26.35
2006/0190346 A1 * 8/2006 Sines G06Q 20/382
705/26.35
2006/0206425 A1 * 9/2006 Sharma G06Q 20/02
705/40
2007/0245022 A1 * 10/2007 Olliphant G06Q 30/02
709/225
2007/0250440 A1 * 10/2007 Paulsen G06Q 20/02
705/39
2007/0255662 A1 * 11/2007 Tumminaro G06Q 20/027
705/79
2007/0260536 A1 * 11/2007 Stone G06Q 20/042
705/39
2007/0272736 A1 * 11/2007 Brooks G06Q 20/10
235/379
2007/0282739 A1 * 12/2007 Thomsen G06Q 20/10
705/39

2008/0091600 A1 * 4/2008 Egnatios G06Q 20/10
705/42
2008/0134295 A1 * 6/2008 Bailey G06F 21/41
726/4
2008/0140548 A1 * 6/2008 Csoka G06Q 20/10
705/30
2008/0154773 A1 * 6/2008 Ranzini G06Q 20/02
705/44
2008/0210751 A1 * 9/2008 Kim G06Q 10/00
235/379
2008/0262972 A1 * 10/2008 Blake G06Q 20/401
705/75
2009/0034521 A1 * 2/2009 Kato G06F 21/31
370/389
2009/0106134 A1 * 4/2009 Royyuru G06Q 20/40
705/35
2009/0132351 A1 * 5/2009 Gibson G06Q 20/02
705/12
2009/0150271 A1 * 6/2009 Bishop G06Q 20/10
705/30
2009/0171836 A1 * 7/2009 Olliphant G06Q 20/10
705/39
2009/0287601 A1 * 11/2009 Tumminaro G06Q 20/10
705/39
2009/0307133 A1 * 12/2009 Holloway G06Q 20/04
705/44
2009/0313148 A1 * 12/2009 O'Hara G06Q 20/02
705/30
2009/0313167 A1 * 12/2009 Dujari G06Q 20/042
705/43
2009/0313681 A1 * 12/2009 Kim G06Q 20/40
726/4
2010/0057552 A1 * 3/2010 O'Leary G06Q 20/04
705/14.27
2010/0131415 A1 * 5/2010 Sartipi G06Q 20/02
705/75
2010/0153249 A1 * 6/2010 Yuan G06Q 20/02
705/34
2010/0191622 A1 * 7/2010 Reiss G06Q 20/02
705/30
2010/0217691 A1 * 8/2010 Gillin G06Q 20/04
705/26.1
2010/0299256 A1 * 11/2010 Gallagher G06Q 20/0855
705/42
2011/0035294 A1 * 2/2011 Mizrah G06F 21/33
705/26.42
2011/0055077 A1 * 3/2011 French G06Q 20/04
705/39
2012/0084201 A1 * 4/2012 Ostrovsky G06Q 20/04
705/39
2013/0060698 A1 * 3/2013 Ramavarjula G06Q 20/10
705/44
2014/0081868 A1 * 3/2014 James G06Q 20/02
705/44

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




FIG. 4




Fig. 5

1

**SYSTEMS AND METHODS FOR
FACILITATING ACCOUNT VERIFICATION
OVER A NETWORK**

CROSS REFERENCE TO RELATED
APPLICATION

This application is a continuation of U.S. patent application Ser. No. 12/694,945, filed Jan. 27, 2010, which is hereby incorporated by reference in its entirety.

BACKGROUND

Technical Field

The present invention generally relates to network transactions and, more particularly, to facilitating electronic commerce, including account verification, over a network.

Related Art

In electronic commerce, a user typically conducts financial transactions through electronic communication with online service providers over communication networks, such as the Internet. During the course of engaging in electronic commerce, the user provides identification information prior to requesting an online financial transaction. In general, conventional identification options include, for example, some form of payment media, such as a debit card number or a credit card number.

As such, in many instances, conventional identity verification techniques utilized by service providers require a user to provide a debit card number or credit card number to establish an online account and deposit funds to the online account from another account linked to the debit card or credit card. Unfortunately, since some users do not have a debit card or a credit card, these users often have difficulty depositing funds to the online account with the service provider.

Accordingly, these conventional identity verification techniques are insufficient and sometimes inconvenient for the user because the user is required to obtain either a debit card or a credit card, which may not be possible for the user. Hence, there exists a need to provide an improved verification technique to facilitate online financial transactions.

SUMMARY

In accordance with embodiments of the present disclosure, systems and methods for facilitating electronic commerce over a network include generating a transfer code for a client, associating the transfer code to a client account related to the client, providing the transfer code to the client over the network, receiving a fund transfer request from a trusted entity on behalf of the client over the network, the fund transfer request including the transfer code, extracting information from the fund transfer request including the transfer code associated with the fund transfer request, accessing the client account related to the client, extracting information from the client account including the transfer code associated with the client account, verifying the transfer code of the fund transfer request by determining whether the transfer code associated with the client account matches the transfer code extracted from the fund transfer request, approving the fund transfer request if the transfer code associated with the client account matches the transfer code extracted from the fund transfer request, and denying the

2

fund transfer request if the transfer code associated with the client account fails to match the transfer code extracted from the fund transfer request.

In various implementations, the transfer code is a transfer identification (ID) code or a smart identification (ID) code, and providing the transfer code to the client over the network allows the client to include the transfer code in the fund transfer request. The fund transfer request received from the trusted entity over the network includes a client name related to the client along with the transfer code, and wherein the trusted entity comprises a regulated banking institution. In one aspect, the fund transfer request is initiated by the client via accessing the trusted entity over the network, wherein the trusted entity receives a request from the client to transfer funds from the trusted entity to the client account over the network.

In various implementations, the systems and methods may include extracting information from the fund transfer request including a client name associated with the fund transfer request, extracting information from the client account including a client name associated with the client account, verifying an identity of the client by determining whether the client name associated with the client account matches the client name extracted from the fund transfer request, approving the fund transfer request if the client name associated with the client account matches the client name extracted from the fund transfer request, and denying the fund transfer request if the client name associated with the client account fails to match the client name extracted from the fund transfer request. The systems and methods may include establishing the client account with the client over the network, and updating the client account by listing the client as a verified client after approving the fund transfer request. The systems and methods may include receiving monetary funds from the trusted entity on behalf of the client, if the fund transfer request is approved, and rejecting monetary funds from the trusted entity, if the fund transfer request is denied. The systems and methods may include maintaining a plurality of accounts including the client account, and storing information related to the client as part of the client account including the client name of the client and the transfer code. The systems and methods may include notifying the client over the network if the fund transfer request is approved, and notifying the client over the network if the fund transfer request is denied.

In accordance with embodiments of the present disclosure, a system for facilitating electronic commerce over a network includes a network interface component adapted to communicate with a trusted entity and a client over the network and a processing component adapted to generate a transfer code for the client, associate the transfer code to a client account related to the client, and provide the transfer code to the client over the network. The processing component may be adapted to receive a fund transfer request from the trusted entity on behalf of the client over the network, the fund transfer request including the transfer code, extract information from the fund transfer request including the transfer code associated with the fund transfer request, access the client account related to the client, extract information from the client account including the transfer code associated with the client account, and verify the transfer code of the fund transfer request by determining whether the transfer code associated with the client account matches the transfer code extracted from the fund transfer request. The processing component may be adapted to approve the fund transfer request if the transfer code associated with the client account matches the transfer code

extracted from the fund transfer request and deny the fund transfer request if the transfer code associated with the client account fails to match the transfer code extracted from the fund transfer request.

These and other features and advantages of the present disclosure will be more readily apparent from the detailed description of the embodiments set forth below taken in conjunction with the accompanying drawings.

BRIEF DESCRIPTION OF THE FIGURES

FIG. 1 shows a block diagram of a system adapted to facilitate account verification over a network, in accordance with embodiments of the present disclosure.

FIG. 2 shows a method of a client-side process for facilitating account verification over a network, in accordance with embodiments of the present disclosure.

FIG. 3 shows a method of a server-side process for facilitating account verification over a network, in accordance with embodiments of the present disclosure.

FIG. 4 shows a method for facilitating account verification over a network, in accordance with embodiments of the present disclosure.

FIG. 5 shows a block diagram of a computer system suitable for implementing embodiments of the present disclosure.

Embodiments of the present disclosure and their advantages are best understood by referring to the detailed description that follows. It should be appreciated that like reference numerals are used to identify like elements illustrated in one or more of the figures, wherein showings therein are for purposes of illustrating embodiments of the present disclosure and not for purposes of limiting the same.

DETAILED DESCRIPTION

Embodiments of the present disclosure provide systems and methods for facilitating account verification over a network by utilizing a code issued by a service provider to verify and/or validate a client when the client conducts network transactions (e.g., fund transfers) with a trusted entity (e.g., regulated banking institution) using that code. For example, when the client requests a transfer of funds between accounts with the trusted entity and the service provider, the client is given a code by the service provider. The code is then utilized by the client to request a transfer of funds from the trusted entity to the service provider. The trusted entity sends a fund transfer request to service provider on behalf of the client, and the fund transfer request includes one or more of the name of the client, an account number, an amount, and the code. The service provider receives the fund transfer request from the trusted entity and verifies that the code was issued to the client, which may be stored as part of a client account with the service provider. Verification may enable the client to have higher limits on client accounts with the service provider and/or other advantages over non-verified clients. With increasing fraud and identity theft in electronic commerce, verification provides a way to enable trust and combat fraud.

FIG. 1 shows one embodiment of a system 100 adapted to facilitate account verification over a network. As shown in FIG. 1, the system 100 includes a client 110, a bank 120 (e.g., a regulated financial institution), and a service provider 130 adapted to process transactions on behalf of the client 110 and/or the bank 120. It should be appreciated that the bank 120 may comprise a plurality of banks with each having a client account 122. It should also be appreciated

that the client 110 may be referred to as a user or customer without departing from the scope of the present disclosure.

In one embodiment, the client 110 establishes a client account with the service provider 130, wherein the client 110 may deposit monetary funds in the client account 114 via a network, such as the Internet, a mobile telecommunication network, etc. In one aspect, the service provider 130 may issue the client 110 some form of electronic commerce media, such as a electronic check resource, credit card, debit card, etc., that is linked to the client account 114. The client 110 is adapted to communicate with the bank 120 and the service provider 130 via the network by utilizing a client interface 112, such as a computing device (e.g., personal computer), a mobile communication device (e.g., mobile phone), and/or a network browser. The client 110 may establish the client account 114 with the service provider 130 via the client interface 112, and the client 110 may link one or more other accounts, such as the client account 122 with the bank 120, to the client account 114 with the service provider 130. The client 110 provides client information 116 to the service provider 130 to verify and/or validate client identification. The client 110 may also provide the client information 116 to the bank 120 to verify and/or validate client identification. The client information 116 may include one or more of username, password, personal identification number (PIN) and/or code (PIC), credit card number, debit card number, photograph image, biometric id, address, phone number, etc.

In one embodiment, for client verification over the network, the client 110 is able to access the client account 114 and request a transfer ID 118, which may also be referred to as a smart ID, from the service provider 130. In various implementations, the transfer ID 118 comprises a transfer identification (ID) code or a smart identification (ID) code. In one aspect, the transfer ID 118 allows the client 110 to provide verification for a transfer of funds between client related accounts, such as accounts 114, 122. For example, the client 110 may access the service provider 130 via a network connection, such as an Internet link, mobile phone link, landline link, etc., and request the transfer ID 118 via the user interface 112, such as a web browser or various other network software. In another example, the client 110 may confer with an agent related to the service provider 130 to request the transfer ID 118.

In one embodiment, the transfer ID 118 is issued to the client 110 by the service provider 130 to provide verification for the client 110 when the client 110 requests a fund transfer transaction with a trusted entity, such as the bank 120, using the issued transfer ID 118. In one aspect, the service provider 130 may then classify the client 110 as a verified client after a successful fund transfer with a trusted entity, provided that the account 122 with the bank 120 was automatically or manually added as being related to the client account 114 with the service provider 130. This verified status of the client 110 may enable the service provider 130 to raise spending limits for the client account 114. Further scope related to the transfer ID and the verification process is described in greater detail herein.

In one embodiment, the service provider 130 includes a processing component 132 that is adapted to communicate with a clearing house 140 to debit the client account 122 with the bank 120 and credit the client account 114 with the service provider 130 according to an amount specific to the fund transfer request. In one embodiment, when a fund transfer is approved and completed, the clearing house 140 resolves financial transactions through validation, delivery, and settlement. As such, the clearing house 140 may com-

prise an agency or institution having a system for settling indebtedness between members of that system through which accounts may be debited and/or credited of monetary funds.

In one implementation, upon receiving a fund transfer request from the bank **120**, the processing component **132** is adapted to access the client account **114**, review the transfer ID **118** stored with the account **114**, and determine whether the transfer ID **118** sent with the fund transfer request is the same as the transfer ID **118** stored with the account **114**. If the transfer IDs **118** match, then the processing component **132** may approve the fund transfer between client accounts **114**, **122**. Otherwise, if the transfer IDs **118** do not match, then the processing component **132** may suspend, deny, or cancel the fund transfer between client accounts **114**, **122**. In the event of an approved, suspended, or denied fund transfer request, the processing component **132** may be adapted to notify the client **110** and/or the bank **110** of a fund transfer status related to approval, suspension, or denial.

In various embodiments, transactions related to fund transfers may take place over a network, such as the Internet, a mobile communication network, a landline communication network, a satellite communication network, etc. The interface device **112** of the client **110** may include a network interface device, such as a computer, mobile phone, personal digital assistant, etc., that is adapted to allow the client **110** to communicate with the bank **120** and the service provider **130** via the network. The bank **120** may utilize a server that is adapted to communicate with the client **110** to allow access to the client account **122** and requests for fund transfers via the network and communicate with the service provider **130** to process fund transfer transactions via the network. Similarly, the service provider **130** may utilize a server adapted to communicate with the client **110**, the bank **120**, and/or the clearing house **140** to process and resolve fund transfer requests and various other financial transactions over the network. In one implementation, the service provider **130** may utilize a server having the processing component **132** and a storage component adapted to locally store one or more accounts, including the client account **114**, along with information related to one or more clients, including the client information **116** related to the client **110**.

In various embodiments, the network may be implemented as a single network or a combination of multiple networks. For example, in various embodiments, the network may include the Internet, one or more intranets, landline networks, wireless networks, and/or some other appropriate type of communication network. In another example, the network may comprise a wireless telecommunications network (e.g., cellular phone network) adapted to communicate with other communication networks, such as the Internet.

In one embodiment, the client **110** may utilize the interface device **112**, such as a personal computer, mobile phone device, etc., to communicate with the bank **120** and the service provider **130** and/or access the client accounts **114**, **122**, respectively, via any appropriate combination of hardware and/or software configured for wired and/or wireless communication over the network. In one implementation, the client **110** may use a browser application to browse information available over the network. For example, the client **110** may use a web browser to view client account information available over the Internet from the bank **120** and/or the service provider **130**.

In one embodiment, the client **110** may be asked to provide identification information to the service provider **130** for fund transfer processing. For example, the identifi-

cation information provided by the client **110** may include personal information (e.g., a username, password, personal identification number (PIN) and/or code (PIC), credit card number, debit card number, photograph image, biometric id, address, phone number, etc.) and banking information related to one or more banks, such as the bank **120** (e.g., banking institution, credit card issuer, user account numbers, security information, etc.). In one implementation, identification information provided by the client **110** may be passed with a fund transfer request to the processing component **132** of the service provider **130** to associate the client **110** with the client accounts **114**, **122** and the transfer ID **118**.

In one embodiment, the bank **120** may provide identification information related to the client **110** and/or the bank **120** to be included as part of the fund transfer request. The identification information may include personal, business, and/or banking information. In various implementations, the identification information provided by the bank **120** may be passed with the fund transfer request to the processing component **132** of the service provider **130** to process the fund transfer request, and the identification information provided by the bank **120** may be used by the processing component **132** to associate the fund transfer with the client **110** and/or the bank **120**.

In one embodiment, the service provider **130** is adapted to provide transaction processing, including fund transfers, on behalf of the client **110** and the bank **120**. In this regard, the service provider **130** may utilize some form of processing application configured to interact with the client **110** and the bank **120** to facilitate transactions, including fund transfers and identity verification through fund transfers. In one example, the service provider **130** may be provided by PayPal, Inc. of San Jose, Calif., USA.

In one embodiment, the service provider **130** may be adapted to maintain a plurality of accounts, including the client account **114**, which may include account information related to client **110**, such as the client information **116**. Accordingly, the service provider **130** is adapted to store information related to a plurality of clients, including the client **110**, as part of each client account, such as the client account **114**. For example, the stored information includes the client information **116**, such as the name of the client **118** and the transfer ID **118** associated with the client **110**. In another example, account information may include private financial information of the client **110**, such as an account number, username, password, personal identification number (PIN) and/or code (PIC), credit card information, debit card information, banking information, and/or other types of financial information, which may be used to facilitate transactions including fund transfers, between the client **110**, the bank **120**, and/or the service provider **130**.

FIG. 2 shows one embodiment of a method **200** of a client-side process for facilitating account verification over a network. For purposes of explanation, the method **200** of FIG. 2 is discussed in reference to FIG. 1, but should not be limited thereto.

In one implementation, the client **110** may utilize the client interface **112** to access the service provider **130** (block **210**) and request a transfer ID **118** from the service provider **130** (block **212**). After obtaining the transfer ID **118** (block **214**), the client **110** may utilize the client interface **112** to access the bank **120** and the client account **122** related thereto (block **216**) and request a fund transfer (e.g., an electronic fund transfer (EFT)) from the bank **120** including the transfer ID **118** as part of the fund transfer request (block **218**).

In one aspect, obtaining the transfer ID **118** from the service provider **130** over the network allows the client **110** to include the transfer ID **118** in a fund transfer request. As such, the client **110** may request a transfer of funds from the client account **122** with the bank **120** to the client account **114** with the service provider **130** by providing the transfer ID **118** as identification information to be included as part of the fund transfer request. Upon validation of the client's identity by the service provider **130** based, at least in part, on the verifying the transfer ID **118**, the bank **120** is adapted to debit the client account **122** and push (i.e., send or transfer) the funds requested by the fund transfer to the service provider **130** for deposit in the client account **114** (block **220**). The service provider **130** may also validate the identity of the client **110** by verifying client information, such as client name, in the fund transfer request.

In one embodiment, the client **110** provides the transfer ID **118** issued by the service provider **130** with the fund transfer request. When transferring funds from account **122** to account **114**, the bank **120** submits the transfer ID **118** to the service provider **130** as part of the fund transfer. When the bank **120** sends a statement to the service provider **130** referring to the client **110**, which may include a client name, account number, amount, and the transfer ID **118**, the service provider **130** verifies that the transfer ID **118** sent to the client **110** is the same as the transfer ID **118** sent with the funds. In one aspect, this process may be used by the service provider **130** to verify the identity of the client **110**. Further scope related to the transfer ID and the verification process is described in greater detail herein.

In one implementation, the client **110** may establish the client account **114** with the service provider **130**, and when establishing the client account **114**, the client **110** may be prompted to provide personal identification information, such as a client name, password, personal identification number (PIN) and/or code (PIC), credit card number, debit card number, photograph image, biometric id, address, phone number, etc., and financial information, such as banking information, credit information, account numbers, security information, etc. In one aspect, information related to the client **110** may be packaged as a client identifier, which may include attributes related to the client **110**, such as personal information and banking information. In various aspects, the client identifier may be passed with a login request, access request, purchase request, and/or transaction request to the service provider **130** via the network, and the client identifier may be used by the service provider **130** to associate the client **110** with a particular client account, such as the client account **114**, maintained by the service provider **130**. In one aspect, the client **110** may link other accounts, such as the client account **122** with the bank **120**, with the client account **114** to electronically transfer or deposit monetary funds into the client account **114**. In another aspect, the client **110** may be prompted to provide identification information to the service provider **130** and banking information related to the client account **122** and the bank **120** prior to transferring funds into the client account **114**.

FIG. 3 shows one embodiment of a method **300** of a server-side process for facilitating account verification over a network. For purposes of explanation, the method **300** of FIG. 3 is discussed in reference to FIG. 1, but should not be limited thereto.

In one implementation, the service provider **130** is adapted to generate a transfer ID **118** for the client **110** based on request by the client **110** (block **310**). In one aspect, when generating the transfer ID **118** for the client **110**, the service provider **130** is adapted to associate the transfer ID **118** to

the client account **114** and/or provide the transfer ID **118** to the client **110** over the network via, for example, the client interface **112**. In another aspect, the transfer ID **118** is unique to the client **110** and/or the client account **114**.

The service provider **130** is adapted to receive a fund transfer request from a trusted entity, such as the bank **110**, on behalf of the client **110** over the network (block **312**). In one aspect, the fund transfer request comprises a request for an electronic fund transfer (EFT) initiated by the client **110** from at least one account with the trusted entity, such as the client account **122** with the bank **120**. In another aspect, the fund transfer request includes the transfer ID **118** and/or the name of the client **110** as identity information.

The service provider **130** is adapted to verify the identity of the client **110** based on information passed with the fund transfer request (block **314**). In one aspect, when verifying the identity of the client **110**, the service provider **130** is adapted to extract information from the fund transfer request including the client name associated with the fund transfer request, access the client account **114** related to the client **110**, extract information from the client account **114** including the client name associated with the client account **114**, and determine whether the client name associated with the client account **114** matches the client name extracted from the fund transfer request.

Accordingly, the service provider **130** is adapted to compare and determine if a match exists between the client name related to the client account **114** and the client name provided as part of the fund transfer request. If the client names are compared and a match is determined, then the identity of the client **110** is verified. If the client names are compared and a match is not determined, then the identity of the client **110** is not verified.

The service provider **130** is adapted to verify the transfer ID **118** related to the client **110** based on information passed with the fund transfer request (block **316**). In one aspect, when verifying the transfer ID **118** related to the client **110**, the service provider **130** is adapted to extract information from the fund transfer request including the transfer ID **118** associated with the fund transfer request, access the client account **114** related to the client **110**, extract information from the client account **114** including the transfer ID **118** associated with the client account **114**, and determine whether the transfer ID **118** associated with the client account **114** matches the transfer ID **118** extracted from the fund transfer request.

Accordingly, the service provider **130** is adapted to compare and determine if a match exists between the transfer ID **118** related to the client account **114** and the transfer ID provided as part of the fund transfer request. If the transfer IDs are compared and a match is determined, then the transfer ID **118** of the client **110** is verified. If the transfer IDs are compared and a match is not determined, then the transfer ID of the client **110** is not verified.

The service provider **130** is adapted to validate the account information of the client **110** (block **318**) if the identity of the client **110** is verified (block **314**) and/or if the transfer ID **118** of the client **110** is verified (block **316**). In one implementation, the service provider **130** is adapted to approve the fund transfer request, if the client name associated with the client account **114** matches the client name extracted from the fund transfer request, and the service provider **130** is adapted to suspend, deny, or cancel the fund transfer request, if the client name associated with the client account **114** fails to match the client name extracted from the fund transfer request. In another implementation, the service provider **130** is adapted to approve the fund transfer request

if the transfer ID **118** associated with the client account **114** matches the transfer ID **118** extracted from the fund transfer request, and the service provider **130** is adapted to suspend, deny, or cancel the fund transfer request, if the transfer ID **118** associated with the client account **114** fails to match the transfer ID **118** extracted from the fund transfer request.

If the identity and the transfer ID of the client **110** is determined to be validated (block **320**), then the client **110** is determined to have ownership of the client accounts **114**, **122**, and the service provider **130** receives and posts the pushed funds to the client account **114** (block **322**). In one aspect, the service provider **130** may update the client account **114** by listing the client **110** as a verified client after approving the fund transfer request. In another aspect, once the fund transfer request is completed and the funds are deposited in the client account **114**, the service provider **130** may notify the client **110** and/or the bank **120** of the completed fund transfer and/or deposited funds (block **324**). In various implementations, the service provider **130** may send a notification message to the client **110** over the network via the client interface **112**, and the client **110** may be notified with an email message, a text message, voice mail message, etc.

Otherwise, if the identity and the transfer ID of the client **110** is determined to not be validated (block **320**), then the service provider **130** is adapted to suspend the fund transfer for a predetermined time period and review the client's account information for any errors (block **330**). If, after review, the service provider **130** is unable to validate the identity and transfer ID of the client **110** (block **332**), then the client **110** may not be determined to have ownership of the client accounts **114**, **122**, and the service provider **130** denies or cancels the fund transfer and rejects the funds for deposit in the client account **114** (block **334**). Once the fund transfer request is denied and the funds are not deposited in the client account **114**, the service provider **130** may notify the client **110** and/or the bank **120** of the denied or cancelled fund transfer and/or the non-deposited funds (block **324**). As previously discussed, the service provider **130** may send a notification message to the client **110** over the network via the client interface **112**, and the client **110** may be notified with an email message, a text message, voice mail message, etc.

In one aspect, the client **110** initiates the fund transfer from the client's bank account, such as client account **122** with the bank **120**. With an accurate name match (e.g., bank account **122** versus service provider account **114**), and with an accurate transfer ID match (e.g., transfer ID provided by service provider versus transfer ID provided with fund transfer request), the service provider **130** is adapted to confirm client ownership of the client's bank account **122** and the client's identity. In another aspect, the service provider **130** validates the bank information and the client account **122** as legitimate by matching the transfer IDs and client names on the client accounts **114**, **122**. If an accurate match is determined, then the bank information is added to the client account **114** as a confirmed status of the bank **120** and client account **122**, and the service provider **130** pushes (i.e., transfers) the funds to the client account **114**. In another aspect, in case there is no accurate match, the funds may be pushed to a temporary account for manual review of identity and transfer IDs.

In one implementation, the service provider **130** may be adapted to establish a client account **114** with the client **110** based on information provided or inputted by the client via the client interface **112**. When establishing the client account **114** with the client **110**, the service provider **130** may be

adapted to prompt the client **110** to provide identification information, such as a client name, password, personal identification number (PIN) and/or code (PIC), credit card number, debit card number, photograph image, biometric id, address, phone number, etc., and financial information, such as banking information, credit information, account numbers, security information, etc. In one aspect, information related to the client **110** may be stored as part of the client account **114** and may be packaged as a client identifier, which may include attributes associated with the client **110**, such as personal information and banking information. In various aspects, the client identifier may be passed with the fund transfer request from the bank **120** to the service provider **130** via the network, and the client identifier may be used by the service provider **130** to associate the client **110** with a particular client account, such as the client account **114**, maintained by the service provider **130**. In one aspect, the service provider **130** is adapted to link other accounts, such as the client account **122** with the bank **120**, with the client account **114** to transfer or deposit funds into the client account **114**. As such, the service provider **130** may prompt the client **110** to provide permission to link one or more other accounts to the client account **114** and to provide identification information to the service provider **130** prior to transferring and/or depositing funds into the client account **114**.

FIG. 4 shows one embodiment of a method **400** for facilitating account verification over a network. For purposes of explanation, the method **400** of FIG. 4 is discussed in reference to FIG. 1, but should not be limited thereto.

In one implementation, when the client **110** requests a transfer of funds to the service provider **130** from the bank **120**, the client **110** is given a transfer ID **118** (i.e., verification code) by the service provider **130**. The transfer ID **118** is used when the client **110** accesses the client bank account **122** with the bank **120** to request the transfer of funds from the client bank account **122** to the client account **114** with the service provider **130**. When the bank **120** sends a statement to the service provider **130** about the client **110**, which may include a client name, account number, amount, and the transfer ID **118**, the service provider **130** may verify that the same transfer ID **118** was used to verify the client **110** as owner of the client account **114**. This verification enabled the client **110** to have higher spending limits or other advantages over non-verified clients.

In one embodiment, referring to the method **400** of FIG. 4, the client **110** receives transfer information from the service provider **130** (block **410**). In one aspect, the transfer information includes the unique transfer ID **118** issued to the client **110** by the service provider **130**. The transfer ID **118** is generated based on request by the client **110**.

The client **110** accesses the bank **120** and provides transfer instructions to the bank **120** (block **412**). The transfer instructions include identity information related to the client **110** and the transfer ID **118**. In the transfer instructions, the bank **120** is instructed by the client **110** to include the identity information and the transfer ID **118** with the request for the transfer of funds from the client bank account **122** to the client account **114** with the service provider **130**.

The bank **110** sends a request for a transfer of funds to the service provider **130** based on information in the transfer instructions via, for example, the automatic clearing house (ACH) network (block **414**). It should be appreciated that the ACH network may comprise any agency or institution having a system for settling indebtedness between members of that system through which accounts may be debited

11

and/or credited of monetary funds, without departing from the scope of the present disclosure.

The service provider **130** receives the fund transfer request from the bank **120**, which includes the client identity information and the transfer ID **118**, and the service provider **130** matches the client identity information, such as client name, and the transfer ID **118** to the client information **116** and transfer ID **118** stored as part of the client account **114** (block **416**) to confirm the client **110** as owner of the client account **114**.

If the match is successful (block **418**), then the transferred funds are received from the bank **120** and posted to the client account **114** (block **422**). Otherwise, if the match is not successful (block **418**), then the fund transfer transaction is placed under manual review (block **420**). Once the transferred funds are posted to the client account **114**, the service provider **130** adds the bank **120** to the client account **114** (block **424**).

The service provider **130** determines if the bank **120** is a successful addition (block **426**). In one implementation, if the bank **120** is a successful addition, then the service provider **130** determines if the bank **120** is a local bank (block **428**). If the bank **120** is a local bank, then the service provider **130** determines if a minimum verification amount is met (block **430**). If the minimum verification amount is met, then the service provider **130** verifies the account (block **432**) and sends a modified verification message to the client **110** (block **434**). In one aspect, the modified verification message may comprise an email, text message, voice mail message, etc. In another aspect, if the bank **120** is not considered a local bank (block **428**), or if the minimum verification amount is not met (block **430**), then the service provider **130** does not verify the client account **114** (block **440**).

Otherwise, in another implementation, if the bank **120** is not a successful addition (block **426**), then the service provider **130** determines if the bank **120** is a local bank (block **436**). If the bank **120** is a local bank, then the service provider **130** determines if a minimum verification amount is met (block **438**). If the minimum verification amount is met, then the service provider **130** checks the account number in the fund transfer transaction (block **442**), and determines whether the account exists (block **444**). In one aspect, if the bank **120** is not considered a local bank (block **436**), or if the minimum verification amount is not met (block **438**), then the service provider **130** does not verify the client account **114** (block **440**).

Next, if the account is determined to exist (block **444**), then the service provider **130** is adapted to check a verification table (block **446**) and determine whether the account exists in the verification table (block **450**). If the account does not exist in the verification table, then the service provider **130** updates the verification table and verifies the client account **114** (block **452**). Then, the service provider **130** sends a modified verification message to the client **110** (block **454**). In one aspect, the modified verification message may comprise an email, text message, voice mail message, etc. Otherwise, if the account does not exist (block **444**), or if the account exists in the verification table (block **450**), then the service provider **130** does not verify the client account **114** (block **448**).

In various aspects of the present disclosure, with increasing fraud and identity theft, verification provides a system and method to enable trust and combat fraud in electronic commerce (i.e., e-commerce). Verified clients or users may have additional benefits, such as lifting spending limits or

12

allowing higher amount payments. Verification may serve as a verification score check, such as a credit check, for third parties.

FIG. **5** shows a block diagram of a computer system **500** suitable for implementing embodiments of the present disclosure. Computer system **500** includes a bus **502** or other communication mechanism for communicating information, which interconnects subsystems and components, such as processing component **504** (e.g., processor, micro-processor, micro-controller, digital signal processing (DSP) device), system memory component **506** (e.g., RAM), static storage component **508** (e.g., ROM), disk drive component **510** (e.g., magnetic or optical), network interface component **512** (e.g., modem, Ethernet card, wireless transceiver), display component **514** (e.g., CRT or LCD), input component **516** (e.g., keyboard), and cursor control component **518** (e.g., mouse or trackball).

In accordance with embodiments of the present disclosure, computer system **500** performs specific operations by processor **504** executing one or more sequences of one or more instructions contained in system memory component **506**. Such instructions may be read into system memory component **506** from another computer readable medium, such as static storage component **508** or disk drive component **510**. In other embodiments, hard-wired circuitry may be used in place of or in combination with software instructions to implement embodiments of the present disclosure.

Logic may be encoded in a computer readable medium, which may refer to any medium that participates in providing instructions to processor **504** for execution. Such a medium may take many forms, including but not limited to, non-volatile media and volatile media. In various implementations, non-volatile media includes optical or magnetic disks, such as disk drive component **510**, and volatile media includes dynamic memory, such as system memory component **506**. It should be appreciated that data and information related to instructions may be transmitted to computer system **500** via various types of transmission media, such as coaxial cables, copper wire, and fiber optics, including wires that comprise bus **502**. In various examples, transmission media may take the form of acoustic or light waves, such as those generated during radio wave and infrared data communications.

Some common forms of computer readable media includes, for example, floppy disk, flexible disk, hard disk, magnetic tape, any other magnetic medium, CD-ROM, any other optical medium, punch cards, paper tape, any other physical medium with patterns of holes, RAM, PROM, EPROM, FLASH-EPROM, any other memory chip or cartridge, carrier wave, or any other medium from which a computer is adapted to read.

In various embodiments of the present disclosure, execution of instruction sequences to practice the systems and methods described herein may be performed by computer system **500**. In various other embodiments of the present disclosure, a plurality of computer systems **500** coupled by communication link **520** (e.g., LAN, wireless LAN, wireless network) may perform instruction sequences to practice the systems and methods described herein in coordination with one another.

Computer system **500** may transmit and receive messages, data, information and instructions, including one or more programs (i.e., application code) through communication link **520** and network interface component **512**. Received program code may be executed by processor **504** as received and/or stored in disk drive component **510** or some other non-volatile storage component for execution.

13

Where applicable, various embodiments provided by the present disclosure may be implemented using hardware, software, or combinations of hardware and software. Also, where applicable, the various hardware components and/or software components set forth herein may be combined into composite components comprising software, hardware, and/or both without departing from the spirit of the present disclosure. Where applicable, the various hardware components and/or software components set forth herein may be separated into sub-components comprising software, hardware, or both without departing from the scope of the present disclosure. In addition, where applicable, it is contemplated that software components may be implemented as hardware components and vice-versa.

Software, in accordance with the present disclosure, such as program code and/or data, may be stored on one or more computer readable mediums. It is also contemplated that software identified herein may be implemented using one or more general purpose or specific purpose computers and/or computer systems, networked and/or otherwise. Where applicable, the ordering of various steps described herein may be changed, combined into composite steps, and/or separated into sub-steps to provide features described herein.

The foregoing disclosure is not intended to limit the present disclosure to the precise forms or particular fields of use disclosed. It is contemplated that various alternate embodiments and/or modifications to the present disclosure, whether explicitly described or implied herein, are possible in light of the disclosure. Having thus described embodiments of the present disclosure, persons of ordinary skill in the art will recognize that changes may be made in form and detail without departing from the scope of the present disclosure. Thus, the present disclosure is limited only by the claims.

What is claimed is:

1. A method for facilitating account verification over a network, the method comprising:
 generating, by one or more processors, a transfer code for a client associated with a client identifier;
 associating, by the one or more processors, the transfer code to a client account with a service provider;
 providing, by the one or more processors, the transfer code to the client over the network;
 receiving, by the one or more processors, a fund transfer request from a server associated with a financial institution on behalf of the client over the network, the fund transfer request including a client identifier and a transfer code;
 extracting, by the one or more processors, information from the fund transfer request, the information extracted from the fund transfer request including the client identifier and the transfer code associated with the fund transfer request;
 accessing, by the one or more processors, the client account with the service provider;
 extracting, by the one or more processors, information from the client account with the service provider, the information extracted from the client account including the client identifier and the transfer code associated with the client account;
 verifying, by the one or more processors, the fund transfer request by determining whether the client identifier and the transfer code associated with the client account with the service provider matches the client identifier and the transfer code extracted from the fund transfer request;

14

in response to determining that the client identifier and the transfer code associated with the client account with the service provider matches the client identifier and the transfer code extracted from the fund transfer request, approving, by the one or more processors, the fund transfer request, wherein the fund transfer request is denied if the client identifier and/or the transfer code associated with the client account with the service provider fails to match the client identifier and/or the transfer code extracted from the fund transfer request;
 in response to the match, automatically adding, by the one or more processors, an account of the client with the financial institution to the client account with the service provider, and further invoking a confirmed status of the added account; and
 posting, by the one or more processors, funds received from the account of the client with the financial institution to the client account with the service provider.

2. The method of claim 1, wherein the transfer code comprises a transfer identification (ID) code or a smart ID code.

3. The method of claim 1, wherein the client identifier extracted from the fund transfer request includes a client name, and wherein the financial institution comprises a regulated banking institution.

4. The method of claim 1, further comprising:
 establishing the client account with the service provider with the client over the network; and
 updating the client account with the service provider by listing the client as a verified client after approving the fund transfer request.

5. The method of claim 1, further comprising:
 in response to approval of the fund transfer request, receiving monetary funds from the financial institution on behalf of the client, wherein the monetary funds are rejected if the fund transfer request is denied.

6. The method of claim 1, wherein the fund transfer request is initiated by the client via accessing the server of the financial institution over the network, and wherein the server of the financial institution receives a request from the client to transfer funds from the financial institution to the client account with the service provider over the network.

7. The method of claim 1, further comprising:
 maintaining a plurality of accounts including the client account with the service provider; and
 storing information related to the client as part of the client account with the service provider including the client identifier of the client and the transfer code.

8. The method of claim 1, further comprising:
 in response to approval of the fund transfer request, notifying the client over the network that the fund transfer request is approved.

9. The method of claim 1, further comprising:
 determining that the financial institution is located locally; and
 in response to determining that the financial institution is located locally, determining that a minimum verification amount is met.

10. An account verification system, the system comprising:
 a non-transitory memory; and
 one or more hardware processors coupled to the non-transitory memory and configured to read instructions from the non-transitory memory to perform operations comprising:
 generating a transfer code for a client associated with a client identifier;

15

associating the transfer code to a client account with a service provider;
 providing the transfer code to the client over the network;
 receiving a fund transfer request from a server associated with a financial institution on behalf of the client over the network, the fund transfer request including a client identifier and a transfer code;
 extracting information from the fund transfer request, the information extracted from the fund transfer request including the client identifier and the transfer code associated with the fund transfer request;
 accessing the client account with the service provider; extracting information from the client account with the service provider, the extracted information from the client account including the client identifier and the transfer code associated with the client account;
 verifying the fund transfer request by determining whether the client identifier and the transfer code associated with the client account with the service provider matches the client identifier and the transfer code extracted from the fund transfer request;
 in response to determining that the client identifier and the transfer code associated with the client account with the service provider matches the client identifier and the transfer code extracted from the fund transfer request, approving the fund transfer request, wherein the fund transfer request is denied if the client identifier and/or the transfer code associated with the client account with the service provider fails to match the client identifier and/or the transfer code extracted from the fund transfer request;
 in response to the match, automatically adding, by the one or more processors, an account of the client with the financial institution to the client account with the service provider, and further invoking a confirmed status of the added account; and
 posting funds received from the account of the client with the financial institution to the client account with the service provider.

11. The system of claim **10**, wherein the transfer code comprises a transfer identification (ID) code or a smart ID code.

12. The system of claim **10**, wherein the client identifier extracted from the fund transfer request includes a client name, and wherein the financial institution comprises a regulated banking institution.

13. The system of claim **10**, wherein the operations further comprise:

- establishing the client account with the service provider with the client over the network; and
- updating the client account with the service provider by listing the client as a verified client after approving the fund transfer request.

14. The system of claim **10**, wherein the operations further comprise:

- in response to approval of the fund transfer request, receiving monetary funds from the financial institution on behalf of the client, wherein the monetary funds are rejected if the fund transfer request is denied.

15. The system of claim **10**, wherein the fund transfer request is initiated by the client via accessing the server associated with the financial institution over the network, and wherein the server associated with the financial institution receives a request from the client to transfer funds from the financial institution to the client account with the service provider over the network.

16

16. A non-transitory machine-readable medium having stored thereon machine-readable instructions executable to cause a machine to perform operations comprising:

- generating a transfer code for a client associated with a client identifier;
- associating the transfer code to a client account with a service provider;
- providing the transfer code to the client over a network;
- receiving a fund transfer request from a server associated with a financial institution on behalf of the client over the network, the fund transfer request including a client identifier and a transfer code;
- extracting information from the fund transfer request, the information extracted from the fund transfer request including the client identifier and the transfer code associated with the fund transfer request;
- accessing the client account with the service provider; extracting information from the client account with the service provider, the information extracted from the client account including the client identifier and the transfer code associated with the client account;
- verifying the fund transfer request by determining whether the client identifier and the transfer code associated with the client account with the service provider matches the client identifier and the transfer code extracted from the fund transfer request;
- in response to determining that the client identifier and the transfer code associated with the client account with the service provider matches the client identifier and the transfer code extracted from the fund transfer request, approving the fund transfer request, wherein the fund transfer request is denied if the client identifier and/or the transfer code associated with the client account with the service provider fails to match the client identifier and/or the transfer code extracted from the fund transfer request;
- in response to the match, automatically adding, by the one or more processors, an account of the client with the financial institution to the client account with the service provider, and further invoking a confirmed status of the added account;
- and
- posting funds received from the account of the client with the financial institution to the client account with the service provider.

17. The non-transitory machine-readable medium of claim **16**, wherein the transfer code comprises a transfer identification (ID) code or a smart ID code.

18. The non-transitory machine-readable medium of claim **16**, wherein the client identifier extracted from the fund transfer request includes a client name, and wherein the financial institution comprises a regulated banking institution.

19. The non-transitory machine-readable medium of claim **16**, wherein the operations further comprise:

- establishing the client account with the service provider with the client over the network; and
- updating the client account with the service provider by listing the client as a verified client after approving the fund transfer request.

20. The non-transitory machine-readable medium of claim **16**, wherein the operations further comprise:

- in response to approval of the fund transfer request, receiving monetary funds from the financial institution on behalf of the client, wherein the monetary funds are rejected if the fund transfer request is denied.

21. The non-transitory machine-readable medium of claim 16, wherein the operations further comprise:
determining that the financial institution is located locally;
and
in response to determining that the financial institution is 5
located locally, determining that a minimum verification amount is met.

* * * * *