

US0D1000368S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,000,368 S**
Guilford et al. (45) **Date of Patent:** **** Oct. 3, 2023**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(72) Inventors: **John Stephen Guilford, Fairlawn, OH (US); Daniel Thomas Murphy, Mogadore, OH (US); Kristen Joy Wilson, Seville, OH (US)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(**) Term: **15 Years**

(21) Appl. No.: **29/805,156**

(22) Filed: **Aug. 25, 2021**

(51) **LOC (14) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/597**

(58) **Field of Classification Search**
USPC D12/568–604, 900
CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D345,535 S *	3/1994	Shinohara		D12/603
D380,425 S	7/1997	Brown et al.		D12/146
D380,715 S	7/1997	Harris et al.		D12/147
D383,716 S	9/1997	Brown et al.		D12/147
D394,031 S *	5/1998	Galante		D12/602
D399,797 S *	10/1998	Bergstrom		D12/596
D403,632 S *	1/1999	Guspodin		D12/603
D405,736 S	2/1999	Brightwell et al.		D12/147
D425,457 S	5/2000	Gillard et al.		D12/146

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/736,137, filed May 28, 2020, Guilford, Goodyear.
(Continued)

Primary Examiner — John A Voytek

(74) *Attorney, Agent, or Firm* — June E. Rickey; Robert N. Lipcsik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the left side elevational view being identical thereto;

FIG. 4 is an enlarged fragmentary front elevational view thereof taken along line 4-4 of FIG. 2;


FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the interior of the tire forms no part of the claim, that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in the claim.

In the drawings, the broken lines immediately adjacent to the outer edges of the tire shoulder represent boundaries of the claim, and the broken lines depict environmental subject matter only and form no part of the claimed design.

The dashed broken lines indicating an enlargement portion of the design form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D427,552 S 7/2000 Young D12/147
D430,831 S 9/2000 Edwards D12/147
D442,897 S 5/2001 Cazin-Bourguignon et al.
D12/147
D444,109 S 6/2001 De Coninck et al. D12/147
D444,430 S 7/2001 Welbes et al. D12/147
D446,482 S 8/2001 Fantanzo et al. D12/147
D457,128 S 5/2002 Robert et al. D12/602
D473,843 S 4/2003 Le et al. D12/600
D482,323 S 11/2003 Corbin et al. D12/584
D493,415 S 7/2004 Noailly D12/579
D499,067 S 11/2004 Wage D12/583
D537,033 S 2/2007 Dumigan et al. D12/602
D591,223 S 4/2009 Missik-Gaffney et al. .. D12/584
D592,590 S 5/2009 Janesh et al. D12/600
D627,713 S 11/2010 Le et al. D12/600
D646,625 S 10/2011 Youn D12/584
D647,033 S 10/2011 Murata et al. D12/584
D648,262 S 11/2011 Hermann et al. D12/579
D665,335 S 8/2012 Baumard et al. D12/517
D667,363 S 9/2012 Kudo D12/584
D674,742 S 1/2013 Krier et al. D12/598
D727,249 S 4/2015 Rolland et al. D12/583

D728,465 S 5/2015 Kuwahara D12/600
D738,815 S 9/2015 Dixon et al. D12/594
D739,815 S 9/2015 Kim D12/600
D761,194 S * 7/2016 Dixon D12/600
D761,197 S * 7/2016 Dixon D12/602
D767,476 S * 9/2016 Kristen D12/595
D771,554 S * 11/2016 Garcia D12/574
D791,686 S 7/2017 Krier et al. D12/553
D823,783 S 7/2018 Garcia et al. D12/584
D837,138 S 1/2019 Reygrobellet et al. D12/602
D853,942 S 7/2019 Haas et al. D12/584
D853,947 S * 7/2019 Pribula D12/596
D861,584 S * 10/2019 Pribula D12/596
D863,210 S 10/2019 Dixon et al. D12/580
D886,034 S 6/2020 Pribula et al. D12/584
D886,716 S 6/2020 Pribula et al. D12/584
D886,722 S 6/2020 Sadananda et al. D12/594
D886,727 S 6/2020 Bortolet et al. D12/603
D948,418 S * 4/2022 Guilford D12/597

OTHER PUBLICATIONS

U.S. Appl. No. 29/781,303, filed Apr. 29, 2021, Sadananda, Goodyear.
U.S. Appl. No. 29/781,307, filed Apr. 29, 2021, Pinginat, Goodyear.

* cited by examiner




FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6