



US0D1000404S

(12)

United States Design Patent

Seo

(10)

Patent No.:


US D1,000,404 S

(45)

Date of Patent:

** *Oct. 3, 2023

(54)	ELECTRONIC DEVICE	D676,819 S	2/2013	Choi	
		D720,714 S	1/2015	Bonar	
(71)	Applicant: Samsung Electronics Co., Ltd., Suwon-si (KR)	D734,733 S	7/2015	Park	
		D744,450 S	12/2015	Kim	
		D780,143 S	2/2017	Ahn	
(72)	Inventor: Jaehun Seo, Suwon-si (KR)	D788,735 S	* 6/2017	Daniel	D14/138 G
		D794,594 S	8/2017	Seo	
		D796,469 S	9/2017	Jin	
(73)	Assignee: SAMSUNG ELECTRONICS CO., LTD., Suwon-si (KR)	D797,071 S	9/2017	Seo	
		D806,705 S	1/2018	Akana	
		D813,214 S	3/2018	Fan	
(*)	Notice: This patent is subject to a terminal disclaimer.	D816,055 S	* 4/2018	Song	D14/138 G
		D820,255 S	6/2018	Akana	
		D822,017 S	* 7/2018	Noh	D14/138 G
		D825,511 S	8/2018	Shin	
(**)	Term: 15 Years	D825,516 S	* 8/2018	Li	D14/138 G
		D829,677 S	10/2018	Kim	
(21)	Appl. No.: 29/802,703	D834,553 S	11/2018	Depape	
		D837,176 S	1/2019	Choi	
(22)	Filed: Aug. 6, 2021	D840,964 S	* 2/2019	Song	D14/138 G
		D848,390 S	5/2019	Cha	
	Related U.S. Application Data	D849,707 S	5/2019	Choi	
		D849,708 S	5/2019	Park	
(63)	Continuation of application No. 29/701,558, filed on Aug. 13, 2019, now Pat. No. Des. 929,955.	D849,709 S	5/2019	Choi	
		D852,157 S	6/2019	Lin	
		D852,769 S	7/2019	Li	
(30)	Foreign Application Priority Data	D854,507 S	7/2019	Depape	
		D855,030 S	7/2019	Depape	
	Feb. 22, 2019 (KR) 30-2019-0008063	D856,293 S	* 8/2019	Seo	D14/138 G
(51)	LOC (14) Cl. 14-03	D856,955 S	* 8/2019	Seo	D14/138 G
(52)	U.S. Cl. D14/138 G	D858,475 S	9/2019	Wang	
	USPC D14/138 G	D859,343 S	* 9/2019	Seo	D14/138 G
(58)	Field of Classification Search	D859,381 S	9/2019	Lin	
	USPC D14/138 G, 138 AD, 138 AB, 248, 341, D14/345, 439, 432, 371, 374, 138 R, D14/138 AA, 138 AC, 138 C	D863,243 S	10/2019	Kim	
	CPC H04M 1/0202; H04M 1/0235; H04M 1/0237; H04M 1/0239; H04M 1/0266; H04M 1/0268; H04M 1/027; H04M 1/0295; H04M 1/02; H04M 1/0279; H04M 1/0283	D864,140 S	10/2019	Lin	
	See application file for complete search history.	D866,469 S	11/2019	Kim	
		D866,496 S	* 11/2019	Kim	D14/138 G
		D870,087 S	12/2019	Lin	
		D879,736 S	* 3/2020	Park	D14/138 G
		D883,947 S	5/2020	Zhu	
		D886,754 S	6/2020	Ha	
		D886,757 S	6/2020	Cho	
		D888,683 S	6/2020	Zhang	
		D890,712 S	7/2020	Liu	
		D891,386 S	7/2020	Liu	
		D892,782 S	8/2020	Liu	
		D894,858 S	* 9/2020	Park	D14/138 G
		D894,859 S	* 9/2020	Park	D14/138 G
		D897,980 S	10/2020	Wu	
		D897,981 S	10/2020	Kim	
		D898,691 S	10/2020	Ji	
		D900,779 S	11/2020	Gu	
		D901,421 S	11/2020	Hu	
(56)	References Cited				
	U.S. PATENT DOCUMENTS				
	D568,285 S 5/2008 Lee				
	D616,852 S 6/2010 Kim				



D903,644 S	12/2020	Kim	
D908,104 S	* 1/2021	Zhang	D14/138 G
D909,326 S	2/2021	Yu	
D910,586 S	2/2021	Seo	
D911,996 S	3/2021	Seo	
D911,997 S	3/2021	Seo	
D911,998 S	3/2021	Seo	
D912,001 S	3/2021	Seo	
D913,259 S	3/2021	Mo	
D916,672 S	4/2021	Seo	
D916,673 S	4/2021	Seo	
D916,674 S	4/2021	Seo	
D916,675 S	4/2021	Seo	
D916,676 S	4/2021	Seo	
D916,677 S	4/2021	Seo	
D919,589 S	* 5/2021	Ji	D14/138 G
D922,975 S	* 6/2021	Kim	D14/138 G
D922,976 S	* 6/2021	Kim	D14/138 G
D924,191 S	* 7/2021	Seo	D14/138 G
D929,356 S	* 8/2021	Kim	D14/138 G
D929,955 S	* 9/2021	Seo	D14/138 G
D931,248 S	* 9/2021	Seo	D14/138 G
D933,052 S	* 10/2021	Park	D14/248
D940,093 S	* 1/2022	Park	D14/138 G
D941,793 S	* 1/2022	Lee	D14/138 G
D950,511 S	* 5/2022	Kwon	D14/138 G
D951,897 S	* 5/2022	Ha	D14/138 G
D954,670 S	* 6/2022	Lee	D14/138 G
D958,104 S	* 7/2022	Kim	D14/138 G
D958,105 S	* 7/2022	Cai	D14/138 G
D959,424 S	* 8/2022	Park	D14/341
D960,857 S	* 8/2022	Cha	D14/138 G
D961,540 S	* 8/2022	Ryu	D14/138 G
D962,187 S	* 8/2022	Park	D14/138 G
D962,887 S	* 9/2022	Park	D14/138 G
D963,602 S	* 9/2022	Choi	D14/138 G
D965,544 S	* 10/2022	Lee	D14/138 G
D965,548 S	* 10/2022	Ma	D14/138 C
D966,224 S	* 10/2022	Park	D14/138 G
D966,225 S	* 10/2022	Cha	D14/138 G
D967,789 S	* 10/2022	Ryu	D14/138 G
D973,618 S	* 12/2022	Kim	D14/138 G
D976,860 S	* 1/2023	Han	D14/138 G
D978,814 S	* 2/2023	Seo	D14/138 G
D978,817 S	* 2/2023	Seo	D14/138 G
D978,818 S	* 2/2023	Seo	D14/138 G
D978,819 S	* 2/2023	Seo	D14/138 G
D981,386 S	* 3/2023	Seo	D14/248
D981,387 S	* 3/2023	Seo	D14/248
2011/0186345 A1	8/2011	Pakula	
2018/0180866 A1	6/2018	Kaminaga	
2018/0196475 A1	7/2018	Bao	
2019/0293976 A1	9/2019	Cheng	

FOREIGN PATENT DOCUMENTS

CN 306236557 12/2020

OTHER PUBLICATIONS

Samsung Galaxy A60, announced Apr. 2019, [online], [last accessed Mar. 17, 2021]. Retrieved from Internet ,<URL: https://www.gsmaarena.com/samsung_galaxy_a60-9616.php >.

Samsung Galaxy M40, announced Jun. 2019, [online], [last accessed Mar. 17, 2021]. Retrieved from Internet, <URL: https://www.gsmaarena.com/samsung_galaxy_m40-9721.php >.

Samsung Galaxy S10e, announced Feb. 20, 2019, [online], [last accessed Mar. 17, 2021]. Retrieved from Internet ,<URL: https://www.gsmaarena.com/samsung_galaxy_s10e-9537.php >.

Samsung Galaxy S10+, announced Feb. 20, 2019, [online], [last accessed Mar. 17, 2021]. Retrieved from Internet ,<URL: https://www.gsmaarena.com/samsung_galaxy_s10+-9535.php >.

Samsung Galaxy S10 5G, announced Feb. 2019, [online], [last accessed Mar. 17, 2021]. Retrieved from Internet ,<URL: https://www.gsmaarena.com/samsung_galaxy_s10_5g-9588.php >.

Samsung Galaxy A11, announced Mar. 13, 2020, [online], [last accessed Mar. 17, 2021]. Retrieved from Internet , <URL: https://www.gsmaarena.com/samsung_galaxy_a11-10132.php >.

Samsung Galaxy M11, announced Mar. 30, 2020, [online], [last accessed Mar. 17, 2021]. Retrieved from Internet , <URL: https://www.gsmaarena.com/samsung_galaxy_m11-10124.php >.

* cited by examiner

Primary Examiner — Bridget L Eland
(74) *Attorney, Agent, or Firm* — McAndrews Held & Malloy, Ltd.

(57) CLAIM

The ornamental design for an electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of an electronic device showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left-side view thereof;

FIG. 5 is a right-side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a rear perspective view thereof;

FIG. 9 is a front perspective view of a second embodiment of an electronic device showing my new design;

FIG. 10 is a front view thereof;

FIG. 11 is a rear view thereof;

FIG. 12 is a left-side view thereof;

FIG. 13 is a right-side view thereof;

FIG. 14 is a top view thereof;

FIG. 15 is a bottom view thereof;

FIG. 16 is a rear perspective view thereof;

FIG. 17 is a front perspective view of a third embodiment of an electronic device showing my new design;

FIG. 18 is a front view thereof;

FIG. 19 is a rear view thereof;

FIG. 20 is a left-side view thereof;

FIG. 21 is a right-side view thereof;

FIG. 22 is a top view thereof;

FIG. 23 is a bottom view thereof;

FIG. 24 is a rear perspective view thereof;

FIG. 25 is a front perspective view of a fourth embodiment of an electronic device showing my new design;

FIG. 26 is a front view thereof;

FIG. 27 is a rear view thereof;

FIG. 28 is a left-side view thereof;

FIG. 29 is a right-side view thereof;

FIG. 30 is a top view thereof;

FIG. 31 is a bottom view thereof;

FIG. 32 is a rear perspective view thereof;

FIG. 33 is a front perspective view of a fifth embodiment of an electronic device showing my new design;

FIG. 34 is a front view thereof;

FIG. 35 is a rear view thereof;

FIG. 36 is a left-side view thereof;

FIG. 37 is a right-side view thereof;

FIG. 38 is a top view thereof;

FIG. 39 is a bottom view thereof;

FIG. 40 is a rear perspective view thereof;

FIG. 41 is a front perspective view of a sixth embodiment of an electronic device showing my new design;

FIG. 42 is a front view thereof;
FIG. 43 is a rear view thereof;
FIG. 44 is a left-side view thereof;
FIG. 45 is a right-side view thereof;
FIG. 46 is a top view thereof;
FIG. 47 is a bottom view thereof;
FIG. 48 is a rear perspective view thereof;
FIG. 49 is a front perspective view of a seventh embodiment of an electronic device showing my new design;
FIG. 50 is a front view thereof;
FIG. 51 is a rear view thereof;
FIG. 52 is a left-side view thereof;
FIG. 53 is a right-side view thereof;
FIG. 54 is a top view thereof;
FIG. 55 is a bottom view thereof;
FIG. 56 is a rear perspective view thereof;
FIG. 57 is a front perspective view of an eighth embodiment of an electronic device showing my new design;
FIG. 58 is a front view thereof;
FIG. 59 is a rear view thereof;
FIG. 60 is a left-side view thereof;
FIG. 61 is a right-side view thereof;
FIG. 62 is a top view thereof;
FIG. 63 is a bottom view thereof;

FIG. 64 is a rear perspective view thereof;
FIG. 65 is a front perspective view of a ninth embodiment of an Electronic device showing my new design;
FIG. 66 is a front view thereof;
FIG. 67 is a rear view thereof;
FIG. 68 is a left-side view thereof;
FIG. 69 is a right-side view thereof;
FIG. 70 is a top view thereof;
FIG. 71 is a bottom view thereof;
FIG. 72 is a rear perspective view thereof;
FIG. 73 is a front perspective view of a tenth embodiment of an electronic device showing my new design;
FIG. 74 is a front view thereof;
FIG. 75 is a rear view thereof;
FIG. 76 is a left-side view thereof;
FIG. 77 is a right-side view thereof;
FIG. 78 is a top view thereof;
FIG. 79 is a bottom view thereof; and,
FIG. 80 is a rear perspective view thereof.
The evenly-dashed broken lines in the drawings illustrate portions of the electronic device that form no part of the claimed design.

1 Claim, 60 Drawing Sheets

FIG.1




FIG.2




FIG.3




FIG.4



FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16




FIG.17




FIG.18




FIG.19




FIG.20



FIG.21




FIG.22




FIG.23




FIG.24




FIG.25




FIG.26




FIG.27




FIG.28



FIG.29




FIG.30




FIG.31




FIG.32




FIG.33




FIG.34




FIG.35




FIG.36



FIG.37




FIG.38




FIG.39




FIG.40




FIG.41




FIG.42




FIG.43




FIG.44



FIG.45



FIG.46




FIG.47




FIG.48




FIG.49




FIG.50




FIG.51




FIG.52



FIG.53




FIG.54




FIG.55




FIG.56




FIG.57




FIG.58




FIG.59




FIG.60



FIG.61




FIG.62




FIG.63




FIG.64




FIG.65




FIG.66




FIG.67




FIG.68



FIG.69




FIG.70




FIG.71




FIG.72




FIG.73




FIG.74




FIG.75




FIG.76




FIG.77




FIG.78




FIG.79




FIG.80

