



US0D1000980S

(12)

United States Design Patent

Tsao et al.

(10) Patent No.:

US D1,000,980 S

(45) Date of Patent:

** Oct. 10, 2023

(54) POSITIONING TRACKER

(71) Applicant: Acer Incorporated, New Taipei (TW)

(72) Inventors: Jung-Wei Tsao, New Taipei (TW);
Ker-Wei Lin, New Taipei (TW);
Wei-Chang Chen, New Taipei (TW)

(73) Assignee: Acer Incorporated, New Taipei (TW)

(**) Term: 15 Years

(21) Appl. No.: 29/809,796

(22) Filed: Sep. 30, 2021

(30) Foreign Application Priority Data

May 11, 2021 (TW) 110302442

(51) LOC (14) Cl. 10-04

(52) U.S. Cl.

USPC D10/65

(58) Field of Classification Search

USPC D10/74, 65, 40, 104.2, 106.1; D30/155;
D3/218; D11/43, 152; D14/341

CPC G01S 17/66; G01S 13/726; G01S 5/14;
G01S 19/26; G01S 7/5205; G01S 19/51

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D355,863 S * 2/1995 Collins D10/106.1

D366,849 S * 2/1996 Wilkinson D10/106.1

D373,964 S * 9/1996 Alexander D20/18

D406,775 S * 3/1999 Kadono D10/40

D645,771 S * 9/2011 Shin D14/384

D655,215 S * 3/2012 Daniel D10/70

D684,143 S * 6/2013 Rapp F16B 12/12
D14/217

D708,977 S * 7/2014 Corso D10/104.1

D741,833 S * 10/2015 Reimer D14/155

D778,185 S * 2/2017 Ookawa D10/104.1

D831,612 S * 10/2018 Usuru D14/214

D833,311 S * 11/2018 Reimer D10/106.6

D874,960 S * 2/2020 Miller D10/106.1

D884,493 S * 5/2020 Erbacher D10/49

D904,760 S * 12/2020 Hyun D3/273

D942,295 S * 2/2022 Wang D10/106.1

D956,595 S * 7/2022 Yang D10/106.1

(Continued)

FOREIGN PATENT DOCUMENTS

CN 306603945 * 6/2021

OTHER PUBLICATIONS

GPS Tracker for Vehicle, Magnetic Mini GPS Tracker Locator Real Time, Amazon, date first available Feb. 15, 2018, (online) URL: https://www.amazon.com/Upgrade-Vehicles-Magnetic-Tracking-Location/dp/B08214LNV6/ref=sr_1_8 (Year: 2018).*

(Continued)

Primary Examiner — George D. Kirschbaum
Assistant Examiner — Antoinette Martine Suiter
(74) Attorney, Agent, or Firm — JCIPRNET


(57) CLAIM

The ornamental design for a positioning tracker, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a positioning tracker showing our new design;
FIG. 2 is another perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.
The broken lines illustrate portions of the positioning tracker that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



References Cited

D967,723	S *	10/2022	Kornegay	D10/106.1
D971,041	S *	11/2022	Fanshier	D10/104.1
D978,696	S *	2/2023	Kornegay	D10/106.1
D978,697	S *	2/2023	Kornegay	D10/106.1
D986,713	S *	5/2023	Wright	D8/356
2016/0135315	A1 *	5/2016	Weber	H05K 5/03 174/50
2016/0143171	A1 *	5/2016	Weber	H05K 5/0221 174/50
2017/0055890	A1 *	3/2017	Kube	H02J 50/05
2021/0209907	A1 *	7/2021	Carlson	G06K 7/10425
2022/0101705	A1 *	3/2022	Carlson	G01R 33/0023

Review: Whistle 3 Pet Tracker, Wired Review, date first available Sep. 5, 2018, (online) URL: <https://www.wired.com/review/review-whistle-3-pet-tracker/> (Year: 2018).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8