

US0D1001435S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,001,435 S**
Tæstensen (45) **Date of Patent:** **** Oct. 17, 2023**

(54) **SOLE**
(71) Applicant: **ECCO Sko A/S**, Bredebro (DK)
(72) Inventor: **Niki Tæstensen**, Kolding (DK)
(73) Assignee: **ECCO Sko A/S**, Bredebro (DK)
(**) Term: **15 Years**

(21) Appl. No.: **29/748,850**
(22) Filed: **Sep. 1, 2020**

(30) **Foreign Application Priority Data**

Mar. 6, 2020 (EM) 007732599-0002

(51) **LOC (14) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/947; D2/953**

(58) **Field of Classification Search**

USPC D2/902, 906, 908, 916, 918, 925,
D2/946–962, 977; 36/3 B, 22 R, 24.5,
36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
CPC A43B 13/00; A43B 13/02; A43B 13/023;
A43B 13/026; A43B 13/04; A43B 13/08;
A43B 13/10; A43B 13/12; A43B 13/14;
A43B 13/141; A43B 13/143; A43B
13/16; A43B 13/18; A43B 13/181; A43B
13/187; A43B 13/189; A43B 13/20; A43B
13/22; A43B 13/223; A43B 13/24; A43B
13/28; A43B 13/30; A43B 13/32; A43B
13/34; A43B 13/36

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,625,963 A * 5/1997 Miller A43B 21/44
36/114
5,628,128 A * 5/1997 Miller A43B 13/181
36/114

D418,282 S * 1/2000 von Conta D2/977
D511,617 S * 11/2005 Matis D2/977
D555,348 S * 11/2007 Bettencourt D2/977
D610,332 S * 2/2010 Raichle D2/951
D685,166 S * 7/2013 Hatfield D2/947
D777,412 S * 1/2017 Antonelli D2/951
D783,246 S * 4/2017 Chang D2/947
D783,960 S * 4/2017 Hatfield D2/947
D796,802 S * 9/2017 Kinley D2/947
D799,179 S * 10/2017 Comeaux D2/947
D827,266 S * 9/2018 Stauffer D2/947
D848,129 S * 5/2019 Hatfield D2/947
D871,035 S * 12/2019 Amago D2/947
D887,689 S * 6/2020 Bove D2/947
D887,690 S * 6/2020 Blimel D2/947
D901,139 S * 11/2020 Tæstensen D2/947
D915,757 S * 4/2021 Berny D2/960
D929,089 S * 8/2021 Petrie D2/947

(Continued)

Primary Examiner — T Chase Nelson

(74) *Attorney, Agent, or Firm* — Lee & Hayes, P.C.

(57) **CLAIM**


The ornamental design for a sole, as shown and described.

DESCRIPTION

FIG. 1 is a top, back, right-side perspective view of a sole;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a left-side view thereof;
FIG. 5 is a right-side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

The dot-dashed broken lines illustrate the boundaries of the claimed sole and form no part of the claimed design. The portions of the figures shown in lighter contrast on a top surface and a bottom surface of the sole illustrate environment and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D932,151	S	*	10/2021	Petrie	D2/947
D936,340	S	*	11/2021	Celin	D2/947
D938,700	S	*	12/2021	Patillon	D2/902
D945,754	S	*	3/2022	McCourt	D2/947
D964,701	S	*	9/2022	O'Connor	D2/947
D974,717	S	*	1/2023	de Montgolfier	D2/947
D975,414	S	*	1/2023	Amago	D2/947
D985,910	S	*	5/2023	de Montgolfier	D2/947

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7