

US0D1001436S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,001,436 S**
Tæstensen (45) **Date of Patent:** **** Oct. 17, 2023**

(54) **SOLE**
(71) Applicant: **ECCO Sko A/S**, Bredebro (DK)
(72) Inventor: **Niki Tæstensen**, Kolding (DK)
(73) Assignee: **ECCO Sko A/S**, Bredebro (DK)
(**) Term: **15 Years**

(21) Appl. No.: **29/748,858**
(22) Filed: **Sep. 1, 2020**

(30) **Foreign Application Priority Data**

Mar. 6, 2020 (EM) 007732599-0003

(51) **LOC (14) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/947**; D2/953; D2/954

(58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925,
D2/946–962, 977; 36/3 B, 22 R, 24.5,
36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
CPC A43B 13/00; A43B 13/02; A43B 13/023;
A43B 13/026; A43B 13/04; A43B 13/08;
A43B 13/10; A43B 13/12; A43B 13/14;
A43B 13/141; A43B 13/143; A43B
13/16; A43B 13/18; A43B 13/181; A43B
13/187; A43B 13/189; A43B 13/20; A43B
13/22; A43B 13/223; A43B 13/24; A43B
13/28; A43B 13/30; A43B 13/32; A43B
13/34; A43B 13/36

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D418,282 S * 1/2000 von Conta D2/977
D419,283 S * 1/2000 Coito D2/947

D422,128 S * 4/2000 Adler D2/951
6,195,918 B1 * 3/2001 Kelley A43B 13/10
36/72 A
D511,617 S * 11/2005 Matis D2/977
D542,514 S * 5/2007 Amado D2/927
D545,034 S * 6/2007 Amado D2/927
D611,232 S * 3/2010 Della Valle D2/907
D613,482 S * 4/2010 Della Valle D2/907
D643,189 S * 8/2011 Teteriatnikov D2/977
D653,842 S * 2/2012 Weiss D2/977
D661,072 S * 6/2012 Della Valle D2/954
D737,029 S * 8/2015 Bizzo D2/947
D737,555 S * 9/2015 Della Valle D2/912
D744,213 S * 12/2015 Kasprzak D2/951
D770,740 S * 11/2016 Teteriatnikov D2/947
D789,054 S * 6/2017 Shyllon D2/947
D799,179 S * 10/2017 Comeaux D2/947
D817,616 S * 5/2018 Cin D2/947
D821,072 S * 6/2018 Goldberg D2/947
D831,319 S * 10/2018 Vasyli D2/947

(Continued)

Primary Examiner — T Chase Nelson

(74) *Attorney, Agent, or Firm* — Lee & Hayes, P.C.

(57) **CLAIM**



The ornamental design for a sole, as shown and described.

DESCRIPTION

FIG. 1 is a top, back, right-side perspective view of a sole;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a left-side view thereof;
FIG. 5 is a right-side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

The dot-dashed broken lines illustrate the boundaries of the claimed sole and form no part of the claimed design. The portions of the figures shown in lighter contrast on a top surface and a bottom surface of the sole illustrate environment and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D834,795	S	*	12/2018	Vasyli		D2/947
10,344,150	B2	*	7/2019	Baghdadi		A43B 13/125
D959,116	S	*	8/2022	Storch		D2/947
D964,697	S	*	9/2022	Dieudonné		D2/947
D964,698	S	*	9/2022	Dieudonné		D2/947
D964,699	S	*	9/2022	Dieudonné		D2/947
RE49,279	E	*	11/2022	Abadjian		A43B 3/14
						D2/916
D975,419	S	*	1/2023	Della Valle		D2/947
2008/0244926	A1	*	10/2008	Yu		C08J 9/0061
						521/134
2011/0061268	A1	*	3/2011	Park		A43B 13/12
						36/142
2011/0252670	A1	*	10/2011	Smith		A43B 13/023
						12/146 B
2015/0342300	A1	*	12/2015	Cin		A43B 13/127
						36/103

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7