

US0D1001439S

(12)

United States Design Patent

Chang

(10)

Patent No.:

US D1,001,439 S

(45)

Date of Patent:

** Oct. 17, 2023

(54) SHOE MIDSOLE PERIPHERY

(71) Applicant: Skechers U.S.A., Inc. II, Manhattan Beach, CA (US)

(72) Inventor: Glen Chang, Rancho Palos Verdes, CA (US)

(73) Assignee: Skechers U.S.A., Inc. II, Manhattan Beach, CA (US)

(**) Term: 15 Years

(21) Appl. No.: 29/877,336

(22) Filed: Jun. 5, 2023

(51) LOC (14) Cl. 02-04

(52) U.S. Cl. USPC D2/947; D2/959

(58) Field of Classification Search USPC D2/902, 906, 908, 916, 918, 925, D2/946-962, 977; 36/3 B, 22 R, 24.5, 36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103 CPC A43B 13/00; A43B 13/02; A43B 13/023; A43B 13/026; A43B 13/04; A43B 13/08; A43B 13/10; A43B 13/12; A43B 13/14; A43B 13/141; A43B 13/143; A43B 13/16; A43B 13/18; A43B 13/181; A43B 13/187; A43B 13/189; A43B 13/20; A43B 13/22; A43B 13/223; A43B 13/24; A43B 13/28; A43B 13/30; A43B 13/32; A43B 13/34; A43B 13/36 See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D553,833 S

*

10/2007

Walden

D2/960

D634,923 S

*

3/2011

Lacey

D2/951

D692,645 S

11/2013

Truelsen

D712,124 S

9/2014

Truelsen

D736,506 S

8/2015

Kasprzak

D742,106 S		11/2015	Taestensen	
D744,212 S	*	12/2015	Boudreau	D2/951
D779,174 S		2/2017	De Montgolfier	
D781,543 S	*	3/2017	Raysse	D2/947
D784,666 S		4/2017	Lok	
D796,170 S	*	9/2017	Raysse	D2/947
D796,805 S	*	9/2017	Raysse	D2/951
D801,014 S		10/2017	Bruno et al.	
D841,964 S	*	3/2019	Kaiserswerth	D2/947
D850,082 S	*	6/2019	Bikowski	D2/951
D857,362 S		8/2019	Thompson	
D858,066 S		9/2019	Hatfield	
D868,436 S		12/2019	Toonkel	
D871,729 S	*	1/2020	Taylor	D2/947
D880,118 S		4/2020	Heinrich et al.	
D880,130 S	*	4/2020	Kaiserswerth	D2/947
D882,913 S		5/2020	Mahoney	

(Continued)

Primary Examiner — T Chase Nelson

(74) Attorney, Agent, or Firm — Marshall A. Lerner; Steven J. Kim; KLEINBERG & LERNER, LLP

(57) CLAIM

The ornamental design for a shoe midsole periphery, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the shoe midsole periphery in accordance with my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;


FIG. 6 is a top perspective view of thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is a bottom perspective view thereof.

The broken lines shown in the drawings represent environmental structure in the form of a shoe upper and outsole as well as portions of the shoe midsole periphery that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D887,690	S	6/2020	Blimel	
D890,486	S	7/2020	Wallace	
D891,052	S	7/2020	Wallace	
D891,744	S	8/2020	Han	
D891,745	S	8/2020	Han	
D892,478	S	8/2020	Hobson et al.	
D892,479	S	8/2020	Han	
D893,152	S *	8/2020	Jenkins	D2/947
D894,557	S *	9/2020	de Montgolfier	D2/947
D894,571	S *	9/2020	Jenkins	D2/947
D900,443	S	11/2020	Jury	
D918,546	S	5/2021	Rasmussen	
D929,084	S *	8/2021	Small	D2/947
D929,711	S *	9/2021	Patt	D2/947
D938,703	S	12/2021	Steinburg et al.	
D949,528	S	4/2022	Witherow	
D949,530	S *	4/2022	Yoo	D2/947
D957,798	S	7/2022	Han	
D964,702	S	9/2022	Schenone	
D967,610	S *	10/2022	Yu	D2/947
D970,869	S	11/2022	Rasmussen	
D976,546	S *	1/2023	Young	D2/947
D976,547	S	1/2023	Young	
D984,105	S *	4/2023	Seamarks	D2/947
D987,256	S *	5/2023	Popovic	D2/947
D987,973	S *	6/2023	Weeks	D2/972
D987,974	S *	6/2023	Weeks	D2/972
D988,696	S *	6/2023	Fuerst	D2/947
D990,119	S *	6/2023	Gerig	D2/947
2019/0223552	A1 *	7/2019	Hollinger	A43B 13/16
2021/0059351	A1 *	3/2021	Piacentini	A43B 23/088

* cited by examiner



FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8