

US0D1001876S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,001,876 S**
Drost (45) **Date of Patent:** **** Oct. 17, 2023**

(54) **ENCLOSURE FOR CAPTURE DEVICES**

(71) Applicant: **Musco Corporation**, Oskaloosa, IA
(US)

(72) Inventor: **Matthew D. Drost**, Oskaloosa, IA (US)

(73) Assignee: **Musco Corporation**, Oskaloosa, IA
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/720,929**

(22) Filed: **Jan. 16, 2020**

(51) **LOC (14) Cl.** **16-05**

(52) **U.S. Cl.**
USPC **D16/242**

(58) **Field of Classification Search**
USPC D8/355; D14/224, 229, 238, 251, 253;
D16/219, 237-250
CPC G03B 17/02; G03B 17/04; G03B 17/56;
G03B 17/03; G03B 19/04; H04N 5/2251;
H04N 5/2252; H04N 5/2253; H04N 5/2254
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,320,949	A	3/1982	Pagano	
5,099,999	A *	3/1992	Balien	B65D 83/0481 221/152
D335,889	S	5/1993	Gibran	
D380,676	S	7/1997	Holland	
D403,340	S	12/1998	Arbuckle	
D425,534	S	5/2000	Mutoh et al.	
D501,494	S	2/2005	Ogura	
D503,183	S *	3/2005	Arbuckle et al.	D16/203
D509,527	S	9/2005	Murray et al.	
D518,080	S	3/2006	Uehara	
D532,436	S	11/2006	Kruse et al.	
D536,357	S	2/2007	Koby	
D552,148	S	10/2007	Yamakawa et al.	
D701,893	S	4/2014	Bart et al.	
D712,955	S	9/2014	Hrbacek	
8,885,016	B2	11/2014	Sasagawa et al.	

9,071,767	B2	6/2015	Sasagawa et al.	
D745,370	S *	12/2015	Johnston	D16/242
D747,383	S	1/2016	Li	
D781,361	S	3/2017	Dimitriadis et al.	

(Continued)

OTHER PUBLICATIONS

Drost, Matthew et al, unpublished Pending Utility U.S. Appl. No. 16/705,142, Apparatus, Method, and System for Factory Wiring, Aiming, and Commissioning of Capture Devices, filed Dec. 5, 2019.

(Continued)

Primary Examiner — Richard Kearney

Assistant Examiner — Benjamin M Weeks

(74) *Attorney, Agent, or Firm* — McKee, Voorhees & Sease, PLC


(57) **CLAIM**

The ornamental design for an ENCLOSURE FOR CAPTURE DEVICES as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the ENCLOSURE FOR CAPTURE DEVICES in a first configuration; FIG. 2 is a front elevation of FIG. 1; FIG. 3 is a back elevation of FIG. 1; FIG. 4 is a right side elevation of FIG. 1; FIG. 5 is a left side elevation of FIG. 1; FIG. 6 is a top plan view of FIG. 1; FIG. 7 is a bottom plan view of FIG. 1; FIG. 8 is a perspective view of the ENCLOSURE FOR CAPTURE DEVICES in a second configuration; FIG. 9 is a front elevation of FIG. 8; FIG. 10 is a back elevation of FIG. 8; FIG. 11 is a right side elevation of FIG. 8; FIG. 12 is a left side elevation of FIG. 8; FIG. 13 is a top plan view of FIG. 8; and FIG. 14 is a bottom plan view of FIG. 8. The broken lines shown in the drawings illustrate portions of the ENCLOSURE FOR CAPTURE DEVICES that form no part of the claimed design.

1 Claim, 14 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D798,361	S	9/2017	Kim et al.	
D798,935	S	10/2017	Dimitriadis et al.	
D811,770	S	3/2018	Brownley et al.	
9,942,639	B2	4/2018	Wright	
D816,141	S	4/2018	Siminoff et al.	
D834,631	S	11/2018	Park	
D841,715	S	2/2019	Thompson	
D842,358	S	3/2019	Puric et al.	
D849,112	S	5/2019	Katori	
D850,509	S	6/2019	Tsai	
D864,277	S	10/2019	Siminoff et al.	
D870,791	S	12/2019	Hasani	
D875,736	S	2/2020	Ramones et al.	
D878,380	S	3/2020	Siminoff et al.	
D882,669	S	4/2020	Thompson	
D902,283	S	11/2020	Kao et al.	
D905,150	S *	12/2020	Drost	D16/237
11,306,861	B1	4/2022	Drost et al.	
D969,202	S *	11/2022	Li	D16/244
2022/0026782	A1	1/2022	Goldburt et al.	

OTHER PUBLICATIONS

Drost, Matthew, unpublished Pending Design U.S. Appl. No. 29/672,584, Enclosure for Capture Devices, filed Dec. 2, 2018.

* cited by examiner




Fig 1




Fig 2




Fig 3




Fig 4




Fig 5




Fig 6




Fig 7




Fig 8




Fig 9




Fig 10




Fig 11




Fig 12




Fig 13




Fig 14