US0D1003259S

(12) United States Design Patent

Knauss et al.

(10) Patent No.: US D1,003,259 S
(45) Date of Patent: ** *Oct. 31, 2023

(54) **CONTROL DEVICE HAVING ILLUMINATION APPLIED THERETO**

(71) Applicant: **Lutron Technology Company LLC**, Coopersburg, PA (US)

(72) Inventors: **Matthew Knauss**, Macungie, PA (US); **Shan Shi**, Hellertown, PA (US)

(73) Assignee: **Lutron Technology Company LLC**, Coopersburg, PA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/861,688**

(22) Filed: **Dec. 1, 2022**

Related U.S. Application Data

(63) Continuation of application No. 29/812,066, filed on Oct. 19, 2021, now Pat. No. Des. 976,223, which is a continuation of application No. 29/689,728, filed on May 1, 2019, now Pat. No. Des. 935,422.

(51) **LOC (14) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/174**

(58) **Field of Classification Search**
USPC D13/162, 168, 171, 173, 174
CPC H01H 3/12; H01H 3/122; H01H 9/02; H01H 9/16; H01H 9/18; H01H 9/181; H01H 9/182; H01H 13/023; H01H 13/04; H01H 13/06; H01H 13/14; H01H 2009/187; H05B 33/0803; H05B 33/0863; H05B 39/02; H05B 39/04; H05B 39/085; H05B 39/086; H05B 39/088; G08C 17/02; H03K 17/962
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D199,922	S	12/1964	Schlage
5,392,388	A	2/1995	Gibson
D362,841	S	10/1995	Roza
6,107,583	A	8/2000	Berfield
D441,346	S	5/2001	Bonn
D464,630	S	10/2002	Woodworth
D469,411	S	1/2003	Decosse
D515,516	S	2/2006	Mayo et al.
D556,938	S	12/2007	Russello et al.
D558,692	S	1/2008	Neveu
D589,463	S	3/2009	Sykes
D633,231	S	2/2011	Morrison
7,884,299	B2	2/2011	Glew
D633,644	S	3/2011	Sprengers
D645,005	S	9/2011	Menheere
D647,227	S	10/2011	Kaule et al.
D654,880	S	2/2012	Lam
D668,375	S	10/2012	Daniels
D669,499	S	10/2012	Gardner et al.
D673,703	S	1/2013	Davies
D687,328	S	8/2013	Clymer et al.
8,786,196	B2	7/2014	Biery et al.
D713,236	S	9/2014	Park
D725,612	S	3/2015	Schlegel et al.
D727,928	S	4/2015	Allison et al.
D729,970	S	5/2015	Jepson
D739,872	S	9/2015	Bang et al.
D744,535	S	12/2015	Shin et al.
D748,648	S	2/2016	Kim et al.
D752,072	S	3/2016	Song
D755,037	S	5/2016	Czerwinski, Jr. et al.
9,337,943	B2	5/2016	Mosebrook et al.
D759,877	S	6/2016	Hewitt et al.
D761,277	S	7/2016	Harvell
D761,812	S	7/2016	Motamedi
D762,716	S	8/2016	Yang et al.
D763,308	S	8/2016	Wang et al.
D766,844	S	9/2016	Turksu et al.
D770,076	S	10/2016	Li et al.
D776,717	S	1/2017	Asai
D777,200	S	1/2017	Luo
D777,367	S	1/2017	Ma
9,538,619	B2	1/2017	Swatsky et al.
D779,977	S	2/2017	Jacob et al.
9,565,742	B2	2/2017	Swatsky et al.
9,633,557	B2	4/2017	Dimberg et al.
D786,932	S	5/2017	Kim et al.
9,746,159	B1	8/2017	Fletcher et al.
D808,912	S	1/2018	Dimberg et al.



D810,970	S		2/2018	Thompson et al.
D814,428	S		4/2018	Dimberg et al.
10,041,639	B1		8/2018	Thompson et al.
10,109,181	B2		10/2018	Dimberg et al.
D837,168	S		1/2019	Altonen et al.
D837,169	S		1/2019	Altonen et al.
D839,847	S		2/2019	Dimberg et al.
D846,508	S		4/2019	Dimberg et al.
10,398,007	B2		8/2019	Pearson et al.
D868,009	S		11/2019	Dimberg et al.
D868,010	S		11/2019	Bard et al.
D872,775	S		1/2020	Becke et al.
D892,750	S		8/2020	Dimberg et al.
D892,751	S		8/2020	Altonen et al.
D893,437	S		8/2020	Dimberg et al.
D908,643	S		1/2021	Dimberg et al.
10,910,176	B2		2/2021	Altonen et al.
D921,598	S		6/2021	Dimberg et al.
D922,336	S		6/2021	Altonen et al.
D924,184	S		7/2021	Altonen et al.
D924,818	S		7/2021	Altonen et al.
D924,820	S		7/2021	Dimberg et al.
D924,821	S		7/2021	Bard et al.
D925,478	S		7/2021	Dimberg et al.
D926,712	S		8/2021	Dimberg et al.
11,107,651	B2		8/2021	Dimberg et al.
D933,027	S		10/2021	Altonen et al.
D933,615	S		10/2021	Altonen et al.
D935,422	S		11/2021	Knauss et al.
D940,668	S		1/2022	Dimberg et al.
11,291,090	B2		3/2022	Bowser et al.
D951,211	S		5/2022	Dimberg et al.
D975,663	S	*	1/2023	Dimberg D13/174
D976,223	S	*	1/2023	Knauss D13/174
2004/0109304	A1		6/2004	Yokoyama et al.
2007/0057922	A1		3/2007	Schultz et al.
2007/0102275	A1		5/2007	Genz et al.
2007/0136679	A1		6/2007	Yang
2007/0193867	A1		8/2007	Lorenzo Riera et al.
2010/0175971	A1		7/2010	Kim et al.
2013/0242531	A1		9/2013	Urayama
2013/0328500	A1		12/2013	Toda
2014/0042002	A1		2/2014	Chu
2014/0117871	A1		5/2014	Swatsky et al.
2015/0371534	A1		12/2015	Dimberg et al.
2016/0128586	A1		5/2016	Parton et al.
2016/0196635	A1		7/2016	Cho et al.
2016/0212368	A1		7/2016	Zhang et al.
2017/0185240	A1		6/2017	Delrosario et al.
2017/0278383	A1		9/2017	Dimberg et al.
2017/0280533	A1		9/2017	Dimberg et al.
2017/0352506	A1		12/2017	Dimberg
2017/0354012	A1		12/2017	Bard et al.
2017/0354021	A1		12/2017	Dimberg et al.
2017/0354022	A1		12/2017	Dimberg et al.
2017/0354023	A1		12/2017	Dimberg et al.
2018/0005742	A1		1/2018	Newman, Jr. et al.
2018/0116039	A1		4/2018	Harte et al.
2021/0050164	A1		2/2021	Altonen et al.
2021/0135672	A1	*	5/2021	Aoki G06F 3/0202
2021/0274668	A1	*	9/2021	Wilz G08C 17/02
2023/0142581	A1	*	5/2023	Kim H01H 13/06 349/56

OTHER PUBLICATIONS

Legrand® / Pass & Seymour®, P&S Dimmers—DR Series Brochure, 2010, 2 pages.

Legrand®, Dimmers Brochure, 2015, 18 pages.

Lumenpulse™, Lumentone™ Specification Sheet, 2013, 4 pages.

Lumenpulse™, Lumentone™ Installation Instructions, 2013, 1 page.

Lumenpulse™, Lumentone™ Quick Reference Guide, 2015, 3 pages.

Electronic Theatre Controls, Inc., Echo Inspire® Station Programming Guide, Software Version 2.0.1, Feb. 2015, 44 pages.

Electronic Theatre Controls, Inc., Echo Inspire® Control Stations, <URL:https://www.etcconnect.com/Products/Architectural-Systems/Echo/Control-Stations/Inspire-Control-Stations/Features.aspx>, available from Internet at least as early as Jul. 15, 2014 [site visited May 9, 2018].

Electronic Theatre Controls, Inc., Echo Inspire® Control Station: 4-Button with Fader Knob, photograph taken on May 8, 2018.

Ltech, LED Controller Touch RGB DMX/RF 4 Zones—DX8, <URL: http://ltech-led.eu/en/dmx/1295-led-controller-touch-dx8-dmx.html, available at least as early as Jun. 3, 2016.

Diode LED, DMX Wall Mount Controller, <URL: https://www.diodeled.com/dmx-wall-mount-controller.html>, available at least as early as Jun. 3, 2016.

Fontana Fountains, Glass-Touch RGB Controller, <URL:http://www.fontanafountains.com/products/underwater-illumination/thesmartled-luminaires/glass-touch-rgb-controller>, available at least as early as Jun. 3, 2016.

Super Bright LEDs Inc., Wall Mount Touch Color RGB Controller, <URL:https://www.superbrightleds.com/moreinfo/controllers/wall-mount-touch-color-rgb-controller-dynamic-color-changing-modes-3-amps-per-channel/1484/#/tab/Reviews>, available at least as early as Jun. 3, 2016.

Milight, RGBW Remote, <URL:http://www.milight.com/milight-rgbw-remote/>, available at least as early as Jun. 3, 2016.

RGBZone, DC 12V-24V Wall-mounted Touch Panel Switch Controller Full Color LED Dimmer, <URL:https://www.amazon.com/RGBZONE-12V-24V-Wall-mounted-Switch-Controller/dp/B00RCEHNOI/ref=pd_sbs_60_2?_encoding=UTF8&pd_rd_i=B00RCEHNOI&pd_rd_r=XAXCT73G8T7VPD0HJDWK&pd_rd_w=2Fpri&pd_rd_wg=q5f29&psc=1&refRID-XAXCT73G8T7VPD0HJDWK>, available at least as early as Jun. 3, 2016.

EPBOWPT, DC 12-24V Wall-mounted Glass Touch Panel Full-color Dimmer Controller, <URL:https://www.aliexpress.com/item/32687326088.html>, available at least as early as Jul. 16, 2019.

Google Developers, 'Bridging the physical and digital. Imagine the possibilities. ATAP.—Google I/O 2016,' youtube.com [online], May 20, 2016 [retrieved May 5, 2017]. Retrieved from Internet: <URL:https://www.youtube.com/watch?v=8LO59eN9om4>.

A Studios. 'A Studios Lumenpulse lighting tutorial 1,' youtube.com [online], Apr. 23, 2016 [retrieved May 5, 2017. Retrieved from Internet: <URL:https://www.youtube.com/watch?v=1Hv4-TkgYZQ>.

U.S. Appl. No. 62/345,449, filed Jun. 3, 2016 (unpublished).

U.S. Appl. No. 62/345,222, filed Jun. 3, 2016 (unpublished).

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Saidman DesignLaw Group, LLC

(57) **CLAIM**

The ornamental design for a control device having illumination applied thereto, as shown and described.

DESCRIPTION

FIG. **1** is a front view showing a first state in a sequence of a control device having illumination applied thereto showing our new design;

FIG. **2** is a front view showing a second state thereof;

FIG. **3** is a front view showing a third state thereof;

FIG. **4** is a front view showing a fourth state thereof;

FIG. **5** is a front view showing a fifth state thereof;

FIG. **6** is a front view showing a sixth state thereof;

FIG. **7** is a front view showing a seventh state thereof;

FIG. **8** is a front view showing an eighth state thereof;

FIG. **9** is a front view showing a ninth state thereof;

FIG. **10** is a front view showing a tenth state thereof;

FIG. **11** is a front view showing an eleventh state thereof;
FIG. **12** is a front view showing a twelfth state thereof;
FIG. **13** is a front view showing a thirteenth state thereof;
FIG. **14** is a front view showing a fourteenth state thereof;
FIG. **15** is a front view showing a fifteenth state thereof;
FIG. **16** is a front view showing a sixteenth state thereof;
FIG. **17** is a front view showing a seventeenth state thereof;
FIG. **18** is a front view showing an eighteenth state thereof;
FIG. **19** is a front view showing a nineteenth state thereof;
FIG. **20** is a front view showing a twentieth state thereof;
FIG. **21** is a front view showing a twenty-first state thereof;
FIG. **22** is a front view showing a twenty-second state thereof;
FIG. **23** is a front view showing a twenty-third state thereof;
FIG. **24** is a left side view thereof, the right side view being a mirror image thereto; and,
FIG. **25** is a top view thereof, the bottom view being a mirror image thereto.

The drawings include shadows and reflections which indicate contour, not surface ornamentation.

The control device having illumination applied thereto sequentially transitions from the first state to the last state in the sequence. The period with which one state transitions to another state forms no part of the claimed design.

1 Claim, 12 Drawing Sheets



Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7



Fig. 8



Fig. 9



Fig. 10



Fig. 11



Fig. 12



Fig. 13



Fig. 14



Fig. 15



Fig. 16



Fig. 17



Fig. 18



Fig. 19



Fig. 20



Fig. 21



Fig. 22



Fig. 23



Fig. 24



Fig. 25

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : D1,003,259 S
APPLICATION NO. : 29/861688
DATED : October 31, 2023
INVENTOR(S) : Matthew Knauss et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

(56) References Cited, Page 2, Column 2, Line 9:
-1295-
Should be:
--1293--.

(56) References Cited, Page 2, Column 2, Line 30:
-refRID--
Should be:
--refRID=--.

Signed and Sealed this
Twenty-third Day of January, 2024

Katherine Kelly Vidal

Katherine Kelly Vidal
Director of the United States Patent and Trademark Office