

US0D1004948S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,004,948 S**
Wood-Lee et al. (45) **Date of Patent:** **** Nov. 21, 2023**

(54) **STORAGE CASE FOR A REMOVABLE DENTAL APPLIANCE**

(71) Applicant: **Quip NYC Inc.**, Brooklyn, NY (US)

(72) Inventors: **Maxwell Russell Wood-Lee**, Brooklyn, NY (US); **Paul Koh**, New York, NY (US); **Jonathan Fratti**, Brooklyn, NY (US); **William May**, South Orange, NJ (US); **Simon Enever**, Brooklyn, NY (US); **James Krause**, Queens, NY (US)

(73) Assignee: **Quip NYC Inc.**, Brooklyn, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/821,693**

(22) Filed: **Dec. 31, 2021**

(51) **LOC (14) Cl.** **03-02**

(52) **U.S. Cl.**
USPC **D3/203.1**

(58) **Field of Classification Search**
USPC D3/203.1, 205; D9/414, 424, 425, 426, D9/428
CPC A61C 19/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D257,790 S * 1/1981 Kesling D24/227
4,966,319 A * 10/1990 Fleming A45C 11/00
206/83
D322,031 S * 12/1991 Fleming D3/294
D483,559 S * 12/2003 Eldon, III D3/203.1
D545,055 S * 6/2007 Lieberman D3/203.1
D879,461 S * 3/2020 Burts D3/203.1
D883,654 S * 5/2020 Cain D3/203.1
D890,511 S * 7/2020 Dericco D3/203.1
D891,084 S * 7/2020 Mann D3/205

(Continued)

Primary Examiner — Charles D Hanson

(74) *Attorney, Agent, or Firm* — The Marbury Law Group, PLLC

(57) **CLAIM**

The ornamental design for a storage case for a removable dental appliance, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a storage case for a removable dental appliance, with the storage case shown in a closed position.

FIG. 2 is a front view of the storage case of FIG. 1, with the storage case shown in the closed position.

FIG. 3 is a rear view of the storage case of FIG. 1, with the storage case shown in the closed position.

FIG. 4 is a left-side view of the storage case of FIG. 1, with the storage case shown in the closed position.

FIG. 5 is a right-side view of the storage case of FIG. 1, with the storage case shown in the closed position.

FIG. 6 is a top view of the storage case of FIG. 1, with the storage case shown in the closed position.

FIG. 7 is a bottom view of the storage case of FIG. 1, with the storage case shown in the closed position.

FIG. 8 is a front perspective view of the storage case of FIG. 1, with the storage case shown in an open position.

FIG. 9 is a front view of the storage case of FIG. 1, with the storage case shown in the open position.

FIG. 10 is a rear view of the storage case of FIG. 1, with the storage case shown in the open position.

FIG. 11 is a left-side view of the storage case of FIG. 1, with the storage case shown in the open position.


FIG. 12 is a right-side view of the storage case of FIG. 1, with the storage case shown in the open position.

FIG. 13 is a top view of the storage case of FIG. 1, with the storage case shown in the open position; and,

FIG. 14 is a bottom view of the storage case of FIG. 1, with the storage case shown in the open position.

The broken lines form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D930,352	S	*	9/2021	Jiang		D3/203.1
D950,235	S	*	5/2022	Chen		D3/205
D953,011	S	*	5/2022	Hood		B65D 5/66
						D3/203.1

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14