



US0D1005221S

(12)

United States Design Patent

Herbeuval et al.

(10)

Patent No.:

US D1,005,221 S

(45)

Date of Patent:

** Nov. 21, 2023

(54) TIRE

(71) Applicant: The Goodyear Tire & Rubber Company, Akron, OH (US)

(72) Inventors: Veronique Marie-Jose Herbeuval, Arlon (BE); Sebastien Willy Fontaine, Vichten (LU); Ananth Bhagavathapuram Srisailapathy, Ettelbruck (LU); Didier Barriere, Leglise (BE); Marc Hoffmann, Koetschette (LU); Juergen Rudi Hotz, Ferschweiler (DE)

(73) Assignee: The Goodyear Tire & Rubber Company, Akron, OH (US)

(**) Term: 15 Years

(21) Appl. No.: 29/768,733

(22) Filed: Feb. 1, 2021

(51) LOC (14) Cl. 12-15

(52) U.S. Cl. D12/545

(58) Field of Classification Search USPC D12/545, 533, 535, 553, 563, 536, 549, D12/501; D21/432, 424

(Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

D504,106 S 4/2005 de Briey-Terlinden et al. D12/553

D512,682 S 12/2005 Krenz et al. D12/564

(Continued)

OTHER PUBLICATIONS

“2-Pk Trailer Tires Rims ST175/80D13 175/80 13 B78-13 LRC 5 Lug White Spok” amazon.com, post Published Jan. 1, 2012. Retrieved Jan. 19, 2023. Available online at URL:https://www.amazon.com/

dp/B01EGO07E4/ref=redir_mobile_desktop?_encoding=UTF8&aaxitk=395d0d5cdc1bf40ce632873242f31f95&content-id=a (Year: 2012).*

(Continued)

Primary Examiner — Christian P. McLean

Assistant Examiner — Jessica Lynn Devilbiss

(74) Attorney, Agent, or Firm — June E. Rickey; Robert N. Lipsik

(57) CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the left side elevational view being a mirror image thereof;

FIG. 4 is an enlarged fragmentary front elevational view thereof taken along line 4-4 of FIG. 2;


FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the interior of the tire forms no part of the claim, that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is a mirror image thereof; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in the claim.

In the drawings, the broken lines immediately adjacent to the outer edges of the tire shoulder represent boundaries of the claim, and the broken lines depict environmental subject matter only and form no part of the claimed design.

The dashed broken lines indicating an enlargement portion of the design form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(58) **Field of Classification Search**
CPC Y10T 152/10027; B60C 1/0016; B60C
11/0306
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D533,131 S 12/2006 Fontaine et al. D12/588
D551,613 S 9/2007 Lo D12/564
D556,670 S 12/2007 Fontaine et al. D12/553
D575,726 S 8/2008 Fontaine et al. D12/564
D589,874 S 4/2009 Fontaine et al. D12/564
D591,221 S 4/2009 Fontaine et al. D12/563
D592,588 S 5/2009 Heinen et al. D12/564
D595,639 S 7/2009 de Briey-Terlinden D12/553
D595,640 S 7/2009 de Briey-Terlinden D12/564
D597,475 S 8/2009 Heinen et al. D12/553
D606,007 S 12/2009 Fontaine et al. D12/564
D615,479 S 5/2010 Lee D12/552
D635,912 S 4/2011 Knispel D12/564
D640,184 S 6/2011 de Briey-Terlinden D12/553
D640,966 S 7/2011 Fontaine et al. D12/563
D702,625 S 4/2014 Leconte et al. D12/564
D721,638 S 1/2015 Knispel D12/564
D722,554 S 2/2015 Knispel et al. D12/564
D722,555 S 2/2015 Knispel et al. D12/564
D723,453 S 3/2015 Knispel et al. D12/563
D733,639 S 7/2015 Fontaine et al. D12/563
D741,249 S 10/2015 Kouda et al. D12/558
D746,218 S 12/2015 Raatikainen et al. D12/545
D754,058 S 4/2016 Caron et al. D12/563
D756,292 S 5/2016 Yoon D12/545
D757,638 S * 5/2016 Yoon D12/545
D777,092 S 1/2017 Leconte et al. D12/564
D778,230 S 2/2017 Haanketo et al. D12/564
D780,672 S 3/2017 Yoon D12/563
D786,181 S 5/2017 Caron et al. D12/564
D792,835 S 7/2017 Raatikainen et al. D12/545
D794,545 S 8/2017 Houchard D12/545

D794,546 S 8/2017 Caron et al. D12/564
D795,167 S 8/2017 Houchard et al. D12/545
D797,653 S 9/2017 Raatikainen et al. D12/545
D812,548 S 3/2018 Raatikainen et al. D12/564
D819,550 S 6/2018 Galano D12/545
D820,774 S 6/2018 Brayer et al. D12/552
D832,194 S 10/2018 de Briey-Terlinden et al.
D12/564
D840,326 S * 2/2019 Hayashi D12/604
D852,122 S * 6/2019 Hiser D12/545
D853,940 S 7/2019 Houchard D12/552
D853,941 S 7/2019 Houchard D12/565
D855,010 S 7/2019 Nomura et al. D12/558
D860,127 S 9/2019 Tae D12/545
D862,371 S * 10/2019 Tikka D12/563
D871,315 S 12/2019 Liddo D12/564
D872,685 S 1/2020 Fujimoto D12/553
D873,761 S * 1/2020 Kubota D12/564
D879,017 S 3/2020 Amenta et al. D12/545
D879,018 S 3/2020 Amenta et al. D12/558
D894,092 S * 8/2020 Liu D12/501
D894,102 S 8/2020 Pribula D12/564
D898,656 S * 10/2020 Riaz Ralf D12/501
D900,714 S 11/2020 Geelen et al. D12/545
D900,715 S * 11/2020 van 't Hul D12/564
D933,580 S * 10/2021 Harris D12/545
D956,668 S * 7/2022 Ishizu D12/545
D971,815 S * 12/2022 Schlittenhard D12/563

OTHER PUBLICATIONS

“Toyo Extensa HP II Tires 196310” summitracing.com, post Published Unavailable. Retrieved Jan. 19, 2023. Available online at URL:<https://www.summitracing.com/parts/tyt-196310> (Year: 2023).*
U.S. Appl. No. 29/710,080, filed Oct. 21, 2019, Pons, et al., Goodyear.
U.S. Appl. No. 29/750,769, filed Sep. 16, 2020, Shondel, et al., Goodyear.

* cited by examiner




FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6