

(12)

United States Design Patent

Gruendl et al.

(10)

Patent No.:

US D1,006,286 S

(45)

Date of Patent:

** Nov. 28, 2023

(54)

SPOTLIGHT

(71)

Applicant: Zumtobel Lighting GmbH, Lemgo (DE)

(72)

Inventors: Harald Gruendl, Vienna (AT); Gernot Bohmann, Vienna (AT); Martin Bergmann, Vienna (AT)

(73)

Assignee: ZUMTOBEL LIGHTING GMBH, Lemgo (DE)

(**)

Term: 15 Years

(21)

Appl. No.: 35/512,875

(22)

Filed: Oct. 19, 2021

(80)

Hague Agreement Data

Int. Filing Date: Oct. 19, 2021

Int. Reg. No.: DM/217086

Int. Reg. Date: Oct. 19, 2021

Int. Reg. Pub. Date: Nov. 5, 2021

(51)

LOC (14) Cl. 26-05

(52)

U.S. Cl. D26/63

(58)

Field of Classification Search

USPC D26/24, 44, 60, 61, 63, 64, 72

CPC F21V 21/00; F21V 21/06; F21V 21/14; F21V 21/26; F21V 21/30; F21W 2131/10; F21W 2131/105; F21W 2131/107; F21W 2131/406; F21S 8/00; F21S 8/04; F21S 8/003; F21S 8/043

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D263,509 S * 3/1982 Heritage D26/131

D264,386 S * 5/1982 Heritage D26/63

D300,668 S * 4/1989 Monfort D26/63

6,739,740 B1 * 5/2004 Feldman F21V 21/34 362/147

D542,956 S * 5/2007 Benghozi D26/63

D563,579 S * 3/2008 Grimberg D26/61

D584,843 S * 1/2009 Kosche D26/66

D629,549 S * 12/2010 Feigenbaum D26/63

7,850,363 B1 * 12/2010 Speidel F21V 21/30 362/648

D723,726 S * 3/2015 Reed D26/63

D745,203 S * 12/2015 Jepson D26/63

D775,754 S * 1/2017 Jepson D26/63

D788,344 S * 5/2017 Gecchelin D26/63

D795,478 S * 8/2017 Goetz-Schaefer D26/63

D795,479 S * 8/2017 Goetz-Schaefer D26/63

D795,480 S * 8/2017 Goetz-Schaefer D26/63

D799,093 S * 10/2017 Terumichi D26/63

D799,736 S * 10/2017 Hendifar D26/88

D799,739 S * 10/2017 Dean D26/128

D800,363 S * 10/2017 Terumichi F21V 21/30 D26/63

D806,303 S * 12/2017 Matsui D26/65

D812,279 S * 3/2018 Price D26/63

D812,280 S * 3/2018 Lechtenberg D26/63

D840,574 S * 2/2019 Brynjolfsson D26/63

(Continued)

Primary Examiner — Clint A Samuel

(74) Attorney, Agent, or Firm — Volpe Koenig

(57) CLAIM

The ornamental design for spotlight, as shown and described.

DESCRIPTION

2. Spotlight

2.1 is a front perspective view;

2.2 is a left-side view;

2.3 is a right-side view;

2.4 is a top plan view;

2.5 is a bottom view;

2.6 is a rear view; and

2.7 is a front view.

The broken lines shown indicate structure that forms no part of the claimed design.

1 Claim, 7 Drawing Sheets


A perspective view of a spotlight, showing its cylindrical body and lens assembly. The drawing is a line art representation with some shading to indicate depth. The spotlight is oriented diagonally, with the lens at the bottom right and the mounting bracket at the top left.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D855,584	S	*	8/2019	Laine		D14/207
D859,717	S	*	9/2019	Martinez Weber		D26/63
10,443,819	B2	*	10/2019	Yamae		G02B 7/02
D887,057	S	*	6/2020	Healey		D26/63
D889,014	S	*	6/2020	Yin		D26/63
D912,868	S	*	3/2021	Morán		D26/66
D915,654	S	*	4/2021	Hsu		D26/63
D919,153	S	*	5/2021	Huang		D26/63
RE48,592	E	*	6/2021	Terumichi		F21V 21/30
						D26/63
D959,041	S	*	7/2022	Chen		D26/86
2023/0107396	A1	*	4/2023	Sandell		F21V 5/045
						362/249.13


* cited by examiner




2.1




2.2




2.3




2.4



2.5



2.6



2.7