US0D1006820S

(12) **United States Design Patent**
Li et al.

(10) **Patent No.: US D1,006,820 S**
(45) **Date of Patent: ** Dec. 5, 2023**

(54) **ELECTRONIC DEVICE WITH DISPLAY SCREEN AND GRAPHICAL USER INTERFACE**

(71) Applicant: **Schlumberger Technology Corporation**, Sugar Land, TX (US)

(72) Inventors: **Zhen Li**, Menlo Park, CA (US); **Adelle Knight**, Menlo Park, CA (US); **Sacha Brants-Menard**, Houston, TX (US)

(73) Assignee: **SCHLUMBERGER TECHNOLOGY CORPORATION**, Sugar Land, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/652,294**

(22) Filed: **Jul. 10, 2020**

(51) **LOC (14) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/485**; D14/487

(58) **Field of Classification Search**
USPC D14/485–495
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,664,132 A 9/1997 Smith
5,701,424 A 12/1997 Atkinson
(Continued)

OTHER PUBLICATIONS

Color changing screensaver 4:3(10mins), by Computer World, dated Sep. 12, 2013, youtube.com [online]. Retrieved Feb. 25, 2022 from internet <URL:https://www.youtube.com/watch?v=kjlGhhhVp0c> (Year: 2013).*
(Continued)

Primary Examiner — Andrew T Nemeth
(74) *Attorney, Agent, or Firm* — Michael Guthrie

(57) **CLAIM**

The ornamental design for an electronic device with display screen and graphical user interface, as shown and described.

DESCRIPTION

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

FIG. **1** is a view of an electronic device with display screen and graphical user interface showing a first image of a notification color palette. The claimed color in FIG. **1** is Red having a Hex Value of #DA3A3A.

FIG. **2** is a second image thereof. The claimed color in FIG. **2** is Yellow having a Hex Value of #FFDF22.

FIG. **3** is a third image thereof. The claimed color in FIG. **3** is Green having a Hex Value of #34836F; and,

FIG. **4** is fourth image thereof. The claimed color in FIG. **4** is Blue Grey having a Hex Value of #5A7793.

The appearance of the graphical user interface sequentially transitions between the images shown in FIGS. **1**, **2**, **3**, and **4**. The process or period in which one image transitions to another image forms no part of the claimed design.

The even-dashed broken lines showing the electronic device with display screen and portions of the graphical user interface, including all text and icons shown outside the dot-dashed broken lines, illustrate portions of the article of manufacture. The dot-dashed broken lines illustrate the bounds of the claimed design. Text inside the dot-dashed broken lines is shown in broken lines, and forms no part of the claimed design. None of the broken lines form part of the claimed design.

1 Claim, 4 Drawing Sheets
(4 of 4 Drawing Sheet(s) Filed in Color)



(58) **Field of Classification Search**
CPC G06F 3/048–04897
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,844,572	A		12/1998	Schott	
D425,521	S		5/2000	Hedberg	
6,320,586	B1		11/2001	Plattner	
D476,995	S		7/2003	Kreikemeier	
D479,846	S		9/2003	Kreikemeier	
D521,521	S	*	5/2006	Jewitt	D14/487
D624,557	S		9/2010	Allen	
D636,779	S		4/2011	Boush et al.	
D656,948	S	*	4/2012	Knudsen	D14/487
D672,784	S		12/2012	Clanton	
D685,813	S		7/2013	Bork	
D694,259	S		11/2013	Klein	
D699,251	S		2/2014	Rao	
9,142,050	B2		9/2015	Jain	
D746,308	S		12/2015	Ta	
D761,840	S		7/2016	Patterson	
D763,265	S		8/2016	Trujillo	
D766,916	S		9/2016	Bertnick	
D771,689	S	*	11/2016	Lv	D14/488
9,501,461	B2		11/2016	Patterson	
D779,550	S		2/2017	Yang	
D783,673	S		4/2017	Xu	
D783,674	S		4/2017	Yang	
D786,301	S		5/2017	Napper	
D798,315	S		9/2017	Prophete	
D798,886	S		10/2017	Prophete	
D811,420	S		2/2018	Gaur	
D812,067	S	*	3/2018	Chaudhri	D14/485
D815,137	S	*	4/2018	Coffman	D14/487
D815,139	S	*	4/2018	Coffman	D14/487
D815,140	S	*	4/2018	Coffman	D14/487
D815,141	S	*	4/2018	Coffman	D14/487
D816,705	S		5/2018	Skovholt	
D817,991	S	*	5/2018	Coffman	D14/487
D817,992	S	*	5/2018	Coffman	D14/487
D817,993	S	*	5/2018	Coffman	D14/487
D818,489	S		5/2018	Lider	
D820,303	S	*	6/2018	Coffman	D14/487
D823,313	S		7/2018	Corallini	
D823,869	S		7/2018	Zimmerman	
D824,405	S		7/2018	Narinedhat	
D830,372	S		10/2018	Gratzki	
D837,807	S		1/2019	Baber	
D840,430	S		2/2019	Elatta	
D841,042	S		2/2019	Reece	
D841,681	S	*	2/2019	Coffman	D14/487
D841,682	S	*	2/2019	Coffman	D14/487
D841,684	S	*	2/2019	Sepulveda	D14/487
D842,329	S	*	3/2019	Coffman	D14/487
D842,332	S		3/2019	Patterson	
D842,892	S	*	3/2019	Anton	D14/487
D844,025	S	*	3/2019	Coffman	D14/487
D845,312	S	*	4/2019	Spångberg	D14/485
D847,187	S		4/2019	Shinozuka	
D852,226	S	*	6/2019	Vickery	D14/490
D852,227	S	*	6/2019	Vickery	D14/490
D854,571	S	*	7/2019	Park	D14/487
D854,573	S	*	7/2019	Coffman	D14/487
D857,043	S		8/2019	Shinozuka	
D861,022	S		9/2019	Layon	
D862,508	S	*	10/2019	Coffman	D14/487
D863,338	S		10/2019	Antihi	
D871,438	S	*	12/2019	Nakahara	D14/487
D871,440	S	*	12/2019	Coffman	D14/487
D872,762	S	*	1/2020	Coffman	D14/487
D874,502	S		2/2020	Krishnamurthy	
D874,508	S	*	2/2020	Coffman	D14/487
D875,127	S	*	2/2020	Wong	D14/487
D877,184	S	*	3/2020	Coffman	D14/487
D888,082	S		6/2020	Weick	
D888,722	S		6/2020	Calzada	
10,685,036	B2		6/2020	Berwick	
D889,502	S	*	7/2020	Coffman	D14/487
D890,806	S	*	7/2020	Coffman	D14/487
D890,807	S	*	7/2020	Coffman	D14/487
D898,054	S		10/2020	Everhart	
D898,069	S	*	10/2020	Coffman	D14/487
D900,860	S	*	11/2020	Coffman	D14/487
D901,520	S		11/2020	Gangcuangco	
D901,533	S	*	11/2020	Coffman	D14/487
D902,231	S		11/2020	Cadow	
D910,047	S		2/2021	Einspahr	
D910,693	S	*	2/2021	Folken	D14/487
D913,330	S		3/2021	Shan	
D914,710	S		3/2021	Collins	
D916,712	S		4/2021	Bickford	
D923,644	S		6/2021	Modi	
D931,870	S		9/2021	Habarakada	
D931,875	S		9/2021	Dailey	
D933,675	S		10/2021	Doyle	
D934,884	S		11/2021	Bergenstal	
D934,886	S		11/2021	Kuo	
D934,898	S		11/2021	Phung	
D937,888	S		12/2021	Lin	
D938,439	S		12/2021	Osis	
D938,453	S		12/2021	Osis	
D938,464	S		12/2021	Tu	
D938,467	S		12/2021	Heilman	
D938,986	S		12/2021	Grossberg	
D940,155	S		1/2022	Poor	
D940,169	S		1/2022	Boutros	
D940,176	S		1/2022	Li	
D941,311	S		1/2022	Mao	
D941,318	S		1/2022	Adrien	
D941,836	S		1/2022	Schrupp	
D946,585	S	*	3/2022	Norman	D14/485
D947,221	S	*	3/2022	Rubin	D14/491
D963,692	S		9/2022	Einspahr	
D967,181	S		10/2022	Lin et al.	
D977,490	S		2/2023	Casse et al.	
D977,508	S		2/2023	Butter et al.	
D982,592	S		4/2023	Braun	
D982,598	S		4/2023	Doernhoefer	
2009/0282406	A1		11/2009	Malki	
2010/0005008	A1		1/2010	Duncker	
2010/0253686	A1		10/2010	Alsbury	
2011/0071844	A1		3/2011	Cannon	
2011/0115814	A1		5/2011	Heimendinger	
2012/0272160	A1		10/2012	Spivack	
2013/0019208	A1		1/2013	Kotler	
2013/0036380	A1		2/2013	Symons	
2016/0113594	A1		4/2016	Koehler	
2021/0342785	A1		11/2021	Mann	
2021/0362874	A1		11/2021	Gunaratnage	

OTHER PUBLICATIONS

Working with Bootstrap and WCAG Color Contrast Ratios, by Dan Cox, dated Jan. 24, 2017, videlais.com [online]. Retrieved Feb. 25, 2022 from internet <URL:https://videlais.com/2017/01/24/working-with-bootstrap-and-wcag-color-contrast-ratios/> (Year: 2017).*

Charts—palette extension modes, by dxbykov, dated Mar. 6, 2018, github.com [online]. Retrieved Jun. 21, 2022 from internet <URL:https://github.com/DevExpress/DevExtreme/issues/3211> (Year: 2018).

Making a roulete style Poly Wheel in Java, edited Dec. 26, 2017, stackoverflow.com [online]. Retrieved Jun. 21, 2022 from internet <URL:http://github.com/DevExpress/DevExtreme/issues/3211> (Year: 2017).

Office Action issued in U.S. Appl. No. 29/652,296 dated Jan. 20, 2023, 18 pages.

Notice of Allowance issued in U.S. Appl. No. 29/652,292 dated Mar. 1, 2023; 6 pages.

Notice of Allowance issued in U.S. Appl. No. 29/652,291 dated Apr. 13, 2023; 7 pages.

* cited by examiner


BOTTOM HOLE ASS.
(IN SLIPS)
2965
2970
2975
2980
2990
2995
3000
3005
3010
3015
RATE OF PENETRATION
53
m/h
80
40
00
WASHOUT
100
70
28
60
%
00
FLOW
638
gal/min
80
40
00
WEIGHT ON BIT
30
25
20
10
klbf
-10
STICK SLIP
116
%
80
40
00
HOOKLOAD
300
280
225
200
klbf
00
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM

FIG. 1


BOTTOM HOLE ASS.
(IN SLIPS)
2965
2970
2975
2980
2990
2995
3000
3005
3010
3015
RATE OF PENETRATION
53
WASHOUT
100
70
28
60
%
FLOW
638
WEIGHT ON BIT
30
25
20
-10
STICK SLIP
116
%
HOOKLOAD
300
280
225
200
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM

FIG.2


BOTTOM HOLE ASS. (IN SLIPS)
2965
2970
2975
2980
2990
2995
3000
3005
3010
3015
+PowerDrive x5
RATE OF PENETRATION
53
m/h
FLOW
638
gal/min
STICK SLIP
116
%
WASHOUT
60
%
100
70
28
00
WEIGHT ON BIT
10
klbf
30
25
20
-10
HOOKLOAD
200
klbf
300
280
225
00
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM

FIG. 3


BOTTOM HOLE ASS.
(IN SLIPS)
RATE OF PENETRATION
FLOW
STICK SLIP
WASHOUT
WEIGHT ON BIT
HOOKLOAD
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM
LOREMIPSUM

FIG. 4