



US0D1007402S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,007,402 S**  
**Claassen** (45) **Date of Patent:** **\*\* Dec. 12, 2023**

(54) **TIRE**

(71) Applicant: **Nokian Heavy Tyres Ltd**, Nokia (FI)

(72) Inventor: **Caleb Claassen**, Tampere (FI)

(73) Assignee: **Nokian Heavy Tyres Ltd**, Nokia (FI)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/811,456**

(22) Filed: **Oct. 14, 2021**

(30) **Foreign Application Priority Data**

Apr. 28, 2021 (EM) ..... 008522775-0006

(51) **LOC (14) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/563**

(58) **Field of Classification Search**

USPC ..... D12/544, 563, 542, 543, 536, 537

CPC ..... B60C 2200/12; B60C 19/12; B60C 3/02;

B60C 9/20; B60C 15/0045; B60C 29/06;

B60C 5/12; B60C 15/024; B60C 23/006;

B60C 23/0496; B60C 29/005; B60C 9/06;

B60C 11/02; B60C 13/02; B60C 15/0233;

B60C 19/122; B60C 2200/14; B60C

29/02; B60C 9/0042; B60C 11/0083;

B60C 15/0018; B60C 15/0036; B60C

17/0009; B60C 2009/2067; B60C

2009/2077; B60C 5/02; B60C 7/121;

B60C 9/11; B60C 9/18; B60C 9/1807;

B60C 1/0016; B60C 11/005; B60C

11/0306; B60C 11/11; B60C 13/001;

B60C 13/04; B60C 15/0632; B60C

2009/1878; B60C 2009/2064; B60C

23/0433; B60C 23/0461; B60C 23/0479;

B60C 25/16; B60C 27/16; B60C 27/18;

B60C 29/04; B60C 5/16; B60C 7/1015;

B60C 7/105; B60C 7/12; B60C 7/125;

B60C 7/16; B60C 7/24; B60C 7/26;

B60C 9/09; B60C 9/14; B60C 9/2009;

B60C 11/0309; B60C 11/24; B60C 13/00;

B60C 15/022; B60C 15/0226; B60C  
15/04; B60C 15/0603; B60C 19/125;  
B60C 2007/005; B60C 2009/0071; B60C  
2009/0092; B60C 2009/0425; B60C  
2009/045; B60C 2009/1814; B60C  
2009/1885; B60C 2009/2022; B60C  
2009/2083; B60C 2009/209; B60C  
2009/2096; B60C 2011/0383; B60C  
2011/0388; B60C 2013/006; B60C  
2015/009; B60C 2015/046; B60C  
2015/061; B60C 2015/0614; B60C  
2015/065; B60C 23/001; B60C 23/004;  
B60C 23/02; B60C 23/04; B60C 23/0406;  
B60C 23/041; B60C 23/0447; B60C  
23/0488; B60C 23/0494; B60C 23/0498;  
B60C 23/061; B60C 23/10; B60C 25/02;  
B60C 25/04; B60C 27/06;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D606,005 S \* 12/2009 Cerny ..... D12/544

D649,927 S \* 12/2011 Cerny ..... D12/544

(Continued)

*Primary Examiner* — George D. Kirschbaum

(74) *Attorney, Agent, or Firm* — Saidman DesignLaw  
Group, LLC

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a tire showing my new  
design;

FIG. 2 is a front view thereof; and,

FIG. 3 is a side view thereof.

The tread pattern is understood to repeat uniformly across  
the entire circumference of the tire.

**1 Claim, 3 Drawing Sheets**



(58) **Field of Classification Search**

CPC ... B60C 29/002; B60C 29/064; B60C 29/066;  
B60C 3/04; B60C 7/101; B60C 7/107;  
B60C 7/14; B60C 7/143; B60C 7/18;  
B60C 9/0207; B60C 9/10; B60C 9/2003;  
B60C 9/28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D735,118 S *	7/2015	Dixon .....	D12/578
D735,119 S *	7/2015	Hermann .....	D12/578
D786,782 S *	5/2017	Dixon .....	D12/563
D913,205 S *	3/2021	Koog .....	D12/563
D923,556 S *	6/2021	Crisamore .....	D12/563

\* cited by examiner





FIG. 1





FIG. 2





FIG. 3