

US0D1008063S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,008,063 S**
Paredes et al. (45) **Date of Patent:** **** Dec. 19, 2023**

(54) **SENSOR HOUSING**

(71) Applicant: **HeathCo LLC**, Bowling Green, KY
(US)

(72) Inventors: **Apollo Paul Paredes**, Livonia, MI
(US); **Scott Blaise Tylicki**, Bowling
Green, KY (US); **Miles William**
McDonald, Bowling Green, KY (US);
Kushagra Dixit, Bowling Green, KY
(US)

(73) Assignee: **HEATHCO LLC**, Bowling Green, KY
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/786,353**

(22) Filed: **May 31, 2021**

(51) **LOC (14) Cl.** **10-05**

(52) **U.S. Cl.**

USPC **D10/106.8**; D26/63

(58) **Field of Classification Search**

USPC D10/46, 70, 104.1, 106.6–106.8, 106.92,
D10/113.1, 118.2; D26/24, 26, 63, 65,
D26/70, 72, 85, 120

CPC G08B 5/36; G08B 13/1436; H05B 47/115;
F21V 23/0442; F21V 23/0471

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D392,065 S * 3/1998 Morrow D10/106.8
D708,388 S * 7/2014 Lee D26/120
D720,093 S * 12/2014 Lee D26/120
D757,347 S * 5/2016 Chen D26/120
D759,291 S * 6/2016 Chen D26/120
D781,481 S * 3/2017 Chen D26/65
D784,589 S * 4/2017 Chen D26/65
D801,841 S * 11/2017 Chen D10/106.6
9,839,088 B1 * 12/2017 Deaton H05B 47/13

10,107,480 B1 * 10/2018 Ladewig F21S 8/036
D835,834 S * 12/2018 Paredes F21S 8/036
D26/120
D847,404 S * 4/2019 Paredes D26/118
D853,623 S * 7/2019 Paredes D26/118
10,865,980 B1 * 12/2020 Tylicki F21V 23/0471
11,280,458 B1 * 3/2022 McDonald F21V 23/002
11,346,514 B2 * 5/2022 Paredes F21V 23/06
D956,301 S * 6/2022 Chen D26/63
D974,621 S * 1/2023 Paredes D26/63

(Continued)

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Lillian Windham

(74) Attorney, Agent, or Firm — Gray Ice Higdon

(57) **CLAIM**


The ornamental design for a sensor housing, as shown and
described.

DESCRIPTION

FIG. 1 is a front view of a sensor housing design;
FIG. 2 is a lower perspective view of the sensor housing
design of FIG. 1;
FIG. 3 is an upper perspective view of the sensor housing
design of FIG. 1;
FIG. 4 is a rear view of the sensor housing design of FIG.
1;
FIG. 5 is a left side view of the sensor housing design of
FIG. 1;
FIG. 6 is a right side view of the sensor housing design of
FIG. 1;
FIG. 7 is a top view of the sensor housing design of FIG. 1;
and,
FIG. 8 is a bottom view of the sensor housing design of FIG.
1.

The broken lines shown in the drawings are included for the
purpose of illustrating the unclaimed portions of the sensor
housing. The broken lines form no part of the claimed
design.

1 Claim, 8 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D974,622 S *	1/2023	Paredes	D26/63
2023/0092803 A1 *	3/2023	McDonald	F21S 8/033
			362/147

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8