



US0D1008751S

(12)

United States Design Patent

Lane et al.

(10) Patent No.: US D1,008,751 S

(45) Date of Patent: ** Dec. 26, 2023

(54) BEVERAGE HOLDER

DESCRIPTION

(71) Applicant: **Thermos L.L.C.**, Schaumburg, IL (US)

(72) Inventors: **Marvin Lane**, Brandon, MS (US);
Dwayne Boroski, Lake in the Hills, IL (US)

(73) Assignee: **Thermos L.L.C.**, Schaumburg, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/805,994**

(22) Filed: **Aug. 31, 2021**

(51) **LOC (14) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D7/624.2**; D7/608

(58) **Field of Classification Search**
USPC D7/387, 396.1, 396.2, 500, 509, 510,
D7/511, 523, 529, 584, 586, 587,
(Continued)

FIG. 1 is a perspective view of a first embodiment of a beverage holder, showing our new design;
FIG. 2 is a front view of the first embodiment of the beverage holder;
FIG. 3 is a rear view of the first embodiment of the beverage holder;
FIG. 4 is a right side view of the first embodiment of the beverage holder;
FIG. 5 is a left side view of the first embodiment of the beverage holder;
FIG. 6 is a top view of the first embodiment of the beverage holder;
FIG. 7 is a bottom view of the first embodiment of the beverage holder;
FIG. 8 is a perspective view of a second embodiment of a beverage holder;
FIG. 9 is a front view of the second embodiment of the beverage holder;
FIG. 10 is a rear view of the second embodiment of the beverage holder;
FIG. 11 is a right side view of the second embodiment of the beverage holder;
FIG. 12 is a left side view of the second embodiment of the beverage holder;
FIG. 13 is a top view of the second embodiment of the beverage holder;
FIG. 14 is a bottom view of the second embodiment of the beverage holder;
FIG. 15 is a perspective view of a third embodiment of a beverage holder;
FIG. 16 is a front view of the third embodiment of a beverage holder;
FIG. 17 is a rear view of the third embodiment of the beverage holder;
FIG. 18 is a right side view of the third embodiment of the beverage holder;
FIG. 19 is a left side view of the third embodiment of the beverage holder;
FIG. 20 is a top view of the third embodiment of the beverage holder;

(56) References Cited

U.S. PATENT DOCUMENTS

D322,753 S 12/1991 Sussman
D405,609 S 2/1999 Fu et al.
(Continued)

OTHER PUBLICATIONS

Insulated Can Cooler, Thermos, [online], [site visited Mar. 20, 2023], Available from internet URL: <https://thermos.com/collections/mugs-tumblers/products/icon-can-insulator-12oz> (Year: 2023).*
(Continued)

Primary Examiner — Catherine Ho
Assistant Examiner — Natalya M Rapundalo
(74) Attorney, Agent, or Firm — Polsinelli PC

(57) CLAIM

The ornamental design for a beverage holder, as shown and described.

(Continued)




FIG. 21 is a bottom view of the third embodiment of the beverage holder;
FIG. 22 is a perspective view of a fourth embodiment of a beverage holder;
FIG. 23 is a front view of the fourth embodiment of the beverage holder;
FIG. 24 is a rear view of the fourth embodiment of the beverage holder;
FIG. 25 is a right side view of the fourth embodiment of the beverage holder;
FIG. 26 is a left side view of the fourth embodiment of the beverage holder;
FIG. 27 is a top view of the fourth embodiment of the beverage holder; and,
FIG. 28 is a bottom view of the fourth embodiment of the beverage holder.
The evenly dashed broken lines in the figures are included for the purpose of illustrating portions of the beverage holder that form no part of the claimed design. The dash-dot lines in the figures define the bounds of the claimed design and form no part thereof. The beverage holder is shown with a symbolic break in its length and width in FIGS. 8-12 and FIGS. 22-26. The appearance of any portion of the article between the break lines forms no part of the claimed design. The stippling shown in FIGS. 1-6, 8-13, 15-20, and 22-27 depicts a contrast in appearance.

1 Claim, 24 Drawing Sheets

(58) **Field of Classification Search**
USPC D7/601–606, 608, 619.1, 619.2, 624.2, D7/624.3, 625; D3/202; D15/79, 81, 83, D15/89, 90; D9/500, 516, 549, 558, 559
CPC A47G 23/02; A47G 23/0208; A47G 23/0216; A47G 23/0241; A47G 23/0266; A47G 23/04; A47G 2023/0275; A47G 2023/0283; A47G 2023/0291; A47G 19/22; A47G 19/2205; A47G 19/2288; A47J 41/00; A47J 41/0005; A47J 41/0011; A47J 41/0027; A47J 41/0072; A47J 41/02; A47J 41/028; B65D 81/3876; B65D 81/3881
See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D405,650	S	2/1999	Meier	
D405,653	S	2/1999	Carlucci	
D405,654	S	2/1999	Moran	
D442,833	S	5/2001	Shuman	
D617,608	S	6/2010	Yang et al.	
D679,960	S	4/2013	Hopkins et al.	
D695,138	S	* 12/2013	Ball	D9/435
D727,688	S	4/2015	Hewitt et al.	
D728,314	S	5/2015	Carstensen et al.	
D752,397	S	3/2016	Seiders et al.	
D779,285	S	2/2017	Seiders et al.	
D779,891	S	2/2017	Seiders et al.	
D779,892	S	2/2017	Seiders et al.	
D780,530	S	3/2017	Seiders et al.	
D780,531	S	3/2017	Seiders et al.	
D780,532	S	3/2017	Seiders et al.	
D780,533	S	3/2017	Seiders et al.	
D786,025	S	5/2017	Seiders et al.	
D826,003	S	8/2018	Seiders et al.	
D869,246	S	12/2019	Jacobsen	
D886,516	S	* 6/2020	Berresheim	D7/392.1
D888,505	S	6/2020	Seiders et al.	
D896,041	S	9/2020	Callinan et al.	
D899,854	S	* 10/2020	Jacob	D7/532
D901,988	S	11/2020	Jacobsen	
D902,665	S	* 11/2020	Jacobsen	D7/608
D904,118	S	* 12/2020	Jacob	A47G 23/0241
				D7/532
D908,444	S	* 1/2021	Pape	D7/607
11,040,819	B1	* 6/2021	Frankcomb	A47G 23/0216
D935,282	S	* 11/2021	Jackson	A47G 23/0241
				D7/624.2
D949,635	S	* 4/2022	Pisarevsky	D7/624.2
D951,029	S	* 5/2022	Burns	D7/608
D957,202	S	* 7/2022	Frankcomb	D7/608
D969,557	S	* 11/2022	Jacob	A47G 23/0216
				D7/510
D990,243	S	* 6/2023	Boroski	D9/504

OTHER PUBLICATIONS

Slim Insulated Can Cooler, Thermos, [online], [site visited Mar. 20, 2023], Available from internet URL: <https://thermos.com/collections/mugs-tumblers/products/icon-slim-can-insulator-12oz> (Year: 2023).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28