



US0D1010560S

(12)

United States Design Patent

Mineur

(10)

Patent No.:

US D1,010,560 S

(45)

Date of Patent:

** Jan. 9, 2024

(54) ALL-POSITION TRUCK TIRE

FOREIGN PATENT DOCUMENTS

(71) Applicant: American Tire Engineering, Inc.,
Minnetonka, MN (US)

CA 2018565 A1 12/1990
CN 301271406 S 6/2010
(Continued)

(72) Inventor: Mark H. Mineur, Fernandina, CA (US)

OTHER PUBLICATIONS

(73) Assignee: American Tire Engineering, Inc.,
Minnetonka, MN (US)

Dr819, Double Road, Qingdao QJ Industrial Inc., Shandong, China,
<https://qandjindustrialgroup.en.made-in-china.com/product/wMNnkORPrFYT/China-Smartway-Drive-Steer-Trailer-Truck-Tires-11R24-5-DR819-Heavy-Truck-Tyre-Weight-315-80R22-5-18.html>, 8 pages.

(**) Term: 15 Years

(Continued)

(21) Appl. No.: 29/741,279

(22) Filed: Jul. 10, 2020

Primary Examiner — John A Voytek

(51) LOC (14) Cl. 12-15

(74) Attorney, Agent, or Firm — Christensen, Fonder,
Dardi & Herbert PLLC

(52) U.S. Cl.
USPC D12/588

(57) CLAIM

(58) Field of Classification Search
USPC D12/568–605, 900
CPC Y10T 152/10027; B60C 1/0016; B60C
11/0306; B60C 11/0302; B60C 3/06;
B60C 9/17

I claim the ornamental design for an all-position truck tire,
as shown and described.

DESCRIPTION

See application file for complete search history.

FIG. 1 is a perspective view of the all-position truck tire
according to my new design, it being understood that the
tread pattern is repeated throughout the circumference of the
tire;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side view thereof, with the left view being
a mirror image of the right view; and,

FIG. 4 is an enlarged partial perspective view, showing
particular detail of the tread pattern thereof.

The dashed-pattern broken lines illustrated show portions of
the all-position truck tire that form no part of the claimed
design.

The dashed-pattern broken lines used for demarcation of
enlarged portions of the all-position truck tire form no part
of the claim.

The dash-dot-pattern broken line in the drawing views
represents the boundaries of the claimed design.


(56) References Cited

U.S. PATENT DOCUMENTS

4,600,456 A	7/1986	Oswald	
5,226,999 A	7/1993	Dugas	
D354,027 S	1/1995	Grosskopf	
D395,414 S	6/1998	Grosskopf et al.	
D409,122 S	5/1999	Kemp et al.	
6,050,313 A	4/2000	Tsuda	
D481,670 S *	11/2003	Harden, Jr.	D12/595
D502,683 S	3/2005	Pang et al.	
D615,922 S *	5/2010	Takano	D12/588
D660,224 S	5/2012	Takahashi	
D710,296 S	8/2014	Hani et al.	
D730,273 S *	5/2015	Schimmoeller	D12/601
D732,465 S *	6/2015	Yamada	D12/588

(Continued)

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,108,472 B2 8/2015 Hamanaka
D743,327 S * 11/2015 Schimmoeller D12/588
D766,169 S 9/2016 Fujioka
D780,105 S 2/2017 Renis
D787,434 S * 5/2017 Oji D12/595
D789,284 S * 6/2017 Krier D12/588
10,239,360 B2 3/2019 Fujioka
D845,222 S 4/2019 Wu
D850,360 S * 6/2019 Davenport D12/600
D858,427 S 9/2019 Kochanek
D864,850 S 10/2019 Kristen
D870,030 S 12/2019 Wang et al.
D875,657 S * 2/2020 Hiser D12/588
D880,407 S 4/2020 Schultz et al.
D883,909 S 5/2020 Fujioka
D886,033 S 6/2020 Kristen
D886,725 S 6/2020 Sato
D894,112 S 8/2020 Koog et al.
D919,557 S * 5/2021 Davenport D12/588
D930,569 S * 9/2021 Yu D12/604
D931,195 S 9/2021 Kristen
D934,786 S 11/2021 Kochanek
2005/0230020 A1 10/2005 Miyake
2008/0149241 A1 6/2008 Maruyama
2009/0301627 A1 12/2009 Manno
2011/0208488 A1 8/2011 Sakuraba
2020/0290299 A1 9/2020 Mineur
2021/0107245 A1 4/2021 Hosoda

FOREIGN PATENT DOCUMENTS

CN 301597375 S 6/2011
CN 301693551 S 10/2011
CN 301953639 S 6/2012
CN 302042765 S 8/2012
CN 302605930 S 10/2013
EM 002376772-0001 12/2013
EP 0464438 A1 1/1992
JP 06055905 A 3/1994
JP H08113014 A 5/1996
JP 2004351970 A 12/2004
JP D1246742 6/2005
JP 2007276556 A 10/2007
JP 4266705 B2 5/2009
JP 4518657 B2 8/2010
JP 2014118011 A 6/2014
JP 5934597 B2 6/2016
JP 2019123448 A 7/2019
KR 100593008 B1 6/2006
KR 1020100121298 A 11/2010
WO 200037270 A1 6/2000
WO 2019037150 A1 2/2019
WO 2019142509 A1 7/2019
WO 2020190895 A2 9/2020
WO WO-2021188139 A1 9/2021
WO WO2022098732 5/2022

OTHER PUBLICATIONS

Bridgestone R150, Bridgestone Tyres New Zealand, <https://www.bridgestonetyres.co.nz/commercial/bridgestone-r150>.
Dr818, Double Road, Wholesale Trailer Tyre Manufacturers 295/80r22.5 11r22.5 11r24.5 Heavy Truck Tyre Tread Depth, Qingdao

QJ Industrial Inc., Shandong, China, <https://qandjindustrialgroup.en.made-in-china.com/product/bMinFNBGrCrL/China-Wholesale-Trailer-Tyre-Manufacturers-295-80r22-5-11r22-5-11r24-5-Heavy-Truck-Tire-Tread-Depth.html>.
Dr819, Double Road, Qingdao QJ Industrial Inc., Shandong, China, <https://qandjindustrialgroup.en.made-in-china.com/product/bMinFNBGrCrL/China-Wholesale-Trailer-Tyre-Manufacturers-295-80r22-5-11r22-5-11r24-5-Heavy-Truck-Tire-Tread-Depth.html>.
G150, Good Stability R-Stone Precur Tire Tread for Semi Trailer/Trailer Tire, Pattern J30, Jianxin, <http://www.tireretreadingmachine.com/sale-10508270-good-stability-r-stone-precure-tire-tread-for-for-semi-trailer-trailer-tire.html>.
G969, Good Stability R-Stone Precur Tire Tread for Semi Trailer/Trailer Tire, Pattern J30, Jianxin, <http://www.fireretreadingmachine.com/sale-10508270-good-stability-r-stone-precure-tire-tread-for-for-semi-trailer-trailer-tire.html>.
International Search Report issued Dec. 9, 2020 in International Application No. PCT/US2020/041425, filed Jul. 9, 2020.
RR706, Ultra-premium mixed service all-position tire, Double Coin Tires, <https://doublecointires.com/tire/rr706/>.
Osborne, D., “The Role of Cap Plies in Steel Belted Radial Tires”, 16 pages, 2003.
Wanli Milever Brand 11r24.5 11r22.5 Trailer Tire on Alibaba.com, SDR06 Closed Shoulder Drive Tire, https://www.alibaba.com/product-detail/WANLI-MILEVER-brand-11r24-5-11r22_62010710463.html?spm=a2700.7724857.normalList.31.3aaa67b3lqqQPo.
DR818, Double Road, Wholesale Trailer Tyre Manufacturers, 295/80r22.5 11r22.5 11r24.5 Heavy Truck Tyre Tread Depth, Qingdao QJ Industrial Inc., Shandong, China, <https://qandjindustrialgroup.en.made-in-china.com/product/DMinFNBGrCrL/China-Wholesale-Trailer-Tyre-Manufacturers-295-80r22-5-11r22-5-11r24-5-Heavy-Truck-Tire-Tread-Depth.html>, Feb. 4, 2020, 5 pages.
DR819, Double Road, Qingdao QJ Industrial Inc., Shandong, China, <https://qandjindustrialgroup.en.made-in-china.com/product/wMnNkORPrFYT/China-Smartway-Drive-Steer-Trailer-Truck-Tires-11R24-5-DR819-Heavy-Truck-Tyre-Weight-315-80R22-5-18.html>, Jan. 11, 2022, 8 pages.
Bridgestone R150, Bridgestone Tyres New Zealand, Mar. 4, 2020, <https://www.bridgestonetyres.co.nz/commercial/bridgestone-r150>, 2 pages.
G150, Good Stability R-Stone Precur Tire Tread for Semi-Trailer/Trailer Tire, Pattern J30, Jianxin, <http://www.tireretreadingmachine.com/sale-10508270-good-stability-r-stone-precure-tire-tread-for-for-semi-trailer-trailer-tire.html>, Mar. 4, 2020, 2 pages.
G969, Good Stability R-Stone Precur Tire Tread for Semi Trailer/Trailer Tire, Pattern J30, Jianxin, <http://www.ireretreadingmachine.com/sale-10508270-good-stability-r-stone-precure-tire-tread-for-for-semi-trailer-trailer-tire.html>, Apr. 3, 2020, 2 pages.
RR706, Ultra-Premium Mixed Service All-Position Tire, Double Coin Tires, Apr. 2, 2020, <https://www.doublecointires.com/tire/rr706/>, 3 pages.
Wanli Milever Brand, 11r24.5 11r22.5 Trailer Tire on Alibaba.com, SDR06 Closed Shoulder Drive Tire, https://www.alibaba.co/product-detail/wanli-milever-brand=11r24-5-11r22_62010710463.html?spm=a2700.7724857,normalList.31.3aaa67b3lqqQPo, Apr. 3, 2020, 8 pages.
International Search Report and Written Opinion, from corresponding PCT application No. PCT/US2021/057863, dated Feb. 23, 2022, 10 pages.
Mark et al., “Science and Technology of Rubber”, pp. 678-680 plus two drawing sheets, 1994.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4