



US0D1010583S

(12) **United States Design Patent** (10) **Patent No.: US D1,010,583 S**
Wallensteiner (45) **Date of Patent: ** Jan. 9, 2024**

(54) **ELECTRICAL CONNECTION DEVICE**

(71) Applicant: **Robert Bosch GmbH**, Stuttgart (DE)

(72) Inventor: **Georg Wallensteiner**, Gemmrigheim (DE)

(73) Assignee: **Robert Bosch GmbH**, Stuttgart (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/864,718**

(22) Filed: **Jun. 14, 2022**

(30) **Foreign Application Priority Data**

Dec. 16, 2021 (EM) 008800304-0001
Dec. 16, 2021 (EM) 008800304-0002
Dec. 16, 2021 (EM) 008800304-0003
Dec. 16, 2021 (EM) 008800304-0004

(51) **LOC (14) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/139.7; D13/146; D13/107**

(58) **Field of Classification Search**
USPC D13/139.1–139.8, 137.1–137.4, 107,
D13/138–138.2, 146, 147, 133, 144
CPC H01R 13/5227; B60L 53/65; B60L 53/31
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D468,265 S * 1/2003 Cook D13/144
D608,737 S * 1/2010 Upham D13/147
D636,334 S * 4/2011 Kato D13/133
D667,379 S * 9/2012 Fukushima D13/133
D669,033 S * 10/2012 Senk D13/133
D677,632 S * 3/2013 Riddle D13/133
D694,188 S * 11/2013 Ferguson D13/133
D700,143 S * 2/2014 Ichio D13/133
D702,641 S * 4/2014 Ichio D13/146

D707,179 S * 6/2014 Smith D13/146
D714,225 S * 9/2014 Ichio D13/146
D716,233 S * 10/2014 Lai D13/146

(Continued)

Primary Examiner — Rhea Shields

(74) *Attorney, Agent, or Firm* — Maginot, Moore & Beck LLP

(57) **CLAIM**

The ornamental design for an electrical connection device, as shown and described.

DESCRIPTION

Cross reference is made to U.S. design patent application Ser. No. 29/864,719 entitled “Electrical Connector” by Georg Wallensteiner, which was filed on even date herewith; and U.S. design patent application Ser. No. 29/864,720 entitled “Electrical Connector” by Georg Wallensteiner, which was filed on even date herewith.

FIG. 1 is a perspective view of an electrical connection device showing my new design;

FIG. 2 is a front side elevational view of the electrical connection device of FIG. 1;

FIG. 3 is a rear side elevational view of the electrical connection device of FIG. 1;

FIG. 4 is a left side elevational view of the electrical connection device of FIG. 1;


FIG. 5 is a right side elevational view of the electrical connection device of FIG. 1;

FIG. 6 is a top side plan view of the electrical connection device of FIG. 1; and,

FIG. 7 is a bottom side plan view of the electrical connection device of FIG. 1.

The evenly dashed broken lines shown in the drawings illustrate portions of the electrical connection device that form no part of the claimed design. The electrical connection device is shown with a dash-dot-dash symbolic break in its length. The appearance of any portion of article beyond the break lines forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D768,082 S *	10/2016	Chuang	D13/146
D797,052 S *	9/2017	Moseke	D13/146
9,793,642 B2 *	10/2017	Natter	B60L 53/31
D806,038 S *	12/2017	Zhang	D13/147
D884,645 S *	5/2020	Fukuyama	D13/146
D902,866 S *	11/2020	Neumann	D13/146
D949,797 S *	4/2022	Stamm	D13/146
D986,827 S *	5/2023	Schneider	D13/138.2
D988,991 S *	6/2023	Hung	D13/107
2011/0145141 A1 *	6/2011	Blain	B60L 53/65
			235/382
2012/0171900 A1 *	7/2012	Sebald	H01R 13/5227
			29/874

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7