



US0D1011300S

(12)

United States Design Patent

Mukai

(10)

Patent No.:

US D1,011,300 S

(45)

Date of Patent:

** Jan. 16, 2024

(54) FUSE

(71) Applicant: Dexerials Corporation, Shimotsuke (JP)

(72) Inventor: Koichi Mukai, Tochigi (JP)

(73) Assignee: Dexerials Corporation, Shimotsuke (JP)

(**) Term: 15 Years

(21) Appl. No.: 29/792,033

(22) Filed: Feb. 28, 2022

(30) Foreign Application Priority Data

Sep. 1, 2021 (JP) 2021-018906 D

(51) LOC (14) Cl. 13-03

(52) U.S. Cl.
USPC D13/161; D13/160

(58) Field of Classification Search
USPC D13/158, 160, 161, 182, 184, 199
CPC .. H01H 85/20; H01H 85/202; H01H 85/2015;
H01H 37/76; H01H 2085/0414; H01R
13/688; H01R 13/684
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

5,790,008 A * 8/1998 Blecha H01H 85/046
337/152

D585,366 S * 1/2009 Burchette D13/110

D829,115 S 9/2018 Hirose et al.

D864,135 S * 10/2019 Yokoyama D13/182

D880,323 S 4/2020 Yokino et al.

11,355,298 B2 * 6/2022 Enriquez H01H 69/02

11,437,212 B1 * 9/2022 Arciaga H01H 69/02

D976,215 S * 1/2023 Mukai D13/160

D976,216 S * 1/2023 Mukai D13/160

(Continued)

FOREIGN PATENT DOCUMENTS

CN 308005740 * 4/2023
JP 2015076295 A 4/2015
(Continued)

OTHER PUBLICATIONS

30 Amperes(Small) SFS Series Self Control Protector(SCP), Posted date May 21, 2023 [online], [Retrieved Aug. 9, 2023]. Retrieved from internet, <https://www.dexerials.jp/en/products/surface-mounted-type-fuse/sfs0830.html> (Year: 2023).*

(Continued)

Primary Examiner — Leanne Was-Englehart
Assistant Examiner — Devin Kelly
(74) Attorney, Agent, or Firm — KENJA IP LAW PC


(57) CLAIM

The ornamental design for a fuse, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a fuse showing my new design;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a front view thereof, the rear view being identical;
FIG. 4 is a right side thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a cross-section end view taken along line 8-8 in FIG. 3; and,
FIG. 9 is a cross-section end view taken along line 9-9 in FIG. 4.
The broken lines in the drawings depict portions of the fuse taht form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D978,809 S * 2/2023 Kanda D13/182
D981,356 S * 3/2023 Hara D13/182
D981,966 S * 3/2023 Mukai D13/160
D993,201 S * 7/2023 Saito D13/182
2016/0005561 A1 * 1/2016 Enriquez H01H 85/08
337/297
2022/0277916 A1 * 9/2022 Yoneda H01H 85/0411
2022/0293371 A1 * 9/2022 Nakajima H01H 37/761

FOREIGN PATENT DOCUMENTS

JP 2016134317 A 7/2016
JP 2020098755 A 6/2020
JP D1716066 * 5/2022
JP D1716067 * 5/2022
JP D1728956 * 11/2022
JP D1729713 * 11/2022
KR 301171308.0000 * 7/2022
KR 301195057.0000 * 12/2022

KR 301195058.0000 * 12/2022
TW 219682-0001 * 7/2022
TW 221742-0001 * 10/2022

OTHER PUBLICATIONS

HA1701886300, Transistor Gijutsu, (CQ Publishing Co., Ltd.), Feb. 3, 2006, Retrieved from the Known Design Database of the Japan Patent Office using Internet, URL: <https://www.j-platpat.inpit.go.jp/d0200>.
HC0301363600, Nikkan Kogyo Shimbun New Equipment Material Information, (The Nikkan Kogyo Shimbun,Ltd.), Dec. 13, 1999, Retrieved from the Known Design Database of the Japan Patent Office using Internet, URL: <https://www.j-platpat.inpit.go.jp/d0200>.
HC1702453300, Elecut Catalog O_Series vol. 1 (Nikkan Kogyo Shimbun Oct. 21, 2004 P7 With Photo), (Shinkoh Electric Co., Ltd.), Sep. 9, 2005, Retrieved from the Known Design Database of the Japan Patent Office using Internet, URL: <https://www.j-platpat.inpit.go.jp/d0200>.

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

