

US0D1011550S

(12)

United States Design Patent

Tsujihashi et al.

(10)

Patent No.:

US D1,011,550 S

(45)

Date of Patent:

** Jan. 16, 2024

(54) **HOLDING PAD FOR CARRYING SUBSTRATE**

(71) Applicant: **Tokyo Electron Limited**, Tokyo (JP)

(72) Inventors: **Tatsuhiko Tsujihashi**, Koshi (JP); **Suguru Enokida**, Koshi (JP); **Kazuki Matsushita**, Koshi (JP)

(73) Assignee: **TOKYO ELECTRON LIMITED**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/821,009**

(22) Filed: **Dec. 27, 2021**

(30) **Foreign Application Priority Data**

Jul. 9, 2021 (JP) 2021-014977 D

(51) **LOC (14) Cl.** **24-02**

(52) **U.S. Cl.**

USPC **D24/225**

(58) **Field of Classification Search**

USPC D24/110, 110.5, 169, 211, 223, 224, 225, D24/230; D10/74, 108; D8/352, 397; D23/225, 231, 232

CPC A61B 18/148; A61B 18/1482; A61B 18/1487; F04B 1/00; F04B 1/10; F04B 1/12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D328,210 S * 7/1992 Callon D8/352

5,190,332 A * 3/1993 Nagai B65G 47/91 271/90

D453,000 S * 1/2002 Shinjo D8/397

D684,694 S * 6/2013 Green A61B 17/132 D24/169

D685,461 S * 7/2013 Striebig D24/110

D697,224 S * 1/2014 Judson D24/216

D703,026 S * 4/2014 Wu D8/352

(Continued)

FOREIGN PATENT DOCUMENTS

TW 102302212 * 12/2013

OTHER PUBLICATIONS

PKYAA Dashboard Pad Mounting Disk Sticky Adhesive Replacement Kit, 3pcs 2.76"(70mm) Circle Heat Resistant Double-Sided Stickers for Suction Cup Car Phone Holder Disc & Windshield Dash Cam. Online, published date Aug. 15, 2020. Retrieved on May 13, 2023 from URL: <https://www.amazon.sg/PKYAA-Dashboard-Replacement-Double-.>*

Primary Examiner — Omeed Agilee
(74) Attorney, Agent, or Firm — Leydig, Voit & Mayer, Ltd.

(57)

CLAIM


The ornamental design for a holding pad for carrying substrate, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a holding pad for carrying substrate showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a front perspective view thereof;
FIG. 8 is a rear perspective view thereof; and,
FIG. 9 is a cross-sectional view taken along the line 9-9 in FIG. 1.

The broken lines depict unclaimed portions of the holding pad for carrying substrate, and thus form no part of the claimed design. The dot-dash chain lines in the drawings depict the boundaries of the claimed subject matter, and thus form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D755,038	S	*	5/2016	Bolton		D8/352
D756,747	S	*	5/2016	Wu		D8/352
D878,548	S	*	3/2020	Lane		D24/110.5
D881,408	S	*	4/2020	Kuroda		D24/224
D909,603	S	*	2/2021	Tokimatu		D24/225
D922,609	S	*	6/2021	Tokimatu		D24/225
D969,342	S	*	11/2022	Johnson		D24/224
D983,993	S	*	4/2023	Johnson		D24/224

* cited by examiner




Fig. 1




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9