



US0D1012010S

(12)

United States Design Patent

Speziari et al.

(10) Patent No.: US D1,012,010 S

(45) Date of Patent: ** Jan. 23, 2024

(54) ALL SEASON TIRE

DESCRIPTION

(71) Applicant: **Pirelli Tyre S.p.A.**, Milan (IT)

(72) Inventors: **Diego Ettore Speziari**, Milan (IT);
Stefano Montesello, Milan (IT);
Roberto Bolzoni, Milan (IT); **Giovanni Casarotto**, Milan (IT)

(73) Assignee: **PIRELLI TYRE S.p.A.**, Milan (IT)

(**) Term: **15 Years**

(21) Appl. No.: **29/795,770**

(22) Filed: **Jun. 21, 2021**

(30) **Foreign Application Priority Data**

Dec. 21, 2020	(EM)	008355879
---------------	------	-----------

(51) **LOC (14) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/521**

(58) **Field of Classification Search**
USPC D12/568–605, 900, 901, 515–532
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D582,339 S	*	12/2008	Kang	D12/519
D597,474 S	*	8/2009	Yamakawa	D12/519

(Continued)

Primary Examiner — John A Voytek
(74) *Attorney, Agent, or Firm* — Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P.


(57) **CLAIM**

The ornamental design for an all season tire, as shown and described.

FIG. 1 is a front view of a first embodiment of an all season tire, it being understood that the tread pattern is repeated throughout the circumference of the tire;
FIG. 2 is a left side view of the first embodiment of the tire;
FIG. 3 is a perspective view of the first embodiment of the tire;
FIG. 4 is a right side view of the first embodiment of the tire;
FIG. 5 is an enlarged view of FIG. 1, showing a portion thereof;
FIG. 6 is a front view of a second embodiment of the tire, it being understood that the tread pattern is repeated throughout the circumference of the tire;
FIG. 7 is a left side view of the second embodiment of the tire;
FIG. 8 is a perspective view of the second embodiment of the tire;
FIG. 9 is a right side view of the second embodiment of the tire;
FIG. 10 is an enlarged view of FIG. 6, showing a portion thereof;
FIG. 11 is a front view of a third embodiment of the tire, it being understood that the tread pattern is repeated throughout the circumference of the tire;
FIG. 12 is a left side view of the third embodiment of the tire;
FIG. 13 is a perspective view of the third embodiment of the tire;
FIG. 14 is a right side view of the third embodiment of the tire; and,
FIG. 15 is an enlarged view of FIG. 11, showing a portion thereof.

The portions depicted in broken dashed lines of uneven length mark the boundaries of the claimed design. The portions depicted in broken dashed lines of even length illustrate portions of the tire that form no part of the claimed design. The broken “dot-dot” lines in FIGS. 11, 15, 16, 20, 26, and 30 illustrate the boundary of the enlarged portion of the front views.

1 Claim, 15 Drawing Sheets



(58) **Field of Classification Search**
CPC Y10T 152/10027; B60C 1/0016; B60C
11/0306; B60C 11/0302; B60C 3/06;
B60C 9/17
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D645,392	S	*	9/2011	Hutz		D12/532
D686,567	S	*	7/2013	Fu		D12/603
D686,977	S	*	7/2013	Hutz		D12/603
D696,622	S	*	12/2013	Buresh		D12/523
D731,405	S	*	6/2015	Fujita		D12/584
D733,635	S	*	7/2015	Digman		D12/521
D733,636	S	*	7/2015	Janesh		D12/520
D735,116	S	*	7/2015	Chen		D12/532
D737,752	S	*	9/2015	Shondel		D12/521
D768,055	S	*	10/2016	Wang		D12/528
D777,087	S	*	1/2017	Morgan		D12/521

D782,959	S	*	4/2017	Sareen		D12/521
D788,694	S	*	6/2017	Speziari		D12/604
D789,870	S	*	6/2017	Dixon		D12/521
D794,541	S	*	8/2017	Montesello		D12/604
D794,542	S	*	8/2017	Tahon		D12/528
D810,657	S	*	2/2018	Yamaoka		D12/519
D821,293	S	*	6/2018	Hayashi		D12/532
D821,964	S	*	7/2018	Speziari		D12/584
D830,956	S	*	10/2018	Mishima		D12/519
D835,569	S	*	12/2018	Montesello		D12/604
D835,570	S	*	12/2018	Montesello		D12/604
D843,310	S	*	3/2019	Yamaoka		D12/519
D859,288	S	*	9/2019	Petr		D12/521
D867,264	S	*	11/2019	Poling		D12/521
D883,185	S	*	5/2020	Grael		D12/521
D902,136	S	*	11/2020	Speziari		D12/604
D918,825	S	*	5/2021	Wu		D12/528
D924,786	S	*	7/2021	Akashi		D12/521
D954,633	S	*	6/2022	Loesch		D12/527
D978,063	S	*	2/2023	Park		D12/527

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15