



US0D1012160S

(12)

United States Design Patent

Burns et al.

(10)

Patent No.:

US D1,012,160 S

(45)

Date of Patent:

** Jan. 23, 2024

(54)

CAMERA MOUNT

(71)

Applicant: Amazon Technologies, Inc., Seattle, WA (US)

(72)

Inventors: Thomas Burns, Boston, MA (US); Jonathan Howard Biddle, San Francisco, CA (US); Michael O'Connor, Charlestown, MA (US)

D659,177 S

5/2012

Chan

D666,662 S

9/2012

Runnals

D694,305 S

11/2013

Katori et al.

D694,306 S

11/2013

Katori et al.

D695,725 S

12/2013

Taeger

9,169,963 B1

10/2015

Chen et al.

D744,986 S

12/2015

Huerta et al.

D757,835 S

5/2016

Tabuchi

D761,343 S *

7/2016

Schmidt D16/202

(Continued)

(73)

Assignee: AMAZON TECHNOLOGIES, INC., Seattle, WA (US)

(**)

Term:

15 Years

(21)

Appl. No.:

29/811,054

(22)

Filed:

Oct. 11, 2021

Related U.S. Application Data

(62)

Division of application No. 29/722,139, filed on Jan. 27, 2020, now Pat. No. Des. 933,118.

(51)

LOC (14) Cl.

.....

16-05

(52)

U.S. Cl.

USPC

.....

D16/242

(58)

Field of Classification Search

USPC

.....

D8/354, 355, 363, 373, 382, 383, 394, D8/396; D14/224, 229, 238, 251, 253, D14/447, 451, 457; D16/136, 219, 235, D16/237, 242, 244, 245, 250

CPC ..

G03B 15/03; A45F 5/00; A45F 5/10; F16M 11/06–10; F16M 11/14; G02B 7/00–002

See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

D387,791 S *

12/1997

Wen

.....

D16/242

5,734,356 A

3/1998

Chang

D512,372 S

12/2005

Sakai

D557,260 S

12/2007

Westerling et al.

D610,577 S

2/2010

Jenkins

OTHER PUBLICATIONS

Blink Mini—Compact indoor plug-in smart security camera, 1080 H 0 video, night vision, motion detection, two-way audio, Works with Alexa—1 camera. [online] Retrieved Jun. 16, 2021 from URL: <https://www.amazon.com/Blink-Mini-plug-security-detection/dp/B07X6C9RMF>.

Primary Examiner — Richard Kearney
Assistant Examiner — Benjamin M Weeks
(74) Attorney, Agent, or Firm — Lee & Hayes P.C.


CLAIM

The ornamental design for a camera mount, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a camera mount; FIG. 2 is a bottom, back perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a back view thereof; FIG. 5 is a left-side view thereof; FIG. 6 is a right-side view thereof; FIG. 7 is a top view thereof; and, FIG. 8 is a bottom view thereof. The dashed broken lines depict portions of the camera mount that form no part of the claimed design. The dot-dashed broken lines represent boundaries of the claimed camera mount and form no part of the claimed design.

1 Claim, 8 Drawing Sheets




(56) **References Cited**

U.S. PATENT DOCUMENTS

D772,163	S	11/2016	Kambayashi	
D779,929	S *	2/2017	Matus, Jr.	D8/382
D780,558	S *	3/2017	Mouthaan	D8/354
D784,438	S	4/2017	Rondinelli et al.	
D817,125	S	5/2018	Gurwicz et al.	
D873,897	S	1/2020	Wengreen	
D902,289	S *	11/2020	Burns	D16/242
D935,448	S *	11/2021	Lee	D13/108
D988,394	S *	6/2023	Burns	D16/242
2010/0252700	A1 *	10/2010	Wang	F16M 11/10 248/206.2

* cited by examiner






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8