

US0D1013001S

(12)

United States Design Patent

Abroff

(10) Patent No.:

US D1,013,001 S

(45) Date of Patent:

** Jan. 30, 2024

(54)	ROBOTIC DEVICE	D947,916 S * 4/2022 Zhao B65G 1/0492 D15/199
(71)	Applicant: Boston Dynamics, Inc., Waltham, MA (US)	D963,722 S * 9/2022 Hernandez D15/199
		D965,656 S * 10/2022 Cederwall D15/199
		D970,577 S * 11/2022 Urruth Kemmerich D15/199
		D975,155 S * 1/2023 Endo D15/199
(72)	Inventor: Aaron Abroff, Acton, MA (US)	11,679,933 B2 * 6/2023 Guarracina B65G 1/12 700/218
(73)	Assignee: Boston Dynamics, Inc., Waltham, MA (US)	D991,997 S * 7/2023 Eggensperger D15/199
		D994,000 S * 8/2023 Yang D15/199
		D994,741 S * 8/2023 Yang D15/199
(**)	Term: 15 Years	D997,224 S * 8/2023 Agkoc G01F 22/00 D15/199

(Continued)

(21) Appl. No.: 29/849,358

(22) Filed: Aug. 10, 2022

(51) LOC (14) Cl. 15-99

(52) U.S. Cl.
USPC D15/199

(58) Field of Classification Search
USPC D15/122, 199; D21/578; D32/21; D34/34
CPC B25J 9/1674; B25J 9/1697; B25J 13/089; B25J 13/086; B25J 13/08; B25J 19/06; B25J 19/021; B25J 13/006; B25J 5/007; G05D 1/0022; G05D 1/0248; G05D 2201/0216

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D712,447 S *	9/2014	He		D15/199
D722,631 S *	2/2015	Stone		D12/1
D749,223 S *	2/2016	Vargas		D24/185
D843,427 S *	3/2019	Medal		D15/199
D856,389 S *	8/2019	Gayne		D15/199
D894,983 S *	9/2020	Okada		D15/199
D897,537 S *	9/2020	Hulford		D24/185
D903,214 S *	11/2020	Williams		D15/199
D912,115 S *	3/2021	Rembisz		D15/199
D912,119 S *	3/2021	Rembisz		D15/199
D947,915 S *	4/2022	Li		D15/199

OTHER PUBLICATIONS

Ackerman, Evan, “A Robot for the Worst Job in the Warehouse”, IEEE Spectrum, <https://spectrum.ieee.org/warehouse-robot>, digital copy published on Dec. 28, 2021, <https://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=9676348>, magazine published Jan. 2022.

Primary Examiner — Patricia A Palasik
(74) Attorney, Agent, or Firm — Pierce Atwood LLP


(57) CLAIM

The ornamental design for a robotic device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a robotic device showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is the top plan view thereof; and,
FIG. 7 is the bottom plan view thereof.
The broken lines depict portions of the robotic device that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

11,726,103	B2 *	8/2023	Guarracina	B25J 21/00
				700/228
2009/0035181	A1 *	2/2009	Chung	G01N 35/04
				422/68.1
2016/0327383	A1 *	11/2016	Becker	G01B 11/005
2016/0332303	A1 *	11/2016	Kirihara	G05B 15/02
2017/0065355	A1 *	3/2017	Ross	A61B 50/13
2020/0016770	A1 *	1/2020	Kamranzadeh	B25J 9/06
2022/0305641	A1 *	9/2022	Murphy	B25J 9/1694
2022/0305663	A1 *	9/2022	Turpin	B25J 19/023
2022/0305667	A1 *	9/2022	Murphy	B25J 9/1674
2022/0305672	A1	9/2022	Meduna et al.	
2022/0305678	A1	9/2022	Tabeli et al.	
2022/0305680	A1 *	9/2022	Turpin	B25J 19/06

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7