



US0D1014583S

(12)

United States Design Patent

Pino

(10)

Patent No.:

US D1,014,583 S

(45)

Date of Patent:

** Feb. 13, 2024

(54) PRINTER ENCLOSURE

(71) Applicant: **Honeywell Federal Manufacturing & Technologies, LLC**, Kansas City, MO (US)

(72) Inventor: **Ruben Arturo Pino**, Kansas City, MO (US)

(73) Assignee: **Honeywell Federal Manufacturing & Technologies, LLC**, Kansas City, MO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/821,387**

(22) Filed: **Dec. 29, 2021**

(51) **LOC (14) Cl.** **15-09**

(52) **U.S. Cl.**
USPC **D15/122; D15/135**

(58) **Field of Classification Search**
USPC D15/122, 127, 135, 144, 144.1, 144.2;
D18/34.3, 50, 53, 55, 57

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D242,872 S * 12/1976 Wheeler D15/199

D717,850 S * 11/2014 Kawai D15/199

(Continued)

OTHER PUBLICATIONS

Ile Kauppila, “Additive Metallurgy—The Best #D Printers of 2023”, (published Sep. 7, 2023), ALL3DP.com website, URL:<<https://all3dp.com/1/3d-metal-3d-printer-metal-3d-printing/>> (Year: 2023).*

Primary Examiner — Calvin E Vasant

Assistant Examiner — Mark T. Philipps

(74) *Attorney, Agent, or Firm* — Hovey Williams LLP

(57) CLAIM

The ornamental design for a printer enclosure, as shown and described.

DESCRIPTION

FIG. 1 is an upper front perspective view of a first embodiment of the printer enclosure of the present invention, with the printer enclosure including shiftable panels that are transparent or translucent;

FIG. 2 is a front elevational view of the printer enclosure of the first embodiment;

FIG. 3 is a right side elevational view of the printer enclosure of the first embodiment;

FIG. 4 is a left side elevational view of the printer enclosure of the first embodiment;

FIG. 5 is a rear elevational view of the printer enclosure of the first embodiment;

FIG. 6 is a top view of the printer enclosure of the first embodiment;

FIG. 7 is an upper front perspective view of the printer enclosure of the first embodiment similar to FIG. 1, but showing shiftable panels of the printer enclosure opened to permit access to an interior of the printer enclosure;

FIG. 8 is a front elevational view of the printer enclosure of the first embodiment similar to FIG. 2, but showing the shiftable panels opened to permit access to the interior;

FIG. 9 is a right side elevational view of the printer enclosure of the first embodiment similar to FIG. 3, but showing the shiftable panels opened to permit access to the interior;

FIG. 10 is a left side elevational view of the printer enclosure of the first embodiment similar to FIG. 4, but showing the shiftable panels opened to permit access to the interior;

FIG. 11 is an upper front perspective view of a second embodiment of the printer enclosure of the present invention, with the printer enclosure including shiftable panels that are opaque;

FIG. 12 is a front elevational view of the printer enclosure of the second embodiment;

FIG. 13 is a right side elevational view of the printer enclosure of the second embodiment;

(Continued)




FIG. 14 is a left side elevational view of the printer enclosure of the second embodiment;
 FIG. 15 is a rear elevational view of the printer enclosure of the second embodiment;
 FIG. 16 is a top view of the printer enclosure of the second embodiment;
 FIG. 17 is an upper front perspective view of the printer enclosure of the second embodiment similar to FIG. 11, but showing shiftable panels of the printer enclosure opened to permit access to an interior of the printer enclosure;
 FIG. 18 is a front elevational view of the printer enclosure of the second embodiment similar to FIG. 12, but showing the shiftable panels opened to permit access to the interior;
 FIG. 19 is a right side elevational view of the printer enclosure of the second embodiment similar to FIG. 13, but showing the shiftable panels opened to permit access to the interior; and,
 FIG. 20 is a left side elevational view of the printer enclosure of the second embodiment similar to FIG. 14, but showing the shiftable panels opened to permit access to the interior. The broken lines shown in some of the figures show portions of the printer enclosure that form no part of the claimed design.

1 Claim, 20 Drawing Sheets

(58) Field of Classification Search

CPC B29C 64/00; B29C 64/20; B29C 64/25;
 B29C 64/40; B29C 64/106; B29C 64/118;
 B29C 64/209; B32B 18/00; B33Y 30/00;
 B33Y 70/00; B33Y 80/00
 See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D732,586 S * 6/2015 Chen D15/122
 D732,587 S * 6/2015 Hsu D15/122

D738,410	S	*	9/2015	Liu		D15/122
D749,155	S	*	2/2016	Kemperle		D15/122
D770,545	S	*	11/2016	Olivé		D15/122
D777,228	S	*	1/2017	Chang		D15/135
D777,808	S	*	1/2017	Chang		D15/135
D787,574	S	*	5/2017	Lee		D15/122
D808,453	S	*	1/2018	Share		D15/199
D809,574	S	*	2/2018	Lin		D15/135
D810,156	S	*	2/2018	Lin		D15/135
D826,296	S	*	8/2018	Noorazar		D15/122
D841,702	S	*	2/2019	Moroni		D15/122
D854,591	S	*	7/2019	Gupta		D15/135
D865,009	S	*	10/2019	Kobayashi		D15/122
D871,463	S	*	12/2019	Cao		D15/122
D873,314	S	*	1/2020	Gauthier		D15/122
D887,461	S	*	6/2020	Malmén		D15/122
D892,875	S	*	8/2020	Medalsy		D18/50
D893,567	S	*	8/2020	Cumming		D15/122
D895,698	S	*	9/2020	Palmer		D15/122
D903,730	S	*	12/2020	Johnson		D15/135
D905,134	S	*	12/2020	Chen		D15/122
D905,139	S	*	12/2020	Ferraro		D15/127
D907,077	S	*	1/2021	Gjovik		D15/135
D922,456	S	*	6/2021	Schmitt		D15/122
D927,565	S	*	8/2021	Yao		D15/122
D927,566	S	*	8/2021	Yao		D15/122
D934,926	S	*	11/2021	Hong		D15/122
D934,927	S	*	11/2021	Hong		D15/122
D938,502	S	*	12/2021	Yang		D15/122
D955,449	S	*	6/2022	Schmitt		D15/122
D958,236	S	*	7/2022	Wu		D18/50
D978,931	S	*	2/2023	Reches		D15/199
D979,615	S	*	2/2023	Reches		D15/135
D981,456	S	*	3/2023	Reichental		D15/135
D985,026	S	*	5/2023	Li		D15/122
D990,538	S	*	6/2023	Wu		D15/122
2016/0082670	A1	*	3/2016	Paroda		B29C 64/40 425/375
2016/0136893	A1	*	5/2016	Chang		B33Y 30/00 425/150
2020/0307070	A1	*	10/2020	Swanson		B29C 64/118
2021/0402689	A1	*	12/2021	Niederberger		B29C 64/209
2022/0314542	A1	*	10/2022	Neal		B29C 64/295
2023/0068289	A1	*	3/2023	Pino		B29C 64/371

* cited by examiner




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.




Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.




Fig. 15.




Fig. 16.




Fig. 17.




Fig. 18.




Fig. 19.




Fig. 20.